



SITE MANAGEMENT

ANNUAL REPORT 2011 CALENDAR YEAR

WORK ASSIGNMENT D004440-26

ROSE VALLEY LANDFILL
RUSSIA (T)

SITE NO. 622017
HERKIMER (C), NY

Prepared for:
NEW YORK STATE
DEPARTMENT OF ENVIRONMENTAL CONSERVATION
625 Broadway, Albany, New York

Joseph Martens, Commissioner

DIVISION OF ENVIRONMENTAL REMEDIATION

URS Corporation
77 Goodell Street
Buffalo, New York 14203

November 2011

ROSE VALLEY LANDFILL

2011 ANNUAL REPORT

SITE MANAGEMENT

SITE # 622017

TOWN OF RUSSIA, HERKIMER COUNTY, NEW YORK

PREPARED FOR:

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

DEPARTMENT OF ENVIRONMENTAL REMEDIATION

WORK ASSIGNMENT D004440-26

PREPARED BY:

URS CORPORATION

77 GOODELL STREET

BUFFALO, NEW YORK 14203

NOVEMBER 2011

TABLE OF CONTENTS

	<u>Page No.</u>
1.0 INTRODUCTION	1-1
1.1 General	1-1
1.2 Project Background	1-1
2.0 SITE DESCRIPTION	2-1
3.0 MONITORING ACTIVITIES	3-1
3.1 Groundwater Hydraulic Monitoring	3-1
3.2 Groundwater Sampling	3-2
3.2.1 Groundwater Results.....	3-2
3.3 Surface Water/Detention Pond Sampling	3-3
3.3.1 Surface Water/Detention Pond Results	3-3
4.0 Site Maintenance	4-1
4.1 Monitoring Well Inspections	4-1
4.2 Landfill Inspection.....	4-1
4.3 Maintenance Performed	4-1
4.3.1 Monitoring Well Maintenance	4-1
4.3.2 Routine Maintenance	4-1
4.3.3 Intermittent Maintenance.....	4-2
5.0 SUMMARY AND RECOMMENDATIONS	5-1
5.1 Groundwater Hydraulic Monitoring	5-1
5.2 Groundwater Quality Monitoring	5-1
5.3 Surface Water/Detention Pond Quality Monitoring.....	5-1
5.4 Monitoring Well Maintenance	5-1
5.5 Landfill Maintenance	5-1

TABLES

Table 1	Groundwater Elevation Measurements
Table 2	Summary of Detected Compounds in 2011 Groundwater Samples
Table 3	Summary of Historically Detected Compounds in Groundwater Samples
Table 4	Summary of Detected Compounds in 2011 Surface/Detention Pond Water Samples

TABLES (continued)

Table 5	Summary of Historically Detected Compounds in Surface/Detention Pond Water Samples
Table 6	Summary of Historically Detected Compounds in Surface Water - Criteria for Class C Surface Waters Requiring Calculation

FIGURES

Figure 1	Site Location Map
Figure 2	Site Plan
Figure 3	Potentiometric Surface (Shallow) – July 12, 2011
Figure 4	Potentiometric Surface (Deep) – July 12, 2011
Figure 5	Groundwater Exceedances
Figure 6	Surface Water/ Detention Pond Exceedances

APPENDICES

Appendix A	Field Notes
Appendix B	Monitoring Well Purge Logs
Appendix C	Photographic Log
Appendix D	Data Usability Summary Report (on compact disk)
Appendix E	Well Inspection Forms
Appendix F	Landfill Inspection Form
Appendix G	2010 Intermittent Maintenance Construction Report and Photo Log

1.0 INTRODUCTION

1.1 General

This Site Management Annual Report for 2011 has been prepared under New York State Department of Environmental Conservation (NYSDEC) URS Work Assignment No. D004440-26 for the Rose Valley Landfill site (Figure 1). The purpose of this Annual Report is to provide a record of the long-term maintenance of the cap, wells and stormwater management features associated with remediation at the Rose Valley Landfill and to monitor the effectiveness of natural attenuation. This report is the second annual report as called for by Section 6.3 of the Conceptual Operation, Monitoring and Maintenance Plan (COMMP) (URS, November 2006). The COMMP was modified based upon comments from the NYSDEC. The modified plan, re-titled as the Site Management Plan was submitted to the Department, reviewed, and approved in September 2010.

The purpose of the site management as presented in the Record of Decision (ROD) is to provide guidance for the operation and maintenance of the site relative to:

- Maintaining the capped area;
- Long term monitoring of the natural attenuation of the groundwater plume by and within the downslope wetlands; and
- Documenting the effectiveness of natural attenuation.

1.2 Project Background

The NYSDEC proposed a remedy in the ROD dated March 30, 2001. The recommendation involved:

- On-site disposal of contaminated surface soils from the older septic disposal pit into the on-site landfill;
- Installing a new cap on the landfill to reduce infiltration through the wastes;
- Installing a new residential well in a deeper, clean aquifer for the impacted residence; and
- Long-term monitoring of the leachate and contaminated groundwater plume by monitoring natural attenuation.

A description of the project site can be found in Section 2.0.

2.0 SITE DESCRIPTION

The Rose Valley Landfill is a privately owned, unlined dump that was open from 1963 to 1985. The site is located in Russia Township in Herkimer County as part of a 91-acre parcel (since subdivided into two parcels in 1986). The site is bounded to the east by Military Road, to the west by Bromley Road, and to the southwest by Rose Valley Road (Figure 2). A NYSDEC Class C stream locally known as Finch Brook separates the site from Military Road. Finch Brook is a tributary of Hurricane Brook (also a NYSDEC Class C stream).

The landfill is located on the side of a hill that has approximately 120 feet of relief. A steep, 60-foot-high sand embankment extends above the landfill to the west. The site is characterized by high relief, with sharp drops in elevation from southwest to northeast and a moderate, even south to southwest slope. The gradient across the western portion of the property is less severe, sloping in the opposite direction.

The area surrounding the site is sparsely populated, with few known permanent residents. At the time that the ROD was issued, a private well immediately adjacent to the landfill entrance on Rose Valley Road (and downgradient of the landfill) was found to be contaminated with site-related contaminants. A new replacement drinking water well into the deeper aquifer has since been installed at the residence; it is being monitored by the Herkimer County Department of Health.

The remedial design of the landfill closure was completed and the construction of the landfill cap was completed in 2007. A 6-foot high chain-link fence was constructed to limit access to the landfill cap area.

3.0 MONITORING ACTIVITIES

Monitoring activities were performed during July 2011 in accordance with the Site Management Plan (URS, September 2010). Site monitoring consisted of the collection of groundwater samples from ten (10) wells and surface water samples from four (4) locations, shown on Figure 2. Seven of the groundwater wells are “Sentry Wells” (i.e., SW-01S, SW-01D, SW-02S, SW-02D, SW-03S, SW-04S and SW-04D) and three are monitoring wells (i.e., MW-03, MW-04 and MW-16). Sentry Wells are constructed the same as monitoring wells, but are called Sentry Wells because they are located between the landfill and nearby residential drinking water wells or a surface water body. The monitoring wells are located within the wetland, east of the landfill. Surface water samples locations are: at the toe of the embankment (SWTR-1T); at the entrance of the downgradient stream (SWTR-1E); at the North Detention Pond (NDP); and at the South Detention Pond (SDP). A copy of the field notes from the 2011 monitoring activities is provided in Appendix A.

In order to extend the time frame for URS to perform long-term monitoring without additional funding, the Department took responsibility for the cost of analytical services through a call-out to TestAmerica-Buffalo, located in Amherst, NY.

3.1 Groundwater Hydraulic Monitoring

On July 12, 2011, synoptic groundwater level measurements were obtained from fourteen wells (i.e., seven Sentry Wells and seven monitoring wells). The water level measurements are provided in Table 1. Three of the Sentry Wells (i.e., SW-01D, SW-02D and SW-04D) and four of the monitoring wells (MW-02, MW-14, MW-15 and MW-17) are deep wells. Four of the Sentry Wells (i.e., SW-01S, SW-02S, SW-03S and SW-04S) and the three monitoring wells (MW-03, MW-04, and MW-16) are shallow wells. One of the deep wells east of the landfill is an artesian well (i.e., SW-04D), and efforts to measure the water column in April 2010 were unsuccessful. A deep well contour interval could not be created with two wells, therefore based on the recommendations in the 2010 Calendar Year Annual Report, monitoring wells MW-02, MW-14, MW-15 and MW-17 were added to the synoptic groundwater level measurement list in 2011. A potentiometric surface map based on the water level measurements from the shallow wells, using a 10.0-foot contour interval, is provided in Figure 3. A potentiometric surface map based on the water level measurements from the deep wells, using a 10.0-foot contour interval, is provided in Figure 4.

The shallow groundwater flow is to the east-northeast towards Military Road. The deep groundwater flow is in the same general direction.

3.2 Groundwater Sampling

On July 12 and 13, 2011, URS collected groundwater samples from seven Sentry Wells and three monitoring wells plus quality control (QC) samples using low-flow sampling procedures.

Prior to sample collection, standing water was purged from each well with either a GeoPump2 peristaltic pump or Grundfos Redi-Flow 2 submersible pump using dedicated/disposable high-density polyethylene (HDPE) tubing. Wells were purged at a rate of 1-liter per minute or less and the purge rate was adjusted to minimize draw down. During the purging of the well, water quality parameters (i.e., pH, specific conductivity, temperature, dissolved oxygen, turbidity) were measured using a Horiba U-22 Multi-parameter Instrument with a flow-through cell. The water quality parameters were documented on a purge log. Samples were collected after the water quality parameters stabilized. Well purge logs are provided in Appendix B and a Photographic Log is provided in Appendix C. Purge water was disposed of on the ground up-gradient of the well locations, as per the direction of the Department

All groundwater samples were transported under chain-of custody (COC) to the TestAmerica Amherst, NY facility. The samples were analyzed for target compound list (TCL) volatile organic compounds (VOCs) plus tentatively identified compounds (TICs) following United States Environmental Protection Agency (USEPA) SW846 Method 8260B.

3.2.1 Groundwater Results

All analytical data (i.e., NYSDEC ASP Category B data deliverables) was received by URS on August 3, 2011. The data was reviewed in accordance with the requirements outlined in Guidance for Data Deliverables and the Development of Data Usability Summary Reports (DUSR), Appendix 2B, *DER-10/Technical Guidance for Site Investigation and Remediation* (NYSDEC, May 2010). Data summary tables, Form I's and Form Ie's (TICs) are provided in the DUSR and include the reporting limit for each non-detected compound. A copy of the DUSR may be found in Appendix D, on a compact disk (CD).

A summary of the detected compounds in the groundwater samples are provided in Table 2. Results exceeding TOGS 1.1.1 Class GA groundwater standards or guidance values are

indicated with a circle. The locations of detected compounds that have exceeded their respective criteria are shown on Figure 5. Only two VOCs [i.e., 1,1-dichloroethane (10 µg/L, MW-04) and cis-1,2-dichloroethene (8.0 µg/L, MW-03)] were detected above TOGS 1.1.1 Class GA limits in the groundwater samples. No VOCs exceeded TOGS No. 1.1.1 standards or guidance values in the samples from Sentry Wells (i.e., SW-01D, SW-01S, SW-02D, SW-02S, SW-03S, SW-04D, and SW-04S) or monitoring well MW-16. A historical summary of detected results in groundwater is provided in Table 3. Results from the 2011 sampling event are consistent with the 2010 sampling event.

3.3 Surface Water/Detention Pond Sampling

On July 13, 2011, URS collected surface water samples from locations SWTR-1T and SWTR-1E, the North Detention Pond (NDP) and the South Detention Pond (SDP), plus QC samples. At each location the surface water sample was collected by immersing pre-cleaned, laboratory grade sample bottles as close to the middle of the water body as possible without disturbing the sediment. During the collection of the surface water samples, water quality parameters (i.e., pH, specific conductivity, temperature, dissolved oxygen, turbidity) were measured using a Horiba U-22 Multi-parameter Instrument. The water quality parameters were documented on a sample log, which may be found in Appendix B. Photographs of surface water sampling are provided in Appendix C.

All surface samples were transported under COC to the TestAmerica Amherst, NY facility. The samples were analyzed for TCL VOCs plus TICs following USEPA SW846 Method 8260B.

3.3.1 Surface Water/Detention Pond Results

A summary of the detected compounds in surface water samples are provided in Table 4. No VOCs exceeded TOGS No. 1.1.1 Class C standards or guidance values in the surface water locations sampled, as shown on Figure 6. A historical summary of detected results in surface water is provided in Table 5. Table 6 lists criteria that require calculation, per TOGS No. 1.1.1 for Class C surface waters. Results from the 2011 sampling event are consistent with the 2010 sampling event.

4.0 SITE MAINTENANCE

4.1 Monitoring Well Inspections

During the 2011 groundwater sampling event, a well inspection was performed. All wells appeared to be in good condition. Locks, which were found to be either missing from the well casing or non-functional in the 2010 inspection, were installed during the 2011 inspection. URS keyed alike locks were used. The monitoring well inspection logs may be found in Appendix E.

4.2 Landfill Inspection

During the 2011 groundwater sampling event, a landfill inspection was performed by URS accompanied by NYSDEC personnel. A copy of the completed landfill inspection form can be found in Appendix F. The landfill cap components appeared to be in good condition with the following exceptions. Ruts approximately 6 inches deep were present in the gravel road on the landfill. The geotech fabric was exposed due to erosion alongside the main access road. Hogweed, a non-native invasive species was observed near the main gate. It was also noted that the quantity of silt and sediment in the detention ponds appears to have increased since the last site inspection. Trash (e.g., tires, metal, cardboard) has been dumped in the sand borrow area east of the landfill. Photographs taken during the landfill inspection can be found in Appendix C.

4.3 Maintenance Performed

The following subsections describe site maintenance activities.

4.3.1 Monitoring Well Maintenance

Other than the installation of new padlocks, no monitoring well maintenance was necessary or performed at the time this report was prepared.

4.3.2 Routine Maintenance

The 2010 Site Management Report was completed prior to the completion of all site maintenance activities for that year. The 2010 landfill cap mowing was performed on September 22, 2010 by Environmental Products and Services of Vermont, Inc. (EPS). URS was on site during the mowing activities. The mowing activities were documented on the construction report which may be found in Appendix G.

In July 2011, the Department requested URS to allocate funds in its budget for the cost of mowing in 2011 and provided URS with the solicitation records. URS submitted a letter to the NYSDEC on July 7, 2011 requesting the approval for the use of Marcy Excavation Services, LLC (Marcy) for mowing. The 2011 Landfill cap mowing was performed by Marcy on July 8 and 11, 2011. URS was not on site during the mowing activities. Visual inspection of the site on July 12, 2011 indicated the 2011 mowing was completed satisfactorily. No other routine maintenance was performed at the time this report was prepared.

4.3.3 Intermittent Maintenance

On September 22, 2010, EPS performed intermittent maintenance at the site. Maintenance included filling and regrading eroded areas, topsoil placement and seeding of non-road areas and placement of erosion mats in the areas repaired. A copy of the construction report and photographic log is provided in Appendix G. No intermittent maintenance was performed during 2011 at the time this report was prepared.

5.0 SUMMARY AND RECOMMENDATIONS

A summary of the annual monitoring and recommendations are provided below.

5.1 Groundwater Hydraulic Monitoring

Shallow and deep groundwater flows in an east-northeast direction. In addition to the wells sampled, four more wells were measured in order to provide the deep groundwater contours. It is recommended that these wells continue to be measured during future monitoring events.

5.2 Groundwater Quality Monitoring

Two VOCs (cis-1,2-dichloroethene and 1,1-dichloroethane) exceed TOGS 1.1.1 Class GA standards and guidance values. There were no exceedances in the Sentry Wells. Historical results of the ten wells are provided in Table 3. The concentrations of detected VOCs are lower in 2010 when compared to the 2004 results. The concentrations of VOCs in the 2011 sampling event are consistent with the 2010 sampling event results.

5.3 Surface Water/Detention Pond Quality Monitoring

No VOCs were detected in the four surface water locations at concentrations that exceeded the TOGS 1.1.1 Class C surface water standards and guidance values. Historical data from the surface water sampling locations is provided in Table 5.

5.4 Monitoring Well Maintenance

Other than replacing locks, no maintenance was necessary for the monitoring wells.

5.5 Landfill Maintenance

The landfill was mowed on September 22, 2010 and July 9-11, 2011. On September 22, 2010 corrective action was taken to mitigate the erosion observed in April 2010. In July 2011, erosion was noted on the west side of the landfill at the toe drain/channel interface and on the north side of the site, north of the stone-lined drainage channel. Ruts, approximately 6 inches deep, have formed in the gravel on the landfill road. Trash has been dumped in the sand borrow area east of the landfill. Corrective action will be necessary to mitigate the erosion and to remove the trash. All landfill cap components appeared to be sound.

TABLES

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
ROSE VALLEY LANDFILL

Location ID / Type	Northing	Easting	Ground Elevation (ft)	Casing Elevation (ft)	Meas.point (Riser)Elev.(ft)	Geol. Zone	Date / Time	Depth to Water (ft)	Water Elev. (ft)	Product Thick. (ft)	Corrected Water Elev. (ft)	Remark
MW-02	1601925.82	356255.39			1305.15	B						
WL							8/17/2004 1415	58.38	1246.77	0.00		
WL							7/12/2011 1313	57.55	1247.60	0.00		
MW-03	1602437.498	357450.2192			1175.58	A						
WL							8/19/2004 1210	3.31	1172.27	0.00		
WL							4/21/2010 0000	3.03	1172.55	0.00		
WL							7/12/2011 1335	3.01	1172.57	0.00		
MW-04	1602588.989	357572.8098			1172.46	A						
WL							8/19/2004 1310	2.56	1169.90	0.00		
WL							4/21/2010 0000	2.63	1169.83	0.00		
WL							7/12/2011 1345	2.54	1169.92	0.00		
MW-14	1602932.523	356221.9497			1317.83	B						
WL							8/19/2004 1610	96.74	1221.09	0.00		
WL							7/12/2011 1520	98.55	1219.28	0.00		
MW-15	1602594.762	356379.221			1312.36	B						
WL							8/17/2004 1625	85.85	1226.51	0.00		
WL							7/12/2011 1507	87.76	1224.60	0.00		
MW-16	1602287.308	357950.8887			1152.58	A						
WL							8/18/2004 1320	4.00	1148.58	0.00		
WL							4/21/2010 0000	3.00	1149.58	0.00		
WL							7/12/2011 1400	3.56	1149.02	0.00		
MW-17	1602592.476	356386.6381			1311.72	B						
WL							8/17/2004 1715	87.30	1224.42	0.00		
WL							7/12/2011 1505	86.69	1225.03	0.00		
SW-01D	1601823.93	355356.06	1262.0		1264.70	B						
WL							8/17/2004 1025	68.64	1196.06	0.00		
WL							4/21/2010 0000	67.13	1197.57	0.00		
WL							7/12/2011 1437	67.37	1197.33	0.00		

NM - No Measurement

Geologic Zone:

A Shallow Unconfined Aquifer

B Deep Unconfined Aquifer

TABLE 1
GROUNDWATER ELEVATION MEASUREMENTS
ROSE VALLEY LANDFILL

Location ID / Type	Northing	Easting	Ground Elevation (ft)	Casing Elevation (ft)	Meas.point (Riser)Elev.(ft)	Geol. Zone	Date / Time	Depth to Water (ft)	Water Elev. (ft)	Product Thick. (ft)	Corrected Water Elev. (ft)	Remark
SW-01S	1601817.02	355346.13	1260.5		1263.17	A						
WL							8/17/2004 1020	19.32	1243.85	0.00		
WL							4/21/2010 0000	19.05	1244.12	0.00		
WL							7/12/2011 1435	18.56	1244.61	0.00		
SW-02D	1601370.34	355721.25			1257.00	B						
WL							8/16/2004 1600	70.49	1186.51	0.00		
WL							4/21/2010 0000	70.10	1186.90	0.00		
WL							7/12/2011 1450	70.73	1186.27	0.00		
SW-02S	1601367.21	355730.86			1257.20	A						
WL							8/16/2004 1700	12.05	1245.15	0.00		
WL							4/21/2010 0000	12.36	1244.84	0.00		
WL							7/12/2011 1448	11.30	1245.90	0.00		
SW-03S	1601483.4	355518.17			1257.67	A						
WL							8/17/2004 0925	12.73	1244.94	0.00		
WL							4/21/2010 0000	12.81	1244.86	0.00		
WL							7/12/2011 1440	11.85	1245.82	0.00		
SW-04D	1602328.65	358265.16	1149.0		1148.65	B						
WL							8/18/2004 1205	NM	-	NM	-	Artesian well
WL							4/21/2010 0000	NM	-	NM	-	Artesian well
WL							7/12/2011 1415	NM	-	NM	-	Artesian well
SW-04S	1602315.5	358278.21	1148.3		1148.00	A						
WL							8/18/2004 1225	3.76	1144.24	0.00		
WL							4/21/2010 0000	2.83	1145.17	0.00		
WL							7/12/2011 1420	3.40	1144.60	0.00		

NM - No Measurement

Geologic Zone:


- A Shallow Unconfined Aquifer
- B Deep Unconfined Aquifer

TABLE 2
SUMMARY OF DETECTED COMPOUNDS IN 2011 GROUNDWATER SAMPLES
ROSE VALLEY LANDFILL

Location ID			MW-03	MW-04	MW-16	SW-01D	SW-01S
Sample ID			MW-03	MW-04	MW-16	SW-01D	FD-071211
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			07/13/11	07/13/11	07/13/11	07/12/11	07/12/11
Parameter	Units	*					Field Duplicate (1-1)
Volatile Organic Compounds							
1,1-Dichloroethane	UG/L	5	2.2	10			
1,2-Dichloroethene (cis)	UG/L	5	8.0	2.4			
Chloroethane	UG/L	5		0.35 J			

*- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds

- = No standard or guidance value.

Blank cell or ND - Not detected. J - The reported concentration is an estimated value.


Only Detected Results Reported.

TABLE 2
SUMMARY OF DETECTED COMPOUNDS IN 2011 GROUNDWATER SAMPLES
ROSE VALLEY LANDFILL

Location ID			SW-01S	SW-02D	SW-02S	SW-03S	SW-04D
Sample ID			SW-01S	SW-02D	SW-02S	SW-03S	SW-04D
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			07/12/11	07/12/11	07/12/11	07/12/11	07/13/11
Parameter	Units	*					
Volatile Organic Compounds							
1,1-Dichloroethane	UG/L	5					
1,2-Dichloroethene (cis)	UG/L	5					
Chloroethane	UG/L	5					

*- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds

- = No standard or guidance value.

Blank cell or ND - Not detected. J - The reported concentration is an estimated value.


Only Detected Results Reported.

TABLE 2
SUMMARY OF DETECTED COMPOUNDS IN 2011 GROUNDWATER SAMPLES
ROSE VALLEY LANDFILL

Location ID			SW-04S
Sample ID			SW-04S
Matrix			Groundwater
Depth Interval (ft)			-
Date Sampled			07/13/11
Parameter	Units	*	
Volatile Organic Compounds			
1,1-Dichloroethane	UG/L	5	
1,2-Dichloroethene (cis)	UG/L	5	
Chloroethane	UG/L	5	0.48 J

*- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.



Concentration Exceeds

- = No standard or guidance value.

Blank cell or ND - Not detected. J - The reported concentration is an estimated value.


Only Detected Results Reported.

TABLE 3
SUMMARY OF HISTORICALLY DETECTED COMPOUNDS IN GROUNDWATER SAMPLES
ROSE VALLEY LANDFILL

Location ID			MW-03	MW-03	MW-03	MW-04	MW-04
Sample ID			MW-03	MW-03	MW-03	MW-04	MW-04
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			08/19/04	04/21/10	07/13/11	08/19/04	04/21/10
Parameter	Units	Criteria*					
Volatile Organic Compounds							
1,1,1-Trichloroethane	UG/L	5					
1,1-Dichloroethane	UG/L	5	4 J	2.3	2.2	16	9.3
1,2-Dichloroethene (cis)	UG/L	5	16	7.1	8.0	3 J	2.3
Chloroethane	UG/L	5					
Dichlorodifluoromethane	UG/L	5		0.75 J			0.86 J
Metals							
Aluminum	UG/L	-	164 B		NA	131 B	
Antimony	UG/L	3	3.7 B		NA		
Arsenic	UG/L	25			NA		
Barium	UG/L	1000	60.4 B	47.6	NA	17.2 B	16.0
Cadmium	UG/L	5	0.25 B		NA		
Calcium	UG/L	-	220,000	225,000	NA	156,000	171,000
Chromium	UG/L	50			NA		
Cobalt	UG/L	-	2.0 B		NA	1.1 B	
Copper	UG/L	200			NA	1.5 B	
Iron	UG/L	300	918	252	NA	1,190	1,050
Magnesium	UG/L	35000	23,500	18,600	NA	26,800	31,700
Manganese	UG/L	300	2,210 J	2,450	NA	304 J	525
Nickel	UG/L	100	5.6 B		NA	13.5 B	
Potassium	UG/L	-	3,950 B	3,320	NA	1,070 B	1,130
Silver	UG/L	50			NA		
Sodium	UG/L	20000	5,940	3,800	NA	16,600	14,100
Vanadium	UG/L	-			NA		
Zinc	UG/L	2000			NA		

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds Criteria

- = No standard or guidance value.

Blank cell or ND - Not detected. J - The reported concentration is an estimated value.

NA - Not Analyzed.


Only Detected Results Reported.

TABLE 3
SUMMARY OF HISTORICALLY DETECTED COMPOUNDS IN GROUNDWATER SAMPLES
ROSE VALLEY LANDFILL

Location ID			MW-04	MW-16	MW-16	MW-16	SW-01D
Sample ID			MW-04	MW-16	MW-16	MW-16	SW-1D
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			07/13/11	08/18/04	04/21/10	07/13/11	08/17/04
Parameter	Units	Criteria*					
Volatile Organic Compounds							
1,1,1-Trichloroethane	UG/L	5					
1,1-Dichloroethane	UG/L	5	10				
1,2-Dichloroethene (cis)	UG/L	5	2.4				
Chloroethane	UG/L	5	0.35 J				
Dichlorodifluoromethane	UG/L	5					
Metals							
Aluminum	UG/L	-	NA	964 J		NA	
Antimony	UG/L	3	NA			NA	
Arsenic	UG/L	25	NA	3.5 B		NA	
Barium	UG/L	1000	NA	59.6 B	31.0	NA	61.9 B
Cadmium	UG/L	5	NA	1.0 B		NA	0.24 B
Calcium	UG/L	-	NA	88,400	77,900	NA	17,500
Chromium	UG/L	50	NA			NA	1.6 B
Cobalt	UG/L	-	NA	1.0 B		NA	0.54 B
Copper	UG/L	200	NA			NA	0.96 B
Iron	UG/L	300	NA	17,100	16,600	NA	65.4 B
Magnesium	UG/L	35000	NA	9,330	8,150	NA	9,700
Manganese	UG/L	300	NA	1,260 J	1,090	NA	8.3 B
Nickel	UG/L	100	NA			NA	1.6 B
Potassium	UG/L	-	NA	1,080 B		NA	1,780 B
Silver	UG/L	50	NA	2.0 BJ		NA	
Sodium	UG/L	20000	NA	9,150	5,800	NA	15,200
Vanadium	UG/L	-	NA	2.5 B		NA	
Zinc	UG/L	2000	NA	8.7 B		NA	11.0 B

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds Criteria

- = No standard or guidance value.

Blank cell or ND - Not detected. J - The reported concentration is an estimated value.

NA - Not Analyzed.


Only Detected Results Reported.

TABLE 3
SUMMARY OF HISTORICALLY DETECTED COMPOUNDS IN GROUNDWATER SAMPLES
ROSE VALLEY LANDFILL

Location ID			SW-01D	SW-01D	SW-01D	SW-01S	SW-01S
Sample ID			DUP-2	SW-01D	SW-01D	SW-1S	SW-01S
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			04/21/10	04/21/10	07/12/11	08/17/04	04/21/10
Parameter	Units	Criteria*	Field Duplicate (1-1)				
Volatile Organic Compounds							
1,1,1-Trichloroethane	UG/L	5					
1,1-Dichloroethane	UG/L	5					
1,2-Dichloroethene (cis)	UG/L	5					
Chloroethane	UG/L	5					
Dichlorodifluoromethane	UG/L	5					
Metals							
Aluminum	UG/L	-			NA	215	5,830
Antimony	UG/L	3			NA		
Arsenic	UG/L	25			NA		
Barium	UG/L	1000	71.2	70.2	NA	27.3 B	33.4
Cadmium	UG/L	5			NA	0.56 B	
Calcium	UG/L	-	28,600	27,600	NA	146,000	109,000
Chromium	UG/L	50			NA	11.2	6.9
Cobalt	UG/L	-			NA	1.3 B	
Copper	UG/L	200			NA	4.0 B	
Iron	UG/L	300	292 J	631 J	NA	R	3,700
Magnesium	UG/L	35000	14,000	13,500	NA	4,430 B	4,000
Manganese	UG/L	300	8.8	11.8	NA	R	50.5
Nickel	UG/L	100			NA	6.3 B	
Potassium	UG/L	-	1,940	1,890	NA	1,520 B	2,080
Silver	UG/L	50			NA	0.41 B	
Sodium	UG/L	20000	10,200	9,900	NA	3,050 B	2,100
Vanadium	UG/L	-			NA		6.6
Zinc	UG/L	2000			NA	14.4 B	

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds Criteria

- = No standard or guidance value.

Blank cell or ND - Not detected. J - The reported concentration is an estimated value.

NA - Not Analyzed.


Only Detected Results Reported.

TABLE 3
SUMMARY OF HISTORICALLY DETECTED COMPOUNDS IN GROUNDWATER SAMPLES
ROSE VALLEY LANDFILL

Location ID			SW-01S	SW-01S	SW-02D	SW-02D	SW-02D
Sample ID			FD-071211	SW-01S	SW-2D	SW-02D	SW-02D
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			07/12/11	07/12/11	08/16/04	04/22/10	07/12/11
Parameter	Units	Criteria*	Field Duplicate (1-1)				
Volatile Organic Compounds							
1,1,1-Trichloroethane	UG/L	5					
1,1-Dichloroethane	UG/L	5					
1,2-Dichloroethene (cis)	UG/L	5					
Chloroethane	UG/L	5					
Dichlorodifluoromethane	UG/L	5					
Metals							
Aluminum	UG/L	-	NA	NA		443	NA
Antimony	UG/L	3	NA	NA			NA
Arsenic	UG/L	25	NA	NA			NA
Barium	UG/L	1000	NA	NA	84.4 B	65.7	NA
Cadmium	UG/L	5	NA	NA	0.25 B		NA
Calcium	UG/L	-	NA	NA	44,100	62,800	NA
Chromium	UG/L	50	NA	NA	3.0 B	4.1	NA
Cobalt	UG/L	-	NA	NA	0.55 B		NA
Copper	UG/L	200	NA	NA	5.6 B		NA
Iron	UG/L	300	NA	NA	51.2 B	433	NA
Magnesium	UG/L	35000	NA	NA	19,800	22,300	NA
Manganese	UG/L	300	NA	NA	2.8 B	10.2	NA
Nickel	UG/L	100	NA	NA	3.3 B		NA
Potassium	UG/L	-	NA	NA	9,580	1,870	NA
Silver	UG/L	50	NA	NA			NA
Sodium	UG/L	20000	NA	NA	11,300	7,500	NA
Vanadium	UG/L	-	NA	NA			NA
Zinc	UG/L	2000	NA	NA	11.7 B		NA

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds Criteria

- = No standard or guidance value.

Blank cell or ND - Not detected. J - The reported concentration is an estimated value.

NA - Not Analyzed.

Only Detected Results Reported.

TABLE 3
SUMMARY OF HISTORICALLY DETECTED COMPOUNDS IN GROUNDWATER SAMPLES
ROSE VALLEY LANDFILL

Location ID			SW-02S	SW-02S	SW-02S	SW-03S	SW-03S
Sample ID			SW-2S	SW-02S	SW-02S	SW-3S	SW-03S
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			08/16/04	04/22/10	07/12/11	08/16/04	04/22/10
Parameter	Units	Criteria*					
Volatile Organic Compounds							
1,1,1-Trichloroethane	UG/L	5	3 J	1.9			
1,1-Dichloroethane	UG/L	5					
1,2-Dichloroethene (cis)	UG/L	5					
Chloroethane	UG/L	5					
Dichlorodifluoromethane	UG/L	5					
Metals							
Aluminum	UG/L	-	250		NA	197 B	
Antimony	UG/L	3			NA		
Arsenic	UG/L	25			NA		
Barium	UG/L	1000	16.2 B	2.9	NA	27.6 B	8.8
Cadmium	UG/L	5			NA	0.29 B	
Calcium	UG/L	-	53,500	57,400	NA	95,400	74,400
Chromium	UG/L	50	3.5 B		NA	2.3 B	
Cobalt	UG/L	-	0.79 B		NA	0.78 B	
Copper	UG/L	200	4.3 B		NA	4.3 B	
Iron	UG/L	300	R		NA	R	
Magnesium	UG/L	35000	2,670 B	2,240	NA	4,380 B	3,040
Manganese	UG/L	300	R		NA	R	
Nickel	UG/L	100	2.9 B		NA	2.3 B	
Potassium	UG/L	-	444 B		NA	2,640 B	1,910
Silver	UG/L	50			NA		
Sodium	UG/L	20000	746 B	1,000	NA	63,500	22,600
Vanadium	UG/L	-			NA		
Zinc	UG/L	2000	11.5 B		NA	21.4	

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.



Concentration Exceeds Criteria

- = No standard or guidance value.

Blank cell or ND - Not detected. J - The reported concentration is an estimated value.

NA - Not Analyzed.


Only Detected Results Reported.

TABLE 3
SUMMARY OF HISTORICALLY DETECTED COMPOUNDS IN GROUNDWATER SAMPLES
ROSE VALLEY LANDFILL

Location ID			SW-03S	SW-04D	SW-04D	SW-04D	SW-04S
Sample ID			SW-03S	SW-04D	SW-04D	SW-04D	SW-04S
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			07/12/11	08/18/04	04/21/10	07/13/11	08/18/04
Parameter	Units	Criteria*					
Volatile Organic Compounds							
1,1,1-Trichloroethane	UG/L	5					
1,1-Dichloroethane	UG/L	5					
1,2-Dichloroethene (cis)	UG/L	5					
Chloroethane	UG/L	5					
Dichlorodifluoromethane	UG/L	5					
Metals							
Aluminum	UG/L	-	NA	1,120 J	1,800	NA	914 J
Antimony	UG/L	3	NA			NA	
Arsenic	UG/L	25	NA			NA	
Barium	UG/L	1000	NA	18.4 B	14.7	NA	123 B
Cadmium	UG/L	5	NA		2.4	NA	0.68 B
Calcium	UG/L	-	NA	10,700	12,200	NA	105,000
Chromium	UG/L	50	NA	1.1 B		NA	59.5
Cobalt	UG/L	-	NA	0.81 B		NA	2.2 B
Copper	UG/L	200	NA			NA	4.8 B
Iron	UG/L	300	NA	1,360	1,630	NA	3,040
Magnesium	UG/L	35000	NA	1,750 B	1,960	NA	11,200
Manganese	UG/L	300	NA	36.1 J	38.7	NA	775 J
Nickel	UG/L	100	NA	1.2 B		NA	43.1 J
Potassium	UG/L	-	NA	1,160 B	1,170	NA	6,150 J
Silver	UG/L	50	NA			NA	
Sodium	UG/L	20000	NA	32,700	32,000	NA	11,700
Vanadium	UG/L	-	NA	1.8 B		NA	2.2 B
Zinc	UG/L	2000	NA	5.5 B		NA	12.6 B

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds Criteria

- = No standard or guidance value.

Blank cell or ND - Not detected. J - The reported concentration is an estimated value.

NA - Not Analyzed.


Only Detected Results Reported.

TABLE 3
SUMMARY OF HISTORICALLY DETECTED COMPOUNDS IN GROUNDWATER SAMPLES
ROSE VALLEY LANDFILL

Location ID			SW-04S	SW-04S
Sample ID			SW-04S	SW-04S
Matrix			Groundwater	Groundwater
Depth Interval (ft)			-	-
Date Sampled			04/21/10	07/13/11
Parameter	Units	Criteria*		
Volatile Organic Compounds				
1,1,1-Trichloroethane	UG/L	5		
1,1-Dichloroethane	UG/L	5		
1,2-Dichloroethene (cis)	UG/L	5		
Chloroethane	UG/L	5		0.48 J
Dichlorodifluoromethane	UG/L	5		
Metals				
Aluminum	UG/L	-	336	NA
Antimony	UG/L	3		NA
Arsenic	UG/L	25		NA
Barium	UG/L	1000	26.1	NA
Cadmium	UG/L	5		NA
Calcium	UG/L	-	92,700	NA
Chromium	UG/L	50		NA
Cobalt	UG/L	-		NA
Copper	UG/L	200		NA
Iron	UG/L	300	8,870	NA
Magnesium	UG/L	35000	6,900	NA
Manganese	UG/L	300	2,080	NA
Nickel	UG/L	100		NA
Potassium	UG/L	-	1,940	NA
Silver	UG/L	50		NA
Sodium	UG/L	20000	4,300	NA
Vanadium	UG/L	-		NA
Zinc	UG/L	2000		NA

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds Criteria

- = No standard or guidance value.

Blank cell or ND - Not detected. J - The reported concentration is an estimated value.

NA - Not Analyzed.

Only Detected Results Reported.

TABLE 4
SUMMARY OF DETECTED COMPOUNDS IN 2011 SURFACE / DETENTION POND WATER SAMPLES
ROSE VALLEY LANDFILL

Location ID			NDP	NDP	SDP	SWTR-1E	SWTR-1T
Sample ID			FD-071311	NDP-WS	SDP-WS	SWTR-1E	SWTR-1T
Matrix			Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Depth Interval (ft)			-	-	-	-	-
Date Sampled			07/13/11	07/13/11	07/13/11	07/13/11	07/13/11
Parameter	Units	Criteria*	Field Duplicate (1-1)				
Volatile Organic Compounds							
Acetone	UG/L	-					20 J
Benzene	UG/L	10					1.8 J
Chlorobenzene	UG/L	5					3.3 J

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class C.

Flags assigned during chemistry validation are shown.



Concentration Exceeds Criteria

- = No standard or guidance value.

Blank cell or ND - Not detected. J - The reported concentration is an estimated value.

Only Detected Results Reported.

TABLE 5
SUMMARY OF HISTORICALLY DETECTED COMPOUNDS IN SURFACE / DETENTION POND WATER
SAMPLES
ROSE VALLEY LANDFILL

Location ID			NDP	NDP	NDP	SDP	SDP
Sample ID			NDP	FD-071311	NDP-WS	DUP-1	SDP
Matrix			Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Depth Interval (ft)			-	-	-	-	-
Date Sampled			04/20/10	07/13/11	07/13/11	04/20/10	04/20/10
Parameter	Units	Criteria*		Field Duplicate (1-1)		Field Duplicate (1-1)	
Volatile Organic Compounds							
Acetone	UG/L	-					
Benzene	UG/L	10					
Chlorobenzene	UG/L	5					
Metals							
Aluminum	UG/L	100 ionic		NA	NA	1,570	1,460
Barium	UG/L	-	32.5	NA	NA	51.8	49.7
Calcium	UG/L	-	123,000	NA	NA	77,200	74,600
Cobalt	UG/L	5		NA	NA		
Iron	UG/L	300	1,650	NA	NA	2,790	2,360
Magnesium	UG/L	-	15,900	NA	NA	16,200	15,800
Manganese	UG/L	-	720	NA	NA	101 J	71.3 J
Nickel	UG/L	calc, diss		NA	NA		
Potassium	UG/L	-	3,700	NA	NA	7,760	7,650
Sodium	UG/L	-	4,000	NA	NA	6,200	6,100
Miscellaneous Parameters							
Hardness (calculated)	MG/L	-	373	NA	NA	259	251

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class C.

Flags assigned during chemistry validation are shown.



Concentration Exceeds Criteria

- = No standard or guidance value.

Blank cell or ND - Not detected. J - The reported concentration is an estimated value.

NA - Not Analyzed.

Calculated standards are shown on Table 6.

Only Detected Results Reported.

TABLE 5
SUMMARY OF HISTORICALLY DETECTED COMPOUNDS IN SURFACE / DETENTION POND WATER
SAMPLES
ROSE VALLEY LANDFILL

Location ID			SDP	SWTR-1E	SWTR-1E	SWTR-1T	SWTR-1T
Sample ID			SDP-WS	SWTR-1E	SWTR-1E	SWTR-1T	SWTR-1T
Matrix			Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Depth Interval (ft)			-	-	-	-	-
Date Sampled			07/13/11	04/20/10	07/13/11	04/21/10	07/13/11
Parameter	Units	Criteria*					
Volatile Organic Compounds							
Acetone	UG/L	-				9.4	20 J
Benzene	UG/L	10					1.8 J
Chlorobenzene	UG/L	5				0.75 J	3.3 J
Metals							
Aluminum	UG/L	100 ionic	NA		NA		NA
Barium	UG/L	-	NA	22.3	NA	117	NA
Calcium	UG/L	-	NA	88,400	NA	122,000	NA
Cobalt	UG/L	5	NA		NA	7.1	NA
Iron	UG/L	300	NA	230	NA	10,500	NA
Magnesium	UG/L	-	NA	12,800	NA	26,100	NA
Manganese	UG/L	-	NA	25.4	NA	385	NA
Nickel	UG/L	calc, diss	NA		NA	12.0	NA
Potassium	UG/L	-	NA	5,570	NA	70,800	NA
Sodium	UG/L	-	NA	6,600	NA	65,400	NA
Miscellaneous Parameters							
Hardness (calculated)	MG/L	-	NA	273	NA	412	NA

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class C.

Flags assigned during chemistry validation are shown.



Concentration Exceeds Criteria

- = No standard or guidance value.

Blank cell or ND - Not detected. J - The reported concentration is an estimated value.

NA - Not Analyzed.

Calculated standards are shown on Table 6.

Only Detected Results Reported.

TABLE 6
SUMMARY OF HISTORICALLY DETECTED COMPOUNDS IN SURFACE WATER
CRITERIA FOR CLASS C SURFACE WATERS REQUIRING CALCULATION
ROSE VALLEY LANDFILL

Sample ID			NDP		DUP-1 (SDP)		SDP		SWTR-1E		SWTR-1T	
Sample Date			04/20/10		04/20/10		04/20/10		04/20/10		04/21/10	
	Units	Criteria Applies To	Criteria	Result	Criteria	Result	Criteria	Result	Criteria	Result	Criteria	Result
Metals												
Hardness (calculated)	MG/L	Not applicable	--	373	--	259	--	251	--	273	--	412
Nickel	UG/L	Dissolved form	158		117		113		122		172	12.0

Criteria:


NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class C.

-- - No criteria

Blank cell - not detected

Only detected results shown.


FIGURES







I:\1176167\GIS\2011 Annual Report\02 SITE PLAN.mxd 9/14/2011 MDL

Legend

 Groundwater Monitoring Well

 Residential Buildings



ROSE VALLEY LANDFILL
SITE PLAN



FIGURE 2


I:\1176167\GIS\2011 Annual Report\03 GW CONTOURS SHALLOW 110712.mxd 9/14/2011 MDL



FT AMSL = Feet Above Mean Sea Level

ROSE VALLEY LANDFILL POTENTIOMETRIC SURFACE (SHALLOW) JULY 12, 2011	
	FIGURE 3

I:\1176167\GIS\2011 Annual Report\04 GW CONTOURS DEEP 110712.mxd 9/14/2011 MDL






Legend

- One or More Compounds Exceed Criteria
- No Compounds Exceed Criteria

Location ID		Sample Date	
MW-04		TOGS 7/11	
VOCs:			
1,1-Dichloroethane	5	10	
Compound	Criteria	Concentration	

Note:
NYSDEC TOGS (1.1.1), Ambient Water Quality Standards
and Guidance Values and Groundwater Effluent Limitations.
April 2000, Class GA criteria used to determine exceedances.



**ROSE VALLEY LANDFILL
GROUNDWATER EXCEEDANCES**



FIGURE 5

I:\1176167\GIS\2011 Annual Report\06 WSRES.mxd 9/14/2011 MDL




Legend

- One or More Compounds Exceed Criteria
- No Compounds Exceed Criteria

Location ID		Sample Date	
MW-04	TOGS	7/11	
VOCs:			
1,1-Dichloroethane	5	10	
Compound	Criteria Value	Concentration	

Note:
NYSDEC TOGS (1.1.1), Ambient Water Quality Standards
and Guidance Values and Groundwater Effluent Limitations.
April 2000, Class C criteria used to determine exceedances.



ROSE VALLEY LANDFILL
SURFACE WATER/
DETENTION POND EXCEEDANCES

URS

FIGURE 6

APPENDIX A

FIELD NOTES

Location Rose Valley LEDate 7/12/11

Project / Client _____

0600 LEAVE BUFFALO FOR ROSE VALLEY

WX: partly cloudy, 81°F

0630 Pick up C.D. SM & C.D. leave
for Rose Valley.1100 S.M. & C.D. meet Mike Mason in
Pound, NY.1230 S.M. C.D. & M.M. arrive AT SITE
& clear vegetation from cattle
with machete's.

- GOTO perform Synoptic Round w.L.

1543 Set up on SW-015

Calibrate J-22 w/ Fluor cell
Actual READS

pH	4.0	3.99
COND	4.49	4.50
TEMP	0.0	0.0

Cal OK.

1630 Sample SW-015

ID: SW-015

Time 1630

Analysis: TEL VOC + TICs
3-40 mc w/ HCL

Collect: Field DUB

ID: FD-071211

Location RVLIFDate 7/12/11

Project / Client _____

Water levels.

ID	DTW	DTBS	TIME	Comments
mw-03	3.01	17.25	13:35	thick Veg
mw-04	2.54	17.55	13:45	sen/c
mw-16	3.56	11.60	14:00	
SW-015	18.56	28.40	14:35	
SW-010	67.37	83.90	14:37	
SW-025	11.30	20.05	14:48	
SW-020	87.73	79.16	14:50	
SW-045	3.40	8.22	14:20	
SW-040	artesian	83.35	14:15	artesian
SW-035	11.85	18.77	14:40	
Additional wells				
mw-02	57.55	76.45	13:13	ants
mw-15	87.76	90.65	15:07	
mw-17	86.69	98.79	15:05	
MW-14	98.55	109.20	15:20	

NOTE: SW-010 is 18' north of SW-045

- Flag road across (tree) from SW-040.

- Access flag road for access path to

mw-16.

Location RULF Date 7/12/11

Project / Client _____

1645 BEGIN TO PURGE SW-01D

1730 Sample SW-01D

ID: SW-01D

Time 1730

ANALYSIS - TCL VOC+TICS
3-40ml Vial w/ HCL

1745 BEGIN TO PURGE SW-03S

1800 Sample SW-03S

ID: SW-03S

Time 1800

ANALYSIS - TCL VOC+TICS
3-40ml Vial w/ HCL

1825 BEGIN TO PURGE SW-02S

1840 Sample SW-02S

ID: SW-02S

Time 1840

ANALYSIS - TCL VOC+TICS
3-40ml Vial w/ HCL

1850 BEGIN TO PURGE SW-02D

1920 Sample SW-02D

ID: SW-02D

Time 1920

ANALYSIS - TCL VOC+TICS
3-40ml Vials w/ HCLLocation RULF Date 7/12/11 23


Project / Client _____

1940 Log up Polaris Air on

~~TIC 4~~

1 RALPH

2000 GFI SITE



Location _____ Date 7/13/14

Project / Client _____

0800 S.M, C.D & M.M. ARRIVE ON SITE.

Weather: partly cloudy 81°F

- Unpack Polarix & Load up EQUIP

Calibrate Itanika U-22

	Actual	Reads
ph	4.0	3.99
COND	449	4.48
TURB	0.0	0.0

0900 Set up to pump SW-045

0930 Sample SW-045

ID: SW-045

Time: 0930

Analysis: TCL VOC + TICs

3- 40 ml vials w/ HCL

- Collect MS/MSD AT SW-045.

0945 Set up on SW-04D

1040 Sample SW-04D

ID: SW-04D

Time: 1040

Analysis: TCL VOC + TICs

3- 40 ml vial w/ HCL

Location _____ Date 7/13/11

Project / Client _____

1055 Collect Sample From SWTR-1B

ID: SWTR-1B

Time: 1055

Analysis: TCL VOC + TICs

3- 40 ml vial w/ HCL.

- Collect MS/MSD SAMPLES AT SWTR-1B

1100 Set up on MW-16

1155 Collect Sample From MW-16

ID: MW-16

Time: 1155

Analysis: TCL VOC + TICs

3- 40 ml vial w/ HCL.

1230 Set up on MW-04

1310 Sample MW-04

ID: MW-04

Time: 1310

Analysis: TCL VOC + TICs

3- 40 ml vials w/ HCL.

1330 Set up on MW-03

1430 Sample MW-03

ID: MW-03

Time: 1430

Analysis: TCL VOC + TICs 3- 40 ml vial w/ HCL

Location _____ Date 7/13/11

Project / Client _____

1500 Sample NORTH Detention pond

ID: NDP-SW

TIME: 1500

Analysis: TEL VOC + TLCS

3-40ml vials

- collect FIAAD duplicate sample for

FD-0713111

1530 Sample SWTR-1T

ID SWTR-1T

TIME 1530

Analysis: TEL VOC + TLCS

3-40ml vials w/HCL.

1545 Sample SOUTH Detention pond.

ID SDP-SW

TIME: 1545

Analysis: TEL VOC + TLCS

3-40ml vials

1545 Heavy Rain STARTS. RETURN
TO VAN/ TRAILER TO WAIT OUT
TOTAL RAIN prior to performing
LANDFILL inspection.

- NOTE LANDFILL Burn 7/2/11 - 7/11/11.

Location _____ Date 7/13/11

Project / Client _____

Notes worthy comments on inspection

→ Hog weed present by main
gate MM Area.

- Severe erosion (down to
geotext Fabric) Along main
ACCESS ROAD.


- Moderate erosion on ROAD (gravel)
on LANDFILL. rills up to 6" deep

- Detention ponds with noticeably
more SILT/sand infilling than
previous years.

- Signs of seepage TO north of
NORTH detention pond.

- Garbage dumped (ie, tires, motor,
cardboard) for fire water east
OF LANDFILL on SANDHILL
AREA.

1800 SM & C.D OFF SITE



APPENDIX B

MONITORING WELL PURGE LOGS

LOW FLOW GROUNDWATER PURGING/SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Well #: MW-3

Sampling Personnel: C. Dusel, S. McCabe Date: 7/13/11 Company: URS Corporation

Purging/
Sampling
Device: Geopump Tubing Type: HDPE Tubing Inlet: Screen Midpoint

Measuring
Point: TOC Initial Depth
to Water: 3.01 Depth to
Well Bottom: 17.25 Well
Diameter: 2" Screen
Length: 10'

Casing
Type: PVC Volume in 1
Well Casing
(liters): 8.79 Estimated
Purge
Volume
(liters): 9.0

Sample ID: MW-03 Sample Time: 1430 QA/QC: None

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	COND. (mS/cm)	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
1354	6.62	8.84	1.22	1.38	84.5	-15	250	3.01
1358	6.59	8.96	1.22	1.12	64.1	-15	250	3.03
1402	6.59	8.87	1.22	0.96	55.4	-11	250	3.03
1416	6.57	8.83	1.21	0.31	41.1	-9	250	3.05
1410	6.57	8.82	1.21	0.0	36.1	-8	250	3.05
1414	6.56	8.76	1.21	0.0	15.4	-7	250	3.06
1418	6.52	8.50	1.21	0.0	4.17	-8	250	3.05
1422	6.55	8.53	1.21	0.0	1.48	-11	250	3.06
1426	6.51	8.50	1.21	0.0	0.93	-13	250	3.05
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft (vol_{cyl} = $\pi r^2 h$)

Comments: _____

LOW FLOW GROUNDWATER PURGING/SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Well #: MW-4

Sampling Personnel: C. Dusel, S. McCabe Date: 7/13/11 Company: URS Corporation

Purging/
Sampling
Device: Geopump Tubing Type: HDPE Tubing Inlet: Screen Midpoint

Measuring
Point: TOC Initial Depth
to Water: 2.52 Depth to
Well Bottom: 17.55 Well
Diameter: 2" Screen
Length: 10'

Casing
Type: PVC Volume in 1
Well Casing
(liters): 9.27 Estimated
Purge
Volume
(liters): 10.8

Sample ID: MW-04 Sample Time: 1310 QA/QC: None

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	COND. (mS/cm)	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
1230	7.01	8.84	0.845	1.04	31.0	-62	300	2.52
1234	6.88	8.94	0.831	0.47	13.9	-52	300	2.59
1238	6.86	9.04	0.827	0.34	4.73	-42	300	2.63
1242	6.87	9.06	0.826	0.29	7.91	-41	300	2.64
1246	6.90	9.13	0.824	0.14	3.66	-40	300	2.68
1250	6.93	9.17	0.824	0.10	4.69	-37	300	2.69
1254	6.92	9.34	0.824	0.06	1.75	-36	300	2.71
1258	6.90	9.30	0.824	0.05	0.04	-35	300	2.75
1302	6.87	8.91	0.823	0.02	0.0	-34	300	2.79
1306	6.90	9.01	0.823	0.01	0.0	-36	300	2.83
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft (vol_{cyl} = $\pi r^2 h$)

Comments:

LOW FLOW GROUNDWATER PURGING/SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Well #: MW-16

Sampling Personnel: C. Dusel, S. McCabe Date: 7/13/11 Company: URS Corporation

Purging/
Sampling
Device: Geopump Tubing Type: HDPE Tubing Inlet: Screen Midpoint

Measuring
Point: TOC Initial Depth
to Water: 3.50 Depth to
Well Bottom: 11.60 Well
Diameter: 2" Screen
Length: 8'

Casing
Type: PVC Volume in 1
Well Casing
(liters): 5.00 Estimated
Purge
Volume
(liters): 6.0

Sample ID: MW-16 Sample Time: 1155 QA/QC: None

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	COND. (mS/cm)	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
1100	6.81	9.90	0.407	0.12	36.1	-122	200	3.50
1110	6.76	10.08	0.408	0.0	14.5	-124	100	4.71
1120	6.76	9.76	0.410	0.0	3.7	-126	100	6.35
1130	6.76	9.59	0.408	0.0	0.0	-127	100	6.91
1140	6.80	9.89	0.406	0.0	0.0	-129	100	7.23
1150	6.80	9.89	0.409	0.0	0.0	-128	100	7.39
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft (vol_{cyl} = $\pi r^2 h$)

Comments:

LOW FLOW GROUNDWATER PURGING/SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Well #: SW-01S

Sampling Personnel: C. Dusel, S. McCabe Date: 7/12/11 Company: URS Corporation

Purging/
Sampling
Device: Geopump Tubing Type: HDPE Tubing Inlet: Screen Midpoint

Measuring
Point: TOC Initial Depth
to Water: 18.56 Depth to
Well Bottom: 28.40 Well
Diameter: 2" Screen
Length: 10'

Casing
Type: PVC Volume in 1
Well Casing
(liters): 6.07 Estimated
Purge
Volume
(liters): 7.0

Sample ID: SW-01S Sample Time: 1630 QA/QC: FD-071211

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	COND. (mS/cm)	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
1600	6.29	7.07	0.561	11.38	65.9	183	250	18.56
1604	6.33	7.52	0.562	11.13	2.07	185	250	18.56
1608	6.35	7.53	0.551	10.90	3.22	184	250	18.59
1612	6.35	7.50	0.563	10.52	4.66	189	250	18.61
1616	6.35	7.37	0.566	10.53	4.74	190	250	18.64
1620	6.36	7.69	0.568	10.29	4.71	191	250	18.69
1624	6.36	7.78	0.561	10.34	5.13	192	250	18.71
1628	6.36	7.72	0.569	10.35	5.46	194	250	18.73
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft (vol_{cyl} = $\pi r^2 h$)

Comments:

LOW FLOW GROUNDWATER PURGING/SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Well #: SW-01D

Sampling Personnel: C. Dusel, S. McCabe Date: 7/12/11 Company: URS Corporation

Purging/
Sampling
Device: RediFlow 2 Tubing Type: HDPE Tubing Inlet: Screen Midpoint

Measuring
Point: TOC Initial Depth
to Water: 67.37 Depth to
Well Bottom: 83.90 Well
Diameter: 2" Screen
Length: 10'

Casing
Type: PVC Volume in 1
Well Casing
(liters): 10.20 Estimated
Purge
Volume
(liters): 10.0

Sample ID: SW-01D Sample Time: 1730 QA/QC: None

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	0.29	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
1645	7.60	9.63	0.243	1.81	11.5	-19	250	67.37
1649	7.63	11.10	0.243	1.36	6.48	-25	250	67.44
1653	7.64	11.99	0.243	1.13	4.46	-31	250	67.45
1657	7.65	12.13	0.246	0.99	4.14	-41	250	67.51
1701	7.65	12.38	0.246	0.81	2.02	-49	250	67.55
1705	7.64	12.55	0.246	0.87	0.48	-54	250	67.57
1709	7.66	12.61	0.246	0.67	0.27	-65	250	67.58
1713	7.66	13.90	0.245	0.59	0.36	-69	250	67.60
1717	7.67	12.86	0.246	0.52	0.80	-72	250	67.63
1721	7.67	12.73	0.246	0.41	0.88	-76	250	67.65
1725	7.67	12.67	0.245	0.44	0.34	-75	250	67.69
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft (vol_{cyl} = $\pi r^2 h$)

Comments:

LOW FLOW GROUNDWATER PURGING/SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Well #: SW-02S

Sampling Personnel: C. Dusel, S. McCabe Date: 7/12/11 Company: URS Corporation

Purging/
Sampling
Device: Geopump Tubing Type: HDPE Tubing Inlet: Screen Midpoint

Measuring
Point: TOC Initial Depth
to Water: 11.30 Depth to
Well Bottom: 20.05 Well
Diameter: 2" Screen
Length: 10'

Casing
Type: PVC Volume in 1
Well Casing
(liters): 5.40 Estimated
Purge
Volume
(liters): 8.4

Sample ID: SW-02S Sample Time: 1840 QA/QC: None

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	COND. (mS/cm)	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
1825	7.45	8.00	0.257	13.60	98	116	600	11.30
1827	7.40	8.02	0.244	13.01	13.1	117	600	11.31
1829	7.39	7.96	0.239	12.97	4.27	118	600	11.31
1831	7.38	8.21	0.230	12.70	0.91	120	600	11.32
1833	7.37	8.19	0.228	12.68	0.07	121	600	11.32
1835	7.36	8.15	0.229	12.70	0.11	122	600	11.33
1837	7.35	8.14	0.225	12.62	0.13	122	600	11.32
1839	7.34	8.16	0.223	12.55	0.16	123	600	11.32
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft (vol_{cyl} = $\pi r^2 h$)

Comments:

LOW FLOW GROUNDWATER PURGING/SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Well #: SW-02D

Sampling Personnel: C. Dusel, S. McCabe Date: 7/12/11 Company: URS Corporation

Purging/
Sampling
Device: Grundfos Tubing Type: HDPE Tubing Inlet: Screen Midpoint

Measuring
Point: TOC Initial Depth
to Water: 70.73 Depth to
Well Bottom: 79.16 Well
Diameter: 2" Screen
Length: 10'

Casing
Type: PVC Volume in 1
Well Casing
(liters): 5.20 Estimated
Purge
Volume
(liters): 7.3

Sample ID: SW-02D Sample Time: 1920 QA/QC: None

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	COND. (mS/cm)	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
1850	7.43	10.10	0.409	3.28	14.0	6	250	70.73
1854	7.42	11.98	0.400	2.95	13.5	6	250	70.80
1859	7.44	12.37	0.403	2.91	5.1	9	250	70.81
1903	7.47	12.72	0.406	2.81	3.7	11	250	70.79
1907	7.48	12.86	0.405	2.78	3.2	13	250	70.77
1911	7.49	12.95	0.406	2.76	4.6	12	250	70.77
1915	7.49	12.97	0.406	2.74	1.8	10	250	70.77
1919	7.50	13.10	0.405	2.69	0.8	12	250	70.77
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft (vol_{cyl} = $\pi r^2 h$)

Comments: _____

LOW FLOW GROUNDWATER PURGING/SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Well #: SW-03

Sampling Personnel: C. Dusel, S. McCabe Date: 7/12/11 Company: URS Corporation

Purging/
Sampling
Device: Geopump Tubing Type: HDPE Tubing Inlet: Screen Midpoint

Measuring
Point: TOC Initial Depth
to Water: 11.85 Depth to
Well Bottom: 18.77 Well
Diameter: 2" Screen
Length: 10'

Casing
Type: PVC Volume in 1
Well Casing
(liters): 4.27 Estimated
Purge
Volume
(liters): 8.4

Sample ID: SW-03S Sample Time: 1800 QA/QC: None

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	COND. (mS/cm)	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
1745	7.13	9.16	0.873	12.08	176	104	600	11.85
1747	7.07	9.00	0.800	13.11	73	107	600	11.91
1749	7.04	9.06	0.777	13.35	26	107	600	11.91
1751	7.03	8.86	0.747	12.38	12.8	111	600	11.91
1753	7.01	8.96	0.743	11.81	9.51	113	600	11.91
1755	6.99	8.94	0.716	11.70	10.80	114	600	11.91
1757	6.98	8.96	0.716	11.63	8.70	115	600	11.91
1759	6.97	8.90	0.713	11.67	8.47	116	600	11.91
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft (vol_{cyl} = $\pi r^2 h$)

Comments:

LOW FLOW GROUNDWATER PURGING/SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Well #: SW-04S

Sampling Personnel: C. Dusel, S. McCabe Date: 7/13/11 Company: URS Corporation

Purging/
Sampling
Device: Geopump Tubing Type: HDPE Tubing Inlet: Screen Midpoint

Measuring
Point: TOC Initial Depth
to Water: 2.95 Depth to
Well Bottom: 8.22 Well
Diameter: 2" Screen
Length: 8'

Casing
Type: PVC Volume in 1
Well Casing
(liters): 3.25 Estimated
Purge
Volume
(liters): 3.5

Sample ID: SW-04S Sample Time: 0930 QA/QC: MS/MSD

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	COND. (mS/cm)	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
0915	6.76	11.17	0.449	0.96	0.30	-117	250	2.95
0917	6.77	11.80	0.431	0.62	0.29	-116	250	2.97
0919	6.76	11.82	0.430	0.46	0.0	-116	250	2.98
0921	6.75	11.85	0.435	0.33	0.0	-115	250	3.04
0923	6.73	11.72	0.445	0.14	0.0	-117	250	3.09
0925	6.73	11.62	0.448	0.06	0.0	-118	250	3.11
0927	6.72	11.53	0.453	0.0	0.0	-121	250	3.17
0929	6.73	11.42	0.451	0.0	0.0	-123	250	3.23
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft (vol_{cyl} = $\pi r^2 h$)

Comments: _____

LOW FLOW GROUNDWATER PURGING/SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Well #: SW-04D

Sampling Personnel: C. Dusel, S. McCabe Date: 7/13/11 Company: URS Corporation

Purging/
Sampling
Device: Geopump Tubing Type: HDPE Tubing Inlet: Screen Midpoint

Measuring
Point: TOC Initial Depth
to Water: 0.00 Depth to
Well Bottom: 83.35 Well
Diameter: 2" Screen
Length: 8'

Casing
Type: PVC Volume in 1
Well Casing
(liters): 51.43 Estimated
Purge
Volume
(liters): 40.0

Sample ID: SW-04D Sample Time: 1040 QA/QC: None

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	COND. (mS/cm)	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
0945	8.25	7.45	0.157	0.0	59.6	-255	800	0
0950	8.79	7.53	0.157	0.0	67.5	-247	800	0
0955	8.80	7.78	0.155	0.0	76.5	-241	800	0
1000	8.81	7.86	0.155	0.0	86.0	-235	800	0
1005	8.79	7.92	0.154	0.0	69.1	-232	800	0
1010	8.76	7.95	0.154	0.0	34.2	-230	800	0
1015	8.75	7.95	0.154	0.0	28.9	-229	800	0
1020	8.74	7.94	0.154	0.0	13.1	-227	800	0
1025	8.74	7.94	0.154	0.0	5.64	-227	800	0
1030	8.74	7.94	0.154	0.0	1.61	-227	800	0
1035	8.73	7.95	0.154	0.0	3.31	-227	800	0
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft (vol_{cyl} = $\pi r^2 h$)

Comments: Artesian well.

SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Location: North Detention Pond

Sampling Personnel: C. Dusel, S. McCabe Date: 7/13/11 Company: URS Corporation

Purging/
Sampling

Device: Immersion Tubing Type: NA Tubing Inlet: NA

Measuring Point:	NA	Initial Depth to Water:	NA	Depth to Well Bottom:	NA	Well Diameter:	NA	Screen Length:	NA
------------------	----	-------------------------	----	-----------------------	----	----------------	----	----------------	----

Casing Type:	NA	Volume in 1 Well Casing (liters):	NA	Purge Volume (liters):	NA
--------------	----	-----------------------------------	----	------------------------	----

Sample ID: NDP-WS Sample Time: 1500 QA/QC: None

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	COND. (mS/cm)	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
1500	7.51	16.20	0.619	9.54	47	47		
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft ($\text{vol}_{\text{cyl}} = \pi r^2 h$)

Comments: Surface Water sampling

SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Location: South Detention Pond

Sampling Personnel: C. Dusel, S. McCabe Date: 7/13/11 Company: URS Corporation

Purging/
Sampling

Device: Immersion Tubing Type: NA Tubing Inlet: NA

Measuring Point: NA Initial Depth to Water: NA Depth to Well Bottom: NA Well Diameter: NA Screen Length: NA

Casing Type: NA Volume in 1 Well Casing (liters): NA Estimated Purge Volume (liters): NA

Sample ID: SDP-WS Sample Time: 1545 QA/QC: None

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	COND. (mS/cm)	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
1545	7.83	19.28	0.381	7.93	39	-58		
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft (vol_{cyl} = $\pi r^2 h$)

Comments: Surface Water sampling

SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Location: SWTR-1E

Sampling Personnel: C. Dusel, S. McCabe Date: 7/13/11 Company: URS Corporation

Purging/
Sampling

Device: Immersion Tubing Type: NA Tubing Inlet: NA

Measuring Point: NA Initial Depth to Water: NA Depth to Well Bottom: NA Well Diameter: NA Screen Length: NA

Casing Type: NA Volume in 1 Well Casing (liters): NA Estimated Purge Volume (liters): NA

Sample ID: SWTR-1E Sample Time: 1055 QA/QC: MS/MSD

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	COND. (mS/cm)	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
1055	7.74	14.82	0.468	8.01	15.1	58		
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft (vol_{cyl} = $\pi r^2 h$)

Comments: Surface Water sampling

SAMPLING LOG

Project: 11176167.00002 Site: Rose Valley Landfill Location: SWTR-1T

Sampling Personnel: C. Dusel, S. McCabe Date: 7/13/11 Company: URS Corporation

Purging/
Sampling
Device: Immersion Tubing Type: NA Tubing Inlet: NA

Measuring
Point: NA Initial Depth
to Water: NA Depth to
Well Bottom: NA Well
Diameter: NA Screen
Length: NA

Casing
Type: NA Volume in 1
Well Casing
(liters): NA Estimated
Purge
Volume
(liters): NA

Sample ID: SWTR-1T Sample Time: 1530 QA/QC: None

Sample Parameters: TCL VOC + TICs

PURGE PARAMETERS

TIME	pH	TEMP (°C)	COND. (mS/cm)	DISS. O ₂ (mg/l)	TURB. (NTU)	ORP (mV)	FLOW RATE (ml/min.)	DEPTH TO WATER (btor)
1530	6.89	16.14	2.06	4.19	28.7	-106		
Tolerance:	0.1	---	3%	10%	10%	+ or - 10	---	

Information: WATER VOLUMES--0.75 inch diameter well = 87 ml/ft; 1 inch diameter well = 154 ml/ft; 2 inch diameter well = 617 ml/ft;
4 inch diameter well = 2470 ml/ft (vol_{cyl} = $\pi r^2 h$)

Comments: Surface Water sampling

APPENDIX C

PHOTOGRAPHIC LOG

**ROSE VALLEY LANDFILL OPERATION, MONITORING AND MAINTENANCE
PHOTOGRAPHIC LOG
TOWN OF RUSSIA, NEW YORK**



Photo 1: 7/12/2011-Hogweed growing around front entrance gate to the site.



Photo 2: 7/12/2011-Erosion/rilling in access road (upper center of photograph) has reached underlying geotextile fabric and is up to 1 foot across and up to 1 foot deep. Note hogweed growing to right side of gate.

**ROSE VALLEY LANDFILL OPERATION, MONITORING AND MAINTENANCE
PHOTOGRAPHIC LOG
TOWN OF RUSSIA, NEW YORK**



Photo 3: 7/12/2011-View of west side of the landfill, looking north showing recently completed mowing.



Photo 4: 7/12/2011-View of top of the landfill, looking east showing recently completed mowing.

**ROSE VALLEY LANDFILL OPERATION, MONITORING AND MAINTENANCE
PHOTOGRAPHIC LOG
TOWN OF RUSSIA, NEW YORK**



Photo 5: 7/12/2011-View of south side of the landfill, looking east showing recently completed mowing.



Photo 6: 7/12/2011-View of central portion of the landfill, looking south showing recently completed mowing.

**ROSE VALLEY LANDFILL OPERATION, MONITORING AND MAINTENANCE
PHOTOGRAPHIC LOG
TOWN OF RUSSIA, NEW YORK**



Photo 7: 7/12/2011-South Detention Pond with sediment accumulation.



Photo 8: 7/12/2011-North Detention Pond with sediment accumulation.

**ROSE VALLEY LANDFILL OPERATION, MONITORING AND MAINTENANCE
PHOTOGRAPHIC LOG
TOWN OF RUSSIA, NEW YORK**



Photo 9: 7/11/2011-Collection of surface water sample from location SWTR-1E.



Photo 10: 7/11/2011-Low flow sampling setup MW-16 in the background.

**ROSE VALLEY LANDFILL OPERATION, MONITORING AND MAINTENANCE
PHOTOGRAPHIC LOG
TOWN OF RUSSIA, NEW YORK**



Photo 11: 7/12/11-North side of landfill looking west from North Detention Pond.



Photo 12: 7/12/11-North side of landfill looking west from a location half way up the landfill.

**ROSE VALLEY LANDFILL OPERATION, MONITORING AND MAINTENANCE
PHOTOGRAPHIC LOG
TOWN OF RUSSIA, NEW YORK**



Photo 13: 7/13/2011-Erosion mat along west side of landfill looking north.



Photo 14: 7/13/2011-Erosion mat along west side of landfill looking south.

**ROSE VALLEY LANDFILL OPERATION, MONITORING AND MAINTENANCE
PHOTOGRAPHIC LOG
TOWN OF RUSSIA, NEW YORK**



Photo 15: 7/13/2011-Rilling on gravel access road which is on top of the landfill cap.



Photo 16: 7/13/2011-Dumping to the northwest of the landfill.

APPENDIX D

DATA USABILITY SUMMARY REPORT

(On Compact Disk)

DATA USABILITY SUMMARY REPORT

**ROSE VALLEY LANDFILL
SITE ID NO. 622017
TOWN OF RUSSIA
HERKIMER COUNTY, NEW YORK**

Analyses Performed by:

**TESTAMERICA LABORATORIES, INC.
AMHERST, NEW YORK**

Prepared by:

**URS CORPORATION
77 GOODELL STREET
BUFFALO, NY 14203**

NOVEMBER 2011

TABLE OF CONTENTS

	<u>Page No.</u>
I. INTRODUCTION	1
II. SAMPLE COLLECTION.....	1
III. ANALYTICAL METHODOLOGIES AND DATA VALIDATION	1
IV. DATA DELIVERABLE COMPLETENESS	2
V. SAMPLE RECEIPT/HOLDING TIMES	2
VI. NON-CONFORMANCES.....	2
VII. SAMPLE RESULTS AND REPORTING	3
VIII. SUMMARY	3

TABLES

(Following Text)

Table 1	Summary of Data Qualifications
Table 2	Validated Groundwater Sample Analytical Results
Table 3	Validated Surface Water Sample Analytical Results
Table 4	Validated Field QC Analytical Results

ATTACHMENTS

Attachment A	Validated Form I's
Attachment B	Support Documentation

I. INTRODUCTION

This Data Usability Summary Report (DUSR) has been prepared following the guidelines provided in New York State Department of Environmental Conservation (NYSDEC) Division of Environmental Remediation *DER-10, Technical Guidance for Site Investigation and Remediation, Appendix 2B - Guidance for Data Deliverables and the Development of Data Usability Summary Reports*, May 2010. Analytical data for 14 aqueous samples plus quality control (QC) collected July 12-13, 2011 are discussed in this DUSR. The samples were collected in support of the site management task assigned to URS under NYSDEC Work Assignment D004440-26 for the Rose Valley Landfill Site (Site Number 622017), located in the Town of Russia, Herkimer County, New York.

II. SAMPLE COLLECTION

On July 12-13, 2011, 10 groundwater samples, one blind field duplicate and one matrix spike/matrix spike duplicate (MS/MSD) pair, 4 surface water samples, one blind field duplicate and one MS/MSD pair, and one trip blank were collected from the site. The samples were sent to the NYSDEC's CallOut laboratory: TestAmerica Laboratories, Inc., located in Amherst, New York (TestAmerica-Buffalo) under NYSDEC CallOut ID 119939. TestAmerica-Buffalo is a NYSDOH Environmental Laboratory Approval Program (ELAP) certified laboratory.

III. ANALYTICAL METHODOLOGIES AND DATA VALIDATION

All samples were analyzed for Target Compound List (TCL) Volatile Organic Compounds (VOCs) plus tentatively identified compounds (TICs) by United States Environmental Protection Agency (USEPA) Method SW8260B.

A limited data validation was performed on the samples following the guidelines in the USEPA's Region II document: Validating Volatile Organic Compounds by SW-846 Method 8260B, HW-24, Revision 2, August 2008.

The limited data review included a review of completeness of all required deliverables; holding times; QC results (blanks, instrument tunes, calibration standards, MS/MSD recoveries, duplicate analyses, and laboratory control sample recoveries) to determine if the data are within the protocol-required QC limits and specifications; a determination that all samples were

analyzed using established and agreed upon analytical protocols; an evaluation of the raw data to confirm the results provided in the data summary sheets; and a review of laboratory data qualifiers.

Qualifications applied to the data include 'UJ' [estimated quantitation limit (QL)]. A summary of qualifications made to the data is presented in Table 1. The validated analytical results are provided in Tables 2 and 3 for groundwater and surface water, respectively. Field QC results are provided in Table 4. Copies of the validated laboratory results (i.e., Form 1s) are presented in Attachment A. Documentation supporting the qualification of data is presented in Attachment B. Only problems affecting data usability are discussed in this report.

IV. DATA DELIVERABLE COMPLETENESS

A full deliverable data package (i.e., equivalent to NYSDEC ASP Category B) was provided by the laboratory, and included all reporting forms and raw data necessary to fully evaluate and verify the reported analytical results.

V. SAMPLE RECEIPT/HOLDING TIMES

All samples were received by the laboratory intact, under proper chain-of-custody with the exception of the trip blank. The trip blank was not listed on the chain-of-custody, however, it was submitted with the samples and logged in by the laboratory. All samples were analyzed within the required holding times.

VI. NON-CONFORMANCES

Instrument Calibration

The percent difference (%D) between the initial calibration (ICAL) average relative response factor (RRF) and the RRF in the continuing calibration (CCAL) standards was greater than 20% for the following VOCs 1,2-dibromo-3-chloropropane, bromoform, bromomethane, carbon tetrachloride, chloroethane, dibromochloromethane, dichlorodifluoromethane and/or trichlorofluoromethane. The results for these compounds were qualified 'J' or 'UJ' as listed in Table 1.

Documentation supporting the qualification of data (i.e., Form 7, run log) is presented in Attachment B.

VII. SAMPLE RESULTS AND REPORTING

All sample results were reported in accordance with method requirements and were adjusted for sample volume. Results reported where the concentration detected was below the QL, but greater than the method detection limit (MDL), are qualified 'J' by the laboratory. TICs were qualified 'JN'.

Surface water sample SWRT-1T was analyzed at a dilution because of foaming during sample purging. The QL for the non-detect compounds represent the lowest achievable at the diluted level.

A field duplicate sample was collected at surface water location NDP (FD-071311) and a field duplicate sample was collected at groundwater location SW-01S (FD-071211). The results were in agreement.

VIII. SUMMARY

All sample analyses were found to be compliant with the method criteria, except where previously noted. Those results qualified 'J' (estimated concentration), 'UJ' (estimated quantitation limit) or 'JN' (TIC) are considered conditionally usable. All other sample results are usable as reported. URS does not recommend the re-collection of any samples at this time.

Prepared By: George Kisluk, Senior Chemist  **Date:** 11/7/11

Reviewed By: Peter Fairbanks, Senior Chemist  **Date:** 11/7/11

DEFINITIONS OF USEPA REGION II DATA QUALIFIERS

- U** – The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- J** – The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- UJ** – The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- JN** – The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

TABLE 1
SUMMARY OF DATA QUALIFICATIONS
ROSE VALLEY LANDFILL


SAMPLE ID	FRACTION	ANALYTICAL DEVIATION	QUALIFICATION
Groundwater: FD-07211 (SW-01S), SW-01D, SW-01S, SW-02D, SW-02S, SW-03S, SW-04S	VOA	%D between the ICAL average RRF and the CCAL RRF >20% for dibromochloromethane.	Qualify non-detect results 'UJ'.
Groundwater: MW-03, MW-04, MW-16, SW-04D Surface Water: FD-071311 (NDP), NDP-WS, SDP-WS, SWTR-1E, SWR-1T Field QC: Trip Blank	VOA	%D between the ICAL average RRF and the CCAL RRF >20% for 1,2- dibromo-3-chloropropane, bromoform, bromomethane, carbon tetrachloride, chloroethane, dibromochloromethane, dichlorodifluoromethane and trichlorofluoromethane.	Qualify non-detect results 'UJ' and detects 'J'.

TABLE 2
VALIDATED GROUNDWATER SAMPLE ANALYTICAL RESULTS
ROSE VALLEY LANDFILL

Location ID			MW-03	MW-04	MW-16	SW-01D	SW-01S
Sample ID			MW-03	MW-04	MW-16	SW-01D	FD-071211
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			07/13/11	07/13/11	07/13/11	07/12/11	07/12/11
Parameter	Units	Criteria*					Field Duplicate (1-1)
Volatile Organic Compounds							
1,1,1-Trichloroethane	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloro-1,2,2-trifluoroethane	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	UG/L	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	UG/L	5	2.2	10	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,4-Trichlorobenzene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dibromo-3-chloropropane	UG/L	0.04	1.0 UJ	1.0 UJ	1.0 UJ	1.0 U	1.0 U
1,2-Dibromoethane (Ethylene dibromide)	UG/L	6.00E-04	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	UG/L	3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	UG/L	0.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (cis)	UG/L	5	8.0	2.4	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (trans)	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	UG/L	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	UG/L	3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichloropropene (cis)	UG/L	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichloropropene (trans)	UG/L	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	UG/L	3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Hexanone	UG/L	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Methyl-2-pentanone	UG/L	-	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acetone	UG/L	50	10 U	10 U	10 U	10 U	10 U
Benzene	UG/L	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane	UG/L	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	UG/L	50	1.0 UJ	1.0 UJ	1.0 UJ	1.0 U	1.0 U

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds Criteria

- = No standard or guidance value.

J - The reported concentration is an estimated value.

U or ND - Not detected above the reported quantitation limit. UJ - Not detected. The reported quantitation limit is an estimated value.

Made By: GEK 09/08/2011 Checked By: AMK 09/08/2011

Detection Limits shown are PQL

TABLE 2
VALIDATED GROUNDWATER SAMPLE ANALYTICAL RESULTS
ROSE VALLEY LANDFILL

Location ID			MW-03	MW-04	MW-16	SW-01D	SW-01S
Sample ID			MW-03	MW-04	MW-16	SW-01D	FD-071211
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			07/13/11	07/13/11	07/13/11	07/12/11	07/12/11
Parameter	Units	Criteria*					Field Duplicate (1-1)
Volatile Organic Compounds							
Bromomethane	UG/L	5	1.0 UJ	1.0 UJ	1.0 UJ	1.0 U	1.0 U
Carbon disulfide	UG/L	60	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	UG/L	5	1.0 UJ	1.0 UJ	1.0 UJ	1.0 U	1.0 U
Chlorobenzene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	UG/L	5	1.0 UJ	0.35 J	1.0 UJ	1.0 U	1.0 U
Chloroform	UG/L	7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Cyclohexane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dibromochloromethane	UG/L	50	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ
Dichlorodifluoromethane	UG/L	5	1.0 UJ	1.0 UJ	1.0 UJ	1.0 U	1.0 U
Ethylbenzene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Isopropylbenzene (Cumene)	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methyl acetate	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methyl ethyl ketone (2-Butanone)	UG/L	50	10 U	10 U	10 U	10 U	10 U
Methyl tert-butyl ether	UG/L	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methylcyclohexane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methylene chloride	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Toluene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichlorofluoromethane	UG/L	5	1.0 UJ	1.0 UJ	1.0 UJ	1.0 U	1.0 U
Vinyl chloride	UG/L	2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Xylene (total)	UG/L	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.



Concentration Exceeds Criteria

- = No standard or guidance value.

J - The reported concentration is an estimated value.

U or ND - Not detected above the reported quantitation limit. UJ - Not detected. The reported quantitation limit is an estimated value.

Made By: GEK 09/08/2011 Checked By: AMK 09/08/2011

Detection Limits shown are PQL

TABLE 2
VALIDATED GROUNDWATER SAMPLE ANALYTICAL RESULTS
ROSE VALLEY LANDFILL

Location ID			SW-01S	SW-02D	SW-02S	SW-03S	SW-04D
Sample ID			SW-01S	SW-02D	SW-02S	SW-03S	SW-04D
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			07/12/11	07/12/11	07/12/11	07/12/11	07/13/11
Parameter	Units	Criteria*					
Volatile Organic Compounds							
1,1,1-Trichloroethane	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloro-1,2,2-trifluoroethane	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	UG/L	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,4-Trichlorobenzene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dibromo-3-chloropropane	UG/L	0.04	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ
1,2-Dibromoethane (Ethylene dibromide)	UG/L	6.00E-04	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	UG/L	3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	UG/L	0.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (cis)	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (trans)	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	UG/L	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	UG/L	3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichloropropene (cis)	UG/L	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichloropropene (trans)	UG/L	0.4	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	UG/L	3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Hexanone	UG/L	50	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Methyl-2-pentanone	UG/L	-	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acetone	UG/L	50	10 U	10 U	10 U	10 U	10 U
Benzene	UG/L	1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane	UG/L	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	UG/L	50	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.



Concentration Exceeds Criteria

- = No standard or guidance value.

J - The reported concentration is an estimated value.

U or ND - Not detected above the reported quantitation limit. UJ - Not detected. The reported quantitation limit is an estimated value.

Made By: GEK 09/08/2011 Checked By: AMK 09/08/2011

Detection Limits shown are PQL

TABLE 2
VALIDATED GROUNDWATER SAMPLE ANALYTICAL RESULTS
ROSE VALLEY LANDFILL

Location ID			SW-01S	SW-02D	SW-02S	SW-03S	SW-04D
Sample ID			SW-01S	SW-02D	SW-02S	SW-03S	SW-04D
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			07/12/11	07/12/11	07/12/11	07/12/11	07/13/11
Parameter	Units	Criteria*					
Volatile Organic Compounds							
Bromomethane	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ
Carbon disulfide	UG/L	60	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ
Chlorobenzene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ
Chloroform	UG/L	7	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Cyclohexane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dibromochloromethane	UG/L	50	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ
Dichlorodifluoromethane	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ
Ethylbenzene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Isopropylbenzene (Cumene)	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methyl acetate	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methyl ethyl ketone (2-Butanone)	UG/L	50	10 U	10 U	10 U	10 U	10 U
Methyl tert-butyl ether	UG/L	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methylcyclohexane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methylene chloride	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Toluene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichlorofluoromethane	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 UJ
Vinyl chloride	UG/L	2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Xylene (total)	UG/L	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.



Concentration Exceeds Criteria

- = No standard or guidance value.

J - The reported concentration is an estimated value.

U or ND - Not detected above the reported quantitation limit. UJ - Not detected. The reported quantitation limit is an estimated value.

Made By: GEK 09/08/2011 Checked By: AMK 09/08/2011


Detection Limits shown are PQL

TABLE 2
VALIDATED GROUNDWATER SAMPLE ANALYTICAL RESULTS
ROSE VALLEY LANDFILL

Location ID			SW-04S
Sample ID			SW-04S
Matrix			Groundwater
Depth Interval (ft)			-
Date Sampled			07/13/11
Parameter	Units	Criteria*	
Volatile Organic Compounds			
1,1,1-Trichloroethane	UG/L	5	1.0 U
1,1,2,2-Tetrachloroethane	UG/L	5	1.0 U
1,1,2-Trichloro-1,2,2-trifluoroethane	UG/L	5	1.0 U
1,1,2-Trichloroethane	UG/L	1	1.0 U
1,1-Dichloroethane	UG/L	5	1.0 U
1,1-Dichloroethene	UG/L	5	1.0 U
1,2,4-Trichlorobenzene	UG/L	5	1.0 U
1,2-Dibromo-3-chloropropane	UG/L	0.04	1.0 U
1,2-Dibromoethane (Ethylene dibromide)	UG/L	6.00E-04	1.0 U
1,2-Dichlorobenzene	UG/L	3	1.0 U
1,2-Dichloroethane	UG/L	0.6	1.0 U
1,2-Dichloroethene (cis)	UG/L	5	1.0 U
1,2-Dichloroethene (trans)	UG/L	5	1.0 U
1,2-Dichloropropane	UG/L	1	1.0 U
1,3-Dichlorobenzene	UG/L	3	1.0 U
1,3-Dichloropropene (cis)	UG/L	0.4	1.0 U
1,3-Dichloropropene (trans)	UG/L	0.4	1.0 U
1,4-Dichlorobenzene	UG/L	3	1.0 U
2-Hexanone	UG/L	50	5.0 U
4-Methyl-2-pentanone	UG/L	-	5.0 U
Acetone	UG/L	50	10 U
Benzene	UG/L	1	1.0 U
Bromodichloromethane	UG/L	50	1.0 U
Bromoform	UG/L	50	1.0 U

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds Criteria

- = No standard or guidance value.

J - The reported concentration is an estimated value.

U or ND - Not detected above the reported quantitation limit. UJ - Not detected. The reported quantitation limit is an estimated value.

Made By: GEK 09/08/2011 Checked By: AMK 09/08/2011

Detection Limits shown are PQL

TABLE 2
VALIDATED GROUNDWATER SAMPLE ANALYTICAL RESULTS
ROSE VALLEY LANDFILL

Location ID			SW-04S
Sample ID			SW-04S
Matrix			Groundwater
Depth Interval (ft)			-
Date Sampled			07/13/11
Parameter	Units	Criteria*	
Volatile Organic Compounds			
Bromomethane	UG/L	5	1.0 U
Carbon disulfide	UG/L	60	1.0 U
Carbon tetrachloride	UG/L	5	1.0 U
Chlorobenzene	UG/L	5	1.0 U
Chloroethane	UG/L	5	0.48 J
Chloroform	UG/L	7	1.0 U
Chloromethane	UG/L	5	1.0 U
Cyclohexane	UG/L	-	1.0 U
Dibromochloromethane	UG/L	50	1.0 UJ
Dichlorodifluoromethane	UG/L	5	1.0 U
Ethylbenzene	UG/L	5	1.0 U
Isopropylbenzene (Cumene)	UG/L	5	1.0 U
Methyl acetate	UG/L	-	1.0 U
Methyl ethyl ketone (2-Butanone)	UG/L	50	10 U
Methyl tert-butyl ether	UG/L	10	1.0 U
Methylcyclohexane	UG/L	-	1.0 U
Methylene chloride	UG/L	5	1.0 U
Styrene	UG/L	5	1.0 U
Tetrachloroethene	UG/L	5	1.0 U
Toluene	UG/L	5	1.0 U
Trichloroethene	UG/L	5	1.0 U
Trichlorofluoromethane	UG/L	5	1.0 U
Vinyl chloride	UG/L	2	1.0 U
Xylene (total)	UG/L	5	2.0 U

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class GA.

Flags assigned during chemistry validation are shown.



Concentration Exceeds Criteria

- = No standard or guidance value.

J - The reported concentration is an estimated value.

U or ND - Not detected above the reported quantitation limit. UJ - Not detected. The reported quantitation limit is an estimated value.

Made By: GEK 09/08/2011 Checked By: AMK 09/08/2011

Detection Limits shown are PQL

TABLE 3
VALIDATED SURFACE WATER SAMPLE ANALYTICAL RESULTS
ROSE VALLEY LANDFILL

Location ID			NDP	NDP	SDP	SWTR-1E	SWTR-1T
Sample ID			FD-071311	NDP-WS	SDP-WS	SWTR-1E	SWTR-1T
Matrix			Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Depth Interval (ft)			-	-	-	-	-
Date Sampled			07/13/11	07/13/11	07/13/11	07/13/11	07/13/11
Parameter	Units	Criteria*	Field Duplicate (1-1)				
Volatile Organic Compounds							
1,1,1-Trichloroethane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,1,2,2-Tetrachloroethane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,1,2-Trichloro-1,2,2-trifluoroethane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,1,2-Trichloroethane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,1-Dichloroethane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,1-Dichloroethene	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,2,4-Trichlorobenzene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,2-Dibromo-3-chloropropane	UG/L	-	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	4.0 UJ
1,2-Dibromoethane (Ethylene dibromide)	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,2-Dichlorobenzene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,2-Dichloroethane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,2-Dichloroethene (cis)	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,2-Dichloroethene (trans)	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,2-Dichloropropane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,3-Dichlorobenzene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,3-Dichloropropene (cis)	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,3-Dichloropropene (trans)	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
1,4-Dichlorobenzene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
2-Hexanone	UG/L	-	5.0 U	5.0 U	5.0 U	5.0 U	20 U
4-Methyl-2-pentanone	UG/L	-	5.0 U	5.0 U	5.0 U	5.0 U	20 U
Acetone	UG/L	-	10 U	10 U	10 U	10 U	20 J
Benzene	UG/L	10	1.0 U	1.0 U	1.0 U	1.0 U	1.8 J
Bromodichloromethane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Bromoform	UG/L	-	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	4.0 UJ

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class C.

Flags assigned during chemistry validation are shown.



Concentration Exceeds Criteria

- = No standard or guidance value.

J - The reported concentration is an estimated value.

U or ND - Not detected above the reported quantitation limit. UJ - Not detected. The reported quantitation limit is an estimated value.

Made By: GEK 09/08/2011 Checked By: AMK 09/08/2011

Detection Limits shown are PQL

TABLE 3
VALIDATED SURFACE WATER SAMPLE ANALYTICAL RESULTS
ROSE VALLEY LANDFILL

Location ID			NDP	NDP	SDP	SWTR-1E	SWTR-1T
Sample ID			FD-071311	NDP-WS	SDP-WS	SWTR-1E	SWTR-1T
Matrix			Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Depth Interval (ft)			-	-	-	-	-
Date Sampled			07/13/11	07/13/11	07/13/11	07/13/11	07/13/11
Parameter	Units	Criteria*	Field Duplicate (1-1)				
Volatile Organic Compounds							
Bromomethane	UG/L	-	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	4.0 UJ
Carbon disulfide	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Carbon tetrachloride	UG/L	-	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	4.0 UJ
Chlorobenzene	UG/L	5	1.0 U	1.0 U	1.0 U	1.0 U	3.3 J
Chloroethane	UG/L	-	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	4.0 UJ
Chloroform	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Chloromethane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Cyclohexane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Dibromochloromethane	UG/L	-	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	4.0 UJ
Dichlorodifluoromethane	UG/L	-	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	4.0 UJ
Ethylbenzene	UG/L	17	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Isopropylbenzene (Cumene)	UG/L	2.6	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Methyl acetate	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Methyl ethyl ketone (2-Butanone)	UG/L	-	10 U	10 U	10 U	10 U	40 U
Methyl tert-butyl ether	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Methylcyclohexane	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Methylene chloride	UG/L	200	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Styrene	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Tetrachloroethene	UG/L	1	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Toluene	UG/L	100	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Trichloroethene	UG/L	40	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Trichlorofluoromethane	UG/L	-	1.0 UJ	1.0 UJ	1.0 UJ	1.0 UJ	4.0 UJ
Vinyl chloride	UG/L	-	1.0 U	1.0 U	1.0 U	1.0 U	4.0 U
Xylene (total)	UG/L	65	2.0 U	2.0 U	2.0 U	2.0 U	8.0 U

*Criteria- NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. April 2000, Class C.

Flags assigned during chemistry validation are shown.



Concentration Exceeds Criteria

- = No standard or guidance value.

J - The reported concentration is an estimated value.

U or ND - Not detected above the reported quantitation limit. UJ - Not detected. The reported quantitation limit is an estimated value.

Made By: GEK 09/08/2011 Checked By: AMK 09/08/2011

Detection Limits shown are PQL

TABLE 4
VALIDATED FIELD QC ANALYTICAL RESULTS
ROSE VALLEY LANDFILL

Location ID		FIELDQC
Sample ID		TRIP BLANK
Matrix		Water Quality
Depth Interval (ft)		-
Date Sampled		07/13/11
Parameter	Units	Trip Blank (1-1)
Volatile Organic Compounds		
1,1,1-Trichloroethane	UG/L	1.0 U
1,1,2,2-Tetrachloroethane	UG/L	1.0 U
1,1,2-Trichloro-1,2,2-trifluoroethane	UG/L	1.0 U
1,1,2-Trichloroethane	UG/L	1.0 U
1,1-Dichloroethane	UG/L	1.0 U
1,1-Dichloroethene	UG/L	1.0 U
1,2,4-Trichlorobenzene	UG/L	1.0 U
1,2-Dibromo-3-chloropropane	UG/L	1.0 UJ
1,2-Dibromoethane (Ethylene dibromide)	UG/L	1.0 U
1,2-Dichlorobenzene	UG/L	1.0 U
1,2-Dichloroethane	UG/L	1.0 U
1,2-Dichloroethene (cis)	UG/L	1.0 U
1,2-Dichloroethene (trans)	UG/L	1.0 U
1,2-Dichloropropane	UG/L	1.0 U
1,3-Dichlorobenzene	UG/L	1.0 U
1,3-Dichloropropene (cis)	UG/L	1.0 U
1,3-Dichloropropene (trans)	UG/L	1.0 U
1,4-Dichlorobenzene	UG/L	1.0 U
2-Hexanone	UG/L	5.0 U
4-Methyl-2-pentanone	UG/L	5.0 U
Acetone	UG/L	10 U
Benzene	UG/L	1.0 U
Bromodichloromethane	UG/L	1.0 U
Bromoform	UG/L	1.0 UJ

Flags assigned during chemistry validation are shown.

J - The reported concentration is an estimated value.

U or ND - Not detected above the reported quantitation limit. UJ - Not detected. The reported quantitation limit is an estimated value.

Made By: GEK 09/08/2011 Checked By: AMK 09/08/2011

Detection Limits shown are PQL

TABLE 4
VALIDATED FIELD QC ANALYTICAL RESULTS
ROSE VALLEY LANDFILL

Location ID		FIELDQC
Sample ID		TRIP BLANK
Matrix		Water Quality
Depth Interval (ft)		-
Date Sampled		07/13/11
Parameter	Units	Trip Blank (1-1)
Volatile Organic Compounds		
Bromomethane	UG/L	1.0 UJ
Carbon disulfide	UG/L	1.0 U
Carbon tetrachloride	UG/L	1.0 UJ
Chlorobenzene	UG/L	1.0 U
Chloroethane	UG/L	1.0 UJ
Chloroform	UG/L	1.0 U
Chloromethane	UG/L	1.0 U
Cyclohexane	UG/L	1.0 U
Dibromochloromethane	UG/L	1.0 UJ
Dichlorodifluoromethane	UG/L	1.0 UJ
Ethylbenzene	UG/L	1.0 U
Isopropylbenzene (Cumene)	UG/L	1.0 U
Methyl acetate	UG/L	1.0 U
Methyl ethyl ketone (2-Butanone)	UG/L	10 U
Methyl tert-butyl ether	UG/L	1.0 U
Methylcyclohexane	UG/L	1.0 U
Methylene chloride	UG/L	1.0 U
Styrene	UG/L	1.0 U
Tetrachloroethene	UG/L	1.0 U
Toluene	UG/L	1.0 U
Trichloroethene	UG/L	1.0 U
Trichlorofluoromethane	UG/L	1.0 UJ
Vinyl chloride	UG/L	1.0 U
Xylene (total)	UG/L	2.0 U

Flags assigned during chemistry validation are shown.

J - The reported concentration is an estimated value.

U or ND - Not detected above the reported quantitation limit. UJ - Not detected. The reported quantitation limit is an estimated value.

Made By: GEK 09/08/2011 Checked By: AMK 09/08/2011

Detection Limits shown are PQL

ATTACHMENT A

VALIDATED FORM 1s

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo

Job No.: 480-7265-1

SDG No.: _____

Client Sample ID: SW-01S

Lab Sample ID: 480-7265-1

Matrix: Water

Lab File ID: P3981.D

Analysis Method: 8260B

Date Collected: 07/12/2011 16:30

Sample wt/vol: 5 (mL)

Date Analyzed: 07/17/2011 14:44

Soil Aliquot Vol: _____

Dilution Factor: 1

Soil Extract Vol.: _____

GC Column: ZB-624 (60) ID: 0.25 (mm)

% Moisture: _____

Level: (low/med) Low

Analysis Batch No.: 23814

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UT	1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: SW-01S Lab Sample ID: 480-7265-1
 Matrix: Water Lab File ID: P3981.D
 Analysis Method: 8260B Date Collected: 07/12/2011 16:30
 Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 14:44
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23814 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	86		66-137
2037-26-5	Toluene-d8 (Surr)	84		71-126
460-00-4	4-Bromofluorobenzene (Surr)	79		73-120

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: SW-01S Lab Sample ID: 480-7265-1
Matrix: Water Lab File ID: P3981.D
Analysis Method: 8260B Date Collected: 07/12/2011 16:30
Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 14:44
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23814 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo

Job No.: 480-7265-1

SDG No.: _____

Client Sample ID: SW-01D

Lab Sample ID: 480-7265-2

Matrix: Water

Lab File ID: P3982.D

Analysis Method: 8260B

Date Collected: 07/12/2011 17:30

Sample wt/vol: 5(mL)

Date Analyzed: 07/17/2011 15:09

Soil Aliquot Vol: _____

Dilution Factor: 1

Soil Extract Vol.: _____

GC Column: ZB-624 (60) ID: 0.25(mm)

% Moisture: _____

Level: (low/med) Low

Analysis Batch No.: 23814

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UT	1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: SW-01D Lab Sample ID: 480-7265-2
 Matrix: Water Lab File ID: P3982.D
 Analysis Method: 8260B Date Collected: 07/12/2011 17:30
 Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 15:09
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23814 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	88		66-137
2037-26-5	Toluene-d8 (Surr)	86		71-126
460-00-4	4-Bromofluorobenzene (Surr)	80		73-120

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: SW-01D Lab Sample ID: 480-7265-2
Matrix: Water Lab File ID: P3982.D
Analysis Method: 8260B Date Collected: 07/12/2011 17:30
Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 15:09
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23814 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1

SDG No.: _____

Client Sample ID: SW-03S Lab Sample ID: 480-7265-3

Matrix: Water Lab File ID: P3983.D

Analysis Method: 8260B Date Collected: 07/12/2011 18:00

Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 15:34

Soil Aliquot Vol: _____ Dilution Factor: 1

Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)

% Moisture: _____ Level: (low/med) Low

Analysis Batch No.: 23814 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UT	1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: SW-03S Lab Sample ID: 480-7265-3
 Matrix: Water Lab File ID: P3983.D
 Analysis Method: 8260B Date Collected: 07/12/2011 18:00
 Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 15:34
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23814 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	87		66-137
2037-26-5	Toluene-d8 (Surr)	83		71-126
460-00-4	4-Bromofluorobenzene (Surr)	79		73-120

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: SW-03S Lab Sample ID: 480-7265-3
Matrix: Water Lab File ID: P3983.D
Analysis Method: 8260B Date Collected: 07/12/2011 18:00
Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 15:34
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23814 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: SW-02S Lab Sample ID: 480-7265-4
 Matrix: Water Lab File ID: P3984.D
 Analysis Method: 8260B Date Collected: 07/12/2011 18:40
 Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 15:59
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23814 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UT	1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: SW-02S Lab Sample ID: 480-7265-4
 Matrix: Water Lab File ID: P3984.D
 Analysis Method: 8260B Date Collected: 07/12/2011 18:40
 Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 15:59
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23814 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	86		66-137
2037-26-5	Toluene-d8 (Surr)	82		71-126
460-00-4	4-Bromofluorobenzene (Surr)	78		73-120

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: SW-02S Lab Sample ID: 480-7265-4
Matrix: Water Lab File ID: P3984.D
Analysis Method: 8260B Date Collected: 07/12/2011 18:40
Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 15:59
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23814 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1

SDG No.: _____

Client Sample ID: SW-02D Lab Sample ID: 480-7265-5

Matrix: Water Lab File ID: P3985.D

Analysis Method: 8260B Date Collected: 07/12/2011 19:20

Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 16:24

Soil Aliquot Vol: _____ Dilution Factor: 1

Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)

% Moisture: _____ Level: (low/med) Low

Analysis Batch No.: 23814 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UJ	1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: SW-02D Lab Sample ID: 480-7265-5
 Matrix: Water Lab File ID: P3985.D
 Analysis Method: 8260B Date Collected: 07/12/2011 19:20
 Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 16:24
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23814 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	88		66-137
2037-26-5	Toluene-d8 (Surr)	85		71-126
460-00-4	4-Bromofluorobenzene (Surr)	79		73-120

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: SW-02D Lab Sample ID: 480-7265-5
Matrix: Water Lab File ID: P3985.D
Analysis Method: 8260B Date Collected: 07/12/2011 19:20
Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 16:24
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23814 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo

Job No.: 480-7265-1

SDG No.: _____

Client Sample ID: FD-071211

Lab Sample ID: 480-7265-6

Matrix: Water

Lab File ID: P3986.D

Analysis Method: 8260B

Date Collected: 07/12/2011 00:00

Sample wt/vol: 5 (mL)

Date Analyzed: 07/17/2011 16:49

Soil Aliquot Vol: _____

Dilution Factor: 1

Soil Extract Vol.: _____

GC Column: ZB-624 (60) ID: 0.25 (mm)

% Moisture: _____

Level: (low/med) Low

Analysis Batch No.: 23814

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UT	1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: FD-071211 Lab Sample ID: 480-7265-6
 Matrix: Water Lab File ID: P3986.D
 Analysis Method: 8260B Date Collected: 07/12/2011 00:00
 Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 16:49
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23814 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	88		66-137
2037-26-5	Toluene-d8 (Surr)	84		71-126
460-00-4	4-Bromofluorobenzene (Surr)	79		73-120

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: FD-071211 Lab Sample ID: 480-7265-6
Matrix: Water Lab File ID: P3986.D
Analysis Method: 8260B Date Collected: 07/12/2011 00:00
Sample wt/vol: 5(mL) Date Analyzed: 07/17/2011 16:49
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25(mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23814 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo

Job No.: 480-7265-1

SDG No.: _____

Client Sample ID: SW-04S

Lab Sample ID: 480-7265-7

Matrix: Water

Lab File ID: P3987.D

Analysis Method: 8260B

Date Collected: 07/13/2011 09:30

Sample wt/vol: 5(mL)

Date Analyzed: 07/17/2011 17:14

Soil Aliquot Vol: _____

Dilution Factor: 1

Soil Extract Vol.: _____

GC Column: ZB-624 (60) ID: 0.25(mm)

% Moisture: _____

Level: (low/med) Low

Analysis Batch No.: 23814

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND		1.0	0.32
75-00-3	Chloroethane	0.48	J	1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

6/9/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: SW-04S Lab Sample ID: 480-7265-7
 Matrix: Water Lab File ID: P3987.D
 Analysis Method: 8260B Date Collected: 07/13/2011 09:30
 Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 17:14
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23814 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	90		66-137
2037-26-5	Toluene-d8 (Surr)	84		71-126
460-00-4	4-Bromofluorobenzene (Surr)	80		73-120

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: SW-04S Lab Sample ID: 480-7265-7
Matrix: Water Lab File ID: P3987.D
Analysis Method: 8260B Date Collected: 07/13/2011 09:30
Sample wt/vol: 5 (mL) Date Analyzed: 07/17/2011 17:14
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23814 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1

SDG No.: _____

Client Sample ID: SW-04D Lab Sample ID: 480-7265-8

Matrix: Water Lab File ID: P4006.D

Analysis Method: 8260B Date Collected: 07/13/2011 10:40

Sample wt/vol: 5(mL) Date Analyzed: 07/18/2011 16:13

Soil Aliquot Vol: _____ Dilution Factor: 1

Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25(mm)

% Moisture: _____ Level: (low/med) Low

Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND	UJ	1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND	UJ	1.0	0.26
74-83-9	Bromomethane	ND	UJ	1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND	UJ	1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UJ	1.0	0.32
75-00-3	Chloroethane	ND	UJ	1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND	UJ	1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: SW-04D Lab Sample ID: 480-7265-8
 Matrix: Water Lab File ID: P4006.D
 Analysis Method: 8260B Date Collected: 07/13/2011 10:40
 Sample wt/vol: 5(mL) Date Analyzed: 07/18/2011 16:13
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND	UT	1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	85		66-137
2037-26-5	Toluene-d8 (Surr)	84		71-126
460-00-4	4-Bromofluorobenzene (Surr)	80		73-120

6/2/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: SW-04D Lab Sample ID: 480-7265-8
Matrix: Water Lab File ID: P4006.D
Analysis Method: 8260B Date Collected: 07/13/2011 10:40
Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 16:13
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23902 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: SWTR-1E Lab Sample ID: 480-7265-9
 Matrix: Water Lab File ID: P4007.D
 Analysis Method: 8260B Date Collected: 07/13/2011 10:55
 Sample wt/vol: 5(mL) Date Analyzed: 07/18/2011 16:38
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25(mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND	UJ	1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND	UJ	1.0	0.26
74-83-9	Bromomethane	ND	UJ	1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND	UJ	1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UJ	1.0	0.32
75-00-3	Chloroethane	ND	UJ	1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND	UJ	1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: SWTR-1E Lab Sample ID: 480-7265-9
 Matrix: Water Lab File ID: P4007.D
 Analysis Method: 8260B Date Collected: 07/13/2011 10:55
 Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 16:38
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND	UT	1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	85		66-137
2037-26-5	Toluene-d8 (Surr)	85		71-126
460-00-4	4-Bromofluorobenzene (Surr)	80		73-120

*See
a1611*

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: SWTR-1E Lab Sample ID: 480-7265-9
Matrix: Water Lab File ID: P4007.D
Analysis Method: 8260B Date Collected: 07/13/2011 10:55
Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 16:38
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23902 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1

SDG No.: _____

Client Sample ID: MW-16 Lab Sample ID: 480-7265-10

Matrix: Water Lab File ID: P4010.D

Analysis Method: 8260B Date Collected: 07/13/2011 11:55

Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 17:53

Soil Aliquot Vol: _____ Dilution Factor: 1

Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)

% Moisture: _____ Level: (low/med) Low

Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND	UT	1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND	UT	1.0	0.26
74-83-9	Bromomethane	ND	UT	1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND	UT	1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UT	1.0	0.32
75-00-3	Chloroethane	ND	UT	1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND	UT	1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: MW-16 Lab Sample ID: 480-7265-10
 Matrix: Water Lab File ID: P4010.D
 Analysis Method: 8260B Date Collected: 07/13/2011 11:55
 Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 17:53
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND	UJ	1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	86		66-137
2037-26-5	Toluene-d8 (Surr)	84		71-126
460-00-4	4-Bromofluorobenzene (Surr)	80		73-120

*624
4/8/11*

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: MW-16 Lab Sample ID: 480-7265-10
Matrix: Water Lab File ID: P4010.D
Analysis Method: 8260B Date Collected: 07/13/2011 11:55
Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 17:53
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23902 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: MW-04 Lab Sample ID: 480-7265-11
 Matrix: Water Lab File ID: P4011.D
 Analysis Method: 8260B Date Collected: 07/13/2011 13:10
 Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 18:17
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	10		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND	UJ	1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND	UJ	1.0	0.39
75-25-2	Bromoform	ND	UJ	1.0	0.26
74-83-9	Bromomethane	ND	UJ	1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND	UJ	1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UJ	1.0	0.32
75-00-3	Chloroethane	0.35	J	1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	2.4		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND	UJ	1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: MW-04 Lab Sample ID: 480-7265-11
 Matrix: Water Lab File ID: P4011.D
 Analysis Method: 8260B Date Collected: 07/13/2011 13:10
 Sample wt/vol: 5(mL) Date Analyzed: 07/18/2011 18:17
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND	UT	1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	84		66-137
2037-26-5	Toluene-d8 (Surr)	83		71-126
460-00-4	4-Bromofluorobenzene (Surr)	78		73-120

62
9/19/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: MW-04 Lab Sample ID: 480-7265-11
Matrix: Water Lab File ID: P4011.D
Analysis Method: 8260B Date Collected: 07/13/2011 13:10
Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 18:17
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23902 Units: ug/L
Number TICs Found: 3 TIC Result Total: 14.8

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	
75-45-6	Chlorodifluoromethane	2.84	8.2	JN
75-43-4	Dichlorofluoromethane	4.03	0.90	JN
60-29-7	Ethyl ether	4.36	5.7	JN

ba
9/8/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: MW-03 Lab Sample ID: 480-7265-12
 Matrix: Water Lab File ID: P4012.D
 Analysis Method: 8260B Date Collected: 07/13/2011 14:30
 Sample wt/vol: 5(mL) Date Analyzed: 07/18/2011 18:43
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25(mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	2.2		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND	UT	1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND	UT	1.0	0.26
74-83-9	Bromomethane	ND	UT	1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND	UT	1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UT	1.0	0.32
75-00-3	Chloroethane	ND	UT	1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	8.0		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND	UT	1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: MW-03 Lab Sample ID: 480-7265-12
 Matrix: Water Lab File ID: P4012.D
 Analysis Method: 8260B Date Collected: 07/13/2011 14:30
 Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 18:43
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND	05	1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	86		66-137
2037-26-5	Toluene-d8 (Surr)	85		71-126
460-00-4	4-Bromofluorobenzene (Surr)	79		73-120

6/24/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: MW-03 Lab Sample ID: 480-7265-12
Matrix: Water Lab File ID: P4012.D
Analysis Method: 8260B Date Collected: 07/13/2011 14:30
Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 18:43
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23902 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo

Job No.: 480-7265-1

SDG No.: _____

Client Sample ID: NDP-WS

Lab Sample ID: 480-7265-13

Matrix: Water

Lab File ID: P4013.D

Analysis Method: 8260B

Date Collected: 07/13/2011 15:00

Sample wt/vol: 5 (mL)

Date Analyzed: 07/18/2011 19:08

Soil Aliquot Vol: _____

Dilution Factor: 1

Soil Extract Vol.: _____

GC Column: ZB-624 (60) ID: 0.25 (mm)

% Moisture: _____

Level: (low/med) Low

Analysis Batch No.: 23902

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND	UT	1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND	UT	1.0	0.26
74-83-9	Bromomethane	ND	UT	1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND	UT	1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UT	1.0	0.32
75-00-3	Chloroethane	ND	UT	1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND	UT	1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

for 9/8/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: NDP-WS Lab Sample ID: 480-7265-13
 Matrix: Water Lab File ID: P4013.D
 Analysis Method: 8260B Date Collected: 07/13/2011 15:00
 Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 19:08
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND	UJ	1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	87		66-137
2037-26-5	Toluene-d8 (Surr)	84		71-126
460-00-4	4-Bromofluorobenzene (Surr)	79		73-120

DL
9/8/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: NDP-WS Lab Sample ID: 480-7265-13
Matrix: Water Lab File ID: P4013.D
Analysis Method: 8260B Date Collected: 07/13/2011 15:00
Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 19:08
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23902 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo

Job No.: 480-7265-1

SDG No.: _____

Client Sample ID: SWRT-1T

Lab Sample ID: 480-7265-14

Matrix: Water

Lab File ID: P4014.D

Analysis Method: 8260B

Date Collected: 07/13/2011 15:30

Sample wt/vol: 5 (mL)

Date Analyzed: 07/18/2011 19:33

Soil Aliquot Vol: _____

Dilution Factor: 4

Soil Extract Vol.: _____

GC Column: ZB-624 (60) ID: 0.25 (mm)

% Moisture: _____

Level: (low/med) Low

Analysis Batch No.: 23902

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		4.0	3.3
79-34-5	1,1,2,2-Tetrachloroethane	ND		4.0	0.84
79-00-5	1,1,2-Trichloroethane	ND		4.0	0.92
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		4.0	1.2
75-34-3	1,1-Dichloroethane	ND		4.0	1.5
75-35-4	1,1-Dichloroethene	ND		4.0	1.2
120-82-1	1,2,4-Trichlorobenzene	ND		4.0	1.6
96-12-8	1,2-Dibromo-3-Chloropropane	ND	UT	4.0	1.6
106-93-4	1,2-Dibromoethane	ND		4.0	2.9
95-50-1	1,2-Dichlorobenzene	ND		4.0	3.2
107-06-2	1,2-Dichloroethane	ND		4.0	0.84
78-87-5	1,2-Dichloropropane	ND		4.0	2.9
541-73-1	1,3-Dichlorobenzene	ND		4.0	3.1
106-46-7	1,4-Dichlorobenzene	ND		4.0	3.4
591-78-6	2-Hexanone	ND		20	5.0
78-93-3	2-Butanone (MEK)	ND		40	5.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		20	8.4
67-64-1	Acetone	20	J	40	12
71-43-2	Benzene	1.8	J	4.0	1.6
75-27-4	Bromodichloromethane	ND		4.0	1.6
75-25-2	Bromoform	ND	UT	4.0	1.0
74-83-9	Bromomethane	ND	UT	4.0	2.8
75-15-0	Carbon disulfide	ND		4.0	0.76
56-23-5	Carbon tetrachloride	ND	UT	4.0	1.1
108-90-7	Chlorobenzene	3.3	J	4.0	3.0
124-48-1	Dibromochloromethane	ND	UT	4.0	1.3
75-00-3	Chloroethane	ND	UT	4.0	1.3
67-66-3	Chloroform	ND		4.0	1.4
74-87-3	Chloromethane	ND		4.0	1.4
156-59-2	cis-1,2-Dichloroethene	ND		4.0	3.2
10061-01-5	cis-1,3-Dichloropropene	ND		4.0	1.4
110-82-7	Cyclohexane	ND		4.0	0.72
75-71-8	Dichlorodifluoromethane	ND	UT	4.0	2.7
100-41-4	Ethylbenzene	ND		4.0	3.0
98-82-8	Isopropylbenzene	ND		4.0	3.2

6/24 9/8/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: SWRT-1T Lab Sample ID: 480-7265-14
 Matrix: Water Lab File ID: P4014.D
 Analysis Method: 8260B Date Collected: 07/13/2011 15:30
 Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 19:33
 Soil Aliquot Vol: _____ Dilution Factor: 4
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		4.0	2.0
1634-04-4	Methyl tert-butyl ether	ND		4.0	0.64
108-87-2	Methylcyclohexane	ND		4.0	0.64
75-09-2	Methylene Chloride	ND		4.0	1.8
100-42-5	Styrene	ND		4.0	2.9
127-18-4	Tetrachloroethene	ND		4.0	1.4
108-88-3	Toluene	ND		4.0	2.0
156-60-5	trans-1,2-Dichloroethene	ND		4.0	3.6
10061-02-6	trans-1,3-Dichloropropene	ND		4.0	1.5
79-01-6	Trichloroethene	ND		4.0	1.8
75-69-4	Trichlorofluoromethane	ND	UT	4.0	3.5
75-01-4	Vinyl chloride	ND		4.0	3.6
1330-20-7	Xylenes, Total	ND		8.0	2.6

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	86		66-137
2037-26-5	Toluene-d8 (Surr)	84		71-126
460-00-4	4-Bromofluorobenzene (Surr)	78		73-120

624
8/18/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: SWRT-1T Lab Sample ID: 480-7265-14
Matrix: Water Lab File ID: P4014.D
Analysis Method: 8260B Date Collected: 07/13/2011 15:30
Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 19:33
Soil Aliquot Vol: _____ Dilution Factor: 4
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23902 Units: ug/L
Number TICs Found: 3 TIC Result Total: 52.3

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	
75-45-6	Chlorodifluoromethane	2.84	6.3	JN
60-29-7	Ethyl ether	4.36	10	JN
109-99-9	Tetrahydrofuran	7.01	36	JN

*624
9/18/11*

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: SDP-WS Lab Sample ID: 480-7265-15
 Matrix: Water Lab File ID: P4015.D
 Analysis Method: 8260B Date Collected: 07/13/2011 15:45
 Sample wt/vol: 5(mL) Date Analyzed: 07/18/2011 19:58
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25(mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND	UT	1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND	UT	1.0	0.26
74-83-9	Bromomethane	ND	UT	1.0	0.69
75-15-0	Carbon disulfide	ND	UT	1.0	0.19
56-23-5	Carbon tetrachloride	ND	UT	1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UT	1.0	0.32
75-00-3	Chloroethane	ND	UT	1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND	UT	1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

6/24/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: SDP-WS Lab Sample ID: 480-7265-15
 Matrix: Water Lab File ID: P4015.D
 Analysis Method: 8260B Date Collected: 07/13/2011 15:45
 Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 19:58
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND	UT	1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	86		66-137
2037-26-5	Toluene-d8 (Surr)	84		71-126
460-00-4	4-Bromofluorobenzene (Surr)	79		73-120

Wm a/b/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: SDP-WS Lab Sample ID: 480-7265-15
Matrix: Water Lab File ID: P4015.D
Analysis Method: 8260B Date Collected: 07/13/2011 15:45
Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 19:58
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23902 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: FD-071311 Lab Sample ID: 480-7265-16
 Matrix: Water Lab File ID: P4016.D
 Analysis Method: 8260B Date Collected: 07/13/2011 00:00
 Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 20:23
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND	UT	1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND	UT	1.0	0.26
74-83-9	Bromomethane	ND	UT	1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND	UT	1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UT	1.0	0.32
75-00-3	Chloroethane	ND	UT	1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND	UT	1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

6/18/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: FD-071311 Lab Sample ID: 480-7265-16
 Matrix: Water Lab File ID: P4016.D
 Analysis Method: 8260B Date Collected: 07/13/2011 00:00
 Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 20:23
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND	UT	1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	86		66-137
2037-26-5	Toluene-d8 (Surr)	84		71-126
460-00-4	4-Bromofluorobenzene (Surr)	77		73-120

6/8/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: FD-071311 Lab Sample ID: 480-7265-16
Matrix: Water Lab File ID: P4016.D
Analysis Method: 8260B Date Collected: 07/13/2011 00:00
Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 20:23
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23902 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo

Job No.: 480-7265-1

SDG No.: _____

Client Sample ID: TRIP BLANK

Lab Sample ID: 480-7265-17

Matrix: Water

Lab File ID: P4017.D

Analysis Method: 8260B

Date Collected: 07/13/2011 00:00

Sample wt/vol: 5(mL)

Date Analyzed: 07/18/2011 20:47

Soil Aliquot Vol: _____

Dilution Factor: 1

Soil Extract Vol.: _____

GC Column: ZB-624 (60) ID: 0.25(mm)

% Moisture: _____

Level: (low/med) Low

Analysis Batch No.: 23902

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND	UJ	1.0	0.39
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
591-78-6	2-Hexanone	ND		5.0	1.2
78-93-3	2-Butanone (MEK)	ND		10	1.3
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Bromodichloromethane	ND		1.0	0.39
75-25-2	Bromoform	ND	UJ	1.0	0.26
74-83-9	Bromomethane	ND	UJ	1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND	UJ	1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Dibromochloromethane	ND	UJ	1.0	0.32
75-00-3	Chloroethane	ND	UJ	1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND		1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND	UJ	1.0	0.68
100-41-4	Ethylbenzene	ND		1.0	0.74
98-82-8	Isopropylbenzene	ND		1.0	0.79

6249/8/11

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
 SDG No.: _____
 Client Sample ID: TRIP BLANK Lab Sample ID: 480-7265-17
 Matrix: Water Lab File ID: P4017.D
 Analysis Method: 8260B Date Collected: 07/13/2011 00:00
 Sample wt/vol: 5 (mL) Date Analyzed: 07/18/2011 20:47
 Soil Aliquot Vol: _____ Dilution Factor: 1
 Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
 % Moisture: _____ Level: (low/med) Low
 Analysis Batch No.: 23902 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
79-20-9	Methyl acetate	ND		1.0	0.50
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND	UJ	1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	88		66-137
2037-26-5	Toluene-d8 (Surr)	84		71-126
460-00-4	4-Bromofluorobenzene (Surr)	79		73-120

Wen
9/8/14

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: TestAmerica Buffalo Job No.: 480-7265-1
SDG No.: _____
Client Sample ID: TRIP BLANK Lab Sample ID: 480-7265-17
Matrix: Water Lab File ID: P4017.D
Analysis Method: 8260B Date Collected: 07/13/2011 00:00
Sample wt/vol: 5(mL) Date Analyzed: 07/18/2011 20:47
Soil Aliquot Vol: _____ Dilution Factor: 1
Soil Extract Vol.: _____ GC Column: ZB-624 (60) ID: 0.25 (mm)
% Moisture: _____ Level: (low/med) Low
Analysis Batch No.: 23902 Units: ug/L
Number TICs Found: 0 TIC Result Total: 0

CAS NO.	COMPOUND NAME	RT	RESULT	Q
	Tentatively Identified Compound		None	

ATTACHMENT B

SUPPORT DOCUMENTATION

CHAIN OF CUSTODY RECORD

PROJECT NO. 1176167.0002
 SITE NAME Rose Valley Landfill
 SAMPLERS (PRINT/SIGNATURE) S. McCabe, C. Dusek

DELIVERY SERVICE: AIRBILL NO.:

LOCATION IDENTIFIER	DATE	TIME	COMP/GRAB	SAMPLE ID	MATRIX
SW-015	7-12-11	1630	G	SW-015	WG
SW-01D	7-12-11	1730	G	SW-01D	WG
SW-035	7-12-11	1800	G	SW-035	WG
SW-025	7-12-11	1840	G	SW-025	WG
SW-02D	7-12-11	1920	G	SW-02D	WG
Duplicate	7-12-11	—	G	FD-071211	WG
SW-045	7-13-11	0930	G	SW-045	WG
SW-045	7-13-11	0930	G	SW-045-MS	WG
SW-045	7-13-11	0930	G	SW-045-MSD	WG
SW-04D	7-13-11	1040	G	SW-04D	WG
SWTR-1E	7-13-11	1055	G	SWTR-1E	WS
SWTR-1E	7-13-11	1055	G	SWTR-1E-MS	WS
SWTR-1E	7-13-11	1055	G	SWTR-1E-MSD	WS

MATRIX CODES	AA - AMBIENT AIR SE - SEDIMENT SH - HAZARDOUS SOLID WASTE	SL - SLUDGE WP - DRINKING WATER WW - WASTE WATER	WG - GROUND WATER SO - SOIL DC - DRILL CUTTINGS	WL - LEACHATE GS - SOIL GAS WG - DRILLING WATER	WO - OCEAN WATER WS - SURFACE WATER WQ - WATER FIELD QC	LH - HAZARDOUS LIQUID WASTE LF - FLOATING/FREE PRODUCT ON GW TABLE
SAMPLE TYPE CODES	TB# - TRIP BLANK SD# - MATRIX SPIKE DUPLICATE	RB# - RINSE BLANK FR# - FIELD REPLICATE	N# - NORMAL ENVIRONMENTAL SAMPLE MS# - MATRIX SPIKE	(* - SEQUENTIAL NUMBER (FROM 1 TO 9) TO ACCOMMODATE MULTIPLE SAMPLES IN A SINGLE DAY)		

RELINQUISHED BY (SIGNATURE)	DATE	TIME	RECEIVED BY (SIGNATURE)	DATE	TIME
<i>[Signature]</i>	7/14/11	1245	<i>[Signature]</i>	7/14	1245
RELINQUISHED BY (SIGNATURE)	DATE	TIME	RECEIVED FOR LAB BY (SIGNATURE)	DATE	TIME
				7-14	1245

Distribution: Original accompanies shipment, copy to coordinator field files

TESTS

TELEPHONE

BOTTLE TYPE AND PRESERVATIVE

TOTAL NO. OF CONTAINERS

40ml vials

AIRBILL NO.:

AIRBILL NO.:

REMARKS

SAMPLE TYPE
 BEGINNING DEPTH (IN FEET)
 ENDING DEPTH (IN FEET)
 FIELD LOT NO. # (IPIMS ONLY)

URS

LAB TEST AMERICA

COOLER 1 of

PAGE 1 of

SPECIAL INSTRUCTIONS

Contact George Kishel
 w/ any questions

716-923-1321

CHAIN OF CUSTODY RECORD

PROJECT NO. 11176617, 0000Z SITE NAME Rosa Valley Landfill
 SAMPLERS (PRINT/SIGNATURE) S. Sanchez / C. Duran

DELIVERY SERVICE: _____ AIRBILL NO.: _____

LOCATION IDENTIFIER	DATE	TIME	COMP/ GRAB	SAMPLE ID	MATRIX	TOTAL NO. OF CONTAINERS
MW-16	7-13-11	1155	G	MW-16	WG	3
MW-04	7-13-11	1310	G	MW-04	WG	3
MW-03	7-13-11	1430	G	MW-03	WG	3
NDP	7-13-11	1500	G	NDP-W5	WS	3
SMP-17	7-13-11	1530	G	SMP-17	WS	3
SDP	7-13-11	1545	G	SDP-W5	WS	3
Duplicate	7-13-11	—	G	FD-071311	—	3

BOTTLE TYPE AND PRESERVATIVE	TESTS	REMARKS	SAMPLE TYPE	BEGINNING DEPTH (IN FEET)	ENDING DEPTH (IN FEET)	FIELD LOT NO. # (HPLMS ONLY)
			W1	—	—	—
			W1	—	—	—
			M	—	—	—
			W1	—	—	—
			W1	—	—	—
			W1	—	—	—
			W2	—	—	—

MATRIX CODES	AA - AMBIENT AIR SE - SEDIMENT SH - HAZARDOUS SOLID WASTE	SL - SLUDGE WP - DRINKING WATER WW - WASTE WATER	WG - GROUND WATER SO - SOIL DC - DRILL CUTTINGS	WL - LEACHATE GS - SOIL GAS WC - DRILLING WATER	WO - OCEAN WATER WS - SURFACE WATER WQ - WATER FIELD QC	LH - HAZARDOUS LIQUID WASTE LF - FLOATING/FREE PRODUCT ON GW TABLE
--------------	---	--	---	---	---	---

SAMPLE TYPE CODES	TB# - TRIP BLANK SD# - MATRIX SPIKE DUPLICATE	RB# - RINSE BLANK FR# - FIELD REPLICATE	N# - NORMAL ENVIRONMENTAL SAMPLE MS# - MATRIX SPIKE	(# - SEQUENTIAL NUMBER (FROM 1 TO 9) TO ACCOMMODATE MULTIPLE SAMPLES IN A SINGLE DAY)
-------------------	--	--	--	---

RELINQUISHED BY (SIGNATURE)	DATE	TIME	RECEIVED BY (SIGNATURE)	DATE	TIME
<i>[Signature]</i>	7/14/11	1245	<i>[Signature]</i>	7-14	1245

RELINQUISHED BY (SIGNATURE) _____ DATE _____ TIME _____
 SPECIAL INSTRUCTIONS: CONTACT George Kishik w/ any Questions
76 923-1321

Distribution: Original accompanies shipment, copy to coordinator field files

WV

Job Narrative
480-7265-1

Receipt

All samples were received in good condition within temperature requirements.

GC/MS VOA

Method 8260B: The following volatiles sample was diluted due to foaming at the time of purging during the original sample analysis: SWRT-1T (480-7265-14). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Buffalo

Job No.: 480-7265-1

SDG No.: _____

Lab Sample ID: CCVIS 480-23814/2

Calibration Date: 07/17/2011 13:01

Instrument ID: HP5973P

Calib Start Date: 07/13/2011 19:24

GC Column: ZB-624 (60) ID: 0.25 (mm)

Calib End Date: 07/13/2011 21:28

Lab File ID: P3978.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Toluene	Ave	2.000	1.788		22.3	25.0	-10.6	20.0
trans-1,3-Dichloropropene	Ave	1.144	1.107		24.2	25.0	-3.2	50.0
Ethyl methacrylate	Ave	1.146	1.122		24.5	25.0	-2.1	50.0
1,1,2-Trichloroethane	Ave	0.6933	0.6421		23.2	25.0	-7.4	50.0
Tetrachloroethene	Ave	0.8799	0.7757		22.0	25.0	-11.8	50.0
1,3-Dichloropropane	Ave	1.369	1.278		23.3	25.0	-6.6	50.0
2-Hexanone	Ave	0.8736	0.8740		125	125	0.0	50.0
Dibromochloromethane	LinF		0.6507		18.4	25.0	-26.4	50.0
1,2-Dibromoethane	Ave	0.8544	0.8030		23.5	25.0	-6.0	50.0
Chlorobenzene	Ave	2.246	2.017	0.3000	22.5	25.0	-10.2	50.0
Ethylbenzene	Ave	3.686	3.401		23.1	25.0	-7.7	20.0
1,1,1,2-Tetrachloroethane	Lin1F		0.6478		19.8	25.0	-20.8	50.0
m,p-Xylene	Ave	1.406	1.289		45.8	50.0	-8.3	50.0
o-Xylene	Ave	1.393	1.257		22.6	25.0	-9.8	50.0
Styrene	Ave	2.332	2.217		23.8	25.0	-4.9	50.0
Bromoform	QuaF		0.4230	0.1000	20.2	25.0	-19.2	50.0
Isopropylbenzene	Ave	3.242	3.033		23.4	25.0	-6.5	50.0
1,1,2,2-Tetrachloroethane	Ave	1.146	1.109	0.3000	24.2	25.0	-3.2	50.0
Bromobenzene	Ave	0.9879	0.9113		23.1	25.0	-7.8	50.0
trans-1,4-Dichloro-2-butene	Ave	0.2941	0.3202		136	125	8.9	50.0
1,2,3-Trichloropropane	Ave	0.3253	0.3057		23.5	25.0	-6.0	50.0
N-Propylbenzene	Ave	4.379	4.218		24.1	25.0	-3.7	50.0
2-Chlorotoluene	Ave	0.8485	0.7821		23.0	25.0	-7.8	50.0
1,3,5-Trimethylbenzene	Ave	2.746	2.557		23.3	25.0	-6.9	50.0
4-Chlorotoluene	Ave	0.8947	0.8184		22.9	25.0	-8.5	50.0
tert-Butylbenzene	Ave	0.5499	0.4872		22.2	25.0	-11.4	50.0
1,2,4-Trimethylbenzene	Ave	2.766	2.641		23.9	25.0	-4.5	50.0
sec-Butylbenzene	Ave	3.407	3.196		23.4	25.0	-6.2	50.0
4-Isopropyltoluene	Ave	2.770	2.603		23.5	25.0	-6.0	50.0
1,3-Dichlorobenzene	Ave	1.760	1.605		22.8	25.0	-8.8	50.0
1,4-Dichlorobenzene	Ave	1.831	1.696		23.2	25.0	-7.4	50.0
n-Butylbenzene	Ave	2.796	2.718		24.3	25.0	-2.8	50.0
1,2-Dichlorobenzene	Ave	1.737	1.597		23.0	25.0	-8.1	50.0
1,2-Dibromo-3-Chloropropane	Lin1F		0.2040		22.0	25.0	-12.0	50.0
1,2,4-Trichlorobenzene	Ave	1.185	1.127		23.8	25.0	-5.0	50.0
Hexachlorobutadiene	Ave	0.2388	0.2241		23.5	25.0	-6.1	50.0
Naphthalene	Ave	1.589	1.697		26.7	25.0	6.9	50.0
1,2,3-Trichlorobenzene	Ave	0.5670	0.5734		25.3	25.0	1.1	50.0
1,2-Dichloroethane-d4 (Surr)	Ave	0.2641	0.2200		20.8	25.0	-16.7	50.0
Toluene-d8 (Surr)	Ave	2.602	2.198		21.1	25.0	-15.5	50.0
4-Bromofluorobenzene (Surr)	Ave	0.9146	0.7872		21.5	25.0	-13.9	50.0

NIC

GC/MS VOA ANALYSIS RUN LOG

Lab Name: TestAmerica BuffaloJob No.: 480-7265-1

SDG No.: _____

Instrument ID: HP5973PStart Date: 07/17/2011 12:36Analysis Batch Number: 23814End Date: 07/17/2011 18:04

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
BFB 480-23814/1		07/17/2011 12:36	1	P3977.D	ZB-624 (60) 0.25 (mm)
CCVIS 480-23814/2		07/17/2011 13:01	1	P3978.D	ZB-624 (60) 0.25 (mm)
LCS 480-23814/3		07/17/2011 13:39	1	P3979.D	ZB-624 (60) 0.25 (mm)
MB 480-23814/4		07/17/2011 14:04	1	P3980.D	ZB-624 (60) 0.25 (mm)
480-7265-1	SW-01S	07/17/2011 14:44	1	P3981.D	ZB-624 (60) 0.25 (mm)
480-7265-2	SW-01D	07/17/2011 15:09	1	P3982.D	ZB-624 (60) 0.25 (mm)
480-7265-3	SW-03S	07/17/2011 15:34	1	P3983.D	ZB-624 (60) 0.25 (mm)
480-7265-4	SW-02S	07/17/2011 15:59	1	P3984.D	ZB-624 (60) 0.25 (mm)
480-7265-5	SW-02D	07/17/2011 16:24	1	P3985.D	ZB-624 (60) 0.25 (mm)
480-7265-6	FD-071211	07/17/2011 16:49	1	P3986.D	ZB-624 (60) 0.25 (mm)
480-7265-7	SW-04S	07/17/2011 17:14	1	P3987.D	ZB-624 (60) 0.25 (mm)
480-7265-7 MS	SW-04S MS	07/17/2011 17:39	1	P3988.D	ZB-624 (60) 0.25 (mm)
480-7265-7 MSD	SW-04S MSD	07/17/2011 18:04	1	P3989.D	ZB-624 (60) 0.25 (mm)

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Buffalo

Job No.: 480-7265-1

SDG No.: _____

Lab Sample ID: CCVIS 480-23902/2

Calibration Date: 07/18/2011 14:40

Instrument ID: HP5973P

Calib Start Date: 07/13/2011 19:24

GC Column: ZB-624 (60)

ID: 0.25 (mm)

Calib End Date: 07/13/2011 21:28

Lab File ID: P4003.D

Conc. Units: ug/L

Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Dichlorodifluoromethane	Ave	0.5050	0.3936		19.5	25.0	-22.1	50.0
Chloromethane	Ave	0.5132	0.4332	0.1000	21.1	25.0	-15.6	50.0
Vinyl chloride	Ave	0.4642	0.3848		20.7	25.0	-17.1	20.0
Bromomethane	Ave	0.2051	0.1471		17.9	25.0	-28.3	50.0
Chloroethane	Ave	0.2066	0.1547		18.7	25.0	-25.1	50.0
Trichlorofluoromethane	Ave	0.6963	0.4933		17.7	25.0	-29.2	50.0
Acrolein	Ave	0.0297	0.0246		413	500	-17.4	50.0
1,1,2-Trichloro-1,2,2-trifluoroethane	Ave	0.3703	0.3695		25.0	25.0	-0.2	50.0
1,1-Dichloroethene	Ave	0.4160	0.3680	0.1000	22.1	25.0	-11.6	20.0
Acetone	Ave	0.2005	0.1851		115	125	-7.7	50.0
Iodomethane	Ave	0.5337	0.4989		23.4	25.0	-6.5	50.0
Carbon disulfide	Ave	1.050	1.037		24.7	25.0	-1.2	50.0
Methyl acetate	Ave	0.7803	0.6750		21.6	25.0	-13.5	50.0
Acetonitrile	Ave	0.0463	0.0427		923	1000	-7.7	50.0
Methylene Chloride	Ave	0.4802	0.4286		22.3	25.0	-10.7	50.0
Methyl tert-butyl ether	Ave	1.287	1.165		22.6	25.0	-9.5	50.0
trans-1,2-Dichloroethene	Ave	0.4266	0.3951		23.2	25.0	-7.4	50.0
Acrylonitrile	Ave	0.2106	0.1913		114	125	-9.1	50.0
Vinyl acetate	Ave	0.8116	0.7443		115	125	-8.3	50.0
1,1-Dichloroethane	Ave	0.8154	0.7432		22.8	25.0	-8.9	50.0
2-Butanone (MEK)	Ave	0.3048	0.2770		114	125	-9.1	50.0
2,2-Dichloropropane	Ave	0.5184	0.4539		21.9	25.0	-12.4	50.0
cis-1,2-Dichloroethene	Ave	0.4651	0.4294		23.1	25.0	-7.7	50.0
Bromochloromethane	Ave	0.2219	0.2034		22.9	25.0	-8.4	50.0
Tetrahydrofuran	Ave	0.1949	0.1735		111	125	-11.0	50.0
Chloroform	Ave	0.7759	0.6909		22.3	25.0	-11.0	20.0
1,1,1-Trichloroethane	Ave	0.5780	0.4779		20.7	25.0	-17.3	50.0
Cyclohexane	Ave	0.6389	0.5816		22.8	25.0	-9.0	50.0
1,1-Dichloropropene	Ave	0.5725	0.4912		21.4	25.0	-14.2	50.0
Carbon tetrachloride	Ave	0.4879	0.3513		18.0	25.0	-28.0	50.0
Benzene	Ave	1.619	1.452		22.4	25.0	-10.3	50.0
1,2-Dichloroethane	Ave	0.6622	0.5877		22.2	25.0	-11.3	50.0
Trichloroethene	Ave	0.4247	0.3760		22.1	25.0	-11.5	50.0
Methylcyclohexane	Ave	0.5730	0.5384		23.5	25.0	-6.0	50.0
1,2-Dichloropropane	Ave	0.4379	0.3970		22.7	25.0	-9.3	20.0
Dibromomethane	Ave	0.3020	0.2736		22.6	25.0	-9.4	50.0
Bromodichloromethane	Ave	0.4809	0.4530		23.6	25.0	-5.8	50.0
2-Chloroethyl vinyl ether	Ave	0.3150	0.2988		119	125	-5.2	50.0
cis-1,3-Dichloropropene	Ave	0.5998	0.5624		23.4	25.0	-6.2	50.0
4-Methyl-2-pentanone (MIBK)	Ave	1.179	1.069		113	125	-9.3	50.0

FORM VII
GC/MS VOA CONTINUING CALIBRATION DATA

Lab Name: TestAmerica Buffalo

Job No.: 480-7265-1

SDG No.: _____

Lab Sample ID: CCVIS 480-23902/2

Calibration Date: 07/18/2011 14:40

Instrument ID: HP5973P

Calib Start Date: 07/13/2011 19:24

GC Column: ZB-624 (60) ID: 0.25 (mm)

Calib End Date: 07/13/2011 21:28

Lab File ID: P4003.D

Conc. Units: ug/L Heated Purge: (Y/N) N

ANALYTE	CURVE TYPE	AVE RRF	RRF	MIN RRF	CALC AMOUNT	SPIKE AMOUNT	%D	MAX %D
Toluene	Ave	2.000	1.705		21.3	25.0	-14.8	20.0
trans-1,3-Dichloropropene	Ave	1.144	1.032		22.6	25.0	-9.7	50.0
Ethyl methacrylate	Ave	1.146	1.023		22.3	25.0	-10.8	50.0
1,1,2-Trichloroethane	Ave	0.6933	0.6065		21.9	25.0	-12.5	50.0
Tetrachloroethene	Ave	0.8799	0.7206		20.5	25.0	-18.1	50.0
1,3-Dichloropropane	Ave	1.369	1.204		22.0	25.0	-12.1	50.0
2-Hexanone	Ave	0.8736	0.8062		115	125	-7.7	50.0
Dibromochloromethane	LinF		0.5876		16.6	25.0	-33.6	50.0
1,2-Dibromoethane	Ave	0.8544	0.7451		21.8	25.0	-12.8	50.0
Chlorobenzene	Ave	2.246	1.933	0.3000	21.5	25.0	-14.0	50.0
Ethylbenzene	Ave	3.686	3.235		21.9	25.0	-12.2	20.0
1,1,1,2-Tetrachloroethane	Lin1F		0.5878		17.9	25.0	-28.4	50.0
m,p-Xylene	Ave	1.406	1.218		43.3	50.0	-13.3	50.0
o-Xylene	Ave	1.393	1.205		21.6	25.0	-13.5	50.0
Styrene	Ave	2.332	2.087		22.4	25.0	-10.5	50.0
Bromoform	QuaF		0.3758	0.1000	18.1	25.0	-27.6	50.0
Isopropylbenzene	Ave	3.242	2.876		22.2	25.0	-11.3	50.0
1,1,2,2-Tetrachloroethane	Ave	1.146	1.044	0.3000	22.8	25.0	-8.9	50.0
Bromobenzene	Ave	0.9879	0.8715		22.1	25.0	-11.8	50.0
trans-1,4-Dichloro-2-butene	Ave	0.2941	0.2908		124	125	-1.1	50.0
1,2,3-Trichloropropane	Ave	0.3253	0.2818		21.7	25.0	-13.4	50.0
N-Propylbenzene	Ave	4.379	3.958		22.6	25.0	-9.6	50.0
2-Chlorotoluene	Ave	0.8485	0.7410		21.8	25.0	-12.7	50.0
1,3,5-Trimethylbenzene	Ave	2.746	2.418		22.0	25.0	-11.9	50.0
4-Chlorotoluene	Ave	0.8947	0.7638		21.3	25.0	-14.6	50.0
tert-Butylbenzene	Ave	0.5499	0.4596		20.9	25.0	-16.4	50.0
1,2,4-Trimethylbenzene	Ave	2.766	2.511		22.7	25.0	-9.2	50.0
sec-Butylbenzene	Ave	3.407	3.010		22.1	25.0	-11.7	50.0
4-Isopropyltoluene	Ave	2.770	2.425		21.9	25.0	-12.5	50.0
1,3-Dichlorobenzene	Ave	1.760	1.552		22.0	25.0	-11.8	50.0
1,4-Dichlorobenzene	Ave	1.831	1.593		21.8	25.0	-13.0	50.0
n-Butylbenzene	Ave	2.796	2.508		22.4	25.0	-10.3	50.0
1,2-Dichlorobenzene	Ave	1.737	1.527		22.0	25.0	-12.1	50.0
1,2-Dibromo-3-Chloropropane	Lin1F		0.1801		19.4	25.0	-22.4	50.0
1,2,4-Trichlorobenzene	Ave	1.185	1.071		22.6	25.0	-9.6	50.0
Hexachlorobutadiene	Ave	0.2388	0.2063		21.6	25.0	-13.6	50.0
Naphthalene	Ave	1.589	1.548		24.4	25.0	-2.5	50.0
1,2,3-Trichlorobenzene	Ave	0.5670	0.5236		23.1	25.0	-7.7	50.0
1,2-Dichloroethane-d4 (Surr)	Ave	0.2641	0.2180		20.6	25.0	-17.4	50.0
Toluene-d8 (Surr)	Ave	2.602	2.211		21.2	25.0	-15.0	50.0
4-Bromofluorobenzene (Surr)	Ave	0.9146	0.7988		21.8	25.0	-12.7	50.0

N/C

GC/MS VOA ANALYSIS RUN LOG

Lab Name: TestAmerica BuffaloJob No.: 480-7265-1

SDG No.: _____

Instrument ID: HP5973PStart Date: 07/18/2011 14:14Analysis Batch Number: 23902End Date: 07/19/2011 01:22

LAB SAMPLE ID	CLIENT SAMPLE ID	DATE ANALYZED	DILUTION FACTOR	LAB FILE ID	COLUMN ID
BFB 480-23902/1		07/18/2011 14:14	1	P4002.D	ZB-624 (60) 0.25 (mm)
CCVIS 480-23902/2		07/18/2011 14:40	1	P4003.D	ZB-624 (60) 0.25 (mm)
LCS 480-23902/3		07/18/2011 15:23	1	P4004.D	ZB-624 (60) 0.25 (mm)
MB 480-23902/4		07/18/2011 15:48	1	P4005.D	ZB-624 (60) 0.25 (mm)
480-7265-8	SW-04D	07/18/2011 16:13	1	P4006.D	ZB-624 (60) 0.25 (mm)
480-7265-9	SWTR-1E	07/18/2011 16:38	1	P4007.D	ZB-624 (60) 0.25 (mm)
480-7265-9 MS	SWTR-1E MS	07/18/2011 17:03	1	P4008.D	ZB-624 (60) 0.25 (mm)
480-7265-9 MSD	SWTR-1E MSD	07/18/2011 17:28	1	P4009.D	ZB-624 (60) 0.25 (mm)
480-7265-10	MW-16	07/18/2011 17:53	1	P4010.D	ZB-624 (60) 0.25 (mm)
480-7265-11	MW-04	07/18/2011 18:17	1	P4011.D	ZB-624 (60) 0.25 (mm)
480-7265-12	MW-03	07/18/2011 18:43	1	P4012.D	ZB-624 (60) 0.25 (mm)
480-7265-13	NDP-WS	07/18/2011 19:08	1	P4013.D	ZB-624 (60) 0.25 (mm)
480-7265-14	SWRT-1T	07/18/2011 19:33	4	P4014.D	ZB-624 (60) 0.25 (mm)
480-7265-15	SDP-WS	07/18/2011 19:58	1	P4015.D	ZB-624 (60) 0.25 (mm)
480-7265-16	FD-071311	07/18/2011 20:23	1	P4016.D	ZB-624 (60) 0.25 (mm)
480-7265-17	TRIP BLANK	07/18/2011 20:47	1	P4017.D	ZB-624 (60) 0.25 (mm)
ZZZZZ		07/18/2011 21:12	1		ZB-624 (60) 0.25 (mm)
ZZZZZ		07/18/2011 21:37	1		ZB-624 (60) 0.25 (mm)
ZZZZZ		07/18/2011 22:02	1		ZB-624 (60) 0.25 (mm)
ZZZZZ		07/18/2011 22:27	1		ZB-624 (60) 0.25 (mm)
ZZZZZ		07/18/2011 22:52	1		ZB-624 (60) 0.25 (mm)
ZZZZZ		07/18/2011 23:17	1		ZB-624 (60) 0.25 (mm)
ZZZZZ		07/18/2011 23:42	1		ZB-624 (60) 0.25 (mm)
ZZZZZ		07/19/2011 00:07	1		ZB-624 (60) 0.25 (mm)
ZZZZZ		07/19/2011 00:32	1		ZB-624 (60) 0.25 (mm)
ZZZZZ		07/19/2011 00:57	1		ZB-624 (60) 0.25 (mm)
ZZZZZ		07/19/2011 01:22	1		ZB-624 (60) 0.25 (mm)

APPENDIX E

WELL INSPECTION FORMS

MONITORING WELL INSPECTION FORM

SITE NAME: Rose Valley Landfill

JOB#: 11176167

DATE: 7/12/2011

TIME: 13:35

WELL ID: MW-03

EXTERIOR INSPECTION

PROTECTIVE CASING: OK

LOCK/HASP: New locks installed. Used URS' keyed locks.

HINGE/ LID: OK

WELL PAD: OK

BOLLARDS: None

LABEL/ID: None

OTHER: Thick vegetation surrounding well.

INTERIOR INSPECTION

WELL RISER: OK

ANULAR SPACE: OK

WELL CAP: OK

WATER LEVEL: 3.01

DEPTH TO BOTTOM: 17.25 HARD/SOFT BOTTOM Soft

OTHER: _____

COMMENTS: _____

SIGNATURE INSPECTOR: _____ SIGNATURE APPROVAL: _____

LOCK KEY # 2246

MONITORING WELL INSPECTION FORM

SITE NAME: Rose Valley Landfill

JOB#: 11176167

DATE: 7/12/2011

TIME: 13:45

WELL ID: MW-4

EXTERIOR INSPECTION

PROTECTIVE CASING: OK

LOCK/HASP: New locks installed. Used URS' keyed locks.

HINGE/ LID: OK

WELL PAD: OK

BOLLARDS: None

LABEL/ID: None

OTHER: _____

INTERIOR INSPECTION

WELL RISER: OK

ANULAR SPACE: OK

WELL CAP: OK

WATER LEVEL: 2.52

DEPTH TO BOTTOM: 17.55 HARD/SOFT BOTTOM Soft

OTHER: _____

COMMENTS: _____

SIGNATURE INSPECTOR: _____ SIGNATURE APPROVAL: _____

LOCK KEY # 2246

MONITORING WELL INSPECTION FORM

SITE NAME: Rose Valley Landfill

JOB#: 11176167

DATE: 7/12/2011

TIME: 14:00

WELL ID: MW-16

EXTERIOR INSPECTION

PROTECTIVE CASING: OK

LOCK/HASP: New locks installed. Used URS' keyed locks.

HINGE/ LID: OK

WELL PAD: OK

BOLLARDS: None

LABEL/ID: None

OTHER: _____

INTERIOR INSPECTION

WELL RISER: OK

ANULAR SPACE: OK

WELL CAP: OK

WATER LEVEL: 3.50

DEPTH TO BOTTOM: 11.6 HARD/SOFT BOTTOM Soft

OTHER: _____

COMMENTS: _____

SIGNATURE INSPECTOR: _____ SIGNATURE APPROVAL: _____

LOCK KEY # 2246

MONITORING WELL INSPECTION FORM

SITE NAME: Rose Valley Landfill

JOB#: 11176167

DATE: 7/12/2011

TIME: 14:35

WELL ID: SW-01S

EXTERIOR INSPECTION

PROTECTIVE CASING: OK

LOCK/HASP: New locks installed. Used URS' keyed locks.

HINGE/ LID: OK

WELL PAD: OK

BOLLARDS: None

LABEL/ID: None

OTHER: _____

INTERIOR INSPECTION

WELL RISER: OK

ANULAR SPACE: OK

WELL CAP: OK

WATER LEVEL: 18.56

DEPTH TO BOTTOM: 28.4 HARD/SOFT BOTTOM Soft

OTHER: _____

COMMENTS: _____

SIGNATURE INSPECTOR: _____ SIGNATURE APPROVAL: _____

LOCK KEY # 2246

MONITORING WELL INSPECTION FORM

SITE NAME: Rose Valley Landfill

JOB#: 11176167

DATE: 7/12/2011

TIME: 14:37

WELL ID: SW-01D

EXTERIOR INSPECTION

PROTECTIVE CASING: OK

LOCK/HASP: New locks installed. Used URS' keyed locks.

HINGE/ LID: OK

WELL PAD: OK

BOLLARDS: None

LABEL/ID: None

OTHER: _____

INTERIOR INSPECTION

WELL RISER: OK

ANULAR SPACE: OK

WELL CAP: OK

WATER LEVEL: 67.37

DEPTH TO BOTTOM: 83.9 HARD/SOFT BOTTOM Soft

OTHER: _____

COMMENTS: _____

SIGNATURE INSPECTOR: _____ SIGNATURE APPROVAL: _____

LOCK KEY # 2246

MONITORING WELL INSPECTION FORM

SITE NAME: Rose Valley Landfill

JOB#: 11176167

DATE: 7/12/2011

TIME: 14:48

WELL ID: SW-02S

EXTERIOR INSPECTION

PROTECTIVE CASING: OK

LOCK/HASP: New locks installed. Used URS' keyed locks.

HINGE/ LID: OK

WELL PAD: OK

BOLLARDS: None

LABEL/ID: None

OTHER: _____

INTERIOR INSPECTION

WELL RISER: OK

ANULAR SPACE: OK

WELL CAP: OK

WATER LEVEL: 11.30

DEPTH TO BOTTOM: 20.05 HARD/SOFT BOTTOM Soft

OTHER: _____

COMMENTS: _____

SIGNATURE INSPECTOR: _____ SIGNATURE APPROVAL: _____

LOCK KEY # 2246

MONITORING WELL INSPECTION FORM

SITE NAME: Rose Valley Landfill

JOB#: 11176167

DATE: 7/12/2011

TIME: 14:50

WELL ID: SW-02D

EXTERIOR INSPECTION

PROTECTIVE CASING: OK

LOCK/HASP: New locks installed. Used URS' keyed locks.

HINGE/ LID: OK

WELL PAD: OK

BOLLARDS: None

LABEL/ID: None

OTHER: _____

INTERIOR INSPECTION

WELL RISER: OK

ANULAR SPACE: OK

WELL CAP: OK

WATER LEVEL: 70.73

DEPTH TO BOTTOM: 79.16 HARD/SOFT BOTTOM Soft

OTHER: _____

COMMENTS: _____

SIGNATURE INSPECTOR: _____ SIGNATURE APPROVAL: _____

LOCK KEY # 2246

MONITORING WELL INSPECTION FORM

SITE NAME: Rose Valley Landfill

JOB#: 11176167

DATE: 7/12/2011

TIME: 14:40

WELL ID: SW-03S

EXTERIOR INSPECTION

PROTECTIVE CASING: OK

LOCK/HASP: New locks installed. Used URS' keyed locks.

HINGE/ LID: OK

WELL PAD: OK

BOLLARDS: None

LABEL/ID: None

OTHER: _____

INTERIOR INSPECTION

WELL RISER: OK

ANULAR SPACE: OK

WELL CAP: OK

WATER LEVEL: 11.85

DEPTH TO BOTTOM: 18.77 HARD/SOFT BOTTOM Soft

OTHER: _____

COMMENTS: _____

SIGNATURE INSPECTOR: _____ SIGNATURE APPROVAL: _____

LOCK KEY # 2246

MONITORING WELL INSPECTION FORM

SITE NAME: Rose Valley Landfill

JOB#: 11176167

DATE: 7/12/2011

TIME: 14:20

WELL ID: SW-04S

EXTERIOR INSPECTION

PROTECTIVE CASING: OK

LOCK/HASP: New locks installed. Used URS' keyed locks.

HINGE/ LID: OK

WELL PAD: OK

BOLLARDS: None

LABEL/ID: None

OTHER: _____

INTERIOR INSPECTION

WELL RISER: OK

ANULAR SPACE: OK

WELL CAP: OK

WATER LEVEL: 2.95

DEPTH TO BOTTOM: 8.22 HARD/SOFT BOTTOM Soft

OTHER: _____

COMMENTS: _____

SIGNATURE INSPECTOR: _____ SIGNATURE APPROVAL: _____

LOCK KEY # 2246

MONITORING WELL INSPECTION FORM

SITE NAME: Rose Valley Landfill

JOB#: 11176167

DATE: 7/12/2011

TIME: 14:15

WELL ID: SW-04D

EXTERIOR INSPECTION

PROTECTIVE CASING: OK

LOCK/HASP: New locks installed. Used URS' keyed locks.

HINGE/ LID: OK

WELL PAD: OK

BOLLARDS: None

LABEL/ID: None

OTHER: _____

INTERIOR INSPECTION

WELL RISER: OK

ANULAR SPACE: OK

WELL CAP: OK

WATER LEVEL: Not measured.

DEPTH TO BOTTOM: 83.35 HARD/SOFT BOTTOM Soft

OTHER: _____

COMMENTS: Artesian well.

SIGNATURE INSPECTOR: _____ SIGNATURE APPROVAL: _____

LOCK KEY # 2246

APPENDIX F

LANDFILL INSPECTION FORM

LANDFILL CAP AND SITE STORMWATER MANAGEMENT SYSTEM

MINIMUM CHECKLIST FOR ROUTINE INSPECTIONS

ROSE VALLEY LANDFILL

NYSDEC SITE NO. 622017

Component	Item	Number/Location/ Area Checked	Condition
Cap Grading	Obvious subsidences, depressions, or cracks <i>None</i> Evidence of ponded water <i>no</i> Stressed vegetation <i>None</i> Signs of erosion occurring at a localized change in grade <i>no</i> Evidence of Breaching of toe <i>no</i> Animal burrows <i>None</i> Other:	entire cap was inspected	good condition
Cap Vegetation and Repaired Vegetation	Areas of sparse, dead, or missing vegetation <i>None</i> Small rill erosion <i>None observed</i> Animal burrows <i>None</i> Other:	entire cap	good condition
Drainage Channel	Missing or displaced stones <i>None</i> Woody vegetation growing in the stones or grass cover <i>yes - starting - woody/brush</i>	a/l	removed some future removal necessary
GW Monitoring Wells	Condition of lock and cover <i>New</i> Signs of damage to casing or collar <i>no</i> Condition of weep hole from casing Evidence of tampering <i>no</i> Other:	Wells were sampled + gnd H2O ∇ measured	see m. well inspection logs.

ROSE VALLEY LANDFILL SITE – POST CLOSURE

NYSDEC SITE NO. 622017

INSPECTION LOG SHEET

Date: 7/13/11

Inspector: Chuck Duse

Weather: partly cloudy - rain

Signature: [Signature]

Temperature: 28.5° F

Company: URS Corp.

Type: Winter Spring Summer Fall
(Circle One)

Item Inspected	Maintenance Needed (Y/N)	Comments	Inspector's Initials
Drainage Channel	Yes	Needs to be weedwacked	CD
Groundwater Monitoring Wells	No	conducted annual sampling event/replaced locks on m. wells	CD
Perimeter Access Road	Yes		
Vegetative Cover	Yes	scheduled to be mowed by Sept 2011	CD
Repaired Vegetation	erosion	otherwise good condition/repairs to west side of LF completed FALL 2010 in good shape. veg. cover growing up thru erosion mat	CD
Final Cover Layers (Cap Settlement, etc.)	No	good condition	CD
Gas Vents	No	good condition	CD
Fence and Gates	No	good condition	CD
Other Items: (Specify) Site access Road	Yes	Site access Road between RV area (see photos) + site has significant erosion rills	CD
Other Items: (Specify) North & South	Yes	a fair amount of sediment in both basins	CD
Two Jersey Barriers	Yes	erosion underneath (see photos)	CD

Component	Item	Number/Location/ Area Checked	Condition
Fences, Gates and Perimeter Access Road	Cutting or bending of fence fabric <i>No</i> Missing locks, hinges, etc. from gates <i>No</i> Motorbike or snowmobile tracks <i>yes</i> Shotgun shell casings <i>No</i> Beer cans or other trash <i>some</i> Other signs of access or vandalism <i>ATV</i> Condition of access road surface <i>see note →</i> Other:	entire fence line inspected	<i>tracks from ATVs etc. were observed on site access Rd on top of land fill also erosion rills see photos.</i>
Gas Vent	Integrity of pipes and joints <i>OKAY</i> Plumbness and differential settlement <i>Nine</i> Obstruction of vents by bird, insect or animal nests <i>None</i> Corrosion or deterioration of pipes or supports <i>No</i> Localized browning of vegetation <i>None</i> Other:	Spot Check	<i>good condition</i>

APPENDIX G

2010 INTERMITTENT MAINTENANCE

CONSTRUCTION REPORT
AND
PHOTO LOG

URS

77 Goodell Street

Buffalo, New York 14203
(716) 856-5636

DATE 9/22/2010

DAY

S	M	T	W	TH	F	S
---	---	---	---	----	---	---

DAILY CONSTRUCTION REPORT

PROJECT: Rose Valley Landfill
OWNER: NYSDEC
CONTRACT No. D004440-26
CONTRACTOR Environmental Products and Services (EPS)
URS JOB No. 11176167
URS PROJECT MANAGER: Chuck Dusel

WEATHER	Bright Sun	Clear	Overcast	Rain	Snow
TEMP	To 32	32-50	50-70	70-85	85 and up
WIND	Still	Moder	High	Report No. 1	
HUMIDITY	Dry	Moder	Humid		

AVERAGE FIELD FORCE			
Name of Contractor	Non-manual	Manual	Remarks
URS	1		Inspector/Oversight
EPS	1	3	Supervisor, 2 operators, 1 laborer

VISITORS			
Time	Representing	Representing	Remarks

EQUIPMENT AT THE SITE
2 ton flatbed, 2 bobcats, mower
9 rolls of erosion mat (6.67-feet wide, 80 yd ² per roll), 13 yd ³ topsoil,
3 15-pound bags grass seed (3,750 ft ² /bag). Only 2 of 3 bags used. Copy of grass seed tag attached.
CONSTRUCTION ACTIVITIES
0900 - Arrive on site.
Bobcat used to place fill material and regrade eroded areas.
Contractor using bobcat (Brushcat 6X7) to mow grass on landfill.
Soil/sandy material taken from borrow source on west side of landfill and used to backfill eroded areas.
Topsoil spread with bobcat and manual shoveling. Seeded applicable areas.
Erosion mat placed over regraded areas and seeded. Three to four-inch fabric overlap at seams. Mat was secured using staples.
Channels in northeastern portion of landfill were inspected and are in good shape.
1545 - Site seeding completed.
1630 - Left site.
Recommendation:
Spray RoundUp (or similar herbicide) to control poplar tree growth in rock-lined ditches.
Note:
Contractor will complete installation of erosion fabric and fine grading on 9/23/11.
Contractor will send URS copies of photographs which will document the completed work.

SHEET 1 OF 1

☒ X - designates info on
backside of page

BY Chuck Dusel TITLE Inspector, URS Project Manager
REVIEWED BY: G. Kislik

LOT NUMBER: L144-9-FSIGN17G

TEST DATE: 4/10

SELL BY: 7/11

(in AZ, CA, CO, DE, IL, MD, MN, NH, NJ, NY, OH, PA and VT)

SIGNATURE SERIES NORTHEAST LAWN MIXTURE

PURE SEED	VARIETY	KIND	GERMINATION	ORIGIN
29.00%	INTEGRA PERENNIAL RYEGRASS		90%	OR
29.00%	JET PERENNIAL RYEGRASS		90%	OR
19.40%	MOONSTRUCK KENTUCKY BLUEGRASS		80%	WA
9.70%	ORACLE RED FESCUE		80%	CANADA
9.70%	SHADOW II CHEWINGS FESCUE		80%	OR
0.80%	OTHER CROP SEED			
2.30%	INERT MATTER			
0.10%	WEED SEED			

NOXIOUS WEED SEED:

NONE FOUND PER POUND

PENNINGTON SEED INC.

270 HANSARD AVENUE

LEBANON, OR 97355

PSI#118728

NET WEIGHT: 15 POUNDS

3/15



10130610



0 21496 22635 7

SITE PHOTOGRAPHS

Rose Valley Landfill



Photo Date 09-22-10. Looking north, skid steer being used to backfill and grade erosion swales.



Photo Date 09-23-10. Looking west, site access gate and newly installed erosion matt pinned into soil.

SITE PHOTOGRAPHS

Rose Valley Landfill



Photo Date 09-23-10. Looking northeast at mowed landfill.



Photo Date 09-23-10. Looking north at Bobcat mowing landfill.

SITE PHOTOGRAPHS

Rose Valley Landfill



Photo Date 09-23-10. South view of mowed landfill.



Photo Date 09-23-10. Southeast view of mowed landfill.

SITE PHOTOGRAPHS

Rose Valley Landfill



Photo Date 09-23-10. Northwest view of mowed landfill and erosion matt.



Photo Date 09-23-10. North view of newly installed erosion matt. Approximate dimensions are 310' long x 18' wide.

SITE PHOTOGRAPHS

Rose Valley Landfill



Photo Date 09-23-10. East view of mowed landfill with north detention basin in background.