

August 6, 2024

Michael Squire
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway – 11th Floor
Albany, New York 12233-7014

**Re: National Grid
 Little Falls (Mill Street) Non-Owned Former MGP Site
 NYSDEC Site No. 622034
 Little Falls, New York
 2024 Periodic Review Report**

Dear Mr. Squire:

Enclosed for your review is the 2024 Periodic Review Report (PRR) for the National Grid Little Falls Former MGP Site. The PRR pertains to the period from August 1, 2023 through August 1, 2024 and includes a brief report and Institutional Controls/Engineering Controls (IC/EC) Certification Form.

Please feel free to contact me at 315.428.5652 if you have any questions.

Sincerely,



for SPS
Steven P. Stucker, C.P.G.
Lead Environmental Engineer

I. Introduction

A. Brief Site Summary –

The Little Falls Former Manufactured Gas Plant (MGP) Site (the Site) is located on an approximate 1.35-acre lot, located on the south side of East Mill Street in Little Falls, New York (refer to Figure 1 Site Location Map). The Site is the western portion of an approximately 6.5-acre property currently owned by the Feldmeier Equipment, Inc. (Feldmeier). Manufactured gas was produced at the Site from approximately 1853 until 1907. The MGP was decommissioned in the early 1900's, and since then the site has been used for various industrial purposes, which include the manufacturing of furniture and stainless-steel tanks. Currently a paved parking lot and the western portion of the Feldmeier tank manufacturing building occupy the former MGP. The site was previously owned by a predecessor company of Niagara Mohawk Power Corporation.

An investigation of the Site began in 1997, to support the property transfer to Feldmeier, with a Phase I Environmental Site Assessment (ESA) and Phase II ESA (1998) which identified suspected MGP-related impacts near the historical MGP operations at the Site. As a result, National Grid implemented a site characterization (SC) and a remedial investigation (RI) at the site under a multi-site VCO with the NYSDEC between 2002 and 2006.

The RI identified that the highest concentration of constituents of concern (COCs) are primarily the volatile organic compounds (VOCs) benzene, toluene, ethylbenzene, and xylenes (collectively, BTEX), the general class of semi-volatile organic compounds (SVOCs) known as polycyclic aromatic hydrocarbons (PAHs), were localized to the locations of the former onsite gas holder. Significant MGP-related impacts were not encountered at the former offsite gas holder.

B. Remedial Program Effectiveness – During the reporting period (August 1, 2023 to August 1, 2024) the long-term remedial objectives were met for the site.

C. Remedial Program Compliance - The major elements within the Institutional Control/Engineering Control(s) (IC/EC) Plan are in compliance.

D. Remedial Program Recommendations - It is recommended that no changes be made to the IC/EC Plan. It is recommended that an annual Periodic Review Report (PRR) be submitted. The next PRR submittal will cover the period August 1, 2024 to August 1, 2025.

Reporting Period – August 1, 2023 through August 1, 2024

II. Site Overview

A. Site Location and Boundaries –

The Site is located on the south side of East Mill Street in Little Falls, County of Herkimer, New York (Figure 1 presents the site location map). The Site is an approximate 1.35-acre area and is bounded by East Mill Street to the north, George Lumber and Building Materials Company to the west, the Mohawk River to the south, and extends into the tank manufacturing building to the east. Currently, the property is a paved parking area, and the western portion of the Feldmeier tank manufacturing building.

B. Regulatory History and Remedy Features –

The Site was remediated in 2009 in accordance with the *Remedial Action Work Plan* (Arcadis, 2007). This PRR is being completed in compliance with Section 6.3 of the NYSDEC – approved Site Management Plan (SMP) for the project. A Deed of Restrictions and Covenants (DCR) was placed on the property in February 2018 by the Owner, and is included in Appendix A of the *Final Engineering Report* (Arcadis, 2020).

III. Evaluate Remedy Performance, Effectiveness, and Protectiveness

A. Evaluation of Remedy Performance – Annual visual inspections of the cover system are conducted on the Site. The remedy performance has been effective in protecting the public.

IV. IC/EC Plan Compliance Report

A. IC/EC Requirements and Compliance

1. IC/EC Controls

The ICs/ECs:

- **Soil Cover System:** Annual site inspection of the cover system includes identification of any damage to the cover. National Grid conducts quarterly inspections for internal security purposes. See Attachment 1 for the Site Inspection Forms.
- **Monitoring Wells Associated with Monitored Natural Attenuation (MNA):** Annual groundwater sampling of the monitoring well system will be conducted, until either water quality is consistently below NYSDEC standards, or has become asymptotic at an acceptable level over an extended period.

2. IC/EC Goals - Each goal is being met and/or working effectively.

National Grid- Little Falls MGP Site (NYSDEC Site No. 622034)

Reporting Period – August 1, 2023 through August 1, 2024

3. **IC/EC Corrective Measures** – No deficiencies were noted during the site inspections.
 4. **IC/EC Conclusions/Recommendations** – The EC program is in compliance and there are no recommendations for the program at this time.
 5. **IC/EC Certification** – Refer to PRR Form - Attachment 2 for the certification.
- V. Monitoring Plan Compliance Report** – The Annual Monitoring Report was submitted to the NYSDEC on February 28, 2024. See Attachment 3 for a copy of the Annual Monitoring Report.
- VI. Operation & Maintenance (O&M) Plan Compliance Report** – Not Applicable
- VII. Overall PRR Conclusions and Recommendations**
- A. **Compliance with Site Management Plan (SMP)**
 1. **Requirements** – All IC/EC Plan requirements were met during this reporting period.
 2. **Exposure Pathways** – There are no new completed exposure pathways resulting in unacceptable risk.
 3. **Proposed Plans and Schedule to Meet Compliance** – No plan proposed.
 - B. **Performance and Effectiveness of the Remedy** – The remedy as described in the Site Management Plan and executed by National Grid has been effective in meeting the program goals.
 - C. **Future PRR Submittals** – The frequency of PRR Submittals should remain annual. Therefore, the next PRR reporting period will cover August 1, 2024 through August 1, 2025.
- VIII. Additional Guidance** – Not needed.

National Grid- Little Falls MGP Site (NYSDEC Site No. 622034)

Reporting Period – August 1, 2023 through August 1, 2024

REFERENCES

Arcadis, 2011. "Site Management Plan, Little Falls (Mill Street) Non-Owned Former MGP Site", March 2011.

Arcadis, 2020. "Final Engineering Report, Little Falls (Mill Street) Former Manufactured Gas Plant Site", December 2020.

National Grid- Little Falls MGP Site (NYSDEC Site No. 622034)

Reporting Period – August 1, 2023 through August 1, 2024

Attachment 1: Site Inspection Forms

**Field Inspection Report
Non-Owned Former MGP Site
Mill Street
Little Falls, New York**

Date: 6/26/2024
Technician: Kevin Leo

Time: 12:30
Weather: PC 82

Exterior Cover System		
Soil Intrusion Activities Being Performed	No	COMMENTS:
Evidence of any Intrusive Activities	No	COMMENTS:
Evidence of Saw Cutting	No	COMMENTS:
Evidence of Excavation or Trenching	No	COMMENTS:
Burrowing Animals	No	COMMENTS:

Interior Slab (West Side of Feldmeier Building)		
Sub-Slab Activities Being Performed	No	COMMENTS:
Signs of Sub-Slab Soil Intrusive Activities	No	COMMENTS:
Evidence of Excavation or Tunneling	No	COMMENTS:

Site Monitoring Wells	
Well ID.	Location Secure?
B-MW-3	Yes
FW-MW-1	Yes
FW-MW-2	Yes
FW-MW-3	Yes
FW-MW-5	Yes
MW-101RD	Yes
MW-102R	Yes
MW-103R	Yes
RW-1	Yes
RW-2	Yes
RW-3	Yes

Site DNAPL Recovery Wells				
Well ID.	DTW	DTP	DTB	Thickness
RW-1			21.95	
RW-2			19.42	
RW-3			31.70	

Levels and Recovery in March and September Only

General Comments:

**Field Inspection Report
Non-Owned Former MGP Site
Mill Street
Little Falls, New York**

Date: 3/27/2024
Technician: Kevin Leo

Time: 10:30
Weather: Cloudy 42

Exterior Cover System		
Soil Intrusion Activities Being Performed	No	COMMENTS:
Evidence of any Intrusive Activities	No	COMMENTS:
Evidence of Saw Cutting	No	COMMENTS:
Evidence of Excavation or Trenching	No	COMMENTS:
Burrowing Animals	No	COMMENTS:

Interior Slab (West Side of Feldmeier Building)		
Sub-Slab Activities Being Performed	No	COMMENTS:
Signs of Sub-Slab Soil Intrusive Activities	No	COMMENTS:
Evidence of Excavation or Tunneling	No	COMMENTS:

Site Monitoring Wells	
Well ID.	Location Secure?
B-MW-3	Yes
FW-MW-1	Yes
FW-MW-2	Yes
FW-MW-3	Yes
FW-MW-5	Yes
MW-101RD	Yes
MW-102R	Yes
MW-103R	Yes
RW-1	Yes
RW-2	Yes
RW-3	Yes

Site DNAPL Recovery Wells				
Well ID.	DTW	DTP	DTB	Thickness
RW-1	13.78		21.95	
RW-2	15.13		19.42	
RW-3	17.75		31.70	Trace only

Levels and Recovery in March and September Only

General Comments:

Rw-3. DNAPL very slight trace,, odor present

**Field Inspection Report
Non-Owned Former MGP Site
Mill Street
Little Falls, New York**

Date: 12/15/2023
Technician: KL

Time: 11:30
Weather: Sunny 46

Exterior Cover System			
Soil Intrusion Activities Being Performed	YES	NO	COMMENTS:
Evidence of any Intrusive Activities	YES	NO	COMMENTS:
Evidence of Saw Cutting	YES	NO	COMMENTS:
Evidence of Excavation or Trenching	YES	NO	COMMENTS:
Burrowing Animals	YES	NO	COMMENTS:

Interior Slab (West Side of Feldmeier Building)			
Sub-Slab Activities Being Performed	YES	NO	COMMENTS:
Signs of Sub-Slab Soil Intrusive Activities	YES	NO	COMMENTS:
Evidence of Excavation or Tunneling	YES	NO	COMMENTS:

Site Monitoring Wells		
Well ID.	Location Secure	
B-MW-3	YES	NO
FW-MW-1	YES	NO
FW-MW-2	YES	NO
FW-MW-3	YES	NO
FW-MW-5	YES	NO
MW-101RD	YES	NO
MW-102R	YES	NO
MW-103R	YES	NO
RW-1	YES	NO
RW-2	YES	NO
RW-3	YES	NO

Site DNAPL Recovery Wells				
Well ID.	DTW	DTP	DTB	Thickness
RW-1	N/A	N/A	21.95	
RW-2	N/A	N/A	19.42	
RW-3	N/A	N/A	31.70	

Levels and Recovery in March and September Only

General Comments:

**Field Inspection Report
Non-Owned Former MGP Site
Mill Street
Little Falls, New York**

Date: 9/28/2023
Technician: AJ

Time: 13:15
Weather: Mostly Sunny 66

Exterior Cover System			
Soil Intrusion Activities Being Performed	YES	NO	COMMENTS:
Evidence of any Intrusive Activities	YES	NO	COMMENTS:
Evidence of Saw Cutting	YES	NO	COMMENTS:
Evidence of Excavation or Trenching	YES	NO	COMMENTS:
Burrowing Animals	YES	NO	COMMENTS:

Interior Slab (West Side of Feldmeier Building)			
Sub-Slab Activities Being Performed	YES	NO	COMMENTS:
Signs of Sub-Slab Soil Intrusive Activities	YES	NO	COMMENTS:
Evidence of Excavation or Tunneling	YES	NO	COMMENTS:

Site Monitoring Wells		
Well ID.	Location Secure	
B-MW-3	YES	NO
FW-MW-1	YES	NO
FW-MW-2	YES	NO
FW-MW-3	YES	NO
FW-MW-5	YES	NO
MW-101RD	YES	NO
MW-102R	YES	NO
MW-103R	YES	NO
RW-1	YES	NO
RW-2	YES	NO
RW-3	YES	NO

Site DNAPL Recovery Wells				
Well ID.	DTW	DTP	DTB	Thickness
RW-1	14.57	N/A	21.95	
RW-2	15.23	N/A	19.42	
RW-3	18.17	N/A	31.70	

Levels and Recovery in March and September Only

General Comments:



Site Conditions on December 15, 2023



Site Conditions on March 27, 2024



Site Conditions on July 26, 2024

National Grid- Little Falls MGP Site (NYSDEC Site No. 622034)

Reporting Period – August 1, 2023 through August 1, 2024

Attachment 2: PRR Certification Form



Enclosure 2
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form



	Site Details	Box 1	
Site No.	622034		
Site Name NM - Little Falls MGP			
Site Address: E. Mill St Zip Code: 13365			
City/Town: Little Falls			
County: Herkimer			
Site Acreage: 1.360			
Reporting Period: August 01, 2023 to August 01, 2024			
		YES	NO
1.	Is the information above correct?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
If NO, include handwritten above or on a separate sheet.			
2.	Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3.	Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4.	Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.			
5.	Is the site currently undergoing development?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		Box 2	
		YES	NO
6.	Is the current site use consistent with the use(s) listed below?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7.	Are all ICs in place and functioning as designed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.			
A Corrective Measures Work Plan must be submitted along with this form to address these issues.			
_____ Signature of Owner, Remedial Party or Designated Representative		_____ Date	

Description of Institutional Controls

<u>Parcel</u>	<u>Owner</u>	<u>Institutional Control</u>
	Steven P. Stucker	Ground Water Use Restriction Landuse Restriction Site Management Plan

The specific institutional controls to be implemented under the site management plan (SMP) are as follows:

1. The Site may only be used for industrial enterprises provided that the long-term institutional and engineering controls identified in the SMP are employed.
2. All engineering controls must be operated and maintained as specified in the SMP.
3. All engineering controls must be inspected at the frequency and in the manner defined in the SMP.
4. The use of groundwater underlying the Site is prohibited without necessary water quality treatment, as determined by the Department or Relevant Agency, to render it safe for use as drinking water or for industrial purposes, and the user must first notify and obtain written approval to do so from the NYSDEC.
5. Groundwater and other environmental or public health monitoring must be performed as defined in the SMP.

Description of Engineering Controls

<u>Parcel</u>	<u>Engineering Control</u>
	Cover System Monitoring Wells

Exposure to remaining MGP-related impacts in soil at the Site is prevented by a soil cover system, which comprises the existing Feldmeier manufacturing building, a concrete pad supporting a pole barn along the southern edge of the site, and an asphalt pavement covering the rest of the site.

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

(a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

IC CERTIFICATIONS
SITE NO. 622034

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1, 2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Gerald Creasp, PE at 6780 Northern Blvd. Suite 100, East Syracuse, NY,
print name print business address

am certifying as agent for National Grid (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

Signature of Owner, Remedial Party
Rendering Certification

Designated Representative

Date

8/6/2024



EC CERTIFICATIONS


Box 7

Qualified Environmental Professional Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Gerald Creasp, PE at 6780 Northern Blvd. Suite 100, East Syracuse, NY
print name print business address

am certifying as a Qualified Environmental Professional for the agent for National Grid
(Owner or Remedial Party)



Signature of Qualified Environmental Professional for the Owner or Remedial Party, Rendering Certification Stamp (Required for PE)

8/6/2024
Date

National Grid- Little Falls MGP Site (NYSDEC Site No. 622034)

Reporting Period – August 1, 2023 through August 1, 2024

Attachment 3: Annual Monitoring Report

February 28, 2024

Michael Squire
Division of Environmental Remediation
New York State Department of Environmental Conservation
625 Broadway – 11th Floor
Albany, NY 12233

**Re: National Grid
Little Falls (Mill Street) Non-Owned Former MGP Site
Little Falls, New York
2023 Groundwater and NAPL Monitoring Results
VCO Index No. D0-0001-0011
Site No. V00470**

Dear Mr. Squire:

Attached for your information is the 2023 Groundwater Monitoring Report detailing the annual groundwater monitoring event and OM&M activities conducted from January 1, 2023, to December 31, 2023, at the National Grid Little Falls (Mill Street) Site. Site activities were conducted in accordance with the NYSDEC-approved Remedial Action Work Plan (ARCADIS; 2007) and Site Management Plan (ARCADIS; 2011).

The annual groundwater samples were collected on September 28, 2023. The results of this event indicate that the groundwater quality is consistent with previous sampling events.

Please contact me at 315-428-5652 if you have any questions.

Sincerely,



for SPS

Steven P. Stucker, C.P.G.
Lead Engineer
Environmental Department

National Grid

2023 Groundwater Monitoring Report



National Grid Little Falls (Mill Street) Site
575 Mill Street
Little Falls, NY

February 2024

Version 1





2023 Groundwater Monitoring Report

National Grid Little Falls (Mill Street) Site
575 Mill Street
Little Falls, NY

Prepared for:
National Grid
300 Erie Boulevard West, C-1
Syracuse, NY 13202

Prepared by:
Groundwater & Environmental Services, Inc.
6780 Northern Blvd. Suite 100
East Syracuse, NY 13057
TEL: 800-220-3069
www.gesonline.com

GES Project:
0603400.125340.221

Date:
February 28, 2024

Devin T. Shay, PG
Program Manager / Principal Hydrogeologist



Table of Contents

1	Introduction	1
1.1	Overview	1
1.2	Site Description	1
2	Quarterly Site Inspections and Groundwater Monitoring Activities	3
2.1	Quarterly Site Inspections	3
2.2	Groundwater Well Gauging	3
2.3	Annual NAPL Monitoring and Collection	3
2.4	Groundwater Well Sampling and Analysis	4
3	Conclusions and Recommendations	6
3.1	Conclusions.....	6
3.2	Recommendations	6



Figures

Figure 1 – Site Location Map

Figure 2 – Site Map

Figure 3 – Groundwater Contour Map

Figure 4 – BTEX Contour Map

Figure 5 – Naphthalene Contour Map

Tables

Table 1 – Groundwater Elevation Measurements

Table 2 – Groundwater Analytical Results

Appendices

Appendix A – Quarterly Inspection Forms

Appendix B – Well Sampling Field Data

Appendix C – Data Usability Summary Report and Analytical Data



Acronyms

AWQS	Ambient Water Quality Standards
BTEX	Benzene, Toluene, Ethylbenzene, and Total Xylenes
DUSR	Data Usability Summary Report
FER	Final Engineering Report
GES	Groundwater & Environmental Services, Inc.
MGP	Manufactured Gas Plant
NAPL	Light Non-Aqueous Phase Liquid
NYSDEC	New York State Department of Environmental Conservation
OM&M	Operation, Maintenance, and Monitoring
Pace	Pace Analytical Services, LLC
RAWP	Remedial Action Work Plan
SMP	Site Management Plan
SVOC	Semi-volatile organic compound
TAL	Target Analyte List
TCL	Target Compound List
VOC	Volatile Organic Compound

1 Introduction

1.1 Overview

Groundwater & Environmental Services, Inc. (GES) has prepared this 2023 Groundwater Monitoring Report (covering January 1, 2023 – December 31, 2023) for the Little Falls (Mill Street) Site, Little Falls, New York. The groundwater and non-aqueous phase liquid (NAPL) monitoring activities described in this letter were completed as part of the post-remedial monitoring activities outlined in the New York State Department of Environmental Conservation- (NYSDEC) approved Remedial Action Work Plan (RAWP) prepared by ARCADIS of New York, Inc., (ARCADIS, 2007) and the Site Management Plan (SMP) (ARCADIS, 2011). The RAWP was approved in a letter dated March 11, 2008, from Mr. Bernard Franklin of the NYSDEC to Mr. James F. Morgan of National Grid. The SMP was approved in a letter dated May 5, 2011, from the NYSDEC to National Grid.

Groundwater monitoring has been conducted at the Site in order to evaluate the effectiveness of remedial activities previously completed at the Site and to monitor long-term groundwater quality trends. Currently, groundwater sampling at the Former MGP Site is performed on an annual basis.

The following Operation, Maintenance, and Monitoring (OM&M) activities conducted during this reporting period are summarized below:

- Quarterly site inspections, including checks on the Site structures, the exterior cover system, the interior Feldmeier Building concrete slab, riverbank, groundwater monitoring wells, NAPL wells, and storm-water features that could impact the remedy.
- Quarterly groundwater elevation data.
- Annual NAPL monitoring and collection, if necessary.
- Annual groundwater sampling, analysis and data validation. Water samples are submitted to Pace Analytical Services, LLC (Pace) for laboratory analysis of target compound list (TCL) volatile organic compounds (VOCs), TCL semi-volatile organic compounds (SVOCs), and target analyte list (TAL) inorganics (including cyanide) for comparison to NYSDEC Ambient Water Quality Standards (AWQS).
- Any site maintenance that comes about as a result of the quarterly inspections.

1.2 Site Description

The Little Falls (Mill Street) Former Manufactured Gas Plant Site located in Little Falls, New York is comprised of approximately 6.5 acres of land and is currently owned by Feldmeier (refer to **Figure 1 – Site Location Map** and **Figure 2 – Site Map**). As shown on the figures, the Site is located north of the Mohawk River, east of George Lumber and Building Materials Company (George Lumber), south of East Mill Street, and west of the line of demarcation. The Site is located on the western portion of



the approximately 6.5-acre property and is occupied by a paved parking lot, and the western portion of a tank manufacturing building owned by Feldmeier. Some vegetated areas are present along the margins of the parking lot, and in the area south of the tank manufacturing building along the bank of the Mohawk River.

The remedial action plan in place at the site was substantially completed in August 2009. The Final Engineering Report (FER) was submitted to NYSDEC in October 2019, and written approval from NYSDEC was received on April 1, 2021.



2 Quarterly Site Inspections and Groundwater Monitoring Activities

2.1 Quarterly Site Inspections

GES conducted quarterly site inspections during this reporting period on March 3, June 13, September 28, and December 15, 2023.

In general, the Site is in good condition and in compliance. The exterior cover system is intact. No visible saw cutting, holes from burrowing animals, or evidence of any other intrusive activities were noted in 2023. The groundwater monitoring wells and NAPL wells are secured and operable.

It should be noted that four (4) piezometers that were part of the SMP requirements to conduct groundwater static level measurements were never located: PZ-102, PZ-103, PZ-105, and PZ-106. It is believed these piezometers have long since been removed or covered during Feldmeier site modifications (i.e., storage shed installation and/or asphalt/gravel road installation). National Grid believes there are ample groundwater wells for obtaining water table measurements and these four piezometers are not necessary. The new storage shed and existing wells were resurveyed in January 2016.

Appendix A includes the Quarterly Site Inspection Forms.

2.2 Groundwater Well Gauging

Groundwater level measurements are collected at the Site to accomplish the following:

- To determine the general groundwater flow direction on site.

Annual gauging field data is presented in **Table 1**. Based on the September 2023 groundwater level measurements, groundwater in the overburden/shallow bedrock beneath the Site flows to the south (which is consistent with the local groundwater flow direction observed during the RI and previous monitoring events). There is a groundwater depression observed near the Mohawk River near recovery well RW-3, where the groundwater is likely mimicking the drop in the bedrock surface as it approaches the Mohawk River. A potentiometric surface map for overburden/shallow bedrock groundwater developed from the September groundwater elevations is presented on **Figure 3**. Based on the September 2023 groundwater level measurements from the one deep bedrock well at the Site (well MW-101RD), an upward hydraulic gradient exists between the deep bedrock unit and the overburden/shallow rock unit at the Site, indicating that the groundwater from the deep bedrock unit likely discharges to the Mohawk River.

2.3 Annual NAPL Monitoring and Collection

Annual NAPL monitoring was conducted at on-site recovery wells RW-2, and RW-3, and monitoring wells B-MW-3, FWMW-1, FWMW-2, FWMW-3, FWMW-5, MW-101RD, MW-102R, and MW-103R. NAPL monitoring was not conducted at recovery well RW-1 due to shipping materials on top of it preventing access. NAPL observations were documented on the Site



inspection forms as presented in **Appendix A**. A summary of NAPL observations where NAPL was present from October 2011 through the 2023 monitoring event (including NAPL thickness measured for previous monitoring events) is presented below.

NAPL was not detected in during the September 2023.

Presence/Thickness of NAPL (in inches)

Well	Oct 2011	Dec 2011	June 2012	Dec 2012	Aug 2013	Dec 2013	June 2014	Oct 2015	Oct 2016	Oct 2017	Oct 2018
RW-1	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
RW-2	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
RW-3	Trace	Trace	0.12	0.48	0.96	0.96	2.04	NP	NP	NP	Trace
MW-101RD	NP	NP	NP	NP	NP	Trace	NP	NP	NP	NP	NP

Well	Oct 2019	Sept 2020	Sept 2021	Sept 2022	Sept 2023
RW-1	NP	NP	NP	NA	NP
RW-2	NP	NP	NP	NP	NP
RW-3	NP	Trace	NP	0.6	NP
MW-101RD	NP	NP	NP	NP	NP

NP – NAPL was not present

NA – Not Accessible

2.4 Groundwater Well Sampling and Analysis

Groundwater samples were collected from eight (8) monitoring wells B-MW-3, FWMW-1, FWMW-2, FWMW-3, FWMW-5, MW-101RD, MW-102R, and MW-103R, on September 28, 2023. The wells were purged using a peristaltic pump. Field Measurements of pH, conductivity, turbidity, dissolved oxygen, temperature, total dissolved solids and oxidation-reduction potential were recorded using a Horiba U-52 water quality meter during sample collection. Samples were collected once field parameters stabilized. Field monitoring data and the chain-of-custody record are included in **Appendix B**.

Eight aqueous field samples, a field duplicate, and trip blank were analyzed for TCL VOCs, TCL SVOCs, and TAT inorganics. The samples were analyzed by Pace in accordance with the NYSDEC Analytical Services Protocol. The Analytical Lab Report and Data Usability Summary Report are presented in **Appendix C**. Analytical results are summarized in **Table 2**. A BTEX (benzene, toluene, ethylbenzene, xylenes) contour map is shown on **Figure 4**. A naphthalene contour map is shown on **Figure 5**.

VOCs were detected in six of the eight groundwater monitoring wells that were sampled during the September 2023 groundwater sampling event. There were detections of 1,1,1-Trichloroethane, 1,1-Dichloroethane, 1,1-Dichloroethene, benzene, bromodichloromethane, chloroform, cis-1,2-Dichloroethene, chloroethane, ethylbenzene, isopropylbenzene, trans-1,2-



Dichloroethene, trichloroethene, and vinyl chloride. SVOCs were detected in four of the eight groundwater samples collected. Detections of SVOCs include acenaphthene, acenaphthylene, anthracene, bis(2-ethylexyl)phthalate, carbazole, dibenzofuran, fluoranthene, fluorene, phenanthrene, and pyrene.

TAL inorganics were detected in all eight groundwater samples collected in September 2023. Manganese concentrations in five of the eight samples exceeded the AWQS criteria. The sample collected from FMMW-1 had an exceedance for arsenic. Mercury, silver and thallium were the only inorganics not detected in any of the groundwater samples collected. The analytical results for the inorganics as well as VOCs and SVOCs are summarized on **Table 2**.



3 Conclusions and Recommendations

3.1 Conclusions

Based on the results of the past year's activities, the following conclusions were made:


- Quarterly site inspections demonstrate that the site is in good condition and in compliance.
- Groundwater beneath the Site appears to flow in a general south direction towards the Mohawk River.
- NAPL was not detected in any monitoring well or recovery well during the September 2023 monitoring event. RW-1 was not gauged because it was covered with shipping materials.
- BTEX was detected in FWMW-1, FWMW-5, MW-101RD, MW-102R, and MW-103R. Naphthalene was not detected in any monitoring well. These detections are generally consistent with previous sampling events.

3.2 Recommendations


It is recommended that all OM&M activities continue, with the next report due in February 2025.



Figures



Source:
 USGS 7.5 Minute Series
 Topographic Quadrangle, 1943
 Little Falls, New York
 Contour Interval = 20'



Site Location Map

National Grid
 Former MGP Site
 575 Mill Street
 Little Falls, New York

Drawn
 W.G.S.
 Designed
 Approved

Date
 12-27-17
 Figure
 1




Scale In Feet



Groundwater & Environmental Services, Inc.

M:\Graphics\0600-Syracuse\Misc\National Grid\Little Falls SM.dwg, B40 sm, WShea




LEGEND

- PROPERTY BOUNDARY
- x — FENCE
- ~ ~ ~ WATERS EDGE
- Ⓜ UTILITY MANHOLE
- ⊕ MONITORING WELL
- ⊠ RECOVERY WELL
- SS — UNDERGROUND SANITARY SEWER LINE
- ST — UNDERGROUND STORM SEWER LINE

Site Map	
National Grid Former MGP Site 575 Mill Street Little Falls, New York	
Drawn W.G.S. Designed Approved	Date 1/30/23 Figure 2
 Scale In Feet   Groundwater & Environmental Services, Inc.	

M:\Graphics\0600-Syracuse\Misc\National Grid\Little Falls\Little Falls SM.dwg, B40 sm, 1/12/2024 9:05:02 AM, mhollister



- LEGEND**
- PROPERTY BOUNDARY
 - x — FENCE
 - ~ ~ ~ WATERS EDGE
 - (M) UTILITY MANHOLE
 - ⊕ MONITORING WELL
 - ⊠ RECOVERY WELL
 - SS — UNDERGROUND SANITARY SEWER LINE
 - ST — UNDERGROUND STORM SEWER LINE
 - (337.26) GROUNDWATER ELEVATION (feet)
 - ~ ~ ~ GROUNDWATER CONTOUR (FEET)

Groundwater Contour Map
September 28, 2023


National Grid
Former MGP Site
575 Mill Street
Little Falls, New York

Drawn M.R.H. Designed R.K. Approved T.B.	Date 01/12/24 Figure 3
---	---------------------------------

Scale In Feet

Groundwater & Environmental Services, Inc.

M:\Graphics\0600-Syracuse\Misc\National Grid\Little Falls\Little Falls SM.dwg, B40 sm, 1/12/2024 9:51:47 AM, mhollister



LEGEND

---	PROPERTY BOUNDARY
— x —	FENCE
~ ~ ~ ~	WATERS EDGE
(M)	UTILITY MANHOLE
⊕	MONITORING WELL
⊠	RECOVERY WELL
— SS —	UNDERGROUND SANITARY SEWER LINE
— ST —	UNDERGROUND STORM SEWER LINE
(28.4)	BTEX CONCENTRATION (µg/L)
— (dashed) —	BTEX CONTOUR DASHED WHERE INFERRED
µg/L	MICROGRAMS PER LITER
BTEX	BENZENE, TOLUENE, ETHYLBENZENE, XYLENES
ND	NOT DETECTED

BTEX Contour Map
September 28, 2023


National Grid
Former MGP Site
575 Mill Street
Little Falls, New York

Drawn M.R.H. Designed R.K. Approved T.B.	Date 01/12/24 Figure 4
---	---------------------------------

Scale In Feet

Groundwater & Environmental Services, Inc.

M:\Graphics\0600-Syracuse\Misc\National Grid\Little Falls\Little Falls SM.dwg, B40 sm, 1/12/2024 10:01:08 AM, mholllister



LEGEND

- PROPERTY BOUNDARY
- x — FENCE
- ~ ~ ~ WATERS EDGE
- (M) UTILITY MANHOLE
- ⊕ MONITORING WELL
- ⊠ RECOVERY WELL
- SS — UNDERGROUND SANITARY SEWER LINE
- ST — UNDERGROUND STORM SEWER LINE
- (ND) NAPHTHALENE CONCENTRATION (µg/L)
- ~ ~ ~ NAPHTHALENE CONTOUR
- µg/L MICROGRAMS PER LITER
- ND NOT DETECTED

Naphthalene Contour Map
September 28, 2023

National Grid
Former MGP Site
575 Mill Street
Little Falls, New York

Drawn
M.R.H.
Designed
R.K.
Approved
T.B.

Date
01/12/24
Figure
5



Scale In Feet



Groundwater & Environmental Services, Inc.



Tables



Table 1
Groundwater Elevation Measurements

Well ID	Top of Casing Elevation (ft. AMSL)	February 2011	April 2011	December 2011	June 2012	December 2012	August 2013	December 2013	December 2014	October 2015	October 2016	October 2017	October 2018	October 2019	September 2020	September 2021	September 2022	September 2023
B-MW-3	351.4	NA	NA	336.53	NA	337.17	335.93	335.78	337.06	337.32	337.40	337.35	337.60	337.42	336.40	337.00	336.27	337.26
FWMW-1	355.58	NA	NA	336.70	NA	336.69	336.72	336.36	338.93	336.71	336.68	336.03	336.68	337.80	339.30	340.51	336.66	336.54
FWMW-2	361.94	NA	NA	353.00	NA	352.94	352.77	352.89	353.29	352.71	352.42	352.04	352.59	352.63	351.99	352.39	352.60	352.34
FWMW-3	354.93	NA	NA	346.35	NA	345.32	346.33	346.31	346.33	346.52	346.40	346.43	346.43	346.43	339.93	346.42	346.45	346.40
FWMW-5	355.09	NA	NA	347.59	NA	348.01	347.54	347.25	348.01	347.95	347.67	347.52	347.94	347.77	346.98	347.32	347.75	346.99
MW-101RD	351.58	340.58	345.71	341.18	340.78	340.94	340.68	340.77	340.82	340.75	340.83	340.82	341.06	341.32	340.76	340.89	341.11	341.05
MW-102R	356.1	NA	NA	337.48	NA	337.31	337.55	336.72	337.58	337.15	336.84	336.00	336.80	338.05	347.91	338.86	336.58	336.75
MW-103R	353.83	NA	NA	338.24	NA	335.83	335.55	335.42	335.55	335.64	335.83	335.97	336.03	335.21	335.78	335.78	335.79	335.83
RW-1	354.03	339.26	345.33	339.32	339.37	339.34	339.5	339.34	339.35	339.34	NA	339.31	339.33	339.45	339.33	339.34	NA	339.46
RW-2	353.3	338.04	345.33	338.12	338.05	347.20	338.11	338.01	338.08	338.09	338.17	338.20	338.00	335.58	334.14	338.07	338.05	338.07
RW-3	352.41	333.44	340.15	333.98	333.51	333.57	333.41	333.99	333.86	333.69	333.86	333.96	334.06	337.54	334.14	334.33	334.31	334.24

Notes:
 Elevations reported in feet above mean sea level (ft AMSL). Elevations referenced to National Geodetic Vertical Datum (NGVD) 1988.
 NA = Not Accessible



Table 2
Groundwater Analytical Results
 September 2023

Constituent	NYSDEC AWQS	Units	B-MW-3	FWMW-1	FWMW-2	FWMW-3	FWMW-5	MW-101RD	MW-102R	MW-103R
VOCs										
1,1,1-Trichloroethane	5	ug/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	50.2	ND (<1.0)	ND (<1.0)
1,1-Dichloroethane	5	ug/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	78.2	14.1	10.5
1,1-Dichloroethene	5	ug/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	12.8	2.5	ND (<1.0)
Benzene	1	ug/L	ND (<1.0)	14.9	ND (<1.0)	ND (<1.0)	1.5	ND (<1.0)	1.9	27.1
Bromodichloromethane	50	ug/L	1.7	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Chloroethane	5	ug/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	1.2	ND (<1.0)	5.7
Chloroform	7	ug/L	33.1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
cis-1,2-Dichloroethene	5	ug/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	1,200	69.7	ND (<1.0)
Ethylbenzene	5	ug/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	2.0	ND (<1.0)	1.3
Isopropylbenzene	5	ug/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	1.8
Toluene	5	ug/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
trans-1,2-Dichloroethene	5	ug/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	3.4	ND (<1.0)	ND (<1.0)
Trichloroethene	5	ug/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	7.7	ND (<1.0)	ND (<1.0)
Vinyl Chloride	2	ug/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	143	7.1	ND (<1.0)
Xylene (Total)	5	ug/L	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
SVOCS										
Acenaphthene	20	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	2.8	6.1	ND (<0.98)	ND (<1.2)
Acenaphthylene	NA	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	2.0	ND (<0.98)	ND (<1.2)
Anthracene	50	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	1.8	ND (<0.98)	ND (<1.2)
Benzo(a)anthracene	0.002	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	ND (<1.0)	ND (<0.98)	ND (<1.2)
Benzo(a)pyrene	NA	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	ND (<1.0)	ND (<0.98)	ND (<1.2)
Benzo(b)fluoranthene	0.002	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	ND (<1.0)	ND (<0.98)	ND (<1.2)
Benzo(g,h,i)perylene	NA	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	ND (<1.0)	ND (<0.98)	ND (<1.2)
Benzo(k)fluoranthene	0.002	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	ND (<1.0)	ND (<0.98)	ND (<1.2)
bis(2-Ethylhexyl)phthalate	5	ug/L	ND (<2.5)	9.4	ND (<2.5)	ND (<2.5)	ND (<2.5)	ND (<2.5)	ND (<2.5)	ND (<2.9)
Carbazole	NA	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	1.6	ND (<0.98)	2.2
Chrysene	0.002	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	ND (<1.0)	ND (<0.98)	ND (<1.2)
Dibenz(a,h)anthracene	NA	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	ND (<1.0)	ND (<0.98)	ND (<1.2)
Dibenzofuran	NA	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	5.0	ND (<0.98)	ND (<1.2)
Fluoranthene	50	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	2.7	ND (<0.98)	ND (<1.2)
Fluorene	50	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	6.2	ND (<0.98)	ND (<1.2)
Indeno(1,2,3-cd)pyrene	0.002	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	ND (<1.0)	ND (<0.98)	ND (<1.2)
Naphthalene	10	ug/L	ND (<2.5)	ND (<2.5)	ND (<2.5)	ND (<2.5)	ND (<2.5)	ND (<2.5)	ND (<2.5)	ND (<2.9)
Phenanthrene	50	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	4.8	ND (<0.98)	ND (<1.2)
Pyrene	50	ug/L	ND (<0.98)	ND (<0.99)	ND (<0.99)	ND (<1.0)	ND (<0.99)	1.8	ND (<0.98)	ND (<1.2)
Metals										
Aluminum	NA	ug/L	135	2,030	463	6,970	277	28	33	ND (<25.0)
Antimony	3	ug/L	ND (<0.40)	2.0	ND (<0.40)	1.1	0.53	0.50	ND (<0.40)	ND (<0.40)
Arsenic	25	ug/L	ND (<1.0)	62.8	1.4	2.4	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Barium	1,000	ug/L	17.7	713	328	94	42.0	200	260	261
Beryllium	3	ug/L	ND (<0.30)	0.34	ND (<0.30)	0.47	ND (<0.30)	ND (<0.30)	ND (<0.30)	ND (<0.30)
Cadmium	5	ug/L	ND (<1.0)	1.3	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Chromium	50	ug/L	ND (<7.0)	21.1	ND (<10.0)	13	ND (<7.0)	ND (<7.0)	ND (<7.0)	ND (<7.0)
Cobalt	NA	ug/L	ND (<0.50)	6.4	1.1	3.5	23.0	ND (<0.50)	ND (<0.50)	ND (<0.50)
Copper	200	ug/L	9.1	184	19.1	19.3	2.3	2.7	2.7	4.4
Lead	25	ug/L	2.6	19	5.5	11.6	1.2	ND (<1.0)	ND (<1.0)	ND (<1.0)
Manganese	300	ug/L	10.4	753	1,290	153	166	517	1,840	657
Nickel	100	ug/L	0.55	12.6	3.0	8.7	2.0	0.65	0.74	1.8
Selenium	10	ug/L	ND (<2.0)	3.9	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)
Silver	50	ug/L	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Thallium	0.5	ug/L	ND (<0.30)	ND (<0.30)	ND (<0.30)	ND (<0.30)	ND (<0.30)	ND (<0.30)	ND (<0.30)	ND (<0.30)
Vanadium	NA	ug/L	1.1	22.5	1.6	12.3	1.1	ND (<1.0)	ND (<1.0)	1.1
Zinc	2,000	ug/L	20.1	504	95.7	112	23.7	5.6	8.6	ND (<5.0)
Mercury	0.7	ug/L	ND (<0.20)	ND (<0.20)	ND (<0.20)	ND (<0.20)	ND (<0.20)	ND (<0.20)	ND (<0.20)	ND (<0.20)
Total Cyanide	200	ug/L	ND (<10.0)	11	16	91	53	ND (<10.0)	ND (<10.0)	25

AWQS = Ambient Water Quality Standards (from TOGS 1.1.1)
 NA = NYSDEC AWQS Not Applicable for this Constituent
 NYSDEC = New York State Department of Environmental Conservation
 TOGS = Technical and Operational Guidance Series
Bolded = values indicate exceedance of the NYSDEC AWQS



Appendix A – Quarterly Inspection Forms

Field Inspection Report
Non-Owned Former MGP Site
Mill Street
Little Falls, New York

Date: 12/15/2023
 Technician: KL

Time: 11:30
 Weather: Sunny 46

Exterior Cover System			
Soil Intrusion Activities Being Performed	YES	NO	COMMENTS:
Evidence of any Intrusive Activities	YES	NO	COMMENTS:
Evidence of Saw Cutting	YES	NO	COMMENTS:
Evidence of Excavation or Trenching	YES	NO	COMMENTS:
Burrowing Animals	YES	NO	COMMENTS:

Interior Slab (West Side of Feldmeier Building)			
Sub-Slab Activities Being Performed	YES	NO	COMMENTS:
Signs of Sub-Slab Soil Intrusive Activities	YES	NO	COMMENTS:
Evidence of Excavation or Tunneling	YES	NO	COMMENTS:

Site Monitoring Wells		
Well ID.	Location Secure	
B-MW-3	YES	NO
FW-MW-1	YES	NO
FW-MW-2	YES	NO
FW-MW-3	YES	NO
FW-MW-5	YES	NO
MW-101RD	YES	NO
MW-102R	YES	NO
MW-103R	YES	NO
RW-1	YES	NO
RW-2	YES	NO
RW-3	YES	NO

Site DNAPL Recovery Wells				
Well ID.	DTW	DTP	DTB	Thickness
RW-1	N/A	N/A	21.95	
RW-2	N/A	N/A	19.42	
RW-3	N/A	N/A	31.70	

Levels and Recovery in March and September Only

General Comments:

**Field Inspection Report
Non-Owned Former MGP Site
Mill Street
Little Falls, New York**

Date: 9/28/2023
Technician: AJ

Time: 13:15
Weather: Mostly Sunny 66

Exterior Cover System			
Soil Intrusion Activities Being Performed	YES	NO	COMMENTS:
Evidence of any Intrusive Activities	YES	NO	COMMENTS:
Evidence of Saw Cutting	YES	NO	COMMENTS:
Evidence of Excavation or Trenching	YES	NO	COMMENTS:
Burrowing Animals	YES	NO	COMMENTS:

Interior Slab (West Side of Feldmeier Building)			
Sub-Slab Activities Being Performed	YES	NO	COMMENTS:
Signs of Sub-Slab Soil Intrusive Activities	YES	NO	COMMENTS:
Evidence of Excavation or Tunneling	YES	NO	COMMENTS:

Site Monitoring Wells		
Well ID.	Location Secure	
B-MW-3	YES	NO
FW-MW-1	YES	NO
FW-MW-2	YES	NO
FW-MW-3	YES	NO
FW-MW-5	YES	NO
MW-101RD	YES	NO
MW-102R	YES	NO
MW-103R	YES	NO
RW-1	YES	NO
RW-2	YES	NO
RW-3	YES	NO

Site DNAPL Recovery Wells				
Well ID.	DTW	DTP	DTB	Thickness
RW-1	14.57	N/A	21.95	
RW-2	15.23	N/A	19.42	
RW-3	18.17	N/A	31.70	

Levels and Recovery in March and September Only

General Comments:

**Field Inspection Report
Non-Owned Former MGP Site
Mill Street
Little Falls, New York**

Date: 6/13/2023
Technician: PL

Time: 9:15
Weather: Overcast 60

Exterior Cover System			
Soil Intrusion Activities Being Performed	YES	NO	COMMENTS:
Evidence of any Intrusive Activities	YES	NO	COMMENTS:
Evidence of Saw Cutting	YES	NO	COMMENTS:
Evidence of Excavation or Trenching	YES	NO	COMMENTS:
Burrowing Animals	YES	NO	COMMENTS:

Interior Slab (West Side of Feldmeier Building)			
Sub-Slab Activities Being Performed	YES	NO	COMMENTS:
Signs of Sub-Slab Soil Intrusive Activities	YES	NO	COMMENTS:
Evidence of Excavation or Tunneling	YES	NO	COMMENTS:

Site Monitoring Wells		
Well ID.	Location Secure	
B-MW-3	YES	NO
FW-MW-1	YES	NO
FW-MW-2	YES	NO
FW-MW-3	YES	NO
FW-MW-5	YES	NO
MW-101RD	YES	NO
MW-102R	YES	NO
MW-103R	YES	NO
RW-1	YES	NO
RW-2	YES	NO
RW-3	YES	NO

Site DNAPL Recovery Wells				
Well ID.	DTW	DTP	DTB	Thickness
RW-1	N/A	N/A	21.95	
RW-2	N/A	N/A	19.42	
RW-3	N/A	N/A	31.70	

Levels and Recovery in March and September Only

General Comments:

**Field Inspection Report
Non-Owned Former MGP Site
Mill Street
Little Falls, New York**

Date: 3/3/2023
Technician: PL

Time: 9:00
Weather: Sunny 27

Exterior Cover System			
Soil Intrusion Activities Being Performed	YES	NO	COMMENTS:
Evidence of any Intrusive Activities	YES	NO	COMMENTS:
Evidence of Saw Cutting	YES	NO	COMMENTS:
Evidence of Excavation or Trenching	YES	NO	COMMENTS:
Burrowing Animals	YES	NO	COMMENTS:

Interior Slab (West Side of Feldmeier Building)			
Sub-Slab Activities Being Performed	YES	NO	COMMENTS:
Signs of Sub-Slab Soil Intrusive Activities	YES	NO	COMMENTS:
Evidence of Excavation or Tunneling	YES	NO	COMMENTS:

Site Monitoring Wells		
Well ID.	Location Secure	
B-MW-3	YES	NO
FW-MW-1	YES	NO
FW-MW-2	YES	NO
FW-MW-3	YES	NO
FW-MW-5	YES	NO
MW-101RD	YES	NO
MW-102R	YES	NO
MW-103R	YES	NO
RW-1	YES	NO
RW-2	YES	NO
RW-3	YES	NO

Site DNAPL Recovery Wells				
Well ID.	DTW	DTP	DTB	Thickness
RW-1	14.31	N/A	21.95	
RW-2	15.25	N/A	19.42	
RW-3	18.05	N/A	31.70	trace on probe

Levels and Recovery in March and September Only

General Comments:



Appendix B – Well Sampling Field Data



National Grid
Non-Owned Former MGP Site
Mill Street
Little Falls, New York

Well ID.	Sample?	Well Size	Well Material	Stickup-Flush	DTP	DTW	DTP	DTB	Sump ?
B-MW-3	Yes	2"	PVC	Flush	-	14.14		16.14	No
FW-MW-1	Yes	2"	PVC	Flush	-	19.04		23.10	No
FW-MW-2	Yes	2"	PVC	Flush	-	9.60		14.63	No
FW-MW-3	Yes	2"	PVC	Flush	-	8.53		14.15	No
FW-MW-5	Yes	2"	PVC	Flush	-	8.10		11.45	No
MW-101RD	Yes	2"	PVC	Flush	-	10.53		51.35	Yes
MW-102R	Yes	2"	PVC	Flush	-	19.35		38.42	Yes
MW-103R	Yes	2"	PVC	Flush	-	18.00		35.53	Yes
RW-1	No	4"	PVC	Flush	-	14.57		21.95	Yes
RW-2	No	4"	PVC	Flush	-	15.23		19.42	Yes
RW-3	No	4"	PVC	Flush	-	18.17		31.70	Yes

National Grid
Mill Street, Little Falls, New York

Sampling Personnel: Peter Lyon
Job Number: 0603324-133650-221
Well Id. **B-MW-3**

Date: 9/28/03
Weather: Sunny 65°
Time In: 1215 Time Out: 1250

Well Information		
	TOC	Other
Depth to Water: (feet)	<u>14.14</u>	
Depth to Bottom: (feet)	<u>16.14</u>	
Depth to Product: (feet)	<u>-</u>	
Length of Water Column: (feet)	<u>2.00</u>	
Volume of Water in Well: (gal)	<u>.32</u>	
Three Well Volumes: (gal)	<u>0.96</u>	

Well Type: Flushmount Stick-Up
Well Locked: Yes No
Measuring Point Marked: Yes No
Well Material: PVC SS Other: _____
Well Diameter: 1" 2" Other: _____
Comments: _____

Purging Information		
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>
Sampling Method:	Bailer <input checked="" type="checkbox"/> Peristaltic <input type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Average Pumping Rate: (ml/min)	<u>200</u>	
Duration of Pumping: (min)	<u>50</u>	
Total Volume Removed: (gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input type="checkbox"/>
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=133.7cu. feet				

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1215</u>	<u>14.22</u>	<u>17.51</u>	<u>7.63</u>	<u>-90</u>	<u>0.648</u>	<u>29.1</u>	<u>4.43</u>	<u>0.412</u>
<u>1220</u>	<u>14.22</u>	<u>18.48</u>	<u>7.34</u>	<u>-73</u>	<u>0.493</u>	<u>29.3</u>	<u>4.35</u>	<u>0.316</u>
<u>1225</u>	<u>14.23</u>	<u>19.35</u>	<u>7.30</u>	<u>-58</u>	<u>0.392</u>	<u>15.3</u>	<u>4.51</u>	<u>0.253</u>
<u>1230</u>	<u>14.24</u>	<u>20.07</u>	<u>7.28</u>	<u>-43</u>	<u>0.362</u>	<u>4.2</u>	<u>4.80</u>	<u>0.235</u>
<u>1235</u>	<u>14.25</u>	<u>20.60</u>	<u>7.27</u>	<u>-31</u>	<u>0.353</u>	<u>2.3</u>	<u>4.57</u>	<u>0.229</u>
<u>1240</u>	<u>14.25</u>	<u>21.03</u>	<u>7.29</u>	<u>-19</u>	<u>0.347</u>	<u>1.4</u>	<u>4.62</u>	<u>0.225</u>
<u>1245</u>	<u>14.29</u>	<u>21.32</u>	<u>7.30</u>	<u>-13</u>	<u>0.332</u>	<u>1.3</u>	<u>4.66</u>	<u>0.219</u>

Sampling Information:

EPA SW-846 Method 8270	SVOC PAH's	Including Total PAH's	4 - 100 ml amber	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	Including Total BTEX	6 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide		2 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Methods 6010/7470	TAL Inorganics		2 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>

FD-0923

Sample ID: B-MW-3-0923 Duplicate? Yes No
Sample Time: 1245 MS/MSD? Yes No

Shipped: Fed Ex
Pick-up by PACE Courier

Laboratory: PACE Analytical Greensburg, PA

Comments/Notes: _____

National Grid
Mill Street, Little Falls, New York

Sampling Personnel: Peter Lyon

Date: 9/28/23

Job Number: 0603324-133650-221

Weather: 51° cloudy

Well Id. **FW-MW-1**

Time In: 0920 Time Out: 1000

Well Information			TOC	Other
Depth to Water:	(feet)		<u>19.04</u>	
Depth to Bottom:	(feet)		23.10	
Depth to Product:	(feet)		<u>-</u>	
Length of Water Column:	(feet)		<u>4.06</u>	
Volume of Water in Well:	(gal)		<u>1.64</u>	
Three Well Volumes:	(gal)		<u>1.94</u>	

Well Type:	Flushmount	<input checked="" type="checkbox"/>	Stick-Up	<input type="checkbox"/>
Well Locked:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Measuring Point Marked:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Well Material:	PVC	<input checked="" type="checkbox"/>	SS	<input type="checkbox"/>
Well Diameter:	1"	<input type="checkbox"/>	2"	<input checked="" type="checkbox"/>
Comments:				

Purging Information				
Purging Method:	Bailer	<input type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>
Tubing/Bailer Material:	Teflon	<input type="checkbox"/>	Stainless St.	<input type="checkbox"/>
Sampling Method:	Bailer	<input checked="" type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>
Average Pumping Rate:	(ml/min)	<u>200</u>	Grundfos Pump	<input type="checkbox"/>
Duration of Pumping:	(min)	<u>30</u>	Polyethylene	<input checked="" type="checkbox"/>
Total Volume Removed:	(gal)	<u>2</u>	Grundfos Pump	<input type="checkbox"/>
Horiba U-52 Water Quality Meter Used?	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=133.7cu. feet				

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>0925</u>	<u>20.06</u>	<u>11.56</u>	<u>6.81</u>	<u>-122</u>	<u>1.18</u>	<u>225</u>	<u>3.97</u>	<u>0.755</u>
<u>0930</u>	<u>20.86</u>	<u>11.87</u>	<u>6.88</u>	<u>-217</u>	<u>1.17</u>	<u>213</u>	<u>1.36</u>	<u>0.747</u>
<u>0935</u>	<u>21.68</u>	<u>12.18</u>	<u>6.95</u>	<u>-220</u>	<u>1.15</u>	<u>117</u>	<u>1.02</u>	<u>0.739</u>
<u>0940</u>	<u>21.88</u>	<u>12.07</u>	<u>6.94</u>	<u>-213</u>	<u>1.14</u>	<u>95.8</u>	<u>1.09</u>	<u>0.733</u>
<u>0945</u>	<u>22.19</u>	<u>12.27</u>	<u>6.93</u>	<u>-209</u>	<u>1.13</u>	<u>61.2</u>	<u>1.19</u>	<u>0.726</u>
<u>0950</u>	<u>22.52</u>	<u>12.39</u>	<u>6.94</u>	<u>-205</u>	<u>1.13</u>	<u>38.9</u>	<u>1.16</u>	<u>0.723</u>
<u>0955</u>	<u>22.79</u>	<u>12.38</u>	<u>6.88</u>	<u>-192</u>	<u>1.13</u>	<u>24.9</u>	<u>1.29</u>	<u>0.701</u>

Sampling Information:					
EPA SW-846 Method 8270	SVOC PAH's	Including Total PAH's	2 - 100 ml amber	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	Including Total BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide		1 - 250 ml plastic	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
EPA SW-846 Methods 6010/7470	TAL Inorganics		1 - 250 ml plastic	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Sample ID: FWMW-1-0923	Duplicate?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Shipped:	Fed Ex <input type="checkbox"/>
Sample Time: <u>0955</u>	MS/MSD?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>		Pick-up by PACE Courier <input checked="" type="checkbox"/>
Comments/Notes:	Laboratory: PACE Analytical Greensburg, PA				

National Grid
 Mill Street, Little Falls, New York

Sampling Personnel: AS
 Job Number: 0603324-133650-221
 Well Id. **FW-MW-2**

Date: 9/28/23
 Weather: 57°F, partly cloudy
 Time In: 1105 Time Out: 1150

Well Information		TOC	Other
Depth to Water:	(feet)	<u>9.60</u>	
Depth to Bottom:	(feet)	14.63	
Depth to Product:	(feet)	<u>NP</u>	
Length of Water Column:	(feet)	<u>5.03</u>	
Volume of Water in Well:	(gal)	<u>0.80</u>	
Three Well Volumes:	(gal)	<u>2.4</u>	

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information

Purging Method: _____
 Tubing/Bailer Material: _____
 Sampling Method: _____

Bailer Peristaltic
 Teflon Stainless St.
 Bailer Peristaltic

Grundfos Pump
 Polyethylene
 Grundfos Pump

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47

1 gallon=3.785L=3785mL=133.7cu. feet

Average Pumping Rate: 150 (ml/min)
 Duration of Pumping: 30 (min)
 Total Volume Removed: 20 (gal)

Did well go dry? Yes No

Horiba U-52 Water Quality Meter Used? Yes No

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1110</u>	<u>10.35</u>	<u>18.74</u>	<u>6.46</u>	<u>-94</u>	<u>2.87</u>	<u>197</u>	<u>1.68</u>	<u>1.72</u>
<u>1115</u>	<u>10.89</u>	<u>18.14</u>	<u>6.67</u>	<u>-163</u>	<u>5.54</u>	<u>310</u>	<u>1.32</u>	<u>3.47</u>
<u>1120</u>	<u>11.07</u>	<u>18.36</u>	<u>7.04</u>	<u>-185</u>	<u>5.67</u>	<u>167</u>	<u>1.05</u>	<u>3.57</u>
<u>1125</u>	<u>11.11</u>	<u>18.72</u>	<u>7.06</u>	<u>-187</u>	<u>5.65</u>	<u>113</u>	<u>1.03</u>	<u>3.56</u>
<u>1130</u>	<u>11.19</u>	<u>19.10</u>	<u>6.97</u>	<u>-188</u>	<u>5.67</u>	<u>79.3</u>	<u>1.01</u>	<u>3.58</u>
<u>1135</u>	<u>11.31</u>	<u>19.28</u>	<u>6.89</u>	<u>-188</u>	<u>5.69</u>	<u>56.7</u>	<u>0.97</u>	<u>3.58</u>
<u>1140</u>	<u>11.48</u>	<u>19.37</u>	<u>6.80</u>	<u>-189</u>	<u>5.70</u>	<u>39.8</u>	<u>0.94</u>	<u>3.59</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's Including Total PAH's 2 - 100 ml amber Yes No
 EPA SW-846 Method 8260 VOC's BTEX Including Total BTEX 3 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No
 EPA SW-846 Methods 6010/7470 TAL Inorganics 1 - 250 ml plastic Yes No

Sample ID: FWMW-2-0923 Duplicate? Yes No
 Sample Time: 1140 MS/MSD? Yes No

Shipped: Fed Ex
 Pick-up by PACE Courier

Laboratory: PACE Analytical Greensburg, PA

Comments/Notes: _____

National Grid
Mill Street, Little Falls, New York

Sampling Personnel: AS
Job Number: 0603324-133650-221
Well Id. **FW-MW-3**

Date: 9/28/23
Weather: 50°F, mostly cloudy
Time In: 0920 Time Out: 1005

Well Information		TOC	Other
Depth to Water:	(feet)	<u>8.53</u>	
Depth to Bottom:	(feet)	<u>14.15</u>	
Depth to Product:	(feet)	<u>NP</u>	
Length of Water Column:	(feet)	<u>5.62</u>	
Volume of Water in Well:	(gal)	<u>0.89</u>	
Three Well Volumes:	(gal)	<u>2.67</u>	

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information		Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	gal/ft.	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/>	of				
Sampling Method:	Bailer <input checked="" type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	water	0.04	0.16	0.66	1.47
Average Pumping Rate:	<u>150</u> (ml/min)	1 gallon=3.785L=3785mL=1337cu. feet				
Duration of Pumping:	<u>30</u> (min)					
Total Volume Removed:	<u>2.0</u> (gal)					
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>0925</u>	<u>8.92</u>	<u>17.85</u>	<u>7.09</u>	<u>94</u>	<u>1.22</u>	<u>71000</u>	<u>4.91</u>	<u>0.780</u>
<u>0930</u>	<u>9.12</u>	<u>18.04</u>	<u>6.89</u>	<u>89</u>	<u>1.22</u>	<u>959</u>	<u>4.10</u>	<u>0.779</u>
<u>0935</u>	<u>9.59</u>	<u>18.53</u>	<u>6.68</u>	<u>91</u>	<u>1.21</u>	<u>720</u>	<u>3.18</u>	<u>0.773</u>
<u>0940</u>	<u>10.02</u>	<u>19.06</u>	<u>6.63</u>	<u>103</u>	<u>1.17</u>	<u>422</u>	<u>2.68</u>	<u>0.749</u>
<u>0945</u>	<u>10.78</u>	<u>19.22</u>	<u>6.64</u>	<u>113/NDM</u>	<u>1.06</u>	<u>268</u>	<u>2.25</u>	<u>0.685</u>
<u>0950</u>	<u>10.99</u>	<u>19.09</u>	<u>6.75</u>	<u>118</u>	<u>0.943</u>	<u>116</u>	<u>1.94</u>	<u>0.605</u>
<u>0955</u>	<u>11.38</u>	<u>18.90</u>	<u>6.74</u>	<u>120</u>	<u>0.914</u>	<u>59.2</u>	<u>1.75</u>	<u>0.585</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's Including Total PAH's 2 - 100 ml amber Yes No
 EPA SW-846 Method 8260 VOC's BTEX Including Total BTEX 3 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No
 EPA SW-846 Methods 6010/7470 TAL Inorganics 1 - 250 ml plastic Yes No

Sample ID: FMMW-3-0923 Duplicate? Yes No
 Sample Time: 0955 MS/MSD? Yes No

Shipped: Fed Ex
 Pick-up by PACE Courier

Comments/Notes: _____

Laboratory: PACE Analytical
Greensburg, PA

National Grid
Mill Street, Little Falls, New York

Sampling Personnel: AT

Date: 9/28/23

Job Number: 0603324-133650-221

Weather: 53°F, mostly cloudy

Well Id. **FW-MW-5**

Time In: 1010 Time Out: before 1100

Well Information		TOC	Other
Depth to Water:	(feet)	<u>8.10</u>	
Depth to Bottom:	(feet)	<u>11.45</u>	
Depth to Product:	(feet)	<u>NP</u>	
Length of Water Column:	(feet)	<u>3.35</u>	
Volume of Water in Well:	(gal)	<u>0.53</u>	
Three Well Volumes:	(gal)	<u>1.6</u>	

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information

Purging Method: _____
 Tubing/Bailer Material: _____
 Sampling Method: _____

Bailer Peristaltic Grundfos Pump
 Teflon Stainless St. Polyethylene
 Bailer Peristaltic Grundfos Pump

Average Pumping Rate: 100 (ml/min)
 Duration of Pumping: 30 (min)
 Total Volume Removed: 1.5 (gal)

Did well go dry? Yes No
 Horiba U-52 Water Quality Meter Used? Yes No

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47

1 gallon=3.785L=3785mL=133.7cu. feet

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1015</u>	<u>8.89</u>	<u>15.95</u>	<u>6.50</u>	<u>121</u>	<u>1.79</u>	<u>212</u>	<u>1.50</u>	<u>1.09</u>
<u>1020</u>	<u>9.60</u>	<u>19.21</u>	<u>6.38</u>	<u>121</u>	<u>2.70</u>	<u>634</u>	<u>1.56</u>	<u>1.73</u>
<u>1025</u>	<u>10.30</u>	<u>19.40</u>	<u>6.61</u>	<u>119</u>	<u>2.20</u>	<u>565</u>	<u>1.73</u>	<u>1.44</u>
<u>1030</u>	<u>10.82</u>	<u>19.53</u>	<u>6.66</u>	<u>80</u>	<u>1.53</u>	<u>198</u>	<u>1.57</u>	<u>0.993</u>
<u>1035</u>	<u>11.25</u>	<u>19.50</u>	<u>6.61</u>	<u>30</u>	<u>1.22</u>	<u>76.8</u>	<u>1.64</u>	<u>0.789</u>
<u>1040</u>	<u>11.38</u>	<u>19.39</u>	<u>6.58</u>	<u>-15</u>	<u>1.11</u>	<u>72.2</u>	<u>1.72</u>	<u>0.714</u>
<u>1045</u>	<u>11.40</u>	<u>19.31</u>	<u>6.56</u>	<u>-39</u>	<u>1.09</u>	<u>89.8</u>	<u>1.76</u>	<u>0.701</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's Including Total PAH's 2 - 100 ml amber Yes No
 EPA SW-846 Method 8260 VOC's BTEX Including Total BTEX 3 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No
 EPA SW-846 Methods 6010/7470 TAL Inorganics 1 - 250 ml plastic Yes No

Sample ID: FMMW-5-0923 Duplicate? Yes No
 Sample Time: 1045 MS/MSD? Yes No

Shipped: Fed Ex
 Pick-up by PACE Courier

Comments/Notes: _____

Laboratory: PACE Analytical Greensburg, PA

National Grid
 Mill Street, Little Falls, New York

Sampling Personnel: Peter Lopez
 Job Number: 0603324-133650-221
 Well Id. **MW-101RD**

Date: 9/27/23
 Weather: 55° Sunny
 Time In: 1118 Time Out: 1200

Well Information		
	TOC	Other
Depth to Water: (feet)	<u>10.53</u>	
Depth to Bottom: (feet)	<u>51.35</u>	
Depth to Product: (feet)	<u>—</u>	
Length of Water Column: (feet)	<u>40.82</u>	
Volume of Water in Well: (gal)	<u>6.53</u>	
Three Well Volumes: (gal)	<u>19.59</u>	

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information

Purging Method: _____
 Tubing/Bailer Material: _____
 Sampling Method: _____

Bailer Peristaltic Grundfos Pump
 Teflon Stainless St. Polyethylene
 Bailer Peristaltic Grundfos Pump

Average Pumping Rate: (ml/min) 25
 Duration of Pumping: (min) 30
 Total Volume Removed: (gal) 2 Did well go dry? Yes No

Horiba U-52 Water Quality Meter Used? Yes No

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47

1 gallon=3.785L=3785mL=133.7cu. feet

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1120</u>	<u>10.63</u>	<u>14.54</u>	<u>7.27</u>	<u>-149</u>	<u>2.84</u>	<u>32.2</u>	<u>2.64</u>	<u>1.81</u>
<u>1125</u>	<u>10.65</u>	<u>14.49</u>	<u>7.12</u>	<u>-126</u>	<u>2.66</u>	<u>12.4</u>	<u>0.80</u>	<u>1.70</u>
<u>1130</u>	<u>10.67</u>	<u>14.49</u>	<u>7.01</u>	<u>-136</u>	<u>2.66</u>	<u>8.5</u>	<u>0.54</u>	<u>1.70</u>
<u>1135</u>	<u>10.69</u>	<u>14.50</u>	<u>6.99</u>	<u>-142</u>	<u>2.66</u>	<u>7.7</u>	<u>0.50</u>	<u>1.70</u>
<u>1140</u>	<u>10.72</u>	<u>14.57</u>	<u>6.99</u>	<u>-145</u>	<u>2.65</u>	<u>6.8</u>	<u>0.49</u>	<u>1.69</u>
<u>1145</u>	<u>10.74</u>	<u>14.63</u>	<u>6.98</u>	<u>-148</u>	<u>2.64</u>	<u>8.2</u>	<u>0.47</u>	<u>1.69</u>
<u>1150</u>	<u>10.76</u>	<u>14.73</u>	<u>6.99</u>	<u>-149</u>	<u>2.63</u>	<u>7.0</u>	<u>0.46</u>	<u>1.69</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's Including Total PAH's 6 - 100 ml amber Yes No
 EPA SW-846 Method 8260 VOC's BTEX Including Total BTEX 9 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 3 - 250 ml plastic Yes No
 EPA SW-846 Methods 6010/7470 TAL Inorganics 3 - 250 ml plastic Yes No

MW-101RD-MS-0923 MW-101RD-MSD-0923

Sample ID: MW-101RD-0923 Duplicate? Yes No
 Sample Time: 1150 MS/MSD? Yes No

Shipped: Fed Ex
 Pick-up by PACE Courier

Laboratory: PACE Analytical Greensburg, PA

Comments/Notes: _____

National Grid
Mill Street, Little Falls, New York

Sampling Personnel: AJ

Date: 9/28/23

Job Number: 0603324-133650-221

Weather: 61°F, partly cloudy

Well Id. **MW-102R**

Time In: 1205 Time Out: 1300

Well Information			TOC	Other
Depth to Water:	(feet)		<u>19.35</u>	
Depth to Bottom:	(feet)		<u>38.42</u>	
Depth to Product:	(feet)		<u>NP</u>	
Length of Water Column:	(feet)		<u>19.07</u>	
Volume of Water in Well:	(gal)		<u>3.05</u>	
Three Well Volumes:	(gal)		<u>9.15</u>	

Well Type: Flushmount Stick-Up

Well Locked: Yes No

Measuring Point Marked: Yes No

Well Material: PVC SS Other: _____

Well Diameter: 1" 2" Other: _____

Comments: _____

Purging Information				Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	gal/ft. of water	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>		0.04	0.16	0.66	1.47
Sampling Method:	Bailer <input checked="" type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>		1 gallon=3.785L=3785mL=1337cu. feet			
Average Pumping Rate:	<u>200</u> (ml/min)							
Duration of Pumping:	<u>30</u> (min)							
Total Volume Removed:	<u>2.5</u> (gal)			Did well go dry?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>		
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>						

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1210</u>	<u>20.62</u>	<u>18.54</u>	<u>6.98</u>	<u>-183</u>	<u>4.36</u>	<u>27.8</u>	<u>0.99</u>	<u>2.87</u>
<u>1215</u>	<u>21.17</u>	<u>17.25</u>	<u>7.19</u>	<u>-176</u>	<u>2.58</u>	<u>12.2</u>	<u>1.05</u>	<u>1.68</u>
<u>1220</u>	<u>21.45</u>	<u>16.97</u>	<u>7.11</u>	<u>-178</u>	<u>2.43</u>	<u>0.0</u>	<u>0.94</u>	<u>1.56</u>
<u>1225</u>	<u>21.60</u>	<u>16.79</u>	<u>7.07</u>	<u>-179</u>	<u>2.38</u>	<u>0.0</u>	<u>0.88</u>	<u>1.53</u>
<u>1230</u>	<u>21.69</u>	<u>16.58</u>	<u>7.06</u>	<u>-178</u>	<u>2.23</u>	<u>0.0</u>	<u>0.84</u>	<u>1.43</u>
<u>1235</u>	<u>21.75</u>	<u>16.32</u>	<u>7.06</u>	<u>-178</u>	<u>2.13</u>	<u>0.0</u>	<u>0.83</u>	<u>1.37</u>
<u>1240</u>	<u>21.80</u>	<u>16.17</u>	<u>7.05</u>	<u>-178</u>	<u>2.08</u>	<u>0.0</u>	<u>0.82</u>	<u>1.33</u>

Sampling Information:

EPA SW-846 Method 8270	SVOC PAH's	Including Total PAH's	2 - 100 ml amber	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	Including Total BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide		1 - 250 ml plastic	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
EPA SW-846 Methods 6010/7470	TAL Inorganics		1 - 250 ml plastic	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>

Sample ID: MW-102R-0923 Duplicate? Yes No

Sample Time: 1240 MS/MSD? Yes No

Shipped: Fed Ex Pick-up by PACE Courier

Laboratory: PACE Analytical Greensburg, PA

Comments/Notes: _____

National Grid
Mill Street, Little Falls, New York

Sampling Personnel: Peter Lyo

Date: 9/28/23

Job Number: 0603324-133650-221

Weather: 55° Cloudy

Well Id. **MW-103R**

Time In: 1025 Time Out: 1105

Well Information		
	TOC	Other
Depth to Water: (feet)	<u>19.00</u>	
Depth to Bottom: (feet)	<u>35.53</u>	
Depth to Product: (feet)	<u>-</u>	
Length of Water Column: (feet)	<u>17.53</u>	
Volume of Water in Well: (gal)	<u>2.80</u>	
Three Well Volumes: (gal)	<u>8.41</u>	

Well Type: Flushmount Stick-Up

Well Locked: Yes No

Measuring Point Marked: Yes No

Well Material: PVC SS Other: _____

Well Diameter: 1" 2" Other: _____

Comments: _____

Purging Information		
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>
Sampling Method:	Bailer <input checked="" type="checkbox"/> Peristaltic <input type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Average Pumping Rate: (ml/min)	<u>200</u>	
Duration of Pumping: (min)	<u>36</u>	
Total Volume Removed: (gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH (S.U.)	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1030</u>	<u>20.53</u>	<u>13.76</u>	<u>6.92</u>	<u>-157</u>	<u>3.54</u>	<u>20.0</u>	<u>1.65</u>	<u>2.27</u>
<u>1035</u>	<u>20.82</u>	<u>13.70</u>	<u>6.93</u>	<u>-160</u>	<u>3.56</u>	<u>16.1</u>	<u>0.96</u>	<u>2.28</u>
<u>1040</u>	<u>21.99</u>	<u>13.76</u>	<u>6.96</u>	<u>-166</u>	<u>3.56</u>	<u>8.6</u>	<u>0.95</u>	<u>2.28</u>
<u>1045</u>	<u>22.78</u>	<u>13.84</u>	<u>6.97</u>	<u>-168</u>	<u>3.55</u>	<u>6.7</u>	<u>0.95</u>	<u>2.27</u>
<u>1050</u>	<u>23.70</u>	<u>13.97</u>	<u>6.97</u>	<u>-172</u>	<u>3.51</u>	<u>7.4</u>	<u>0.90</u>	<u>2.25</u>
<u>1055</u>	<u>24.47</u>	<u>13.98</u>	<u>6.98</u>	<u>-173</u>	<u>3.49</u>	<u>7.5</u>	<u>0.85</u>	<u>2.27</u>
<u>1100</u>	<u>25.04</u>	<u>14.01</u>	<u>6.99</u>	<u>-173</u>	<u>3.48</u>	<u>7.2</u>	<u>0.83</u>	<u>2.23</u>

Sampling Information:

EPA SW-846 Method 8270	SVOC PAH's	Including Total PAH's	2 - 100 ml amber	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	Including Total BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide		1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Methods 6010/7470	TAL Inorganics		1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>

Sample ID: MW-103R-0923 Duplicate? Yes No

Sample Time: 1100 MS/MSD? Yes No

Shipped: Fed Ex Pick-up by PACE Courier

Laboratory: PACE Analytical Greensburg, PA

Comments/Notes: _____



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A
Required Client Information:

Company: GES - Syracuse
Address: 6780 Northern Blvd, Suite 100
East Syracuse, New York 13057
Email To: dshay@gesonline.com

Phone: 800.220.3069 Fax: None
x4052

Requested Due Date/TAT: Standard

Section B
Required Project Information:

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section C
Invoice Information:

Attention: Accounts Payable via email at ges-invoices@gesonline.com
Company Name: Groundwater & Environmental Services, Inc.
Address: 6780 Northern Blvd, Suite 100, East Syracuse, NY 13057
Pace Quote Reference: **CAT-B Deliverable Required**
Pace Project Manager: Rachel Christner
Pace Profile #:

Section D Required Client Information

SAMPLE ID
One Character per box.
IDs MUST BE UNIQUE
(A-Z, 0-9 / -)

ITEM #	Required Client Information	MATRIX CODE	SAMPLE TYPE	DATE	TIME	DATE	TIME	REQUISITIONED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION
1	B-MW-3-0923	WT G	G+GRAB C-COMP	7/18/23	1245	7/18/23	1245	Devin Shay - GES	7/18/23	1530	Devin Shay - GES
2	FWMW-1-0923	WT G	G+GRAB C-COMP	7/18/23	0957	7/18/23	0957	Devin Shay - GES	7/18/23	1530	Devin Shay - GES
3	FWMW-2-0923	WT G	G+GRAB C-COMP	7/18/23	1140	7/18/23	1140	Devin Shay - GES	7/18/23	1530	Devin Shay - GES
4	FWMW-3-0923	WT G	G+GRAB C-COMP	7/18/23	0955	7/18/23	0955	Devin Shay - GES	7/18/23	1530	Devin Shay - GES
5	FWMW-5-0923	WT G	G+GRAB C-COMP	7/18/23	1045	7/18/23	1045	Devin Shay - GES	7/18/23	1530	Devin Shay - GES
6	MW-101RD-0923	WT G	G+GRAB C-COMP	7/18/23	1150	7/18/23	1150	Devin Shay - GES	7/18/23	1530	Devin Shay - GES
7	MW-101RD-MS-0923	WT G	G+GRAB C-COMP	7/18/23	1150	7/18/23	1150	Devin Shay - GES	7/18/23	1530	Devin Shay - GES
8	MW-101RD-MSD-0923	WT G	G+GRAB C-COMP	7/18/23	1246	7/18/23	1246	Devin Shay - GES	7/18/23	1530	Devin Shay - GES
9	MW-102R-0923	WT G	G+GRAB C-COMP	7/18/23	1100	7/18/23	1100	Devin Shay - GES	7/18/23	1530	Devin Shay - GES
10	MW-103R-0923	WT G	G+GRAB C-COMP	7/18/23		7/18/23		Devin Shay - GES	7/18/23	1530	Devin Shay - GES
11	FD-0923	WT G	G+GRAB C-COMP	7/18/23		7/18/23		Devin Shay - GES	7/18/23	1530	Devin Shay - GES
12	Trip Blank	WT G	G+GRAB C-COMP	7/18/23		7/18/23		Devin Shay - GES	7/18/23	1530	Devin Shay - GES

Additional Comments: # COOLERS.

SAMPLES WILL ARRIVE IN

Please send reports to: dshay@gesonline.com, tbeaumont@gesonline.com
NERegion@gesonline.com, ges@equisonline.com

Section E Required Client Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section F Required Project Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section G Required Client Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section H Required Project Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section I Required Client Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section J Required Project Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section K Required Client Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section L Required Project Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section M Required Client Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section N Required Project Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section O Required Client Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section P Required Project Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section Q Required Client Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section R Required Project Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section S Required Client Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section T Required Project Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section U Required Client Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section V Required Project Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section W Required Client Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section X Required Project Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section Y Required Client Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221

Section Z Required Project Information

Report To: Devin Shay (GES)
Report To: Tim Beaumont (GES)
Purchase Order No.:
Project Name:
National Grid Little Falls, NY
Project Number:
0603324-133650-221



Appendix C – Data Usability Summary Report and Analytical Data



February 28, 2024

Devin Shay
Groundwater & Environmental Services, Syracuse
6780 Northern Boulevard
Suite 100
East Syracuse, NY 13057

RE: Data Usability Summary Report for National Grid Mill Street, Little Falls, NY Site Data Packages Pace Job No. 30626426

Groundwater & Environmental Services, Inc. (GES) reviewed one data package (Laboratory Project Number 30626426) Pace Analytical Services, LLC. Greensburg, PA.

The report detailed the analytical results of groundwater samples collected from monitoring wells on September 28, 2023 at the Little Falls site. Eight aqueous samples and a field duplicate were analyzed for volatile organic compounds (VOCs), polycyclic aromatic hydrocarbons (PAHs), Metals, Mercury, and Cyanide. Methodologies utilized were those of EPA 200.7, EPA 200.8, EPA 245.1 and the USEPA SW846 methods 8260C/8270D/9012B, with additional QC requirements of the NYSDEC ASP.

The data are reported as part of a complete full deliverable type B data validation. This usability report is generated from review of the following:

- Laboratory Narrative Discussion
- Custody Documentation
- Holding Times
- Surrogate and Internal Standard Recoveries
- Matrix Spike Recoveries/Duplicate (MS/MSD) Correlations
- Field Duplicate Correlations
- Laboratory Control Sample (LCS)
- Preparation/Calibration Blanks
- Calibration/Low Level Standard Responses

The items listed above which show deficiencies are discussed within the text of this narrative.

All of the other items are determined to be acceptable for the DUSR level review.

In summary, sample results are usable as reported.

The laboratory case narratives and sample identification summary forms are attached to this text, and should be reviewed in conjunction with this report.

Table 1 – Data Qualifications

Sample ID	Qualifier	Analyte	Reason for qualification
B-MW-3-0923			LCS recovered low, site MS/MSDs recovered within criteria.
FD-0923			
FWMW-1-0923	J-	Detected compounds	Re-analysis performed outside hold time recovered within specification and confirmed results.
FWMW-2-0923			
FWMW-3-0923			
FWMW-5-0923	UJ		
MW-101RD-0923	J-	Carbon Disulfide	Low secondary source standard
MW-101RD-MS-0923		Cyclohexane	
MW-101RD-MSD-0923		2-hexanone	
MW-101RD-MSD-0923	UJ	4-Methyl -2-Pentanone	Low CCV
MW-102R-0923	J-	Acetone	
MW-103R-0923.		Methylene chloride	
		1,2,4-Trichlorobenzene	
		1,2-Dibromo-3-chloropropane	
B-MW-3/ FD	J/UJ	Aluminum	Poor Field duplicate precision
		Copper	

Analytical Anomalies

- Methyl acetate had the secondary source verification recover high in the initial calibration. All data is ND, the possible high bias does not affect the data. No data is qualified.
- Carbon disulfide and cyclohexane had the secondary source verification recover low in the initial calibration. All data is qualified as estimated with a possible low bias.
- Multiple VOC analytes had CCVs recover low, resulting in estimated values. Qualifications are found in **Table 1**.

BTEX and TCL Volatiles by EPA 8260C/NYSDEC ASP

Samples were analyzed within hold time and instrumental tune fragmentations were within acceptance ranges. There were no positive detections in the blanks. Surrogate and internal standard recoveries were within required limits with the exception of diluted samples.

Laboratory control samples recovered within criteria.

Calibration standards show acceptable responses within analytical protocol and validation action limits with the exceptions noted previously in the analytical anomalies section.

MS/MSD results were compliant.

The blind field duplicate correlations of BMW-3 -0923, where applicable, fall within guidance limits.

SVOCs by EPA8270D/NYSDEC ASP

Holding times were met.

LCS recoveries were low for all analytes as well as the surrogate recoveries, indicating a failure for the LCS for the SVOC analysis. The MS/MSD associated with the site samples passed within criteria (high for 2,4-Dinitrophenol) for analytes and surrogates, indicating that the LCS was not representative of sample results for samples where surrogate recovery falls within criteria. Data is not qualified solely upon the low LCS recoveries. The following samples were affected by the LCS recoveries. The nonconformance required a confirmation analysis. This re-analysis was performed outside hold time for the following samples:

- B-MW-3-0923
- FD-0923
- FWMW-1-0923
- FWMW-2-0923
- FWMW-3-0923
- FWMW-5-0923
- MW-101RD-0923
- MW-101RD-MS-0923
- MW-101RD-MSD-0923
- MW-102R-0923
- MW-103R-0923.

Data from the original analysis was confirmed in the re-analysis. Compounds that recovered low in the original LCS had the concentrations confirmed in re-analysis. Positive detections are considered biased low, non-detects are confirmed as non-detects.

Instrumental tune fragmentations were within acceptance ranges.

Blanks show no contamination. Calibration standards show acceptable responses within analytical protocol and validation action limits with exceptions noted previously. Qualified data is noted in **Table 1**.

MS/MSD associated with MW-101RD reported results within criteria. No data is qualified due to MS/MSD results.

The blind field duplicate correlations of BMW-3 -0923, where applicable, fall within guidance limits.

Metals by EPA 200.7 & EPA 200.8/NYDESC ASP

The laboratory-prepared matrix spikes were not associated with the site.

The ICP Serial Dilution evaluations were analyzed utilizing samples unassociated with the site. No qualifications were required.

The laboratory duplicate was performed on a sample unassociated with the site.

The blind field duplicate correlations of BMW-3 -0923, where applicable, fall within guidance limits with the exception of aluminum and copper. Precision was calculated when both samples reported >5x the RL concentration per EPA guidance.

Total Mercury by EPA 245.1 and Total Cyanide by 9012B/ NYSDEC ASP

Review was conducted for method compliance, holding times, transcription, calculations, standard and blank acceptability, accuracy and precision, etc., as applicable to each procedure. All were found acceptable for the validated samples.

Calibration standard responses were compliant. Blanks show no detections above the reporting limits. All other laboratory spikes and duplicates of total cyanide show acceptable recoveries and/or correlations.

The blind field duplicate correlations of B-MW-3-0923, where applicable, fall within guidance limits.

Data Package Completeness

Complete NYSDEC Category B deliverables were included in the laboratory data package, all information required for validation of the data is present.

Please do not hesitate to contact me if you have comments or questions regarding this report.



Bonnie Janowiak, Ph.D.
Principle Environment Chemist, N.R.C.C
701 N Main St
Blacksburg, VA 24060

VALIDATION DATA QUALIFIER DEFINITIONS

- U** The analyte was analyzed for, but was not detected above the level of the associated reported quantitation limit.
- J** The analyte was positively identified; the associated numerical value is an approximate concentration of the analyte in the sample.
- J-** The analyte was positively identified; the associated numerical value is an estimated quantity that may be biased low.
- J+** The analyte was positively identified; the associated numerical value is an estimated quantity that may be biased high.
- UJ** The analyte was analyzed for, but was not detected. The associated reported quantitation limit is approximate and may be inaccurate or imprecise.
- NJ** The detection is tentative in identification and estimated in value. Although there is presumptive evidence of the analyte, the result should be used with caution as a potential false positive and/or elevated quantitative value.
- R** The data are unusable. The sample results are rejected due to serious deficiencies in meeting Quality Control limits. The analyte may or may not be present.



SAMPLE SUMMARY

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30626426001	B-MW-3-0923	Water	09/28/23 12:45	09/29/23 09:20
30626426002	FWMW-1-0923	Water	09/28/23 09:55	09/29/23 09:20
30626426003	FWMW-2-0923	Water	09/28/23 11:40	09/29/23 09:20
30626426004	FWMW-3-0923	Water	09/28/23 09:55	09/29/23 09:20
30626426005	FWMW-5-0923	Water	09/28/23 10:45	09/29/23 09:20
30626426006	MW-101RD-0923	Water	09/28/23 11:50	09/29/23 09:20
30626426007	MW-101RD-MS-0923	Water	09/28/23 11:50	09/29/23 09:20
30626426008	MW-101RD-MSD-0923	Water	09/28/23 11:50	09/29/23 09:20
30626426009	MW-102R-0923	Water	09/28/23 12:40	09/29/23 09:20
30626426010	MW-103R-0923	Water	09/28/23 11:00	09/29/23 09:20
30626426011	FD-0923	Water	09/28/23 11:00	09/29/23 09:20
30626426012	Trip Blank	Water	09/28/23 11:00	09/29/23 09:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: National Grid Little Falls NY
 Pace Project No.: 30626426

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
30626426001	B-MW-3-0923	EPA 200.7	JWT	3	PASI-MV
		EPA 200.8	JJS	17	PASI-MV
		EPA 245.1	JJS	1	PASI-MV
		EPA 8270D	EAC	69	PASI-PA
		EPA 8260C	AJC	52	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30626426002	FWMW-1-0923	EPA 200.7	JWT	3	PASI-MV
		EPA 200.8	JJS	17	PASI-MV
		EPA 245.1	JJS	1	PASI-MV
		EPA 8270D	EAC	69	PASI-PA
		EPA 8260C	AJC	52	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30626426003	FWMW-2-0923	EPA 200.7	JWT	3	PASI-MV
		EPA 200.8	JJS	17	PASI-MV
		EPA 245.1	JJS	1	PASI-MV
		EPA 8270D	EAC	69	PASI-PA
		EPA 8260C	AJC	52	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30626426004	FWMW-3-0923	EPA 200.7	JWT	3	PASI-MV
		EPA 200.8	JJS	17	PASI-MV
		EPA 245.1	JJS	1	PASI-MV
		EPA 8270D	EAC	69	PASI-PA
		EPA 8260C	AJC	52	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30626426005	FWMW-5-0923	EPA 200.7	JWT	3	PASI-MV
		EPA 200.8	JJS	17	PASI-MV
		EPA 245.1	JJS	1	PASI-MV
		EPA 8270D	EAC	69	PASI-PA
		EPA 8260C	AJC	52	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30626426006	MW-101RD-0923	EPA 200.7	JWT	3	PASI-MV
		EPA 200.8	JJS	17	PASI-MV
		EPA 245.1	JJS	1	PASI-MV
		EPA 8270D	EAC	69	PASI-PA
		EPA 8260C	AJC	52	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30626426007	MW-101RD-MS-0923	EPA 200.7	JWT	3	PASI-MV

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: National Grid Little Falls NY
 Pace Project No.: 30626426

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 200.8	JJS	17	PASI-MV
		EPA 245.1	JJS	1	PASI-MV
		EPA 8270D	EAC	69	PASI-PA
		EPA 8260C	AJC	52	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30626426008	MW-101RD-MSD-0923	EPA 200.7	JWT	3	PASI-MV
		EPA 200.8	JJS	17	PASI-MV
		EPA 245.1	JJS	1	PASI-MV
		EPA 8270D	EAC	69	PASI-PA
		EPA 8260C	AJC	52	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30626426009	MW-102R-0923	EPA 200.7	JWT	3	PASI-MV
		EPA 200.8	JJS	17	PASI-MV
		EPA 245.1	JJS	1	PASI-MV
		EPA 8270D	EAC	69	PASI-PA
		EPA 8260C	AJC	52	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30626426010	MW-103R-0923	EPA 200.7	JWT	3	PASI-MV
		EPA 200.8	JJS	17	PASI-MV
		EPA 245.1	JJS	1	PASI-MV
		EPA 8270D	EAC	69	PASI-PA
		EPA 8260C	AJC	52	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30626426011	FD-0923	EPA 200.7	JWT	3	PASI-MV
		EPA 200.8	JJS	17	PASI-MV
		EPA 245.1	JJS	1	PASI-MV
		EPA 8270D	EAC	69	PASI-PA
		EPA 8260C	AJC	52	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30626426012	Trip Blank	EPA 8260C	AJC	52	PASI-PA

PASI-MV = Pace Analytical Services - Long Island
 PASI-PA = Pace Analytical Services - Greensburg

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 200.7
Description: 200.7 Metals, Total
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

General Information:

11 samples were analyzed for EPA 200.7 by Pace Analytical Services Long Island. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 200.7 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

QC Batch: 323105

D6: The precision between the sample and sample duplicate exceeded laboratory control limits.

- DUP (Lab ID: 1649558)
- Zinc

Additional Comments:

Batch Comments:

The post digestion spike for sample 70272673001 (PDS 1649783) did not meet acceptance criteria for Silver, Calcium, and Sodium.

- QC Batch: 323164

The serial dilution for sample 70272673001 (SD 1649784) did not meet acceptance criteria for Silver, Arsenic, Calcium, Chromium, Copper, Iron, Molybdenum, Lead, Tin, Titanium, and Zinc.

- QC Batch: 323164

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 200.7
Description: 200.7 Metals, Total
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

Batch Comments:

The serial dilution for sample 70272671001 (SD 1649786) did not meet acceptance criteria for Silver, Arsenic, Cadmium, Copper, Molybdenum, Nickel, Lead, Tin, and Thallium.

- QC Batch: 323164

The post digestion spike for sample 70272671001 (PDS 1649785) did not meet acceptance criteria for Silver, Calcium, Potassium, Sodium, Silicon, and Strontium.

- QC Batch: 323164

Analyte Comments:

QC Batch: 323105

2c: The post digestion spike for sample 70272671001 (PDS 1649785) did not meet acceptance criteria for Silver, Calcium, Potassium, Sodium, Silicon, and Strontium.

- B-MW-3-0923 (Lab ID: 30626426001)
 - Arsenic
 - Lead
 - Zinc
- BLANK (Lab ID: 1649556)
 - Arsenic
 - Lead
 - Zinc
- DUP (Lab ID: 1649558)
 - Arsenic
 - Lead
 - Zinc
- DUP (Lab ID: 1649741)
 - Arsenic
 - Lead
 - Zinc
- FD-0923 (Lab ID: 30626426011)
 - Arsenic
 - Lead
 - Zinc
- FWMW-1-0923 (Lab ID: 30626426002)
 - Arsenic
 - Lead
 - Zinc
- FWMW-2-0923 (Lab ID: 30626426003)
 - Arsenic
 - Lead
 - Zinc
- FWMW-3-0923 (Lab ID: 30626426004)
 - Arsenic
 - Lead
 - Zinc
- FWMW-5-0923 (Lab ID: 30626426005)
 - Arsenic
 - Lead

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 200.7
Description: 200.7 Metals, Total
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

Analyte Comments:

QC Batch: 323105

2c: The post digestion spike for sample 70272671001 (PDS 1649785) did not meet acceptance criteria for Silver, Calcium, Potassium, Sodium, Silicon, and Strontium.

- FWMW-5-0923 (Lab ID: 30626426005)
 - Zinc
- LCS (Lab ID: 1649557)
 - Arsenic
 - Lead
 - Zinc
- MS (Lab ID: 1649559)
 - Arsenic
 - Lead
 - Zinc
- MS (Lab ID: 1649742)
 - Arsenic
 - Lead
 - Zinc
- MW-101RD-0923 (Lab ID: 30626426006)
 - Arsenic
 - Lead
 - Zinc
- MW-101RD-MS-0923 (Lab ID: 30626426007)
 - Arsenic
 - Lead
 - Zinc
- MW-101RD-MSD-0923 (Lab ID: 30626426008)
 - Arsenic
 - Lead
 - Zinc
- MW-102R-0923 (Lab ID: 30626426009)
 - Arsenic
 - Lead
 - Zinc
- MW-103R-0923 (Lab ID: 30626426010)
 - Arsenic
 - Lead
 - Zinc

3c: The post digestion spike for sample 70272673001 (PDS 1649783) did not meet acceptance criteria for Silver, Calcium, and Sodium.

- B-MW-3-0923 (Lab ID: 30626426001)
 - Arsenic
 - Lead
 - Zinc
- BLANK (Lab ID: 1649556)
 - Arsenic

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 200.7
Description: 200.7 Metals, Total
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

Analyte Comments:

QC Batch: 323105

3c: The post digestion spike for sample 70272673001 (PDS 1649783) did not meet acceptance criteria for Silver, Calcium, and Sodium.

- BLANK (Lab ID: 1649556)
 - Lead
 - Zinc
- DUP (Lab ID: 1649558)
 - Arsenic
 - Lead
 - Zinc
- DUP (Lab ID: 1649741)
 - Arsenic
 - Lead
 - Zinc
- FD-0923 (Lab ID: 30626426011)
 - Arsenic
 - Lead
 - Zinc
- FWMW-1-0923 (Lab ID: 30626426002)
 - Arsenic
 - Lead
 - Zinc
- FWMW-2-0923 (Lab ID: 30626426003)
 - Arsenic
 - Lead
 - Zinc
- FWMW-3-0923 (Lab ID: 30626426004)
 - Arsenic
 - Lead
 - Zinc
- FWMW-5-0923 (Lab ID: 30626426005)
 - Arsenic
 - Lead
 - Zinc
- LCS (Lab ID: 1649557)
 - Arsenic
 - Lead
 - Zinc
- MS (Lab ID: 1649559)
 - Arsenic
 - Lead
 - Zinc
- MS (Lab ID: 1649742)
 - Arsenic
 - Lead

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 200.7
Description: 200.7 Metals, Total
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

Analyte Comments:

QC Batch: 323105

3c: The post digestion spike for sample 70272673001 (PDS 1649783) did not meet acceptance criteria for Silver, Calcium, and Sodium.

- MS (Lab ID: 1649742)
 - Zinc
- MW-101RD-0923 (Lab ID: 30626426006)
 - Arsenic
 - Lead
 - Zinc
- MW-101RD-MS-0923 (Lab ID: 30626426007)
 - Arsenic
 - Lead
 - Zinc
- MW-101RD-MSD-0923 (Lab ID: 30626426008)
 - Arsenic
 - Lead
 - Zinc
- MW-102R-0923 (Lab ID: 30626426009)
 - Arsenic
 - Lead
 - Zinc
- MW-103R-0923 (Lab ID: 30626426010)
 - Arsenic
 - Lead
 - Zinc

4c: The serial dilution for sample 70272671001 (SD 1649786) did not meet acceptance criteria for Silver, Arsenic, Cadmium, Copper, Molybdenum, Nickel, Lead, Tin, and Thallium.

- B-MW-3-0923 (Lab ID: 30626426001)
 - Arsenic
 - Lead
 - Zinc
- BLANK (Lab ID: 1649556)
 - Arsenic
 - Lead
 - Zinc
- DUP (Lab ID: 1649558)
 - Arsenic
 - Lead
 - Zinc
- DUP (Lab ID: 1649741)
 - Arsenic
 - Lead
 - Zinc
- FD-0923 (Lab ID: 30626426011)
 - Arsenic

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 200.7
Description: 200.7 Metals, Total
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

Analyte Comments:

QC Batch: 323105

4c: The serial dilution for sample 70272671001 (SD 1649786) did not meet acceptance criteria for Silver, Arsenic, Cadmium, Copper, Molybdenum, Nickel, Lead, Tin, and Thallium.

- FD-0923 (Lab ID: 30626426011)
 - Lead
 - Zinc
- FWMW-1-0923 (Lab ID: 30626426002)
 - Arsenic
 - Lead
 - Zinc
- FWMW-2-0923 (Lab ID: 30626426003)
 - Arsenic
 - Lead
 - Zinc
- FWMW-3-0923 (Lab ID: 30626426004)
 - Arsenic
 - Lead
 - Zinc
- FWMW-5-0923 (Lab ID: 30626426005)
 - Arsenic
 - Lead
 - Zinc
- LCS (Lab ID: 1649557)
 - Arsenic
 - Lead
 - Zinc
- MS (Lab ID: 1649559)
 - Arsenic
 - Lead
 - Zinc
- MS (Lab ID: 1649742)
 - Arsenic
 - Lead
 - Zinc
- MW-101RD-0923 (Lab ID: 30626426006)
 - Arsenic
 - Lead
 - Zinc
- MW-101RD-MS-0923 (Lab ID: 30626426007)
 - Arsenic
 - Lead
 - Zinc
- MW-101RD-MSD-0923 (Lab ID: 30626426008)
 - Arsenic
 - Lead

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 200.7
Description: 200.7 Metals, Total
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

Analyte Comments:

QC Batch: 323105

4c: The serial dilution for sample 70272671001 (SD 1649786) did not meet acceptance criteria for Silver, Arsenic, Cadmium, Copper, Molybdenum, Nickel, Lead, Tin, and Thallium.

- MW-101RD-MSD-0923 (Lab ID: 30626426008)
 - Zinc
- MW-102R-0923 (Lab ID: 30626426009)
 - Arsenic
 - Lead
 - Zinc
- MW-103R-0923 (Lab ID: 30626426010)
 - Arsenic
 - Lead
 - Zinc

5c: The serial dilution for sample 70272673001 (SD 1649784) did not meet acceptance criteria for Silver, Arsenic, Calcium, Chromium, Copper, Iron, Molybdenum, Lead, Tin, Titanium, and Zinc.

- B-MW-3-0923 (Lab ID: 30626426001)
 - Arsenic
 - Lead
 - Zinc
- BLANK (Lab ID: 1649556)
 - Arsenic
 - Lead
 - Zinc
- DUP (Lab ID: 1649558)
 - Arsenic
 - Lead
 - Zinc
- DUP (Lab ID: 1649741)
 - Arsenic
 - Lead
 - Zinc
- FD-0923 (Lab ID: 30626426011)
 - Arsenic
 - Lead
 - Zinc
- FWMW-1-0923 (Lab ID: 30626426002)
 - Arsenic
 - Lead
 - Zinc
- FWMW-2-0923 (Lab ID: 30626426003)
 - Arsenic
 - Lead
 - Zinc
- FWMW-3-0923 (Lab ID: 30626426004)
 - Arsenic

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 200.7
Description: 200.7 Metals, Total
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

Analyte Comments:

QC Batch: 323105

5c: The serial dilution for sample 70272673001 (SD 1649784) did not meet acceptance criteria for Silver, Arsenic, Calcium, Chromium, Copper, Iron, Molybdenum, Lead, Tin, Titanium, and Zinc.

- FWMW-3-0923 (Lab ID: 30626426004)
 - Lead
 - Zinc
- FWMW-5-0923 (Lab ID: 30626426005)
 - Arsenic
 - Lead
 - Zinc
- LCS (Lab ID: 1649557)
 - Arsenic
 - Lead
 - Zinc
- MS (Lab ID: 1649559)
 - Arsenic
 - Lead
 - Zinc
- MS (Lab ID: 1649742)
 - Arsenic
 - Lead
 - Zinc
- MW-101RD-0923 (Lab ID: 30626426006)
 - Arsenic
 - Lead
 - Zinc
- MW-101RD-MS-0923 (Lab ID: 30626426007)
 - Arsenic
 - Lead
 - Zinc
- MW-101RD-MSD-0923 (Lab ID: 30626426008)
 - Arsenic
 - Lead
 - Zinc
- MW-102R-0923 (Lab ID: 30626426009)
 - Arsenic
 - Lead
 - Zinc
- MW-103R-0923 (Lab ID: 30626426010)
 - Arsenic
 - Lead
 - Zinc

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 200.8
Description: 200.8 MET ICPMS
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

General Information:

11 samples were analyzed for EPA 200.8 by Pace Analytical Services Long Island. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 200.8 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 323106

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 70272990001,70272990002

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 1649565)
 - Barium
 - Copper
 - Manganese

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

QC Batch: 323106

D6: The precision between the sample and sample duplicate exceeded laboratory control limits.

- DUP (Lab ID: 1649564)
 - Manganese

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 200.8
Description: 200.8 MET ICPMS
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

QC Batch: 323106

D6: The precision between the sample and sample duplicate exceeded laboratory control limits.

- DUP (Lab ID: 1649566)
- Manganese

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 245.1
Description: 245.1 Mercury
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

General Information:

11 samples were analyzed for EPA 245.1 by Pace Analytical Services Long Island. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 245.1 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8270D
Description: 8270D Organics Reduced Volume
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

General Information:

11 samples were analyzed for EPA 8270D by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H2: Extraction or preparation conducted outside EPA method holding time.

- B-MW-3-0923 (Lab ID: 30626426001)
- FD-0923 (Lab ID: 30626426011)
- FWMW-1-0923 (Lab ID: 30626426002)
- FWMW-2-0923 (Lab ID: 30626426003)
- FWMW-3-0923 (Lab ID: 30626426004)
- FWMW-5-0923 (Lab ID: 30626426005)
- MW-101RD-0923 (Lab ID: 30626426006)
- MW-101RD-MS-0923 (Lab ID: 30626426007)
- MW-101RD-MSD-0923 (Lab ID: 30626426008)
- MW-102R-0923 (Lab ID: 30626426009)
- MW-103R-0923 (Lab ID: 30626426010)

Sample Preparation:

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 620107

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- FD-0923 (Lab ID: 30626426011)
 - Hexachlorocyclopentadiene
 - Pentachlorophenol

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- FD-0923 (Lab ID: 30626426011)
 - 3,3'-Dichlorobenzidine
 - bis(2-Ethylhexyl)phthalate

QC Batch: 622651

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- B-MW-3-0923 (Lab ID: 30626426001)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8270D
Description: 8270D Organics Reduced Volume
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

QC Batch: 622651

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- 2-Nitrophenol
- 4,6-Dinitro-2-methylphenol
- 4-Nitroaniline
- Hexachlorocyclopentadiene
- Pentachlorophenol
- BLANK (Lab ID: 3035188)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol
 - 4,6-Dinitro-2-methylphenol
 - 4-Nitroaniline
 - Hexachlorocyclopentadiene
 - Pentachlorophenol
- FD-0923 (Lab ID: 30626426011)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol
 - 4,6-Dinitro-2-methylphenol
 - 4-Nitroaniline
 - Hexachlorocyclopentadiene
 - Pentachlorophenol
- FWMW-1-0923 (Lab ID: 30626426002)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol
 - 4,6-Dinitro-2-methylphenol
 - 4-Nitroaniline
 - Hexachlorocyclopentadiene
 - Pentachlorophenol
- FWMW-2-0923 (Lab ID: 30626426003)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol
 - 4,6-Dinitro-2-methylphenol
 - 4-Nitroaniline
 - Hexachlorocyclopentadiene
 - Pentachlorophenol
- FWMW-3-0923 (Lab ID: 30626426004)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol
 - 4,6-Dinitro-2-methylphenol
 - 4-Nitroaniline
 - Hexachlorocyclopentadiene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY

Pace Project No.: 30626426

Method: EPA 8270D

Description: 8270D Organics Reduced Volume

Client: Groundwater & Environmental Services, Inc. (Syracuse)

Date: October 23, 2023

QC Batch: 622651

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- Pentachlorophenol
- FWMW-5-0923 (Lab ID: 30626426005)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol
 - 4,6-Dinitro-2-methylphenol
 - 4-Nitroaniline
 - Hexachlorocyclopentadiene
- Pentachlorophenol
- LCS (Lab ID: 3035189)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol
 - 4,6-Dinitro-2-methylphenol
 - 4-Nitroaniline
 - Hexachlorocyclopentadiene
- Pentachlorophenol
- MS (Lab ID: 3035190)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol
 - 4,6-Dinitro-2-methylphenol
 - 4-Nitroaniline
 - Hexachlorocyclopentadiene
- Pentachlorophenol
- MSD (Lab ID: 3035191)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol
 - 4,6-Dinitro-2-methylphenol
 - 4-Nitroaniline
 - Hexachlorocyclopentadiene
- Pentachlorophenol
- MW-101RD-0923 (Lab ID: 30626426006)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol
 - 4,6-Dinitro-2-methylphenol
 - 4-Nitroaniline
 - Pentachlorophenol
- MW-101RD-MS-0923 (Lab ID: 30626426007)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8270D
Description: 8270D Organics Reduced Volume
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

QC Batch: 622651

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- 4,6-Dinitro-2-methylphenol
- 4-Nitroaniline
- Hexachlorocyclopentadiene
- Pentachlorophenol
- MW-101RD-MSD-0923 (Lab ID: 30626426008)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol
 - 4,6-Dinitro-2-methylphenol
 - 4-Nitroaniline
 - Hexachlorocyclopentadiene
 - Pentachlorophenol
- MW-102R-0923 (Lab ID: 30626426009)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol
 - 4,6-Dinitro-2-methylphenol
 - 4-Nitroaniline
 - Hexachlorocyclopentadiene
 - Pentachlorophenol
- MW-103R-0923 (Lab ID: 30626426010)
 - 2,4-Dinitrophenol
 - 2,6-Dinitrotoluene
 - 2-Nitrophenol
 - 4,6-Dinitro-2-methylphenol
 - 4-Nitroaniline
 - Hexachlorocyclopentadiene
 - Pentachlorophenol

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 620107

SR: Surrogate recovery was below laboratory control limits. Results may be biased low.

- LCS (Lab ID: 3021383)
 - 2,4,6-Tribromophenol (S)
 - 2-Fluorophenol (S)
 - Nitrobenzene-d5 (S)
 - Terphenyl-d14 (S)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8270D
Description: 8270D Organics Reduced Volume
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 620107

L2: Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

- LCS (Lab ID: 3021383)
 - 2,4,5-Trichlorophenol
 - 2,4,6-Trichlorophenol
 - 2,4-Dichlorophenol
 - 2,4-Dimethylphenol
 - 2,4-Dinitrophenol
 - 2,4-Dinitrotoluene
 - 2,6-Dinitrotoluene
 - 2-Chloronaphthalene
 - 2-Chlorophenol
 - 2-Methylnaphthalene
 - 2-Methylphenol(o-Cresol)
 - 2-Nitroaniline
 - 2-Nitrophenol
 - 3,3'-Dichlorobenzidine
 - 3-Nitroaniline
 - 4,6-Dinitro-2-methylphenol
 - 4-Bromophenylphenyl ether
 - 4-Chloro-3-methylphenol
 - 4-Chloroaniline
 - 4-Chlorophenylphenyl ether
 - 4-Nitroaniline
 - 4-Nitrophenol
 - Acenaphthene
 - Acenaphthylene
 - Acetophenone
 - Anthracene
 - Atrazine
 - Benzaldehyde
 - Benzo(a)anthracene
 - Benzo(a)pyrene
 - Benzo(b)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(k)fluoranthene
 - Biphenyl (Diphenyl)
 - Butylbenzylphthalate
 - Carbazole

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8270D
Description: 8270D Organics Reduced Volume
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

QC Batch: 620107

L2: Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

- Chrysene
- Di-n-butylphthalate
- Di-n-octylphthalate
- Dibenz(a,h)anthracene
- Dibenzofuran
- Diethylphthalate
- Dimethylphthalate
- Fluoranthene
- Fluorene
- Hexachloro-1,3-butadiene
- Hexachlorobenzene
- Hexachlorocyclopentadiene
- Hexachloroethane
- Indeno(1,2,3-cd)pyrene
- Isophorone
- N-Nitroso-di-n-propylamine
- N-Nitrosodiphenylamine
- Naphthalene
- Nitrobenzene
- Pentachlorophenol
- Phenanthrene
- Phenol
- Pyrene
- bis(2-Chloroethoxy)methane
- bis(2-Chloroethyl) ether
- bis(2-Chloroisopropyl) ether

QC Batch: 622651

L1: Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.

- LCS (Lab ID: 3035189)
 - 2,4-Dinitrophenol

L2: Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

- LCS (Lab ID: 3035189)
 - 2-Methylnaphthalene
 - 4-Chloro-3-methylphenol
 - Naphthalene

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8270D
Description: 8270D Organics Reduced Volume
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

QC Batch: 622651

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30626426006

MH: Matrix spike recovery and/or matrix spike duplicate recovery was above laboratory control limits. Result may be biased high.

- MS (Lab ID: 3035190)
 - 2,4-Dinitrophenol
- MSD (Lab ID: 3035191)
 - 2,4-Dinitrophenol

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8260C
Description: 8260C MSV
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

General Information:

12 samples were analyzed for EPA 8260C by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

QC Batch: 621581

IH: This analyte exceeded secondary source verification criteria high for the initial calibration. The reported results should be considered an estimated value.

- B-MW-3-0923 (Lab ID: 30626426001)
 - Methyl acetate
- BLANK (Lab ID: 3029615)
 - Methyl acetate
- FD-0923 (Lab ID: 30626426011)
 - Methyl acetate
- FWMW-1-0923 (Lab ID: 30626426002)
 - Methyl acetate
- FWMW-2-0923 (Lab ID: 30626426003)
 - Methyl acetate
- FWMW-3-0923 (Lab ID: 30626426004)
 - Methyl acetate
- FWMW-5-0923 (Lab ID: 30626426005)
 - Methyl acetate
- LCS (Lab ID: 3029616)
 - Methyl acetate
- MS (Lab ID: 3029617)
 - Methyl acetate
- MSD (Lab ID: 3029618)
 - Methyl acetate
- MW-101RD-0923 (Lab ID: 30626426006)
 - Methyl acetate
- MW-101RD-MS-0923 (Lab ID: 30626426007)
 - Methyl acetate
- MW-101RD-MSD-0923 (Lab ID: 30626426008)
 - Methyl acetate
- MW-102R-0923 (Lab ID: 30626426009)
 - Methyl acetate
- MW-103R-0923 (Lab ID: 30626426010)
 - Methyl acetate
- Trip Blank (Lab ID: 30626426012)
 - Methyl acetate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8260C
Description: 8260C MSV
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

QC Batch: 621581

IL: This analyte exceeded secondary source verification criteria low for the initial calibration. The reported results should be considered an estimated value.

- B-MW-3-0923 (Lab ID: 30626426001)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- BLANK (Lab ID: 3029615)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- FD-0923 (Lab ID: 30626426011)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- FWMW-1-0923 (Lab ID: 30626426002)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- FWMW-2-0923 (Lab ID: 30626426003)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- FWMW-3-0923 (Lab ID: 30626426004)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- FWMW-5-0923 (Lab ID: 30626426005)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- LCS (Lab ID: 3029616)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- MS (Lab ID: 3029617)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- MSD (Lab ID: 3029618)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- MW-101RD-0923 (Lab ID: 30626426006)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8260C
Description: 8260C MSV
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

QC Batch: 621581

IL: This analyte exceeded secondary source verification criteria low for the initial calibration. The reported results should be considered an estimated value.

- Cyclohexane
- MW-101RD-MS-0923 (Lab ID: 30626426007)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- MW-101RD-MSD-0923 (Lab ID: 30626426008)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- MW-102R-0923 (Lab ID: 30626426009)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- MW-103R-0923 (Lab ID: 30626426010)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane
- Trip Blank (Lab ID: 30626426012)
 - 1,1,2-Trichlorotrifluoroethane
 - Carbon disulfide
 - Cyclohexane

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 621581

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- B-MW-3-0923 (Lab ID: 30626426001)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
 - Acetone
 - Methyl acetate
 - Methylene Chloride
- BLANK (Lab ID: 3029615)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
 - Acetone

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8260C
Description: 8260C MSV
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

QC Batch: 621581

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- Methyl acetate
- Methylene Chloride
- FD-0923 (Lab ID: 30626426011)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
 - Acetone
 - Methyl acetate
 - Methylene Chloride
- FWMW-1-0923 (Lab ID: 30626426002)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
 - Acetone
 - Methyl acetate
 - Methylene Chloride
- FWMW-2-0923 (Lab ID: 30626426003)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
 - Acetone
 - Methyl acetate
 - Methylene Chloride
- FWMW-3-0923 (Lab ID: 30626426004)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
 - Acetone
 - Methyl acetate
 - Methylene Chloride
- FWMW-5-0923 (Lab ID: 30626426005)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8260C
Description: 8260C MSV
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

QC Batch: 621581

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- Acetone
- Methyl acetate
- Methylene Chloride
- LCS (Lab ID: 3029616)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
- Acetone
- Methyl acetate
- Methylene Chloride
- MS (Lab ID: 3029617)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
- Acetone
- Methyl acetate
- Methylene Chloride
- MSD (Lab ID: 3029618)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
- Acetone
- Methyl acetate
- Methylene Chloride
- MW-101RD-0923 (Lab ID: 30626426006)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
- Acetone
- Methyl acetate
- Methylene Chloride
- MW-101RD-MS-0923 (Lab ID: 30626426007)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8260C
Description: 8260C MSV
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

QC Batch: 621581

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- 4-Methyl-2-pentanone (MIBK)
- Acetone
- Methyl acetate
- Methylene Chloride
- MW-101RD-MSD-0923 (Lab ID: 30626426008)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
 - Acetone
 - Methyl acetate
 - Methylene Chloride
- MW-102R-0923 (Lab ID: 30626426009)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
 - Acetone
 - Methyl acetate
 - Methylene Chloride
- MW-103R-0923 (Lab ID: 30626426010)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
 - Acetone
 - Methyl acetate
 - Methylene Chloride
- Trip Blank (Lab ID: 30626426012)
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 2-Butanone (MEK)
 - 2-Hexanone
 - 4-Methyl-2-pentanone (MIBK)
 - Acetone
 - Methyl acetate
 - Methylene Chloride

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8260C
Description: 8260C MSV
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

QC Batch: 621581

IS: The internal standard response is below criteria. Results may be biased high.

- FWMW-2-0923 (Lab ID: 30626426003)
 - 1,1,2,2-Tetrachloroethane
 - 1,2,4-Trichlorobenzene
 - 1,2-Dibromo-3-chloropropane
 - 1,2-Dichlorobenzene
 - 1,3-Dichlorobenzene
 - 1,4-Dichlorobenzene
 - 4-Bromofluorobenzene (S)
 - Bromoform
 - Isopropylbenzene (Cumene)

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 621581

S3: Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated sample.

- FWMW-2-0923 (Lab ID: 30626426003)
 - 4-Bromofluorobenzene (S)

ST: Surrogate recovery was above laboratory control limits. Results may be biased high.

- FWMW-2-0923 (Lab ID: 30626426003)
 - 4-Bromofluorobenzene (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 621581

L2: Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

- LCS (Lab ID: 3029616)
 - 2-Hexanone

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 621581

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30626426006

ML: Matrix spike recovery and/or matrix spike duplicate recovery was below laboratory control limits. Result may be biased low.

- MS (Lab ID: 3029617)
 - Carbon disulfide
- MSD (Lab ID: 3029618)
 - 1,1,1-Trichloroethane

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8260C
Description: 8260C MSV
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

QC Batch: 621581

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30626426006

ML: Matrix spike recovery and/or matrix spike duplicate recovery was below laboratory control limits. Result may be biased low.

- 1,1,2,2-Tetrachloroethane
- 1,1,2-Trichloroethane
- 1,1-Dichloroethane
- 1,1-Dichloroethene
- 1,2,4-Trichlorobenzene
- 1,2-Dibromo-3-chloropropane
- 1,2-Dibromoethane (EDB)
- 1,2-Dichlorobenzene
- 1,2-Dichloroethane
- 1,2-Dichloropropane
- 1,3-Dichlorobenzene
- 1,4-Dichlorobenzene
- 2-Butanone (MEK)
- 2-Hexanone
- 4-Methyl-2-pentanone (MIBK)
- Acetone
- Bromodichloromethane
- Bromoform
- Carbon disulfide
- Carbon tetrachloride
- Chlorobenzene
- Chloroform
- Cyclohexane
- Dibromochloromethane
- Dichlorodifluoromethane
- Ethylbenzene
- Isopropylbenzene (Cumene)
- Methylcyclohexane
- Methylene Chloride
- Styrene
- Toluene
- Trichlorofluoromethane
- Vinyl chloride
- cis-1,2-Dichloroethene
- cis-1,3-Dichloropropene
- trans-1,2-Dichloroethene
- trans-1,3-Dichloropropene

R1: RPD value was outside control limits.

- MSD (Lab ID: 3029618)
 - 1,1,2,2-Tetrachloroethane
 - 1,1,2-Trichloroethane
 - 1,1-Dichloroethene
 - 1,2,4-Trichlorobenzene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8260C
Description: 8260C MSV
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

QC Batch: 621581

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30626426006

R1: RPD value was outside control limits.

- 1,2-Dibromoethane (EDB)
- 1,2-Dichlorobenzene
- 1,2-Dichloroethane
- 1,2-Dichloropropane
- 1,3-Dichlorobenzene
- 1,4-Dichlorobenzene
- Benzene
- Bromodichloromethane
- Bromomethane
- Carbon disulfide
- Carbon tetrachloride
- Chlorobenzene
- Chloroethane
- Chloroform
- Chloromethane
- Dibromochloromethane
- Dichlorodifluoromethane
- Ethylbenzene
- Isopropylbenzene (Cumene)
- Methyl acetate
- Methyl-tert-butyl ether
- Methylene Chloride
- Styrene
- Tetrachloroethene
- Toluene
- Trichloroethene
- Trichlorofluoromethane
- cis-1,3-Dichloropropene
- trans-1,2-Dichloroethene
- trans-1,3-Dichloropropene

Additional Comments:

Analyte Comments:

QC Batch: 621581

1c: The analyte did not meet the method recommended minimum RF.

- B-MW-3-0923 (Lab ID: 30626426001)
 - Methyl acetate
- BLANK (Lab ID: 3029615)
 - Methyl acetate
- FD-0923 (Lab ID: 30626426011)
 - Methyl acetate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 8260C
Description: 8260C MSV
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

Analyte Comments:

QC Batch: 621581

1c: The analyte did not meet the method recommended minimum RF.

- FWMW-1-0923 (Lab ID: 30626426002)
 - Methyl acetate
- FWMW-2-0923 (Lab ID: 30626426003)
 - Methyl acetate
- FWMW-3-0923 (Lab ID: 30626426004)
 - Methyl acetate
- FWMW-5-0923 (Lab ID: 30626426005)
 - Methyl acetate
- LCS (Lab ID: 3029616)
 - Methyl acetate
- MS (Lab ID: 3029617)
 - Methyl acetate
- MSD (Lab ID: 3029618)
 - Methyl acetate
- MW-101RD-0923 (Lab ID: 30626426006)
 - Methyl acetate
- MW-101RD-MS-0923 (Lab ID: 30626426007)
 - Methyl acetate
- MW-101RD-MSD-0923 (Lab ID: 30626426008)
 - Methyl acetate
- MW-102R-0923 (Lab ID: 30626426009)
 - Methyl acetate
- MW-103R-0923 (Lab ID: 30626426010)
 - Methyl acetate
- Trip Blank (Lab ID: 30626426012)
 - Methyl acetate

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



PROJECT NARRATIVE

Project: National Grid Little Falls NY
Pace Project No.: 30626426

Method: EPA 9012B
Description: 9012B Cyanide, Total
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: October 23, 2023

General Information:

11 samples were analyzed for EPA 9012B by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 9012B with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.