

August 5, 2021

Mr. Scott Deyette
New York State Department of Environmental Conservation
Division of Environmental Remediation, BURC
625 Broadway
Albany, New York 12233-7014

**Re: *National Grid Watertown Former MGP Site
Anthony Street
Watertown, New York
2021 Periodic Review Report***

Dear Mr. Deyette:

Enclosed for your review is the 2021 Periodic Review Report (PRR) for the National Grid Watertown Former MGP Site. The PRR pertains to the period from March 17, 2017 through June 1, 2021 and includes a brief report and Institutional Controls/Engineering Controls (IC/EC) Certification Form.

Please feel free to contact me at 315.428.5652 if you have any questions.

Sincerely,



for SPS
Steven P. Stucker, C.P.G.
Lead Environmental Engineer

Reporting Period – March 17, 2017 through June 1, 2021

I. Introduction

A. Brief Site Summary –

The Former Watertown Manufactured Gas Plant (MGP) Site (the Site) is located on an approximate 1.6 acre lot, approximately 150 feet southwest of City Center Drive, 200 feet northeast of Court Street, and 300 feet southwest of the Black River (refer to Figure 1, Site Location Map). The Site is currently occupied by the Empsall Plaza and another commercial building, and a portion of J.B. Wise Place, including a City of Watertown municipal parking lot/picnic pavilion. The MGP was constructed in or before 1884, and operated for approximately 25 years based on the review of the Sanborn maps. The MGP was apparently expanded in 1890 to include a purifying house; and again in 1902 with a third gas holder. MGP-related operations appear to have stopped between 1902 and 1909 with other businesses occupying some of the gas plant buildings. Between 1909 and 1949 all remnants of the MGP-related structures were removed, and between 1949 and 1971 Anthony Street was renamed J.B. Wise Place.

A remedial investigation (RI), was conducted between 2004 and 2011 to determine the nature and extent of MGP-related impacts at the Site. The results of the RI are presented in detail in the NYSDEC-approved December 2012 RI Repot. Additionally National Grid's September 23, 2013 and February 24, 2016 letters to the NYSDEC presented the results of groundwater sampling events. The RI involved soil, bedrock and groundwater investigations, sewer line evaluation, soil vapor investigations, and riverbank investigations.

The site investigations identified impacted soils from MGP related activities, specifically coal tar and purifier waste. The constituents of concern (COCs) are primarily the volatile organic compounds (VOCs) benzene, toluene, ethylbenzene, and xylenes (collectively, BTEX), the general class of semi-volatile organic compounds (SVOCs) known as polycyclic aromatic hydrocarbons (PAHs), and cyanide, all of which were found at the Site. No off-site impacts to groundwater were found.

B. Remedial Program Effectiveness – During the reporting period (March 17, 2017 to June 1, 2021) the long-term remedial objectives were met for the site.

C. Remedial Program Compliance - The major elements within the Institutional Control/Engineering Control(s) (IC/EC) Plan are in compliance.

Reporting Period – March 17, 2017 through June 1, 2021

- D. Remedial Program Recommendations** - It is recommended that no changes be made to the IC/EC Plan. It is recommended that an annual Periodic Review Report (PRR) be submitted. The next PRR submittal will cover the period June 1, 2021 to June 1, 2022.

II. Site Overview

A. Site Location and Boundaries –

The Site is located approximately 150 feet southwest of City Center Drive, 200 feet northeast of Court Street, and 300 feet southwest of the Black River, in the City of Watertown, County of Jefferson, New York (Figure 1 presents the site location map). The Site is an approximate 1.6-acre area bounded by Black River Parkway to the north, privately-owned properties to the east, south and west. Currently, the property is occupied by the Empsall Plaza and another commercial building, and a portion of J.B. Wise Place, including a City of Watertown municipal parking lot/picnic pavilion.

B. Regulatory History and Remedy Features –

The Site was remediated between September 2008 and 2011 in accordance with the *Voluntary Consent Order #D0-0001-0011* and the NYSDEC Decision Document for the site issued on September 2, 2014. This PRR is being completed in compliance with Section 5.3 of the NYSDEC – approved Site Management Plan (SMP) for the project. A Deed of Restrictions and Covenants (DCR), dated February 21, 2018 and recorded on March 21, 2018, was placed on the City of Watertown, and shall be included in Appendix A of the SMP.

III. Evaluate Remedy Performance, Effectiveness, and Protectiveness

- A. Evaluation of Remedy Performance** – Annual visual inspections of the cover system are conducted on the Site. The remedy performance has been effective in protecting the public.

IV. IC/EC Plan Compliance Report

A. IC/EC Requirements and Compliance

1. IC/EC Controls

The ICs/ECs:

National Grid- Watertown Former MGP Site (NYSDEC Site No. 623029)

Reporting Period – March 17, 2017 through June 1, 2021

- **Soil Cover System:** Annual site inspection of the cover system includes identification of any damage to the cover (i.e., structures such as buildings and pavement). National Grid conducts quarterly inspections for internal security purposes. See Attachment 1 for the Site Inspection Forms.
- **Monitoring Wells Associated with Monitored Natural Attenuation (MNA):** Annual groundwater sampling of the monitoring well system will be conducted, until either water quality is consistently below NYSDEC standards, or has become asymptotic at an acceptable level over an extended period.

2. **IC/EC Goals** - Each goal is being met and/or working effectively.
3. **IC/EC Corrective Measures** – Manways for the eight (8) monitoring wells were recommended for replacement following the March 2021 quarterly inspection, which was completed prior to the June 2021 inspection. No other deficiencies were noted during the site inspections.
4. **IC/EC Conclusions/Recommendations** – The EC program is in compliance and there are no recommendations for the program at this time.
5. **IC/EC Certification** – Refer to PRR Form - Attachment 2 for the certification.

V. Monitoring Plan Compliance Report – The Annual Monitoring Report was submitted to the NYSDEC on January 25, 2021. See Attachment 3 for a copy of the Annual Monitoring Report.

VI. Operation & Maintenance (O&M) Plan Compliance Report – Not Applicable

VII. Overall PRR Conclusions and Recommendations

A. Compliance with Site Management Plan (SMP)

1. **Requirements** – All IC/EC Plan requirements were met during this reporting period.

National Grid- Watertown Former MGP Site (NYSDEC Site No. 623029)

Reporting Period – March 17, 2017 through June 1, 2021

2. **Exposure Pathways** – There are no new completed exposure pathways resulting in unacceptable risk.
 3. **Proposed Plans and Schedule to Meet Compliance** – No plan proposed.
- B. **Performance and Effectiveness of the Remedy** – The remedy as described in the Site Management Plan and executed by National Grid has been effective in meeting the program goals.
- C. **Future PRR Submittals** – The frequency of PRR Submittals should remain annual. Therefore, the next PRR reporting period will cover June 1, 2021 to June 1, 2022.

VIII. Additional Guidance – Not needed.

National Grid- Watertown Former MGP Site (NYSDEC Site No. 623029)

Reporting Period – March 17, 2017 through June 1, 2021

REFERENCES

Arcadis, 2017. “Site Management Plan, Watertown (Anthony Street) Former MGP Site”, March 2017.

National Grid- Watertown Former MGP Site (NYSDEC Site No. 623029)

Reporting Period – March 17, 2017 through June 1, 2021

Attachment 1: Site Inspection Forms

Site Management Plan Inspection Form**Anthony Street****Former MGP Site****Watertown, New York**Date: 6/23/2021Technician: KLTime: 7:30Weather: Sunny 56**General Site Wide Conditions**

Any signs of ground-intrusive activities?	YES	NO	COMMENTS:	
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:	
Any surface erosion?	YES	NO	COMMENTS:	
Any settlement?	YES	NO	COMMENTS:	
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:	
Excessive cracking or missing pavement?	YES	NO	COMMENTS:	
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:	
Any repairs, maintenace or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Have the front lawns been mowed?	YES	NO	COMMENTS:	
Conditon of the asphalt pavement	GOOD	FAIR	POOR	COMMENTS:
Conditon of the front sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Conditon of the building foundations?	GOOD	FAIR	POOR	COMMENTS:
Are the requirements of the SMP being met?	YES	NO	COMMENTS:	
Are there any needed changes?	YES	NO	COMMENTS:	
Are the site records complete and up to date?	YES	NO	COMMENTS:	

Site Monitoring Wells

Well ID.	Location Secure	
MW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-3R	YES	NO
MW-4R	YES	NO
MW-5R	YES	NO
MW-6R	YES	NO
MW-7R	YES	NO

General Comments:

All 8 Well manholes are replaced June 23-24, 2021.

Asphalt broken up near MW-1

Site Management Plan Inspection Form**Anthony Street****Former MGP Site****Watertown, New York**Date: 3/30/2021Technician: KLTime: 7:30Weather: Sunny 35**General Site Wide Conditions**

Any signs of ground-intrusive activities?	YES	NO	COMMENTS:	
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:	
Any surface erosion?	YES	NO	COMMENTS:	
Any settlement?	YES	NO	COMMENTS:	
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:	
Excessive cracking or missing pavement?	YES	NO	COMMENTS:	
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:	
Any repairs, maintenace or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Have the front lawns been mowed?	YES	NO	COMMENTS:	
Conditon of the asphalt pavement	GOOD	FAIR	POOR	COMMENTS:
Conditon of the front sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Conditon of the building foundations?	GOOD	FAIR	POOR	COMMENTS:
Are the requirements of the SMP being met?	YES	NO	COMMENTS:	
Are there any needed changes?	YES	NO	COMMENTS:	
Are the site records complete and up to date?	YES	NO	COMMENTS:	

Site Monitoring Wells

Well ID.	Location Secure	
MW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-3R	YES	NO
MW-4R	YES	NO
MW-5R	YES	NO
MW-6R	YES	NO
MW-7R	YES	NO

General Comments:

Well manholes should be replaced.

Site Management Plan Inspection Form**Anthony Street****Former MGP Site****Watertown, New York**Date: 12/10/2020Technician: KLTime: 9:30Weather: Cloudy 38**General Site Wide Conditions**

Any signs of ground-intrusive activities?	YES	NO	COMMENTS:	
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:	
Any surface erosion?	YES	NO	COMMENTS:	
Any settlement?	YES	NO	COMMENTS:	
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:	
Excessive cracking or missing pavement?	YES	NO	COMMENTS:	
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:	
Any repairs, maintenace or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Have the front lawns been mowed?	YES	NO	COMMENTS:	
Conditon of the asphalt pavement	GOOD	FAIR	POOR	COMMENTS:
Conditon of the front sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Conditon of the building foundations?	GOOD	FAIR	POOR	COMMENTS:
Are the requirements of the SMP being met?	YES	NO	COMMENTS:	
Are there any needed changes?	YES	NO	COMMENTS:	
Are the site records complete and up to date?	YES	NO	COMMENTS:	

Site Monitoring Wells

Well ID.	Location Secure	
MW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-3R	YES	NO
MW-4R	YES	NO
MW-5R	YES	NO
MW-6R	YES	NO
MW-7R	YES	NO

General Comments:

Site Management Plan Inspection Form**Anthony Street****Former MGP Site****Watertown, New York**Date: 8/11/2020Technician: KL/BHTime: 12:45Weather: Sunny 85**General Site Wide Conditions**

Any signs of ground-intrusive activities?	YES	NO	COMMENTS:	
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:	
Any surface erosion?	YES	NO	COMMENTS:	
Any settlement?	YES	NO	COMMENTS:	
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:	
Excessive cracking or missing pavement?	YES	NO	COMMENTS: Some near MW-1	
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:	
Any repairs, maintenace or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Have the front lawns been mowed?	YES	NO	COMMENTS:	
Conditon of the asphalt pavement	GOOD	FAIR	POOR	COMMENTS:
Conditon of the front sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Conditon of the building foundations?	GOOD	FAIR	POOR	COMMENTS:
Are the requirements of the SMP being met?	YES	NO	COMMENTS:	
Are there any needed changes?	YES	NO	COMMENTS:	
Are the site records complete and up to date?	YES	NO	COMMENTS:	

Site Monitoring Wells

Well ID.	Location Secure	
MW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-3R	YES	NO
MW-4R	YES	NO
MW-5R	YES	NO
MW-6R	YES	NO
MW-7R	YES	NO

General Comments:

All well bolts partially or fully stripped. Recommend replace all.

National Grid- Watertown Former MGP Site (NYSDEC Site No. 623029)

Reporting Period – March 17, 2017 through June 1, 2021

Attachment 2: PRR Certification Form



Enclosure 2
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form



Site Details

Box 1

Site No. 623029

Site Name NM - Anthony St. - Watertown MGP

Site Address: Anthony St Zip Code: 13601
City/Town: Watertown
County: Jefferson
Site Acreage: 1.600

Reporting Period: March 17, 2017 to June 01, 2021

YES NO

1. Is the information above correct?

☒ ☐

If NO, include handwritten above or on a separate sheet.

2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?

☐ ☒

3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?

☐ ☒

4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?

☐ ☒

If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.

5. Is the site currently undergoing development?

☐ ☒

Box 2

YES NO

6. Is the current site use consistent with the use(s) listed below?
Restricted-Residential, Commercial, and Industrial

☒ ☐

7. Are all ICs in place and functioning as designed?

☒ ☐

IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

SITE NO. 623029

Description of Institutional Controls

Parcel

Owner

Institutional Control

7-01-132

JB Wise Professional Building LLC

Ground Water Use Restriction
Soil Management Plan
Landuse Restriction
Monitoring Plan
Site Management Plan
IC/EC Plan

An Environmental Easement is required for the controlled property that a) requires the remedial party or site owner to complete and submit to the Department a periodic certification of institutional and engineering controls b) allows the use and development of the controlled property for restricted-residential, commercial and industrial uses, although land use is subject to local zoning laws c) restricts the use of groundwater as a source of potable or process water, without necessary water quality treatment as determined by the NYSDOH or County DOH and d) requires compliance with the Department approved Site Management Plan.

A Site Management Plan is required which includes the following: a) an Institutional and Engineering Control Plan that identifies all use restrictions and engineering controls for the site and details the steps and media-specific requirements necessary to ensure the following institutional and/or engineering controls remain in place and effective b) an Excavation Plan which details the provisions for management of future excavations in areas of remaining contamination c) a provision for further investigation and remediation if any of the existing buildings are demolished, or if the subsurface is otherwise made accessible d) descriptions of the provisions of the deed restriction including any land use, and groundwater use restrictions e) the management and inspection of the identified engineering controls f) maintaining site access controls and Department notification f) the steps necessary for periodic reviews and certification of the institutional and engineering controls.

A Monitoring Plan is required to assess the current conditions at the site. The plan will include a) monitoring of groundwater to assess any change in the current conditions and b) a schedule of monitoring and frequency of submittals to the Department.

7-01-133

JB Wise Professional Building LLC

Ground Water Use Restriction
Soil Management Plan
Landuse Restriction
Monitoring Plan
Site Management Plan
IC/EC Plan

An Environmental Easement is required for the controlled property that a) requires the remedial party or site owner to complete and submit to the Department a periodic certification of institutional and engineering controls b) allows the use and development of the controlled property for restricted-residential, commercial and industrial uses, although land use is subject to local zoning laws c) restricts the use of groundwater as a source of potable or process water, without necessary water quality treatment as determined by the NYSDOH or County DOH and d) requires compliance with the Department approved Site Management Plan.

A Site Management Plan is required which includes the following: a) an Institutional and Engineering Control Plan that identifies all use restrictions and engineering controls for the site and details the steps and media-specific requirements necessary to ensure the following institutional and/or engineering controls remain in place and effective b) an Excavation Plan which details the provisions for management of future excavations in areas of remaining contamination c) a provision for further investigation and remediation if any of the existing buildings are demolished, or if the subsurface is otherwise made accessible d) descriptions of the provisions of the deed restriction including any land use, and groundwater use restrictions e) the management and inspection of the identified engineering controls f) maintaining site

access controls and Department notification f) the steps necessary for periodic reviews and certification of the institutional and engineering controls.

A Monitoring Plan is required to assess the current conditions at the site. The plan will include a) monitoring of groundwater to assess any change in the current conditions and b) a schedule of monitoring and frequency of submittals to the Department.

7-01-134.1

Fun Xcape LLC

Ground Water Use Restriction
Soil Management Plan
Landuse Restriction
Monitoring Plan
Site Management Plan
IC/EC Plan

An Environmental Easement is required for the controlled property that a) requires the remedial party or site owner to complete and submit to the Department a periodic certification of institutional and engineering controls b) allows the use and development of the controlled property for restricted-residential, commercial and industrial uses, although land use is subject to local zoning laws c) restricts the use of groundwater as a source of potable or process water, without necessary water quality treatment as determined by the NYSDOH or County DOH and d) requires compliance with the Department approved Site Management Plan.

A Site Management Plan is required which includes the following: a) an Institutional and Engineering Control Plan that identifies all use restrictions and engineering controls for the site and details the steps and media-specific requirements necessary to ensure the following institutional and/or engineering controls remain in place and effective b) an Excavation Plan which details the provisions for management of future excavations in areas of remaining contamination c) a provision for further investigation and remediation if any of the existing buildings are demolished, or if the subsurface is otherwise made accessible d) descriptions of the provisions of the deed restriction including any land use, and groundwater use restrictions e) the management and inspection of the identified engineering controls f) maintaining site access controls and Department notification f) the steps necessary for periodic reviews and certification of the institutional and engineering controls.

A Monitoring Plan is required to assess the current conditions at the site. The plan will include a) monitoring of groundwater to assess any change in the current conditions and b) a schedule of monitoring and frequency of submittals to the Department.

7-01-137

City of Watertown

Ground Water Use Restriction
Soil Management Plan
Landuse Restriction
Monitoring Plan
Site Management Plan
IC/EC Plan

A Deed Restriction has been recorded for the controlled property that a) requires the remedial party or site owner to complete and submit to the Department a periodic certification of institutional and engineering controls b) allows the use and development of the controlled property for restricted-residential, commercial and industrial uses, although land use is subject to local zoning laws c) restricts the use of groundwater as a source of potable or process water, without necessary water quality treatment as determined by the NYSDOH or County DOH and d) requires compliance with the Department approved Site Management Plan.

A Site Management Plan is required which includes the following: a) an Institutional and Engineering Control Plan that identifies all use restrictions and engineering controls for the site and details the steps and media-specific requirements necessary to ensure the following institutional and/or engineering controls remain in place and effective b) an Excavation Plan which details the provisions for management of future excavations in areas of remaining contamination c) a provision for further investigation and remediation if any of the existing buildings are demolished, or if the subsurface is otherwise made accessible d) descriptions of the

provisions of the deed restriction including any land use, and groundwater use restrictions e) the management and inspection of the identified engineering controls f) maintaining site access controls and Department notification f) the steps necessary for periodic reviews and certification of the institutional and engineering controls.

A Monitoring Plan is required to assess the current conditions at the site. The plan will include a) monitoring of groundwater to assess any change in the current conditions and b) a schedule of monitoring and frequency of submittals to the Department.

7-01-144

HKBEE Apart. Housing DFC

Ground Water Use Restriction
Soil Management Plan
Landuse Restriction
Monitoring Plan
Site Management Plan
IC/EC Plan

An Environmental Easement is required for the controlled property that a) requires the remedial party or site owner to complete and submit to the Department a periodic certification of institutional and engineering controls b) allows the use and development of the controlled property for restricted-residential, commercial and industrial uses, although land use is subject to local zoning laws c) restricts the use of groundwater as a source of potable or process water, without necessary water quality treatment as determined by the NYSDOH or County DOH and d) requires compliance with the Department approved Site Management Plan.

A Site Management Plan is required which includes the following: a) an Institutional and Engineering Control Plan that identifies all use restrictions and engineering controls for the site and details the steps and media-specific requirements necessary to ensure the following institutional and/or engineering controls remain in place and effective b) an Excavation Plan which details the provisions for management of future excavations in areas of remaining contamination c) a provision for further investigation and remediation if any of the existing buildings are demolished, or if the subsurface is otherwise made accessible d) descriptions of the provisions of the deed restriction including any land use, and groundwater use restrictions e) the management and inspection of the identified engineering controls f) maintaining site access controls and Department notification f) the steps necessary for periodic reviews and certification of the institutional and engineering controls.

A Monitoring Plan is required to assess the current conditions at the site. The plan will include a) monitoring of groundwater to assess any change in the current conditions and b) a schedule of monitoring and frequency of submittals to the Department.

Description of Engineering Controls

Parcel

Engineering Control

7-01-132

Cover System
Monitoring Wells

A site cover currently exists and will be maintained to allow for restricted-residential use of the site. Any site redevelopment will maintain a site cover, which may consist either of the structures such as buildings, pavement, sidewalks comprising the site development or a soil cover in areas where the upper two feet of exposed soil will exceed the applicable soil cleanup objectives (SCOs) for restricted residential use of the site. Where a soil cover is required it will be a minimum of two feet of soil, meeting the SCOs for cover material as set forth in 6 NYCRR Part 375-6.7(d) for restricted-residential use. The soil cover will be placed over a demarcation layer, with the upper six inches of the soil of sufficient quality to maintain a vegetation layer. Any fill material brought to the site will meet the requirements for restricted residential site use as set forth in 6 NYCRR Part 375-6.7(d).

7-01-133

Cover System

A site cover currently exists and will be maintained to allow for restricted-residential use of the site. Any site redevelopment will maintain a site cover, which may consist either of the

Parcel

Engineering Control

structures such as buildings, pavement, sidewalks comprising the site development or a soil cover in areas where the upper two feet of exposed soil will exceed the applicable soil cleanup objectives (SCOs) for restricted residential use of the site. Where a soil cover is required it will be a minimum of two feet of soil, meeting the SCOs for cover material as set forth in 6 NYCRR Part 375-6.7(d) for restricted-residential use. The soil cover will be placed over a demarcation layer, with the upper six inches of the soil of sufficient quality to maintain a vegetation layer. Any fill material brought to the site will meet the requirements for restricted residential site use as set forth in 6 NYCRR Part 375-6.7(d).

7-01-134.1

Cover System
Monitoring Wells

A site cover currently exists and will be maintained to allow for restricted-residential use of the site. Any site redevelopment will maintain a site cover, which may consist either of the structures such as buildings, pavement, sidewalks comprising the site development or a soil cover in areas where the upper two feet of exposed soil will exceed the applicable soil cleanup objectives (SCOs) for restricted residential use of the site. Where a soil cover is required it will be a minimum of two feet of soil, meeting the SCOs for cover material as set forth in 6 NYCRR Part 375-6.7(d) for restricted-residential use. The soil cover will be placed over a demarcation layer, with the upper six inches of the soil of sufficient quality to maintain a vegetation layer. Any fill material brought to the site will meet the requirements for restricted residential site use as set forth in 6 NYCRR Part 375-6.7(d).

7-01-137

Monitoring Wells
Cover System

A site cover currently exists and will be maintained to allow for restricted-residential use of the site. Any site redevelopment will maintain a site cover, which may consist either of the structures such as buildings, pavement, sidewalks comprising the site development or a soil cover in areas where the upper two feet of exposed soil will exceed the applicable soil cleanup objectives (SCOs) for restricted residential use of the site. Where a soil cover is required it will be a minimum of two feet of soil, meeting the SCOs for cover material as set forth in 6 NYCRR Part 375-6.7(d) for restricted-residential use. The soil cover will be placed over a demarcation layer, with the upper six inches of the soil of sufficient quality to maintain a vegetation layer. Any fill material brought to the site will meet the requirements for restricted residential site use as set forth in 6 NYCRR Part 375-6.7(d).

7-01-144

Monitoring Wells
Cover System

A site cover currently exists and will be maintained to allow for restricted-residential use of the site. Any site redevelopment will maintain a site cover, which may consist either of the structures such as buildings, pavement, sidewalks comprising the site development or a soil cover in areas where the upper two feet of exposed soil will exceed the applicable soil cleanup objectives (SCOs) for restricted residential use of the site. Where a soil cover is required it will be a minimum of two feet of soil, meeting the SCOs for cover material as set forth in 6 NYCRR Part 375-6.7(d) for restricted-residential use. The soil cover will be placed over a demarcation layer, with the upper six inches of the soil of sufficient quality to maintain a vegetation layer. Any fill material brought to the site will meet the requirements for restricted residential site use as set forth in 6 NYCRR Part 375-6.7(d).

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted

YES NO

☒ ☐

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

(a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

☒ ☐

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

IC CERTIFICATIONS
SITE NO. 623029

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.


I Gerald Cresap, PE at 6780 Northern Blvd. Suite 100, East Syracuse, NY,

print name

print business address

am certifying as Agent for National Grid (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.


Signature of Owner, Remedial Party, or Designated Representative
Rendering Certification

8/4/2021
Date



EC CERTIFICATIONS



Box 7

Qualified Environmental Professional Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Gerald Cresap, PE at 6780 Northern Blvd. Suite 100, East Syracuse, NY,
print name print business address

am certifying as a Qualified Environmental Professional for the Agent for National Grid
Owner or Remedial Party)



8/4/2021

Signature of Qualified Environmental Professional, for
the Owner or Remedial Party, Rendering Certification

Stamp
(Required for PE)

Date

National Grid- Watertown Former MGP Site (NYSDEC Site No. 623029)

Reporting Period – March 17, 2017 through June 1, 2021

Attachment 3: Annual Monitoring Report

January 25, 2021

Mr. Scott Deyette
Project Manager
New York State Department of Environmental Conservation
Division of Environmental Remediation, BURC
625 Broadway
Albany, New York 12233-7014

**RE: National Grid Former Manufactured Gas Plant Site
Anthony Street, Watertown, New York
Annual Groundwater Monitoring Report**

Dear Mr. Deyette:

Enclosed for your review is the Annual Groundwater Monitoring Report for the NG Watertown Former MGP Site, for calendar year 2020.

Groundwater and Environmental Service, Inc., (GES) OM&M contractor for National Grid, conducts all long-term OM&M activities at the site. Site inspections were conducted in August and December of 2020. The site is generally in good shape and in compliance. There were detections of BTEX and/or PAH in all seven monitoring wells sampled.

If you have any questions, then please feel free to contact me at 315.428.5652.

Very truly yours,



for SPS

Steven P. Stucker, C.P.G.
Lead Environmental Engineer
National Grid

Cc: Devin T. Shay – Groundwater and Environmental Services, Inc.

National Grid

Annual Groundwater Monitoring Report



National Grid Watertown (Anthony Street) Former MGP Site
Anthony Street, Watertown NY13601

January 2021

Version 1





Annual Groundwater Monitoring Report

National Grid Watertown (Anthony St.)
Former MGP Site
Anthony Street
Watertown, NY 13601

Prepared for:
National Grid
300 Erie Boulevard West, C-1
Syracuse, NY 13202

Prepared by:
Groundwater & Environmental Services, Inc.
5 Technology Place, Suite 4
East Syracuse, NY 13057
TEL: 800-220-3069
www.gesonline.com

GES Project:
0603200.136010.221

Date:
January 25, 2021

A handwritten signature in black ink, appearing to read "D. Shay", is positioned above a horizontal line.

Devin T. Shay, PG
Program Manager / Principal Hydrogeologist



Table of Contents

1	Introduction	1
2	Annual Groundwater Monitoring	1
2.1	Objectives	1
2.2	Groundwater Well Gauging	1
2.3	Groundwater Well Sampling and Analytical Results	2
3	Quarterly Site-Wide Inspections	2
4	Recommendations	3

Figures

Figure 1 – Site Location Map

Figure 2 – Site Map

Figure 3 – Groundwater Contour Map

Figure 4 – Groundwater Analytical map

Tables

Table 1 – Groundwater Monitoring Well Gauging Data

Table 2 – Groundwater Analytical Data

Appendices

Appendix A – Field Inspection Reports

Appendix B – Well Sampling Field Data

Appendix C – Data Usability Summary Report

1 Introduction

This Annual Groundwater Monitoring Report presents results from the activities conducted at the Watertown (Anthony Street) former non-owned manufactured gas plant (MGP) site, located in Watertown, New York (the Site). A site location map is presented on Figure 1, a site map is presented as Figure 2. The annual monitoring activities summarized herein are performed in accordance with the Site Management Plan for the site, prepared by Arcadis, and approved by the New York State Department of Environmental Conservation (NYSDEC) on March 17, 2017.

A detailed discussion of the annual monitoring activities and results is presented below.

2 Annual Groundwater Monitoring

2.1 Objectives

The objectives of the August 2020 groundwater monitoring activities were to:

- Obtain groundwater elevation data from monitoring wells in the vicinity of the site to evaluate groundwater flow direction, and compare the results with historical groundwater flow conditions.
- Obtain analytical data to assess potential changes in groundwater quality at the site and compare the results to the Class GA groundwater standards and guidance values presented in the NYSDEC document entitled, "Division of Water Technical and Operational Guidance Series (1.1.1) Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations" (TOGS 1.1.1), reissued June 1998 and amended April 2000 and June 2004.

2.2 Groundwater Well Gauging

The August 11, 2020 groundwater monitoring field activities were conducted by GES. Prior to collecting groundwater samples, static fluid level measurements were collected from MW-1, MW-2, MW-3, MW-3R, MW-4E, MW-5R, MW-6R and MW-7R. Water levels were measured to the nearest 0.01 foot using an electronic oil-water interface probe to determine the depth from a surveyed mark on the top of the inner polyvinyl chloride (PVC) well casing to the groundwater within the well.

The fluid level measurements obtained from each monitoring well were converted to groundwater elevations using the surveyed well elevations. The calculated groundwater elevations for each monitoring well are listed in Table 1, and are depicted on Figure 3. Table 1 also includes groundwater elevation measurements obtained during previous groundwater monitoring events.

Groundwater generally flows to the north-northwest from the Site toward the Black River. Groundwater elevations ranged from 422.20 feet above sea level (asl; well MW-7R) to 438.92 feet asl (well MW-2). Field data from the gauging event is presented in Appendix B.

2.3 Groundwater Well Sampling and Analytical Results

Groundwater samples were collected by GES from seven (7) monitoring wells on August 11, 2020 (including MW-1, MW-2, MW-3R, MW-4E, MW-5R, MW-6R and MW-7R). Low-flow sampling techniques were used to purge groundwater from each monitoring well prior to collecting groundwater samples. Field parameters (consisting of turbidity, temperature, pH, conductivity, oxidation reduction potential [ORP], and dissolved oxygen) were measured approximately every 5 to 10 minutes during well purging, and the depth to water was monitored throughout the pumping process to minimize drawdown within the well. Well purging activities continued at each well until the field parameters stabilized and the turbidity of the water in the wells was reduced to less than 50 nephelometric turbidity units (NTUs). Groundwater field data is presented in Appendix B.

Following purging, groundwater samples were collected. The groundwater samples were bottled and shipped to Pace Analytical for laboratory analysis for Benzene, Toluene, Ethylbenzene, and total Xylenes (BTEX; EPA Method 8260C), Semi-Volatile Polycyclic Aromatic Hydrocarbons (PAHs; EPA Method 8270D), as well as total cyanide (EPA Method 9012B). Quality assurance/quality control (QA/QC) samples, including a field duplicate, matrix spike, and duplicate matrix spike were also submitted for laboratory analysis. The laboratory analytical results for the groundwater samples were reported using NYSDEC Analytical Services Protocol (ASP) Category B data deliverable packages to facilitate data validation.

Purge water generated during the sampling activities was collected in 5-gallon buckets and transferred into 55-gallon steel drums for characterization prior to offsite treatment/disposal in accordance with applicable regulations.

Analytical results from the laboratory analysis report are summarized in Table 2 and compared to the Class GA groundwater standards and guidance values presented in TOGS 1.1.1. VOC exceedances are bolded on Table 2 and further shown on Figure 4. The Data Usability Summary Report (DUSR) is included in Appendix C.

There were BTEX and/or PAH detections in all the monitoring wells sampled. BTEX, acenaphthene, benzo(b)fluoranthene, chrysene, and naphthalene were detected above the regulatory criteria in one or more samples. Cyanide was detected in monitoring wells MW-1, MW-2, MW-4R, and MW-5R.

3 Quarterly Site-Wide Inspections

The quarterly site-wide inspections were started on August 11, 2020. A site inspection was also completed on December 10, 2020. The Site Inspection Forms are presented in Appendix A. In general, the Site is in compliance.




4 Recommendations


At this time, National Grid recommends continuing the annual monitoring activities. The next annual groundwater sampling event would be in the Summer 2021. Annual site-wide inspections are required; however, for internal security purposes, National Grid will continue to conduct quarterly site-wide inspections.



Figures



Source:
USGS 7.5 Minute Series
Topographic Quadrangle, 1982
Watertown, New York
Contour Interval = 10'



Site Location Map

National Grid
Anthony Street
Watertown, New York

Drawn
W.G.S.
Designed
Approved




Date
8/19/20
Figure
1

Scale In Feet



Groundwater & Environmental Services, Inc.

M:\Graphics\0600-Syracuse\Misc\National Grid\Watertown\Watertown SM.dwg, B60 sm, V\Shea



LEGEND

---	PROPERTY BOUNDARY
	CATCH BASIN
	UTILITY MANHOLE
	FIRE HYDRANT
	LIGHT POLE
	UTILITY POLE
	OVERBURDEN MONITORING WELL
	BEDROCK MONITORING WELL
	DESTROYED MONITORING WELL
---	ELECTRIC LINE
---	GAS LINE
---	WATER LINE
---	STORM SEWER LINE
---	SANITARY SEWER LINE

Site Map

National Grid
Anthony Street
Watertown, New York

Drawn
W.G.S.
Designed
Approved

Date
8/19/20
Figure
2




Scale In Feet

0 60



M:\Graphics\0600-Syracuse\Misc\National Grid\Watertown\Watertown SM.dwg, B60 sm, V\Shea



LEGEND

- PROPERTY BOUNDARY
- CATCH BASIN
- UTILITY MANHOLE
- FIRE HYDRANT
- LIGHT POLE
- UTILITY POLE
- OVERBURDEN MONITORING WELL
- BEDROCK MONITORING WELL
- DESTROYED MONITORING WELL
- (422.66) GROUNDWATER ELEVATION (feet)
- GROUNDWATER CONTOUR (feet)

NOTE:

MW1 AND MW2 WERE NOT USED TO GENERATE GROUNDWATER CONTOURS.

Groundwater Contour Map
August 11, 2020

National Grid
Anthony Street
Watertown, New York

Drawn
W.G.S.
Designed


Approved

Date
11/20/20
Figure
3

Scale In Feet
0 60

Groundwater & Environmental Services, Inc.

M:\Graphics\0600-Syracuse\Misc\National Grid\Watertown\Watertown SM.dwg, B60 sm, V\Shea





Tables

Table 1
Groundwater Monitoring Well Gauging Data

Well ID	Well Type & Diameter	Top of Inner Casing Elevation	Depth To Well Bottom	Well Bottom Elevation	Screen Elevation	Depth To Water (12/14/15)	Groundwater Elevation (12/14/15)	Depth To Water (08/11/20)	Groundwater Elevation (08/11/20)
MW-1	Flushmount; PVC; 2-inch	444.62	8.50	436.12	3.00 - 8.00	7.47	436.92	7.11	437.51
MW-2	Flushmount; PVC; 2-inch	444.60	8.50	436.10	3.00 - 8.00	6.00	438.35	5.68	438.92
MW-3	Flushmount; PVC; 2-inch	445.39	8.70	436.69	3.20 - 8.20	7.25	438.40	DRY	-
MW-3R	Flushmount; PVC; 2-inch	445.48	24.40	421.08	14.40 - 24.00	22.81	422.52	22.82	422.66
MW-4R	Flushmount; PVC; 2-inch	444.76	50.00	394.76	20.00 - 40.00	23.11	421.22	22.28	422.48
MW-5R	Flushmount; PVC; 2-inch	444.60	50.00	394.60	20.00 - 40.00	22.02	422.04	22.00	422.60
MW-6R	Flushmount; PVC; 2-inch	445.16	50.00	395.16	18.00 - 40.00	22.56	421.69	22.57	422.59
MW-7R	Flushmount; PVC; 2-inch	443.60	45.00	398.60	18.00 - 40.00	21.45	421.67	21.40	422.20

Table 2

Groundwater Analytical Data

MW-1

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/27/05	09/08/10	06/25/13	12/15/15	08/11/20
BTEX			ND	ND	ND	ND	ND
Benzene	1	µg/L	ND	ND	ND	ND	ND
Ethylbenzene	5	µg/L	ND	ND	ND	ND	ND
Toluene	5	µg/L	ND	ND	ND	ND	ND
Total Xylenes	5	µg/L	ND	ND	ND	ND	ND
SVOCs			ND	ND	6.8 J	ND	0.95
Acenaphthene	20	µg/L	ND	ND	ND	ND	ND
Acenaphthylene	- -	µg/L	ND	ND	ND	ND	ND
Anthracene	50	µg/L	ND	ND	ND	ND	ND
Benzo(a)anthracene	0.002	µg/L	ND	ND	0.86 J	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	0.79 J	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	1.1 J	ND	ND
Benzo(g,h,i)perylene	- -	µg/L	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	0.78 J	ND	ND
Dibenz(a,h)anthracene	- -	µg/L	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	ND	ND	ND
Fluorene	50	µg/L	ND	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND
Naphthalene	10	µg/L	ND	ND	ND	ND	0.95
Phenanthrene	50	µg/L	ND	ND	0.77 J	ND	ND
Pyrene	50	µg/L	ND	ND	1.2 J	ND	ND
Inorganics							
Cyanide, Total	200	µg/L	744	596	210	31	150

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS



Table 2

Groundwater Analytical Data

MW-2

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/27/05	10/15/08	09/08/10	06/25/13	12/14/15	08/11/20
BTEX			4.0 J	5.5 J	4.2	2.8	1.4	3.2
Benzene	1	µg/L	4.0 J	4.3	2.4	2.8	1.4	3.2
Ethylbenzene	5	µg/L	ND	0.90 J	ND	ND	ND	ND
Toluene	5	µg/L	ND	ND	1.8	ND	ND	ND
Total Xylenes	5	µg/L	ND	0.30 J	ND	ND	ND	ND
SVOCs			ND	4.3 J	2.4 J	ND	ND	1.3
Acenaphthene	20	µg/L	ND	ND	ND	ND	ND	ND
Acenaphthylene	- -	µg/L	ND	ND	ND	ND	ND	ND
Anthracene	50	µg/L	ND	ND	ND	ND	ND	ND
Benzo(a)anthracene	0.002	µg/L	ND	ND	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene	- -	µg/L	ND	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	- -	µg/L	ND	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	ND	ND	ND	ND
Fluorene	50	µg/L	ND	ND	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND	ND
Naphthalene	10	µg/L	ND	4.3 J	2.4 J	ND	ND	1.3
Phenanthrene	50	µg/L	ND	ND	ND	ND	ND	ND
Pyrene	50	µg/L	ND	ND	ND	ND	ND	ND
Inorganics								
Cyanide, Total	200	µg/L	98	90	127 J	61	50	70

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS

Table 2

Groundwater Analytical Data
MW-3R

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/15/08	09/08/10	06/23/13	12/14/15	08/11/20
BTEX			ND	ND	ND	ND	ND
Benzene	1	µg/L	ND	ND	ND	ND	ND
Ethylbenzene	5	µg/L	ND	ND	ND	ND	ND
Toluene	5	µg/L	ND	ND	ND	ND	ND
Total Xylenes	5	µg/L	ND	ND	ND	ND	ND
SVOCs			ND	ND	ND	ND	1.1
Acenaphthene	20	µg/L	ND	ND	ND	ND	ND
Acenaphthylene	- -	µg/L	ND	ND	ND	ND	ND
Anthracene	50	µg/L	ND	ND	ND	ND	ND
Benzo(a)anthracene	0.002	µg/L	ND	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene	- -	µg/L	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	- -	µg/L	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	ND	ND	ND
Fluorene	50	µg/L	ND	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND
Naphthalene	10	µg/L	ND	ND	ND	ND	1.1
Phenanthrene	50	µg/L	ND	ND	ND	ND	ND
Pyrene	50	µg/L	ND	ND	ND	ND	ND
Inorganics							
Cyanide, Total	200	µg/L	2.5 J	ND	5.2 J	5.5 J	ND

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS

Table 2

Groundwater Analytical Data
MW-4R

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/16/08	09/07/10	06/26/13	12/14/15	08/11/20
BTEX			2,239	769	23.8	7.2 J	2.1
Benzene	1	µg/L	1,200	670 D	22	7.2 J	2.1
Ethylbenzene	5	µg/L	510	51	1.8	ND	ND
Toluene	5	µg/L	49	6.6	ND	ND	ND
Total Xylenes	5	µg/L	480	41	ND	ND	ND
SVOCs			443 J	16.89 J	ND	ND	1.14
Acenaphthene	20	µg/L	4.3 J	ND	ND	ND	ND
Acenaphthylene	- -	µg/L	ND	ND	ND	ND	ND
Anthracene	50	µg/L	ND	ND	ND	ND	ND
Benzo(a)anthracene	0.002	µg/L	ND	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene	- -	µg/L	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	- -	µg/L	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	ND	ND	ND
Fluorene	50	µg/L	1.3 J	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND
Naphthalene	10	µg/L	430	16	ND	ND	1.0
Phenanthrene	50	µg/L	6.9 J	0.89 J	ND	ND	0.14
Pyrene	50	µg/L	ND	ND	ND	ND	ND
Inorganics							
Cyanide, Total	200	µg/L	ND	ND	11	13	19

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS

Table 2

Groundwater Analytical Data
MW-5R

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/15/08	09/08/10	06/23/13	12/15/15	08/11/20
BTEX			20,300	12,800	27,100	8,340	29,290
Benzene	1	µg/L	3,800	4,200 D	6,600 D	3900	4,370
Ethylbenzene	5	µg/L	2,000	2,100 D	3,500 D	740	4,350
Toluene	5	µg/L	9,700	3,600 D	11,000 D	2600	13,200
Total Xylenes	5	µg/L	4,800	2,900 D	6,000 D	1100	7,370
SVOCs			1,927 J	2,461 J	3,598 J	2,231 J	7,647
Acenaphthene	20	µg/L	70 J	74	74 J	62 DJ	78.1
Acenaphthylene	- -	µg/L	69 J	26	56 J	17 J	46.3
Anthracene	50	µg/L	11 J	4.7	5.5 J	ND	4.4
Benzo(a)anthracene	0.002	µg/L	ND	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene	- -	µg/L	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	- -	µg/L	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	1.0 J	ND	0.66 J	0.92
Fluorene	50	µg/L	41 J	29	32 J	21 J	29.1
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND
Naphthalene	10	µg/L	1,700	2,300 D	3,400 D	2,200 D	7,460
Phenanthrene	50	µg/L	36 J	26	30 J	20 J	27.8
Pyrene	50	µg/L	ND	0.71 J	ND	0.56 J	0.74
Inorganics							
Cyanide, Total	200	µg/L	98	ND	180	89	86

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS

Table 2

Groundwater Analytical Data
MW-6R

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/16/08	09/08/10	06/25/13	12/15/15	08/11/20
BTEX			ND	ND	0.52 J	ND	ND
Benzene	1	µg/L	ND	ND	ND	ND	ND
Ethylbenzene	5	µg/L	ND	ND	ND	ND	ND
Toluene	5	µg/L	ND	ND	0.52 J	ND	ND
Total Xylenes	5	µg/L	ND	ND	ND	ND	ND
SVOCs			ND	ND	ND	ND	8.58
Acenaphthene	20	µg/L	ND	ND	ND	ND	0.20
Acenaphthylene	- -	µg/L	ND	ND	ND	ND	0.12
Anthracene	50	µg/L	ND	ND	ND	ND	0.28
Benzo(a)anthracene	0.002	µg/L	ND	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	0.14
Benzo(g,h,i)perylene	- -	µg/L	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	0.19
Dibenz(a,h)anthracene	- -	µg/L	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	ND	ND	0.38
Fluorene	50	µg/L	ND	ND	ND	ND	0.59
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND
Naphthalene	10	µg/L	ND	ND	ND	ND	3.7
Phenanthrene	50	µg/L	ND	ND	ND	ND	2.4
Pyrene	50	µg/L	ND	ND	ND	ND	0.58
Inorganics							
Cyanide, Total	200	µg/L	ND	ND	ND	ND	ND

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS

Table 2

Groundwater Analytical Data
MW-7R

	NYSDEC TOGS 1.1.1 Guidance Values	Units	10/16/08	09/07/10	06/25/13	12/15/15	08/11/20
BTEX			ND	ND	ND	ND	ND
Benzene	1	µg/L	ND	ND	ND	ND	ND
Ethylbenzene	5	µg/L	ND	ND	ND	ND	ND
Toluene	5	µg/L	ND	ND	ND	ND	ND
Total Xylenes	5	µg/L	ND	ND	ND	ND	ND
SVOCs			ND	ND	ND	ND	2.4
Acenaphthene	20	µg/L	ND	ND	ND	ND	ND
Acenaphthylene	- -	µg/L	ND	ND	ND	ND	ND
Anthracene	50	µg/L	ND	ND	ND	ND	ND
Benzo(a)anthracene	0.002	µg/L	ND	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene	- -	µg/L	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	- -	µg/L	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	ND	ND	ND
Fluorene	50	µg/L	ND	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND
Naphthalene	10	µg/L	ND	ND	ND	ND	2.4
Phenanthrene	50	µg/L	ND	ND	ND	ND	ND
Pyrene	50	µg/L	ND	ND	ND	ND	ND
Inorganics							
Cyanide, Total	200	µg/L	3.1 J	ND	ND	30	ND

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS



Appendix A – Field Inspection Reports

Site Management Plan Inspection Form**Anthony Street****Former MGP Site****Watertown, New York**Date: 12/10/2020Technician: KLTime: 9:30Weather: Cloudy 38**General Site Wide Conditions**

Any signs of ground-intrusive activities?	YES	NO	COMMENTS:	
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:	
Any surface erosion?	YES	NO	COMMENTS:	
Any settlement?	YES	NO	COMMENTS:	
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:	
Excessive cracking or missing pavement?	YES	NO	COMMENTS:	
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:	
Any repairs, maintenace or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Have the front lawns been mowed?	YES	NO	COMMENTS:	
Conditon of the asphalt pavement	GOOD	FAIR	POOR	COMMENTS:
Conditon of the front sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Conditon of the building foundations?	GOOD	FAIR	POOR	COMMENTS:
Are the requirements of the SMP being met?	YES	NO	COMMENTS:	
Are there any needed changes?	YES	NO	COMMENTS:	
Are the site records complete and up to date?	YES	NO	COMMENTS:	

Site Monitoring Wells

Well ID.	Location Secure	
MW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-3R	YES	NO
MW-4R	YES	NO
MW-5R	YES	NO
MW-6R	YES	NO
MW-7R	YES	NO

General Comments:

Site Management Plan Inspection Form**Anthony Street****Former MGP Site****Watertown, New York**

Date: 8/11/2020

Technician: KL/BH

Time: 12:45

Weather: Sunny 85

General Site Wide Conditions

Any signs of ground-intrusive activities?	YES	NO	COMMENTS:	
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:	
Any surface erosion?	YES	NO	COMMENTS:	
Any settlement?	YES	NO	COMMENTS:	
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:	
Excessive cracking or missing pavement?	YES	NO	COMMENTS: Near MW-1	
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:	
Any repairs, maintenace or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Have the front lawns been mowed?	YES	NO	COMMENTS:	
Conditon of the asphalt pavement	GOOD	FAIR	POOR	COMMENTS:
Conditon of the front sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Conditon of the building foundations?	GOOD	FAIR	POOR	COMMENTS:
Are the requirements of the SMP being met?	YES	NO	COMMENTS:	
Are there any needed changes?	YES	NO	COMMENTS:	
Are the site records complete and up to date?	YES	NO	COMMENTS:	

Site Monitoring Wells

Well ID.	Location Secure	
MW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-3R	YES	NO
MW-4R	YES	NO
MW-5R	YES	NO
MW-6R	YES	NO
MW-7R	YES	NO

General Comments:

All well bolts partially or fully stripped. Recommend replace all.



Appendix B – Well Sampling Field Data

Sampling Personnel: K

Job Number: 0603200-136010-221

Well Id. MW-1

Date: 8/11/17

Weather: Sunny

Time In: 12:00

Time Out:

Well Information

		TOC	Other
Depth to Water:	(feet)	<u>7.11</u>	
Depth to Bottom:	(feet)	<u>7.85</u>	
Depth to Product:	(feet)		
Length of Water Column:	(feet)	<u>74</u>	
Volume of Water in Well:	(gal)		
Three Well Volumes:	(gal)		

Well Type:

Flushmount ☒

Stick-Up ☐

Well Locked:

Yes ☒

No ☐

Measuring Point Marked:

Yes ☒

No ☐

Well Material:

PVC ☒ SS ☐

Other: ☐

Well Diameter:

1" ☐

2" ☒

Other: ☐

Comments:

Purging Information

Purging Method:

Tubing/Bailer Material:

Sampling Method:

Average Pumping Rate: (ml/min)

Duration of Pumping: (min)

Total Volume Removed: (gal)

Bailer ☐

Peristaltic ☒

Teflon ☐

Stainless St. ☐

Bailer ☐

Peristaltic ☒

Grundfos Pump ☐

Polyethylene ☒

Grundfos Pump ☐

Conversion Factors

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47

1 gallon=3.785L=3785mL=1337cu. feet

Did well go dry? Yes ☐ No ☐

Yes ☒ No ☐

Horiba U-52 Water Quality Meter Used?

Time	DTW (feet)	Temp	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
12:10	<u>7.38</u>	<u>24.04</u>	<u>7.80</u>	<u>-62</u>	<u>0.937</u>	<u>11.6</u>	<u>1.29</u>	<u>0.581</u>
12:15	<u>7.30</u>	<u>24.74</u>	<u>7.76</u>	<u>-56</u>	<u>0.797</u>	<u>64.2</u>	<u>1.12</u>	<u>0.503</u>
12:20	<u>7.46</u>	<u>23.92</u>	<u>7.76</u>	<u>-48</u>	<u>0.709</u>	<u>38.9</u>	<u>0.88</u>	<u>0.450</u>
12:25	<u>7.45</u>	<u>23.73</u>	<u>7.75</u>	<u>-40</u>	<u>0.690</u>	<u>22.2</u>	<u>0.76</u>	<u>0.43</u>
12:30								
12:35								
12:40								

Sampling Information:

EPA SW-846 Method 8270

SVOC PAH's

EPA SW-846 Method 8260

VOC's BTEX

EPA SW-846 Method 9012

Total Cyanide

MW-1-MS-0820

MW-1-MSD-0820

Sample ID: MW-1-0820

Duplicate? Yes ☐ No ☒

Sample Time: 12:40

MS/MSD? Yes ☒ No ☐

6 - 1 liter ambers Yes ☒ No ☐

9 - 40 ml vials Yes ☒ No ☐

3 - 250 ml plastic Yes ☒ No ☐

Shipped:

Pace Courier Pickup ☒

Drop-off Albany Service Center ☐

Laboratory:

Pace Analytical
Greensburg, PA

Comments/Notes:

Sampling Personnel: JKL
Job Number: 0603200-136010-221
Well Id. **MW-2**

Date: 6/9/20
Weather: Smy 80
Time In: 10:05 Time Out: _____

Well Information		TOC	Other
Depth to Water:	(feet)	5.68	
Depth to Bottom:	(feet)	7.30	
Depth to Product:	(feet)	NP	
Length of Water Column:	(feet)	1.62	
Volume of Water in Well:	(gal)	1.259	
Three Well Volumes:	(gal)	3.777	

Well Type:	Flushmount <input checked="" type="checkbox"/>	Stick-Up <input type="checkbox"/>
Well Locked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Measuring Point Marked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Well Material:	PVC <input checked="" type="checkbox"/> SS <input type="checkbox"/>	Other: _____
Well Diameter:	1" <input type="checkbox"/> 2" <input checked="" type="checkbox"/>	Other: _____
Comments: _____		

Purging Information	
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/> Grundfos Pump <input type="checkbox"/>
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/> Polyethylene <input checked="" type="checkbox"/>
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/> Grundfos Pump <input type="checkbox"/>
Average Pumping Rate:	(ml/min) <u>210</u>
Duration of Pumping:	(min) <u>37</u>
Total Volume Removed:	(gal) <u>2</u>
Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Horiba U-52 Water Quality Meter Used? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
10:05	6.05	17.92	8.25	-335	0.443	12.7	1.70	0.291
10:10	6.20	19.26	8.04	-323	0.464	86.0	2.12	0.303
10:15	6.29	19.37	8.02	-328	0.481	9.8	1.71	0.315
10:20	6.32	19.35	8.02	-274	0.470	12.0	1.52	0.300
10:25	6.32	19.32	8.04	-277	0.450	19.9	1.42	0.295
10:30	6.32	19.29	8.05	-259	0.444	6.8	1.43	0.288
10:35	6.32	19.29	8.02	-250	0.443	10.3	1.49	0.288

Sampling Information:	
EPA SW-846 Method 8270	SVOC PAH's
EPA SW-846 Method 8260	VOC's BTEX
EPA SW-846 Method 9012	Total Cyanide
Field Duplicate-0820	
Sample ID: MW-2-0820	Duplicate? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample Time: <u>10:35</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Comments/Notes: _____	
4 - 1 liter ambers Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 6 - 40 ml vials Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 2 - 250 ml plastic Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Shipped: Pace Courier Pickup <input checked="" type="checkbox"/> Drop-off Albany Service Center <input type="checkbox"/> Laboratory: Pace Analytical Greensburg, PA	

Sampling Personnel: BA

Job Number: 0603200-136010-221

Well Id. MW-3

Date: 08/11/20

Weather: 80°F Summer

Time In: 0905

Time Out: 0910

Well Information		TOC	Other
Depth to Water:	(feet)	Dry	
Depth to Bottom:	(feet)	5.95	
Depth to Product:	(feet)		
Length of Water Column:	(feet)		
Volume of Water in Well:	(gal)		
Three Well Volumes:	(gal)		

Well Type: Flushmount Stick-Up

Well Locked: Yes No

Measuring Point Marked: Yes No

Well Material: PVC SS Other: _____

Well Diameter: 1" 2" Other: _____

Comments: _____

Purging Information		Conversion Factors				
Purging Method:	Bailer	<input type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>	Grundfos Pump	<input type="checkbox"/>
Tubing/Bailer Material:	Teflon	<input type="checkbox"/>	Stainless St.	<input type="checkbox"/>	Polyethylene	<input checked="" type="checkbox"/>
Sampling Method:	Bailer	<input type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>	Grundfos Pump	<input type="checkbox"/>
Average Pumping Rate:	(ml/min)					
Duration of Pumping:	(min)					
Total Volume Removed:	(gal)					
Did well go dry?				Yes <input type="checkbox"/> No <input type="checkbox"/>		
Horiba U-52 Water Quality Meter Used?				Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		

	1" ID	2" ID	4" ID	6" ID
gal./ft. of water	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=133.7cu. feet				

[illegible]

Sampling Information:		2 - 1 liter ambers		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8270	SVOC PAH's	3 - 40 ml vials		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	1 - 250 ml plastic		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide			
Sample ID: MW-3-0820	Duplicate?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped:	
Sample Time:	MS/MSD?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Pace Courier Pickup <input checked="" type="checkbox"/>	
Comments/Notes:			Drop-off Albany Service Center <input type="checkbox"/>	
			Laboratory: Pace Analytical Greensburg, PA	

Sampling Personnel: BA
Job Number: 0603200-136010-221
Well Id. MW-3R

Date: 05/11/20
Weather: 80°F, Sunny
Time In: 0910 Time Out: 1005

Well Information		TOC	Other
Depth to Water:	(feet)	<u>22.87</u>	
Depth to Bottom:	(feet)	<u>23.30</u>	
Depth to Product:	(feet)	<u>—</u>	
Length of Water Column:	(feet)	<u>0.48</u>	
Volume of Water in Well:	(gal)	<u>0.08</u>	
Three Well Volumes:	(gal)	<u>0.24</u>	

Well Type: Flushmount ☒ Stick-Up ☐
Well Locked: Yes ☒ No ☐
Measuring Point Marked: Yes ☒ No ☐
Well Material: PVC ☒ SS ☐ Other: ☐
Well Diameter: 1" ☐ 2" ☒ Other: ☐
Comments: ☐

Purging Information

Purging Method: ☐ Bailer ☐ Peristaltic ☒ Grundfos Pump ☐
Tubing/Bailer Material: Teflon ☐ Stainless St. ☐ Polyethylene ☒
Sampling Method: ☐ Bailer ☐ Peristaltic ☒ Grundfos Pump ☐
Average Pumping Rate: 160 (ml/min)
Duration of Pumping: 30 (min)
Total Volume Removed: 1.5 (gal)
Did well go dry? Yes ☐ No ☒
Horiba U-52 Water Quality Meter Used? Yes ☒ No ☐

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47

1 gallon=3.785L=3785mL=1337cu. feet

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
0930	22.84	29.47	6.86	143	1.61	0.0	6.60	1.03
0935	22.84	27.22	6.77	182	1.58	0.0	5.48	1.01
0940	22.85	25.51	6.76	202	1.60	1000	5.49	1.03
0945	22.84	23.19	6.75	212	1.63	620	5.74	1.04
0950	22.84	23.23	6.73	216	1.61	315	5.56	1.03
0955	22.84	23.49	6.73	221	1.59	161	5.19	1.02
1000	22.85	25.39	6.75	220	1.54	170	4.81	0.984

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
EPA SW-846 Method 8260 VOC's BTEX
EPA SW-846 Method 9012 Total Cyanide

2 - 1 liter ambers Yes ☒ No ☐
3 - 40 ml vials Yes ☒ No ☐
1 - 250 ml plastic Yes ☒ No ☐

Sample ID: MW-3R-0820 Duplicate? Yes ☐ No ☒
Sample Time: 1000 MS/MSD? Yes ☐ No ☒

Shipped: Pace Courier Pickup ☒
Drop-off Albany Service Center ☐

Laboratory: Pace Analytical
Greensburg, PA

Comments/Notes: ☐

Sampling Personnel: K

Job Number: 0603200-136010-221

Well Id. **MW-4R**

Date: 8/11/20

Weather: Sunny 87

Time In: 10:50 Time Out:

Well Information

		TOC	Other
Depth to Water:	(feet)	<u>22.28</u>	
Depth to Bottom:	(feet)	<u>44.80</u>	
Depth to Product:	(feet)		
Length of Water Column:	(feet)	<u>22.52</u>	
Volume of Water in Well:	(gal)	<u>3.60</u>	
Three Well Volumes:	(gal)	<u>10.80</u>	

Well Type: Flushmount ☒ Stick-Up ☐
 Well Locked: Yes ☒ No ☐
 Measuring Point Marked: Yes ☒ No ☐
 Well Material: PVC ☒ SS ☐ Other: ☐
 Well Diameter: 1" ☐ 2" ☒ Other: ☐
 Comments:

Purging Information

Purging Method: ☐ Bailer ☐ Peristaltic ☒ Grundfos Pump ☐
 Tubing/Bailer Material: Teflon ☐ Stainless St. ☐ Polyethylene ☒
 Sampling Method: Bailer ☐ Peristaltic ☒ Grundfos Pump ☐
 Average Pumping Rate: (ml/min) 20
 Duration of Pumping: (min) 30
 Total Volume Removed: (gal) 2
 Did well go dry? Yes ☐ No ☒
 Horiba U-52 Water Quality Meter Used? Yes ☒ No ☐

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
10:55	<u>22.48</u>	<u>20.93</u>	<u>8.09</u>	<u>-247</u>	<u>2.04</u>	<u>26.9</u>	<u>1.84</u>	<u>1.42</u>
11:00	<u>22.83</u>	<u>22.48</u>	<u>8.31</u>	<u>-252</u>	<u>2.33</u>	<u>14.7</u>	<u>3.17</u>	<u>1.41</u>
11:05	<u>22.67</u>	<u>18.44</u>	<u>8.58</u>	<u>-257</u>	<u>2.96</u>	<u>2.99</u>	<u>4.16</u>	<u>1.93</u>
11:10	<u>23.18</u>	<u>15.87</u>	<u>8.38</u>	<u>-277</u>	<u>3.26</u>	<u>13.7</u>	<u>1.15</u>	<u>2.08</u>
11:15	<u>24.98</u>	<u>15.87</u>	<u>8.33</u>	<u>-278</u>	<u>3.26</u>	<u>11.4</u>	<u>0.87</u>	<u>2.09</u>
11:20	<u>25.39</u>	<u>15.94</u>	<u>8.27</u>	<u>-276</u>	<u>3.20</u>	<u>11.4</u>	<u>0.78</u>	<u>2.04</u>
11:25	<u>26.52</u>	<u>15.97</u>	<u>8.8</u>	<u>-263</u>	<u>2.56</u>	<u>16.9</u>	<u>0.59</u>	<u>1.63</u>
11:30								

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
 EPA SW-846 Method 8260 VOC's BTEX
 EPA SW-846 Method 9012 Total Cyanide

2 - 1 liter ambers Yes ☒ No ☐
 3 - 40 ml vials Yes ☒ No ☐
 1 - 250 ml plastic Yes ☒ No ☐

Sample ID: **MW-4R-0820** Duplicate? Yes ☐ No ☒
 Sample Time: 11:25 MS/MSD? Yes ☒ No ☐

Shipped: Pace Courier Pickup ☒
 Drop-off Albany Service Center ☐

Comments/Notes:

Laboratory: Pace Analytical
Greensburg, PA

Sampling Personnel: KC
Job Number: 0603200-136010-221
Well Id. **MW-5R**

Date: 8/11/20
Weather: Sunny 80°
Time In: 09:00 Time Out: _____

Well Information		TOC	Other
Depth to Water:	(feet)	22.00	
Depth to Bottom:	(feet)	44.45	
Depth to Product:	(feet)	NP	
Length of Water Column:	(feet)	22.45	
Volume of Water in Well:	(gal)	3.59	
Three Well Volumes:	(gal)	10.77	

Well Type: Flushmount ☒ Stick-Up ☐
Well Locked: Yes ☒ No ☐
Measuring Point Marked: Yes ☒ No ☐
Well Material: PVC ☒ SS ☐ Other: _____
Well Diameter: 1" ☐ 2" ☒ Other: _____
Comments: _____

Purging Information

Purging Method: _____
Tubing/Bailer Material: _____
Sampling Method: _____
Average Pumping Rate: (ml/min) 2.00
Duration of Pumping: (min) 30
Total Volume Removed: (gal) 2

Bailer ☐ Peristaltic ☒
Teflon ☐ Stainless St. ☐
Bailer ☐ Peristaltic ☒

Grundfos Pump ☐
Polyethylene ☒
Grundfos Pump ☐

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Did well go dry? Yes ☐ No ☒

Horiba U-52 Water Quality Meter Used? Yes ☒ No ☐

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
09:25	22.46	22.25	7.47	-256	0.433	9.3	2.40	0.407
09:30	22.97	16.28	7.13	-204	0.675	6.3	2.29	0.435
09:35	23.11	15.30	7.95	-261	0.622	4.3	2.27	0.394
09:40	23.16	14.94	8.16	-300	0.460	3.0	2.32	0.297
09:45	23.21	14.78	7.41	-289	0.421	3.3	2.07	0.274
09:50	23.21	14.41	7.48	-308	0.412	3.0	1.85	0.268
09:55	23.21	14.58	7.59	-323	0.412	2.8	1.89	0.268

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
EPA SW-846 Method 8260 VOC's BTEX
EPA SW-846 Method 9012 Total Cyanide

2 - 1 liter ambers Yes ☒ No ☐
3 - 40 ml vials Yes ☒ No ☐
1 - 250 ml plastic Yes ☒ No ☐

Sample ID: **MW-5R-0820** Duplicate? Yes ☒ No ☒
Sample Time: 09:55 MS/MSD? Yes ☐ No ☒

Shipped: Pace Courier Pickup ☒
Drop-off Albany Service Center ☐

Comments/Notes: 09:55

Laboratory: Pace Analytical
Greensburg, PA

Sampling Personnel: BA

Job Number: 0603200-136010-221

Well Id. MW-6R

Date: 06/11/20

Weather: 80°F, sunny

Time In: 1010

Time Out: 1055

Well Information

	TOC	Other
Depth to Water: (feet)	<u>22.57</u>	
Depth to Bottom: (feet)	<u>45.0</u>	
Depth to Product: (feet)	<u>ND</u>	
Length of Water Column: (feet)	<u>22.43</u>	
Volume of Water in Well: (gal)	<u>3.6</u>	
Three Well Volumes: (gal)	<u>10.8</u>	

Well Type:

Flushmount ☒

Stick-Up ☐

Well Locked:

Yes ☒

No ☐

Measuring Point Marked:

Yes ☒

No ☐

Well Material:

PVC ☒

SS ☐

Other:

Well Diameter:

1" ☐

2" ☒

Other:

Comments:

Purging Information

Purging Method:

Tubing/Bailer Material:

Sampling Method:

Average Pumping Rate: 200 (ml/min)

Duration of Pumping: 30 (min)

Total Volume Removed: 2 (gal)

Bailer ☐

Peristaltic ☒

Grundfos Pump ☐

Teflon ☐

Stainless St. ☐

Polyethylene ☒

Bailer ☐

Peristaltic ☒

Grundfos Pump ☐

Did well go dry? Yes ☐ No ☒

Yes ☒ No ☐

Horiba U-52 Water Quality Meter Used?

Conversion Factors

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47

1 gallon=3.785L=3785mL=1337cu. feet

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1020	22.58	27.70	7.03	-168	3.02	679	5.01	1.95
1025	22.59	20.80	7.05	-43	3.46	349	1.45	2.23
1030	22.60	21.48	7.03	-13	3.58	230	0.85	2.29
1035	22.60	20.74	7.04	-14	3.64	154	0.68	2.33
1040	22.60	20.16	7.08	-18	3.68	104	0.59	2.35
1045	22.60	20.15	7.12	-12	3.65	82.4	0.59	2.33
1050	22.60	19.81	7.11	-3	3.63	62.9	0.65	2.33

Sampling Information:

EPA SW-846 Method 8270

EPA SW-846 Method 8260

EPA SW-846 Method 9012

SVOC PAH's

VOC's BTEX

Total Cyanide

2 - 1 liter ambers

3 - 40 ml vials

1 - 250 ml plastic

Yes ☒

No ☐

Yes ☒

No ☐

Yes ☒

No ☐

Sample ID: MW-6R-0820

Sample Time: 1050

Duplicate?

Yes ☐

No ☒

MS/MSD?

Yes ☐

No ☒

Shipped:

Pace Courier Pickup ☒

Drop-off Albany Service Center ☐

Laboratory:

Pace Analytical
Greensburg, PA

Comments/Notes:

Sampling Personnel: BA
Job Number: 0603200-136010-221
Well Id. MW-7R

Date: 08/11/20
Weather: 80°F, sunny
Time In: 1110 Time Out: 1200

Well Information		TOC	Other
Depth to Water:	(feet)	<u>21.48</u>	
Depth to Bottom:	(feet)	<u>45.05</u>	
Depth to Product:	(feet)	<u>NP</u>	
Length of Water Column:	(feet)	<u>23.57</u>	
Volume of Water in Well:	(gal)	<u>3.8</u>	
Three Well Volumes:	(gal)	<u>10.4</u>	

Well Type:	Flushmount <input checked="" type="checkbox"/>	Stick-Up <input type="checkbox"/>
Well Locked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Measuring Point Marked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Well Material:	PVC <input checked="" type="checkbox"/> SS <input type="checkbox"/> Other: <input type="text"/>	
Well Diameter:	1" <input type="checkbox"/> 2" <input checked="" type="checkbox"/> Other: <input type="text"/>	
Comments:	<input type="text"/>	

Purging Information		Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/> Grundfos Pump <input type="checkbox"/>	gal/ft. of water	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/> Polyethylene <input checked="" type="checkbox"/>	0.04	0.16	0.66	1.47	
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/> Grundfos Pump <input type="checkbox"/>	1 gallon=3.785L=3785mL=133.7cu. feet				
Average Pumping Rate:	<u>200</u> (ml/min)					
Duration of Pumping:	<u>30</u> (min)					
Total Volume Removed:	<u>2</u> (gal)					
Did well go dry?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>					
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1125	21.52	24.95	7.72	103	3.40	154	3.67	2.20
1130	21.51	27.17	7.65	100	3.56	128	1.11	2.27
1135	21.51	25.62	7.58	90	3.73	97.2	0.88	2.39
1140	21.51	25.34	7.58	79	3.76	87.1	0.72	2.41
1145	21.51	25.10	7.59	69	3.80	78.3	0.67	2.43
1150	21.51	24.91	7.60	62	3.81	73.5	0.61	2.43
1155	21.51	24.88	7.60	58	3.82	72.1	0.57	2.44

Sampling Information:		2 - 1 liter ambers		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8270	SVOC PAH's	3 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
EPA SW-846 Method 8260	VOC's BTEX	1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
EPA SW-846 Method 9012	Total Cyanide			
Sample ID: <u>MW-7R-0820</u>	Duplicate? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup <input checked="" type="checkbox"/>		
Sample Time: <u>1155</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drop-off Albany Service Center <input type="checkbox"/>		
Comments/Notes: <input type="text"/>		Laboratory: Pace Analytical		
		Greensburg, PA		

CHAIN-OF-CUSTODY / Analytical Request Document
The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

[illegible]



Appendix C – Data Usability Summary Report



Groundwater & Environmental Services, Inc.

708 North Main Street, Suite 201
Blacksburg, VA 24060

T. 800.662.5067

November 4, 2020

Devin Shay
Groundwater & Environmental Services, Syracuse
5 Technology Place, Suite 4
East Syracuse, NY 13057

RE: Data Usability Summary Report for National Grid: Watertown, NY Site Data Package
Pace Analytical Job No. 30377041

Groundwater & Environmental Services, Inc. (GES) reviewed one data package (Laboratory Project Number 30377041) from Pace Analytical Services, LLC in Greensburg, PA., for the analysis of groundwater samples collected on August 11, 2020 from monitoring wells located at the National Grid: Watertown, NY Site. Seven aqueous samples and a field duplicate were analyzed for volatile organic compounds (VOCs), polycyclic aromatic hydrocarbons (PAHs), and Cyanide. Methodologies utilized were those of the USEPA SW846 methods 8260C/8270D/9012B, with additional QC requirements of the NYSDEC ASP.

The data were reported as part of a complete full deliverable type B data validation. This usability report is generated from review of the following:

- Laboratory Narrative Discussion
- Custody Documentation
- Holding Times
- Surrogate and Internal Standard Recoveries
- Matrix Spike Recoveries/Duplicate: (MS/MSD) Correlations
- Field Duplicate Correlations
- Laboratory Control Sample (LCS)
- Preparation/Calibration Blanks
- Calibration/Low Level Standard Responses
- Instrumental Tunes
- Instrument MDLs
- Sample Quantitation and Identification

The items listed above which show deficiencies were discussed within the text of this narrative.

All of the other items were determined to be acceptable for the DUSR level review.



The data validation was performed according to the guidelines in the USEPA National Functional Guidelines for Organic Superfund Methods Data Review, National Functional Guidelines for Inorganic Superfund Methods Data Review and the NYSDEC DER-10, Technical Guidance for Site Investigation and Remediation, dated December 2010. In addition, method and QC criteria specified in the NYSDEC ASP were implemented. All data are considered valid and acceptable except those analytes that have been qualified as unusable “R” (unreliable).

Table 1. Validation Qualifiers

Sample ID	Qualifier	Analyte	Reason for qualification
MW-1	UJ	Benzo(a)anthracene Benzo(a)pyrene Benzo(k)fluoranthene Dibenz(a,h)anthracene Indeno(1,2,3-cd)pyrene Naphthalene	RPD exceeds maximum
	J-	Cyanide	Low MS Recovery
MW-3R MW-4R MW-7R	UJ- (non-detects) J- (detects)	All PAHs	Low Surrogate Recovery
MW-1 MW-3R MW-4R	R	Naphthalene	Concentrations are < 2x positive blank concentration
MW-5R	J	Phenanthrene	RPD exceeds criteria

In summary, sample results were usable as reported, with exceptions listed in Table 1.

The laboratory case narratives and sample identification summary forms are attached to this text, and should be reviewed in conjunction with this report.

BTEX Volatiles by EPA 8260C/NYSDEC ASP

Sample holding times were met and instrumental tune fragmentations were within acceptance ranges. There were no positive detections in the blanks. Surrogate and internal standard recoveries were within required limits.

Calibrations standards show acceptable responses within analytical protocol and validation action limits.

MS/MSD recoveries and relative percent differences (RPD) were within laboratory and EPA criteria.

The blind field duplicate correlations MW-5R, where applicable, fall within guidance limits, with the exception of phenanthrene, whose RPD at 34.1% exceeds the EPA recommended 30% for aqueous duplicate samples. Phenanthrene is qualified as an estimated detect.



PAHs by EPA8270D/NYSDEC ASP

Holding times were met. Instrumental tune fragmentations were within acceptance ranges. Surrogate recoveries were within analytical and validation criteria with the exception of Terphynyl-d14 in the following samples:

- MW-3R
- MW-4R
- MW-7R

All samples were re-extracted and re-analyzed with corroborating results. Data from the initial analyses is reported.

The method blank (1983197) also reported Terphynyl-d14 below criteria. The only detection reported in the method blank is naphthalene, and associated samples have been qualified per EPA guidance. All other PAHs were non-detect in the method blank, and the low level

Blanks show no contamination. Calibrations standards show acceptable responses within analytical protocol and validation action limits.

LCS recoveries and RPDs were reported within acceptable ranges.

Multiple MS/MSD RPDs associated with MW-1 were outside laboratory specifications. None of the compounds was reported above RL in the sample, and is qualified as estimated non-detect.

The blind field duplicate correlations MW-5R, where applicable, fall within guidance limits.

Total Cyanide by 9012B/ NYSDEC ASP

Review was conducted for method compliance, holding times, transcription, calculations, standard and blank acceptability, accuracy and precision, etc., as applicable to each procedure. All were found acceptable for the validated samples, with the following exceptions:

- Low recovery of cyanide in the MSD prepared from the sample MW-1. Low recoveries indicate a possible low bias.

Calibration standard responses were compliant. Blanks show no detections above the reporting limits. The laboratory spikes and duplicates of total cyanide show acceptable recoveries and/or correlations.

The blind field duplicate correlations MW-5R, where applicable, fall within guidance limits.

Data Package Completeness

Complete NYSDEC Category B deliverables were included in the laboratory data package, all information required for validation of the data is present.



Please do not hesitate to contact me if you have comments or questions regarding this report.

A handwritten signature in blue ink that reads 'B Janowiak'. The signature is fluid and cursive, with a long horizontal stroke extending from the end of the name.

Bonnie Janowiak, Ph.D.
Senior Project Chemist
701 N Main St
Blacksburg, VA 24060

VALIDATION DATA QUALIFIER DEFINITIONS

- U** The analyte was analyzed for, but was not detected above the level of the associated reported quantitation limit.
- J** The analyte was positively identified; the associated numerical value is an approximate concentration of the analyte in the sample.
- J-** The analyte was positively identified; the associated numerical value is an estimated quantity that may be biased low.
- J+** The analyte was positively identified; the associated numerical value is an estimated quantity that may be biased high.
- UJ** The analyte was analyzed for, but was not detected. The associated reported quantitation limit is approximate and may be inaccurate or imprecise.
- NJ** The detection is tentative in identification and estimated in value. Although there is presumptive evidence of the analyte, the result should be used with caution as a potential false positive and/or elevated quantitative value.
- R** The data are unusable. The sample results are rejected due to serious deficiencies in meeting Quality Control limits. The analyte may or may not be present.



Sample Summaries and Laboratory Case Narratives

SAMPLE SUMMARY

Project: National Grid - Watertown, NY

Pace Project No.: 30377041

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30377041001	MW-1-0820	Water	08/11/20 12:40	08/12/20 10:10
30377041002	MW-1-MS-0820	Water	08/11/20 11:25	08/12/20 10:10
30377041003	MW-1-MSD-0820	Water	08/11/20 11:25	08/12/20 10:10
30377041004	MW-2-0820	Water	08/11/20 10:35	08/12/20 10:10
30377041005	MW-3R-0820	Water	08/11/20 10:10	08/12/20 10:10
30377041006	MW-4R-0820	Water	08/11/20 11:25	08/12/20 10:10
30377041007	MW-5R-0820	Water	08/11/20 09:55	08/12/20 10:10
30377041008	MW-6R-0820	Water	08/11/20 10:50	08/12/20 10:10
30377041009	MW-7R-0820	Water	08/11/20 11:55	08/12/20 10:10
30377041010	FD-0820	Water	08/11/20 00:01	08/12/20 10:10
30377041011	TRIP BLANK	Water	08/11/20 12:25	08/12/20 10:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid - Watertown, NY

Pace Project No.: 30377041

Method: EPA 8270D by SIM

Description: 8270D PAH SIM Reduced Volume

Client: Groundwater & Environmental Services, Inc. (Syracuse)

Date: August 25, 2020

General Information:

10 samples were analyzed for EPA 8270D by SIM by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: 409808

S0: Surrogate recovery outside laboratory control limits.

- BLANK (Lab ID: 1983197)
- Terphenyl-d14 (S)

SR: Surrogate recovery was below laboratory control limits. Results may be biased low.

- MW-3R-0820 (Lab ID: 30377041005)
 - Terphenyl-d14 (S)
- MW-4R-0820 (Lab ID: 30377041006)
 - Terphenyl-d14 (S)
- MW-7R-0820 (Lab ID: 30377041009)
 - Terphenyl-d14 (S)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

QC Batch: 409808

B: Analyte was detected in the associated method blank.

- BLANK for HBN 409808 [OEXT/418 (Lab ID: 1983197)
- Naphthalene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid - Watertown, NY

Pace Project No.: 30377041

Method: EPA 8270D by SIM

Description: 8270D PAH SIM Reduced Volume

Client: Groundwater & Environmental Services, Inc. (Syracuse)

Date: August 25, 2020

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 409808

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30377041001

R1: RPD value was outside control limits.

- MSD (Lab ID: 1983200)
 - Benzo(a)anthracene
 - Benzo(a)pyrene
 - Benzo(k)fluoranthene
 - Dibenzo(a,h)anthracene
 - Indeno(1,2,3-cd)pyrene
 - Naphthalene

Additional Comments:

Analyte Comments:

QC Batch: 409808

1c: This sample was re-extracted past the method required holding time. Surrogate recovery in the re-extract was acceptable and the re-extract results were comparable to the original results. The original, in hold, results are reported.

- MW-3R-0820 (Lab ID: 30377041005)
 - Terphenyl-d14 (S)
- MW-4R-0820 (Lab ID: 30377041006)
 - Terphenyl-d14 (S)
- MW-7R-0820 (Lab ID: 30377041009)
 - Terphenyl-d14 (S)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid - Watertown, NY

Pace Project No.: 30377041

Method: EPA 8260C

Description: 8260C MSV

Client: Groundwater & Environmental Services, Inc. (Syracuse)

Date: August 25, 2020

General Information:

11 samples were analyzed for EPA 8260C by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid - Watertown, NY

Pace Project No.: 30377041

Method: EPA 9012B

Description: 9012B Cyanide, Total

Client: Groundwater & Environmental Services, Inc. (Syracuse)

Date: August 25, 2020

General Information:

10 samples were analyzed for EPA 9012B by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 9012B with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 409779

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30377041001,30377179013

ML: Matrix spike recovery and/or matrix spike duplicate recovery was below laboratory control limits. Result may be biased low.

- MS (Lab ID: 1983109)
 - Cyanide
- MSD (Lab ID: 1983110)
 - Cyanide

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.