

New York State Department of Environmental Conservation

Division of Environmental Remediation, Region 6

207 Genesee Street, Utica, New York 13501-2885

Phone: (315) 793-2554 • FAX: (315) 793-2748


Website: www.dec.state.ny.us



Erin M. Crotty
Commissioner

October 15, 2002

Oneida County Department of Water
Quality & Water Pollution Control
51 Leland Avenue
P.O. Box 442
Utica, New York 13503-0442



Attention: Mr. Dan Hoffman, Industrial Wastes Chemist

RE: Groundwater Permit No. GW-040
Semi-Annual Report: May 31, 2002 to November 30, 2002
Primoshield Plating, Inc., Site #6-33-027
Oneida County Sewer District

Dear Mr. Hoffman:

Enclosed please find the Semi-Annual Report, due November 30, 2002, for the above Groundwater Permit from Primoshield Plating, Site #633027, City of Utica. The report contains the Oneida County Sewer District Reporting Form and the Oneida County District Industrial Use Report Certifications.

Please note that all analytical values on the reporting form are expressed in mg/liter and the raw analytical data is expressed in micrograms/liter.

All analysis was performed by Severn Trent Laboratories, Buffalo, New York. All analyses for this permit are analyses specified in 40 CFR 136.

Per standard practice, only values above detection limits are summed for Total VOC's by EPA Method 624. No parameter analyzed was near any toxic hazardous waste level. U abbreviates non-detectable.

If you have any questions, I can be reached at (315) 793-2554.

Sincerely,

Jack Marsch, P.E.
Environmental Engineer 2
Region 6 - Utica

cc: Darrell Sweredoski
Sue Lasdin

ONEIDA COUNTY SEWER DISTRICT REPORTING FORM

Submit To:
ATTN: PRETREATMENT
ONEIDA COUNTY SEWER DISTRICT
PO BOX 442
UTICA NY 13503

From
JACK MARSCH
NYSDEC REGION 6
207 GENESEE STREET
UTICA NY 13501

Site
PRIMOSHIELD SITE
1212 ST. VINCENT STREET
UTICA NY 13501

REPORTING PERIOD: MAY 31, 2002 to NOVEMBER 30, 2002

SAMPLING RESULTS:

For Semi-Annual Reporting, a grab sample of the Primoshield Site discharge to the sanitary sewer is analyzed for the pollutants listed. Attach signed Report Certification.

In response to any violations incurred, self-monitor for pollutant in violation at least once a week until there are results for three consecutive sampling events which are in full compliance with Permit Limits. Submit all results for all samples taken. The first resampling result is due within thirty (30) days; a complete report with all three resampling results is due within sixty (60) days. Attach signed Report Certification.

ATTACH COPIES OF ALL CONTRACT LABORATORY REPORTS AND MANIFESTS OF HAZARDOUS WASTE SHIPMENTS FOR THE REPORTING PERIOD.

POLLUTANT PARAMETER	DAILY MAXIMUM LIMIT	ANALYSIS SAMPLE #1 <i>EFFLUENT</i>	ANALYSIS SAMPLE #2	ANALYSIS SAMPLE #3
Date Sampled		<i>9/23/02</i>		
Sample Number		<i>916602</i>		
Discharge Flow (Note 1)		<i>*</i>		
pH	5.0-12.5	<i>7.56</i>		
Cadmium, mg/L	1.0	<i>0.00030 U</i>		
Chromium, mg/L	5.0	<i>0.00060 U</i>		
Copper, mg/L	3.0	<i>0.0051 B</i>		
Lead, mg/L	5.0	<i>0.0023 U</i>		
Nickel, mg/L	2.0	<i>0.174</i>		
Zinc, mg/L	4.0	<i>0.0052 B</i>		
Cyanide, mg/L	3.0	<i>0.010 U</i>		
Total VOCs (Note 2)	2.0	<i>0.066</i>		

1) Attach monthly flow totalizer data.

** METER READING 10/15/02 2,214,225*

2) Total VOCs using EPA Method 624.

Signature: *Jack Marsch* Date: *10/15/02*

ONEIDA COUNTY SEWER DISTRICT
INDUSTRIAL USER REPORT CERTIFICATION

Submit To:
ATTN: PRETREATMENT
ONEIDA COUNTY SEWER DISTRICT
PO BOX 442
UTICA NY 13503

From
JACK MARSCH
NYSDEC REGION 6
207 GENESEE STREET
UTICA NY 13501

Site
PRIMOSHIELD SITE
1212 ST. VINCENT STREET
UTICA NY 13501

ATTACH TO REPORT DATED: OCTOBER 15, 2002

REPORTING PERIOD: MAY 31, 2002 to NOVEMBER 30, 2002

The following certification of information provided in industrial user reports is made in compliance with the General Pretreatment Regulations.

1. Compliance or Non-Compliance Status: Ref = 40 CFR 403.12(b)(6)

Check A or B. If B is checked, attach a statement describing O&M and/or pretreatment required; include the shortest schedule by which you can provide the required O&M and/or pretreatment.

☒ A. I certify that Pretreatment Standards are being met on a consistent basis.

☐ B. I certify that Pretreatment Standards are NOT being met on a consistent basis, and that additional operation and maintenance (O&M) and/or additional pretreatment is required to achieve compliance with Pretreatment Standards and Requirements.

2. Information Certification: Ref = 40 CFR 403.6(a)(2)(ii)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Authorized Signature: Jack Marsch
Title: EE2
Date: 10/15/02

PLEASE ATTACH THIS CERTIFICATION TO THE SEMI-ANNUAL & OTHER REPORTS THAT YOU SUBMIT TO THE ONEIDA COUNTY SEWER DISTRICT.

DATA COMMENT PAGE

ORGANIC DATA QUALIFIERS

ND or U Indicates compound was analyzed for, but not detected.

- J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.
- C This flag applies to pesticide results where the identification has been confirmed by GC/MS.
- B This flag is used when the analyte is found in the associated blank, as well as in the sample.
- E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- D This flag identifies all compounds identified in an analysis at the secondary dilution factor.
- N Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds, where the identification is based on the Mass Spectral library search. It is applied to all TIC results.
- P This flag is used for a pesticide/Aroclor target analyte when there is greater than 25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on the data page and flagged with a "P".
- A This flag indicates that a TIC is a suspected aldol condensation product.
- ! Indicates coelution.
- * Indicates analysis is not within the quality control limits.

INORGANIC DATA QUALIFIERS

ND or U Indicates element was analyzed for, but not detected. Report with the detection limit value.

- J or B Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.
- N Indicates spike sample recovery is not within the quality control limits.
- K Indicates the post digestion spike recovery is not within the quality control limits.
- S Indicates value determined by the Method of Standard Addition.
- M Indicates duplicate injection results exceeded quality control limits.
- W Post digestion spike for Furnace AA analysis is out of quality control limits (85-115%) while sample absorbance is less than 50% of spike absorbance.
- E Indicates a value estimated or not reported due to the presence of interferences.
- ! Indicates analytical holding time exceedance. The value obtained should be considered an estimate.
- * Indicates analysis is not within the quality control limits.
- * Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995.

NYS DEC -
NYS DEC ASP CONTRACT #C004154 - REGION 6
NYSDEC - EPA ASP00 VOLATILES - W
ANALYSIS DATA SHEET

000012

Client No.

916602

Lab Name: STL Buffalo

Contract: C004154

Lab Code: RECN Case No.: SH000 SAS No.: _____ SDG No.: 1106

Matrix: (soil/water) WATER

Lab Sample ID: A2945401

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: F6084.RR

Level: (low/med) LOW

Date Samp/Recv: 09/23/2002 09/24/2002

% Moisture: not dec. _____ Heated Purge: N

Date Analyzed: 09/26/2002

GC Column: DB-624 ID: 0.25 (mm)

Dilution Factor: 1.00

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) UG/L Q

74-87-3-----	Chloromethane	10	U
74-83-9-----	Bromomethane	10	U
75-01-4-----	Vinyl chloride	10	U
75-00-3-----	Chloroethane	10	U
75-09-2-----	Methylene chloride	5	BJ
67-64-1-----	Acetone	3	BJ
75-15-0-----	Carbon disulfide	10	U
75-35-4-----	1,1-Dichloroethene	10	U
75-34-3-----	1,1-Dichloroethane	1	J
67-66-3-----	Chloroform	10	U
107-06-2-----	1,2-Dichloroethane	10	U
78-93-3-----	2-Butanone	10	U
71-55-6-----	1,1,1-Trichloroethane	14	
56-23-5-----	Carbon tetrachloride	10	U
75-27-4-----	Bromodichloromethane	10	U
78-87-5-----	1,2-Dichloropropane	10	U
10061-01-5----	cis-1,3-Dichloropropene	10	U
79-01-6-----	Trichloroethene	34	
124-48-1-----	Dibromochloromethane	10	U
79-00-5-----	1,1,2-Trichloroethane	10	U
71-43-2-----	Benzene	10	U
10061-02-6----	trans-1,3-Dichloropropene	10	U
75-25-2-----	Bromoform	10	U
108-10-1-----	4-Methyl-2-pentanone	10	U
591-78-6-----	2-Hexanone	10	U
127-18-4-----	Tetrachloroethene	10	U
108-88-3-----	Toluene	10	U
79-34-5-----	1,1,2,2-Tetrachloroethane	10	U
108-90-7-----	Chlorobenzene	10	U
100-41-4-----	Ethylbenzene	10	U
100-42-5-----	Styrene	10	U
1330-20-7----	Xylene, Total	10	U
75-71-8-----	Dichlorodifluoromethane	10	U
75-69-4-----	Trichlorofluoromethane	10	U

NYS DEC
NYS DEC ASP CONTRACT #C004154 - REGION 6
NYSDEC - EPA ASP00 VOLATILES - W
ANALYSIS DATA SHEET

000013

Client No.

916602

Lab Name: STL Buffalo

Contract: C004154

Lab Code: RECNY Case No.: SH000 SAS No.: _____ SDG No.: 1106

Matrix: (soil/water) WATER

Lab Sample ID: A2945401

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: F6084.RR

Level: (low/med) LOW

Date Samp/Recv: 09/23/2002 09/24/2002

% Moisture: not dec. _____ Heated Purge: N

Date Analyzed: 09/26/2002

GC Column: DB-624 ID: 0.25 (mm)

Dilution Factor: 1.00

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) UG/L Q

76-13-1-----	1,1,2-Trichloro-1,2,2-Trifluoroethane	10	U
156-60-5-----	trans-1,2-Dichloroethene	10	U
1634-04-4-----	Methyl tert-butyl ether	10	U
156-59-2-----	cis-1,2-Dichloroethene	10	U
110-82-7-----	Cyclohexane	10	U
108-87-2-----	Methylcyclohexane	10	U
106-93-4-----	1,2-Dibromoethane (Ethylene dibromide)	10	U
98-82-8-----	Isopropylbenzene	10	U
541-73-1-----	1,3-Dichlorobenzene	10	U
106-46-7-----	1,4-Dichlorobenzene	10	U
95-50-1-----	1,2-Dichlorobenzene	10	U
96-12-8-----	1,2-Dibromo-3-chloropropane	10	U
120-82-1-----	1,2,4-Trichlorobenzene	10	U
79-20-9-----	Methyl Acetate	10	U

NYS DEC
NYS DEC ASP CONTRACT #C004154 - REGION 6
NYSDEC - EPA ASP00 VOLATILES - W
TENTATIVELY IDENTIFIED COMPOUNDS

000014

Client No.

916602

Lab Name: STL Buffalo Contract: C004154

Lab Code: RECONY Case No.: SH000 SAS No.: _____ SDG No.: 1106

Matrix: (soil/water) WATER Lab Sample ID: A2945401

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: F6084.RR

Level: (low/med) LOW Date Samp/Recv: 09/23/2002 09/24/2002

% Moisture: not dec. _____ Date Analyzed: 09/26/2002

GC Column: DB-624 ID: 0.25 (mm) Dilution Factor: 1.00

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

Number TICs found: 1 CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NO.	Compound Name	RT	Est. Conc.	Q
1. 110-54-3	HEXANE	3.22	9	BJN

NYS DEC
NYS DEC ASP CONTRACT #C004154 - REGION 6
NYSDEC - EPA ASP00 VOLATILES - W
ANALYSIS DATA SHEET

000015

Client No.

9166TB

Lab Name: STL Buffalo

Contract: C004154

Lab Code: RECONY

Case No.: SH000

SAS No.: _____

SDG No.: 1106

Matrix: (soil/water) WATER

Lab Sample ID: A2945402

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: F6082.RR

Level: (low/med) LOW

Date Samp/Recv: 09/23/2002 09/24/2002

% Moisture: not dec. _____ Heated Purge: N

Date Analyzed: 09/26/2002

GC Column: DB-624 ID: 0.25 (mm)

Dilution Factor: 1.00

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) UG/L Q

74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
75-09-2	Methylene chloride	5	BJ
67-64-1	Acetone	2	BJ
75-15-0	Carbon disulfide	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-88-3	Toluene	1	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene, Total	10	U
75-71-8	Dichlorodifluoromethane	10	U
75-69-4	Trichlorofluoromethane	10	U

NYS DEC
NYS DEC ASP CONTRACT #C004154 - REGION 6
NYSDEC - EPA ASP00 VOLATILES - W
ANALYSIS DATA SHEET

000016

Client No.

9166TB

Lab Name: STL Buffalo

Contract: C004154

Lab Code: REONY Case No.: SH000 SAS No.: _____ SDG No.: 1106

Matrix: (soil/water) WATER

Lab Sample ID: A2945402

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: F6082.RR

Level: (low/med) LOW

Date Samp/Recv: 09/23/2002 09/24/2002

% Moisture: not dec. _____ Heated Purge: N

Date Analyzed: 09/26/2002

GC Column: DB-624 ID: 0.25 (mm)

Dilution Factor: 1.00

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS:	
		(ug/L or ug/Kg)	UG/L
76-13-1-----	1,1,2-Trichloro-1,2,2-Trifluoroethane	10	U
156-60-5-----	trans-1,2-Dichloroethene	10	U
1634-04-4-----	Methyl tert-butyl ether	10	U
156-59-2-----	cis-1,2-Dichloroethene	10	U
110-82-7-----	Cyclohexane	10	U
108-87-2-----	Methylcyclohexane	10	U
106-93-4-----	1,2-Dibromoethane (Ethylene dibromide)	10	U
98-82-8-----	Isopropylbenzene	10	U
541-73-1-----	1,3-Dichlorobenzene	10	U
106-46-7-----	1,4-Dichlorobenzene	10	U
95-50-1-----	1,2-Dichlorobenzene	10	U
96-12-8-----	1,2-Dibromo-3-chloropropane	10	U
120-82-1-----	1,2,4-Trichlorobenzene	10	U
79-20-9-----	Methyl Acetate	10	U

NYS DEC
NYS DEC ASP CONTRACT #C004154 - REGION 6
NYSDEC - EPA ASP00 VOLATILES - W
TENTATIVELY IDENTIFIED COMPOUNDS

000017

Client No.

9166TB

Lab Name: STL Buffalo Contract: C004154

Lab Code: RECONY Case No.: SH000 SAS No.: _____ SDG No.: 1106

Matrix: (soil/water) WATER

Lab Sample ID: A2945402

Sample wt/vol: 5.00 (g/mL) ML

Lab File ID: F6082.RR

Level: (low/med) LOW

Date Samp/Recv: 09/23/2002 09/24/2002

% Moisture: not dec. _____

Date Analyzed: 09/26/2002

GC Column: DE-624 ID: 0.25 (mm)

Dilution Factor: 1.00

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

Number TICs found: 1

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NO.	Compound Name	RT	Est. Conc.	Q
1. 110-54-3	HEXANE	3.22	8	BJN

NYS DEC

-1-

INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

916602

Contract: NY00-096

Lab Code: STL BFLO

Case No.: SH000

SAS No.:

SDG NO.: 1106

Matrix (soil/water): WATER

Lab Sample ID: AD228791

Level (low/med): LOW

Date Received: 9/24/02

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	32.5	U		P
7440-36-0	Antimony	5.4	U		P
7440-38-2	Arsenic	4.0	U		P
7440-39-3	Barium	95.6	B		P
7440-41-7	Beryllium	0.42	B		P
7440-43-9	Cadmium	0.30	U		P
7440-70-2	Calcium	132000			P
7440-47-3	Chromium	0.60	U		P
7440-48-4	Cobalt	2.4	B		P
7440-50-8	Copper	5.1	B		P
7439-89-6	Iron	28.9	B		P
7439-92-1	Lead	2.3	U		P
7439-95-4	Magnesium	48500			P
7439-96-5	Manganese	6.6	B	E	P
7440-02-0	Nickel	174			P
7440-09-7	Potassium	5390			P
7782-49-2	Selenium	4.0	U		P
7440-22-4	Silver	0.50	U		P
7439-97-6	Mercury	0.092	U		CV
7440-23-5	Sodium	75500			P
7440-28-0	Thallium	3.9	U		P
7440-62-2	Vanadium	0.70	U		P
7440-66-6	Zinc	5.2	B		P

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: NONE

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

NYS DEC
NYS DEC ASP Contract #C004154 - Region 6
Wet Chemistry Analysis

000019

Client Sample No.

916602

Lab Name: STL Buffalo

Contract: C004154

Lab Code: RECNY

Case No.: SH000

SAS No.: _____

SDG No.: 1106

Matrix (soil/water): WATER

Lab Sample ID: A2945401

% Solids: 0.0

Date Samp/Recv: 09/23/2002 09/24/2002

Parameter Name	Units of Measure	Result	C	Q	M	Method Number	Analyzed Date
Cyanide - Total	MG/L	0.010	U			CLP-WC	10/01/2002
pH	S.U.	7.56				150.1	09/24/2002

Comments:
