


New York State Department of Environmental Conservation
Division of Environmental Remediation, Region 6
207 Genesee Street, Utica, New York 13501-2885
Phone: (315) 793-2554 • FAX: (315) 793-2748
Website: www.dec.state.ny.us



Denise M. Sheehan
Acting
Commissioner

June 21, 2005

Oneida County Department of Water
Quality & Water Pollution Control
51 Leland Avenue
P.O. Box 442
Utica, New York 13503-0442

Attention: Mr. Dan Hoffman, Industrial Wastes Chemist

RE: Groundwater Permit No. GW-040
Semi-Annual Report: November 30, 2004 to May 31, 2005
Primoshield Plating, Inc., Site #6-33-027
Oneida County Sewer District

Dear Mr. Hoffman:

Enclosed please find the Semi-Annual Report, due May 31, 2005, for the above Groundwater Permit from Primoshield Plating, Site #633027, City of Utica. The report contains the Oneida County Sewer District Reporting Form and the Oneida County District Industrial Use Report Certifications.

Please note that all analytical values on the reporting form are expressed in mg/liter and the raw analytical data is expressed in micrograms/liter.

All analysis was performed by Severn Trent Laboratories, Buffalo, New York. All analyses for this permit are analyses specified in 40 CFR 136.


Per standard practice, only values above detection limits are summed for Total VOC's by EPA Method 624. No parameter analyzed was near any toxic hazardous waste level. U abbreviates non-detectable.

If you have any questions, I can be reached at (315) 793-2554.

Sincerely,

Jack Marsch, P.E.
Environmental Engineer 2
Region 6 - Utica

cc: Darrell Sweredoski
Sue Lasdin
Bert Pine



ONEIDA COUNTY SEWER DISTRICT
INDUSTRIAL USER REPORT CERTIFICATION

Submit To:	From	Site
ATTN: PRETREATMENT	JACK MARSCH	PRIMOSHIELD SITE
ONEIDA COUNTY SEWER DISTRICT	NYSDEC REGION 6	1212 ST. VINCENT STREET
PO BOX 442	207 GENESEE STREET	UTICA NY 13501
UTICA NY 13503	UTICA NY 13501	

ATTACH TO REPORT DATED: 6/21/05

REPORTING PERIOD: NOVEMBER 30, 2004 to MAY 31, 2005

The following certification of information provided in industrial user reports is made in compliance with the General Pretreatment Regulations.

1. Compliance or Non-Compliance Status: Ref = 40 CFR 403.12(b)(6)

Check A or B. If B is checked, attach a statement describing O&M and/or pretreatment required; include the shortest schedule by which you can provide the required O&M and/or pretreatment.

☒ A. I certify that Pretreatment Standards are being met on a consistent basis.

☐ B. I certify that Pretreatment Standards are NOT being met on a consistent basis, and that additional operation and maintenance (O&M) and/or additional pretreatment is required to achieve compliance with Pretreatment Standards and Requirements.

2. Information Certification: Ref = 40 CFR 403.6(a)(2)(ii)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Authorized Signature: Jack Marsch

Title: EE2

Date: 6/21/05

PLEASE ATTACH THIS CERTIFICATION TO THE SEMI-ANNUAL & OTHER REPORTS THAT YOU SUBMIT TO THE ONEIDA COUNTY SEWER DISTRICT.

ONEIDA COUNTY

Submit To:

ATTN: PRETREATMENT

ONEIDA COUNTY SEWER DISTRICT

PO BOX 442

UTICA NY 13503

F

NY

207 GENERAL

UTICA NY 13503

REPORTING PERIOD: NOVEMBER 30, 2004 to MAY 31, 2005

SAMPLING RESULTS:

For Semi-Annual Reporting, a grab sample of the Primoshield Site discharge to the sanitary sewer is required. Attach signed Report Certification.

In response to any violations incurred, self-monitor for pollutant in violation at least once a week until there are three consecutive sampling events which are in full compliance with Permit Limits. Submit all results for all samples taken. The next resampling result is due within thirty (30) days; a complete report with all three resampling results is due within sixty (60) days. Attach signed Report Certification.

ATTACH COPIES OF ALL CONTRACT LABORATORY REPORTS AND MANIFESTS OF HAZARDOUS WASTE SHIPMENTS FOR THE REPORTING PERIOD.

POLLUTANT PARAMETER	DAILY MAXIMUM LIMIT	ANALYSIS SAMPLE #1	ANALYSIS SAMPLE #2	ANALYSIS SAMPLE #3
Date Sampled		4/29/05		
Sample Number		916601		
Discharge Flow (Note 1)		*		
pH	5.0-12.5	7.85		
Cadmium, mg/L	1.0	0.00027 U		
Chromium, mg/L	5.0	0.00091 B		
Copper, mg/L	3.0	0.0026 B		
Lead, mg/L	5.0	0.0014 U		
Nickel, mg/L	2.0	0.0641		
Zinc, mg/L	4.0	0.0015 B		
Cyanide, mg/L	3.0	0.010 U		
Total VOCs (Note 2)	2.0	0.043		

1) Attach monthly flow totalizer data.

* METER READING 4/29/05 4,558,566

2) Total VOCs using EPA Method 624.

Signature:

Jack Marach

Date:

6/21/05

DATA COMMENT PAGE

ORGANIC DATA QUALIFIERS

- ND or U Indicates compound was analyzed for, but not detected at or above the reporting limit.
- J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.
- C This flag applies to pesticide results where the identification has been confirmed by GC/MS.
- B This flag is used when the analyte is found in the associated blank, as well as in the sample.
- E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- D This flag identifies all compounds identified in an analysis at the secondary dilution factor.
- N Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds, where the identification is based on the Mass Spectral library search. It is applied to all TIC results.
- P This flag is used for a pesticide/Aroclor target analyte when there is greater than 25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on the data page and flagged with a "P".
- A This flag indicates that a TIC is a suspected aldol-condensation product.
- ! Indicates coelution.
- * Indicates analysis is not within the quality control limits.

INORGANIC DATA QUALIFIERS

- ND or U Indicates element was analyzed for, but not detected at or above the reporting limit.
- J or B Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.
- N Indicates spike sample recovery is not within the quality control limits.
- K Indicates the post digestion spike recovery is not within the quality control limits.
- S Indicates value determined by the Method of Standard Addition.
- M Indicates duplicate injection results exceeded quality control limits.
- W Post digestion spike for Furnace AA analysis is out of quality control limits (85-115%) while sample absorbance is less than 50% of spike absorbance.
- E Indicates a value estimated or not reported due to the presence of interferences.
- H Indicates analytical holding time exceedance. The value obtained should be considered an estimate.
- * Indicates analysis is not within the quality control limits.
- + Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995.

NYS DEC
NYS DEC ASP CONTRACT #C004154 - REGION 6
NYSDEC - EPA ASP00 VOLATILES - W
ANALYSIS DATA SHEET

Client No.

916601

Lab Name: STL BuffaloContract: C004154Lab Code: RECNY Case No.: SH605 SAS No.: _____ SDG No.: 0429Matrix: (soil/water) WATERLab Sample ID: A5432701Sample wt/vol: 25.00 (g/mL) MLLab File ID: N5350.RRLevel: (low/med) LOWDate Samp/Recv: 04/29/2005 04/30/2005% Moisture: not dec. _____ Heated Purge: NDate Analyzed: 05/06/2005GC Column: DB-624 ID: 0.25 (mm)Dilution Factor: 1.00

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) UG/L Q

74-87-3-----	Chloromethane	10	U
74-83-9-----	Bromomethane	10	U
75-01-4-----	Vinyl chloride	10	U
75-00-3-----	Chloroethane	10	U
75-09-2-----	Methylene chloride	10	U
67-64-1-----	Acetone	10	U
75-15-0-----	Carbon disulfide	10	U
75-35-4-----	1,1-Dichloroethene	10	U
75-34-3-----	1,1-Dichloroethane	10	U
67-66-3-----	Chloroform	10	U
107-06-2-----	1,2-Dichloroethane	10	U
78-93-3-----	2-Butanone	10	U
71-55-6-----	1,1,1-Trichloroethane	11	
56-23-5-----	Carbon tetrachloride	10	U
75-27-4-----	Bromodichloromethane	10	U
78-87-5-----	1,2-Dichloropropane	10	U
10061-01-5----	cis-1,3-Dichloropropene	10	U
79-01-6-----	Trichloroethene	32	
124-48-1-----	Dibromochloromethane	10	U
79-00-5-----	1,1,2-Trichloroethane	10	U
71-43-2-----	Benzene	10	U
10061-02-6----	trans-1,3-Dichloropropene	10	U
75-25-2-----	Bromoform	10	U
108-10-1-----	4-Methyl-2-pentanone	10	U
591-78-6-----	2-Hexanone	10	U
127-18-4-----	Tetrachloroethene	10	U
108-88-3-----	Toluene	10	U
79-34-5-----	1,1,2,2-Tetrachloroethane	10	U
108-90-7-----	Chlorobenzene	10	U
100-41-4-----	Ethylbenzene	10	U
100-42-5-----	Styrene	10	U
1330-20-7-----	Xylene, Total	10	U
75-71-8-----	Dichlorodifluoromethane	10	U
75-69-4-----	Trichlorofluoromethane	10	U

NYS DEC
NYS DEC ASP CONTRACT #C004154 - REGION 6
NYSDEC - EPA ASP00 VOLATILES - W
ANALYSIS DATA SHEET

Client No.

916601

Lab Name: STL BuffaloContract: C004154Lab Code: RECN Case No.: SH605 SAS No.: _____ SDG No.: 0429Matrix: (soil/water) WATERLab Sample ID: A5432701Sample wt/vol: 25.00 (g/mL) MLLab File ID: N5350.RRLevel: (low/med) LOWDate Samp/Recv: 04/29/2005 04/30/2005% Moisture: not dec. _____ Heated Purge: NDate Analyzed: 05/06/2005GC Column: DB-624 ID: 0.25 (mm)Dilution Factor: 1.00

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/L	Q
76-13-1-----	1,1,2-Trichloro-1,2,2-Trifluoroethane	10	U	
156-60-5-----	trans-1,2-Dichloroethene	10	U	
1634-04-4-----	Methyl tert-butyl ether	10	U	
156-59-2-----	cis-1,2-Dichloroethene	10	U	
110-82-7-----	Cyclohexane	10	U	
108-87-2-----	Methylcyclohexane	10	U	
106-93-4-----	1,2-Dibromoethane (Ethylene dibromide)	10	U	
98-82-8-----	Isopropylbenzene	10	U	
541-73-1-----	1,3-Dichlorobenzene	10	U	
106-46-7-----	1,4-Dichlorobenzene	10	U	
95-50-1-----	1,2-Dichlorobenzene	10	U	
96-12-8-----	1,2-Dibromo-3-chloropropane	10	U	
120-82-1-----	1,2,4-Trichlorobenzene	10	U	
79-20-9-----	Methyl Acetate	10	U	

NYS DEC
NYS DEC ASP CONTRACT #C004154 - REGION 6
NYSDEC - EPA ASP00 VOLATILES - W
TENTATIVELY IDENTIFIED COMPOUNDS

Client No.

916601

Lab Name: STL Buffalo Contract: C004154Lab Code: RECNY Case No.: SH605 SAS No.: _____ SDG No.: 0429Matrix: (soil/water) WATER Lab Sample ID: A5432701Sample wt/vol: 25.00 (g/mL) ML Lab File ID: N5350.RRLevel: (low/med) LOW Date Samp/Recv: 04/29/2005 04/30/2005% Moisture: not dec. _____ Date Analyzed: 05/06/2005GC Column: DB-624 ID: 0.25 (mm) Dilution Factor: 1.00

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

Number TICs found: 0 CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NO.	Compound Name	RT	Est. Conc.	Q

NYS DEC
NYS DEC ASP CONTRACT #C004154 - REGION 6
NYSDEC - EPA ASP00 VOLATILES - W
ANALYSIS DATA SHEET

Client No.

9166TB

Lab Name: STL BuffaloContract: C004154Lab Code: RECNY Case No.: SH605 SAS No.: _____ SDG No.: 0429Matrix: (soil/water) WATERLab Sample ID: A5432702Sample wt/vol: 25.00 (g/mL) MLLab File ID: N5348.RRLevel: (low/med) LOWDate Samp/Recv: 04/29/2005 04/30/2005% Moisture: not dec. _____ Heated Purge: NDate Analyzed: 05/06/2005GC Column: DB-624 ID: 0.25 (mm)Dilution Factor: 1.00

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/L	Q
74-87-3-----	Chloromethane	10	U	
74-83-9-----	Bromomethane	10	U	
75-01-4-----	Vinyl chloride	10	U	
75-00-3-----	Chloroethane	10	U	
75-09-2-----	Methylene chloride	10	U	
67-64-1-----	Acetone	10	U	
75-15-0-----	Carbon disulfide	10	U	
75-35-4-----	1,1-Dichloroethene	10	U	
75-34-3-----	1,1-Dichloroethane	10	U	
67-66-3-----	Chloroform	10	U	
107-06-2-----	1,2-Dichloroethane	10	U	
78-93-3-----	2-Butanone	10	U	
71-55-6-----	1,1,1-Trichloroethane	10	U	
56-23-5-----	Carbon tetrachloride	10	U	
75-27-4-----	Bromodichloromethane	10	U	
78-87-5-----	1,2-Dichloropropane	10	U	
10061-01-5----	cis-1,3-Dichloropropene	10	U	
79-01-6-----	Trichloroethene	10	U	
124-48-1-----	Dibromochloromethane	10	U	
79-00-5-----	1,1,2-Trichloroethane	10	U	
71-43-2-----	Benzene	10	U	
10061-02-6----	trans-1,3-Dichloropropene	10	U	
75-25-2-----	Bromoform	10	U	
108-10-1-----	4-Methyl-2-pentanone	10	U	
591-78-6-----	2-Hexanone	10	U	
127-18-4-----	Tetrachloroethene	10	U	
108-88-3-----	Toluene	10	U	
79-34-5-----	1,1,2,2-Tetrachloroethane	10	U	
108-90-7-----	Chlorobenzene	10	U	
100-41-4-----	Ethylbenzene	10	U	
100-42-5-----	Styrene	10	U	
1330-20-7-----	Xylene, Total	10	U	
75-71-8-----	Dichlorodifluoromethane	10	U	
75-69-4-----	Trichlorofluoromethane	10	U	

NYS DEC
NYS DEC ASP CONTRACT #C004154 - REGION 6
NYSDEC - EPA ASP00 VOLATILES - W
ANALYSIS DATA SHEET

Client No.

9166TB

Lab Name: STL BuffaloContract: C004154Lab Code: RECNY Case No.: SH605 SAS No.: _____ SDG No.: 0429Matrix: (soil/water) WATERLab Sample ID: A5432702Sample wt/vol: 25.00 (g/mL) MLLab File ID: N5348.RRLevel: (low/med) LOWDate Samp/Recv: 04/29/2005 04/30/2005% Moisture: not dec. _____ Heated Purge: NDate Analyzed: 05/06/2005GC Column: DB-624 ID: 0.25 (mm)Dilution Factor: 1.00

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg)	UG/L	Q
76-13-1-----	1,1,2-Trichloro-1,2,2-Trifluoroethane	10	U	
156-60-5-----	trans-1,2-Dichloroethene	10	U	
1634-04-4-----	Methyl tert-butyl ether	10	U	
156-59-2-----	cis-1,2-Dichloroethene	10	U	
110-82-7-----	Cyclohexane	10	U	
108-87-2-----	Methylcyclohexane	10	U	
106-93-4-----	1,2-Dibromoethane (Ethylene dibromide)	10	U	
98-82-8-----	Isopropylbenzene	10	U	
541-73-1-----	1,3-Dichlorobenzene	10	U	
106-46-7-----	1,4-Dichlorobenzene	10	U	
95-50-1-----	1,2-Dichlorobenzene	10	U	
96-12-8-----	1,2-Dibromo-3-chloropropane	10	U	
120-82-1-----	1,2,4-Trichlorobenzene	10	U	
79-20-9-----	Methyl Acetate	10	U	

NYS DEC
NYS DEC ASP CONTRACT #C004154 - REGION 6
NYSDEC - EPA ASP00 VOLATILES - W
TENTATIVELY IDENTIFIED COMPOUNDS

Client No.

9166TB

Lab Name: STL Buffalo Contract: C004154Lab Code: RECNY Case No.: SH605 SAS No.: _____ SDG No.: 0429Matrix: (soil/water) WATER Lab Sample ID: A5432702Sample wt/vol: 25.00 (g/mL) ML Lab File ID: N5348.RRLevel: (low/med) LOW Date Samp/Recv: 04/29/2005 04/30/2005% Moisture: not dec. _____ Date Analyzed: 05/06/2005GC Column: DB-624 ID: 0.25 (mm) Dilution Factor: 1.00

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

Number TICs found: 0 CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NO.	Compound Name	RT	Est. Conc.	Q

STL BUFFALO

NYS DEC

-1-

INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

916601

Contract: NY00-096

Lab Code: STLBFO

Case No.: SH605

SAS No.:

SDG NO.: 0429

Matrix (soil/water): WATER

Lab Sample ID: AD523773

Level (low/med): LOW

Date Received: 4/30/2005

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	19.2	U		P
7440-36-0	Antimony	3.8	U		P
7440-38-2	Arsenic	3.1	U		P
7440-39-3	Barium	59.8	B		P
7440-41-7	Beryllium	0.23	B		P
7440-43-9	Cadmium	0.27	U		P
7440-70-2	Calcium	96200			P
7440-47-3	Chromium	0.91	B		P
7440-48-4	Cobalt	0.76	B		P
7440-50-8	Copper	2.6	B		P
7439-89-6	Iron	19.0	U		P
7439-92-1	Lead	1.4	U		P
7439-95-4	Magnesium	24300			P
7439-96-5	Manganese	0.58	B		P
7440-02-0	Nickel	64.1			P
7440-09-7	Potassium	2810	B		P
7782-49-2	Selenium	6.4	U		P
7440-22-4	Silver	1.2	U		P
7439-97-6	Mercury	0.073	U		CV
7440-23-5	Sodium	29900			P
7440-28-0	Thallium	4.7	U		P
7440-62-2	Vanadium	0.67	U		P
7440-66-6	Zinc	1.5	B		P

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: NONE

Color After: COLORLESS

Clarity After: CLEAR

Artifacts:

Comments:

21/339

NYS DEC
NYS DEC ASP Contract #C004154 - Region 6
Wet Chemistry Analysis

Client Sample No.

916601

Lab Name: STL BuffaloContract: C004154Lab Code: REQNYCase No.: SH605

SAS No.: _____

SDG No.: 0429Matrix (soil/water): WATERLab Sample ID: A5432701% Solids: 0.0Date Samp/Recv: 04/29/2005 04/30/2005

Parameter Name	Units of Measure	Result	C	Q	M	Method Number	Analyzed Date
Cyanide - Total	MG/L	0.010	U			CLP-WC	05/05/2005
pH	S.U.	7.85				150.1	04/30/2005

Comments:
