## New York State Department of Environmental Conservation Division of Environmental Remediation, Region 6

207 Genesee Street, Utica, New York 13501-2885 **Phone**: (315) 793-2554 • **FAX**: (315) 793-2748

Website: www.dec.state.nv.us



August 6, 2007

Oneida County Department of Water Quality & Water Pollution Control 51 Leland Avenue P.O. Box 442 Utica, New York 13503-0442

Attention: Mr. Dan Hoffman, Industrial Wastes Chemist

RE: Groundwater Permit No. GW-040

Semi-Annual Report: November 30, 2006 to May 31, 2007

Primoshield Plating, Inc., Site #6-33-027

Oneida County Sewer District

Dear Mr. Hoffman:

Enclosed please find the Semi-Annual Report, due May 31, 2007, for the above Groundwater Permit from Primoshield Plating, Site #633027, City of Utica. The report contains the Oneida County Sewer District Reporting Form and the Oneida County District Industrial Use Report Certifications.

Please note that all analytical values on the reporting form are expressed in mg/liter and the raw analytical data is expressed in micrograms/liter.

All analysis was performed by Severn Trent Laboratories, Buffalo, New York. All analyses for this permit are analyses specified in 40 CFR 136.

Per standard practice, only values above detection limits are summed for Total VOC's by EPA Method 624. No parameter analyzed was near any toxic hazardous waste level. U abbreviates non-detectable.

If you have any questions, I can be reached at (315) 793-2554.

Sincerely, Oneh Marsel

Jack Marsch, P.E.

Environmental Engineer 2

Region 6 - Utica

cc:

Peter Taylor Sue Lasdin

#### ONEIDA COUNTY SEWER DISTRICT REPORTING FORM

Submit To:

From

Site

ATTN: PRETREATMENT

ONEIDA COUNTY SEWER DISTRICT

JACK MARSCH NYSDEC REGION 6 PRIMOSHIELD SITE

PO BOX 442

207 GENESEE STREET

1212 ST. VINCENT STREET

**UTICA NY 13503** 

**UTICA NY 13501** 

**UTICA NY 13501** 

REPORTING PERIOD: <u>NOVEMBER 30</u> to <u>MAY 31, 20</u>07

SAMPLING RESULTS:

For Semi-Annual Reporting, a grab sample of the Primoshield Site discharge to the sanitary sewer is analyzed for the pollutants listed. Attach signed Report Certification.

In response to any violations incurred, self-monitor for pollutant in violation at least once a week until there are results for three consecutive sampling events which are in full compliance with Permit Limits. Submit all results for all samples taken. The first resampling result is due within thirty (30) days; a complete report with all three resampling results is due within sixty (60) days. Attach signed Report Certification.

ATTACH COPIES OF ALL CONTRACT LABORATORY REPORTS AND MANIFESTS OF HAZARDOUS WASTE SHIPMENTS FOR THE REPORTING PERIOD.

POLLUTANT	DAILY	ANALYSIS	ANALYSIS	ANALYSIS
PARAMETER	MAXIMUM	SAMPLE #1	SAMPLE #2	SAMPLE #3
	LIMIT			
Date Sampled	,	6/25/07		-
Sample Number		916601		
Discharge Flow (Note 1)		*		
pH	5.0-12.5	7,78		
Cadmium, mg/L	1.0	0,00020 U		
Chromium, mg/L	5.0	0,0038 B		
Copper, mg/L	3.0	0.0120 B		
Lead, mg/L	5.0	0.0217		
Nickel, mg/L	2.0	0.129		
Zinc, mg/L	4.0	0,0391 B		
Cyanide, mg/L	3.0	0.010 U		
Total VOCs (Note 2)	2.0	0,059		

1)	Attach	monthly	flow	totalizer	data.
----	--------	---------	------	-----------	-------

\* METER READING 6/25/07 5,994,21

2) Total VOCs using EPA Method 624.

Signature: <u>Jack Marsel</u> Date: <u>8/6/07</u>

## ONEIDA COUNTY SEWER DISTRICT INDUSTRIAL USER REPORT CERTIFICATION

Submit To:	From	Site
ATTN: PRETREATMENT	JACK MARSCH	PRIMOSHIELD SITE
ONEIDA COUNTY SEWER DISTRICT	NYSDEC REGION 6	1212 ST. VINCENT STREET
PO BOX 442	207 GENESEE STREET	UTICA NY 13501
UTICA NY 13503	UTICA NY 13501	
ATTACH TO REPORT DATED: 8	16/07	
REPORTING PERIOD: NOVE MBER		
The fall assists and find a find a section of the fall assists and the section of the section		-liaidh dha Caal
The following certification of information p	provided in industrial user reports is made in comp	onance with the General
Pretreatment Regulations		

1. Compliance or Non-Compliance Status: Ref = 40 CFR 403.12(b)(6)

Check A or B. If B is checked, attach a statement describing O&M and/or pretreatment required; include the shortest schedule by which you can provide the required O&M and/or pretreatment.

A. I certify that Pretreatment Standards are being met on a consistent basis.

- [ ] B. I certify that Pretreatment Standards are NOT being met on a consistent basis, and that additional operation and maintenance (O&M) and/or additional pretreatment is required to achieve compliance with Pretreatment Standards and Requirements.
- 2. Information Certification: Ref = 40 CFR 403.6(a)(2)(ii)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Authorized Signature: 

Title: 

EE 2

Date: 

8/6/07

PLEASE ATTACH THIS CERTIFICATION TO THE SEMI-ANNUAL & OTHER REPORTS THAT YOU SUBMIT TO THE ONEIDA COUNTY SEWER DISTRICT.

# STL

#### DATA QUALIFIER PAGE

These definitions are provided in the event the data in this report requires the use of one or more of the qualifiers. Not all qualifiers defined below are necessarily used in the accompanying data package.

#### ORGANIC DATA QUALIFIERS

ND or U Indicates compound was analyzed for, but not detected.

- J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.
- C This flag applies to pesticide results where the identification has been confirmed by GC/MS.
- B This flag is used when the analyte is found in the associated blank, as well as in the sample.
- E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- D This flag identifies all compounds identified in an analysis at the secondary dilution factor.
- N Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds, where the identification is based on the Mass Spectral library search. It is applied to all TIC results.
- P This flag is used for CLP methodology only. For Pesticide/Arocior target analytes, when a difference for detected concentrations between the two GC columns is greater than 25%, the lower of the two values is reported on the data page and flagged with a "P".
- A This flag Indicates that a TIC is a suspected aldol-condensation product.
- Indicates coelution.
- \* Indicates analysis is not within the quality control limits.

#### **INORGANIC DATA QUALIFIERS**

ND or U Indicates element was analyzed for, but not detected. Report with the detection limit value.

- J or B Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.
- N Indicates spike sample recovery is not within the quality control limits.
- S Indicates value determined by the Method of Standard Addition.
- E Indicates a value estimated or not reported due to the presence of interferences.
- H Indicates analytical holding time exceedance. The value obtained should be considered an estimate.
- G Indicates a value greater than or equal to the project reporting limit but less than the laboratory quantitation limit
- \* Indicates the spike or duplicate analysis is not within the quality control limits.
- Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995.

Client No.

	916601
Lab Name: STL Buffalo Contract: _	
Lab Code: RECNY Case No.: SH607 SAS No.:	SDG No.: <u>0515</u>
Matrix: (soil/water) <u>WATER</u>	Lab Sample ID: A7711501
Sample wt/vol:	Lab File ID: Q2325.RR
Level: (low/med) <u>LOW</u>	Date Samp/Recv: 06/25/2007 06/26/200
% Moisture: not dec Heated Purge: N	Date Analyzed: 07/06/2007
GC Column: <u>ZB-624</u> ID: <u>0.25</u> (mm)	Dilution Factor:1.00
Soil Extract Volume: (uL)	Soil Aliquot Volume: (uL)
CAS NO. COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) <u>UG/L</u> Q
74-87-3	10 U U 10 U U 10 U U 10 U U U U U U U U

Lab Name: SIL Buffalo Contract:		91660	1	
Lab Code: RECNY Case No.: SH607 SAS No.:	SDG No.: <u>0515</u>	_		
Matrix: (soil/water) <u>WATER</u>	Lab Sample ID:	<u>A77115</u>	01	
Sample wt/vol: 5.00 (g/mL) ML	Lab File ID:	<u>Q2325.1</u>	R.	-
Level: (low/med) <u>LOW</u>	Date Samp/Recv	06/25/2	2007 06/	<u>/26/2007</u>
% Moisture: not dec Heated Purge: N	Date Analyzed:	07/06/2	2007	
GC Column: <u>ZB-624</u> ID: <u>0.25</u> (mm)	Dilution Factor	:1.0	<u>00</u>	
Soil Extract Volume: (uL)	Soil Aliquot Vo	olume:	(	(uL)
CAS NO. COMPOUND	CONCENTRATION UNITS (ug/L or ug/Kg)		Q	
76-13-11,1,2-Trichloro-1,2,2-Triflu 156-60-5trans-1,2-Dichloroethene 1634-04-4Methyl tert-butyl ether 156-59-2Cyclohexane 110-82-7Cyclohexane 108-87-2Methylcyclohexane 106-93-41,2-Dibromoethane (Ethylene 98-82-8Isopropylbenzene 541-73-11,3-Dichlorobenzene 106-46-71,4-Dichlorobenzene 95-50-11,2-Dichlorobenzene 96-12-81,2-Dibromo-3-chloropropane 120-82-11,2,4-Trichlorobenzene 79-20-9	dibramide)	10 10 10 2 10 10 10 10 10 10 10	מממממממממנמממ	

#### NYS DEC NYS DEC ASP CONTRACT - REGION 6 NYSDEC - EPA ASPOO VOLATILES - W TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name:	STL Buffalo	Con	ntract:			916601		
Lab Code:	RECNY Case No.	: <u>SH607</u>	SAS No.:	SDG No.:	0515			
Matrix:	(soil/water) <u>WATER</u>			Lab Samp	le ID:	A771150	)1	
Sample wt	:/vol:5.00	(g/mL) <u>MI</u>	<u>.</u>	Lab File	ID:	Q2325.R	R_	
Level:	(low/med) <u>IOW</u>			Date Sam	p/Recv:	06/25/2	2007	06/26/2007
% Moistur	re: not dec	-		Date Ana	lyzed:	07/06/2	2007	
CC Column	n: <u>ZB-624</u> ID:	0.25 (mm)		Dilution	Factor:	1.0	<u>00</u>	
Soil Extr	ract Volume:	(uL)		Soil Alio	quot Vol	lume:		_ (uL)
Number T	Cs found: 1			CONCENTRAT: (ug/L or 1				
	CAS NO.	Cc	empound Name	RT	Est.	Conc.	Q	

Lab Name: STL Buffalo Contract:		TBLANK	
Lab Code: RECNY Case No.: SH607 SAS No.:	_ SDG No.: <u>0515</u>	_	
Matrix: (soil/water) <u>WATER</u>	Lab Sample ID:	A7711502	-
Sample wt/vol:5.00 (g/mL) ML	Lab File ID:	<u>0</u> 2327.RR	
Level: (low/med) <u>LOW</u>	Date Samp/Recv:	06/25/2007	06/26/2007
Moisture: not dec Heated Purge: N	Date Analyzed:	07/06/2007	2
C Column: <u>ZB-624</u> ID: <u>0.25</u> (mm)	Dilution Factor	:1.00	
Soil Extract Volume: (uL)	Soil Aliquot Vo	lume:	(uL)
CAS NO. COMPOUND	CONCENTRATION UNITS (ug/L or ug/Kg)	-	Q
74-87-3Chloromethane		10 U	
74-83-9Bromomethane		10 [	
75-01-4Vinyl chloride		10 [1	
175-00-3Chiomethane		10	
75-09-2Methylene chloride		10	
67-64-1Acetone		10 [1	
75-15-0Carbon disulfide		10 (1	
75-35-41,1-Dichloroethene		10 [t	
75-34-31,1-Dichloroethane		10 t	
67-66-3Chloroform		10 [0	
107-06-21,2-Dichloroethane		10 [0	
78-93-32-Butanone		10 [0	,
71-55-61,1,1-Trichloroethane		10 [1	7
56-23-5Carbon tetrachloride		10   0	J
75-27-4Bromodichloromethane		10 U	J
78-87-51,2-Dichloropropane		10 U	T
10061-01-5cis-1,3-Dichloropropene		10 (U	J
79-01-6Trichloroethene		10 [0	J
124-48-1Dibromochloromethane		10 U	ī
79-00-51,1,2-Trichloroethane		10 JU	
71-43-2Benzene		10 U	
10061-02-6trans-1,3-Dichloropropene		10 U	
75-25-2Bromoform		10 U	
108-10-14-Methyl-2-pentanone		10 U	
591-78-62-Hexanone		10 U	
127-18-4Tetrachloroethene		10 U	
108-88-3Toluene		10 U	I
79-34-51,1,2,2-Tetrachloroethane		10 U	
108-90-7Chlorobenzene		10 U	<b>I</b>
100-41-4Ethylbenzene		10 ປ	r
100-42-5Styrene		10 U	r
1330-20-7Xylene, Total		10   ປ	r
75-71-8Dichlorodifluoromethane		10 ປ	• • • • • • • • • • • • • • • • • • •
75-69-4Trichlorofluoromethane		10   ປ	

•			
Lab Name: STL Buffalo Contract:		TBLANK	
The state of the s	<del></del>		
Lab Code: RECNY Case No.: SH607 SAS No.:	SDG No.: 0515	_	
Matrix: (soil/water) <u>WATER</u>	Lab Sample ID:	A7711502	
Sample wt/vol:	Lab File ID:	02327.RR	
Level: (low/med) <u>LOW</u>	Date Samp/Recv:	06/25/20	<u>07 06/26/2007</u>
% Moisture: not dec Heated Purge: N	Date Analyzed:	07/06/20	07
GC Column: <u>ZB-624</u> ID: <u>0.25</u> (mm)	Dilution Factor:	:1.00	
Soil Extract Volume: (uL)	Soil Aliquot Vol	lume:	(uL)
	CENTRATION UNITS		_
CAS NO. COMPOUND (u	g/L or ug/Kg)	UG/L	Q
76-13-11,1,2-Trichloro-1,2,2-Trifluoroe	thane	10	ט
156-60-5trans-1,2-Dichloroethene		10	ע
1634-04-4Methyl tert-butyl ether		10	ע
156-59-2cis-1,2-Dichloroethene		10	ן ט
110-82-7Cyclohexane		10	ט
108-87-2Methylcyclohexane		10	ט
106-93-41,2-Dibromoethane (Ethylene dibr	romide)	10	ע
98-82-8Isopropylbenzene		10	ט
541-73-11,3-Dichlorobenzene		10	ט
106-46-71,4-Dichlorobenzene		10	ען ען
95-50-11,2-Dichlorobenzene		10	ן ט
96-12-81,2-Dibromo-3-chloropropane		10	ן טן
120-82-11,2,4-Trichlorobenzene		10	ן ט
79-20-9Methyl Acetate		10	ט

#### NYS DEC NYS DEC ASP CONTRACT - REGION 6 NYSDEC - EPA ASPOO VOLATILES - W TENTATIVELY IDENTIFIED COMPOUNDS

Tab Mama.	CTT Diffolo	Contract.				TBLANK		
Lad Name:	SIL BILLATO	Contract:			_			
Lab Code:	<u>RECNY</u> Case No	.: <u>SH607</u> SAS No.: _		SDG No.: (	0515			
Matrix: (	(soil/water) <u>WATER</u>			Lab Sampl	le ID:	<u>A7711502</u>	2	
Sample wt	:/vol: <u>5.0</u>	0 (g/mL) <u>ML</u>		Lab File	ID:	<u>02327.RI</u>	<u>R</u>	
Level:	(low/med) <u>LOW</u>			Date Sam	p/Recv:	06/25/20	007	06/26/2007
% Moistur	re: not dec	_		Date Anal	lyzed:	07/06/20	<u>007</u>	
GC Column	n: <u>ZB-624</u> ID	: <u>0.25</u> (mm)		Dilution	Factor:	1.00	<u>0</u>	
Soil Extr	ract Volume:	(uL)		Soil Alio	quot Vol	ume:		_ (uL)
Number TI	Cs found: <u>0</u>		(	CONCENTRATI (ug/L or t				
	CAS NO.	Compound Name	<b>=</b>	RT	Est.	Conc.	Q	

#### **NYS DEC**

### INORGANIC ANALYSIS DATA SHEET

SAMPLE	NO.
916601	

Contract:	NY00-096	ò
-----------	----------	---

Lab Code: STLBFLO

Case No.: SH607

SAS No.:

SDG NO.:

0515

Matrix (soil/water):

WATER

Lab Sample ID:

AD736358

Level (low/med):

LOW

Date Received:

6/26/2007

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	c	Q	м
7429-90-5	Aluminum	1810			P
7440-36-0	Antimony	3.3	a		P
7440-38-2	Arsenic	3.1	lα i		P
7440-39-3	Barium	101	В		P
7440-41-7	Beryllium	0.25	B		P
7440-43-9	Cadmium	0.20	שן		P
7440-70-2	Calcium	134000	1		P
7440-47-3	Chromium	3.8	B		P
7440-48-4	Cobalt	4.9	В	]	P
7440-50-8	Copper	12.0	B		P
7439-89-6	Iron	4270	1		P
7439-92-1	Lead	21.7			P
7439-95-4	Magnesium	32000			P
7439-96-5	Manganese	314			P
7440-02-0	Nickel	129			P
7440-09-7	Potassium	3750	B		P
7782-49-2	Selenium	3.4	a		Þ
7439-97-6	Mercury	0.058	מ		cv
7440-22-4	Silver	0.73	מ		P
7440-23-5	Sodium	30300			P
7440-28-0	Thallium	3.5	מ		P
7440-62-2	Vanadium	3.4	В		P
7440-66-6	Zinc	39.1	В		P

Color Before:	COLORLESS	Clarity Before:	CLEAR	Texture:	NONE
Color After:	COLORLESS	Clarity After:	CLEAR	Artifacts:	
Comments:					
_					

#### NYS DEC NYS DEC ASP Contract - Region 6 Wet Chemistry Analysis

Client Sample No.

Inh Name, CIII Duffalo	Contract	Contract:			!	916601			
Lab Name: SIL Buffalo			_	_	_				
Lab Code: RECNY Case No.: SH607	SAS No.	SAS No.:				SDG No.: <u>0515</u>			
Matrix (soil/water): WATER		Lab Sample ID: <u>A7711501</u>							
% Solids: 0.0 Date Samp/Recv: 06/25/2007 06/26/200									
Parameter Name	Units of Measure	Result	С	Q	м	Method Number	Analyzed Date		
Cyanide - TotalpH	MG/L S.U.	0.010 7.78	ט			CLP-WC 150.1	06/29/2007 06/27/2007		
Comments:									
			_						