

December 8, 2020

Mr. Justin Starr, PG  
New York State Department of Environmental Conservation  
Division of Environmental Remediation  
Remedial Bureau C  
625 Broadway  
Albany, NY 12233-70134

**Re:   National Grid Kingsley Avenue Site  
          Rome, New York  
          2020 3rd Quarter OM&M Report**

Dear Mr. Starr:

Enclosed for your review is the 2020 3<sup>rd</sup> Quarter Operation, Maintenance, and Monitoring (OM&M) Report for the National Grid Rome (Kingsley Avenue) Site. OM&M is being conducted in accordance with the Site Management Plan (SMP) and OM&M Plan issued May 31, 2013. National Grid filed the updated Declaration of Covenants and Restrictions with Oneida County on December 15, 2017. National Grid also submitted the final Site Management Plan to the NYSDEC on January 24, 2018. The NYSDEC provided comments to the SMP and Final Engineering Report (FER) on March 3, 2019. National Grid submitted the final SMP and FER on November 30, 2019. The NYSDEC approved the SMP and FER on May 8, 2020.

The completed quarterly OM&M activities included:

- A quarterly site inspection;
- Collection of quarterly static water level measurements of site wells;
- Collection and laboratory analysis of quarterly groundwater samples from OU-1 groundwater wells;
- Collection and laboratory analysis of quarterly groundwater extraction system samples; and
- Monitoring and/or collection of light non-aqueous phase liquid and dense non-aqueous phase liquid at site wells.

The groundwater extraction system is operating continuously and discharging to the sanitary sewer under the existing City of Rome Water Pollution Control Authority

Mr. Justin Starr, PG  
December 8, 2020  
Page 2 of 2

discharge permit. A chemical treatment system to minimize iron fouling within the groundwater extraction manhole, submersible pump, and piping also operates continuously.

If you have any questions regarding the report or the scheduled activities, feel free to contact me at (315) 428-5652.

Very truly yours,

A handwritten signature in black ink, appearing to read 'S. Stucker', written in a cursive style.

for SPS

Steven P. Stucker, C.P.G.  
Lead Environmental Engineer  
National Grid

Enclosures

Cc: Devin Shay - Groundwater & Environmental Services, Inc.

National Grid

# 2020 3<sup>rd</sup> Quarter Operations, Maintenance, and Monitoring Report



National Grid Rome Former MGP Site  
233 Kingsley Avenue  
Rome, NY 13440

December 2020

Version 1





## **2020 3<sup>rd</sup> Quarter OM&M Report**

National Grid Rome Former MGP Site  
233 Kingsley Avenue  
Rome, NY 13440

Prepared for:  
National Grid  
300 Erie Boulevard West, C-1  
Syracuse, NY 13202

Prepared by:  
Groundwater & Environmental Services, Inc.  
5 Technology Place, Suite 4  
East Syracuse, NY 13057  
TEL: 800-220-3069  
[www.gesonline.com](http://www.gesonline.com)

GES Project:  
0603123.134400.221

Date:  
December 8, 2020

---

Devin T. Shay, PG  
Program Manager / Principal Hydrogeologist





## Table of Contents

|     |   |    |
|-----|---|----|
| 1   | Introduction .....  | 1  |
| 1.1 | Overview .....  | 1  |
| 1.2 | Site Description .....  | 1  |
| 1.3 | Site History .....  | 2  |
| 2   | Operation, Maintenance, and Monitoring Activities.....  | 5  |
| 2.1 | Quarterly Site Inspection.....  | 5  |
| 2.2 | Quarterly Static Water Level Measurements .....   | 5  |
| 2.3 | Quarterly Groundwater Monitoring Event.....   | 5  |
| 2.4 | Quarterly Light Non-Aqueous Phase Liquid and Dense Non-Aqueous Phase Liquid Monitoring/Collection Event ..... | 6  |
| 2.5 | Quarterly Groundwater Extraction System Discharge Sampling Event .....  | 7  |
| 2.6 | Groundwater Extraction System Discharge Flow and Operation, Maintenance, and Monitoring .....                 | 7  |
| 2.7 | Vegetation Management and Snow Removal.....   | 8  |
| 3   | Conclusions, Recommendations, and Certifications.....   | 9  |
| 3.1 | Conclusions.....  | 9  |
| 3.2 | Recommendations .....   | 9  |
| 3.3 | Certifications .....  | 10 |



## Figures

- Figure 1 – Site Location Map
- Figure 2 – Site Map
- Figure 3 – Site Map – West
- Figure 4 – Site Map – East
- Figure 5 – Barrier Wall Profile

## Tables

- Table 1 – Groundwater Extraction System Discharge Flow
- Table 2 – Site Monitoring Wells
- Table 3 – Historical Groundwater Data
- Table 4 – Groundwater Analytical Data
- Table 5 – Discharge Analytical Data

## Appendices

- Appendix A – Field Inspection Report
- Appendix B – Quarterly Gauging Data
- Appendix C – Well Sampling Field Data
- Appendix D – Data Usability Summary Report and Analytical Data



## Acronyms

|        |   |       |   |
|--------|---|-------|---|
| AWQS   | Ambient Water Quality Standards                         | OM&M  | Operations, Maintenance, and Monitoring       |
| BTEX   | Benzene, Toluene, Ethylbenzene, and Total Xylenes       | OU    | Operable Unit                                 |
| DNAPL  | Dense Non-Aqueous Phase Liquid                          | Pace  | Pace Analytical Services, LLC                 |
| DUSR   | Data Usability Summary Report                           | PAH   | Polycyclic Aromatic Hydrocarbons              |
| GES    | Groundwater & Environmental Services, Inc.              | POTW  | Publically Owned Treatment Works              |
| gpm    | Gallons per Minute                                      | QA/QC | Quality Assurance / Quality Control           |
| IRM    | Interim Remedial Measures                               | ROD   | Record of Decision                            |
| LNAPL  | Light Non-Aqueous Phase Liquid                          | SMP   | Site Management Plan                          |
| MGP    | Manufactured Gas Plant                                  | USEPA | United States Environmental Protection Agency |
| NYSDEC | New York State Department of Environmental Conservation | WPCF  | Water Pollution Control Facility              |



# 1 Introduction

## 1.1 Overview

Groundwater & Environmental Services, Inc. (GES) has prepared this 2020 3<sup>rd</sup> Quarter Operations, Maintenance, and Monitoring Report (OM&M) on behalf of National Grid. This report compiles the OM&M activities completed in the 3<sup>rd</sup> quarter of 2020 at the Former Kingsley Avenue Manufactured Gas Plant (MGP) Site (the Site), located in Rome, New York. The Site has been classified as a Class 2 inactive hazardous waste disposal site by the New York State Department of Environmental Conservation (NYSDEC) and is identified as Site No. 633043.

In accordance with the Record of Decision (March 2002) and following successful completion of the selected remedy, long-term OM&M is required at the Site. The Site Management Plan (SMP) and Final Engineering Report (FER) for Operable Unit (OU) -1 and OU-2 were submitted to NYSDEC on November 30, 2019. The NYSDEC approved the SMP and the FER on May 8, 2020.

The following long-term OM&M activities are conducted in accordance with the SMP to monitor the effectiveness of the remediation previously conducted:

- Quarterly inspection of the Site (March, June, September, December);
- Collection of quarterly static water level measurements at the 34 site wells (16 Operable Unit [OU]-1 shallow and deep groundwater wells, eight dense non-aqueous phase liquid (DNAPL) wells, five OU-2 groundwater wells, and five extraction trench monitoring wells);
- Collection of quarterly groundwater samples from the 16 OU-1 shallow and deep groundwater wells and laboratory analysis of samples;
- Monitoring and/or collection of light non-aqueous phase liquid (LNAPL) and DNAPL monitoring at the 34 site wells, as needed. Offsite disposal of collected DNAPL at least once every 12 months;
- Removal of vegetation and snow, as necessary, to allow for access to the Site; and
- Submittal of quarterly OM&M reports to NYSDEC.

The groundwater extraction system is fully operational and discharges to the nearby sanitary sewer under an existing City of Rome Water Pollution Control Facility (WPCF) discharge permit. Discharge water samples are collected and analyzed quarterly for comparison to the permit limits as part of OM&M.

This OM&M Quarterly Report covers OM&M activities conducted during July, August, and September 2020.

## 1.2 Site Description

The Site is located within the City of Rome, Oneida County, New York. Refer to **Figure 1** for the Site location map. The Site consists of an approximately 22 acre parcel owned by National Grid.



MGP operations formerly covered the northern half of the Site. The southern portion of the Site consists of a National Grid electric substation, where some MGP impacts were left in place due to the inability to excavate on an active substation. National Grid presently operates and maintains a natural gas valving station located adjacent to the terminus of Kingsley Avenue.

The Site is located south of East Dominick Street, bordering a historic commercial and residential district, approximately 2,000 feet north of the confluence of the Mohawk River with the New York State Barge Canal. It is bounded by the Genesee and Mohawk Valley Railroad to the north, and the Mohawk River forms the western boundary of the Site. Whitesboro Street terminates near the southern boundary of the Site. The City of Rome Department of Public Works facility is located to the east and southeast of the Site. Residential properties are located near the Site entrance on Kingsley Avenue.

The Site is relatively flat, with existing grades ranging from 430 to 442 feet above mean sea level. The primary surface water feature in the area is the Mohawk River, which discharges into the Barge Canal approximately 2,000 feet downstream toward the south. The groundwater flow direction in both the water table aquifer (near surface) and deep aquifer (within the overburden above the clay) is toward the south-southwest. Depth to groundwater generally ranges from 2 to 15 feet below ground surface at the Site.

### **1.3 Site History**

The Kingsley Avenue MGP was constructed in 1917. Gas production began at the Site in 1917 and peaked in 1927. Manufactured gas was produced at the Site using the coal gas and water gas processes. Coal carbonization produced coal gas by heating coal in retorts or beehive ovens. The water gas process involved the passage of steam through burning coal. This formed a gaseous mixture that was passed through a super heater into which an oil feed stock was sprayed. In each process, the gas produced was condensed and purified prior to distribution. The production of manufactured gas created many by-products, some of which remain onsite. A dense, oily liquid known as coal tar condensed out of the gas at various stages during its production, purification, and distribution. Although much of the coal tar produced was reused, recovery of the coal tar waste was incomplete. Substantial amounts of coal tar leaked from storage and processing facilities, contaminating surface and subsurface soils, as well as groundwater. Another by-product includes the discarded lime and/or wood chips treated with iron oxides to remove cyanide and sulfur from the gas (known as purifier waste).

By 1930, production of gas at the Kingsley Avenue MGP was limited to emergency capacity, as the supply of gas for the City of Rome came from other facilities. Between 1938 and 1941, the retort house and relief holder were decommissioned. By 1949, gas manufacturing equipment had been removed from the central building. In 1959, the main gas holder was dismantled.

Environmental concerns at the Site caused NYSDEC and the United States Environmental Protection Agency (USEPA) to evaluate the need for investigation and remedial action. Regulators typically define a single site into a number of OUs. An OU, for technical or administrative reasons, can be addressed separately to eliminate or mitigate a release, threat of release, or exposure pathway resulting from the Site contamination. The lead agency, NYSDEC, defined OUs: OU-1 and OU-2. NYSDEC continues to administer the Site under a Consent Order



with National Grid. OU-1 includes the former Kingsley Avenue MGP property, the surface soils of a small contiguous area of undeveloped New York State-owned land along the Mohawk River, and sediments in a backwater area west of the Site. OU-2 includes an approximate 2-acre area between the National Grid property and the eastern shore of the Mohawk River. Additionally, OU-2 includes the area beneath the Mohawk River and property west of the Mohawk River to East Westboro Street. OU-2 encompasses approximately 20 acres of land. Refer to **Figure 2** for a depiction of OU-1 and OU-2.

This report is focused on OU-1. The following provides a general chronology of key events related to OU-1.

- 1987 – USEPA Preliminary Assessment
- 1992 – Preliminary Site Assessment/Interim Remedial Measures (IRM) Work Plan
- May 1994 – Concentrator House IRM
- July 1994 – Start of Remedial Investigation
- January 1995 – Purifier Disposal Area IRM
- July 1998 – Light non-aqueous phase liquid (LNAPL) Removal IRM initiated
- March 1999 – Remedial Investigation Report
- December 2001 – Offsite Remedial Investigation Report complete
- January 2002 – OU-1 Feasibility Study complete
- March 2002 – OU-1 Record of Decision (ROD) issued by NYSDEC
- August 2006 – Remedial Design approved
- August 2007 – Remedial Action started
- December 2010 – Remedial Action completed
- January 2011 – long-term groundwater and LNAPL and DNAPL monitoring commenced
- December 2011 – long-term groundwater extraction system OM&M commenced
- November 2012 – chemical treatment system for the extraction manhole completed

The remedial elements for OU-1 that have been completed include:

- Utility relocation.
- DNAPL and LNAPL source area soil removal and offsite thermal treatment/disposal.
- Purifier waste material removal and offsite disposal.
- River bank soil removal and offsite disposal.
- Demolition and offsite disposal of the MGP tar well and holder foundations.
- Installation of a sheet pile cutoff wall to contain and minimize offsite migration of DNAPL.

- Installation of a groundwater extraction trench with passive recovery pipe along the upgradient side of the wall. The trench includes a series of collection manholes/sumps. Submersible pumps deliver untreated groundwater to a sanitary manhole under an existing City of Rome WPCF.
- Installation of a 14-acre soil cover in the northern portion of the Site.
- The two foot thick vegetative cover (clean soil above geotextile layer).
- Installation of eight DNAPL collection wells within known source areas.
- Installation of five groundwater monitoring wells along the extraction trench.
- Installation of 16 groundwater monitoring wells to monitor shallow and deep aquifers.
- Installation of five groundwater monitoring wells within the OU-2 area.
- An Environmental Easement has been placed on the property and is included with the final Site Management Plan.

**Figure 3** presents the monitoring well locations for the western portion of the Site. **Figure 4** presents monitoring well locations for the eastern portion of the Site.

Following start-up of the groundwater extraction system, it became apparent that iron fouling would be an operational issue. Therefore, National Grid installed a chemical treatment system to help protect the groundwater wells, piping, and submersible pump associated with the groundwater extraction system. As part of the chemical treatment system, a weather-proof structure was installed adjacent to the groundwater pumping manhole and houses a chemical tote and chemical feed pump. An environmental friendly iron inhibitor (REDUX 340) is injected into the pumping manhole to protect the submersible pump, piping, and metering instruments. This chemical is used at similar National Grid sites across central and eastern New York State in order to minimize iron fouling and reduce operation and maintenance costs and has been approved by the City of Rome publicly owned treatment works (POTW). The chemical treatment system became operational in November 2012.

## 2 Operation, Maintenance, and Monitoring Activities

### 2.1 Quarterly Site Inspection

GES conducted the 2020 3<sup>rd</sup> quarter site inspection on September 11, 2020. Inspections are generally conducted in March, June, September, and December of each year. The Site inspection included the Site wells, security perimeter fence/gates, drainage system, vegetation, and the Site access road. In general, the Site was noted to be in compliance during the inspection. Refer to **Appendix A** for the Site Inspection Form.

There are 34 total site wells that were inspected as part of this event. **Figures 3** and **4** show the well locations. **Table 2** details each well in terms of horizontal location, vertical elevation, diameter, material, and screen elevation.

### 2.2 Quarterly Static Water Level Measurements

Quarterly static water level measurements were collected from the 34 wells on September 10 and 11, 2020. **Table 3** presents historical and recent static water level measurements. Refer to **Appendix B** for the field log sheet with water level measurements.

Prior to the construction of the barrier wall and groundwater extraction trench/system remedy, groundwater generally flowed northwesterly toward the Mohawk River. The remedy was designed and constructed to intercept that groundwater flow pattern and minimize migration of site-related DNAPL from the upgradient side of the barrier wall to the river. To ensure that the barrier wall meets the intent of the remedial action, it was agreed by NYSDEC and National Grid that the long-term compliance mechanism would be to compare the top of steel sheeting barrier wall (generally 435 to 437 feet above sea level) with the groundwater levels immediately upgradient of the barrier wall.

Eight manholes (MH-2, MH-3, MH-4, MH-5, MH-6, MH-6A, MH-7, and MH-8) and ten groundwater monitoring wells (DNAPL-2, DNAPL-3, DNAPL-4, DNAPL-5, DNAPL-6, VTW-1, VTW-2, VTW-3, VTW-4, and VTW-5) were constructed immediately upgradient of the barrier wall within the gravel extraction trench. The static water levels in each of the upgradient groundwater monitoring wells were measured and found to be between 425 and 431 (**Table 3**) feet above sea level since start-up of the groundwater extraction system. Groundwater does not overtop the barrier wall. **Figure 5** presents the groundwater levels compared to the barrier wall profile. Gauging data for all 34 wells and containment data for the 10 upgradient groundwater monitoring wells are presented in **Appendix B**.

### 2.3 Quarterly Groundwater Monitoring Event

The 2020 3<sup>rd</sup> quarter groundwater monitoring event was conducted on September 10 and 11, 2020. Sixteen groundwater monitoring wells were sampled (LTMW-D01, LTMW-S01, LTMW-D02, LTMW-S02, LTMW-D03, LTMW-S03, LTMW-D04, LTMW-S04, LTMW-D05, LTMW-S05, LTMW-D06, LTMW-S06, LTMW-S07, LTMW-S08, LTMW-S09, LTMW-S10).





The wells were sampled in accordance with USEPA Low-Flow Groundwater Sampling Procedures [1996]. Purge water was contained and subsequently discharged to the onsite groundwater extraction system which discharges water to the City of Rome WPCF. Field measurements (temperature, pH, oxidation-reduction potential, conductivity, turbidity, dissolved oxygen, and total dissolved solids) were recorded at each well during the sampling using a water quality meter and are presented in **Appendix C**.

In addition to the 16 water samples collected, four quality assurance/quality control (QA/QC) samples were collected, including one Matrix Spike sample, one Matrix Spike Duplicate sample, one field duplicate sample, and one trip blank sample. Twenty total samples were shipped on ice to the Pace Analytical Services, LLC (Pace) of Greensburg, Pennsylvania, for laboratory analysis. Analyses included: polycyclic aromatic hydrocarbons (PAHs) via USEPA Method 8270D; benzene, toluene, ethylbenzene, and total xylenes (BTEX) via USEPA Method 8260C; heavy metals via USEPA Method 200.7; and total cyanide via USEPA Method 335.4.

The analytical results included detections of BTEX, acenaphthene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, cyanide, and fluorene, above the New York State regulatory maximum allowable limits. Analytical results at LTMW-S03 indicated zinc levels above the guidance value provided in NYSDEC's Technical and Operational Guidance Series section 1.1.1. A summary of laboratory analytical results is provided in **Table 4**. Of the 16 wells sampled, LTMW-D01, LTMW-D03, and LTMW-S07 had BTEX concentrations above the New York State Groundwater Ambient Water Quality Standards (AWQS). Results indicated no detections of any compound for LTMW-D02, LTMW-D05, and LTMW-S09.

The analytical data report was validated by GES. The primary objective of the data validation is to identify any questionable or invalid laboratory processes or data. The data validator reviewed the summary form information, the raw sample data, and a limited review of associated raw QC data. In summary, sample results are usable as reported. Qualifications are detailed in Table 1 of **Appendix D**, which presents the Data Usability Summary Report (DUSR) including the validated laboratory data.

## **2.4 Quarterly Light Non-Aqueous Phase Liquid and Dense Non-Aqueous Phase Liquid Monitoring/Collection Event**

Each of the 34 wells was monitored for LNAPL and DNAPL in September for this quarter. The gauging data for these events are presented in **Appendix B**. This activity is conducted in conjunction with the collection of static water level measurements. A probe is lowered to the water level in the well and inspected for LNAPL. The probe is then lowered to the bottom of the well and inspected for DNAPL. If LNAPL or DNAPL is discovered in measurable quantities, product is removed from the well using a submersible pump. The removed product/water mixture is subsequently containerized in a properly labeled NYSDOT-approved 55-gallon drum for future offsite disposal. DNAPL in measurable quantities was noted in four site wells: DNAPL-03, MW-OU2-1, MW-OU2-2 and MW-OU2-4.



As part of the NAPL monitoring/collection event, a total of 10 gallons of DNAPL were collected (2.5 gallons from MW-OU2-1, 2 gallons from MW-OU2-2, 3 gallons from MW-OU2-4, and 2.5 gallon from DNAPL-03) during this quarter.

Since the start of the NAPL monitoring/collection program, a total of 558 gallons of DNAPL have been removed for offsite disposal. Zero gallons of LNAPL have been detected/recovered.

## **2.5 Quarterly Groundwater Extraction System Discharge Sampling Event**

Under an existing City of Rome WPCF discharge permit, quarterly sampling, analysis, and reporting of the groundwater extraction system discharge to the local sewer system is required. A water sample was collected on September 10, 2020, and analyzed by Pace for the permit-specified parameters. No detections above permit limits were noted. **Table 5** provides the analytical results compared to the permit limits.

The analytical data report was validated by GES. The primary objective of the data validation is to identify any questionable or invalid laboratory processes or data. The validator reviewed the summary form information, the raw sample data, and a limited review of associated raw QC data. The review stated that field sample analyte values/reporting limits were usable as reported. The laboratory result for pH is always considered estimated as the EPA recommended short hold time of 15 minutes can only be met by in-field measurements. Qualifications are detailed in Table 1 of **Appendix D**, which presents the Data Usability Summary Report (DUSR) including the validated laboratory data.

## **2.6 Groundwater Extraction System Discharge Flow and Operation, Maintenance, and Monitoring**

The groundwater extraction system consists of a gravel trench, a pumping manhole, dual submersible pumps, and below ground piping. The piping enters the onsite groundwater treatment building where flow measurements, discharge sampling, pressure measurements, and other OM&M activities can be conducted. The piping then continues below ground from the nearby sanitary sewer manhole to the City of Rome WPCF.

A mechanical flow meter is located within the Site building and serves as the recording device for the effluent water. During this reporting period, 3,205,924 gallons (average flow ~ 25.2 gpm) were discharged. Since the groundwater extraction system was installed, approximately 166 million gallons have been discharged. Below is a summary table for the groundwater extraction system discharge flow:



**Table 1 – Groundwater Extraction System Discharge Flow**

| Time Period                  | Discharge Flow (gallons) |
|------------------------------|--------------------------|
| 2010                         | 11,600,000               |
| 2011                         | 14,400,000               |
| 2012                         | 19,900,000               |
| 2013                         | 19,500,000               |
| 2014                         | 16,500,000               |
| 2015                         | 16,686,700               |
| 2016                         | 13,695,010               |
| 2017                         | 13,874,930               |
| 2018                         | 13,208,189               |
| 2019                         | 15,989,356               |
| 2020 1 <sup>st</sup> Quarter | 3,775,177                |
| 2020 2 <sup>nd</sup> Quarter | 3,513,675                |
| 2020 3 <sup>rd</sup> Quarter | 3,205,924                |
| <b>TOTAL</b>                 | <b>165,848,961</b>       |

The previous consultant conducted an evaluation of the groundwater extraction system, including inspections of the extraction manhole, submersible pumps, valving/controls, and clean-outs. Iron fouling throughout the system, particularly scaling on the submersible pumps, piping, and metering instruments, had been observed. As such, a chemical scale inhibitor (Redux 340) system, which applies the Redux 340 at the groundwater extraction manhole/submersible pumps, was installed and became operational in November 2012. A heating element located at the pumping manhole was installed in June 2012. Electrical power and building lighting/heating was installed in August/September 2012. Information regarding the environmentally-friendly, iron scale inhibitor was previously provided to the City of Rome POTW. The groundwater treatment system (including pumping station, conveyance piping, and flow meters) was cleaned (water lancing) during September 2012 in order to remove iron scale build-up in advance of the chemical treatment system installation.

## **2.7 Vegetation Management and Snow Removal**

Vegetation management activities were conducted during the 3<sup>rd</sup> quarter 2020 as needed.

### 3 Conclusions, Recommendations, and Certifications

#### 3.1 Conclusions

Based on data collected from the 2020 3<sup>rd</sup> quarter OM&M activities, the following conclusions were made:

- Overall, the site is in regulatory compliance. Vegetation maintenance and snow removal was conducted as needed during 3<sup>rd</sup> quarter 2020.
- Quarterly static water level measurements were collected at ten groundwater monitoring wells upgradient of the steel sheeting barrier within the gravel extraction trench. The static water levels of the upgradient wells (ranging between 425 to 429 feet above sea level) did not overtop the barrier wall (top of wall ranges between 435 to 437 feet above sea level).
- Site groundwater contained detectable concentrations of BTEX, acenaphthene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, cyanide, and fluorene, above the New York State regulatory maximum allowable limits. Additionally, analytical results for well LTMW-S03 indicated zinc above the NYSDEC AWQS guidance values. Seven of the 16 wells (LTMW-D01, LTMW-S01, LTMW-D03, LTMW-S03, LTMW-S04, LTMW-S07, and LTMW-S10) sampled had at least one detection of a site-related constituent above the New York State limits.
- The total quarterly volume of DNAPL collected (10 gallons) was removed from four wells (MW-OU2-1, MW-OU2-2, MW-OU2-4, and DNAPL-03). 558 gallons of DNAPL have been removed from the site wells since the inception of the program. LNAPL has not been observed in any site wells to date.
- The groundwater extraction system operated continuously at an average flow rate of approximately 25.2 gpm, and a quarterly total of 3,205,924 gallons were discharged to the local sanitary sewer in accordance with the City of Rome WPCF discharge permit. A quarterly effluent water sample was collected and analyzed. There were no permit limit exceedances. Since December 2011, approximately 166 million gallons of water have been discharged without any permit limit exceedances.


#### 3.2 Recommendations

It is recommended that all OM&M activities continue.

### 3.3 Certifications

I certify the following:

- The inspection of the Site to confirm the effectiveness of the institutional and engineering controls required by the remedial program was performed under my direction;
- The institutional controls and engineering controls employed at this site are unchanged from the date the controls were put in place, or last approved by the Department;
- Nothing has occurred that would impair the ability of the controls to protect the public health and environment;
- Nothing has occurred that would constitute a violation or failure to comply with any SMP for this control;
- Access to the Site will continue to be provided to the Department to evaluate the remedy, including access to evaluate the continued maintenance of the controls;
- Use of the Site is compliant with the Declarations of Covenants and Restrictions;
- The engineering control systems are performing as designed and are effective;
- To the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the Site remedial program; and
- The information presented in this report is accurate and complete.

Signature 

Name: Gerald H. Cresap, P.E.  
Title: Director of Engineering  
Company: Groundwater & Environmental Services, Inc.

Date 12-7-2020






## Figures

---





SOURCE: USGS 7.5 MINUTE SERIES  
TOPOGRAPHIC QUADRANGLE 1955  
ROME, NEW YORK  
CONTOUR INTERVAL = 10'




QUADRANGLE LOCATION

|                       |  |                  |             |
|-----------------------|--|------------------|-------------|
| DRAFTED BY:<br>W.G.S. | SITE LOCATION MAP  |                  |             |
| CHECKED BY:           | <b>NATIONAL GRID<br/>KINGSLEY AVENUE<br/>ROME, NEW YORK</b>  |                  |             |
| REVIEWED BY:          |  |                  |             |
| <br>NORTH             | Groundwater & Environmental Services, Inc.<br>5 TECHNOLOGY PLACE, SUITE 4, EAST SYRACUSE, NY 13057 |                  |             |
|                       | SCALE IN FEET<br><br>0 2000  | DATE<br>10-17-16 | FIGURE<br>1 |











- LEGEND
- PROPERTY BOUNDARY
  - EAST WEST DIVIDE
  - FENCE
  - UTILITY POLE
  - UNDERGROUND ELECTRIC LINE
  - UNDERGROUND GAS LINE
  - OVERHEAD ELECTRIC
  - ELECTRICAL CONDUIT
  - UNDERGROUND TELEPHONE LINE
  - LTMW-D01
  - VTW-1
  - MW-OU2-1

| WELL     | NORTHING     | EASTING      | CASING | PVC     | GROUND |
|----------|--------------|--------------|--------|---------|--------|
| LTMW-S01 | 1169936.2970 | 1121336.3233 | 435.52 | 435.10  | 433.2  |
| LTMW-D01 | 1169920.9810 | 1121340.1793 | 434.90 | 434.80  | 432.7  |
| LTMW-S02 | 1170087.0350 | 1121294.4073 | 436.79 | 436.59  | 434.3  |
| LTMW-D02 | 1170077.3450 | 1121296.6553 | 436.74 | 436.60  | 434.2  |
| LTMW-S03 | 1170200.4014 | 1121188.2719 | 431.43 | 431.29  | 429.3  |
| LTMW-D03 | 1170208.0726 | 1121183.8138 | 431.27 | 431.13  | 429.2  |
| LTMW-S04 | 1170434.1910 | 1121184.5883 | 437.24 | 437.09  | 435.6  |
| LTMW-D04 | 1170444.1690 | 1121182.3583 | 437.18 | 436.88  | 434.9  |
| LTMW-S05 | 1170567.9900 | 1121317.5703 | 437.92 | 437.77  | 435.9  |
| LTMW-D05 | 1170572.7400 | 1121323.4973 | 437.78 | 437.58  | 435.7  |
| LTMW-S06 | 1170637.4230 | 1121564.0283 | 441.64 | 441.52  | 439.7  |
| LTMW-D06 | 1170625.7620 | 1121557.7643 | 441.70 | 441.55  | 440.2  |
| LTMW-S07 | 1170113.1090 | 1121525.3273 | 439.94 | 439.70  | 438.0  |
| LTMW-D08 | 1170434.0830 | 1121518.2593 | 443.81 | 443.63  | 442.4  |
| LTMW-S09 | 1170469.4300 | 1121969.1733 | 439.78 | 439.54  | 437.6  |
| LTMW-S10 | 1170123.6800 | 1121817.1213 | 439.67 | 439.42  | 437.4  |
| DNAPL-2  | 1169976.8400 | 1121338.4483 | 436.81 | no pipe | 434.6  |
| DNAPL-3  | 1170021.7760 | 1121329.2613 | 437.23 | no pipe | 434.6  |
| DNAPL-4  | 1170138.5720 | 1121289.3033 | 438.50 | no pipe | 436.3  |
| DNAPL-5  | 1170223.6230 | 1121251.9083 | 440.60 | no pipe | 438.4  |
| DNAPL-6  | 1170309.3920 | 1121212.9643 | 439.71 | no pipe | 438.0  |
| DNAPL-7  | 1170186.8060 | 1121522.7453 | 441.46 | no pipe | 439.4  |
| DNAPL-8  | 1170230.3820 | 1121390.3173 | 441.80 | no pipe | 439.6  |
| DNAPL-9  | 1170267.0450 | 1121351.1333 | 442.63 | no pipe | 440.1  |
| MW-OU2-1 | 1169964.4870 | 1121322.8873 | 435.72 | 435.48  | 433.5  |
| MW-OU2-2 | 1170149.8980 | 1121255.9363 | 436.40 | 436.06  | 433.9  |
| MW-OU2-3 |              |              |        |         |        |
| MW-OU2-4 | 1170047.2131 | 1121230.1096 |        |         |        |
| MW-OU2-5 | 1170116.6727 | 1121193.2720 |        |         |        |
| VTW-1    | 1170393.9230 | 1121200.2643 | 439.74 | no pipe | 437.7  |
| VTW-2    | 1170482.8870 | 1121229.5033 | 438.33 | no pipe | 436.1  |
| VTW-3    | 1170541.8140 | 1121311.1743 | 439.44 | no pipe | 437.1  |
| VTW-4    | 1170558.5060 | 1121416.3693 | 441.59 | no pipe | 439.3  |
| VTW-5    | 1170616.4890 | 1121483.6873 | 441.79 | no pipe | 439.8  |




|                       |  |             |  |
|-----------------------|--|-------------|--|
| DRAFTED BY:<br>W.G.S. | SITE MAP-WEST  |             |  |
| CHECKED BY:           | NATIONAL GRID<br>KINGSLEY AVENUE<br>ROME, NEW YORK   |             |  |
| REVIEWED BY:          | Groundwater & Environmental Services, Inc.<br>5 TECHNOLOGY PLACE, SUITE 4, EAST SYRACUSE, NY 13057 |             |  |
| NORTH                 | DATE<br>10-27-16   | FIGURE<br>3 |  |









|              |  |        |  |
|--------------|--|--------|--|
| DRAFTED BY:  | BARRIER WALL PROFILE                             |        |  |
| W.G.S.       |  |        |  |
| CHECKED BY:  | NATIONAL GRID                                    |        |  |
|              | KINGSLEY AVENUE                                  |        |  |
| REVIEWED BY: | ROME, NEW YORK                                   |        |  |
| NORTH        | Groundwater & Environmental Services, Inc.       |        |  |
|              | 300 GATEWAY PARK DRIVE, NORTH SYRACUSE, NY 13212 |        |  |
|              | DATE   | FIGURE |  |
|              | 10-17-16   | 5      |  |



## Tables

---

Table 2  
Site Monitoring Wells

| Well ID  | Northing     | Easting      | Elevation of Ground | Elevation Top of Outer Casing | Elevation Top of Inner Casing | Nominal Well Diameter (inches) | Well Material | Well Sump Depth (ft) | Depth to Bottom of Well (ft) | Elevation Bottom of Well | Depth to Top Screen (ft) | Elevation Top Screen | Depth to Bottom Screen (ft) | Elevation Bottom Screen | Action  |
|----------|--------------|--------------|---------------------|-------------------------------|-------------------------------|--------------------------------|---------------|----------------------|------------------------------|--------------------------|--------------------------|----------------------|-----------------------------|-------------------------|---|
| MW-OU2-1 | 1169964.4870 | 1121322.8873 | 433.5               | 435.72                        | 435.48                        | 4                              | SS            | 3.0                  | 46.12                        | 389.36                   | 33.0                     | 402.48               | 43.0                        | 392.48                  | Quarterly Inspection; Quarterly Static Water Level Measurement                              |
| MW-OU2-2 | 1170149.8980 | 1121255.9363 | 433.9               | 436.40                        | 436.06                        | 4                              | SS            | 3.0                  | 49.60                        | 386.46                   | 39.0                     | 397.06               | 49.0                        | 387.06                  | Quarterly Inspection; Quarterly Static Water Level Measurement                              |
| MW-OU2-3 | 1170101.2208 | 1121177.4485 | 430.63              | 433.25                        | 432.96                        | 4                              | SS            | 3.0                  | 35.15                        | 397.81                   | 31.0                     | 401.96               | 41.0                        | 391.96                  | Quarterly Inspection; Quarterly Static Water Level Measurement (Surveyed in January 2014)   |
| MW-OU2-4 | 1170149.6326 | 1121136.1811 | 430.63              | 433.05                        | 432.88                        | 4                              | SS            | 3.0                  | 38.85                        | 394.03                   | 31.0                     | 401.88               | 41.0                        | 391.88                  | Quarterly Inspection; Quarterly Static Water Level Measurement (Surveyed in January 2014)   |
| MW-OU2-5 | 1170167.9650 | 1121091.2658 | 431.23              | 433.77                        | 433.46                        | 4                              | SS            | 3.0                  | 36.34                        | 397.12                   | 31.0                     | 402.46               | 41.0                        | 392.46                  | Quarterly Inspection; Quarterly Static Water Level Measurement (Surveyed in January 2014)   |
| DNAPL-02 | 1169976.8400 | 1121338.4483 | 434.6               | 436.81                        | NA                            | 6                              | SS            | 3.0                  | 50.40                        | 386.41                   | 4.0                      | 432.81               | 46.0                        | 389.41                  | Quarterly Inspection; Quarterly Static Water Level Measurement; DNAPL Monitoring/Collection |
| DNAPL-03 | 1170021.7760 | 1121329.2613 | 434.6               | 437.23                        | NA                            | 6                              | SS            | 3.0                  | 52.32                        | 384.91                   | 4.5                      | 432.73               | 46.5                        | 387.91                  | Quarterly Inspection; Quarterly Static Water Level Measurement; DNAPL Monitoring/Collection |
| DNAPL-04 | 1170138.5720 | 1121289.3033 | 436.3               | 438.50                        | NA                            | 6                              | SS            | 3.0                  | 51.45                        | 387.05                   | 3.5                      | 435.00               | 47.5                        | 390.05                  | Quarterly Inspection; Quarterly Static Water Level Measurement; DNAPL Monitoring/Collection |
| DNAPL-05 | 1170223.6230 | 1121251.9083 | 438.4               | 440.60                        | NA                            | 6                              | SS            | 3.0                  | 54.75                        | 385.85                   | 6.0                      | 434.60               | 50.0                        | 388.85                  | Quarterly Inspection; Quarterly Static Water Level Measurement; DNAPL Monitoring/Collection |
| DNAPL-06 | 1170309.3920 | 1121212.9643 | 438                 | 439.71                        | NA                            | 6                              | SS            | 3.0                  | 51.45                        | 388.26                   | 8.0                      | 431.71               | 48.0                        | 391.26                  | Quarterly Inspection; Quarterly Static Water Level Measurement; DNAPL Monitoring/Collection |
| DNAPL-07 | 1170186.6060 | 1121522.7453 | 439.4               | 441.46                        | NA                            | 6                              | SS            | 3.0                  | 53.60                        | 387.86                   | 5.0                      | 436.46               | 55.5                        | 390.86                  | Quarterly Inspection; Quarterly Static Water Level Measurement; DNAPL Monitoring/Collection |
| DNAPL-08 | 1170230.3820 | 1121390.3173 | 439.6               | 441.80                        | NA                            | 6                              | SS            | 3.0                  | 58.01                        | 383.79                   | 7.0                      | 434.80               | 53.0                        | 386.79                  | Quarterly Inspection; Quarterly Static Water Level Measurement; DNAPL Monitoring/Collection |
| DNAPL-09 | 1170267.0450 | 1121351.1333 | 440.1               | 442.63                        | NA                            | 6                              | SS            | 3.0                  | 57.58                        | 385.05                   | 5.0                      | 437.63               | 53.2                        | 388.05                  | Quarterly Inspection; Quarterly Static Water Level Measurement; DNAPL Monitoring/Collection |
| VTM-1    | 1170393.9230 | 1121200.2643 | 437.7               | 439.74                        | NA                            | 6                              | SS            | NA                   | 46.37                        | 393.37                   | 4.0                      | 435.74               | 44.0                        | 395.74                  | Quarterly Inspection; Quarterly Static Water Level Measurement                              |
| VTM-2    | 1170482.8870 | 1121229.5033 | 436.1               | 438.33                        | NA                            | 6                              | SS            | NA                   | 49.47                        | 388.86                   | 5.0                      | 433.33               | 47.0                        | 391.33                  | Quarterly Inspection; Quarterly Static Water Level Measurement                              |
| VTM-3    | 1170541.8140 | 1121311.1743 | 437.1               | 439.44                        | NA                            | 6                              | SS            | NA                   | 50.91                        | 388.53                   | 4.0                      | 435.44               | 48.0                        | 391.44                  | Quarterly Inspection; Quarterly Static Water Level Measurement                              |
| VTM-4    | 1170558.5060 | 1121416.3693 | 439.3               | 441.59                        | NA                            | 6                              | SS            | NA                   | 50.62                        | 390.97                   | 9.0                      | 432.59               | 49.0                        | 392.59                  | Quarterly Inspection; Quarterly Static Water Level Measurement                              |
| VTM-5    | 1170616.4890 | 1121483.6873 | 439.8               | 441.79                        | NA                            | 6                              | SS            | NA                   | 52.52                        | 389.27                   | 5.0                      | 436.79               | 51.0                        | 390.79                  | Quarterly Inspection; Quarterly Static Water Level Measurement                              |
| LTMW-D01 | 1169920.9810 | 1121340.1793 | 432.7               | 434.90                        | 434.80                        | 2                              | PVC           | NA                   | 46.84                        | 387.96                   | 34.0                     | 400.80               | 44.0                        | 390.80                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-S01 | 1169936.2970 | 1121336.3233 | 433.2               | 435.52                        | 435.10                        | 2                              | PVC           | NA                   | 16.92                        | 418.18                   | 5.0                      | 430.10               | 15.0                        | 420.10                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-D02 | 1170077.3450 | 1121296.6853 | 434.2               | 436.74                        | 436.60                        | 2                              | PVC           | NA                   | 40.29                        | 396.31                   | 30.0                     | 406.60               | 40.0                        | 396.60                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-S02 | 1170087.0350 | 1121294.4073 | 434.3               | 436.79                        | 436.59                        | 2                              | PVC           | NA                   | 17.98                        | 418.61                   | 5.0                      | 431.59               | 15.0                        | 421.59                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-D03 | 1170208.0726 | 1121183.8138 | 429.2               | 431.27                        | 431.13                        | 2                              | PVC           | NA                   | 40.73                        | 390.40                   | 29.0                     | 402.13               | 39.0                        | 392.13                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-S03 | 1170200.4014 | 1121188.2719 | 429.3               | 431.43                        | 431.29                        | 2                              | PVC           | NA                   | 13.70                        | 417.59                   | 2.0                      | 429.29               | 12.0                        | 419.29                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-D04 | 1170444.7690 | 1121162.3583 | 434.9               | 437.18                        | 436.88                        | 2                              | PVC           | NA                   | 46.36                        | 390.52                   | 34.0                     | 402.88               | 44.0                        | 392.88                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-S04 | 1170434.1910 | 1121164.5883 | 435.6               | 437.24                        | 437.09                        | 2                              | PVC           | NA                   | 17.26                        | 419.83                   | 5.0                      | 432.09               | 15.0                        | 422.09                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-D05 | 1170572.7400 | 1121323.4973 | 435.7               | 437.78                        | 437.58                        | 2                              | PVC           | NA                   | 46.53                        | 391.05                   | 35.0                     | 402.58               | 45.0                        | 392.58                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-S05 | 1170567.9900 | 1121317.5703 | 435.9               | 437.92                        | 437.77                        | 2                              | PVC           | NA                   | 16.83                        | 420.94                   | 5.0                      | 432.77               | 15.0                        | 422.77                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-D06 | 1170625.7620 | 1121557.7643 | 440.2               | 441.70                        | 441.55                        | 2                              | PVC           | NA                   | 52.22                        | 389.33                   | 40.0                     | 401.55               | 50.0                        | 391.55                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-S06 | 1170637.4230 | 1121564.0263 | 439.7               | 441.64                        | 441.52                        | 2                              | PVC           | NA                   | 17.60                        | 423.92                   | 5.0                      | 436.52               | 15.0                        | 426.52                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-S07 | 1170113.1090 | 1121525.3273 | 438                 | 439.94                        | 439.70                        | 2                              | PVC           | NA                   | 17.82                        | 421.88                   | 5.0                      | 434.70               | 15.0                        | 424.70                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-S08 | 1170434.0830 | 1121518.2593 | 442.4               | 443.81                        | 443.63                        | 2                              | PVC           | NA                   | 17.39                        | 426.24                   | 5.0                      | 438.63               | 15.0                        | 428.63                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-S09 | 1170469.4300 | 1121969.1733 | 437.6               | 439.79                        | 439.54                        | 2                              | PVC           | NA                   | 16.92                        | 422.62                   | 5.0                      | 434.54               | 15.0                        | 424.54                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |
| LTMW-S10 | 1170123.6800 | 1121817.1213 | 437.4               | 439.67                        | 439.42                        | 2                              | PVC           | NA                   | 17.18                        | 422.24                   | 5.0                      | 434.42               | 15.0                        | 424.42                  | Quarterly Inspection; Quarterly Static Water Level Measurement; Quarterly Sampling          |

Notes:

- 1) Shallow monitoring wells were sampled with a low flow peristaltic pump with battery pack
- 2) Deep monitoring wells were sampled with a low flow submersible pump with generator
- 3) Static water level measurements were taken from top of inner casing. If the well has no inner casing, the measurement will be taken from the top of outer casing



Table 3

Historical Groundwater Data  
Operable Unit 2 Wells

| Well MW-OU2-1<br>TOC = 435.72 |       |           | Well MW-OU2-2<br>TOC = 436.40 |       |           | Well MW-OU2-3<br>TOC = 432.96 |      |           | Well MW-OU2-4<br>TOC = 432.88 |      |           | Well MW-OU2-5<br>TOC = 433.46 |      |           |
|-------------------------------|-------|-----------|-------------------------------|-------|-----------|-------------------------------|------|-----------|-------------------------------|------|-----------|-------------------------------|------|-----------|
| Date                          | DTW   | Water El. | Date                          | DTW   | Water El. | Date                          | DTW  | Water El. | Date                          | DTW  | Water El. | Date                          | DTW  | Water El. |
| 09/11/20                      | 9.66  | 426.06    | 09/11/20                      | 10.62 | 425.78    | 09/11/20                      | 7.25 | 425.71    | 09/11/20                      | 7.2  | 425.68    | 09/11/20                      | 7.91 | 425.55    |
| 06/11/20                      | 10.06 | 425.66    | 06/11/20                      | 10.82 | 425.58    | 06/11/20                      | 7.10 | 425.86    | 06/11/20                      | 7.10 | 425.78    | 06/11/20                      | 7.75 | 425.71    |
| 03/20/20                      | 8.10  | 427.62    | 03/20/20                      | 9.25  | 427.15    | 03/20/20                      | 6.40 | 426.56    | 03/20/20                      | 5.40 | 427.48    | 03/20/20                      | 6.05 | 427.41    |
| 12/05/19                      | 9.20  | 426.52    | 12/05/19                      | 10.10 | 426.30    | 12/05/19                      | 6.70 | 426.26    | 12/05/19                      | 6.68 | 426.20    | 12/05/19                      | 7.37 | 426.09    |
| 09/19/19                      | 9.54  | 426.18    | 09/19/19                      | 10.90 | 425.50    | 09/19/19                      | 6.95 | 426.01    | 09/19/19                      | 6.90 | 425.98    | 09/19/19                      | 7.60 | 425.86    |
| 06/06/19                      | 8.90  | 426.82    | 06/06/19                      | 9.60  | 426.80    | 06/06/19                      | 6.18 | 426.78    | 06/06/19                      | 6.05 | 426.83    | 06/06/19                      | 6.23 | 427.23    |
| 03/21/19                      | 8.65  | 427.07    | 03/21/19                      | 9.80  | 426.60    | 03/21/19                      | 6.00 | 426.96    | 03/21/19                      | 5.90 | 426.98    | 03/21/19                      | 6.50 | 426.96    |
| 12/05/18                      | 8.90  | 426.82    | 12/05/18                      | 9.05  | 427.35    | 12/05/18                      | 5.69 | 427.27    | 12/05/18                      | 5.60 | 427.28    | 12/05/18                      | 6.25 | 427.21    |
| 09/13/18                      | 9.58  | 426.14    | 09/13/18                      | 10.40 | 426.00    | 09/13/18                      | 7.02 | 425.94    | 09/13/18                      | 7.06 | 425.82    | 09/13/18                      | 7.72 | 425.74    |
| 06/07/18                      | 9.53  | 426.19    | 06/07/18                      | 10.25 | 426.15    | 06/07/18                      | 7.90 | 425.06    | 06/07/18                      | 6.90 | 425.98    | 06/07/18                      | 7.56 | 425.90    |
| 03/22/18                      | 9.15  | 426.57    | 03/22/18                      | 9.85  | 426.55    | 03/22/18                      | 6.60 | 426.36    | 03/22/18                      | 6.55 | 426.33    | 03/22/18                      | 7.20 | 426.26    |
| 12/06/17                      | 9.37  | 426.35    | 12/06/17                      | 9.96  | 426.44    | 12/06/17                      | 6.60 | 426.36    | 12/06/17                      | 6.50 | 426.38    | 12/06/17                      | 7.20 | 426.26    |
| 09/01/17                      | 9.53  | 426.19    | 09/01/17                      | 10.35 | 426.05    | 09/01/17                      | NM   | -         | 09/01/17                      | 6.98 | 425.90    | 09/01/17                      | 7.73 | 425.73    |
| 06/23/17                      | 9.35  | 426.37    | 06/23/17                      | 10.02 | 426.38    | 06/23/17                      | 7.10 | 425.86    | 06/23/17                      | 6.70 | 426.18    | 06/23/17                      | 7.15 | 426.31    |
| 03/08/17                      | 8.68  | 427.04    | 03/08/17                      | 5.94  | 430.46    | 03/08/17                      | 5.93 | 427.03    | 03/08/17                      | 5.94 | 426.94    | 03/08/17                      | 6.62 | 426.84    |
| 12/15/16                      | 8.91  | 426.81    | 12/15/16                      | 9.80  | 426.60    | 12/15/16                      | 6.42 | 426.54    | 12/15/16                      | 6.35 | 426.53    | 12/15/16                      | 7.02 | 426.44    |
| 09/19/16                      | 9.58  | 426.14    | 09/19/16                      | 10.52 | 425.88    | 09/19/16                      | 7.29 | 425.67    | 09/19/16                      | 7.15 | 425.73    | 09/19/16                      | 7.84 | 425.62    |
| 06/07/16                      | 9.45  | 426.27    | 06/07/16                      | 10.28 | 426.12    | 06/07/16                      | 6.95 | 426.01    | 06/07/16                      | 6.87 | 426.01    | 06/07/16                      | 7.57 | 425.89    |
| 03/07/16                      | 8.45  | 427.27    | 03/07/16                      | 9.28  | 427.12    | 03/07/16                      | 5.91 | 427.05    | 03/07/16                      | 5.82 | 427.06    | 03/07/16                      | 6.49 | 426.97    |
| 12/02/15                      | 9.30  | 426.42    | 12/02/15                      | 10.19 | 426.21    | 12/02/15                      | 6.85 | 426.11    | 12/02/15                      | 6.77 | 426.11    | 12/02/15                      | 7.44 | 426.02    |
| 09/16/15                      | 9.66  | 426.06    | 09/16/15                      | 10.47 | 425.93    | 09/16/15                      | 7.15 | 425.81    | 09/16/15                      | 7.05 | 425.83    | 09/16/15                      | 7.74 | 425.72    |
| 06/03/15                      | 9.34  | 426.38    | 06/03/15                      | 9.73  | 426.67    | 06/03/15                      | 6.41 | 426.55    | 06/03/15                      | 6.34 | 426.54    | 06/03/15                      | 6.95 | 426.51    |
| 04/08/15                      | 8.63  | 427.09    | 04/08/15                      | 9.29  | 427.11    | 04/08/15                      | 6.14 | 426.82    | 04/08/15                      | 5.96 | 426.92    | 04/08/15                      | 6.98 | 426.48    |
| 12/01/14                      | 9.32  | 426.40    | 12/01/14                      | 9.84  | 426.56    | 12/01/14                      | 6.49 | 426.47    | 12/01/14                      | 6.41 | 426.47    | 12/01/14                      | 7.08 | 426.38    |
| 09/10/14                      | 9.49  | 426.23    | 09/10/14                      | 9.89  | 426.51    | 09/10/14                      | 7.02 | 425.94    | 09/10/14                      | 6.95 | 425.93    | 09/10/14                      | 7.63 | 425.83    |
| 06/12/14                      | 9.58  | 426.14    | 06/12/14                      | 10.33 | 426.07    | 06/12/14                      | 6.99 | 425.97    | 06/12/14                      | 6.94 | 425.94    | 06/12/14                      | 7.63 | 425.83    |
| 03/25/14                      | 9.12  | 426.60    | 03/25/14                      | 10.22 | 426.18    | 03/25/14                      | 6.75 | 426.21    | 03/25/14                      | 6.85 | 426.03    | 03/25/14                      | 7.24 | 426.22    |
| 12/12/13                      | 8.47  | 427.25    | 12/12/13                      | 9.35  | 427.05    | 12/12/13                      | 5.92 | 427.04    | 12/12/13                      | 5.84 | 427.04    | 12/12/13                      | 6.51 | 426.95    |
| 09/23/13                      | 9.52  | 426.20    | 09/23/13                      | 10.32 | 426.08    | 09/23/13                      | 7.08 | 425.88    | 09/23/13                      | 6.98 | 425.90    | 09/23/13                      | 7.63 | 425.83    |
| 06/10/13                      | 8.46  | 427.26    | 06/10/13                      | 9.32  | 427.08    | 06/10/13                      | 5.78 | 427.18    | 06/10/13                      | 5.68 | 427.20    | 06/10/13                      | 5.35 | 428.11    |
| 03/27/13                      | 9.30  | 426.42    | 03/27/13                      | 10.11 | 426.29    | 03/27/13                      | 6.78 | 426.18    | 03/27/13                      | 6.95 | 425.93    | 03/27/13                      | 7.42 | 426.04    |
| 12/03/12                      | 9.49  | 426.23    | 12/03/12                      | 10.33 | 426.07    | 12/03/12                      | 7.02 | 425.94    | 12/03/12                      | 6.93 | 425.95    | 12/03/12                      | 7.70 | 425.76    |
| 09/12/12                      | 9.75  | 425.97    | 09/12/12                      | 10.63 | 425.77    | 09/12/12                      | 7.32 | 425.64    | 09/12/12                      | 7.25 | 425.63    | 09/12/12                      | 8.02 | 425.44    |
| 06/18/12                      | 9.51  | 426.21    | 06/18/12                      | 10.36 | 426.04    | 06/18/12                      | 7.05 | 425.91    | 06/18/12                      | 6.95 | 425.93    | 06/18/12                      | 7.69 | 425.77    |
| 03/19/12                      | 8.88  | 426.84    | 03/19/12                      | 9.79  | 426.61    | 03/19/12                      | 6.46 | 426.50    | 03/19/12                      | 6.32 | 426.56    | 03/19/12                      | 7.13 | 426.33    |
| 12/05/11                      | 9.10  | 426.62    | 12/05/11                      | 9.84  | 426.56    | 12/05/11                      | 6.72 | 426.24    | 12/05/11                      | 6.73 | 426.15    | 12/05/11                      | 7.50 | 425.96    |
| 09/26/11                      | 9.31  | 426.41    | 09/26/11                      | 10.11 | 426.29    | 09/26/11                      | 6.64 | 426.32    | 09/26/11                      | 6.68 | 426.20    | 09/26/11                      | 7.35 | 426.11    |
| 06/13/11                      | 9.29  | 426.43    | 06/13/11                      | 10.07 | 426.33    | 06/13/11                      | 6.71 | 426.25    | 06/13/11                      | 7.87 | 425.01    | 06/13/11                      | 7.33 | 426.13    |
| 03/29/11                      | 8.64  | 427.08    | 03/29/11                      | 9.43  | 426.97    | 03/29/11                      | 6.04 | 426.92    | 03/29/11                      | 5.93 | 426.95    | 03/29/11                      | 6.68 | 426.78    |

Notes:

TOC = Top of Inner Well Casing Elevation in Feet  
DTW = Depth to Water from Top of Casing in Feet  
El. = Elevation in Feet



**Table 3**  
**Historical Groundwater Data**  
**DNAPL Wells**

| Well<br>DNAPL-02<br>TOC = 436.81 |       |           | Well<br>DNAPL-03<br>TOC = 437.23 |       |           | Well<br>DNAPL-04<br>TOC = 438.50 |       |           | Well<br>DNAPL-05<br>TOC = 440.60 |       |           |
|----------------------------------|-------|-----------|----------------------------------|-------|-----------|----------------------------------|-------|-----------|----------------------------------|-------|-----------|
| Date                             | DTW   | Water El. | Date                             | DTW   | Water El. | Date                             | DTW   | Water El. | Date                             | DTW   | Water El. |
| 09/11/20                         | 7.95  | 428.86    | 09/11/20                         | 9.35  | 427.88    | 09/11/20                         | 11.65 | 426.85    | 09/11/20                         | 13.13 | 427.47    |
| 06/11/20                         | 10.06 | 426.75    | 06/11/20                         | 10.29 | 426.94    | 06/11/20                         | 11.67 | 426.83    | 06/11/20                         | 13.76 | 426.84    |
| 03/20/20                         | 8.10  | 428.71    | 03/20/20                         | 8.55  | 428.68    | 03/20/20                         | 9.70  | 428.80    | 03/20/20                         | 11.32 | 429.28    |
| 12/05/19                         | 9.20  | 427.61    | 12/05/19                         | 9.60  | 427.63    | 12/05/19                         | 10.85 | 427.65    | 12/05/19                         | 12.92 | 427.68    |
| 09/19/19                         | 9.54  | 427.27    | 09/19/19                         | 8.85  | 428.38    | 09/19/19                         | 11.14 | 427.36    | 09/19/19                         | 13.20 | 427.40    |
| 06/06/19                         | 9.10  | 427.71    | 06/06/19                         | 9.25  | 427.98    | 06/06/19                         | 10.60 | 427.90    | 06/06/19                         | 12.70 | 427.90    |
| 03/21/19                         | 8.20  | 428.61    | 03/21/19                         | 8.45  | 428.78    | 03/21/19                         | 9.70  | 428.80    | 03/21/19                         | 11.80 | 428.80    |
| 12/05/18                         | 8.10  | 428.71    | 12/05/18                         | 8.70  | 428.53    | 12/05/18                         | 9.65  | 428.85    | 12/05/18                         | 11.75 | 428.85    |
| 09/13/18                         | 9.60  | 427.21    | 09/13/18                         | 9.70  | 427.53    | 09/13/18                         | 11.00 | 427.50    | 09/13/18                         | 13.08 | 427.52    |
| 06/07/18                         | 9.70  | 427.11    | 06/07/18                         | 10.00 | 427.23    | 06/07/18                         | 11.26 | 427.24    | 06/07/18                         | 13.34 | 427.26    |
| 03/22/18                         | 9.35  | 427.46    | 03/22/18                         | 9.60  | 427.63    | 03/22/18                         | 10.90 | 427.60    | 03/22/18                         | 12.99 | 427.61    |
| 12/06/17                         | 9.00  | 427.81    | 12/06/17                         | 9.31  | 427.92    | 12/06/17                         | 10.59 | 427.91    | 12/06/17                         | 12.65 | 427.95    |
| 09/01/17                         | 9.75  | 427.06    | 09/01/17                         | 10.00 | 427.23    | 09/01/17                         | 11.36 | 427.14    | 09/01/17                         | 13.44 | 427.16    |
| 06/23/17                         | 9.30  | 427.51    | 06/23/17                         | 9.56  | 427.67    | 06/23/17                         | 10.90 | 427.60    | 06/23/17                         | 13.00 | 427.60    |
| 03/08/17                         | 8.92  | 427.89    | 03/08/17                         | 9.19  | 428.04    | 03/08/17                         | 10.51 | 427.99    | 03/08/17                         | 12.57 | 428.03    |
| 12/15/16                         | 8.33  | 428.48    | 12/15/16                         | 8.60  | 428.63    | 12/15/16                         | 9.89  | 428.61    | 12/15/16                         | 11.98 | 428.62    |
| 09/19/16                         | 9.56  | 427.25    | 09/19/16                         | 9.88  | 427.35    | 09/19/16                         | 11.20 | 427.30    | 09/19/16                         | 13.27 | 427.33    |
| 06/07/16                         | 9.41  | 427.40    | 06/07/16                         | 9.73  | 427.50    | 06/07/16                         | 11.05 | 427.45    | 06/07/16                         | 13.12 | 427.48    |
| 03/07/16                         | 8.45  | 428.36    | 03/07/16                         | 8.73  | 428.50    | 03/07/16                         | 10.05 | 428.45    | 03/07/16                         | 12.10 | 428.50    |
| 12/02/15                         | 9.41  | 427.40    | 12/02/15                         | 9.71  | 427.52    | 12/02/15                         | 11.01 | 427.49    | 12/02/15                         | 13.09 | 427.51    |
| 09/16/15                         | 9.91  | 426.90    | 09/16/15                         | 10.21 | 427.02    | 09/16/15                         | 11.51 | 426.99    | 09/16/15                         | 13.58 | 427.02    |
| 06/03/15                         | 8.33  | 428.48    | 06/03/15                         | 8.84  | 428.39    | 06/03/15                         | 10.15 | 428.35    | 06/03/15                         | 12.24 | 428.36    |
| 04/08/15                         | 8.39  | 428.42    | 04/08/15                         | 8.68  | 428.55    | 04/08/15                         | 9.96  | 428.54    | 04/08/15                         | 12.07 | 428.53    |
| 12/01/14                         | 9.16  | 427.65    | 12/01/14                         | 9.45  | 427.78    | 12/01/14                         | 10.75 | 427.75    | 12/01/14                         | 12.81 | 427.79    |
| 09/10/14                         | 9.25  | 427.56    | 09/10/14                         | 9.55  | 427.68    | 09/10/14                         | 10.62 | 427.88    | 09/10/14                         | 12.70 | 427.90    |
| 06/12/14                         | 9.90  | 426.91    | 06/12/14                         | 10.20 | 427.03    | 06/12/14                         | 11.41 | 427.09    | 06/12/14                         | 13.56 | 427.04    |
| 03/25/14                         | 9.52  | 427.29    | 03/25/14                         | 9.81  | 427.42    | 03/25/14                         | 11.15 | 427.35    | 03/25/14                         | 13.21 | 427.39    |
| 12/12/13                         | 8.71  | 428.10    | 12/12/13                         | 9.03  | 428.20    | 12/12/13                         | 10.35 | 428.15    | 12/12/13                         | 12.41 | 428.19    |
| 09/23/13                         | 9.92  | 426.89    | 09/23/13                         | 10.25 | 426.98    | 09/23/13                         | 11.56 | 426.94    | 09/23/13                         | 13.61 | 426.99    |
| 06/10/13                         | 8.27  | 428.54    | 06/10/13                         | 8.62  | 428.61    | 06/10/13                         | 9.91  | 428.59    | 06/10/13                         | 11.98 | 428.62    |
| 03/27/13                         | 9.51  | 427.30    | 03/27/13                         | 9.81  | 427.42    | 03/27/13                         | 11.15 | 427.35    | 03/27/13                         | 13.21 | 427.39    |
| 12/03/12                         | 9.19  | 427.62    | 12/03/12                         | 10.10 | 427.13    | 12/03/12                         | 11.45 | 427.05    | 12/03/12                         | 13.48 | 427.12    |
| 09/12/12                         | 10.14 | 426.67    | 09/12/12                         | 10.48 | 426.75    | 09/12/12                         | 11.81 | 426.69    | 09/12/12                         | 13.84 | 426.76    |
| 06/18/12                         | 9.46  | 427.35    | 06/18/12                         | 9.80  | 427.43    | 06/18/12                         | 11.15 | 427.35    | 06/18/12                         | 13.24 | 427.36    |
| 03/19/12                         | 9.02  | 427.79    | 03/19/12                         | 9.35  | 427.88    | 03/19/12                         | 10.69 | 427.81    | 03/19/12                         | 12.74 | 427.86    |
| 12/05/11                         | 9.46  | 427.35    | 12/05/11                         | 9.79  | 427.44    | 12/05/11                         | 11.13 | 427.37    | 12/05/11                         | 13.30 | 427.30    |
| 09/26/11                         | 9.36  | 427.45    | 09/26/11                         | 9.70  | 427.53    | 09/26/11                         | 11.09 | 427.41    | 09/26/11                         | 13.08 | 427.52    |
| 06/13/11                         | 9.18  | 427.63    | 06/13/11                         | 9.54  | 427.69    | 06/13/11                         | 10.84 | 427.66    | 06/13/11                         | 12.89 | 427.71    |
| 03/29/11                         | 8.41  | 428.40    | 03/29/11                         | 8.72  | 428.51    | 03/29/11                         | 10.05 | 428.45    | 03/29/11                         | 12.11 | 428.49    |

**Notes:**

TOC = Top of Inner Well Casing Elevation in Feet  
DTW = Depth to Water from Top of Casing in Feet  
El. = Elevation in Feet



**Table 3**  
**Historical Groundwater Data**  
**DNAPL Wells**

| Well<br>DNAPL-06<br>TOC = 439.71 |       |           | Well<br>DNAPL-07<br>TOC = 441.46 |       |           | Well<br>DNAPL-08<br>TOC = 441.80 |       |           | Well<br>DNAPL-09<br>TOC = 442.63 |       |           |
|----------------------------------|-------|-----------|----------------------------------|-------|-----------|----------------------------------|-------|-----------|----------------------------------|-------|-----------|
| Date                             | DTW   | Water El. | Date                             | DTW   | Water El. | Date                             | DTW   | Water El. | Date                             | DTW   | Water El. |
| 09/11/20                         | 12.80 | 426.91    | 09/11/20                         | 13.57 | 427.89    | 09/11/20                         | 14.02 | 427.78    | 09/11/20                         | 14.82 | 427.81    |
| 06/11/20                         | 12.73 | 426.98    | 06/11/20                         | 13.36 | 428.10    | 06/11/20                         | 13.85 | 427.95    | 06/11/20                         | 14.73 | 427.90    |
| 03/20/20                         | 10.90 | 428.81    | 03/20/20                         | 11.80 | 429.66    | 03/20/20                         | 12.10 | 429.70    | 03/20/20                         | 13.05 | 429.58    |
| 12/05/19                         | 11.96 | 427.75    | 12/05/19                         | 12.81 | 428.65    | 12/05/19                         | 13.25 | 428.55    | 12/05/19                         | 14.15 | 428.48    |
| 09/19/19                         | 12.27 | 427.44    | 09/19/19                         | 13.14 | 428.32    | 09/19/19                         | 13.58 | 428.22    | 09/19/19                         | 14.50 | 428.13    |
| 06/06/19                         | 6.23  | 433.48    | 06/06/19                         | 12.25 | 429.21    | 06/06/19                         | 12.75 | 429.05    | 06/06/19                         | 13.70 | 428.93    |
| 03/21/19                         | 10.90 | 428.81    | 03/21/19                         | 11.50 | 429.96    | 03/21/19                         | 12.00 | 429.80    | 03/21/19                         | 12.90 | 429.73    |
| 12/05/18                         | 10.70 | 429.01    | 12/05/18                         | 11.70 | 429.76    | 12/05/18                         | 12.10 | 429.70    | 12/05/18                         | 13.00 | 429.63    |
| 09/13/18                         | 12.15 | 427.56    | 09/13/18                         | 13.20 | 428.26    | 09/13/18                         | 13.65 | 428.15    | 09/13/18                         | 14.50 | 428.13    |
| 06/07/18                         | 12.33 | 427.38    | 06/07/18                         | 13.18 | 428.28    | 06/07/18                         | 13.61 | 428.19    | 06/07/18                         | 14.50 | 428.13    |
| 03/22/18                         | 12.00 | 427.71    | 03/22/18                         | 12.67 | 428.79    | 03/22/18                         | 13.16 | 428.64    | 03/22/18                         | 14.06 | 428.57    |
| 12/06/17                         | 11.74 | 427.97    | 12/06/17                         | 12.55 | 428.91    | 12/06/17                         | 13.00 | 428.80    | 12/06/17                         | 13.91 | 428.72    |
| 09/01/17                         | 12.40 | 427.31    | 09/01/17                         | 13.40 | 428.06    | 09/01/17                         | 13.80 | 428.00    | 09/01/17                         | 14.69 | 427.94    |
| 06/23/17                         | 11.97 | 427.74    | 06/23/17                         | 12.70 | 428.76    | 06/23/17                         | 13.15 | 428.65    | 06/23/17                         | 14.07 | 428.56    |
| 03/08/17                         | 11.57 | 428.14    | 03/08/17                         | 12.37 | 429.09    | 03/08/17                         | 12.75 | 429.05    | 03/08/17                         | 13.65 | 428.98    |
| 12/15/16                         | 11.05 | 428.66    | 12/15/16                         | 10.80 | 430.66    | 12/15/16                         | 12.24 | 429.56    | 12/15/16                         | 13.15 | 429.48    |
| 09/19/16                         | 12.31 | 427.40    | 09/19/16                         | 13.22 | 428.24    | 09/19/16                         | 13.64 | 428.16    | 09/19/16                         | 14.55 | 428.08    |
| 06/07/16                         | 12.15 | 427.56    | 06/07/16                         | 12.98 | 428.48    | 06/07/16                         | 13.44 | 428.36    | 06/07/16                         | 14.32 | 428.31    |
| 03/07/16                         | 11.17 | 428.54    | 03/07/16                         | 11.91 | 429.55    | 03/07/16                         | 12.36 | 429.44    | 03/07/16                         | 13.25 | 429.38    |
| 12/02/15                         | 12.21 | 427.50    | 12/02/15                         | 13.03 | 428.43    | 12/02/15                         | 13.49 | 428.31    | 12/02/15                         | 14.39 | 428.24    |
| 09/16/15                         | 12.69 | 427.02    | 09/16/15                         | 13.32 | 428.14    | 09/16/15                         | 13.78 | 428.02    | 09/16/15                         | 14.67 | 427.96    |
| 06/03/15                         | 11.36 | 428.35    | 06/03/15                         | 11.88 | 429.58    | 06/03/15                         | 12.37 | 429.43    | 06/03/15                         | 13.29 | 429.34    |
| 04/08/15                         | 11.19 | 428.52    | 04/08/15                         | 11.71 | 429.75    | 04/08/15                         | 12.19 | 429.61    | 04/08/15                         | 13.12 | 429.51    |
| 12/01/14                         | 11.92 | 427.79    | 12/01/14                         | 12.55 | 428.91    | 12/01/14                         | 12.98 | 428.82    | 12/01/14                         | 13.88 | 428.75    |
| 09/10/14                         | 11.76 | 427.95    | 09/10/14                         | 12.91 | 428.55    | 09/10/14                         | 13.35 | 428.45    | 09/10/14                         | 14.29 | 428.34    |
| 06/12/14                         | 12.61 | 427.10    | 06/12/14                         | 13.12 | 428.34    | 06/12/14                         | 13.60 | 428.20    | 06/12/14                         | 14.57 | 428.06    |
| 03/25/14                         | 12.25 | 427.46    | 03/25/14                         | 13.01 | 428.45    | 03/25/14                         | 13.44 | 428.36    | 03/25/14                         | 14.21 | 428.42    |
| 12/12/13                         | 11.51 | 428.20    | 12/12/13                         | 12.19 | 429.27    | 12/12/13                         | 12.63 | 429.17    | 12/12/13                         | 13.51 | 429.12    |
| 09/23/13                         | 12.71 | 427.00    | 09/23/13                         | 13.26 | 428.20    | 09/23/13                         | 13.75 | 428.05    | 09/23/13                         | 13.91 | 428.72    |
| 06/10/13                         | 11.07 | 428.64    | 06/10/13                         | 11.85 | 429.61    | 06/10/13                         | 12.28 | 429.52    | 06/10/13                         | 13.16 | 429.47    |
| 03/27/13                         | 12.31 | 427.40    | 03/27/13                         | 12.80 | 428.66    | 03/27/13                         | 13.26 | 428.54    | 03/27/13                         | 14.20 | 428.43    |
| 12/03/12                         | 12.61 | 427.10    | 12/03/12                         | 13.75 | 427.71    | 12/03/12                         | 13.71 | 428.09    | 12/03/12                         | 14.65 | 427.98    |
| 09/12/12                         | 12.91 | 426.80    | 09/12/12                         | 13.76 | 427.70    | 09/12/12                         | 14.21 | 427.59    | 09/12/12                         | 15.11 | 427.52    |
| 06/18/12                         | 12.28 | 427.43    | 06/18/12                         | 13.11 | 428.35    | 06/18/12                         | 13.56 | 428.24    | 06/18/12                         | 14.47 | 428.16    |
| 03/19/12                         | 11.84 | 427.87    | 03/19/12                         | 12.61 | 428.85    | 03/19/12                         | 13.95 | 427.85    | 03/19/12                         | 13.05 | 429.58    |
| 12/05/11                         | 12.28 | 427.43    | 12/05/11                         | 12.88 | 428.58    | 12/05/11                         | 13.36 | 428.44    | 12/05/11                         | 14.28 | 428.35    |
| 09/26/11                         | 10.18 | 429.53    | 09/26/11                         | 12.86 | 428.60    | 09/26/11                         | 13.35 | 428.45    | 09/26/11                         | 14.25 | 428.38    |
| 06/13/11                         | 11.94 | 427.77    | 06/13/11                         | 12.84 | 428.62    | 06/13/11                         | 13.27 | 428.53    | 06/13/11                         | 14.14 | 428.49    |
| 03/29/11                         | 11.12 | 428.59    | 03/29/11                         | 12.25 | 429.21    | 03/29/11                         | 12.66 | 429.14    | 03/29/11                         | 13.75 | 428.88    |

**Notes:**

TOC = Top of Inner Well Casing Elevation in Feet  
DTW = Depth to Water from Top of Casing in Feet  
El. = Elevation in Feet



**Table 3**  
**Historical Groundwater Data**  
Trench Wells

| Well     | VTM-1 |           |  | Well     | VTM-2 |           |  | Well     | VTM-3 |           |  | Well     | VTM-4 |           |  | Well     | VTM-5 |           |  |
|----------|-------|-----------|--|----------|-------|-----------|--|----------|-------|-----------|--|----------|-------|-----------|--|----------|-------|-----------|--|
|          | TOC = | 439.74    |  |          | TOC = | 438.33    |  |          | TOC = | 439.44    |  |          | TOC = | 441.59    |  |          | TOC = | 441.79    |  |
| Date     | DTW   | Water El. |  | Date     | DTW   | Water El. |  | Date     | DTW   | Water El. |  | Date     | DTW   | Water El. |  | Date     | DTW   | Water El. |  |
| 09/11/20 | 12.73 | 427.01    |  | 09/11/20 | 11.18 | 427.15    |  | 09/11/20 | 12.22 | 427.22    |  | 09/11/20 | 14.07 | 427.52    |  | 09/11/20 | 14.26 | 427.53    |  |
| 06/11/20 | 10.06 | 429.68    |  | 06/11/20 | 10.85 | 427.48    |  | 06/11/20 | 11.97 | 427.47    |  | 06/11/20 | 13.85 | 427.74    |  | 06/11/20 | 14.00 | 427.79    |  |
| 03/20/20 | 8.10  | 431.64    |  | 03/20/20 | 9.10  | 429.23    |  | 03/20/20 | 10.20 | 429.24    |  | 03/20/20 | 12.05 | 429.54    |  | 03/20/20 | 12.15 | 429.64    |  |
| 12/05/19 | 9.20  | 430.54    |  | 12/05/19 | 10.22 | 428.11    |  | 12/05/19 | 11.39 | 428.05    |  | 12/05/19 | 13.44 | 428.15    |  | 12/05/19 | 13.61 | 428.18    |  |
| 09/19/19 | 9.54  | 430.20    |  | 09/19/19 | 10.69 | 427.64    |  | 09/19/19 | 11.86 | 427.58    |  | 09/19/19 | 13.68 | 427.91    |  | 09/19/19 | 13.88 | 427.91    |  |
| 06/06/19 | 11.60 | 428.14    |  | 06/06/19 | 10.00 | 428.33    |  | 06/06/19 | 11.20 | 428.24    |  | 06/06/19 | 13.00 | 428.59    |  | 06/06/19 | 6.23  | 435.56    |  |
| 03/21/19 | 10.60 | 429.14    |  | 03/21/19 | 9.00  | 429.33    |  | 03/21/19 | 10.20 | 429.24    |  | 03/21/19 | 12.50 | 429.09    |  | 03/21/19 | 12.25 | 429.54    |  |
| 12/05/18 | 10.55 | 429.19    |  | 12/05/18 | 8.95  | 429.38    |  | 12/05/18 | 10.05 | 429.39    |  | 12/05/18 | 12.00 | 429.59    |  | 12/05/18 | 12.15 | 429.64    |  |
| 09/13/18 | 12.20 | 427.54    |  | 09/13/18 | 10.65 | 427.68    |  | 09/13/18 | 11.80 | 427.64    |  | 09/13/18 | 13.70 | 427.89    |  | 09/13/18 | 13.85 | 427.94    |  |
| 06/07/18 | 12.14 | 427.60    |  | 03/22/18 | 10.46 | 427.87    |  | 03/22/18 | 11.62 | 427.82    |  | 06/07/18 | 13.61 | 427.98    |  | 03/22/18 | 13.75 | 428.04    |  |
| 03/22/18 | 11.86 | 427.88    |  | 03/22/18 | 10.41 | 427.92    |  | 03/22/18 | 11.36 | 428.08    |  | 03/22/18 | 13.31 | 428.28    |  | 03/22/18 | 13.45 | 428.34    |  |
| 12/06/17 | 11.65 | 428.09    |  | 12/06/17 | 10.07 | 428.26    |  | 12/06/17 | 11.22 | 428.22    |  | 12/06/17 | 13.17 | 428.42    |  | 12/06/17 | 13.32 | 428.47    |  |
| 09/01/17 | 12.10 | 427.64    |  | 09/01/17 | 10.40 | 427.93    |  | 09/01/17 | 10.55 | 428.89    |  | 09/01/17 | 13.60 | 427.99    |  | 09/01/17 | 13.77 | 428.02    |  |
| 06/23/17 | 11.80 | 427.94    |  | 06/23/17 | 10.10 | 428.23    |  | 06/23/17 | 11.21 | 428.23    |  | 06/23/17 | 13.15 | 428.44    |  | 06/23/17 | 13.29 | 428.50    |  |
| 03/08/17 | 11.24 | 428.50    |  | 03/08/17 | 9.52  | 428.81    |  | 03/08/17 | 10.65 | 428.79    |  | 03/08/17 | 12.58 | 429.01    |  | 03/08/17 | 12.76 | 429.03    |  |
| 12/15/16 | 10.99 | 428.75    |  | 12/15/16 | 9.33  | 429.00    |  | 12/15/16 | 10.49 | 428.95    |  | 12/15/16 | 12.49 | 429.10    |  | 12/15/16 | 12.54 | 429.25    |  |
| 09/19/16 | 12.23 | 427.51    |  | 09/19/16 | 10.56 | 427.77    |  | 09/19/16 | 11.71 | 427.73    |  | 09/19/16 | 13.65 | 427.94    |  | 09/19/16 | 13.82 | 427.97    |  |
| 06/07/16 | 11.98 | 427.76    |  | 06/07/16 | 10.29 | 428.04    |  | 06/07/16 | 11.43 | 428.01    |  | 06/07/16 | 13.44 | 428.15    |  | 06/07/16 | 13.61 | 428.18    |  |
| 03/07/16 | 10.98 | 428.76    |  | 03/07/16 | 9.25  | 429.08    |  | 03/07/16 | 10.36 | 429.08    |  | 03/07/16 | 12.32 | 429.27    |  | 03/07/16 | 12.49 | 429.30    |  |
| 12/02/15 | 12.12 | 427.62    |  | 12/02/15 | 10.53 | 427.80    |  | 12/02/15 | 11.68 | 427.76    |  | 12/02/15 | 13.58 | 428.01    |  | 12/02/15 | 13.74 | 428.05    |  |
| 09/16/15 | 12.55 | 427.19    |  | 09/16/15 | 10.75 | 427.58    |  | 09/16/15 | 11.85 | 427.59    |  | 09/16/15 | 13.73 | 427.86    |  | 09/16/15 | 14.67 | 427.12    |  |
| 06/03/15 | 11.21 | 428.53    |  | 06/03/15 | 9.55  | 428.78    |  | 06/03/15 | 10.72 | 428.72    |  | 06/03/15 | 12.68 | 428.91    |  | 06/03/15 | 12.86 | 428.93    |  |
| 04/08/15 | 11.06 | 428.68    |  | 04/08/15 | 9.49  | 428.84    |  | 04/08/15 | 11.65 | 427.79    |  | 04/08/15 | 12.65 | 428.94    |  | 04/08/15 | 12.81 | 428.98    |  |
| 12/01/14 | 11.55 | 428.19    |  | 12/01/14 | 9.79  | 428.54    |  | 12/01/14 | 10.92 | 428.52    |  | 12/01/14 | 12.91 | 428.68    |  | 12/01/14 | 13.09 | 428.70    |  |
| 09/10/14 | 11.62 | 428.12    |  | 09/10/14 | 9.91  | 428.42    |  | 09/10/14 | 11.10 | 428.34    |  | 09/10/14 | 13.14 | 428.45    |  | 09/10/14 | 13.31 | 428.48    |  |
| 06/12/14 | 11.94 | 427.80    |  | 06/12/14 | 10.28 | 428.05    |  | 06/12/14 | 11.45 | 427.99    |  | 06/12/14 | 13.48 | 428.11    |  | 06/12/14 | 13.63 | 428.16    |  |
| 03/25/14 | 11.69 | 428.05    |  | 03/25/14 | 10.01 | 428.32    |  | 03/25/14 | 11.17 | 428.27    |  | 03/25/14 | 13.32 | 428.27    |  | 03/25/14 | 13.35 | 428.44    |  |
| 12/12/13 | 10.91 | 428.83    |  | 12/12/13 | 9.31  | 429.02    |  | 12/12/13 | 10.46 | 428.98    |  | 12/12/13 | 12.51 | 429.08    |  | 12/12/13 | 12.56 | 429.23    |  |
| 09/23/13 | 12.19 | 427.55    |  | 09/23/13 | 10.63 | 427.70    |  | 09/23/13 | 11.79 | 427.65    |  | 09/23/13 | 15.75 | 425.84    |  | 09/23/13 | 13.91 | 427.88    |  |
| 06/10/13 | 10.45 | 429.29    |  | 06/10/13 | 8.75  | 429.58    |  | 06/10/13 | 9.98  | 429.46    |  | 06/10/13 | 12.08 | 429.51    |  | 06/10/13 | 13.16 | 428.63    |  |
| 03/27/13 | 11.83 | 427.91    |  | 03/27/13 | 10.82 | 427.51    |  | 03/27/13 | 11.48 | 427.96    |  | 03/27/13 | 13.51 | 428.08    |  | 03/27/13 | 13.69 | 428.10    |  |
| 12/03/12 | 12.31 | 427.43    |  | 12/03/12 | 10.82 | 427.51    |  | 12/03/12 | 11.98 | 427.46    |  | 12/03/12 | 13.84 | 427.75    |  | 12/03/12 | 14.06 | 427.73    |  |
| 06/18/12 | 12.01 | 427.73    |  | 06/18/12 | 10.46 | 427.87    |  | 06/18/12 | 11.66 | 427.78    |  | 06/18/12 | 13.70 | 427.89    |  | 06/18/12 | 13.89 | 427.90    |  |
| 03/19/12 | 11.49 | 428.25    |  | 03/19/12 | 9.91  | 428.42    |  | 03/19/12 | 11.11 | 428.33    |  | 03/19/12 | 13.16 | 428.43    |  | 03/19/12 | 13.33 | 428.46    |  |
| 12/05/11 | 12.01 | 427.73    |  | 12/05/11 | 10.48 | 427.85    |  | 12/05/11 | 11.62 | 427.82    |  | 12/05/11 | 13.61 | 427.98    |  | 12/05/11 | 13.81 | 427.98    |  |
| 09/26/11 | 11.95 | 427.79    |  | 09/26/11 | 10.41 | 427.92    |  | 09/26/11 | 11.61 | 427.83    |  | 09/26/11 | 13.66 | 427.93    |  | 09/26/11 | 13.82 | 427.97    |  |
| 06/13/11 | 11.74 | 428.00    |  | 06/13/11 | 10.15 | 428.18    |  | 06/13/11 | 11.32 | 428.12    |  | 06/13/11 | 13.39 | 428.20    |  | 06/13/11 | 13.59 | 428.20    |  |
| 03/29/11 | 11.02 | 428.72    |  | 03/29/11 | 9.48  | 428.85    |  | 03/29/11 | 10.65 | 428.79    |  | 03/29/11 | 12.81 | 428.78    |  | 03/29/11 | 12.97 | 428.82    |  |

**Notes:**

TOC = Top of Inner Well Casing Elevation in Feet  
DTW = Depth to Water from Top of Casing in Feet  
El. = Elevation in Feet

**Table 3**  
**Historical Groundwater Data**  
Operable Unit 1 Wells

| Well     | LTMW-D01 |           | LTMW-S01 |           | LTMW-D02 |           | LTMW-S02 |           | LTMW-D03 |           | LTMW-S03 |           | LTMW-D04 |           | LTMW-S04 |           |
|----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|
|          | TOC =    | 434.90    | TOC =    | 435.52    | TOC =    | 436.74    | TOC =    | 436.79    | TOC =    | 431.27    | TOC =    | 431.43    | TOC =    | 437.18    | TOC =    | 437.24    |
| Date     | DTW      | Water El. | DTW      | Water El. | DTW      | Water El. | DTW      | Water El. | DTW      | Water El. | DTW      | Water El. | DTW      | Water El. | DTW      | Water El. |
| 09/11/20 | 8.85     | 426.05    | 8.85     | 426.67    | 10.77    | 425.97    | 10.45    | 426.34    | 6.46     | 424.81    | 4.30     | 427.13    | 10.25    | 426.93    | 9.68     | 427.56    |
| 06/11/20 | 10.06    | 424.84    | 8.88     | 426.64    | 11.69    | 425.05    | 10.46    | 426.33    | 5.23     | 426.04    | 4.28     | 427.15    | 10.05    | 427.13    | 9.70     | 427.54    |
| 03/20/20 | 8.10     | 426.80    | 8.30     | 427.22    | 8.90     | 427.84    | 8.20     | 428.59    | 3.50     | 427.77    | 1.80     | 429.63    | 8.25     | 428.93    | 7.10     | 430.14    |
| 12/05/19 | 9.20     | 425.70    | 8.47     | 427.05    | 10.50    | 426.24    | 10.17    | 426.62    | 4.93     | 426.34    | 3.95     | 427.48    | 9.65     | 427.53    | 9.39     | 427.85    |
| 09/19/19 | 9.54     | 425.36    | 8.70     | 426.82    | 10.60    | 426.14    | 10.45    | 426.34    | 5.20     | 426.07    | 4.20     | 427.23    | 9.90     | 427.28    | 9.55     | 427.69    |
| 06/06/19 | 7.80     | 427.10    | 8.00     | 427.52    | 9.70     | 427.04    | 9.33     | 427.46    | 4.25     | 427.02    | 2.90     | 428.53    | 6.23     | 430.95    | 8.12     | 429.12    |
| 03/21/19 | 8.00     | 426.90    | 8.20     | 427.32    | 10.15    | 426.59    | 9.77     | 427.02    | 4.45     | 426.82    | 3.63     | 427.80    | 9.35     | 427.83    | 8.90     | 428.34    |
| 12/05/18 | 7.54     | 427.36    | 7.54     | 427.98    | 9.29     | 427.45    | 8.95     | 427.84    | 5.75     | 425.52    | 2.40     | 429.03    | 8.64     | 428.54    | 7.78     | 429.46    |
| 09/13/18 | 8.81     | 426.09    | 8.67     | 426.85    | 10.60    | 426.14    | 10.36    | 426.43    | 5.48     | 425.79    | 4.18     | 427.25    | 10.02    | 427.16    | 9.35     | 427.89    |
| 06/07/18 | 8.55     | 426.35    | 8.70     | 426.82    | 10.35    | 426.39    | 10.32    | 426.47    | 4.32     | 426.95    | 4.11     | 427.32    | 9.78     | 427.40    | 9.48     | 427.76    |
| 03/22/18 | 8.22     | 426.68    | 9.41     | 426.11    | 10.21    | 426.53    | 9.98     | 426.81    | 5.65     | 425.62    | 3.60     | 427.83    | 9.35     | 427.83    | 9.05     | 428.19    |
| 12/06/17 | 8.17     | 426.73    | 8.16     | 427.36    | 10.07    | 426.67    | 9.61     | 427.18    | 4.76     | 426.51    | 3.30     | 428.13    | 9.35     | 427.83    | 8.35     | 428.89    |
| 09/01/17 | 8.75     | 426.15    | 8.74     | 426.78    | 10.64    | 426.10    | 10.31    | 426.48    | 5.23     | 426.04    | 4.15     | 427.28    | 9.99     | 427.19    | 9.50     | 427.74    |
| 06/23/17 | 8.30     | 426.60    | 8.53     | 426.99    | 10.45    | 426.29    | 10.27    | 426.52    | 4.91     | 426.36    | 4.05     | 427.38    | 9.58     | 427.60    | 9.45     | 427.79    |
| 03/08/17 | 8.13     | 426.77    | 8.27     | 427.25    | 10.11    | 426.63    | 9.79     | 427.00    | 4.48     | 426.79    | 3.53     | 427.90    | 9.00     | 428.18    | 8.79     | 428.45    |
| 12/15/16 | 8.11     | 426.79    | 8.02     | 427.50    | 10.03    | 426.71    | 9.73     | 427.06    | 4.55     | 426.72    | 3.28     | 428.15    | 9.32     | 427.86    | 8.41     | 428.83    |
| 09/19/16 | 8.78     | 426.12    | 8.73     | 426.79    | 10.70    | 426.04    | 10.41    | 426.38    | 5.26     | 426.01    | 4.25     | 427.18    | 10.03    | 427.15    | 9.61     | 427.63    |
| 06/07/16 | 8.56     | 426.34    | 7.85     | 427.67    | 10.16    | 426.58    | 10.21    | 426.58    | 4.75     | 426.52    | 4.07     | 427.36    | 9.47     | 427.71    | 9.38     | 427.86    |
| 03/07/16 | 7.75     | 427.15    | 7.18     | 428.34    | 9.05     | 427.69    | 9.15     | 427.64    | 3.69     | 427.58    | 2.45     | 428.98    | 8.55     | 428.63    | 7.85     | 429.39    |
| 12/03/15 | 7.71     | 427.19    | 8.29     | 427.23    | 9.85     | 426.89    | 9.74     | 427.05    | 4.38     | 426.89    | 3.51     | 427.92    | 9.63     | 427.55    | 8.65     | 428.59    |
| 09/16/15 | 8.30     | 426.60    | 8.76     | 426.76    | 10.29    | 426.45    | 10.32    | 426.47    | 4.91     | 426.36    | 4.15     | 427.28    | 9.69     | 427.49    | 9.52     | 427.72    |
| 06/03/15 | 8.07     | 426.83    | 8.03     | 427.49    | 10.02    | 426.72    | 10.13    | 426.66    | 4.45     | 426.82    | 3.92     | 427.51    | 9.35     | 427.83    | 9.27     | 427.97    |
| 04/08/15 | 7.34     | 427.56    | 7.99     | 427.53    | 9.58     | 427.16    | 9.71     | 427.08    | 4.01     | 427.26    | 3.54     | 427.89    | 8.85     | 428.33    | 8.75     | 428.49    |
| 12/01/14 | 7.94     | 426.96    | 8.15     | 427.37    | 9.75     | 426.99    | 9.64     | 427.15    | 4.11     | 427.16    | 3.13     | 428.30    | 9.09     | 428.09    | 8.57     | 428.67    |
| 09/10/14 | 8.14     | 426.76    | 8.12     | 427.40    | 9.99     | 426.75    | 9.64     | 427.15    | 4.58     | 426.69    | 3.19     | 428.24    | 9.30     | 427.88    | 8.70     | 428.54    |
| 06/12/14 | 8.68     | 426.22    | 8.24     | 427.28    | 10.57    | 426.17    | 10.26    | 426.53    | 4.71     | 426.56    | 4.11     | 427.32    | 9.60     | 427.58    | 9.42     | 427.82    |
| 03/25/14 | 8.22     | 426.68    | 8.50     | 427.02    | 10.11    | 426.63    | 10.19    | 426.60    | 4.71     | 426.56    | 4.09     | 427.34    | 9.56     | 427.62    | 9.43     | 427.81    |
| 12/12/13 | 7.61     | 427.29    | 7.64     | 427.88    | 9.19     | 427.55    | 8.75     | 428.04    | 3.97     | 427.30    | 1.99     | 429.44    | 8.57     | 428.61    | 7.45     | 429.79    |
| 09/23/13 | 8.36     | 426.54    | 8.75     | 426.77    | 10.28    | 426.46    | 10.28    | 426.51    | 5.11     | 426.16    | 4.05     | 427.38    | 9.84     | 427.34    | 9.52     | 427.72    |
| 06/10/13 | 7.17     | 427.73    | 7.52     | 428.00    | 9.09     | 427.65    | 8.73     | 428.06    | 3.52     | 427.75    | 2.18     | 429.25    | 7.99     | 429.19    | 6.99     | 430.25    |
| 03/27/13 | 8.27     | 426.63    | 8.64     | 426.88    | 10.28    | 426.46    | 9.98     | 426.81    | 4.84     | 426.43    | 3.87     | 427.56    | 9.61     | 427.57    | 9.36     | 427.88    |
| 12/03/12 | 8.65     | 426.25    | 8.60     | 426.92    | 10.42    | 426.32    | 9.90     | 426.89    | 5.08     | 426.19    | 3.80     | 427.63    | 9.85     | 427.33    | 9.91     | 427.33    |
| 09/12/12 | 8.84     | 426.06    | 8.91     | 426.61    | 10.76    | 425.98    | 10.35    | 426.44    | 5.39     | 425.88    | 4.17     | 427.26    | 10.20    | 426.98    | 9.62     | 427.62    |
| 06/18/12 | 8.35     | 426.55    | 8.61     | 426.91    | 10.35    | 426.39    | 10.26    | 426.53    | 5.10     | 426.17    | 4.08     | 427.35    | 8.76     | 428.42    | 9.48     | 427.76    |
| 03/19/12 | 8.01     | 426.89    | 8.11     | 427.41    | 9.92     | 426.82    | 9.46     | 427.33    | 4.50     | 426.77    | 3.04     | 428.39    | 9.24     | 427.94    | 8.29     | 428.95    |
| 12/05/11 | 8.16     | 426.74    | 8.31     | 427.21    | 10.12    | 426.62    | 9.61     | 427.18    | 4.63     | 426.64    | 3.35     | 428.08    | 9.39     | 427.79    | 8.81     | 428.43    |
| 09/26/11 | 8.38     | 426.52    | 8.45     | 427.07    | 10.45    | 426.29    | 10.18    | 426.61    | 4.71     | 426.56    | 3.93     | 427.50    | 9.45     | 427.73    | 9.44     | 427.80    |
| 06/13/11 | 7.61     | 427.29    | 8.36     | 427.16    | 10.27    | 426.47    | 9.95     | 426.84    | 4.78     | 426.49    | 3.75     | 427.68    | 9.42     | 427.76    | 9.17     | 428.07    |
| 03/28/11 | 7.83     | 427.07    | 7.85     | 427.67    | 9.68     | 427.06    | 9.43     | 427.36    | 4.41     | 426.86    | 3.34     | 428.09    | 9.07     | 428.11    | 8.91     | 428.33    |

**Notes:**

TOC = Top of Inner Well Casing Elevation in Feet  
DTW = Depth to Water from Top of Casing in Feet  
El. = Elevation in Feet

**Table 3**  
**Historical Groundwater Data**  
Operable Unit 1 Wells

| Well     | LTMW-D05 |           | LTMW-S05 |           | LTMW-D06 |           | LTMW-S06 |           | LTMW-S07 |           | LTMW-S08 |           | LTMW-S09 |           | LTMW-S10 |           |
|----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|
|          | TOC =    | 437.78    | TOC =    | 437.92    | TOC =    | 441.70    | TOC =    | 441.64    | TOC =    | 439.70    | TOC =    | 443.81    | TOC =    | 439.79    | TOC =    | 439.67    |
| Date     | DTW      | Water El. | DTW      | Water El. | DTW      | Water El. | DTW      | Water El. | DTW      | Water El. | DTW      | Water El. | DTW      | Water El. | DTW      | Water El. |
| 09/11/20 | 10.82    | 426.96    | 9.95     | 427.97    | 12.90    | 428.80    | 13.65    | 427.99    | 11.70    | 428.00    | 16.60    | 427.21    | 10.55    | 429.24    | 11.07    | 428.60    |
| 06/11/20 | 9.67     | 428.11    | 9.93     | 427.99    | 12.61    | 429.09    | 13.51    | 428.13    | 11.43    | 428.27    | 15.95    | 427.86    | 10.12    | 429.67    | 10.86    | 428.81    |
| 03/20/20 | 7.50     | 430.28    | 7.80     | 430.12    | 11.00    | 430.70    | 11.70    | 429.94    | 9.75     | 429.95    | 14.15    | 429.66    | 9.00     | 430.79    | 9.60     | 430.07    |
| 12/05/19 | 9.30     | 428.48    | 9.73     | 428.19    | 12.29    | 429.41    | 13.12    | 428.52    | 10.80    | 428.90    | 15.45    | 428.36    | 9.73     | 430.06    | 10.29    | 429.38    |
| 09/19/19 | 9.44     | 428.34    | 9.86     | 428.06    | 11.45    | 430.25    | 13.40    | 428.24    | 11.20    | 428.50    | 15.80    | 428.01    | 10.03    | 429.76    | 10.70    | 428.97    |
| 06/06/19 | 8.35     | 429.43    | 8.65     | 429.27    | 11.60    | 430.10    | 12.55    | 429.09    | 10.15    | 429.55    | 14.94    | 428.87    | 9.26     | 430.53    | 9.74     | 429.93    |
| 03/21/19 | 8.92     | 428.86    | 9.38     | 428.54    | 11.80    | 429.90    | 12.50    | 429.14    | 10.08    | 429.62    | 14.08    | 429.73    | 9.15     | 430.64    | 9.52     | 430.15    |
| 12/05/18 | 8.18     | 429.60    | 7.30     | 430.62    | 11.10    | 430.60    | 11.55    | 430.09    | 8.55     | 431.15    | 13.90    | 429.91    | 8.70     | 431.09    | 9.20     | 430.47    |
| 09/13/18 | 9.67     | 428.11    | 9.68     | 428.24    | 12.70    | 429.00    | 13.35    | 428.29    | 11.55    | 428.15    | 15.80    | 428.01    | 10.23    | 429.56    | 10.75    | 428.92    |
| 06/07/18 | 9.47     | 428.31    | 9.64     | 428.28    | 12.42    | 429.28    | 13.26    | 428.38    | 11.06    | 428.64    | 15.70    | 428.11    | 10.10    | 429.69    | 10.64    | 429.03    |
| 03/22/18 | 8.95     | 428.83    | 8.80     | 429.12    | 12.10    | 429.60    | 12.92    | 428.72    | 10.40    | 429.30    | 15.30    | 428.51    | 9.50     | 430.29    | 10.15    | 429.52    |
| 12/06/17 | 9.02     | 428.76    | 9.16     | 428.76    | 12.00    | 429.70    | 12.25    | 429.39    | 10.67    | 429.03    | 15.10    | 428.71    | 9.58     | 430.21    | 10.10    | 429.57    |
| 09/01/17 | 9.51     | 428.27    | 9.60     | 428.32    | 12.62    | 429.08    | 13.50    | 428.14    | 12.60    | 427.10    | 15.78    | 428.03    | 10.38    | 429.41    | 10.96    | 428.71    |
| 06/23/17 | 9.14     | 428.64    | 9.60     | 428.32    | 12.07    | 429.63    | 12.88    | 428.76    | 10.73    | 428.97    | 15.22    | 428.59    | 12.88    | 426.91    | 10.18    | 429.49    |
| 03/08/17 | 8.26     | 429.52    | 7.54     | 430.38    | 11.52    | 430.18    | 11.78    | 429.86    | 10.39    | 429.31    | 14.69    | 429.12    | 9.21     | 430.58    | 9.98     | 429.69    |
| 12/15/16 | 8.80     | 428.98    | 9.00     | 428.92    | 12.28    | 429.42    | 11.70    | 429.94    | 9.89     | 429.81    | 14.50    | 429.31    | 8.60     | 431.19    | 9.30     | 430.37    |
| 09/19/16 | 9.63     | 428.15    | 9.65     | 428.27    | 12.61    | 429.09    | 13.24    | 428.40    | 11.44    | 428.26    | 15.59    | 428.22    | 9.82     | 429.97    | 10.68    | 428.99    |
| 06/07/16 | 8.82     | 428.96    | 9.53     | 428.39    | 11.98    | 429.72    | 13.03    | 428.61    | 11.01    | 428.69    | 15.36    | 428.45    | 9.81     | 429.98    | 10.41    | 429.26    |
| 03/07/16 | 7.85     | 429.93    | 8.27     | 429.65    | 11.16    | 430.54    | 12.13    | 429.51    | 9.94     | 429.76    | 14.48    | 429.33    | 9.05     | 430.74    | 9.65     | 430.02    |
| 12/02/15 | 8.77     | 429.01    | 9.21     | 428.71    | 12.31    | 429.39    | 13.20    | 428.44    | 11.55    | 428.15    | 15.67    | 428.14    | 10.40    | 429.39    | 10.95    | 428.72    |
| 09/16/15 | 8.97     | 428.81    | 9.51     | 428.41    | 12.58    | 429.12    | 13.25    | 428.39    | 11.54    | 428.16    | 15.65    | 428.16    | 9.89     | 429.90    | 10.65    | 429.02    |
| 06/03/15 | 9.25     | 428.53    | 9.41     | 428.51    | 12.15    | 429.55    | 12.93    | 428.71    | 10.81    | 428.89    | 15.21    | 428.60    | 9.15     | 430.64    | 9.93     | 429.74    |
| 04/08/15 | 8.74     | 429.04    | 9.36     | 428.56    | 11.67    | 430.03    | 12.55    | 429.09    | 10.06    | 429.64    | 14.85    | 428.96    | 8.89     | 430.90    | 9.54     | 430.13    |
| 12/01/14 | 8.28     | 429.50    | 8.91     | 429.01    | 11.77    | 429.93    | 12.49    | 429.15    | 10.97    | 428.73    | 14.78    | 429.03    | 9.31     | 430.48    | 9.93     | 429.74    |
| 09/10/14 | 8.85     | 428.93    | 8.97     | 428.95    | 11.91    | 429.79    | 12.68    | 428.96    | 10.96    | 428.74    | 15.34    | 428.47    | 9.35     | 430.44    | 10.29    | 429.38    |
| 06/12/14 | 9.02     | 428.76    | 9.52     | 428.40    | 12.28    | 429.42    | 13.08    | 428.56    | 11.14    | 428.56    | 15.34    | 428.47    | 9.63     | 430.16    | 10.46    | 429.21    |
| 03/25/14 | 9.03     | 428.75    | 8.50     | 429.42    | 11.95    | 429.75    | 12.81    | 428.83    | 10.85    | 428.85    | 15.03    | 428.78    | 9.11     | 430.68    | 9.93     | 429.74    |
| 12/12/13 | 7.96     | 429.82    | 7.85     | 430.07    | 11.20    | 430.50    | 11.87    | 429.77    | 10.16    | 429.54    | 14.11    | 429.70    | 8.95     | 430.84    | 9.63     | 430.04    |
| 09/23/13 | 8.94     | 428.84    | 9.52     | 428.40    | 12.36    | 429.34    | 13.21    | 428.43    | 11.39    | 428.31    | 15.46    | 428.35    | 9.86     | 429.93    | 10.64    | 429.03    |
| 06/10/13 | 7.55     | 430.23    | 7.48     | 430.44    | 11.15    | 430.55    | 11.78    | 429.86    | 10.27    | 429.43    | 14.12    | 429.69    | 9.43     | 430.36    | 10.17    | 429.50    |
| 03/27/13 | 9.13     | 428.65    | 9.45     | 428.47    | 12.16    | 429.54    | 13.10    | 428.54    | 10.92    | 428.78    | 15.27    | 428.54    | 9.55     | 430.24    | 10.31    | 429.36    |
| 12/03/12 | 9.51     | 428.27    | 9.48     | 428.44    | 13.43    | 428.27    | 12.78    | 428.86    | 11.59    | 428.11    | 15.72    | 428.09    | 10.25    | 429.54    | 10.91    | 428.76    |
| 09/12/12 | 9.76     | 428.02    | 9.64     | 428.28    | 12.81    | 428.89    | 13.69    | 427.95    | 11.97    | 427.73    | 15.95    | 427.86    | 10.58    | 429.21    | 11.27    | 428.40    |
| 06/18/12 | 9.26     | 428.52    | 9.51     | 428.41    | 12.41    | 429.29    | 13.23    | 428.41    | 11.31    | 428.39    | 15.40    | 428.41    | 9.81     | 429.98    | 10.56    | 429.11    |
| 03/19/12 | 8.79     | 428.99    | 9.04     | 428.88    | 12.12    | 429.58    | 12.99    | 428.65    | 11.05    | 428.65    | 15.19    | 428.62    | 9.73     | 430.06    | 10.43    | 429.24    |
| 12/05/11 | 9.02     | 428.76    | 9.08     | 428.84    | 12.22    | 429.48    | 13.04    | 428.60    | 10.97    | 428.73    | 15.19    | 428.62    | 9.58     | 430.21    | 10.34    | 429.33    |
| 09/26/11 | 9.32     | 428.46    | 9.53     | 428.39    | 12.40    | 429.30    | 13.20    | 428.44    | 11.01    | 428.69    | 15.21    | 428.60    | 9.55     | 430.24    | 10.31    | 429.36    |
| 06/13/11 | 8.91     | 428.87    | 9.34     | 428.58    | 11.99    | 429.71    | 12.88    | 428.76    | 10.79    | 428.91    | 15.03    | 428.78    | 9.49     | 430.30    | 10.29    | 429.38    |
| 03/28/11 | 8.08     | 429.70    | 9.12     | 428.80    | 11.62    | 430.08    | 12.41    | 429.23    | 10.08    | 429.62    | 14.46    | 429.35    | 10.14    | 429.65    | 9.75     | 429.92    |

**Notes:**

TOC = Top of Inner Well Casing Elevation in Feet  
DTW = Depth to Water from Top of Casing in Feet  
El. = Elevation in Feet

**Table 4**  
**Groundwater Analytical Data**  
LTMW-D01

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16 | 06/09/16 | 09/21/16 | 12/07/16 | 03/08/17 | 06/07/17 | 09/21/17 | 12/06/17 | 03/21/18 | 06/07/18 | 09/13/18 | 12/05/18 | 03/21/19 | 06/06/19 | 09/19/19 | 12/05/19 | 03/19/20 | 06/11/20 | 09/10/20 |
|------------------------|---|--------------------------|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Benzene                | 5                                       | 1                        | 1                         | 4,800    | 1,700    | 5,310    | 8,990    | 5,800    | 5,290    | 2,470    | 4,250    | 5,460    | 3,440    | 3,900    | 1,410    | 7,360    | 6,290    | 2,370    | 3,400    | 4,310    | 2,060    | 1,600    |
| Toluene                | 1,000                                   | 5                        | 1                         | 1,100    | 340      | 1,090    | 2,080    | 1,320    | 1,470    | 809      | 1,230    | 1,140    | 992      | 1,080    | 1,740    | 2,200    | 1,410    | 630      | 876      | 183      | 392      | 202      |
| Ethylbenzene           | 700                                     | 5                        | 1                         | 82       | ND       | 167      | 241      | 145      | 137      | 179      | 177      | 95.0     | 119      | 163      | 203      | 202      | 170      | 142      | 222      | 1,120    | 96.3     | 101      |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | 170      | ND       | 176      | 254      | 206      | 201      | 157      | 187      | 135      | 155      | 164      | 214.5    | 339      | 229      | 134.8    | 180.8    | 277      | 134      | 109      |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | ND       | ND       | 0.59     | 0.43     | 0.19     | 0.10     | 0.19     | 0.35     | 0.18     | 0.19     | 0.14     | 0.40     | 0.48     | 0.23     | 0.21     | 0.33     | 0.47     | 0.16     | 0.22     |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND       | ND       | 5.0      | 6.2      | 0.31     | 0.11     | 0.36     | 7.1      | 3.1      | 1.1      | 1.9      | 7.1      | 8.6      | 2.3      | 0.51     | 2.8      | 5.9      | 0.17     | 1.5      |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Cyanide                | N/A                                     | 200                      | 10                        | 13       | ND       | ND       | 14       | 11       | ND       | ND       | ND       | 10       | ND       | ND       | 15       | ND       | ND       | ND       | ND       | 14       | ND       | ND       |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | 0.51     | 0.35     | 0.15     | ND       | ND       | 0.41     | 0.17     | 0.14     | 0.10     | 0.30     | 0.55     | 0.16     | ND       | 0.20     | 0.47     | 0.11     | 0.12     |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND       | ND       | 97.1     | 229      | ND       | ND       | ND       | 7.2      | 94.6     | 0.44     | 0.83     | 170      | 381      | 8.3      | ND       | 4.3      | 121      | ND       | 0.17     |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 107      | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Arsenic                | N/A                                     | 25                       | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 6.9      | ND       | 6.8      | 9.1      | ND       | ND       | ND       | 9.1      | 6.2      | 6.6      | 9.7      | 8.1      |
| Lead                   | N/A                                     | 25                       | 5                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Zinc                   | N/A                                     | 2,000                    | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 4**  
**Groundwater Analytical Data**  
LTMW-S01

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16 | 06/09/16 | 09/21/16 | 12/07/16 | 03/08/17 | 06/07/17 | 09/21/17 | 12/06/17 | 03/21/18 | 06/07/18 | 09/13/18 | 12/05/18 | 03/21/19 | 06/06/19 | 09/19/19 | 12/05/19 | 03/19/20 | 06/11/20 | 09/10/20 |
|------------------------|---|--------------------------|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Benzene                | 5                                       | 1                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 1.9      | ND       | 1.9      | ND       | ND       |
| Toluene                | 1,000                                   | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Ethylbenzene           | 700                                     | 5                        | 1                         | ND       | ND       | ND       | 1.2      | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | 76       | 120      | 125      | 91.2     | 69.4     | 56.4     | 105      | 75.1     | 56.5     | 68.1     | 101      | 64.4     | 53.1     | 70.6     | 69.0     | 74.5     | 63.7     | 46.9     | 88.3     |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND       | ND       | 4.1      | 3        | 3.2      | 2.5      | 3.6      | 2.7      | 2.2      | 3.3      | 4.4      | 2.6      | 2        | 2.7      | 3.2      | 3.3      | 2.3      | 1.7      | 3.3      |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND       | ND       | 0.44     | 0.38     | 0.52     | 0.28     | 0.40     | 0.34     | 0.27     | 0.37     | 0.47     | 0.35     | 0.25     | 0.47     | 0.41     | 0.44     | 0.24     | 0.17     | 0.4      |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Cyanide                | N/A                                     | 200                      | 10                        | 20       | 21       | ND       | 13       | 55       | 18       | 12       | 15       | 11       | 17       | 19       | 14       | 14       | 16       | 18       | 18       | 25       | 25       | 26       |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | 4.9      | 4        | 3.6      | 2.8      | 4.8      | 3.5      | 2.4      | 3.7      | 6.1      | 3.6      | 2.6      | 3.8      | 5.4      | 5.0      | 2.8      | 2.7      | 5.4      |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | 21       | 28       | 34.1     | 27.6     | 19.9     | 12.6     | 28.5     | 19.2     | 15.4     | 18.1     | 28.3     | 15.6     | 13.6     | 18       | 22.9     | 19.6     | 14.3     | 12.7     | 26.1     |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND       | ND       | 0.2      | 0.38     | 0.4      | 0.15     | 0.24     | 0.31     | ND       | 0.23     | ND       | 0.31     | 0.15     | 0.26     | 0.23     | 0.27     | 0.25     | ND       | 0.16     |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | 0.25     | 0.74     | 1.7      | ND       | 0.14     | 0.20     | 0.26     | 0.13     | 0.20     | 0.16     | 0.11     | 0.41     | 0.13     | 0.17     | 0.13     | ND       | 0.16     |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND       | ND       | 5.0      | 4.2      | 3.6      | 2.7      | 4.9      | 3.7      | 2.5      | 3.8      | 6.6      | 4.4      | 2.7      | 3.9      | 5.7      | 5.3      | 3.0      | 2.9      | 5.7      |
| Arsenic                | N/A                                     | 25                       | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Lead                   | N/A                                     | 25                       | 5                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Zinc                   | N/A                                     | 2,000                    | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 11.5     | ND       |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 4**  
**Groundwater Analytical Data**  
LTMW-D02

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16 | 06/09/16 | 09/20/16 | 12/07/16 | 03/08/17 | 06/07/17 | 09/21/17 | 12/06/17 | 03/21/18 | 06/07/18 | 09/13/18 | 12/05/18 | 03/21/19 | 06/06/19 | 09/19/19 | 12/05/19 | 03/19/20 | 06/11/20 | 09/10/20 |
|------------------------|---|--------------------------|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Benzene                | 5                                       | 1                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Toluene                | 1,000                                   | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Ethylbenzene           | 700                                     | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | ND       | ND       | 3.3      | 2.2      | 1.6      | ND       | 2.0      | 0.97     | 1.2      | 1.0      | 0.91     | 0.23     | 0.36     | 0.25     | 0.15     | ND       | ND       | ND       | ND       |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND       | ND       | 0.8      | 0.43     | 0.39     | ND       | 0.48     | 0.22     | 0.29     | 0.31     | 0.24     | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Cyanide                | N/A                                     | 200                      | 10                        | 93       | 85       | ND       | 150      | 200      | ND       | 160      | 160      | 160      | 150      | 140      | 10       | 140      | 140      | 110      | ND       | 130      | 11       | ND       |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND       | ND       | 0.16     | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Arsenic                | N/A                                     | 25                       | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Lead                   | N/A                                     | 25                       | 5                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Zinc                   | N/A                                     | 2,000                    | 10                        | 13       | 61       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 4**  
**Groundwater Analytical Data**  
LTMW-S02

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level<br>(µg/L) | 03/04/16 | 06/09/16 | 09/20/16 | 12/07/16 | 03/08/17 | 06/07/17 | 09/21/17 | 12/06/17 | 03/21/18 | 06/07/18 | 09/13/18 | 12/05/18 | 03/21/19 | 06/06/19 | 09/19/19 | 12/05/19 | 03/19/20 | 06/11/20 | 09/10/20 |
|------------------------|---|--------------------------|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Benzene                | 5                                       | 1                        | 1                            | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Toluene                | 1,000                                   | 5                        | 1                            | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Ethylbenzene           | 700                                     | 5                        | 1                            | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Xylene (total)         | 10,000                                  | 5                        | 2                            | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthene           | N/A                                     | 20                       | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 0.13     | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Anthracene             | N/A                                     | NA                       | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Chrysene               | N/A                                     | 0.002                    | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Cyanide                | N/A                                     | 200                      | 10                           | 130      | 150      | ND       | 130      | 75       | 73       | 110      | 90       | 60       | 59       | 110      | 10       | 57       | 71       | 70       | 73       | 76       | 64       | 94       |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluoranthene           | N/A                                     | 50                       | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluorene               | N/A                                     | 0.002                    | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Naphthalene            | N/A                                     | 10                       | 4.9                          | ND       | ND       | 0.15     | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Phenanthrene           | N/A                                     | 50                       | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Pyrene                 | N/A                                     | 50                       | 4.9                          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Arsenic                | N/A                                     | 25                       | 10                           | 15       | 15       | 5.1      | ND       | 7.7      | ND       | ND       | 7.6      | ND       | 7.1      | 7.2      | ND       | ND       | ND       | 5.1      | 6.3      | ND       | 9.1      | 7.2      |
| Lead                   | N/A                                     | 25                       | 5                            | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Zinc                   | N/A                                     | 2,000                    | 10                           | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 4**  
**Groundwater Analytical Data**  
LTMW-D03

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16 | 06/09/16 | 09/20/16 | 12/07/16 | 03/08/17 | 06/07/17 | 09/21/17 | 12/06/17 | 03/21/18 | 06/07/18 | 09/13/18 | 12/05/18 | 03/21/19 | 06/06/19 | 09/19/19 | 12/05/19 | 03/19/20 | 06/11/20 | 09/10/20 |
|------------------------|---|--------------------------|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Benzene                | 5                                       | 1                        | 1                         | 8.9      | 20       | 15.9     | 27.1     | 10.2     | 8.5      | 8.9      | 9.5      | 4.7      | 6.4      | 5.4      | 8.4      | 6.2      | 9.6      | 6.2      | 2.5      | 3.3      | 4.6      | 2.5      |
| Toluene                | 1,000                                   | 5                        | 1                         | ND       | 20       | 13.9     | 55       | 5.9      | 1.9      | 1.9      | 5.4      | ND       | 1.2      | 2.0      | 3.9      | 18.2     | 5.6      | 2.0      | ND       | 11.0     | 2.6      | ND       |
| Ethylbenzene           | 700                                     | 5                        | 1                         | 86       | 58       | 69.6     | 23.9     | 63.7     | 44       | 49.0     | 40.2     | 26.0     | 34.1     | 23.6     | 22.2     | 3        | 20.7     | 16.5     | 11.3     | ND       | 11.8     | 10.4     |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | 14       | 42       | 30.1     | 25.7     | 13.5     | 5.6      | 7.5      | 8.4      | 4.0      | 4.4      | 5.5      | 6.2      | 7.1      | 8.4      | 1.4      | ND       | ND       | 3.4      | ND       |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | 11       | ND       | 411.9    | ND       | 10.7     | 3.70     | 10.2     | 5.9      | 5.8      | 8.3      | 5.7      | 6.2      | 8.0      | 6.0      | 7.90     | 4.3      | 4.3      | 6.8      | 5.4      |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND       | ND       | 34.7     | 10.6     | 3.1      | 2.5      | 2.2      | 1.5      | 1.3      | 2.0      | 1.6      | 2.8      | 2.2      | 2.1      | 1.4      | 0.89     | 0.54     | 1.8      | 1.9      |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND       | ND       | 5.2      | ND       | 5.6      | 0.3      | 3.7      | 2.4      | 2.2      | 2.8      | 2.1      | 2        | 2.1      | 1.6      | 1.6      | 0.9      | 0.45     | 0.73     | 2.80     |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | 0.43     | ND       | 0.42     | ND       | 0.40     | 0.26     | 0.30     | 0.34     | 0.29     | 0.28     | 0.4      | 0.38     | 0.41     | 0.26     | 0.23     | 0.31     | 3.6      |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 2.4      |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 1.7      |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 0.8      |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 0.68     |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | 0.21     | ND       | 0.25     | ND       | 0.24     | 0.18     | 0.17     | 0.19     | 0.18     | 0.16     | 0.21     | 0.23     | 0.25     | 0.17     | 0.15     | 0.18     | 2.10     |
| Cyanide                | N/A                                     | 200                      | 10                        | 75       | 93       | 77       | 79       | 84       | 76       | 66       | 78       | 64       | 66       | 62       | 62       | 65       | 72       | 60       | 53       | 67       | 62       | 63       |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 0.2      |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | 6.2      | ND       | 6.2      | ND       | 6.1      | 2.9      | 5.9      | 3.7      | 4.1      | 4.7      | 4.0      | 3.5      | 5.1      | 4.2      | 5.4      | 3.2      | 3.4      | 4.2      | 12.3     |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | 7.8      | ND       | 11.5     | ND       | 7.1      | 13.2     | 6.2      | 3.7      | 3.6      | 5.1      | 3.5      | 3.8      | 5.1      | 3.6      | 4.9      | 2.8      | 2.3      | 4.1      | 5.2      |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | 9.4      | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 0.68     |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | 13       | 81       | 556      | 284      | 32.2     | 0.15     | 10.0     | 16.5     | 3.9      | 3.7      | 6.9      | 12.7     | 9.8      | 10.6     | 3.5      | 0.5      | 0.3      | 13.2     | 2.5      |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | 27       | 25       | 29.5     | 1.5      | 30.3     | 0.11     | 24.1     | 15.2     | 16.3     | 18.1     | 18.1     | 17.9     | 19.9     | 15.2     | 19.6     | 8.5      | 2.9      | 15.9     | 22.2     |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | 8.3      | 8.3      | 8.3      | 1.2      | 7.6      | 2.8      | 7.6      | 4.8      | 5.5      | 6.0      | 5.3      | 5.1      | 6.6      | 5.3      | 6.9      | 4        | 4.6      | 5.5      | 17.4     |
| Arsenic                | N/A                                     | 25                       | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Lead                   | N/A                                     | 25                       | 5                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Zinc                   | N/A                                     | 2,000                    | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 17       |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS





**Table 4**  
**Groundwater Analytical Data**  
LTMW-S03

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16     | 06/09/16     | 09/20/16     | 12/07/16     | 03/08/17     | 06/07/17     | 09/21/17     | 12/06/17     | 03/21/18     | 06/07/18     | 09/13/18     | 12/05/18     | 03/21/19     | 06/06/19     | 09/19/19     | 12/05/19     | 03/19/20     | 06/11/20     | 09/10/20     |
|------------------------|---|--------------------------|---------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Benzene                | 5                                       | 1                        | 1                         | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Toluene                | 1,000                                   | 5                        | 1                         | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Ethylbenzene           | 700                                     | 5                        | 1                         | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Cyanide                | N/A                                     | 200                      | 10                        | ND           | 11           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | 10           | ND           | ND           |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | ND           | ND           | ND           | ND           | <b>0.15</b>  | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND           | ND           | 0.16         | 0.17         | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND           | ND           | ND           | ND           | 0.11         | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Arsenic                | N/A                                     | 25                       | 10                        | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | 7.3          | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Lead                   | N/A                                     | 25                       | 5                         | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           | ND           |
| Zinc                   | N/A                                     | 2,000                    | 10                        | <b>4,600</b> | <b>4,300</b> | <b>4,300</b> | <b>4,600</b> | <b>5,330</b> | <b>4,250</b> | <b>3,740</b> | <b>3,620</b> | <b>4,070</b> | <b>3,660</b> | <b>3,060</b> | <b>5,620</b> | <b>4,040</b> | <b>3,740</b> | <b>3,710</b> | <b>4,160</b> | <b>3,840</b> | <b>3,550</b> | <b>3,160</b> |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 4**  
**Groundwater Analytical Data**  
LTMW-D04

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16 | 06/09/16 | 09/20/16 | 12/07/16 | 03/08/17 | 06/07/17    | 09/21/17 | 12/06/17 | 03/21/18 | 06/07/18 | 09/13/18 | 12/06/18 | 03/21/19 | 06/06/19 | 09/19/19 | 12/05/19 | 03/18/20 | 06/11/20  | 09/10/20 |
|------------------------|---|--------------------------|---------------------------|----------|----------|----------|----------|----------|-------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|
| Benzene                | 5                                       | 1                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Toluene                | 1,000                                   | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Ethylbenzene           | 700                                     | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Cyanide                | N/A                                     | 200                      | 10                        | 10       | ND       | 10       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 11       | ND        | ND       |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |
| Arsenic                | N/A                                     | 25                       | 10                        | ND       | ND       | ND       | ND       | ND       | <b>35.3</b> | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | 22.5     |
| Lead                   | N/A                                     | 25                       | 5                         | ND       | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | <b>32</b> | ND       |
| Zinc                   | N/A                                     | 2,000                    | 10                        | 490      | ND       | ND       | ND       | ND       | ND          | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND        | ND       |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 4**  
**Groundwater Analytical Data**  
LTMW-S04

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16   | 06/09/16   | 09/20/16 | 12/07/16     | 03/08/17   | 06/07/17     | 09/21/17 | 12/06/17     | 03/21/18   | 06/07/18   | 09/13/18   | 12/06/18     | 03/21/19   | 06/06/19   | 09/19/19 | 12/05/19 | 03/18/20     | 06/11/20   | 09/10/20   |
|------------------------|---|--------------------------|---------------------------|------------|------------|----------|--------------|------------|--------------|----------|--------------|------------|------------|------------|--------------|------------|------------|----------|----------|--------------|------------|------------|
| Benzene                | 5                                       | 1                        | 1                         | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Toluene                | 1,000                                   | 5                        | 1                         | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Ethylbenzene           | 700                                     | 5                        | 1                         | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Cyanide                | N/A                                     | 200                      | 10                        | <b>450</b> | <b>600</b> | 59       | <b>2,000</b> | <b>900</b> | <b>1,200</b> | 200      | <b>1,300</b> | <b>400</b> | <b>230</b> | <b>220</b> | <b>1,300</b> | <b>860</b> | <b>660</b> | 190      | 120      | <b>1,700</b> | <b>440</b> | <b>470</b> |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Arsenic                | N/A                                     | 25                       | 10                        | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Lead                   | N/A                                     | 25                       | 5                         | ND         | ND         | ND       | ND           | ND         | ND           | ND       | ND           | ND         | ND         | ND         | ND           | ND         | ND         | ND       | ND       | ND           | ND         | ND         |
| Zinc                   | N/A                                     | 2,000                    | 10                        | 510        | 340        | 23       | 618          | 358        | 108          | 128      | 472          | 472        | 267        | 179        | 230          | 242        | 184        | 156      | 156      | 44.4         | 122        | 113        |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 4**  
**Groundwater Analytical Data**  
LTMW-D05

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16 | 06/09/16 | 09/19/16 | 12/07/16 | 03/08/17 | 06/07/17 | 09/21/17 | 12/06/17 | 03/21/18 | 06/07/18 | 09/13/18 | 12/05/18 | 03/21/19 | 06/06/19 | 09/19/19 | 12/05/19 | 03/18/20 | 06/11/20 | 09/10/20 |
|------------------------|---|--------------------------|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Benzene                | 5                                       | 1                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Toluene                | 1,000                                   | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Ethylbenzene           | 700                                     | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Cyanide                | N/A                                     | 200                      | 10                        | ND       | 13       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Arsenic                | N/A                                     | 25                       | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Lead                   | N/A                                     | 25                       | 5                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Zinc                   | N/A                                     | 2,000                    | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 4**  
**Groundwater Analytical Data**  
LTMW-S05

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16   | 06/09/16   | 09/19/16 | 12/07/16   | 03/08/17     | 06/07/17   | 09/21/17   | 12/06/17   | 03/21/18   | 06/07/18 | 09/13/18 | 12/05/18   | 03/21/19 | 06/06/19   | 09/19/19 | 12/05/19 | 03/18/20 | 06/11/20 | 09/10/20 |
|------------------------|---|--------------------------|---------------------------|------------|------------|----------|------------|--------------|------------|------------|------------|------------|----------|----------|------------|----------|------------|----------|----------|----------|----------|----------|
| Benzene                | 5                                       | 1                        | 1                         | ND         | ND         | ND       | ND         | <b>5,800</b> | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Toluene                | 1,000                                   | 5                        | 1                         | ND         | ND         | ND       | ND         | <b>1,320</b> | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Ethylbenzene           | 700                                     | 5                        | 1                         | ND         | ND         | ND       | ND         | <b>145</b>   | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | ND         | ND         | ND       | ND         | <b>206</b>   | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | ND         | ND         | ND       | ND         | 0.19         | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND         | ND         | ND       | ND         | 0.31         | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Cyanide                | N/A                                     | 200                      | 10                        | <b>450</b> | <b>250</b> | 16       | <b>830</b> | <b>510</b>   | <b>570</b> | <b>270</b> | <b>380</b> | <b>430</b> | 120      | 89       | <b>260</b> | 120      | <b>230</b> | 65       | 170      | 150      | 110      | 110      |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | ND         | ND         | ND       | ND         | <b>0.15</b>  | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Arsenic                | N/A                                     | 25                       | 10                        | ND         | ND         | ND       | ND         | ND           | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Lead                   | N/A                                     | 25                       | 5                         | ND         | ND         | ND       | ND         | 5.4          | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |
| Zinc                   | N/A                                     | 2,000                    | 10                        | ND         | 19         | 23       | ND         | 27.5         | ND         | ND         | ND         | ND         | ND       | ND       | ND         | ND       | ND         | ND       | ND       | ND       | ND       | ND       |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 4**  
**Groundwater Analytical Data**  
LTMW-D06

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16 | 06/09/16 | 09/19/16 | 12/07/16 | 03/08/17 | 06/07/17 | 09/21/17 | 12/06/17 | 03/21/18 | 06/07/18 | 09/13/18 | 12/06/18 | 03/21/19 | 06/06/19 | 09/19/19 | 12/05/19 | 03/19/20 | 06/11/20 | 09/10/20 |
|------------------------|---|--------------------------|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Benzene                | 5                                       | 1                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Toluene                | 1,000                                   | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Ethylbenzene           | 700                                     | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Cyanide                | N/A                                     | 200                      | 10                        | ND       | ND       | ND       | 92       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 11       | ND       | ND       | ND       | ND       | ND       |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | 8.1      | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Arsenic                | N/A                                     | 25                       | 10                        | ND       | ND       | 0.64     | ND       | ND       | 8.1      | 8.5      | 8.0      | 6.0      | 12.0     | 10.4     | 7.3      | 5.7      | ND       | 9.2      | 8.8      | 9.6      | 7.1      | 7.5      |
| Lead                   | N/A                                     | 25                       | 5                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Zinc                   | N/A                                     | 2,000                    | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 4**  
**Groundwater Analytical Data**  
LTMW-S06

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16 | 06/09/16 | 09/19/16 | 12/07/16 | 03/08/17 | 06/07/17 | 09/21/17 | 12/06/17 | 03/21/18 | 06/07/18 | 09/13/18 | 12/06/18 | 03/21/19 | 06/06/19 | 09/19/19 | 12/05/19 | 03/19/20 | 06/11/20 | 09/10/20 |
|------------------------|---|--------------------------|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Benzene                | 5                                       | 1                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Toluene                | 1,000                                   | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Ethylbenzene           | 700                                     | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Cyanide                | N/A                                     | 200                      | 10                        | 32       | 66       | 31       | ND       | 190      | 79       | 14       | 18       | 64       | 55       | 19       | 110      | 66       | 11       | 54       | 84       | 53       | 82       | 40       |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Arsenic                | N/A                                     | 25                       | 10                        | ND       | ND       | ND       | 9        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Lead                   | N/A                                     | 25                       | 5                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Zinc                   | N/A                                     | 2,000                    | 10                        | 18       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 4**  
**Groundwater Analytical Data**  
LTMW-S07

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16 | 06/09/16 | 09/21/16 | 12/07/16 | 03/08/17 | 06/07/17 | 09/21/17 | 12/06/17 | 03/21/18 | 06/07/18 | 09/13/18 | 12/05/18 | 03/21/19 | 06/06/19 | 09/19/19 | 12/05/19 | 03/18/20 | 06/11/20 | 09/10/20 |
|------------------------|---|--------------------------|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Benzene                | 5                                       | 1                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 1.1      |
| Toluene                | 1,000                                   | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Ethylbenzene           | 700                                     | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Cyanide                | N/A                                     | 200                      | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 0.16     | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Arsenic                | N/A                                     | 25                       | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 8.8      | ND       | ND       | ND       | ND       | ND       | ND       |
| Lead                   | N/A                                     | 25                       | 5                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 24       | ND       | ND       | ND       | ND       | ND       | ND       |
| Zinc                   | N/A                                     | 2,000                    | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 96.8     | ND       | ND       | ND       | ND       | ND       | ND       |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS



**Table 4**  
**Groundwater Analytical Data**  
LTMW-S08

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16   | 06/09/16 | 09/19/16 | 12/07/16 | 03/08/17   | 06/07/17 | 09/21/17 | 12/06/17 | 03/21/18 | 06/07/18 | 09/13/18 | 12/05/18   | 03/21/19 | 06/06/19 | 09/19/19    | 12/05/19 | 03/18/20   | 06/11/20 | 09/10/20 |
|------------------------|---|--------------------------|---------------------------|------------|----------|----------|----------|------------|----------|----------|----------|----------|----------|----------|------------|----------|----------|-------------|----------|------------|----------|----------|
| Benzene                | 5                                       | 1                        | 1                         | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | ND          | ND       | ND         | ND       | ND       |
| Toluene                | 1,000                                   | 5                        | 1                         | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | ND          | ND       | ND         | ND       | ND       |
| Ethylbenzene           | 700                                     | 5                        | 1                         | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | ND          | ND       | ND         | ND       | ND       |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | ND          | ND       | ND         | ND       | ND       |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | ND          | ND       | ND         | ND       | ND       |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | ND          | ND       | ND         | ND       | ND       |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | ND          | ND       | ND         | ND       | ND       |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | <b>0.19</b> | ND       | ND         | ND       | ND       |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | 0.21        | ND       | ND         | ND       | ND       |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | <b>0.31</b> | ND       | ND         | ND       | ND       |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | 0.15        | ND       | ND         | ND       | ND       |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | <b>0.26</b> | ND       | ND         | ND       | ND       |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | <b>0.14</b> | ND       | ND         | ND       | ND       |
| Cyanide                | N/A                                     | 200                      | 10                        | <b>280</b> | 120      | 120      | 140      | <b>240</b> | 16       | 140      | 16       | 200      | 150      | 80       | <b>250</b> | 30       | 10       | 62          | 180      | <b>380</b> | 110      | 110      |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | ND          | ND       | ND         | ND       | ND       |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | 0.51        | ND       | ND         | ND       | 0.13     |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | ND          | ND       | ND         | ND       | ND       |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | 0.12        | ND       | ND         | ND       | ND       |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND         | ND       | ND       | 0.12     | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | ND          | ND       | ND         | ND       | ND       |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | 0.26        | ND       | ND         | ND       | ND       |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | 0.46        | ND       | ND         | ND       | 0.11     |
| Arsenic                | N/A                                     | 25                       | 10                        | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | ND          | ND       | ND         | ND       | ND       |
| Lead                   | N/A                                     | 25                       | 5                         | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | ND          | ND       | ND         | ND       | ND       |
| Zinc                   | N/A                                     | 2,000                    | 10                        | ND         | ND       | ND       | ND       | ND         | ND       | ND       | ND       | ND       | ND       | ND       | ND         | ND       | ND       | 12.5        | ND       | ND         | ND       | ND       |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 4**  
**Groundwater Analytical Data**  
LTMW-S09

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16 | 06/09/16 | 09/19/16 | 12/07/16 | 03/08/17 | 06/07/17 | 09/21/17 | 12/06/17 | 03/21/18 | 06/07/18 | 09/13/18 | 12/05/18 | 03/21/19 | 06/06/19 | 09/19/19 | 12/05/19 | 03/19/20 | 06/11/20 | 09/10/20 |
|------------------------|---|--------------------------|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Benzene                | 5                                       | 1                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Toluene                | 1,000                                   | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Ethylbenzene           | 700                                     | 5                        | 1                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Cyanide                | N/A                                     | 200                      | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | 0.11     | ND       | ND       | ND       |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Arsenic                | N/A                                     | 25                       | 10                        | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Lead                   | N/A                                     | 25                       | 5                         | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       | ND       |
| Zinc                   | N/A                                     | 2,000                    | 10                        | ND       | 10       | 13       | 23.2     | 97.6     | 24.4     | ND       | 15.3     | ND       | ND       | 10.7     | 27.6     | ND       | 14.3     | 10.1     | ND       | 12.7     | ND       | ND       |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 4**  
**Groundwater Analytical Data**  
LTMW-S10

| Parameter              | EPA -<br>Maximum<br>Allowable<br>(µg/L) | NYSDEC<br>AWQS<br>(µg/L) | Reporting<br>Level (µg/L) | 03/04/16 | 06/09/16 | 09/21/16   | 12/07/16   | 03/08/17    | 06/07/17    | 09/21/17   | 12/06/17    | 03/21/18    | 06/07/18    | 09/13/18   | 12/05/18   | 03/21/19   | 06/06/19   | 09/19/19   | 12/05/19   | 03/18/20   | 06/11/20   | 09/10/20   |
|------------------------|---|--------------------------|---------------------------|----------|----------|------------|------------|-------------|-------------|------------|-------------|-------------|-------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Benzene                | 5                                       | 1                        | 1                         | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Toluene                | 1,000                                   | 5                        | 1                         | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Ethylbenzene           | 700                                     | 5                        | 1                         | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Xylene (total)         | 10,000                                  | 5                        | 2                         | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Acenaphthene           | N/A                                     | 20                       | 4.9                       | 6.3      | 6.3      | <b>23</b>  | 17.4       | 3.1         | 4.30        | 11.0       | 6.8         | 2.3         | 9.7         | 11.8       | 5.7        | 10.8       | 5.1        | 13.60      | 7.70       | 8.80       | 19.30      | 18.10      |
| Acenaphthylene         | N/A                                     | NA                       | 4.9                       | ND       | ND       | 0.9        | 0.96       | 0.2         | 0.23        | 0.73       | 0.54        | 0.20        | 0.51        | 0.61       | 0.39       | 0.74       | 0.42       | 0.67       | 0.63       | 0.38       | 0.63       | 0.64       |
| Anthracene             | N/A                                     | NA                       | 4.9                       | ND       | ND       | 0.17       | 0.12       | 0.12        | ND          | 0.11       | ND          | ND          | ND          | 0.14       | ND         | 0.13       | 0.11       | 0.15       | 0.13       | ND         | 0.11       | 0.16       |
| Benzo(a)anthracene     | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Benzo(a)pyrene         | N/A                                     | ND                       | 4.9                       | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Benzo(b)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Benzo(g,h,i)perylene   | 0.2                                     | NA                       | 4.9                       | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Benzo(k)fluoranthene   | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Chrysene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Cyanide                | N/A                                     | 200                      | 10                        | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | 13         | ND         | ND         |
| Dibenzo(a,h)anthracene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Fluoranthene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | 2.1        | 1.5        | 0.5         | 0.62        | 2.0        | 1.4         | 0.71        | 1.3         | 1.8        | 1.1        | 1.6        | 1.3        | 2.1        | 1.9        | 1.1        | 1.4        | 1.4        |
| Fluorene               | N/A                                     | 0.002                    | 4.9                       | ND       | ND       | <b>1.5</b> | <b>1.1</b> | <b>0.17</b> | <b>0.35</b> | <b>1.1</b> | <b>0.73</b> | <b>0.25</b> | <b>0.71</b> | <b>1.0</b> | <b>0.7</b> | <b>1.2</b> | <b>0.6</b> | <b>1.3</b> | <b>1.0</b> | <b>0.8</b> | <b>1.6</b> | <b>1.5</b> |
| Indeno(1,2,3-cd)pyrene | N/A                                     | 50                       | 4.9                       | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Naphthalene            | N/A                                     | 10                       | 4.9                       | ND       | ND       | ND         | ND         | 0.2         | 0.17        | ND         | ND          | 0.20        | 9.1         | ND         | ND         | 1.5        | 0.37       | 0.13       | ND         | ND         | 1.9        | ND         |
| Phenanthrene           | N/A                                     | 50                       | 4.9                       | ND       | ND       | 1.4        | 0.94       | ND          | 0.22        | 0.73       | 0.43        | 0.12        | 0.32        | 0.76       | 0.32       | 0.62       | 0.26       | 0.86       | 0.53       | 0.39       | 0.76       | 0.58       |
| Pyrene                 | N/A                                     | 50                       | 4.9                       | ND       | ND       | 2.6        | 1.9        | 0.45        | 0.71        | 2.4        | 1.7         | 0.90        | 1.7         | 2.3        | 1.5        | 2          | 1.6        | 2.70       | 2.40       | 1.4        | 1.9        | 1.8        |
| Arsenic                | N/A                                     | 25                       | 10                        | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Lead                   | N/A                                     | 25                       | 5                         | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |
| Zinc                   | N/A                                     | 2,000                    | 10                        | ND       | ND       | ND         | ND         | ND          | ND          | ND         | ND          | ND          | ND          | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         | ND         |

EPA = Environmental Protection Agency  
NYSDEC = New York State Department of Environmental Conservation  
AWQS = Ambient Water Quality Standards  
µg/L = Micrograms per Liter  
ND = Not detected above laboratory reporting limits  
H = Quantitated using peak height rather than peak area  
J = Estimated Concentration Value  
**Bolded** = values indicate exceedance of the NYSDEC AWQS

**Table 5**  
**Discharge Analytical Data**  
Groundwater Extraction System Effluent Concentrations

| Parameter    | City of Rome<br>WPCF Permit<br>Max Daily Limit<br>(mg/L) | 03/07/16      | 06/06/16      | 09/12/16      | 01/05/17      | 03/09/17      | 06/07/17      | 09/21/17      | 12/06/17      | 03/27/18      | 06/07/18      | 09/13/18      | 12/06/18      | 03/21/19      | 06/06/19      | 09/19/19      | 12/05/19      | 03/19/20      | 06/11/20      | 09/10/20      |
|--------------|--|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Benzene      | 0.13   | 0.037         | 0.063         | 0.043         | 0.0393        | 0.0536        | 0.0611        | 0.0360        | 0.0200        | 0.0274        | 0.0315        | 0.0239        | 0.0297        | 0.0618        | 0.0359        | 0.0423        | 0.0527        | 0.0315        | 0.034         | 0.0254        |
| Ethylbenzene | 1.59   | 0.0021        | 0.0049        | 0.0042        | 0.0025        | 0.0045        | 0.0050        | 0.0052        | 0.0019        | 0.0024        | 0.0040        | 0.0024        | 0.0024        | 0.0046        | 0.0047        | 0.0050        | 0.0065        | 0.0042        | 0.0052        | 0.0041        |
| Toluene      | 1.35   | 0.0038        | 0.0067        | 0.0021        | 0.0019        | 0.0028        | 0.0095        | ND (<0.001)   | 0.0017        | 0.0025        | 0.0025        | 0.0037        | 0.0026        | 0.0113        | 0.0058        | 0.0062        | 0.0079        | 0.0056        | 0.0036        | 0.002         |
| Xylene       | 1.35   | ND (<0.001)   | 0.0011        | ND (<0.001)   | ND (<0.001)   | ND (<0.0030)  | 0.0034        | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  | 0.0042        | 0.0011        | 0.0011        | 0.0039        | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  |
| Total BTEX   | 2.87   | 0.043         | 0.078         | 0.049         | 0.0437        | 0.0609        | 0.0790        | 0.0412        | 0.0236        | 0.0323        | 0.0380        | 0.0300        | 0.0347        | 0.0777        | 0.0475        | 0.0566        | 0.0710        | 0.0412        | 0.0428        | 0.0315        |
| Arsenic      | 0.1  | ND (<0.010)   | ND (<0.010)   | ND (<0.0050)  | ND (<0.010)   | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | 0.012         | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  |
| Cadmium      | 0.11   | ND (<0.001)   | ND (<0.001)   | ND (<0.0030)  | ND (<0.0025)  | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  | 0.0054        | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0030)  |
| Chromium     | 2.77   | ND (<0.0040)  | ND (<0.0040)  | ND (<0.0050)  | ND (<0.010)   | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  |
| Copper       | 1.3  | ND (<0.010)   | ND (<0.010)   | ND (<0.0050)  | ND (<0.025)   | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | 0.08          | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | 0.016         | ND (<0.0050)  |
| Cyanide      | 1.2  | 0.11          | 0.11          | 0.062         | ND (<0.010)   | 0.090         | 0.084         | 0.056         | 0.074         | 0.069         | 0.070         | 0.059         | 0.086         | 0.067         | 0.097         | 0.083         | 0.098         | 0.11          | 0.079         | 0.076         |
| Lead         | 1.1  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | 0.0071        | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  | ND (<0.0050)  |
| Mercury      | 0.2  | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) | ND (<0.00020) |
| Nickel       | 1.9  | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.04)    | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   |
| Silver       | 0.43   | ND (<0.0030)  | ND (<0.0030)  | ND (<0.0060)  | ND (<0.010)   | ND (<0.0060)  | ND (<0.0060)  | ND (<0.0060)  | ND (<0.0060)  | ND (<0.0060)  | ND (<0.0060)  | ND (<0.0060)  | ND (<0.0060)  | ND (<0.0060)  | ND (<0.0060)  | ND (<0.0060)  | ND (<0.0060)  | ND (<0.0060)  | ND (<0.0060)  | ND (<0.0060)  |
| Zinc         | 2.6  | 0.018         | 0.018         | ND (<0.010)   | 0.0241        | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | 0.13          | ND (<0.010)   | ND (<0.010)   | ND (<0.010)   | 0.015         | ND (<0.010)   |
| Oil & Grease | 100  | ND (<5.0)     | ND (<5.0)     | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            |
| CBOD5        | 250  | ND (<2.0)     | ND (<2.0)     | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            | NS            |
| pH           | 5.5 - 11.5 su  | 7.06          | 6.91          | 6.8           | 6.8           | 6.7           | 6.9           | 6.8           | 6.8           | 6.8           | 6.7           | 6.9           | 7.1           | 6.9           | 6.9           | 6.9           | 7             | 6.9           | 6.7           | 6.9           |

Results in mg/L.

mg/L = Milligrams per Liter  
WPCF = Water Pollution Control Facility  
NS = Not Sampled  
NA = Not Analyzed



## Appendix A – Field Inspection Report

---

**Field Inspection Report**  
**Former MGP Site**  
**Kingsley Avenue**  
**Rome, New York**

Date: 9/11/2020  
 Technician: RB

Time: 13:00  
 Weather: Clear, 70

| Site Controls     |             |                 |         |           |
|-------------------|-------------|-----------------|---------|-----------|
| Fence Condition   | GOOD        | FAIR            | DAMAGED | COMMENTS: |
| Kingsley Ave Gate | GOOD        | FAIR            | DAMAGED | COMMENTS: |
| Padlock-NG/GES    | OPERATIONAL | NON-OPERATIONAL |         | COMMENTS: |
| Railroad Ave Gate | GOOD        | FAIR            | DAMAGED | COMMENTS: |
| Padlock-NG/GES    | OPERATIONAL | NON-OPERATIONAL |         | COMMENTS: |

| Vegetation (Surface Cover System) |      |       |             |           |
|-----------------------------------|------|-------|-------------|-----------|
| Condition of Grass                | GOOD | FAIR  | POOR        | COMMENTS: |
| Site Trees                        | NONE | MINOR | SIGNIFICANT | COMMENTS: |
| Surface Erosion                   | NONE | MINOR | SIGNIFICANT | COMMENTS: |

| Stoned Areas                       |      |      |      |           |
|------------------------------------|------|------|------|-----------|
| Condition of Main Access Road      | GOOD | FAIR | POOR | COMMENTS: |
| Condition of Main Staging Area     | GOOD | FAIR | POOR | COMMENTS: |
| Condition of Rear Turn Around Area | GOOD | FAIR | POOR | COMMENTS: |

| Drainage Systems |                |              |                 |             |
|------------------|----------------|--------------|-----------------|-------------|
| Rip Rap Area     | Culvert        | UNOBSTRUCTED | OBSTRUCTED      |             |
|                  | Flow           | NONE         | LITTLE          | SIGNIFICANT |
|                  | Outlet Channel | OPERATIONAL  | NON-OPERATIONAL | COMMENTS:   |

| Miscellaneous           |      |       |             |                     |
|-------------------------|------|-------|-------------|---------------------|
| Evidence of Trespassing | NO   |       | YES         | COMMENTS: see below |
| Litter                  | NONE | MINOR | SIGNIFICANT | COMMENTS: see below |

**General Comments:**

On 09/11/2020 people were not observed, however a tent city was observed and trash/debris was located near it. New beaver activity was noted by monitoring well LTMW-S03/LTMW-D03. Branches were freshly cut and had been dragged down to the river.



## Appendix B – Quarterly Gauging and Containment Data

---

**Quarterly Well Data**  
**Kingsley Avenue, Former MGP Site**  
**Utica, New York**

| <b>WELL ID.</b> | <b>DTW</b> | <b>DTP</b> | <b>DTB</b> | <b>Comments</b>              |
|-----------------|------------|------------|------------|------------------------------|
| MW-OU2-1        | 9.66       | 41.81      | 45.81      | Removed 2.5 gallons of DNAPL |
| MW-OU2-2        | 10.62      | 45.50      | 47.53      | Removed 2.0 gallons of DNAPL |
| MW-OU2-3        | 7.25       | NP         | 34.18      |                              |
| MW-OU2-4        | 7.20       | 35.12      | 39.55      | Removed 3.0 gallons of DNAPL |
| MW-OU2-5        | 7.91       | NP         | 36.01      |                              |
|                 |            |            |            |                              |
| DNAPL-02        | 9.95       | NP         | 50.40      |                              |
| DNAPL-03        | 9.35       | 50.50      | 52.32      | Removed 2.5 gallons of DNAPL |
| DNAPL-04        | 11.65      | NP         | 51.45      |                              |
| DNAPL-05        | 13.73      | NP         | 54.75      |                              |
| DNAPL-06        | 12.80      | NP         | 51.45      |                              |
| DNAPL-07        | 13.57      | NP         | 53.60      |                              |
| DNAPL-08        | 14.02      | NP         | 58.01      |                              |
| DNAPL-09        | 14.92      | NP         | 57.58      |                              |
|                 |            |            |            |                              |
| VTM-1           | 12.73      | NP         | 46.37      |                              |
| VTM-2           | 11.18      | NP         | 49.47      |                              |
| VTM-3           | 12.22      | NP         | 50.91      |                              |
| VTM-4           | 14.07      | NP         | 50.62      |                              |
| VTM-5           | 14.26      | NP         | 52.52      |                              |
|                 |            |            |            |                              |
| LTMW-D01        | 8.85       | NP         | 46.84      |                              |
| LTMW-S01        | 8.85       | NP         | 16.92      |                              |
| LTMW-D02        | 10.77      | NP         | 40.29      |                              |
| LTMW-S02        | 10.45      | NP         | 17.98      |                              |
| LTMW-D03        | 6.46       | NP         | 40.73      |                              |
| LTMW-S03        | 4.30       | NP         | 13.70      |                              |
| LTMW-D04        | 10.25      | NP         | 46.36      |                              |
| LTMW-S04        | 9.68       | NP         | 17.26      |                              |
| LTMW-D05        | 10.82      | NP         | 46.53      |                              |
| LTMW-S05        | 9.95       | NP         | 16.83      |                              |
| LTMW-D06        | 12.90      | NP         | 52.22      |                              |
| LTMW-S06        | 13.65      | NP         | 17.60      |                              |
| LTMW-S07        | 11.70      | NP         | 17.82      |                              |
| LTMW-S08        | 16.60      | NP         | 17.39      |                              |
| LTMW-S09        | 10.55      | NP         | 16.92      |                              |
| LTMW-S10        | 11.07      | NP         | 17.18      |                              |

**Containment**

| <b>Well Id.</b>      | <b>Elevation</b> | <b>DTW</b> | <b>Water Elevation</b> | <b>Positive Delta</b> |
|----------------------|------------------|------------|------------------------|-----------------------|
| DNAPL-02             | 436.81           | 9.95       | 426.86                 | 6.98                  |
| Top Steel Sheet Wall | 433.84           |            |                        |                       |
| DNAPL-03             | 437.23           | 9.35       | 427.88                 | 3.33                  |
| Top Steel Sheet Wall | 431.21           |            |                        |                       |
| DNAPL-04             | 438.50           | 11.65      | 426.85                 | 5.97                  |
| Top Steel Sheet Wall | 432.82           |            |                        |                       |
| DNAPL-05             | 440.60           | 13.73      | 426.87                 | 3.33                  |
| Top Steel Sheet Wall | 430.20           |            |                        |                       |
| DNAPL-06             | 439.71           | 12.80      | 426.91                 | 6.64                  |
| Top Steel Sheet Wall | 433.55           |            |                        |                       |
| VTM-1                | 439.74           | 12.73      | 427.01                 | 4.81                  |
| Top Steel Sheet Wall | 431.82           |            |                        |                       |
| VTM-2                | 438.33           | 11.18      | 427.15                 | 5.55                  |
| Top Steel Sheet Wall | 432.70           |            |                        |                       |
| VTM-3                | 439.44           | 12.22      | 427.22                 | 9.70                  |
| Top Steel Sheet Wall | 436.92           |            |                        |                       |
| VTM-4                | 441.59           | 14.07      | 427.52                 | 6.02                  |
| Top Steel Sheet Wall | 433.54           |            |                        |                       |
| VTM-5                | 441.79           | 14.26      | 427.53                 | 8.47                  |
| Top Steel Sheet Wall | 436.00           |            |                        |                       |





## Appendix C – Well Sampling Field Data

---

| Well ID  | Sample ? | Well Size | DTW   | DTP   | DTB   | Comments                     |
|----------|----------|-----------|-------|-------|-------|------------------------------|
| MW-OU2-1 | No       | 4"        | 9.66  | 41.81 | 45.81 | Removed 2.5 gallons of DNAPL |
| MW-OU2-2 | No       | 4"        | 10.62 | 45.50 | 47.53 | Removed 2.0 gallons of DNAPL |
| MW-OU2-3 | No       | 4"        | 7.25  | NP    | 34.18 |                              |
| MW-OU2-4 | No       | 4"        | 7.20  | 35.12 | 39.55 | Removed 3.0 gallons of DNAPL |
| MW-OU2-5 | No       | 4"        | 7.91  | NP    | 36.01 |                              |
|          |          |           |       |       |       |                              |
| DNAPL-02 | No       | 6"        | 9.95  | NP    | 50.40 |                              |
| DNAPL-03 | No       | 6"        | 9.35  | 50.50 | 52.32 | Removed 2.5 gallons of DNAPL |
| DNAPL-04 | No       | 6"        | 11.65 | NP    | 51.45 |                              |
| DNAPL-05 | No       | 6"        | 13.73 | NP    | 54.75 |                              |
| DNAPL-06 | No       | 6"        | 12.80 | NP    | 54.45 |                              |
| DNAPL-07 | No       | 6"        | 13.57 | NP    | 53.60 |                              |
| DNAPL-08 | No       | 6"        | 14.02 | NP    | 58.01 |                              |
| DNAPL-09 | No       | 6"        | 14.92 | NP    | 57.58 |                              |
|          |          |           |       |       |       |                              |
| VTM-1    | No       | 6"        | 12.73 | NP    | 46.37 |                              |
| VTM-2    | No       | 6"        | 11.18 | NP    | 49.47 |                              |
| VTM-3    | No       | 6"        | 12.22 | NP    | 50.91 |                              |
| VTM-4    | No       | 6"        | 14.07 | NP    | 50.62 |                              |
| VTM-5    | No       | 6"        | 14.26 | NP    | 52.52 |                              |
|          |          |           |       |       |       |                              |
| LTMW-D01 | Yes      | 2"        | 8.85  | NP    | 46.84 |                              |
| LTMW-S01 | Yes      | 2"        | 8.85  | NP    | 16.96 |                              |
| LTMW-D02 | Yes      | 2"        | 10.77 | NP    | 40.29 |                              |
| LTMW-S02 | Yes      | 2"        | 10.45 | NP    | 17.98 |                              |
| LTMW-D03 | Yes      | 2"        | 6.46  | NP    | 40.73 |                              |
| LTMW-S03 | Yes      | 2"        | 4.30  | NP    | 13.70 |                              |
| LTMW-D04 | Yes      | 2"        | 10.25 | NP    | 46.36 |                              |
| LTMW-S04 | Yes      | 2"        | 9.68  | NP    | 17.26 |                              |
| LTMW-D05 | Yes      | 2"        | 10.82 | NP    | 46.53 |                              |
| LTMW-S05 | Yes      | 2"        | 9.95  | NP    | 16.83 |                              |
| LTMW-D06 | Yes      | 2"        | 12.90 | NP    | 52.22 |                              |
| LTMW-S06 | Yes      | 2"        | 13.65 | NP    | 17.60 |                              |
| LTMW-S07 | Yes      | 2"        | 11.70 | NP    | 17.82 |                              |
| LTMW-S08 | Yes      | 2"        | 16.60 | NP    | 17.39 |                              |
| LTMW-S09 | Yes      | 2"        | 10.55 | NP    | 16.92 | DUP                          |
| LTMW-S10 | Yes      | 2"        | 11.07 | NP    | 17.18 | MS/MSD                       |

**DTW** -depth to water  
**DTP** -depth to product  
**DTB** -depth to bottom  
All from top of casing

National Grid  
Kingsley Avenue, Rome, New York

Sampling Personnel: YLMB.

Job Number: 0603200-134400-221

Well-Id. **LTMW-D01**

Date: 9-10-10

Weather: Clear 80°F

Time In: 0200

Time Out:

#### Well Information

|                          |        | TOC          | Other |
|--------------------------|--------|--------------|-------|
| Depth to Water:          | (feet) | <u>8.85</u>  |       |
| Depth to Bottom:         | (feet) | <u>46.84</u> |       |
| Depth to Product:        | (feet) | <u>—</u>     |       |
| Length of Water Column:  | (feet) | <u>37.99</u> |       |
| Volume of Water in Well: | (gal)  | <u>6</u>     |       |
| Three Well Volumes:      | (gal)  | <u>18</u>    |       |

Well Type: Flushmount ☐ Stick-Up ☒  
Well Locked: Yes ☒ No ☐  
Measuring Point Marked: Yes ☒ No ☐  
Well Material: PVC ☒ SS ☐ Other: ☐  
Well Diameter: 1" ☐ 2" ☒ Other: ☐  
Comments:

#### Purging Information

Purging Method: ☐ Bailer ☐ Peristaltic ☒ Grundfos Pump ☐  
Tubing/Bailer Material: Teflon ☐ Stainless St. ☐ Polyethylene ☒  
Sampling Method: Bailer ☐ Peristaltic ☒ Grundfos Pump ☐  
Average Pumping Rate: (ml/min) 200  
Duration of Pumping: (min) —  
Total Volume Removed: (gal) — Did well go dry? Yes ☐ No ☒  
Horiba U-52 Water Quality Meter Used? Yes ☒ No ☐

| Conversion Factors                  |       |       |       |       |
|-------------------------------------|-------|-------|-------|-------|
| gal/ft.<br>of<br>water              | 1" ID | 2" ID | 4" ID | 6" ID |
|                                     | 0.04  | 0.16  | 0.66  | 1.47  |
| 1 gallon=3.785L=3785mL=1337cu. feet |       |       |       |       |

| Time        | DTW<br>(feet) | Temp<br>(°C) | pH          | ORP<br>(mV) | Conductivity<br>(mS/cm) | Turbidity<br>(NTU) | DO<br>(mg/L) | TDS<br>(g/L) |
|-------------|---------------|--------------|-------------|-------------|-------------------------|--------------------|--------------|--------------|
| <u>1235</u> | <u>8.85</u>   | <u>19.12</u> | <u>6.92</u> | <u>-168</u> | <u>0.396</u>            | <u>1.24</u>        | <u>2.10</u>  | <u>0.253</u> |
| <u>1240</u> | <u>10.96</u>  | <u>17.50</u> | <u>7.20</u> | <u>-203</u> | <u>0.331</u>            | <u>0.7</u>         | <u>1.06</u>  | <u>0.215</u> |
| <u>1245</u> | <u>13.26</u>  | <u>16.20</u> | <u>7.57</u> | <u>-238</u> | <u>0.303</u>            | <u>0.5</u>         | <u>0.68</u>  | <u>0.197</u> |
| <u>1250</u> | <u>14.35</u>  | <u>16.19</u> | <u>7.66</u> | <u>-241</u> | <u>0.302</u>            | <u>1.9</u>         | <u>0.65</u>  | <u>0.196</u> |
| <u>1255</u> | <u>14.65</u>  | <u>16.30</u> | <u>7.69</u> | <u>-228</u> | <u>0.300</u>            | <u>1.7</u>         | <u>0.68</u>  | <u>0.195</u> |
| <u>1300</u> | <u>14.88</u>  | <u>16.60</u> | <u>7.70</u> | <u>-220</u> | <u>0.298</u>            | <u>2.7</u>         | <u>0.40</u>  | <u>0.194</u> |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |

#### Sampling Information:

EPA SW-846 Method 8270  
EPA SW-846 Method 8260  
EPA Method 335.4  
EPA Method 200.7

SVOC PAH's  
VOC's BTEX  
Cyanide  
Metals

2 - 100 ml ambers  
3 - 40 ml vials  
1 - 250 ml plastic  
1 - 250 ml plastic

Yes ☒ No ☐  
Yes ☒ No ☐  
Yes ☒ No ☐  
Yes ☒ No ☐

Sample ID: **LTMW-D01-0920**

Sample Time: 1300

Duplicate? Yes ☐ No ☒

MS/MSD? Yes ☐ No ☒

Shipped: Pace Courier Pickup ☒  
Drop-off Albany Service Center ☐

Comments/Notes:

Laboratory: Pace Analytical  
Greensburg, PA



Time In: 0700 Time Out:

|                         |              |                                     |          |                                     |
|-------------------------|--------------|-------------------------------------|----------|-------------------------------------|
| Well Type:              | Flushmount   | <input type="checkbox"/>            | Stick-Up | <input checked="" type="checkbox"/> |
| Well Locked:            | Yes          | <input checked="" type="checkbox"/> | No       | <input type="checkbox"/>            |
| Measuring Point Marked: | Yes          | <input checked="" type="checkbox"/> | No       | <input type="checkbox"/>            |
| Well Material:          | PVC          | <input checked="" type="checkbox"/> | SS       | <input type="checkbox"/>            |
| Well Diameter:          | 1"           | <input type="checkbox"/>            | 2"       | <input checked="" type="checkbox"/> |
| Comments:               | Other: _____ |                                     |          |                                     |

Horiba U-52 Water Quality Meter Used?

Yes ☒ No ☐

|                         |       |       |       |       |
|-------------------------|-------|-------|-------|-------|
| gal./ft.<br>of<br>water | 1" ID | 2" ID | 4" ID | 6" ID |
|                         | 0.04  | 0.16  | 0.66  | 1.47  |

1 gallon=3.785L=3785mL=1337cu. feet

Laboratory: Pace Analytical  
Greensburg, PA



Laboratory: Pace Analytical  
Greensburg, PA



Laboratory: Pace Analytical  
Greensburg, PA



National Grid  
Kingsley Avenue, Rome, New York

Sampling Personnel: RUB

Date: 9-10-20

Job Number: 0603200-134400-221

Weather: Clear 85°F

Well Id. **LTMW-D03**

Time In: 0200

Time Out:

### Well Information

|                          |        | TOC          | Other |
|--------------------------|--------|--------------|-------|
| Depth to Water:          | (feet) | <u>6-46</u>  |       |
| Depth to Bottom:         | (feet) | <u>40.73</u> |       |
| Depth to Product:        | (feet) | <u>-</u>     |       |
| Length of Water Column:  | (feet) | <u>39.27</u> |       |
| Volume of Water in Well: | (gal)  | <u>5.45</u>  |       |
| Three Well Volumes:      | (gal)  | <u>16.5</u>  |       |

Well Type: Flushmount ☐ Stick-Up ☒  
Well Locked: Yes ☒ No ☐  
Measuring Point Marked: Yes ☒ No ☐  
Well Material: PVC ☒ SS ☐ Other: ☐  
Well Diameter: 1" ☐ 2" ☒ Other: ☐  
Comments:

### Purging Information

Purging Method: ☐ Bailer ☐ Peristaltic ☒ Grundfos Pump ☐  
Tubing/Bailer Material: Teflon ☐ Stainless St. ☐ Polyethylene ☒  
Sampling Method: Bailer ☐ Peristaltic ☒ Grundfos Pump ☐  
Average Pumping Rate: (ml/min) 200  
Duration of Pumping: (min) 30  
Total Volume Removed: (gal) 1.5 Did well go dry? Yes ☐ No ☒  
Horiba U-52 Water Quality Meter Used? Yes ☒ No ☐

| Conversion Factors                  |       |       |       |       |
|-------------------------------------|-------|-------|-------|-------|
| gal/ft.<br>of<br>water              | 1" ID | 2" ID | 4" ID | 6" ID |
|                                     | 0.04  | 0.16  | 0.66  | 1.47  |
| 1 gallon=3.785L=3785mL=1337cu. feet |       |       |       |       |

| Time        | DTW<br>(feet) | Temp<br>(°C) | pH          | ORP<br>(mV) | Conductivity<br>(mS/cm) | Turbidity<br>(NTU) | DO<br>(mg/L) | TDS<br>(g/L) |
|-------------|---------------|--------------|-------------|-------------|-------------------------|--------------------|--------------|--------------|
| <u>1058</u> | <u>6.46</u>   | <u>20.81</u> | <u>6.83</u> | <u>-161</u> | <u>0.774</u>            | <u>389</u>         | <u>13.06</u> | <u>0.508</u> |
| <u>1100</u> | <u>6.96</u>   | <u>23.05</u> | <u>6.98</u> | <u>-177</u> | <u>0.787</u>            | <u>128</u>         | <u>10.87</u> | <u>0.991</u> |
| <u>1105</u> | <u>7.35</u>   | <u>21.67</u> | <u>7.08</u> | <u>-125</u> | <u>0.830</u>            | <u>79.7</u>        | <u>9.99</u>  | <u>0.542</u> |
| <u>1110</u> | <u>7.70</u>   | <u>12.05</u> | <u>7.08</u> | <u>-126</u> | <u>0.935</u>            | <u>21.1</u>        | <u>11.23</u> | <u>0.600</u> |
| <u>1115</u> | <u>7.85</u>   | <u>21.42</u> | <u>7.08</u> | <u>-126</u> | <u>0.889</u>            | <u>5.2</u>         | <u>8.69</u>  | <u>0.557</u> |
| <u>1120</u> | <u>7.90</u>   | <u>22.23</u> | <u>7.09</u> | <u>-170</u> | <u>0.825</u>            | <u>4.2</u>         | <u>7.22</u>  | <u>0.530</u> |
| <u>1125</u> | <u>7.95</u>   | <u>20.15</u> | <u>7.08</u> | <u>-171</u> | <u>0.816</u>            | <u>6.2</u>         | <u>7.33</u>  | <u>0.522</u> |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |

### Sampling Information:

EPA SW-846 Method 8270  
EPA SW-846 Method 8260  
EPA Method 335.4  
EPA Method 200.7

SVOC PAH's  
VOC's BTEX  
Cyanide  
Metals

2 - 100 ml ambers Yes ☒ No ☐  
3 - 40 ml vials Yes ☒ No ☐  
1 - 250 ml plastic Yes ☒ No ☐  
1 - 250 ml plastic Yes ☒ No ☐

Sample ID: **LTMW-D03-0920**

Duplicate? Yes ☐ No ☒

Sample Time: 1125

MS/MSD? Yes ☐ No ☒

Shipped: Pace Courier Pickup ☒  
Drop-off Albany Service Center ☐

Comments/Notes:

Top of well needs to be widened

Laboratory: Pace Analytical  
Greensburg, PA



National Grid  
Kingsley Avenue, Rome, New York

Sampling Personnel: R. m. B.

Date: 8-10-20

Job Number: 0603200-134400-221

Weather: Clear 80°F

Well Id. LTMW-S03

Time In: 0700 Time Out:

#### Well Information

|                          |        | TOC          | Other |
|--------------------------|--------|--------------|-------|
| Depth to Water:          | (feet) | <u>4.30</u>  |       |
| Depth to Bottom:         | (feet) | <u>13.70</u> |       |
| Depth to Product:        | (feet) | <u>9.4</u>   |       |
| Length of Water Column:  | (feet) | <u>9.4</u>   |       |
| Volume of Water in Well: | (gal)  | <u>1.5</u>   |       |
| Three Well Volumes:      | (gal)  | <u>4.5</u>   |       |

Well Type: Flushmount ☐ Stick-Up ☒  
Well Locked: Yes ☒ No ☐  
Measuring Point Marked: Yes ☒ No ☐  
Well Material: PVC ☒ SS ☐ Other: ☐  
Well Diameter: 1" ☐ 2" ☒ Other: ☐  
Comments:

#### Purging Information

Purging Method: ☐ Bailer ☒ Peristaltic ☐ Grundfos Pump  
Tubing/Bailer Material: ☐ Teflon ☒ Stainless St. ☐ Polyethylene  
Sampling Method: ☐ Bailer ☒ Peristaltic ☐ Grundfos Pump  
Average Pumping Rate: (ml/min) 200  
Duration of Pumping: (min) 25  
Total Volume Removed: (gal) 1.0 Did well go dry? Yes ☐ No ☒  
Horiba U-52 Water Quality Meter Used? Yes ☒ No ☐

| Conversion Factors                  |       |       |       |       |
|-------------------------------------|-------|-------|-------|-------|
| gal/ft.<br>of<br>water              | 1" ID | 2" ID | 4" ID | 6" ID |
|                                     | 0.04  | 0.16  | 0.66  | 1.47  |
| 1 gallon=3.785L=3785mL=1337cu. feet |       |       |       |       |

| Time        | DTW<br>(feet) | Temp<br>(°C) | pH          | ORP<br>(mV) | Conductivity<br>(mS/cm) | Turbidity<br>(NTU) | DO<br>(mg/L) | TDS<br>(g/L) |
|-------------|---------------|--------------|-------------|-------------|-------------------------|--------------------|--------------|--------------|
| <u>1015</u> | <u>4.30</u>   | <u>22.53</u> | <u>6.71</u> | <u>-105</u> | <u>0.301</u>            | <u>43.5</u>        | <u>1.65</u>  | <u>0.287</u> |
| <u>1020</u> | <u>4.35</u>   | <u>22.22</u> | <u>6.19</u> | <u>-108</u> | <u>0.327</u>            | <u>72.9</u>        | <u>0.80</u>  | <u>0.269</u> |
| <u>1025</u> | <u>4.36</u>   | <u>23.62</u> | <u>6.07</u> | <u>-92</u>  | <u>0.250</u>            | <u>58.8</u>        | <u>1.19</u>  | <u>0.267</u> |
| <u>1030</u> | <u>4.35</u>   | <u>23.21</u> | <u>6.03</u> | <u>-103</u> | <u>0.290</u>            | <u>56.0</u>        | <u>0.82</u>  | <u>0.173</u> |
| <u>1035</u> | <u>4.35</u>   | <u>23.23</u> | <u>6.00</u> | <u>-103</u> | <u>0.283</u>            | <u>46.4</u>        | <u>0.75</u>  | <u>0.189</u> |
| <u>1040</u> | <u>4.35</u>   | <u>23.27</u> | <u>6.04</u> | <u>-106</u> | <u>0.290</u>            | <u>48.1</u>        | <u>0.79</u>  | <u>0.189</u> |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |

#### Sampling Information:

EPA SW-846 Method 8270  
EPA SW-846 Method 8260  
EPA Method 335.4  
EPA Method 200.7

SVOC PAH's  
VOC's BTEX  
Cyanide  
Metals

2 - 100 ml ambers Yes ☒ No ☐  
3 - 40 ml vials Yes ☒ No ☐  
1 - 250 ml plastic Yes ☒ No ☐  
1 - 250 ml plastic Yes ☒ No ☐

Sample ID: LTMW-S03-0920

Duplicate? Yes ☐ No ☒

Sample Time: 1040

MS/MSD? Yes ☐ No ☒

Shipped: Pace Courier Pickup ☒  
Drop-off Albany Service Center ☐

Comments/Notes:

Trail to wells needs to be  
cleared off widens.

Laboratory: Pace Analytical  
Greensburg, PA



Laboratory: Pace Analytical  
Greensburg, PA



Laboratory: Pace Analytical  
Greensburg, PA



National Grid  
Kingsley Avenue, Rome, New York

Sampling Personnel: PNB

Job Number: 0603200-134400-221

Well Id. LTMW-D05

Date: 8-10-20

Weather: Clear 75°F

Time In: 0700

Time Out:

### Well Information

|                          |        | TOC          | Other |
|--------------------------|--------|--------------|-------|
| Depth to Water:          | (feet) | <u>10.82</u> |       |
| Depth to Bottom:         | (feet) | <u>46.53</u> |       |
| Depth to Product:        | (feet) | <u>-</u>     |       |
| Length of Water Column:  | (feet) | <u>35.71</u> |       |
| Volume of Water in Well: | (gal)  | <u>6.4</u>   |       |
| Three Well Volumes:      | (gal)  | <u>19.3</u>  |       |

Well Type: Flushmount ☐ Stick-Up ☒  
Well Locked: Yes ☒ No ☐  
Measuring Point Marked: Yes ☒ No ☐  
Well Material: PVC ☒ SS ☐ Other: ☐  
Well Diameter: 1" ☐ 2" ☒ Other: ☐  
Comments:

### Purging Information

Purging Method: ☐ Bailer ☒ Peristaltic ☐ Grundfos Pump  
Tubing/Bailer Material: ☐ Teflon ☒ Stainless St. ☐ Polyethylene ☒  
Sampling Method: ☐ Bailer ☒ Peristaltic ☐ Grundfos Pump  
Average Pumping Rate: (ml/min) 200  
Duration of Pumping: (min) 25  
Total Volume Removed: (gal) 1.5 Did well go dry? Yes ☐ No ☒  
Horiba U-52 Water Quality Meter Used? Yes ☒ No ☐

| Conversion Factors                  |       |       |       |       |
|-------------------------------------|-------|-------|-------|-------|
| gal/ft.<br>of<br>water              | 1" ID | 2" ID | 4" ID | 6" ID |
|                                     | 0.04  | 0.16  | 0.66  | 1.47  |
| 1 gallon=3.785L=3785mL=1337cu. feet |       |       |       |       |

| Time        | DTW<br>(feet) | Temp<br>(°C) | pH          | ORP<br>(mV) | Conductivity<br>(mS/cm) | Turbidity<br>(NTU) | DO<br>(mg/L) | TDS<br>(g/L) |
|-------------|---------------|--------------|-------------|-------------|-------------------------|--------------------|--------------|--------------|
| <u>0900</u> | <u>10.82</u>  | <u>20.67</u> | <u>6.71</u> | <u>-87</u>  | <u>0.243</u>            | <u>8.9</u>         | <u>2.67</u>  | <u>0.150</u> |
| <u>0925</u> | <u>11.90</u>  | <u>21.97</u> | <u>6.53</u> | <u>-45</u>  | <u>0.199</u>            | <u>3.5</u>         | <u>1.39</u>  | <u>0.141</u> |
| <u>0930</u> | <u>13.20</u>  | <u>22.67</u> | <u>6.82</u> | <u>-7</u>   | <u>0.200</u>            | <u>2.6</u>         | <u>0.93</u>  | <u>0.194</u> |
| <u>0935</u> | <u>14.30</u>  | <u>23.11</u> | <u>6.27</u> | <u>10</u>   | <u>0.193</u>            | <u>1.2</u>         | <u>0.95</u>  | <u>0.130</u> |
| <u>0940</u> | <u>15.10</u>  | <u>23.41</u> | <u>5.76</u> | <u>20</u>   | <u>0.184</u>            | <u>0.9</u>         | <u>0.93</u>  | <u>0.122</u> |
| <u>0945</u> | <u>15.80</u>  | <u>23.65</u> | <u>5.69</u> | <u>28</u>   | <u>0.200</u>            | <u>0.6</u>         | <u>0.72</u>  | <u>0.127</u> |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |

### Sampling Information:

EPA SW-846 Method 8270  
EPA SW-846 Method 8260  
EPA Method 335.4  
EPA Method 200.7

SVOC PAH's  
VOC's BTEX  
Cyanide  
Metals

2 - 100 ml ambers  
3 - 40 ml vials  
1 - 250 ml plastic  
1 - 250 ml plastic

Yes ☒ No ☐  
Yes ☒ No ☐  
Yes ☒ No ☐  
Yes ☒ No ☐

Sample ID: LTMW-D05-0920

Duplicate? Yes ☐ No ☒

MS/MSD? Yes ☐ No ☒

Sample Time: 0945

MS/MSD?

Shipped: Pace Courier Pickup ☒  
Drop-off Albany Service Center ☐

Comments/Notes:

Laboratory: Pace Analytical  
Greensburg, PA



Laboratory: Pace Analytical  
Greensburg, PA



National Grid  
Kingsley Avenue, Rome, New York

Sampling Personnel: Liam Wagner

Date: 9.10.20

Job Number: 0603200-134400-221

Weather: Clear 70°

Well Id. LTMW-D06

Time In: 0920

Time Out: 0955

#### Well Information

|                          |        | TOC          | Other |
|--------------------------|--------|--------------|-------|
| Depth to Water:          | (feet) | <u>12.90</u> |       |
| Depth to Bottom:         | (feet) | <u>52.22</u> |       |
| Depth to Product:        | (feet) | <u>N/D</u>   |       |
| Length of Water Column:  | (feet) |              |       |
| Volume of Water in Well: | (gal)  |              |       |
| Three Well Volumes:      | (gal)  |              |       |

Well Type: Flushmount ☐ Stick-Up ☒  
Well Locked: Yes ☒ No ☐  
Measuring Point Marked: Yes ☒ No ☐  
Well Material: PVC ☒ SS ☐ Other: ☐  
Well Diameter: 1" ☐ 2" ☒ Other: ☐  
Comments: ☐

#### Purging Information

Purging Method: ☐ Bailer ☐ Peristaltic ☒ Grundfos Pump ☐  
Tubing/Bailer Material: Teflon ☐ Stainless St. ☐ Polyethylene ☒  
Sampling Method: Bailer ☐ Peristaltic ☒ Grundfos Pump ☐  
Average Pumping Rate: (ml/min) 200  
Duration of Pumping: (min) 25  
Total Volume Removed: (gal) .75 Did well go dry? Yes ☐ No ☒  
Horiba U-52 Water Quality Meter Used? Yes ☒ No ☐

| Conversion Factors                  |       |       |       |       |
|-------------------------------------|-------|-------|-------|-------|
| gal/ft.<br>of<br>water              | 1" ID | 2" ID | 4" ID | 6" ID |
|                                     | 0.04  | 0.16  | 0.66  | 1.47  |
| 1 gallon=3.785L=3785mL=1337cu. feet |       |       |       |       |

| Time        | DTW<br>(feet) | Temp<br>(°C) | pH          | ORP<br>(mV) | Conductivity<br>(mS/cm) | Turbidity<br>(NTU) | DO<br>(mg/L) | TDS<br>(g/L) |
|-------------|---------------|--------------|-------------|-------------|-------------------------|--------------------|--------------|--------------|
| <u>0925</u> | <u>13.40</u>  | <u>17.65</u> | <u>7.21</u> | <u>-188</u> | <u>.870</u>             | <u>58.2</u>        | <u>2.14</u>  | <u>.529</u>  |
| <u>0930</u> | <u>13.40</u>  | <u>16.98</u> | <u>7.65</u> | <u>-200</u> | <u>.491</u>             | <u>48.0</u>        | <u>1.57</u>  | <u>.315</u>  |
| <u>0935</u> | <u>13.41</u>  | <u>16.68</u> | <u>7.88</u> | <u>-208</u> | <u>.412</u>             | <u>26.6</u>        | <u>1.43</u>  | <u>.8267</u> |
| <u>0940</u> | <u>13.41</u>  | <u>16.56</u> | <u>8.02</u> | <u>-210</u> | <u>.395</u>             | <u>22.4</u>        | <u>1.29</u>  | <u>.256</u>  |
| <u>0945</u> | <u>13.41</u>  | <u>16.60</u> | <u>8.02</u> | <u>-205</u> | <u>.397</u>             | <u>23.6</u>        | <u>1.26</u>  | <u>.254</u>  |
| <u>0950</u> | <u>13.42</u>  | <u>16.62</u> | <u>8.03</u> | <u>-203</u> | <u>.398</u>             | <u>25.0</u>        | <u>1.23</u>  | <u>.253</u>  |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |

#### Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's  
EPA SW-846 Method 8260 VOC's BTEX  
EPA Method 335.4 Cyanide  
EPA Method 200.7 Metals

2 - 100 ml ambers Yes ☒ No ☐  
3 - 40 ml vials Yes ☒ No ☐  
1 - 250 ml plastic Yes ☒ No ☐  
1 - 250 ml plastic Yes ☒ No ☐

Sample ID: LTMW-D06-0920 Duplicate? Yes ☐ No ☒  
Sample Time: 0955 MS/MSD? Yes ☐ No ☒

Shipped: Pace Courier Pickup ☒  
Drop-off Albany Service Center ☐

Comments/Notes:

Laboratory: Pace Analytical  
Greensburg, PA



National Grid  
Kingsley Avenue, Rome, New York

Sampling Personnel: LUAN WATKIN

Job Number: 0603200-134400-221

Well Id. **LTMW-S06**

Date: 9.10.20

Weather: Clear 70°

Time In: 0845

Time Out: 0915

#### Well Information

|                          |        | TOC          | Other |
|--------------------------|--------|--------------|-------|
| Depth to Water:          | (feet) | <u>13.65</u> |       |
| Depth to Bottom:         | (feet) | <u>17.60</u> |       |
| Depth to Product:        | (feet) | <u>ND</u>    |       |
| Length of Water Column:  | (feet) |              |       |
| Volume of Water in Well: | (gal)  |              |       |
| Three Well Volumes:      | (gal)  |              |       |

Well Type: Flushmount ☒ Stick-Up ☒  
Well Locked: Yes ☒ No ☐  
Measuring Point Marked: Yes ☒ No ☐  
Well Material: PVC ☒ SS ☐ Other: ☐  
Well Diameter: 1" ☐ 2" ☒ Other: ☐  
Comments: ☐

#### Purging Information

Purging Method: ☐ Bailer ☒ Peristaltic ☐ Grundfos Pump  
Tubing/Bailer Material: Teflon ☐ Stainless St. ☒ Polyethylene ☒  
Sampling Method: Bailer ☐ Peristaltic ☒ Grundfos Pump ☐  
Average Pumping Rate: (ml/min) 200  
Duration of Pumping: (min) 20  
Total Volume Removed: (gal) 15 Did well go dry? Yes ☐ No ☒  
Horiba U-52 Water Quality Meter Used? Yes ☒ No ☐

| Conversion Factors                  |       |       |       |       |
|-------------------------------------|-------|-------|-------|-------|
| gal/ft.<br>of<br>water              | 1" ID | 2" ID | 4" ID | 6" ID |
|                                     | 0.04  | 0.16  | 0.66  | 1.47  |
| 1 gallon=3.785L=3785mL=1337cu. feet |       |       |       |       |

| Time | DTW<br>(feet) | Temp<br>(°C) | pH   | ORP<br>(mV) | Conductivity<br>(mS/cm) | Turbidity<br>(NTU) | DO<br>(mg/L) | TDS<br>(g/L) |
|------|---------------|--------------|------|-------------|-------------------------|--------------------|--------------|--------------|
| 0850 | 13.80         | 16.75        | 6.63 | -143        | 1.46                    | 15.7               | 2.63         | .936         |
| 0855 | 13.77         | 16.80        | 6.77 | -161        | 1.45                    | 13.3               | 1.92         | .927         |
| 0900 | 13.78         | 16.88        | 6.80 | -164        | 1.45                    | 13.5               | 1.67         | .925         |
| 0905 | 13.78         | 16.92        | 6.79 | -165        | 1.44                    | 13.4               | 1.60         | .924         |
| 0910 | 13.79         | 16.96        | 6.80 | -165        | 1.44                    | 13.3               | 1.59         | .922         |
| 0915 |               |              |      |             |                         |                    |              |              |
|      |               |              |      |             |                         |                    |              |              |
|      |               |              |      |             |                         |                    |              |              |
|      |               |              |      |             |                         |                    |              |              |
|      |               |              |      |             |                         |                    |              |              |
|      |               |              |      |             |                         |                    |              |              |
|      |               |              |      |             |                         |                    |              |              |
|      |               |              |      |             |                         |                    |              |              |
|      |               |              |      |             |                         |                    |              |              |

#### Sampling Information:

EPA SW-846 Method 8270  
EPA SW-846 Method 8260  
EPA Method 335.4  
EPA Method 200.7

SVOC PAH's  
VOC's BTEX  
Cyanide  
Metals

2 - 100 ml ambers  
3 - 40 ml vials  
1 - 250 ml plastic  
1 - 250 ml plastic

Yes ☒ No ☐  
Yes ☒ No ☐  
Yes ☒ No ☐  
Yes ☒ No ☐

Sample ID: **LTMW-S06-0920**

Sample Time: 0915

Duplicate? Yes ☐ No ☒  
MS/MSD? Yes ☐ No ☒

Shipped: Pace Courier Pickup ☒  
Drop-off Albany Service Center ☐

Comments/Notes:

Laboratory: Pace Analytical  
Greensburg, PA



National Grid  
Kingsley Avenue, Rome, New York

Sampling Personnel: OS  
Job Number: 0603200-134400-221  
Well Id. **LTMW-S07**

Date: 8-10  
Weather: Clear 80  
Time In: 0700 Time Out: \_\_\_\_\_

#### Well Information

|                          |        | TOC          | Other |
|--------------------------|--------|--------------|-------|
| Depth to Water:          | (feet) | <u>11.70</u> |       |
| Depth to Bottom:         | (feet) | <u>17.82</u> |       |
| Depth to Product:        | (feet) | <u>-</u>     |       |
| Length of Water Column:  | (feet) | <u>6.12</u>  |       |
| Volume of Water in Well: | (gal)  | <u>0.97</u>  |       |
| Three Well Volumes:      | (gal)  | <u>2.94</u>  |       |

Well Type: Flushmount ☐ Stick-Up ☒  
Well Locked: Yes ☒ No ☐  
Measuring Point Marked: Yes ☒ No ☐  
Well Material: PVC ☒ SS ☐ Other: \_\_\_\_\_  
Well Diameter: 1" ☐ 2" ☒ Other: \_\_\_\_\_  
Comments: \_\_\_\_\_

#### Purging Information

Purging Method: \_\_\_\_\_  
Tubing/Bailer Material: \_\_\_\_\_  
Sampling Method: \_\_\_\_\_  
Average Pumping Rate: (ml/min) 200  
Duration of Pumping: (min) 2.5  
Total Volume Removed: (gal) 1.0 Did well go dry? Yes ☐ No ☒  
Horiba U-52 Water Quality Meter Used? Yes ☒ No ☐

| Conversion Factors                   |       |       |       |       |
|--------------------------------------|-------|-------|-------|-------|
| gal/ft.<br>of<br>water               | 1" ID | 2" ID | 4" ID | 6" ID |
|                                      | 0.04  | 0.16  | 0.66  | 1.47  |
| 1 gallon=3.785L=3785mL=133.7cu. feet |       |       |       |       |

| Time        | DTW<br>(feet) | Temp<br>(°C) | pH          | ORP<br>(mV) | Conductivity<br>(mS/cm) | Turbidity<br>(NTU) | DO<br>(mg/L) | TDS<br>(g/L) |
|-------------|---------------|--------------|-------------|-------------|-------------------------|--------------------|--------------|--------------|
| <u>1330</u> | <u>11.85</u>  | <u>21.97</u> | <u>7.68</u> | <u>-143</u> | <u>0.488</u>            | <u>3.56</u>        | <u>1.24</u>  | <u>0.307</u> |
| <u>1335</u> | <u>12.81</u>  | <u>17.62</u> | <u>6.90</u> | <u>-138</u> | <u>0.610</u>            | <u>40.2</u>        | <u>0.88</u>  | <u>0.399</u> |
| <u>1340</u> | <u>12.97</u>  | <u>16.69</u> | <u>6.71</u> | <u>-141</u> | <u>0.637</u>            | <u>8.7</u>         | <u>0.78</u>  | <u>0.408</u> |
| <u>1345</u> | <u>13.10</u>  | <u>16.80</u> | <u>6.66</u> | <u>-141</u> | <u>0.651</u>            | <u>10.1</u>        | <u>0.85</u>  | <u>0.416</u> |
| <u>1350</u> | <u>13.20</u>  | <u>16.81</u> | <u>6.62</u> | <u>-140</u> | <u>0.650</u>            | <u>2.3</u>         | <u>0.63</u>  | <u>0.416</u> |
| <u>1355</u> | <u>13.25</u>  | <u>16.74</u> | <u>6.57</u> | <u>-136</u> | <u>0.652</u>            | <u>2.4</u>         | <u>0.57</u>  | <u>0.417</u> |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |

#### Sampling Information:

EPA SW-846 Method 8270  
EPA SW-846 Method 8260  
EPA Method 335.4  
EPA Method 200.7

SVOC PAH's  
VOC's BTEX  
Cyanide  
Metals

2 - 100 ml ambers Yes ☒ No ☐  
3 - 40 ml vials Yes ☒ No ☐  
1 - 250 ml plastic Yes ☒ No ☐  
1 - 250 ml plastic Yes ☒ No ☐

Sample ID: **LTMW-S07-0920** Duplicate? Yes ☐ No ☒  
Sample Time: 1355 MS/MSD? Yes ☐ No ☒

Shipped: Pace Courier Pickup ☒  
Drop-off Albany Service Center ☐

Comments/Notes: \_\_\_\_\_

Laboratory: Pace Analytical  
Greensburg, PA



National Grid  
Kingsley Avenue, Rome, New York

Sampling Personnel: LIAM MAHER

Date: 9.10.20

Job Number: 0603200-134400-221

Weather: CLEAR 75°

Well Id. LTMW-S08

Time In: 1015

Time Out: 1050

### Well Information

|                          |        | TOC          | Other |
|--------------------------|--------|--------------|-------|
| Depth to Water:          | (feet) | <u>16.60</u> |       |
| Depth to Bottom:         | (feet) | <u>17.39</u> |       |
| Depth to Product:        | (feet) | <u>N/D</u>   |       |
| Length of Water Column:  | (feet) |              |       |
| Volume of Water in Well: | (gal)  |              |       |
| Three Well Volumes:      | (gal)  |              |       |

Well Type: Flushmount ☐ Stick-Up ☒  
Well Locked: Yes ☒ No ☐  
Measuring Point Marked: Yes ☒ No ☐  
Well Material: PVC ☒ SS ☐ Other: \_\_\_\_\_  
Well Diameter: 1" ☐ 2" ☒ Other: \_\_\_\_\_  
Comments: \_\_\_\_\_

### Purging Information

Purging Method: \_\_\_\_\_  
Tubing/Bailer Material: \_\_\_\_\_  
Sampling Method: \_\_\_\_\_  
Average Pumping Rate: (ml/min) 200  
Duration of Pumping: (min) 25  
Total Volume Removed: (gal) 75  
Did well go dry? Yes ☐ No ☒  
Horiba U-52 Water Quality Meter Used? Yes ☒ No ☐

| Conversion Factors                  |       |       |       |       |
|-------------------------------------|-------|-------|-------|-------|
| gal/ft.<br>of<br>water              | 1" ID | 2" ID | 4" ID | 6" ID |
|                                     | 0.04  | 0.16  | 0.66  | 1.47  |
| 1 gallon=3.785L=3785mL=1337cu. feet |       |       |       |       |

| Time | DTW<br>(feet) | Temp<br>(°C) | pH   | ORP<br>(mV) | Conductivity<br>(mS/cm) | Turbidity<br>(NTU) | DO<br>(mg/L) | TDS<br>(g/L) |
|------|---------------|--------------|------|-------------|-------------------------|--------------------|--------------|--------------|
| 1020 | 16.63         | 19.60        | 7.18 | -37         | .802                    | 10.8               | 4.64         | .521         |
| 1025 | 16.65         | 16.61        | 7.09 | -48         | .840                    | 5.5                | 2.57         | .537         |
| 1030 | 16.68         | 16.43        | 7.07 | -39         | .835                    | 3.5                | 1.88         | .534         |
| 1035 | 16.70         | 16.56        | 6.94 | -33         | .826                    | 4.1                | 1.50         | .528         |
| 1040 | 16.70         | 16.56        | 6.99 | -35         | .824                    | 3.8                | 1.49         | .528         |
| 1045 | 16.71         | 16.57        | 7.01 | -35         | .824                    | 3.6                | 1.47         | .528         |
|      |               |              |      |             |                         |                    |              |              |
|      |               |              |      |             |                         |                    |              |              |
|      |               |              |      |             |                         |                    |              |              |
|      |               |              |      |             |                         |                    |              |              |
|      |               |              |      |             |                         |                    |              |              |

### Sampling Information:

EPA SW-846 Method 8270  
EPA SW-846 Method 8260  
EPA Method 335.4  
EPA Method 200.7

SVOC PAH's  
VOC's BTEX  
Cyanide  
Metals

2 - 100 ml ambers  
3 - 40 ml vials  
1 - 250 ml plastic  
1 - 250 ml plastic

Yes ☒ No ☐  
Yes ☒ No ☐  
Yes ☒ No ☐  
Yes ☒ No ☐

Sample ID: LTMW-S08-0920

Duplicate? Yes ☐ No ☒

Sample Time: 1050

MS/MSD? Yes ☐ No ☒

Shipped: Pace Courier Pickup ☒  
Drop-off Albany Service Center ☐

Comments/Notes: \_\_\_\_\_

Laboratory: Pace Analytical  
Greensburg, PA



National Grid  
Kingsley Avenue, Rome, New York

Sampling Personnel: RMB.  
Job Number: 0603200-134400-221  
Well Id. **LTMW-S09**

Date: 5-10-20  
Weather: Clear 80°F  
Time In: 0700 Time Out: \_\_\_\_\_

#### Well Information

|                          |        | TOC          | Other |
|--------------------------|--------|--------------|-------|
| Depth to Water:          | (feet) | <u>10.55</u> |       |
| Depth to Bottom:         | (feet) | <u>16.92</u> |       |
| Depth to Product:        | (feet) | <u>-</u>     |       |
| Length of Water Column:  | (feet) | <u>6.37</u>  |       |
| Volume of Water in Well: | (gal)  | <u>1.02</u>  |       |
| Three Well Volumes:      | (gal)  | <u>3.1</u>   |       |

Well Type: Flushmount ☐ Stick-Up ☒  
Well Locked: Yes ☒ No ☐  
Measuring Point Marked: Yes ☒ No ☐  
Well Material: PVC ☒ SS ☐ Other: \_\_\_\_\_  
Well Diameter: 1" ☐ 2" ☒ Other: \_\_\_\_\_  
Comments: \_\_\_\_\_

#### Purging Information

Purging Method: \_\_\_\_\_  
Tubing/Bailer Material: \_\_\_\_\_  
Sampling Method: \_\_\_\_\_  
Average Pumping Rate: (ml/min) 200  
Duration of Pumping: (min) 20  
Total Volume Removed: (gal) 1 Did well go dry? Yes ☐ No ☒  
Horiba U-52 Water Quality Meter Used? Yes ☒ No ☐

| Conversion Factors                  |       |       |       |       |
|-------------------------------------|-------|-------|-------|-------|
| gal/ft.<br>of<br>water              | 1" ID | 2" ID | 4" ID | 6" ID |
|                                     | 0.04  | 0.16  | 0.66  | 1.47  |
| 1 gallon=3.785L=3785mL=1337cu. feet |       |       |       |       |

| Time        | DTW<br>(feet) | Temp<br>(°C) | pH          | ORP<br>(mV) | Conductivity<br>(mS/cm) | Turbidity<br>(NTU) | DO<br>(mg/L) | TDS<br>(g/L) |
|-------------|---------------|--------------|-------------|-------------|-------------------------|--------------------|--------------|--------------|
| <u>1420</u> | <u>10.55</u>  | <u>17.62</u> | <u>7.34</u> | <u>-58</u>  | <u>0.727</u>            | <u>5.0</u>         | <u>4.21</u>  | <u>0.465</u> |
| <u>1425</u> | <u>10.60</u>  | <u>17.05</u> | <u>7.10</u> | <u>-55</u>  | <u>0.722</u>            | <u>4.2</u>         | <u>3.94</u>  | <u>0.463</u> |
| <u>1430</u> | <u>10.61</u>  | <u>17.02</u> | <u>7.07</u> | <u>-52</u>  | <u>0.720</u>            | <u>4.5</u>         | <u>3.82</u>  | <u>0.461</u> |
| <u>1435</u> | <u>10.68</u>  | <u>17.01</u> | <u>7.06</u> | <u>-49</u>  | <u>0.719</u>            | <u>4.2</u>         | <u>3.58</u>  | <u>0.461</u> |
| <u>1440</u> | <u>10.79</u>  | <u>17.02</u> | <u>7.05</u> | <u>-47</u>  | <u>0.719</u>            | <u>4.3</u>         | <u>3.40</u>  | <u>0.460</u> |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |
|             |               |              |             |             |                         |                    |              |              |

#### Sampling Information:

EPA SW-846 Method 8270  
EPA SW-846 Method 8260  
EPA Method 335.4  
EPA Method 200.7

SVOC PAH's  
VOC's BTEX  
Cyanide  
Metals

4 - 100 ml ambers Yes ☒ No ☐  
6 - 40 ml vials Yes ☒ No ☐  
2 - 250 ml plastic Yes ☒ No ☐  
2 - 250 ml plastic Yes ☒ No ☐

#### Field Duplicate 0920

Sample ID: LTMW-S09-0920 Duplicate? Yes ☒ No ☐  
Sample Time: 1445 MS/MSD? Yes ☐ No ☒

Shipped: Pace Courier Pickup ☒  
Drop-off Albany Service Center ☐

Comments/Notes: \_\_\_\_\_

Laboratory: Pace Analytical  
Greensburg, PA



Laboratory: Pace Analytical  
Greensburg, PA



*Copy*

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

*8/16/10*

|   |  |  |  |  |  |   |  |   |  |
|---|--|--|--|--|--|---|--|---|--|
| <b>Section A</b><br>Required Client Information:<br>Company: GES - Syracuse<br>Address: 5 Technology Plaza, Suite 4<br>East Syracuse, New York 13057<br>Email To: dshay@gesonline.com<br>Phone: 800.220.3069 Fax: None<br>Requested Due Date/TAT: Standard                            |  | <b>Section B</b><br>Required Project Information:<br>Report To: Devin Shay (GES)<br>dshay@gesonline.com<br>Report To: Tim Beaumont (GES)<br>tbeaumont@gesonline.com<br><b>Quarterly System Effluent</b><br>Purchase Order No.:<br>Project Name: National Grid - Roma Kingsley<br>Ave. Site, Roma, NY<br>Project Number:<br>0503200-134400-221-1108 |  | <b>Section C</b><br>Invoice Information:<br>Attention: Accounts Payable via email at gee-invoicing@gesonline.com<br>Company Name: Groundwater & Environmental Services, Inc.<br>Address: 5 Technology Plaza, Suite 4, East Syracuse, NY 13057<br>Pace Quote Reference:<br>Pace Project Manager: Rachel Chisholm<br>Pace Profile #: |  | <b>Section D</b><br>Required Client Information<br><b>SAMPLE ID</b><br>One Character per box.<br>(A-Z, 0-9 / -)<br>IDs MUST BE UNIQUE   |  | <b>Section E</b><br>Required Project Information<br>Report To: Devin Shay (GES)<br>dshay@gesonline.com<br>Report To: Tim Beaumont (GES)<br>tbeaumont@gesonline.com<br><b>Quarterly System Effluent</b><br>Purchase Order No.:<br>Project Name: National Grid - Roma Kingsley<br>Ave. Site, Roma, NY<br>Project Number:<br>0503200-134400-221-1108 |  |
| <b>Section F</b><br>Regulatory Agency<br><input type="checkbox"/> NPDES <input checked="" type="checkbox"/> WATER <input type="checkbox"/> DRINKING WATER <input type="checkbox"/> OTHER<br><input type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER |  | <b>Section G</b><br>Location<br>SITE<br><input type="checkbox"/> GA <input type="checkbox"/> IL <input type="checkbox"/> IN <input type="checkbox"/> MI <input type="checkbox"/> NC<br><input type="checkbox"/> OH <input type="checkbox"/> SC <input type="checkbox"/> WI <input checked="" type="checkbox"/> OTHER                               |  | <b>Section H</b><br>Filtered (Y/N)<br><input checked="" type="checkbox"/> Y <input type="checkbox"/> N   |  | <b>Section I</b><br>Requested Analysis:<br>ATX (2800) and Total Toxic Organics<br>Metals (As, Cd, Cr, Cu, Pb, Ni, Ag, Zn, Hg) (200.7)<br>Metals (As, Cd, Cr, Cu, Pb, Ni, Ag, Zn, Hg) (200.7)<br>Metals (As, Cd, Cr, Cu, Pb, Ni, Ag, Zn, Hg) (200.7) |  | <b>Section J</b><br>Pace Project Number<br>Lab ID   |  |
| <b>Section K</b><br>Collected<br>DATE TIME DATE TIME<br>9/10/10 07:45 9/10/10 07:45<br>COMPOSITE START 08:00  |  | <b>Section L</b><br>Sample Temp at Collection<br>10 3  |  | <b>Section M</b><br>Preservatives<br>HCl 1 3 1<br>HNO <sub>3</sub> 1 3 1<br>H <sub>2</sub> SO <sub>4</sub> 1 3 1<br>Unpreserved 5 10 3   |  | <b>Section N</b><br>Matrix Code<br>WT G WT G  |  | <b>Section O</b><br>Sample Type<br>G+GRAB C-COMP  |  |
| <b>Section P</b><br>Additional Comments:<br>SAMPLES WILL ARRIVE IN # 1 COOLERS.<br>Please send reports to: dshay@gesonline.com, tbeaumont@gesonline.com<br>NERegion@gesonline.com, ges@equisonline.com  |  | <b>Section Q</b><br>Specific EDD Name:<br>NGRome-labnumber.28351.EQEDD.zip   |  | <b>Section R</b><br>Date Signed (MM/DD/YY)<br>08/16/10   |  | <b>Section S</b><br>Signature of Sampler<br>[Signature]   |  | <b>Section T</b><br>Date Signed (MM/DD/YY)<br>08/16/10  |  |





The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

[illegible]







## Appendix D – Data Usability Summary Report and Analytical Data

---



Groundwater & Environmental Services, Inc.

708 North Main Street, Suite 201  
Blacksburg, VA 24060

T. 800.662.5067

November 30, 2020

Devin Shay  
Groundwater & Environmental Services, Syracuse  
5 Technology Place, Suite 4  
East Syracuse, NY 13057

RE: Data Usability Summary Report for National Grid- Rome Kingsley Avenue Site Data Packages Pace Analytical Job Nos. 30382051, 30382085

Groundwater & Environmental Services, Inc. (GES) reviewed two data packages (Laboratory Project Number 30382051, 30382085) from Pace Analytical Services, Inc., for the analysis of an effluent sample and trip blank collected on September 10, 2020 as well as groundwater samples collected September 10, 2020 from monitoring wells located at the National Grid: Rome Kingsley Avenue Site. Sixteen aqueous samples and a field duplicate were analyzed for BTEX, PAHs, arsenic, lead, zinc, and total cyanide. The effluent system sample was processed for volatiles, eight metals, mercury, pH and total cyanide. Methodologies utilized are those of the USEPA 200.7, 245.1 and 335.4, SM 4500H+B, the USEPA SW846 methods 7470/8260B/8270C with additional QC requirements of the NYSDEC ASP.

The data are reported as part of a complete full deliverable type B data validation. This usability report is generated from review of the following:

- Laboratory Narrative Discussion
- Custody Documentation
- Holding Times
- Surrogate and Internal Standard Recoveries
- Matrix Spike Recoveries/Duplicate (MS/MSD) Correlations
- Field Duplicate Correlations
- Laboratory Control Sample (LCS)
- Preparation/Calibration Blanks
- Calibration/Low Level Standard Responses
- Instrumental Tunes
- Instrument MDLs
- Sample Quantitation and Identification

The items listed above which show deficiencies are discussed within the text of this narrative.

All of the other items are determined to be acceptable for the DUSR level review.

**Table 1 – Data Qualifications**

| Sample ID | Qualifier | Analyte | Reason for qualification    |
|-----------|-----------|---------|-----------------------------|
| Effluent  | J         | pH      | Analyzed after holding time |

In summary, sample results are usable as reported, with non-compliances noted. The result for pH in all applicable samples was qualified by the laboratory as estimated due to the short hold time of 15 minutes. Qualifications are detailed in Table 1.

The laboratory case narratives and sample identification summary forms are attached to this text, and should be reviewed in conjunction with this report.

### **Custody Documentation**

- All samples arrived within the EPA acceptable range of  $4^{\circ}\text{C} \pm 2^{\circ}\text{C}$ .

### **BTEX and TCL Volatiles by EPA 8260C/NYSDEC ASP**

Sample holding times for groundwater and effluent samples and instrumental tune fragmentations are within acceptance ranges. Surrogate and internal standard recoveries are within required limits.

Calibrations standards show acceptable responses within analytical protocol and validation action limits with the exception of high recovery for acetone and chloroethane associated with the effluent and effluent QC samples. Neither compound was reported above detections limit; no qualification was required.

Benzo(b)fluoranthene and benzo(k)fluoranthene were separated in the check standard but did not meet the resolution criteria for two site samples. The analytes were not reported above detection limit, and no qualification was required. Laboratory control samples recovered within laboratory limits. Matrix spike and matrix spike recoveries were within laboratory specified criteria.

### **PAHs by EPA8270D/NYSDEC ASP**

Holding times are met. Instrumental tune fragmentations are within acceptance ranges. Surrogate recoveries are within analytical and validation guidelines. Blanks show no contamination. Calibration standards, both initial and continuing, show acceptable responses within analytical method protocols and validation guidelines. The blind field duplicate correlations of LTMW-S09 were not calculated, as there were no detections above reporting limit.

The laboratory control spike recoveries and precision indicate the method is within laboratory control, Matrix spike and matrix spike recoveries were within laboratory specified criteria.

### **Metals by EPA 200.7/EPA 245.3/NYSDEC ASP**

The matrix spikes and post digestion spikes show acceptable accuracy and precision. Initial and continuing calibration recoveries were within criteria. CRDL Check standard recoveries were



within criteria, and there was no indication of any interfering component affecting the data. The blind field duplicate correlations of LTMW-S09 were not calculated, as there were no detections above reporting limit.

Instrument performance is compliant, and blanks show no contamination above the reporting limit.

#### **Wet Chemistry-Total Cyanide by 9012B and pH**

Review was conducted for method compliance, holding times, transcription, calculations, standard and blank acceptability, accuracy and precision, etc., as applicable to each procedure. All are acceptable for the validated sample. Calibration standard responses are compliant. Blanks show no detections above the reporting limits.

The post digestion spike associated with mercury in the effluent was high, but the sample reported non-detect and the high bias does not affect data quality.

The pH for the Effluent sample is qualified as estimated due to outlying holding time, as noted in the laboratory case narrative.

All other associated matrix spikes and/or laboratory duplicates of total cyanide show acceptable recoveries. Qualifications are noted in Table 1.

#### **Data Package Completeness**

Complete NYSDEC Category B deliverables were included in the laboratory data package, all information required for validation of the data is present.

Please do not hesitate to contact me if you have comments or questions regarding this report.

Sincerely,



Bonnie Janowiak, Ph.D.  
Senior Chemist

## SAMPLE SUMMARY

Project: National Grid - Rome Kingsley

Pace Project No.: 30382051

| Lab ID      | Sample ID            | Matrix | Date Collected | Date Received  |
|-------------|----------------------|--------|----------------|----------------|
| 30382051001 | LTMW-DO1-0920        | Water  | 09/10/20 13:00 | 09/11/20 10:15 |
| 30382051002 | LTMW-SO1-0920        | Water  | 09/10/20 12:25 | 09/11/20 10:15 |
| 30382051003 | LTMW-DO2-0920        | Water  | 09/10/20 13:20 | 09/11/20 10:15 |
| 30382051004 | LTMW-SO2-0920        | Water  | 09/10/20 12:40 | 09/11/20 10:15 |
| 30382051005 | LTMW-DO3-0920        | Water  | 09/10/20 11:25 | 09/11/20 10:15 |
| 30382051006 | LTMW-SO3-0920        | Water  | 09/10/20 10:40 | 09/11/20 10:15 |
| 30382051007 | LTMW-DO4-0920        | Water  | 09/10/20 14:50 | 09/11/20 10:15 |
| 30382051008 | LTMW-SO4-0920        | Water  | 09/10/20 14:10 | 09/11/20 10:15 |
| 30382051009 | LTMW-DO5-0920        | Water  | 09/10/20 09:45 | 09/11/20 10:15 |
| 30382051010 | LTMW-SO5-0920        | Water  | 09/10/20 09:10 | 09/11/20 10:15 |
| 30382051011 | LTMW-DO6-0920        | Water  | 09/10/20 09:55 | 09/11/20 10:15 |
| 30382051012 | LTMW-SO6-0920        | Water  | 09/10/20 09:15 | 09/11/20 10:15 |
| 30382051013 | LTMW-SO7-0920        | Water  | 09/10/20 13:55 | 09/11/20 10:15 |
| 30382051014 | LTMW-SO8-0920        | Water  | 09/10/20 10:50 | 09/11/20 10:15 |
| 30382051015 | LTMW-SO9-0920        | Water  | 09/10/20 14:45 | 09/11/20 10:15 |
| 30382051016 | LTMW-S10-0920        | Water  | 09/10/20 11:40 | 09/11/20 10:15 |
| 30382051017 | LTMW-S10-MS-0920     | Water  | 09/10/20 11:40 | 09/11/20 10:15 |
| 30382051018 | LTMW-S10-MSD-0920    | Water  | 09/10/20 11:40 | 09/11/20 10:15 |
| 30382051019 | FIELD DUPLICATE-0920 | Water  | 09/10/20 00:01 | 09/11/20 10:15 |
| 30382051020 | TRIP BLANK           | Water  | 09/10/20 00:01 | 09/11/20 10:15 |

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Rome Kingsley

Pace Project No.: 30382051

---

**Method:** EPA 200.7 Rev. 4.4, 1994

**Description:** 200.7 Metals, Total

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** September 18, 2020

**General Information:**

19 samples were analyzed for EPA 200.7 Rev. 4.4, 1994 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Sample Preparation:**

The samples were prepared in accordance with EPA 200.7 Rev. 4.4, 1994 with any exceptions noted below.

**Initial Calibrations (including MS Tune as applicable):**

All criteria were within method requirements with any exceptions noted below.

**Continuing Calibration:**

All criteria were within method requirements with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Duplicate Sample:**

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Rome Kingsley

Pace Project No.: 30382051

**Method:** EPA 8270D by SIM

**Description:** 8270D PAH SIM Reduced Volume

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** September 18, 2020

### General Information:

19 samples were analyzed for EPA 8270D by SIM by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

ip: Benzo(b)fluoranthene and benzo(k)fluoranthene were separated in the check standard but did not meet the resolution criteria in SW846 Method 8270D. Whereas sample results included are reported as individual isomers, the lab and the customer must recognize them as an isomeric pair.

- LTMW-DO6-0920 (Lab ID: 30382051011)
- LTMW-S10-0920 (Lab ID: 30382051016)

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Sample Preparation:

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

### Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

### Surrogates:

All surrogates were within QC limits with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 414287

A matrix spike/matrix spike duplicate was not performed due to insufficient sample volume.

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: National Grid - Rome Kingsley

Pace Project No.: 30382051

---

**Method:** EPA 8270D by SIM

**Description:** 8270D PAH SIM Reduced Volume

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** September 18, 2020

Analyte Comments:

QC Batch: 414287

1c: A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

- LTMW-DO4-0920 (Lab ID: 30382051007)
  - 2-Methylnaphthalene
  - Acenaphthene
  - Acenaphthylene
  - Anthracene
  - Benzo(k)fluoranthene
  - Benzo(g,h,i)perylene
  - Benzo(a)anthracene
  - Benzo(b)fluoranthene
  - Benzo(a)pyrene
  - Chrysene
  - Dibenzo(a,h)anthracene
  - Fluorene
  - Fluoranthene
  - Indeno(1,2,3-cd)pyrene
  - Naphthalene
  - Phenanthrene
  - Pyrene

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Rome Kingsley

Pace Project No.: 30382051

---

**Method:** EPA 8260C

**Description:** 8260C MSV

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** September 18, 2020

**General Information:**

20 samples were analyzed for EPA 8260C by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Initial Calibrations (including MS Tune as applicable):**

All criteria were within method requirements with any exceptions noted below.

**Continuing Calibration:**

All criteria were within method requirements with any exceptions noted below.

**Internal Standards:**

All internal standards were within QC limits with any exceptions noted below.

**Surrogates:**

All surrogates were within QC limits with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Rome Kingsley

Pace Project No.: 30382051

---

**Method:** EPA 335.4

**Description:** 335.4 Cyanide, Total

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** September 18, 2020

### General Information:

19 samples were analyzed for EPA 335.4 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Sample Preparation:

The samples were prepared in accordance with EPA 335.4 with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 413818

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30382051016,30382186001

ML: Matrix spike recovery and/or matrix spike duplicate recovery was below laboratory control limits. Result may be biased low.

- MS (Lab ID: 2001534)
  - Cyanide
- MSD (Lab ID: 2001535)
  - Cyanide

R1: RPD value was outside control limits.

- MSD (Lab ID: 2001535)
  - Cyanide

### Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: National Grid - Rome Kingsley

Pace Project No.: 30382085

| Lab ID      | Sample ID            | Matrix | Date Collected | Date Received  |
|-------------|----------------------|--------|----------------|----------------|
| 30382085001 | Effluent System 0920 | Water  | 09/10/20 07:45 | 09/11/20 10:15 |
| 30382085002 | Trip Blank           | Water  | 09/10/20 07:45 | 09/11/20 10:15 |

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: National Grid - Rome Kingsley

Pace Project No.: 30382085

| Lab ID      | Sample ID            | QC Batch Method          | QC Batch | Analytical Method        | Analytical Batch |
|-------------|----------------------|--------------------------|----------|--------------------------|------------------|
| 30382085001 | Effluent System 0920 | EPA 200.7 Rev. 4.4, 1994 | 413842   | EPA 200.7 Rev. 4.4, 1994 | 413998           |
| 30382085001 | Effluent System 0920 | EPA 245.1 Rev. 3.0, 1994 | 413974   | EPA 245.1 Rev. 3.0, 1994 | 414020           |
| 30382085001 | Effluent System 0920 | EPA 3510C                | 414040   | EPA 8270D by SIM         | 414133           |
| 30382085001 | Effluent System 0920 | EPA 8260C                | 414589   |                          |                  |
| 30382085002 | Trip Blank           | EPA 8260C                | 414589   |                          |                  |
| 30382085001 | Effluent System 0920 | SM 4500H+B-2011          | 413602   |                          |                  |
| 30382085001 | Effluent System 0920 | EPA 335.4                | 413821   | EPA 335.4                | 413891           |

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Rome Kingsley

Pace Project No.: 30382085

---

**Method:** EPA 200.7 Rev. 4.4, 1994

**Description:** 200.7 Metals, Total

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** September 18, 2020

### General Information:

1 sample was analyzed for EPA 200.7 Rev. 4.4, 1994 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Sample Preparation:

The samples were prepared in accordance with EPA 200.7 Rev. 4.4, 1994 with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

### Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Rome Kingsley

Pace Project No.: 30382085

**Method:** EPA 245.1 Rev. 3.0, 1994

**Description:** 245.1 Mercury

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** September 18, 2020

**General Information:**

1 sample was analyzed for EPA 245.1 Rev. 3.0, 1994 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Sample Preparation:**

The samples were prepared in accordance with EPA 245.1 Rev. 3.0, 1994 with any exceptions noted below.

**Initial Calibrations (including MS Tune as applicable):**

All criteria were within method requirements with any exceptions noted below.

**Continuing Calibration:**

All criteria were within method requirements with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Duplicate Sample:**

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

**Additional Comments:**

Analyte Comments:

QC Batch: 413974

1c: The PDS recovery was outside of the laboratory control limits. Result may be biased high.

- Effluent System 0920 (Lab ID: 30382085001)
  - Mercury

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Rome Kingsley

Pace Project No.: 30382085

---

**Method:** EPA 8270D by SIM

**Description:** 8270D PAH SIM Reduced Volume

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** September 18, 2020

**General Information:**

1 sample was analyzed for EPA 8270D by SIM by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Sample Preparation:**

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

**Initial Calibrations (including MS Tune as applicable):**

All criteria were within method requirements with any exceptions noted below.

**Continuing Calibration:**

All criteria were within method requirements with any exceptions noted below.

**Internal Standards:**

All internal standards were within QC limits with any exceptions noted below.

**Surrogates:**

All surrogates were within QC limits with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: National Grid - Rome Kingsley

Pace Project No.: 30382085

**Method:** EPA 8260C

**Description:** 8260C MSV

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** September 18, 2020

### General Information:

2 samples were analyzed for EPA 8260C by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 414589

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- BLANK (Lab ID: 2004916)
  - Acetone
  - Chloroethane
- Effluent System 0920 (Lab ID: 30382085001)
  - Acetone
  - Chloroethane
- LCS (Lab ID: 2004917)
  - Acetone
  - Chloroethane
- MS (Lab ID: 2005088)
  - Acetone
  - Chloroethane
- MSD (Lab ID: 2005089)
  - Acetone
  - Chloroethane
- Trip Blank (Lab ID: 30382085002)
  - Acetone
  - Chloroethane

### Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

### Surrogates:

All surrogates were within QC limits with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Rome Kingsley

Pace Project No.: 30382085

---

**Method:** EPA 8260C

**Description:** 8260C MSV

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** September 18, 2020

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 414589

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30382085001

MH: Matrix spike recovery and/or matrix spike duplicate recovery was above laboratory control limits. Result may be biased high.

- MS (Lab ID: 2005088)
  - Carbon disulfide
- MSD (Lab ID: 2005089)
  - Carbon disulfide

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Rome Kingsley

Pace Project No.: 30382085

---

**Method:** SM 4500H+B-2011

**Description:** 4500H+ pH, Electrometric

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** September 18, 2020

### General Information:

1 sample was analyzed for SM 4500H+B-2011 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H3: Sample was received or analysis requested beyond the recognized method holding time.

- Effluent System 0920 (Lab ID: 30382085001)

H6: Analysis initiated outside of the 15 minute EPA required holding time.

- Effluent System 0920 (Lab ID: 30382085001)

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

### Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Rome Kingsley

Pace Project No.: 30382085

---

**Method:** EPA 335.4

**Description:** 335.4 Cyanide, Total

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** September 18, 2020

**General Information:**

1 sample was analyzed for EPA 335.4 by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Sample Preparation:**

The samples were prepared in accordance with EPA 335.4 with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.