JULY 2026

Per- and Polyfluoroalkyl Substances Sampling Summary Report

DECONSTRUCTION OF DEFENSE FUEL SUPPORT POINT
VERONA, NEW YORK

Prepared for:

U.S. AIR FORCE

AFCEC CONTRACT NO.: FA890317D0038

TASK ORDER NO: FA890325F0122

CDM/CAPE
a Joint Venture

PER- AND POLYFLUOROALKYL SUBSTANCES SAMPLING SUMMARY REPORT

Defense Fuel Support Point
Verona, New York

Deconstruction of Defense Fuel Support Point

AFCEC Contract No. FA890317D0038
Task Order No. FA890325F0122

Prepared for:

U.S. Air Force
U.S. Air Force Civil Engineering Center
Strategic Design & Construction Division
2261 Hughes Ave
JBSA Lackland, Texas 78236

Prepared by:

CDM/CAPE, a Joint Venture
75 State Street Suite 701
Boston, MA 02109

July 30, 2026



07/30/2026
Plan Approval: Date

Nicole Barry
CDM Smith
Vice President, Project Manager, P.E., PMP
(978) 606-2708

This document has been prepared for the U.S. Air Force Civil Engineer Center, under Contract No. FA890317-D-0038. The material contained herein is not to be disclosed to, discussed with, or made available to any person or persons for any reason without prior expressed approval of a responsible official of the U.S. Air Force Civil Engineering Center.

Contents

1.0 Introduction 1-1
1.1 Background 1-1
1.2 Deviations from Work Plan 1-2
2.0 PFAS Soil Sampling Methods and Results 2-1
2.1 PFAS Pre-Characterization Soil Sampling Methodology 2-1
2.1.1 Tank Berm Sample Representation 2-2
2.1.2 QAQC Sampling 2-2
2.2 PFAS Soil Sampling Results 2-2
2.2.1 Tank Containment Areas 2-3
2.2.2 Upper Tank Berms 2-3
2.2.3 Topsoil Samples 2-3
2.2.4 Infrastructure Samples 2-4
2.2.5 QAQC Sample Results 2-4
3.0 Summary 3-1
3.1 Soil Designation 3-1
4.0 References 4-1

Figures

Figure 1 PFAS Soil Disposal vs. Reuse Plan

Tables

Table 1 PFAS Criteria Comparison

Appendices

Appendix A PFAS Analysis Results Table

Appendix B PFAS Laboratory Analysis Reports

1.0 Introduction

CDM/Cape, a Joint Venture (CDM Smith) has prepared this Per- and Polyfluoroalkyl Substances (PFAS) Sampling Summary Report for the construction and engineering activities supporting the deconstruction of the Defense Fuel Support Point (DFSP) in Verona, New York (NY) (The Site). The work is being performed on behalf of the U.S. Air Force Civil Engineer Center (AFCEC) and Defense Logistics Agency – Energy (DLA-Energy). Work will be performed in accordance with the January 2025 Statement of Work and the Project Specification Index (EA Engineering, P.C. and its Affiliate EA Science and Technology, February 2024). Any deviations are noted within this summary report.

CDM Smith and its subcontractors performed work in a manner to minimize the polluting of air, water, or land and will, within reasonable limits, control noise and minimize the generation and disposal of solid waste materials, as well as other pollutants. Work was performed in the areas permitted for work (limits of disturbance), and any areas outside of these work areas was preserved and protected. Operation of equipment, storage of materials, disposition of excavated material, and construction in general were conducted so as not to injure existing conditions and other properties adjacent to the work zones.

PFAS sampling at the site was completed as a pre-characterization effort to assess the extent of PFAS contamination, and where required, the disposal of soil. CDM Smith has prepared this PFAS Sampling Summary Report to summarize the methodologies employed during sampling and analysis activities and to summarize the results of PFAS analysis.

1.1 Background

Defense Fuel Support Point (DFSP) Verona is an inactive bulk fuel storage that formerly received, stored, and shipped jet propellant and aviation gasoline in support of various military installations. The objective of this project is to eliminate aging infrastructure that is no longer required to meet the Department of Defense (DoD) mission. Eliminating this infrastructure will reduce unnecessary maintenance costs and liability for stakeholders. Soils from select areas of the of site have been impacted with per- and polyfluoroalkyl substances (PFAS) which is attributed to the former use of Aqueous Film Forming Foam (AFFF) system. Fuel handling operations ceased in 2014. DLA Energy cleaned, secured, and closed the fuel facility between 2014 and 2017.

The DFSP removal work consists of site preparation, aboveground buildings and infrastructure deconstruction, above and below ground pipeline deconstruction, tank deconstruction and foundation removal, pavement and underground utilities removal, grading, restoration, and waste handling/disposal. Pre-characterization was completed across the site for the per- and polyfluoroalkyl substances (PFAS).

1.2 Deviations from Work Plan

The following deviations were made from procedures outlined in the SAP (CDM Smith 2025) during PFAS soil sampling.

- Laboratory PFAS analysis of the second round of samples, collected between September 29 and October 2, 2025, was performed by Eurofins Lancaster Laboratories Environment Testing of Lancaster, Pennsylvania (PA) (Eurofins Lancaster). Eurofins Lancaster maintains their DoD and NY Environmental Laboratory Approval Program (ELAP) certifications.

2.0 PFAS Soil Sampling Methods and Results

2.1 PFAS Pre-Characterization Soil Sampling Methodology

PFAS pre-characterization soil sampling was completed across the site to assess if excavated or disturbed soil may be used locally as backfill or will be required for disposal off-site. A total of one hundred and four (104) PFAS sampling locations were selected within the tank berm areas, tank containment areas, infrastructure locations, and topsoil locations. Final sample locations can be found in **Figure 1**. No additional pre-characterization sampling locations are planned. Prior to sampling, a survey of utility locations and other structures was performed and PFAS sampling locations were laid out by the surveyor. Sampling locations were field confirmed, and measures were taken to avoid encountering utilities.

As outlined in the SAP (CDM Smith 2026), a total of one hundred and ten (110) samples were taken between two sampling events performed during May 21 through June 2, 2025 and September 29 through October 2, 2025**.** A summary of samples and rationale for each round is provided as follows:

- The first round of sampling was intended to characterize PFAS across the site including tank berms, containment areas, infrastructure locations, and topsoil areas. Each sample type and rationale are broken down below:
  - Four (4) samples were collected from the containment areas from 0 to 2 ft bgs, labeled as CA-1 through CA-4. Samples were collected from approximately from the low point of the containment to assess for PFAS from tank releases and the effect of stormwater accumulation.
  - Twelve (12) samples were collected from tank berm locations from 0 to 2 ft bgs, labeled as TB-1 through TB-12. Samples were collected at two feet above the elevation of the adjacent containment area elevation. The objective of this sampling was to assess the potential for lateral migration across the containment base, including the influence of stormwater migration within these structures.
  - Sixteen (16) samples from ten (10) locations were collected from the infrastructure area near the foam fire suppression lines at depths of 0 to 2 ft or 3 to 5 ft bgs, or both depths, dependent on location**.** These samples were labeled as INF-1 through INF-10. The objective of this sampling was to assess for PFAS impacts related to releases from the foam suppression lines.
  - Four (4) samples were collected from the topsoil in the potential staging/stockpiling area at depths of 0 to 0.5 ft bgs. These samples were labeled as TS-1 through TS-4. The objective of this sampling is to assess for potential cross contamination during material storage.
- The second round of sampling in the berm areas was specifically intended to characterize the berm soils that are anticipated to be excavated, managed, and/or reused as part of the deconstruction activities. Seventy-four (74) samples were collected from tank berm locations from 0 to 2 ft bgs, labeled by the tank berm section (TB1 through TB12) with a cardinal direction designation to denote which side of the berm was sampled (N, S, E, or W). Samples were collected from the mid- to upper level of the slope of the tank berm. Data from this sampling are

considered more representative of the soil volumes subject to disturbance and form the basis for soil management decisions, including reuse determinations relative to DoD criteria.

PFAS pre-characterization soil samples were collected using a hand auger due to the shallow depths. Procedures in the NYSDEC Sampling, Analysis, and Assessment of PFAS document were followed and measures taken to prevent cross-contamination. Soils were analyzed for the full list of 40 PFAS compounds included in the EPA Method 1633A including the compounds in the EPA Regional Screening Level document. ALS Environmental of Kelso, Washington (WA) performed the PFAS analysis for the first round of PFAS sampling. Eurofins Lancaster performed the PFAS analysis for the second round of PFAS sampling.

2.1.1 Tank Berm Sample Representation

The tank berm sampling locations were designated spatially based on the estimated volumes of soil within each berm. Approximately three samples were collected per 275 cubic yards (CY) of berm soil with a minimum of two samples per berm side. Samples are evenly distributed across the berm and located on each side of the middle to upper berm slope. In steeper berm sections, the samples are spaced approximately 30 to 50 feet (ft) apart lengthwise across the berm. In less steep berm sections, the samples are spaced approximately 80 to 100 ft apart lengthwise. The spacing of samples allows for sectioning of the berms soil to be designated for reuse or disposal based on sampling results.

2.1.2 QAQC Sampling

Quality control samples were collected to verify the accuracy and quality of project analytical data and to identify possible cross contamination or potentially biased results.

Duplicate samples were collected at a frequency of one per twenty PFAS samples. The field duplicate samples were “blind” to the laboratory performing the analysis, due to fictitious sample identifications disguising their actual sample identification. The duplicates were analyzed for the same analytical parameters as their respective samples. The correct sample identification number was recorded in the field logbook.

Equipment blanks were collected at a frequency of one per twenty PFAS samples. The equipment blanks were collected by pouring laboratory-supplied PFAS-free water over a decontaminated piece of sampling equipment that was reused during the PFAS sampling process. The water was collected in laboratory-supplied sample containers and analyzed for the full list of 40 PFAS Compounds to assess the thoroughness of the decontamination process.

2.2 PFAS Soil Sampling Results

The results of PFAS soil samples are presented in **Appendix A** in comparison to the DoD Screening Levels for Residential Soils. The full laboratory reports are presented in **Appendix B**. Sixty-eight (68) of the 110 total samples exceeded the DoD Screening Levels for Residential Soils for at least one parameter.

- The DoD Screening Levels for Residential Soils sets limits on eleven compounds. Concentrations in the collected samples exceeded the criteria for perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), and perfluorodecanoic acid (PFDA). The results of PFAS soil

sampling analysis are summarized as follows. PFOA concentrations exceeded the limit of 0.07 ng/g in 60 of the 110 samples, with a maximum concentration of 11 ng/g in sample INF-1-0-2.

- PFOS concentrations exceeded the limit of 0.63 ng/g in 25 of the 110 samples, with a maximum concentration of 9.6 ng/g in sample TB-1.
- PFDA concentrations exceeded the limit of 0.06 ng/g in 17 of the 110 samples, with a maximum concentration of 0.46 ng/g in sample TB-7.

The DoD Screening Levels for Residential Soils that the sampling results were compared to are more conservative than the NYSDEC's Protection of Groundwater and Unrestricted Use Guidance Values for PFOA and PFOS. The comparison of these values is presented in **Table 1**.

Table 1 PFAS Criteria Comparison

Criteria Name	PFOA (ppb)	PFOS (ppb)
DoD Screening Level for Residential Soil	0.070	0.63
Guidance Values for Anticipated Site Use: Protection of Groundwater	0.8	1.0
Guidance Values for Anticipated Site Use: Unrestricted	0.66	0.88

2.2.1 Tank Containment Areas

Three of the four samples collected during the first round of sampling from containment areas were found to contain PFAS above the DoD Screening Levels for Residential Soils and are considered to be PFAS-impacted. The tank two containment area, CA-2 sample, did not have PFAS detected above the limits and is not considered to be PFAS-impacted. However, the first-round tank berm (TB) sampling locations, TB-6, TB-7 and TB-12 samples, collected at the interior edges of tank berms at the containment area elevation exceeded DoD Screening Levels. Soil within the containment area of tank two required for excavation to remove underground infrastructure (tank foundation, etc.) will be managed and disposed of off-site.

2.2.2 Upper Tank Berms

Of the 90 samples taken in the tank berms, 56 samples, or 62%, contained PFAS above the DoD Screening Levels for Residential Soils. In select instances, samples collected at the containment base elevation exceeded DoD Screening Levels, while samples collected during the second round of sampling from the overlying berm soils were below applicable DoD Screening Levels. This vertical distinction in results suggests that PFAS impacts are localized to lower elevations within the containment area and may be influenced by historical stormwater transport along the containment floor, rather than representative of the berm soils themselves.

2.2.3 Topsoil Samples

The four topsoil samples collected from the northern corner of the site were all found to contain PFOS and PFOA above the DoD Screening Levels for Residential Soils and are considered to be PFAS-impacted.

2.2.4 Infrastructure Samples

Samples taken at infrastructure locations INF-2, INF-3, INF-7, and INF-8 were found to contain PFAS above the DoD Screening Levels for Residential Soils and are considered to be PFAS-impacted. The samples taken at infrastructure locations INF-1, INF-4, INF-5, INF-6, INF-9, and INF-10 did not contain PFAS above the limits and are not considered to be PFAS-impacted

Many of the detections were low concentrations estimated between the method detection limit and the reporting limit and therefore were given a "J" qualifier.

2.2.5 QAQC Sample Results

The following results of the quality control samples collected during this PFAS sampling indicated:

- Six duplicate samples were collected during PFAS sampling. The duplicate sample results closely matched those of their associated samples, indicating laboratory analysis was consistent.
- Six equipment blank samples were collected during PFAS sampling. The equipment blank sample results did not include detections, indicating proper decontamination technique. These results indicate no cross-contamination was introduced from the equipment reused during sampling.

3.0 Summary

The PFAS pre-characterization sampling and analysis were completed in accordance with the SAP (CDM Smith 2026), with deviations as described in **Section 1.2**. A total of 110 PFAS pre-characterization soil samples were collected across the site from 104 sampling locations. The results of sampling indicated PFAS contamination in the topsoil located in the northern corner of the site, in select infrastructure areas located in the northeastern area of the site, within all four tank containment areas, and spread throughout the berms. No additional PFAS pre-characterization sampling is planned.

3.1 Soil Designation

Results of sampling were sent to AFCEC for review. Based on comparison to the DoD Screening Levels for Residential Soils, the PFAS-impacted areas and Soils for Reuse areas were determined as shown in **Figure 1**. To delineate the extent of PFAS-impacted material, lines were drawn halfway between sampling locations with differing results to create berm or infrastructure sections. If soil sampling results in the section exceeded the DoD Screening Limit, the soil within that section is designated as PFAS-impacted. All disturbed soil within the PFAS-impacted areas will be properly disposed of off-site. Soil with levels of PFAS below the DoD Screening Levels are not PFAS-impacted and are designated as Soils for Reuse. Soils for Reuse within berm areas (shown in light green on **Figure 1**) will be used across the site for regrading to create a level, finished surface. Soils for Reuse within infrastructure locations (shown in dark green on **Figure 1**) will be used as backfill in place. Stockpiles of soil designated for reuse and disposal will be separated and clearly marked.

Volumes of disturbed soil within infrastructure areas were estimated based depth of utility or building foundations and a four-foot approximate horizontal buffer from the edge of infrastructure. Volume of disturbed soil within the berm areas was calculated using the grade lines in the 2024 EA Engineering 100% design drawings showing horizontal and vertical extent of the berms. The anticipated total quantity of soil to be disturbed is an estimated 35,450 tons. Due to the results of the PFAS pre-characterization soil sampling conducted, an estimated 24,000 tons of PFAS-impacted soil will be excavated and removed from the site, 7,350 tons of soil from the berm areas will be excavated and reused across the site, and 4,100 tons of soil within infrastructure areas will be excavated and reused in place.

4.0 References

CDM Smith, 2026. Sampling and Analysis Work Plan, Demolition of Defense Fuel Support Point, Verona, New York. May 2026.

Figures

© 2026 CDM SMITH ALL RIGHTS RESERVED.
REUSE OF DOCUMENTS: THESE DOCUMENTS AND DESIGNS PROVIDED BY PROFESSIONAL SERVICE, INCORPORATED HEREIN, ARE THE PROPERTY OF CDM SMITH AND ARE NOT TO BE USED, IN WHOLE OR PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF CDM SMITH.

1" = 40'
20 0 40

N

NOTES:

1. BASE PLAN SOURCED FROM FEBRUARY 2024 EA ENGINEERING 100% DESIGN DRAWINGS, DFSP DECONSTRUCTION DESIGN, VERONA.
2. SAMPLING LOCATIONS ARE APPROXIMATE.
3. BOUNDARIES OF EXCAVATION AREAS ARE APPROXIMATE.
4. EXCAVATED SOILS WITHIN THE PFAS-IMPACTED AREA WILL BE DISPOSED OF OFFSITE.

LEGEND:

- FIRST SAMPLING EVENT - MAY 2025
- SECOND SAMPLING EVENT - SEPTEMBER 2025
- PROPOSED EXCAVATION AREA
- PFAS-IMPACTED AREA
- SOILS FOR REUSE THROUGHOUT SITE
- SOILS FOR REUSE IN PLACE

CDM Smith

Figure 1
PFAS SOIL DISPOSAL VS. REUSE PLAN
April 2026

Appendix A PFAS Analysis Results Table

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 1		Tank Berm 2		Tank Berm 3		Tank Berm 4		Tank Berm 5	
Sample ID				TB-1		TB-2		TB-3		TB-4		TB-5	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				6/2/2025		5/21/2025		5/21/2025		5/21/2025		5/21/2025	
Laboratory Package				R2506318		R2506112		R2506112		R2506112		R2506112	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	**19**		**0.84**		0.10	U	0.10	U	0.099	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	**5.5**		**0.033**	**J**	0.10	U	0.10	U	0.099	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	**0.33**	**J**	1.0	U	1.0	U	1.0	U	0.99	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	**0.86**	**J**	1.0	U	1.0	U	1.0	U	0.99	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	**0.19**		0.10	U	**0.11**		**0.099**	**J**	**0.026**	**J**
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.099*	*U*	**0.026**	**J**	**0.10**		**0.030**	**J**	*0.099*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	**0.043**	**J**
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	**0.65**		**0.029**	**J**	**0.24**		**0.030**	**J**	**0.056**	**J**
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	**0.070**	**J**	0.10	U	**0.041**	**J**	0.10	U	**0.029**	**J**
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	**0.60**		0.10	U	**0.16**		**0.078**	**J**	**0.037**	**J**
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	**0.068**	**J**	0.10	U	0.10	U	0.10	U	0.099	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	**0.34**		0.10	U	**0.42**		0.10	U	**0.026**	**J**
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	**0.028**	**J**	0.10	U	0.10	U	0.10	U	0.099	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**4.9**		**0.076**	**J**	**1.7**		**0.063**	**J**	**0.46**	
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.96**		**0.034**	**J**	**0.33**		**0.026**	**J**	**0.058**	**J**
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	**0.73**		**0.027**	**J**	**0.27**		**0.11**		**0.029**	**J**
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	**0.076**	**J**	0.10	U	0.10	U	0.10	U	0.099	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	**0.030**	**J**	0.10	U	**0.026**	**J**	0.10	U	0.099	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 6		Tank Berm 7		Tank Berm 8		Tank Berm 9		Tank Berm 10	
Sample ID				TB-6		TB-7		TB-8		TB-9		TB-10	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				5/21/2025		6/2/2025		6/2/2025		6/2/2025		6/2/2025	
Laboratory Package				R2506112		R2506318		R2506318		R2506318		R2506318	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.99	U	1.0	U	1.0	U	1.0	U	0.99	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.99	U	1.0	U	1.0	U	1.0	U	0.99	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	**0.057**	**J**	**0.065**	**J**	**0.12**		**0.044**	**J**	**0.084**	**J**
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	**0.16**		**0.46**		*0.10*	*U*	**0.065**	**J**	**0.026**	**J**
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.099	U	**0.036**	**J**	0.10	U	0.10	U	0.099	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	**0.095**	**J**	**0.10**	**J**	**0.12**		**0.060**	**J**	**0.10**	
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	**0.075**	**J**
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	**0.064**	**J**	**0.082**	**J**	**0.22**		**0.050**	**J**	**0.19**	
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	**0.25**		**0.12**		**0.14**		**0.049**	**J**	**0.053**	**J**
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.53**		**0.35**		**0.15**		**0.16**		**0.17**	
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.13**		**0.075**	**J**	**0.20**		**0.053**	**J**	**0.13**	
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	**0.041**	**J**	**0.089**	**J**	**0.31**		**0.053**	**J**	**0.30**	
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	**0.070**	**J**
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.099	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	**0.029**	**J**	**0.092**	**J**	0.10	U	**0.051**	**J**	0.099	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 11		Tank Berm 12		Tank Berm 1-E		Tank Berm 1-E		Tank Berm 1-E	
Sample ID				TB-11		TB-12		TB1-N1		TB1-N2		TB1-N3	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				5/21/2025		5/21/2025		9/30/2025		9/30/2025		9/30/2025	
Laboratory Package				R2506112		R2506112		410-244736		410-244736		410-244736	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.099	U	0.10	U	0.25	U	0.25	U	0.24	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.099	U	0.10	U	0.25	U	0.25	U	0.24	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.99	U	1.0	U	0.12	U	0.62	U	0.60	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.99	U	1.0	U	0.12	U	0.62	U	0.60	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.099	U	0.10	U	0.12	U	0.12	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	**0.042**	**J**	**0.14**		0.25	U	0.25	U	0.24	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.099	U	0.10	U	0.12	U	0.12	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	**0.10**		**0.088**	**J**	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.099	U	0.10	U	0.12	U	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.099	U	0.10	U	0.12	U	0.12	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	**0.074**	**J**	**0.23**		**0.14**	**J**	**0.12**	**J**	**0.12**	**J**
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.099	U	**0.032**	**J**	0.12	U	0.12	U	0.12	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	**0.045**	**J**	**0.16**		0.12	U	**0.17**	**J**	**0.15**	**J**
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.099	U	0.10	U	0.12	U	0.12	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	**0.12**		**0.31**		0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.099	U	0.10	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.27**		**0.27**		**0.47**		**0.13**	**J**	**0.17**	**J**
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.076**	**J**	**0.49**		**0.40**		**0.13**	**J**	**0.13**	**J**
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.099	U	0.10	U	0.12	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	**0.031**	**J**	**0.30**		**0.17**	**J**	**0.18**	**J**	**0.19**	
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.099	U	**0.031**	**J**	0.62	U	0.62	U	0.60	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.099	U	0.10	U	0.12	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.099	U	0.10	U	0.12	U	0.12	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 1-E		Tank Berm 1-E		Tank Berm 1-E		Tank Berm 1-E		Tank Berm 1-E	
Sample ID				TB1-N4		TB1-N5		TB1-N6		TB1-N7		TB1-N8	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				9/30/2025		9/30/2025		9/30/2025		9/30/2025		9/30/2025	
Laboratory Package				410-244736		410-244736		410-244736		410-244736		410-244736	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.24	U	0.25	U	0.24	U	**0.28**	**J**	0.25	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.24	U	0.25	U	0.24	U	0.25	U	0.25	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.60	U	0.62	U	0.60	U	0.61	U	0.62	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.60	U	0.62	U	0.60	U	**1.0**		0.62	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.24	U	0.25	U	**0.11**	**J**	0.25	U	0.25	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	**0.063**	**J**	*0.12*	*U*	**0.089**	**J**	**0.13**	**J**	**0.11**	**J**
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.24	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.12	U	0.12	U	0.12	U	**0.13**	**J**	0.12	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	0.12	U	0.12	U	**0.15**	**J**	**0.15**	**J**	**0.10**	**J**
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.30**		**0.14**	**J**	**0.27**		**0.24**		**0.20**	
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.071**	**J**	*0.12*	*U*	**0.10**	**J**	**0.11**	**J**	**0.069**	**J**
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.12	U	0.12	U	**0.17**	**J**	**0.17**	**J**	**0.13**	**J**
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.60	U	0.62	U	0.60	U	0.61	U	0.62	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.24	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	**0.11**	**J**	0.12	U	0.12	U	**0.14**	**J**	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 1-I		Tank Berm 1-I		Tank Berm 1-I		Tank Berm 1-I		Tank Berm 2-E	
Sample ID				TB1-S1		TB1-S2		TB1-S3		Duplicate 03-09292025		TB2-N1	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				9/29/2025		9/29/2025		9/29/2025		9/29/2025		9/30/2025	
Laboratory Package				410-244492		410-244492		410-244492		410-244492		410-244736	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.25	U	0.25	U	0.25	U	0.25	U	0.24	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.25	U	0.25	U	0.25	U	0.25	U	0.24	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.63	U	0.62	U	0.63	U	0.62	U	0.60	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.63	U	0.62	U	0.63	U	0.62	U	0.60	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.13	U	0.12	U	0.13	U	0.12	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.25	U	**0.29**	**J**	**0.11**	**J**	0.25	U	**0.13**	**J**
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.13	U	0.12	U	0.13	U	0.12	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.13*	*U*	*0.12*	*U*	*0.13*	*U*	*0.12*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.13	U	0.12	U	0.13	U	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.13	U	0.12	U	0.13	U	0.12	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.13	U	**0.44**		**0.12**	**J**	**0.15**	**J**	**0.15**	**J**
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.13	U	0.12	U	0.13	U	0.12	U	0.12	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	0.13	U	**0.40**		**0.45**		**0.17**	**J**	**0.12**	**J**
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.13	U	0.12	U	0.13	U	0.12	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.13	U	0.12	U	0.13	U	0.12	U	**0.14**	**J**
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.13	U	0.12	U	0.13	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	0.13	U	**0.15**	**J**	0.13	U	**0.17**	**J**	**1.0**	
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	*0.13*	*U*	**0.95**		*0.13*	*U*	**0.30**		**0.21**	
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.13	U	0.12	U	0.13	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.13	U	**0.79**		**0.46**		**0.20**		**0.15**	**J**
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.63	U	0.62	U	0.63	U	0.62	U	0.60	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.13	U	0.12	U	0.13	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.13	U	0.12	U	0.13	U	0.12	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 2-E		Tank Berm 2-E		Tank Berm 2-E		Tank Berm 2-E	
Sample ID				TB2-N2		TB2-N3		TB2-N4		Duplicate-04-09302025	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2	
Sample Date				9/30/2025		9/30/2025		9/30/2025		9/30/2025	
Laboratory Package				410-244736		410-244736		410-244736		410-244736	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units								
Per- and polyfluoroalkyl substances (PFAS) by Method 1633											
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.24	U	0.25	U	0.25	U	0.24	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.24	U	0.25	U	0.25	U	0.24	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.61	U	0.61	U	0.62	U	0.61	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.61	U	0.61	U	0.62	U	0.61	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.24	U	**0.11**	**J**	0.25	U	**0.11**	**J**
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	**0.072**	**J**	**0.089**	**J**	*0.12*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	**0.10**	**J**	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.12	U	**0.12**	**J**	**0.15**	**J**	**0.18**	**J**
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	0.12	U	**0.10**	**J**	0.12	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	**0.11**	**J**	0.12	U	**0.13**	**J**	**0.17**	**J**
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**1.0**		**0.22**		**0.63**		**0.60**	
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.11**	**J**	**0.12**	**J**	**0.42**		**0.48**	
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	**0.13**	**J**	**0.15**	**J**	**0.17**	**J**	1.2	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.61	U	0.61	U	0.62	U	6.1	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	**0.11**	**J**	**0.16**	**J**	0.12	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 2-E		Tank Berm 2-E		Tank Berm 2-E		Tank Berm 2-I		Tank Berm 2-I	
Sample ID				TB2-N5		TB2-N6		TB2-N7		TB2-S1		TB2-S2	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				9/30/2025		9/30/2025		9/30/2025		10/1/2025		10/1/2025	
Laboratory Package				410-244736		410-244736		410-244736		410-245008		410-245008	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.25	U	0.25	U	0.25	U	0.24	U	0.24	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.25	U	0.25	U	0.25	U	0.24	U	0.24	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.62	U	0.62	U	0.62	U	0.61	U	0.60	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.62	U	0.62	U	0.62	U	0.61	U	0.60	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	**0.12**	**J**	**0.10**	**J**	0.25	U	0.24	U	0.24	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	1.2	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.12*	*U*	*0.12*	*U*	**0.11**	**J**	*0.12*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	1.2	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	**0.20**		**0.15**	**J**	0.12	U	0.12	U	0.12	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	**0.29**		**0.24**		0.12	U	0.12	U	0.12	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	1.2	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.12**	**J**	0.12	U	**0.24**		0.12	U	*1.2*	*U*
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.29**		**0.19**	**J**	**0.063**	**J**	*0.12*	*U*	*0.12*	*U*
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	**0.32**		**0.31**		0.12	U	1.2	U	1.2	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.62	U	0.62	U	0.62	U	6.1	U	6.0	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.12	U	0.12	U	**0.13**	**J**	0.12	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 2-I		Tank Berm 3-E		Tank Berm 3-E		Tank Berm 3-E		Tank Berm 3-I	
Sample ID				TB2-S3		TB3-E1		TB3-E2		TB3-E3		TB3-W1	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				10/1/2025		9/30/2025		9/30/2025		10/1/2025		10/1/2025	
Laboratory Package				410-245008		410-244736		410-244736		410-245008		410-245008	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	**0.82**		**0.44**		0.24	U	0.24	U	**1.1**	
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.24	U	0.25	U	0.24	U	0.24	U	**0.29**	**J**
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.60	U	0.61	U	0.61	U	0.61	U	0.62	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.60	U	**0.76**	**J**	0.61	U	0.61	U	**1.5**	
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.24	U	0.25	U	0.24	U	0.24	U	0.25	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.12*	*U*	*0.12*	*U*	**0.070**	**J**	*0.12*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	**0.12**	**J**	0.12	U	**0.16**	**J**	0.12	U	**0.29**	
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	**0.14**	**J**	0.12	U	**0.14**	**J**	0.12	U	**0.15**	**J**
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.12	U	0.12	U	**0.18**	**J**	**0.11**	**J**	**0.10**	**J**
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.19**		**0.26**		**0.67**		**0.28**		**0.13**	**J**
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.10**	**J**	*0.12*	*U*	**0.14**	**J**	**0.068**	**J**	**0.17**	**J**
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	1.2	U	0.12	U	**0.19**		0.12	U	**0.16**	**J**
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	6.0	U	0.61	U	0.61	U	0.61	U	0.62	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.12	U	**0.12**	**J**	0.12	U	0.12	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 3-I		Tank Berm 3-I		Tank Berm 4-E		Tank Berm 4-E		Tank Berm 4-I	
Sample ID				TB3-W2		TB3-W3		TB4-E1		TB4-E2		TB4-W1	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				10/1/2025		10/1/2025		10/1/2025		10/1/2025		10/1/2025	
Laboratory Package				410-245008		410-245008		410-245008		410-245008		410-245008	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.24	U	0.25	U	0.25	U	0.24	U	0.25	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.24	U	0.25	U	0.25	U	0.24	U	0.25	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.60	U	0.61	U	0.62	U	0.60	U	0.62	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.60	U	0.61	U	0.62	U	0.60	U	0.62	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	**0.10**	**J**	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.24	U	0.25	U	0.25	U	0.24	U	**0.18**	**J**
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	0.12	U	**0.24**		0.12	U	**0.52**	
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	0.12	U	0.12	U	**0.11**	**J**	0.12	U	0.12	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	**0.33**	
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.38**		**0.21**		**1.7**		**0.34**		**4.7**	
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	*0.12*	*U*	*0.12*	*U*	**0.061**	**J**	**0.087**	**J**	**0.27**	
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	**0.15**	**J**
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	**14**		0.61	U	0.62	U	0.60	U	0.62	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 4-I		Tank Berm 5-E		Tank Berm 5-E		Tank Berm 5-I		Tank Berm 5-I	
Sample ID				TB4-W2		TB5-S1		TB5-S2		TB5-N1		TB5-N2	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				10/1/2025		10/1/2025		10/1/2025		10/1/2025		10/1/2025	
Laboratory Package				410-245008		410-245008		410-245008		410-245008		410-245008	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.24	U	0.24	U	0.24	U	0.24	U	0.24	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.24	U	0.24	U	0.24	U	0.24	U	0.24	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.60	U	0.61	U	0.60	U	0.60	U	0.61	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.60	U	0.61	U	0.60	U	0.60	U	0.61	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.24	U	0.24	U	0.24	U	0.24	U	0.24	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	**0.48**		0.12	U	0.12	U	**0.11**	**J**	0.12	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	**0.34**		0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**3.3**		**0.40**		0.12	U	**0.31**		0.12	U
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.22**		**0.088**	**J**	*0.12*	*U*	**0.10**	**J**	*0.12*	*U*
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	**0.11**	**J**	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.60	U	0.61	U	0.60	U	0.60	U	0.61	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 6-E		Tank Berm 6-E		Tank Berm 6-I		Tank Berm 6-I	
Sample ID				TB6-S1		TB6-S2		TB6-N1		TB6-N2	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2	
Sample Date				10/2/2025		10/2/2025		10/2/2025		10/2/2025	
Laboratory Package				410-245608		410-245608		410-245608		410-245608	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units								
Per- and polyfluoroalkyl substances (PFAS) by Method 1633											
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.24	U	0.24	U	0.25	U	0.25	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.24	U	0.24	U	0.25	U	0.25	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.60	U	0.60	U	0.61	U	0.62	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.60	U	0.60	U	0.61	U	0.62	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.24	U	0.24	U	0.25	U	0.25	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	**0.26**		*0.12*	*U*	*0.12*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.12	U	0.12	U	**0.099**	**J**	0.12	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	0.12	U	0.12	U	**0.11**	**J**
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	0.12	U	**0.12**	**J**	**0.11**	**J**	0.12	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	**0.17**	**J**	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.26**		0.12	U	**0.13**	**J**	**1.3**	
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.089**	**J**	**0.076**	**J**	**0.33**		**0.11**	**J**
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.12	U	**0.14**	**J**	0.12	U	0.12	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.60	U	0.60	U	0.61	U	0.62	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 6-I		Tank Berm 7-E		Tank Berm 7-E		Tank Berm 7-I		Tank Berm 7-I	
Sample ID				Duplicate-06-10022025		TB7-W1		TB7-W2		TB7-E1		TB7-E2	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				10/2/2025		10/2/2025		10/2/2025		10/2/2025		10/2/2025	
Laboratory Package				410-245608		410-245608		410-245608		410-245608		410-245608	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.25	U	0.25	U	0.24	U	0.25	U	0.25	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.25	U	0.25	U	0.24	U	0.25	U	0.25	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.62	U	0.62	U	0.61	U	0.62	U	0.62	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.62	U	0.62	U	0.61	U	0.62	U	0.62	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.25	U	0.25	U	0.24	U	0.25	U	0.25	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.12*	*U*	**0.059**	**J**	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.91**		**0.20**		0.12	U	**0.13**	**J**	0.12	U
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.089**	**J**	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	**0.068**	**J**
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.62	U	0.62	U	0.61	U	0.62	U	0.62	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 8-E		Tank Berm 8-E		Tank Berm 8-E		Tank Berm 8-I		Tank Berm 8-I	
Sample ID				TB8-W1		TB8-W2		TB8-W3		TB8-E1		TB8-E2	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				9/30/2025		9/30/2025		9/29/2025		9/29/2025		9/29/2025	
Laboratory Package				410-244736		410-244736		410-244492		410-244492		410-244492	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.24	U	0.24	U	0.25	U	0.25	U	0.25	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.24	U	0.24	U	0.25	U	0.25	U	0.25	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.60	U	0.60	U	0.62	U	0.62	U	0.62	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.60	U	0.60	U	0.62	U	0.62	U	0.62	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.24	U	0.24	U	0.25	U	**0.11**	**J**	0.25	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.12	U	0.12	U	**0.17**	**J**	**0.22**		0.12	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	0.12	U	0.12	U	**0.14**	**J**	0.12	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	0.12	U	0.12	U	0.12	U	**0.74**		0.12	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	**0.14**	**J**	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.18**	**J**	0.12	U	0.12	U	**0.12**	**J**	0.12	U
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.13**	**J**	**0.093**	**J**	**0.53**		*0.12*	*U*	*0.12*	*U*
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	**0.78**		0.12	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.60	U	0.60	U	0.62	U	0.62	U	0.62	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 9-TI		Tank Berm 9-TI		Tank Berm 9-TI		Tank Berm 9-T2		Tank Berm 9-T2	
Sample ID				TB9-N1		TB9-N2		TB9-N3		TB9-S1		TB9-S2	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				9/29/2025		9/29/2025		9/29/2025		9/29/2025		9/29/2025	
Laboratory Package				410-244492		410-244492		410-244492		410-244492		410-244492	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.62	U	0.62	U	0.62	U	0.62	U	0.63	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.62	U	0.62	U	0.62	U	0.62	U	0.63	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.13	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.25	U	0.25	U	0.25	U	0.25	U	**0.12**	**J**
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.13	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.13*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.13	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.13	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	**0.15**	**J**
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.13	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	0.12	U	**0.13**	**J**	**0.31**		0.12	U	**0.35**	
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.13	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.13	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.13	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**1.7**		**0.23**		0.12	U	0.12	U	0.13	U
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	**0.13**	**J**
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.13	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.12	U	**0.13**	**J**	**0.22**		0.12	U	**0.30**	
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.62	U	0.62	U	0.62	U	0.62	U	0.63	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.13	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.13	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 9-T2		Tank Berm 10-T1		Tank Berm 10-T1		Tank Berm 10-T1		Tank Berm 10-T4	
Sample ID				TB9-S3		TB10-W1		TB10-W2		TB10-W3		TB10-E1	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				9/29/2025		9/29/2025		9/29/2025		9/29/2025		10/1/2025	
Laboratory Package				410-244492		410-244492		410-244492		410-244492		410-245008	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.62	U	0.62	U	0.62	U	0.62	U	0.62	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.62	U	0.62	U	0.62	U	0.62	U	0.62	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.25	U	0.25	U	0.25	U	0.25	U	0.25	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	**0.12**	**J**	**0.18**	**J**	0.12	U	0.12	U	0.12	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	**0.16**	**J**	**0.26**		0.12	U	0.12	U	0.12	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	**0.12**	**J**
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	0.12	U	**0.12**	**J**	**0.13**	**J**	0.12	U	**0.17**	**J**
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.21**		**0.48**		*0.12*	*U*	*0.12*	*U*	**0.14**	**J**
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	**0.16**	**J**	**0.35**		**0.11**	**J**	0.12	U	0.12	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.62	U	0.62	U	0.62	U	0.62	U	0.62	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 10-T4		Tank Berm 10-T4		Tank Berm 11-T3		Tank Berm 11-T3		Tank Berm 11-T3	
Sample ID				TB10-E2		TB10-E3		TB11-S1		TB11-S2		TB11-S3	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				10/1/2025		10/1/2025		10/2/2025		10/2/2025		10/2/2025	
Laboratory Package				410-245008		410-245008		410-245608		410-245608		410-245608	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.24	U	0.25	U	0.24	U	0.25	U	0.25	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.24	U	0.25	U	0.24	U	0.25	U	0.25	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.60	U	0.62	U	0.60	U	0.63	U	0.62	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.60	U	0.62	U	0.60	U	0.63	U	0.62	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	0.13	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.24	U	0.25	U	0.24	U	0.25	U	0.25	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.13	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.13*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.13	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.13	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.13	U	0.12	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	0.12	U	0.12	U	0.13	U	0.12	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	0.12	U	0.12	U	0.12	U	0.13	U	0.12	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.13	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.12	U	0.12	U	0.12	U	0.13	U	0.12	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.13	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	0.12	U	0.12	U	0.12	U	**0.15**	**J**	**0.16**	**J**
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	*0.12*	*U*	**0.068**	**J**	*0.12*	*U*	*0.13*	*U*	**0.18**	**J**
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.13	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.12	U	**0.16**	**J**	0.12	U	0.13	U	0.12	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.60	U	0.62	U	0.60	U	0.63	U	0.62	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.13	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.13	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 11-T3		Tank Berm 11-T4		Tank Berm 11-T4		Tank Berm 11-T4		Tank Berm 11-T4	
Sample ID				TB11-S4		TB11-N1		TB11-N2		TB11-N3		Duplicate-05-10012925	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				10/2/2025		10/1/2025		10/1/2025		10/1/2025		10/1/2025	
Laboratory Package				410-245608		410-245008		410-245008		410-245008		410-245008	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.25	U	0.25	U	0.24	U	0.24	U	0.24	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.25	U	0.25	U	0.24	U	0.24	U	0.24	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.61	U	0.62	U	0.61	U	0.60	U	0.60	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.61	U	0.62	U	0.61	U	0.60	U	0.60	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.25	U	0.25	U	0.24	U	0.24	U	0.24	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.12	U	**0.22**		0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.39**		**0.29**		0.12	U	0.12	U	0.12	U
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.14**	**J**	**0.14**	**J**	*0.12*	*U*	*0.12*	*U*	*0.12*	*U*
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.12	U	**0.11**	**J**	0.12	U	0.12	U	0.12	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.61	U	0.62	U	0.61	U	0.60	U	0.60	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 11-T4		Tank Berm 12-T2		Tank Berm 12-T2		Tank Berm 12-T2		Tank Berm 12-T3	
Sample ID				TB11-N4		TB12-W1		TB12-W2		TB12-W3		TB12-E1	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				10/1/2025		10/2/2025		10/2/2025		10/2/2025		10/2/2025	
Laboratory Package				410-245008		410-245608		410-245608		410-245608		410-245608	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.25	U	0.24	U	0.24	U	**0.22**	**J**	0.24	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.25	U	0.24	U	0.24	U	**0.25**	**J**	0.24	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.62	U	0.60	U	0.60	U	0.60	U	0.60	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.62	U	0.60	U	0.60	U	0.60	U	0.60	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.25	U	0.24	U	0.24	U	**0.18**	**J**	0.24	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.12*	*U*	*0.12*	*U*	**0.096**	**J**	*0.12*	*U*	*0.12*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.12	U	0.12	U	**0.16**	**J**	**0.096**	**J**	0.12	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	0.12	U	0.12	U	**0.25**		0.12	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	0.12	U	0.12	U	**0.097**	**J**	**0.45**		0.12	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.12	U	0.12	U	**0.24**		0.12	U	0.12	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.12**	**J**	0.12	U	**0.18**	**J**	**3.9**		**0.11**	**J**
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	*0.12*	*U*	*0.12*	*U*	**0.18**	**J**	**0.28**		**0.11**	**J**
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.12	U	0.12	U	0.12	U	**0.22**		0.12	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.62	U	0.60	U	0.60	U	**0.51**	**J**	0.60	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.12	U	0.12	U	0.12	U	0.12	U	0.12	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Tank Berm 12-T3		Tank Berm 12-T3		Containment Area-1		Containment Area-2		Containment Area-3	
Sample ID				TB12-E2		TB12-E3		CA-1		CA-2		CA-3	
Sample Depth BGS (feet)				0-2		0-2		0-2		0-2		0-2	
Sample Date				10/2/2025		10/2/2025		6/2/2025		6/2/2025		5/21/2025	
Laboratory Package				410-245608		410-245608		R2506318		R2506318		R2508112	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.24	U	0.25	U	**0.25**		**0.40**		**0.12**	
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.24	U	0.25	U	**6.2**		**0.096**	**J**	**0.098**	**J**
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.60	U	0.62	U	0.99	U	0.99	U	1.0	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.60	U	0.62	U	0.99	U	0.99	U	1.0	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.12	U	0.12	U	**0.028**	**J**	0.099	U	0.10	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.24	U	**0.13**	**J**	**0.046**	**J**	0.099	U	0.10	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.12	U	0.12	U	0.099	U	0.099	U	0.10	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	**0.099**	**J**	*0.12*	*U*	*0.099*	*U*	*0.099*	*U*	**0.026**	**J**
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.12	U	0.12	U	0.099	U	0.099	U	0.10	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.12	U	0.12	U	**0.063**	**J**	0.099	U	0.10	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.12	U	0.12	U	**0.23**		0.099	U	**0.026**	**J**
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.12	U	**0.16**	**J**	**0.48**		0.099	U	**0.059**	**J**
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	0.12	U	**0.22**		**0.68**		0.099	U	**0.033**	**J**
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.12	U	0.12	U	0.099	U	0.099	U	0.10	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.12	U	0.12	U	**0.041**	**J**	0.099	U	0.10	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.12	U	0.12	U	0.099	U	0.099	U	0.10	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.13**	**J**	**0.62**		**8.4**		**0.047**	**J**	**1.5**	
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	*0.12*	*U*	**0.14**	**J**	**0.17**		*0.099*	*U*	**0.027**	**J**
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.12	U	0.12	U	**0.041**	**J**	0.099	U	0.10	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.12	U	**0.13**	**J**	**0.48**		0.099	U	**0.026**	**J**
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.60	U	0.62	U	0.099	U	0.099	U	0.10	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.12	U	0.12	U	0.099	U	0.099	U	0.10	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.12	U	0.12	U	0.099	U	0.099	U	0.10	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Containment Area-4		Infrastructure-1		Infrastructure-1		Infrastructure-2		Infrastructure-2	
Sample ID				CA-4		INF-1-0-2		INF-1-3-5		INF-2-0-2		Duplicate-02-05232025	
Sample Depth BGS (feet)				0-2		0-2		3-5		0-2		0-2	
Sample Date				5/21/2025		5/23/2025		5/23/2025		5/23/2025		5/23/2025	
Laboratory Package				R2508112		R2506113		R2506113		R2506113		R2506113	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	**0.41**		0.10	U	0.10	U	0.099	U	0.10	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	**0.11**		0.10	U	0.10	U	0.099	U	0.10	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	1.0	U	1.0	U	1.0	U	0.99	U	1.0	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	1.0	U	1.0	U	1.0	U	0.99	U	1.0	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.10	U	0.10	U	0.10	U	**0.049**	**J**	**0.03**	**J**
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	**0.094**	**J**	**0.050**	**J**	0.10	U	**0.33**		**0.22**	
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.10	U	0.10	U	0.10	U	0.099	U	0.10	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	**0.028**	**J**	*0.10*	*U*	*0.10*	*U*	**0.045**	**J**	**0.035**	**J**
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.10	U	0.10	U	0.10	U	0.099	U	0.10	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.10	U	0.10	U	0.10	U	**0.14**		**0.11**	
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	**0.15**		0.10	U	0.10	U	**0.36**		**0.24**	
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	**0.075**	**J**	**0.11**		0.10	U	**2.1**		**1.4**	
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	**0.16**		**0.21**		0.10	U	**0.74**		**0.47**	
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.10	U	0.10	U	0.10	U	0.099	U	0.10	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	**0.091**	**J**	0.10	U	0.10	U	**0.14**		**0.084**	**J**
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.10	U	0.10	U	0.10	U	0.099	U	0.10	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**1.2**		0.10	U	**0.032**	**J**	**11**		**9.4**	
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.16**		*0.10*	*U*	*0.10*	*U*	**0.41**		**0.27**	
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.10	U	0.10	U	0.10	U	**0.074**	**J**	**0.05**	**J**
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	**0.33**		**0.18**		0.10	U	**0.86**		**0.53**	
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.10	U	**0.043**	**J**	0.10	U	**0.24**		**0.13**	
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.10	U	0.10	U	0.10	U	**0.031**	**J**	0.10	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.10	U	0.10	U	0.10	U	**0.038**	**J**	**0.032**	**J**

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Infrastructure-2		Infrastructure-3		Infrastructure-3		Infrastructure-4		Infrastructure-5	
Sample ID				INF-2-3-5		INF-3-0-2		INF-3-3-5		INF-4		INF-5	
Sample Depth BGS (feet)				3-5		0-2		3-5		3-5		3-5	
Sample Date				5/23/2025		5/23/2025		5/23/2025		6/11/2025		5/23/2025	
Laboratory Package				R2506113		R2506113		R2506113		R2506945		R2506113	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.099	U	0.099	U	0.10	U	0.10	U	0.10	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.099	U	0.099	U	0.10	U	0.10	U	0.10	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.99	U	0.99	U	1.0	U	0.10	U	1.0	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.99	U	0.99	U	1.0	U	0.10	U	1.0	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.099	U	0.099	U	0.10	U	0.10	U	0.10	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.099	U	**0.11**		0.10	U	0.10	U	0.10	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.099	U	0.099	U	0.10	U	0.10	U	0.10	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.099*	*U*	*0.099*	*U*	**0.048**	**J**	*0.10*	*U*	*0.10*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.099	U	0.099	U	0.10	U	0.10	U	0.10	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.099	U	0.099	U	0.10	U	0.10	U	0.10	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.099	U	**0.072**	**J**	0.10	U	0.10	U	0.10	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	**0.082**	**J**	**0.10**		0.10	U	**0.030**	**J**	**0.035**	**J**
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	**0.026**	**J**	**0.12**		0.10	U	0.10	U	0.10	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.099	U	0.099	U	0.10	U	0.10	U	0.10	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.099	U	**0.035**	**J**	0.10	U	0.10	U	0.10	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.099	U	0.099	U	0.10	U	0.10	U	0.10	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.59**		**0.42**		**0.38**		**0.37**		**0.13**	
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	*0.099*	*U*	**0.11**		*0.10*	*U*	*0.10*	*U*	*0.10*	*U*
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.099	U	0.099	U	0.10	U	0.10	U	0.10	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.099	U	**0.13**		0.10	U	0.10	U	0.10	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.099	U	**0.069**	**J**	0.10	U	0.10	U	0.10	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.099	U	0.099	U	0.10	U	0.10	U	0.10	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.099	U	0.099	U	0.10	U	0.10	U	0.10	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Infrastructure-6		Infrastructure-7		Infrastructure-8		Infrastructure-8		Infrastrucure-9	
Sample ID				INF-6		INF-7		INF-8-0-2		INF-8-3-5		INF-9-0-2	
Sample Depth BGS (feet)				3-5		3-5		0-2		3-5		0-2	
Sample Date				5/23/2025		5/22/2025		6/2/2025		6/2/2025		5/22/2025	
Laboratory Package				R2506113		R2506113		R2506318		R2506318		R2506113	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.10	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.10	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.99	U	1.0	U	1.0	U	1.0	U	1.0	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.99	U	1.0	U	1.0	U	1.0	U	1.0	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.10	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.099	U	**0.042**	**J**	**0.034**	**J**	**0.032**	**J**	0.10	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.099	U	**0.059**	**J**	0.10	U	0.10	U	0.10	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.099*	*U*	**0.051**	**J**	*0.10*	*U*	*0.10*	*U*	*0.10*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.10	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.10	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.099	U	**0.040**	**J**	0.10	U	**0.030**	**J**	0.10	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	**0.048**	**J**	**0.28**		**0.29**		**0.52**		0.10	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	0.099	U	**0.10**	**J**	**0.094**	**J**	**0.099**	**J**	0.10	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.10	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.099	U	**0.050**	**J**	0.10	U	0.10	U	0.10	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.10	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.080**	**J**	**5.1**		**0.91**		**3.1**		**0.18**	
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	*0.099*	*U*	**0.032**	**J**	**0.041**	**J**	**0.079**	**J**	*0.10*	*U*
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.099	U	0.10	U	0.10	U	**0.048**	**J**	0.10	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.099	U	**0.13**		**0.032**	**J**	**0.043**	**J**	0.10	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.10	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.10	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.10	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Infrastrucure-9		Infrastructure-10		Infrastructure-10		Infrastructure-10		Topsoil-1	
Sample ID				INF-9-3-5		INF-10-0-2		Duplicate-01-05232025		INF-10-3-5		TS-1	
Sample Depth BGS (feet)				3-5		0-2		0-2		3-5		0-0.5	
Sample Date				5/22/2025		5/23/2025		5/23/2025		5/23/2025		6/2/2025	
Laboratory Package				R2506113		R2506113		R2506113		R2506113		R2506318	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units										
Per- and polyfluoroalkyl substances (PFAS) by Method 1633													
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.098	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.098	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.99	U	1.0	U	1.0	U	1.0	U	0.98	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.99	U	1.0	U	1.0	U	1.0	U	0.98	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.098	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	**0.080**	**J**
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.098	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.099*	*U*	*0.10*	*U*	*0.10*	*U*	*0.10*	*U*	*0.098*	*U*
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.098	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.098	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	**0.040**	**J**
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.099	U	**0.048**	**J**	**0.046**	**J**	0.10	U	**0.36**	
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	**0.11**	
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.098	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	**0.028**	**J**
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.098	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**0.073**	**J**	**0.14**		**0.14**		**0.028**	**J**	**0.89**	
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	*0.099*	*U*	*0.10*	*U*	*0.10*	*U*	*0.10*	*U*	**0.083**	**J**
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	**0.033**	**J**
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	**0.086**	**J**
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	0.099	U	0.10	U	0.10	U	**0.045**	**J**	**0.11**	
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.098	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.10	U	0.098	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				Topsoil-2		Topsoil-3		Topsoil-4		N/A	
Sample ID				TS-2		TS-3		TS-4		Equipment Blank-01-05232025	
Sample Depth BGS (feet)				0-0.5		0-0.5		0-0.5		N/A	
Sample Date				6/2/2025		6/2/2025		6/2/2025		5/23/2025	
Laboratory Package				R2506318		R2506318		R2506318		R2506113	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units								
Per- and polyfluoroalkyl substances (PFAS) by Method 1633											
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	**0.028**	**J**	0.10	U	0.10	U	0.97	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	0.099	U	0.10	U	0.10	U	1.4	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	0.99	U	1.0	U	1.0	U	10	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	0.99	U	1.0	U	1.0	U	10	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	**0.12**		0.10	U	0.10	U	0.97	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	**0.10**		**0.15**		**0.31**		2.0	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.97	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	*0.099*	*U*	**0.028**	**J**	*0.10*	*U*	1.0	U
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	0.099	U	0.10	U	0.10	U	1.0	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	**0.092**	**J**	0.10	U	**0.034**	**J**	0.97	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	**0.071**	**J**	**0.092**	**J**	**0.12**		1.0	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	**3.0**		**0.22**		**0.95**		0.97	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	**0.26**		**0.12**		**0.41**		1.0	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.099	U	0.10	U	0.10	U	0.97	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	**0.038**	**J**	**0.094**	**J**	**0.054**	**J**	1.0	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	0.099	U	0.10	U	0.10	U	1.0	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	**2.7**		**0.96**		**2.0**		0.97	U
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	**0.19**		**0.21**		**0.16**		1.0	U
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	**0.43**		0.10	U	**0.036**	**J**	0.97	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	**0.11**		**0.11**		**0.55**		1.0	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	**0.11**		0.10	U	**0.14**		1.0	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	0.099	U	0.10	U	0.10	U	1.0	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	0.099	U	**0.033**	**J**	0.10	U	1.0	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				N/A		N/A		N/A	
Sample ID				Equipment Blank-02-05232025		Equipment Blank-03-09292025		Equipment Blank-04-0930-2025	
Sample Depth BGS (feet)				N/A		N/A		N/A	
Sample Date				5/23/2025		9/29/2025		9/30/2025	
Laboratory Package				R2506113		410-244492		410-244736	
Result/Qualifier				Result	Qual	Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units						
Per- and polyfluoroalkyl substances (PFAS) by Method 1633									
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	0.96	U	10	U	2.6	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	1.4	U	10	U	2.6	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	10	U	29	U	7.2	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	10	U	26	U	6.4	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	0.95	U	5.2	U	1.3	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	2.0	U	11	U	2.8	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	0.97	U	5.2	U	1.3	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	1.0	U	5.2	U	1.3	U
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	1.0	U	5.2	U	1.3	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	0.95	U	5.2	U	1.3	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	1.0	U	8.3	U	2.0	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	0.95	U	8.3	U	2.0	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	1.0	U	5.2	U	1.3	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	0.96	U	5.2	U	1.3	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	1.0	U	5.2	U	1.3	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	1.0	U	5.2	U	1.3	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	0.95	U	6.8	U	1.7	U
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	1.0	U	9.4	U	2.3	U
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	0.95	U	5.2	U	1.3	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	1.0	U	6.2	U	1.5	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	1.0	U	52	U	13	U
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	1.0	U	5.2	U	1.3	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	1.0	U	5.2	U	1.3	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

PFAS Sampling Results
Complete Demolition of DFSP Verona
Verona, New York

Location				N/A		N/A	
Sample ID				Equipment Blank-05-10012025		Equipment Blank-06-10022025	
Sample Depth BGS (feet)				N/A		N/A	
Sample Date				10/1/2025		10/2/2025	
Laboratory Package				410-245008		410-245608	
Result/Qualifier				Result	Qual	Result	Qual
Parameter	CAS RN	DoD Reuse Criteria	Units				
Per- and polyfluoroalkyl substances (PFAS) by Method 1633							
1H,1H,2H,2H-Perfluorodecane Sulfonate (8:2)	39108-34-4	NL	ug/kg	2.7	U	2.7	U
1H,1H,2H,2H-Perfluorooctane Sulfonate (6:2)	27619-97-2	NL	ug/kg	2.7	U	2.7	U
2H,2H,3H,3H-Perfluorooctanoic acid (5:3FTCA)	914637-49-3	NL	ug/kg	7.5	U	7.7	U
3-Perfluoroheptyl propanoic acid (7:3 FTCA)	812-70-4	NL	ug/kg	6.7	U	6.8	U
Perfluorobutanesulfonic Acid (PFBS)	375-73-5	1900	ug/kg	1.3	U	1.4	U
Perfluorobutanoic Acid (PFBA)	375-22-4	7800	ug/kg	2.9	U	3.0	U
Perfluorodecane Sulfonic Acid (PFDS)	335-77-3	NL	ug/kg	1.3	U	1.4	U
Perfluorodecanoic Acid (PFDA)	335-76-2	0.06	ug/kg	1.3	U	1.4	U
Perfluorododecanoic Acid (PFDoA)	307-55-1	NL	ug/kg	1.3	U	1.4	U
Perfluoroheptane Sulfonate (PFHpS)	375-92-8	NL	ug/kg	1.3	U	1.4	U
Perfluoroheptanoic Acid (PFHpA)	375-85-9	NL	ug/kg	2.1	U	2.2	U
Perfluorohexanesulfonic Acid (PFHxS)	355-46-4	130	ug/kg	2.1	U	2.2	U
Perfluorohexanoic Acid (PFHxA)	307-24-4	3200	ug/kg	1.3	U	1.4	U
Perfluorononanesulfonic Acid (PFNS)	68259-12-1	NL	ug/kg	1.3	U	1.4	U
Perfluorononanoic Acid (PFNA)	375-95-1	19	ug/kg	1.3	U	1.4	U
Perfluorooctane Sulfonamide (PFOSAm)	754-91-6	NL	ug/kg	1.3	U	1.4	U
Perfluorooctane Sulfonic Acid (PFOS)	1763-23-1	0.63	ug/kg	1.7	U	1.8	U
Perfluorooctanoic acid (PFOA)	335-67-1	0.07	ug/kg	2.4	U	2.5	U
Perfluoropentanesulfonic Acid (PFPeS)	2706-91-4	NL	ug/kg	1.3	U	1.4	U
Perfluoropentanoic Acid (PFPeA)	2706-90-3	NL	ug/kg	1.6	U	1.6	U
Perfluoropropionic Acid (PFPrA)	422-64-0	3900	ug/kg	13	U	-	-
Perfluorotetradecanoic Acid (PFTeA)	376-06-7	NL	ug/kg	1.3	U	1.4	U
Perfluoroundecanoic Acid (PFUnA)	2058-94-8	NL	ug/kg	1.3	U	1.4	U

Notes:
Bold values are detected above the method detection limit
Italicized values indicate reporting limits above the applicable criteria
Shaded cells exceed the DoD Reuse Limit
Equipment Blank in units of ng/L
J: Estimated concentration between the Method Detection Limit and Reporting Limit
U: Not detected above the given Reporting Limit

Appendix B PFAS Laboratory Analysis Reports