

February 3, 2023

Mr. Scott Deyette
Project Manager
New York State Department of Environmental Conservation
Division of Environmental Remediation, BURC
625 Broadway
Albany, New York 12233-7014

**RE: National Grid Former Manufactured Gas Plant Site
10 King Street, Ogdensburg, New York
Annual Groundwater Monitoring Report**

Dear Mr. Deyette:

Enclosed for your review is the Annual Groundwater Monitoring Report for the NG Ogdensburg MGP Site, for 2022.

Groundwater and Environmental Service, Inc., (GES) OM&M contractor for National Grid, conducts all long-term OM&M activities at the site. Quarterly site inspections were conducted in 2022 (January, April, July, and October). The site is generally in good shape and in compliance. There were detections of BTEX and/or PAHs in all thirteen monitoring wells sampled.

If you have any questions, then please feel free to contact me at 315.428.5652.

Very truly yours,



for SPS

Steven P. Stucker, C.P.G.
Lead Environmental Engineer
National Grid

Cc: Devin T. Shay – Groundwater and Environmental Services, Inc.

National Grid

Annual Groundwater Monitoring Report



National Grid Ogdensburg, Former MGP Site
10 King Street, Ogdensburg, NY 13669

February 2023

Version 1





Annual Groundwater Monitoring Report

National Grid Ogdensburg, Former MGP Site
10 King Street
Ogdensburg, NY 13669

Prepared for:
National Grid
300 Erie Boulevard West, C-1
Syracuse, NY 13202

Prepared by:
Groundwater & Environmental Services, Inc.
6780 Northern Boulevard, Suite 100
East Syracuse, NY 13057
TEL: 800-220-3069
www.gesonline.com

GES Project:
0603324.136690.221

Date:
February 3, 2023

A handwritten signature in black ink, appearing to read 'D. Shay', is positioned above a horizontal line.

Devin T. Shay, PG
Program Manager / Principal Hydrogeologist



Table of Contents

1	Introduction	1
2	Semi-Annual Groundwater Monitoring	1
2.1	Objectives	1
2.2	Groundwater Well Gauging	1
2.3	Groundwater Well Sampling and Analytical Results	2
3	Quarterly Site-Wide Inspections	3
4	Recommendations	3
4.1	Recommendations	3

Figures

Figure 1 – Site Map

Figure 2 – Groundwater Contour Map, April 14, 2022

Figure 3 – Groundwater Contour Map, October 20, 2022

Figure 4 – Groundwater Analytical Map, April 14, 2022

Figure 5 – Groundwater Analytical Map, October 20, 2022

Tables

Table 1 – Groundwater Monitoring Well Gauging Data

Table 2 – Groundwater Analytical Data

Appendices

Appendix A – Field Inspection Reports

Appendix B – Well Sampling Field Data

Appendix C – Data Usability Summary Report



1 Introduction

This Annual Groundwater Monitoring Report presents results from the activities conducted at the Ogdensburg former manufactured gas plant (MGP) site (the site) located in Ogdensburg, New York (the Site). A site map is presented on Figure 1. The work summarized herein has been conducted in accordance with the approved Site Management Plan (SMP) for the site, dated September 26, 2018.

A detailed discussion of the semi-annual monitoring activities and results is presented below.

2 Semi-Annual Groundwater Monitoring

2.1 Objectives

The objectives of the April and October 2022 groundwater monitoring activities were to:

- Obtain groundwater elevation data from monitoring wells in the vicinity of the site to evaluate groundwater flow direction and velocity, and compare the results with historical groundwater flow conditions.
- Obtain analytical data to assess potential changes in groundwater quality at the site and compare the results to the Class GA groundwater standards and guidance values presented in the New York State Department of Environmental Conservation (NYSDEC) document entitled, "Division of Water Technical and Operational Guidance Series (1.1.1) Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations" (TOGS 1.1.1), reissued June 1998 and addended April 2000 and June 2004.

2.2 Groundwater Well Gauging

The April 14, 2022 and October 20, 2022 groundwater monitoring field activities were conducted by GES. Prior to collecting groundwater samples, static fluid level measurements were collected from MW-2(R), MW-5R(R), MW-8R, MW-9, MW-10R, MW-11, MW-12R, MW-14R, MW-15, MW-15RS, MW-17R, MW-19R, and MW-20R. Water levels were measured to the nearest 0.01 foot using an electronic oil-water interface probe to determine the depth from a surveyed mark on the top of the inner polyvinyl chloride (PVC) well casing to the groundwater within the well.

The fluid level measurements obtained from each monitoring well were converted to groundwater elevations using the surveyed well elevations. The calculated groundwater elevations for each monitoring well are listed in Table 1. Table 1 also includes groundwater elevation measurements obtained during previous groundwater monitoring events. A shallow groundwater potentiometric surface contour map developed based on the groundwater elevation measurements taken on April 14, 2022 and October 20, 2022, is included on Figure 2 and Figure 3, respectfully.

Groundwater generally flows to the north from the Site toward the St. Lawrence River. Groundwater elevations ranged from 249.07 feet above sea level (asl; well MW-15) to 257.51 feet asl (well MW-5R(R)). Field data from the gauging event is presented in Appendix B.



2.3 Groundwater Well Sampling and Analytical Results

Groundwater samples were collected by GES from 13 monitoring wells on April 14, 2022 and October 20, 2022 (including MW-2(R), MW-5R(R), MW-8R, MW-9, MW-10R, MW-11, MW-12R, MW-14R, MW-15, MW-15RS, MW-17R, MW-19R, and MW-20R). Low-flow sampling techniques were used to purge groundwater from each monitoring well prior to collecting groundwater samples. Field parameters (consisting of turbidity, temperature, pH, conductivity, oxidation reduction potential [ORP], and dissolved oxygen) were measured approximately every 5 to 10 minutes during well purging, and the depth to water was monitored throughout the pumping process to minimize drawdown within the well. Well purging activities continued at each well until the field parameters stabilized and the turbidity of the water in the wells was reduced to less than 50 nephelometric turbidity units (NTUs). Groundwater field data is presented in Appendix B.

Following purging, groundwater samples were collected. The groundwater samples were bottled and shipped to Pace Analytical for laboratory analysis for Benzene, Toluene, Ethylbenzene, and total Xylenes (BTEX; EPA Method 8260C), Semi-Volatile Polycyclic Aromatic Hydrocarbons (PAHs; EPA Method 8270D), as well as total cyanide (EPA Method 9012B). Quality assurance/quality control (QA/QC) samples, including a field duplicate, matrix spike, and duplicate matrix spike were also submitted for laboratory analysis. The laboratory analytical results for the groundwater samples were reported using NYSDEC Analytical Services Protocol (ASP) Category B data deliverable packages to facilitate data validation. Note that analytical results for well MW-15 were not reported for the October 2022 sampling event, as the laboratory lost the sample.

Purge water generated during the sampling activities was collected in 5-gallon buckets and transferred into 55-gallon steel drums for characterization prior to offsite treatment/disposal in accordance with applicable regulations.

Analytical results from the laboratory analysis report are summarized in Table 2 and compared to the Class GA groundwater standards and guidance values presented in TOGS 1.1.1. VOC exceedances are bolded on Table 2 and further shown on Figures 4 and 5. The Data Usability Summary Report (DUSR) is included in Appendix C.

There were BTEX and/or PAH detections in all the monitoring wells sampled during the April and October 2022 sampling event. In April 2022, BTEX, acenaphthene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, indeno(1,2,3-cd)pyrene, and naphthalene were detected above the regulatory criteria in one or more samples. Cyanide was detected in monitoring wells MW-2(R), MW-5R(R), MW-8R, MW-9, MW-10R, MW-11, MW-12R, and MW-15RS during the April 2022 event. In October 2022, BTEX, acenaphthene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, and naphthalene were detected above the regulatory criteria in one or more samples. Cyanide was detected in monitoring wells MW-2(R), MW-5R(R), MW-8R, MW-9, MW-10R, MW-11, MW-12R, and MW-15RS in October 2022. As shown on Table 2, BTEX, PAHs and total cyanide detected in groundwater during the April and October 2022 sampling events are consistent with results from previous sampling events.



3 Quarterly Site-Wide Inspections

The quarterly site-wide inspections were conducted on January 20, April 14, July 20, and October 20, 2022. The Site Inspection Forms are presented in Appendix A. In general, the Site is in compliance.

4 Recommendations

4.1 Recommendations

At this time, National Grid recommends continuing the annual monitoring activities. The next annual groundwater sampling event would be in the spring 2023. Semi-Annual site-wide inspections are required; however, for internal security purposes, National Grid will continue to conduct quarterly site-wide inspections.





Figures

M:\Graphics\0600-Syracuse\Misc\National Grid\Ogdensburg SM.dwg, B100 SM(current), D.Hendricks

LEGEND

- PROPERTY BOUNDARY
- x - FENCE
- (M) UTILITY MANHOLE
- MONITORING WELL




Expanded Site Map	
National Grid 10 King Street Ogdensburg, New York	
Drawn D.H. Designed Approved	Date 01/19/23 Figure 1
 Scale In Feet 	
 Groundwater & Environmental Services, Inc.	

M:\Graphics\0600-Syracuse\Misc\National Grid\Ogdensburg SM.dwg, B100 SM(current), D.Hendricks

LEGEND

- PROPERTY BOUNDARY
- x — FENCE
- Ⓜ UTILITY MANHOLE
- ⊕ MONITORING WELL
- (257.29) GROUNDWATER ELEVATION (feet)
- ~ GROUNDWATER CONTOUR




Groundwater Contour Map April 14, 2022	
National Grid 10 King Street Ogdensburg, New York	
Drawn D.H. Designed Approved	Date 01/19/23 Figure 2
 Scale In Feet   Groundwater & Environmental Services, Inc.	

M:\Graphics\0600-Syracuse\Misc\National Grid\Ogdensburg SM.dwg, B100 SM(current), D.Hendricks

LEGEND

- PROPERTY BOUNDARY
- x - FENCE
- (M) UTILITY MANHOLE
- MONITORING WELL
- (257.29) GROUNDWATER ELEVATION (feet)
- ~ GROUNDWATER CONTOUR




Groundwater Contour Map October 20, 2022	
National Grid 10 King Street Ogdensburg, New York	
Drawn D.H.	Date 01/19/23
Designed	Figure 3
Approved	
 Scale In Feet Groundwater & Environmental Services, Inc.	

M:\Graphics\0600-Syracuse\Misc\National Grid\Ogdensburg SM.dwg, B100 SM(current), D.Hendricks

LEGEND

- PROPERTY BOUNDARY
- x — FENCE
- Ⓜ UTILITY MANHOLE
- MONITORING WELL
- | | |
|--------|------------------------------|
| MW2(R) | WELL IDENTIFICATION |
| 255.02 | GROUNDWATER ELEVATION (feet) |
| 81.4 | BTEX CONCENTRATION (ug/L) |
| 779 | PAHs CONCENTRATION (ug/L) |
| 4,900 | CYANIDE CONCENTRATION (ug/L) |
- ug/L MICROGRAMS PER LITER
- BTEX BENZENE, TOLUENE, ETHYLBENZENE, XYLENES
- PAHs POLYCYCLIC AROMATIC HYDROCARBONS
- ND NOT DETECTED



Groundwater Contour Map
April 14, 2022

National Grid
10 King Street
Ogdensburg, New York

Drawn D.H. Designed Approved	Date 01/19/23 Figure 4
---	---------------------------------


Scale In Feet

Groundwater & Environmental Services, Inc.

M:\Graphics\0600-Syracuse\Misc\National Grid\Ogdensburg SM.dwg, B100 SM(current), D.Hendricks

LEGEND

- PROPERTY BOUNDARY
 - x — FENCE
 - (M) UTILITY MANHOLE
 - MONITORING WELL
- | | |
|--------|------------------------------|
| MW2(R) | WELL IDENTIFICATION |
| 255.02 | GROUNDWATER ELEVATION (feet) |
| 81.4 | BTEX CONCENTRATION (ug/L) |
| 779 | PAHs CONCENTRATION (ug/L) |
| 4,900 | CYANIDE CONCENTRATION (ug/L) |
- ug/L MICROGRAMS PER LITER
- BTEX BENZENE, TOLUENE, ETHYLBENZENE, XYLENES
- PAHs POLYCYCLIC AROMATIC HYDROCARBONS
- ND NOT DETECTED
- NA NOT ANALYZED



Groundwater Monitoring Map
October 20, 2022

National Grid
10 King Street
Ogdensburg, New York

Drawn D.H.	 Scale In Feet   <small>Groundwater & Environmental Services, Inc.</small>	Date 01/19/23
Designed		Figure 5
Approved		



Tables

Table 1
Groundwater Monitoring Well Gauging Data

Well ID	Well Type & Diameter	Groundwater Elevation (07/14/20)	Depth To Water (10/01/20)	Groundwater Elevation (10/01/20)	Depth To Water (4/15/21)	Groundwater Elevation (4/15/21)	Depth To Water (10/20/21)	Groundwater Elevation (10/20/21)	Depth To Water (4/14/22)	Groundwater Elevation (4/14/22)	Depth To Water (10/20/22)	Groundwater Elevation (10/20/22)
MW-2(R)	Flushmount; PVC; 2-inch	254.38	3.92	255.28	2.69	256.51	4.18	255.02	1.26	257.94	2.72	256.48
MW-5R(R)	Flushmount; PVC; 2-inch	254.28	2.75	256.65	-0.04	259.44	2.11	257.29	0.00	259.40	1.89	257.51
MW-8R	Flushmount; PVC; 2-inch	253.86	2.20	255.18	2.29	255.09	2.56	254.82	1.62	255.76	1.75	255.63
MW-9	Flushmount; PVC; 2-inch	252.12	4.85	252.15	4.83	252.17	4.94	252.06	4.84	252.16	4.84	252.16
MW-10R	Flushmount; PVC; 2-inch	256.42	0.50	257.08	0.00	257.58	0.55	257.03	0.00	257.58	0.00	257.58
MW-11	Flushmount; PVC; 2-inch	255.45	3.49	255.58	2.99	256.08	3.73	255.34	2.16	256.91	3.31	255.76
MW-12R	Flushmount; PVC; 2-inch	250.47	9.34	251.45	7.22	253.57	9.19	251.60	5.48	255.31	8.73	252.06
MW-14R	Flushmount; PVC; 2-inch	253.66	0.00	256.13	0.00	256.13	0.00	256.13	0.00	256.13	0.00	256.13
MW-15	Flushmount; PVC; 2-inch	248.40	8.06	248.56	7.30	249.32	8.33	248.29	6.96	249.66	7.55	249.07
MW-15RS	Flushmount; PVC; 2-inch	250.41	8.40	249.34	7.72	250.02	8.50	249.24	7.80	249.94	8.25	249.49
MW-17R	Flushmount; PVC; 2-inch	255.81	7.16	256.13	6.84	256.45	7.29	256.00	5.95	257.34	6.88	256.41
MW-19R	Flushmount; PVC; 2-inch	249.18	4.32	251.20	3.55	251.97	4.00	251.52	2.58	252.94	3.30	252.22
MW-20R	Flushmount; PVC; 2-inch	250.48	0.00	251.86	0.50	251.36	0.20	251.66	0.00	251.86	0.00	251.86



Table 2
Groundwater Analytical Data
 MW-2(R)

	NYSDEC TOGS 1.1.1 Guidance Values	Units	09/23/14	10/20/17	07/14/20	10/01/20	04/15/21	10/20/21	04/14/22	10/20/22
BTEX										
Benzene	1	µg/L	61	120	55.4	44.3	49.1	45.2	38.4	63.4
Ethylbenzene	5	µg/L	ND	3	1.5	1.6	2.0	1.3	ND	2.7
Toluene	5	µg/L	29	44	22.4	19.4	23.1	17.8	18.4	29.3
Total Xylenes	5	µg/L	23	36	20.7	17.8	23.1	17.1	18.3	29.7
SVOCs										
Acenaphthene	20	µg/L	1.8 J	4 J	3.5	3.0	4.9	10.7	2.6	5.0
Acenaphthylene	--	µg/L	7.7	18	16.2	12.6	20.7	44.9	10.5	19.8
Anthracene	50	µg/L	1.7 J	3 J	2.6	1.8	2.2	6.7	1.1	2.1
Benzo(a)anthracene	0.002	µg/L	3.3	ND	0.13	0.37	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	2.8	ND	ND	0.38	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	3.5	ND	ND	0.50	ND	ND	ND	ND
Benzo(g,h,i)perylene	--	µg/L	1.6 J	ND	ND	0.23	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	1.4 J	ND	ND	0.17	ND	ND	ND	ND
Chrysene	0.002	µg/L	2.6	ND	ND	0.29	ND	ND	ND	ND
Dibenz(a,h)anthracene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	6.9	ND	1.2	1.3	0.98	2.9	0.49	1.5
Fluorene	50	µg/L	2.3	7	6.2	5.2	7.7	22.1	3.7	9.1
Indeno(1,2,3-cd)pyrene	0.002	µg/L	1.4 J	ND	ND	0.23	ND	ND	ND	ND
2-Methylnaphthalene	--	µg/L	5.8	20	17.9	17.1	22.5	50.1	15.4	20.8
Naphthalene	10	µg/L	120	270	210	270	327	622	257	234
Phenanthrene	50	µg/L	4.1	6	5.0	4.1	5.5	17.7	2.0	6.6
Pyrene	50	µg/L	5.4	ND	0.74	0.92	0.61	1.7	0.30	1.0
Inorganics										
Cyanide, Total	200	µg/L	900	530	240	4,100	390	4,900	330	680

Notes:

Results are presented in units of micrograms per liter (µg/L).

- E = Results exceeded calibration range
- D = Compound quantitated using a secondary dilution
- J = Analyte was detected at a concentration less than the laboratory reporting limit
- ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.
- Bolded** = values indicate exceedance of the NYSDEC AWQS



Table 2
Groundwater Analytical Data
 MW-5R(R)

	NYSDEC TOGS 1.1.1 Guidance Values	Units	09/22/14	10/20/17	07/14/20	10/01/20	04/15/21	10/20/21	04/14/22	10/20/22
BTEX										
Benzene	1	µg/L	130	440	392	354	144	231	98.7	308
Ethylbenzene	5	µg/L	7.0	26	27.3	24.3	11.6	16.8	4.9	16.8
Toluene	5	µg/L	3.0	70	82.6	65.0	21.8	25.5	3.9	9.4
Total Xylenes	5	µg/L	6.4	53	78.9	58.7	24.2	33.7	8.4	26.2
SVOCs										
Acenaphthene	20	µg/L	9.8	71	44.9	38.8	26.8	28.5	12.2	20.6
Acenaphthylene	--	µg/L	6.6	40	31.9	24.6	14.1	16.6	3.5	7.9
Anthracene	50	µg/L	0.50 J	8	4.9	3.1	0.85	2.0	ND	0.36
Benzo(a)anthracene	0.002	µg/L	ND	ND	0.11	ND	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	6	4.2	2.4	1.6	2.0	0.96	1.3
Fluorene	50	µg/L	4.7	48	28.4	23.8	18.5	21.6	9.1	12.9
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
2-Methylnaphthalene	--	µg/L	ND	6	10.3	7.9	3.9	4.3	0.76	0.77
Naphthalene	10	µg/L	4.1	210	248	315	86.6	110	4.7	51.9
Phenanthrene	50	µg/L	2.6	41	25.2	20.7	14.7	17.7	6.4	8.1
Pyrene	50	µg/L	ND	5	3.5	2.1	1.4	1.6	0.79	1.1
Inorganics										
Cyanide, Total	200	µg/L	10	55	55	49	17	34	11	34

Notes:

Results are presented in units of micrograms per liter (µg/L).

- E = Results exceeded calibration range
- D = Compound quantitated using a secondary dilution
- J = Analyte was detected at a concentration less than the laboratory reporting limit
- ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.
- Bolded** = values indicate exceedance of the NYSDEC AWQS



Table 2

Groundwater Analytical Data
 MW-8R

	NYSDEC TOGS 1.1.1 Guidance Values	Units	09/24/14	10/19/17	07/14/20	10/01/20	04/15/21	10/20/21	04/14/22	10/20/22
BTEX										
Benzene	1	µg/L	550	800	1,300	576	431	623	359	615
Ethylbenzene	5	µg/L	13	14	66.2	13.6	9.5	20.7	9.2	17.2
Toluene	5	µg/L	10	20	75.2	9.2	5.6	20.2	10.8	17.2
Total Xylenes	5	µg/L	19	27	132	18.0	12.5	32.6	16.1	26.2
SVOCs										
Acenaphthene	20	µg/L	5.6	10	16.2	7.6	8.2	12.6	7.5	8.5
Acenaphthylene	--	µg/L	6.7	10	23.4	5.4	3.3	12.9	4.9	7.9
Anthracene	50	µg/L	0.94 J	0.9	2.9	0.68	ND	1.5	0.44	0.61
Benzo(a)anthracene	0.002	µg/L	ND	ND	0.48	0.48	0.11	0.39	0.27	0.19
Benzo(a)pyrene	ND	µg/L	ND	ND	0.28	0.36	ND	0.22	0.16	0.12
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	0.31	0.38	ND	0.33	0.24	0.18
Benzo(g,h,i)perylene	--	µg/L	ND	ND	0.10	0.13	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	0.10	0.18	ND	0.28	0.22	0.16
Chrysene	0.002	µg/L	0.39 J	ND	0.28	0.32	ND	0.22	0.19	0.12
Dibenz(a,h)anthracene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	1.5 J	0.7	2.5	1.2	0.61	1.6	0.94	0.79
Fluorene	50	µg/L	4.40	7	15.6	4.5	4.6	10.1	5.1	6.1
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	0.10	0.14	ND	ND	ND	ND
2-Methylnaphthalene	--	µg/L	3.7	3	15.0	2.5	1.4	10.2	5.0	4.3
Naphthalene	10	µg/L	33	51	333	37.9	35.8	109	65.5	47.4
Phenanthrene	50	µg/L	2.7	2	9.2	1.7	1.3	4.0	1.8	2.0
Pyrene	50	µg/L	1.1 J	0.5	1.8	0.97	0.45	1.2	0.73	0.61
Inorganics										
Cyanide, Total	200	µg/L	59	320	54	58	26	17	22	120

Notes:

Results are presented in units of micrograms per liter (µg/L).

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS



Table 2
Groundwater Analytical Data
MW-9

	NYSDEC TOGS 1.1.1 Guidance Values	Units	09/24/14	10/19/17	07/14/20	10/01/20	04/15/21	10/20/21	04/14/22	10/20/22
BTEX										
Benzene	1	µg/L	280	340	283	228	165	259	155	378
Ethylbenzene	5	µg/L	120	140	112	107	65.3	111	79.2	146
Toluene	5	µg/L	170	85	50.8	16.3	9.6	21.3	24.1	108
Total Xylenes	5	µg/L	250	180	91.7	52.1	53.0	49.5	81.6	142
SVOCs										
Acenaphthene	20	µg/L	76	48	30.2	55.5	59.9	52.8	58.3	63.8
Acenaphthylene	--	µg/L	29	17	8.6	11.0	21.6	21.9	14.9	14.0
Anthracene	50	µg/L	11	8	2.6	11.4	7.3	19.7	5.6	9.3
Benzo(a)anthracene	0.002	µg/L	ND	2	0.21	5.80	2.5	18.5	2.8	4.8
Benzo(a)pyrene	ND	µg/L	ND	1	ND	4.4	1.6	12.7	1.7	2.8
Benzo(b)fluoranthene	0.002	µg/L	ND	1	ND	4.8	2.1	18.0	2.4	4.2
Benzo(g,h,i)perylene	--	µg/L	ND	0.4 J	ND	1.5	0.46	4.5	0.56	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	0.5 J	ND	1.8	2.0	15.4	2.2	3.7
Chrysene	0.002	µg/L	ND	1	0.13	4.30	1.8	11.2	2.0	3.3
Dibenz(a,h)anthracene	--	µg/L	ND	0.2 J	ND	0.46	0.21	1.6	0.22	ND
Fluoranthene	50	µg/L	6.0	8	2.2	19.2	8.7	37.4	9.0	16.5
Fluorene	50	µg/L	56	38	19.0	36.1	34.1	45.4	28.1	38.9
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	1	ND	1.5	0.49	4.3	0.58	ND
2-Methylnaphthalene	--	µg/L	14	1	ND	ND	ND	ND	ND	ND
Naphthalene	10	µg/L	450	72	18.1	9.1	51.2	10.3	20.0	28.1
Phenanthrene	50	µg/L	51	36	9.7	25.2	9.2	43.5	2.5	4.0
Pyrene	50	µg/L	3.5	5	1.2	12.7	6.1	28.1	6.2	11.8
Inorganics										
Cyanide, Total	200	µg/L	410	1,300	1,000	1,500	320	1,100	560	950

Notes:

Results are presented in units of micrograms per liter (µg/L).

- E = Results exceeded calibration range
- D = Compound quantitated using a secondary dilution
- J = Analyte was detected at a concentration less than the laboratory reporting limit
- ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.
- Bolded** = values indicate exceedance of the NYSDEC AWQS



Table 2
Groundwater Analytical Data
 MW-10R

	NYSDEC TOGS 1.1.1 Guidance Values	Units	09/23/14	10/19/17	07/14/20	10/01/20	04/15/21	10/20/21	04/14/22	10/20/22
BTEX										
Benzene	1	µg/L	1,700 J	1,400	1,360	1,540	1,040	1,790	220	1,760
Ethylbenzene	5	µg/L	25 J	100	122	124	94.3	138	101	139
Toluene	5	µg/L	3.1	94	230	201	171	197	174	222
Total Xylenes	5	µg/L	15	65	161	150	125	161	127	175
SVOCs										
Acenaphthene	20	µg/L	9.6	24	16.8	25.3	22.0	29.8	29.2	37.5
Acenaphthylene	--	µg/L	6.0	23	22.7	27.5	31.9	34.1	37.5	46.6
Anthracene	50	µg/L	ND	0.5	0.80	0.89	0.89	ND	0.78	ND
Benzo(a)anthracene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	0.11	0.11	ND	ND	0.096	ND
Fluorene	50	µg/L	3.9	11	8.1	11.4	9.7	13.2	10.5	16.2
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
2-Methylnaphthalene	--	µg/L	ND	1	3.6	4.8	6.4	7.4	11.0	6.4
Naphthalene	10	µg/L	20 J	140	296	486	405	653	449	431
Phenanthrene	50	µg/L	1.3 J	2	1.6	2.4	1.8	2.3	1.7	2.5
Pyrene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Inorganics										
Cyanide, Total	200	µg/L	420	190	63	62	74	61	150	110

Notes:

Results are presented in units of micrograms per liter (µg/L).

- E = Results exceeded calibration range
- D = Compound quantitated using a secondary dilution
- J = Analyte was detected at a concentration less than the laboratory reporting limit
- ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.
- Bolded** = values indicate exceedance of the NYSDEC AWQS



Table 2
Groundwater Analytical Data
 MW-11

	NYSDEC TOGS 1.1.1 Guidance Values	Units	09/25/14	10/18/17	07/14/20	10/01/20	04/15/21	10/20/21	04/14/22	10/20/22
BTEX										
Benzene	1	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Total Xylenes	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
SVOCs										
Acenaphthene	20	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Acenaphthylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Anthracene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)anthracene	0.002	µg/L	ND	ND	0.11	ND	ND	ND	0.11	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	0.14	ND	ND	ND	0.11	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	0.13	ND	0.12	ND	0.16	ND
Benzo(g,h,i)perylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	0.12	ND	0.15	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluorene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
2-Methylnaphthalene	--	µg/L	ND	ND	0.19	ND	ND	ND	ND	ND
Naphthalene	10	µg/L	ND	ND	0.87	0.36	0.18	ND	0.32	0.13
Phenanthrene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Pyrene	50	µg/L	ND	ND	ND	ND	ND	ND	0.099	ND
Inorganics										
Cyanide, Total	200	µg/L	250	310	160	270	150	200	310	170

Notes:

Results are presented in units of micrograms per liter (µg/L).

- E = Results exceeded calibration range
- D = Compound quantitated using a secondary dilution
- J = Analyte was detected at a concentration less than the laboratory reporting limit
- ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.
- Bolded** = values indicate exceedance of the NYSDEC AWQS



Table 2
Groundwater Analytical Data
 MW-12R

	NYSDEC TOGS 1.1.1 Guidance Values	Units	09/24/14	10/18/17	07/14/20	10/01/20	04/15/21	10/20/21	04/14/22	10/20/22
BTEX										
Benzene	1	µg/L	2,600	2,900	1,420	2,440	2,470	2,520	2,320	1,920
Ethylbenzene	5	µg/L	130	110	67.6	86.7	87.3	104	103	98.2
Toluene	5	µg/L	7.4	15	5.8	13.8	16.1	13.2	15.7	11.4
Total Xylenes	5	µg/L	49	83	27.8	58.1	70.0	72.4	75.6	66.8
SVOCs										
Acenaphthene	20	µg/L	3.4	4	104	1.2	1.4	1.8	1.5	1.5
Acenaphthylene	--	µg/L	4.8	7	1.9	1.5	2.9	3.0	3.2	3.0
Anthracene	50	µg/L	ND	ND	ND	0.098	ND	ND	ND	ND
Benzo(a)anthracene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluorene	50	µg/L	ND	0.3 J	0.24	0.20	0.20	ND	0.20	0.21
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
2-Methylnaphthalene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	10	µg/L	31	92	6.1	19.7	52.7	39.5	66.2	34.6
Phenanthrene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Pyrene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Inorganics										
Cyanide, Total	200	µg/L	190	37	62	33	29	40	25	34

Notes:

Results are presented in units of micrograms per liter (µg/L).

- E = Results exceeded calibration range
- D = Compound quantitated using a secondary dilution
- J = Analyte was detected at a concentration less than the laboratory reporting limit
- ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.
- Bolded** = values indicate exceedance of the NYSDEC AWQS



Table 2
Groundwater Analytical Data
 MW-14R

	NYSDEC TOGS 1.1.1 Guidance Values	Units	09/25/14	10/18/17	07/14/20	10/01/20	04/15/21	10/20/21	04/14/22	10/20/22
BTEX										
Benzene	1	µg/L	3.0	48	1.0	ND	1.6	1.8	2.8	1.4
Ethylbenzene	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Total Xylenes	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
SVOCs										
Acenaphthene	20	µg/L	ND	ND	0.12	ND	ND	ND	ND	ND
Acenaphthylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Anthracene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)anthracene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluorene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
2-Methylnaphthalene	--	µg/L	ND	ND	0.14	ND	ND	0.12	ND	ND
Naphthalene	10	µg/L	ND	ND	0.96	ND	ND	0.99	0.18	ND
Phenanthrene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Pyrene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Inorganics										
Cyanide, Total	200	µg/L	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

Results are presented in units of micrograms per liter (µg/L).

- E = Results exceeded calibration range
- D = Compound quantitated using a secondary dilution
- J = Analyte was detected at a concentration less than the laboratory reporting limit
- ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.
- Bolded** = values indicate exceedance of the NYSDEC AWQS



Table 2
Groundwater Analytical Data
 MW-15

	NYSDEC TOGS 1.1.1 Guidance Values	Units	09/24/14	10/19/17	07/14/20	10/01/20	04/15/21	10/20/21	04/14/22	10/20/22
BTEX										
Benzene	1	µg/L	ND	ND	ND	ND	ND	ND	ND	NA
Ethylbenzene	5	µg/L	ND	ND	ND	ND	ND	ND	ND	NA
Toluene	5	µg/L	ND	ND	ND	ND	ND	ND	ND	NA
Total Xylenes	5	µg/L	ND	ND	ND	ND	ND	ND	ND	NA
SVOCs										
Acenaphthene	20	µg/L	ND	ND	0.15	ND	ND	ND	ND	NA
Acenaphthylene	--	µg/L	ND	ND	0.18	ND	ND	ND	ND	NA
Anthracene	50	µg/L	ND	ND	0.12	ND	ND	ND	ND	NA
Benzo(a)anthracene	0.002	µg/L	ND	ND	0.28	ND	ND	ND	ND	NA
Benzo(a)pyrene	ND	µg/L	ND	0.2 J	0.27	ND	ND	ND	ND	NA
Benzo(b)fluoranthene	0.002	µg/L	ND	0.2 J	0.29	ND	ND	ND	ND	NA
Benzo(g,h,i)perylene	--	µg/L	ND	0.2 J	0.13	ND	ND	ND	ND	NA
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	0.11	ND	ND	ND	ND	NA
Chrysene	0.002	µg/L	ND	ND	0.19	ND	ND	ND	ND	NA
Dibenz(a,h)anthracene	--	µg/L	ND	0.2 J	ND	ND	ND	ND	ND	NA
Fluoranthene	50	µg/L	ND	ND	0.45	ND	ND	0.11	ND	NA
Fluorene	50	µg/L	ND	0.3 J	0.13	ND	ND	ND	ND	NA
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	0.12	ND	ND	ND	ND	NA
2-Methylnaphthalene	--	µg/L	ND	ND	0.2	ND	ND	ND	ND	NA
Naphthalene	10	µg/L	ND	ND	1.0	0.27	ND	ND	ND	NA
Phenanthrene	50	µg/L	ND	0.1 J	0.28	ND	ND	ND	ND	NA
Pyrene	50	µg/L	0.35 J	0.3 J	0.4	ND	ND	ND	ND	NA
Inorganics										
Cyanide, Total	200	µg/L	ND	ND	15	ND	ND	ND	ND	NA

Notes:

Results are presented in units of micrograms per liter (µg/L).

NA = Not Available

E = Results exceeded calibration range

D = Compound quantitated using a secondary dilution

J = Analyte was detected at a concentration less than the laboratory reporting limit

ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.

Bolded = values indicate exceedance of the NYSDEC AWQS



Table 2
Groundwater Analytical Data
 MW-15RS

	NYSDEC TOGS 1.1.1 Guidance Values	Units	09/22/14	10/19/17	07/14/20	10/01/20	04/15/21	10/20/21	04/14/22	10/20/22
BTEX										
Benzene	1	µg/L	750	170	4.8	9.7	49.6	79.0	57.9	26.1
Ethylbenzene	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	5	µg/L	0.54 J	ND	ND	ND	ND	ND	ND	ND
Total Xylenes	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
SVOCs										
Acenaphthene	20	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Acenaphthylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Anthracene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)anthracene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluorene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
2-Methylnaphthalene	--	µg/L	ND	ND	0.14	ND	ND	ND	ND	ND
Naphthalene	10	µg/L	ND	ND	0.85	0.52	0.14	ND	0.18	0.18
Phenanthrene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Pyrene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Inorganics										
Cyanide, Total	200	µg/L	160	64	67	41	51	54	68	67

Notes:

Results are presented in units of micrograms per liter (µg/L).

- E = Results exceeded calibration range
- D = Compound quantitated using a secondary dilution
- J = Analyte was detected at a concentration less than the laboratory reporting limit
- ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.
- Bolded** = values indicate exceedance of the NYSDEC AWQS



Table 2
Groundwater Analytical Data
MW-17R

	NYSDEC TOGS 1.1.1 Guidance Values	Units	09/25/14	10/18/17	07/14/20	10/01/20	04/15/21	10/20/21	04/14/22	10/20/22
BTEX										
Benzene	1	µg/L	ND	ND	ND	ND	1.7	2.9	2.6	ND
Ethylbenzene	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Total Xylenes	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
SVOCs										
Acenaphthene	20	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Acenaphthylene	--	µg/L	ND	ND	ND	ND	ND	0.30	ND	ND
Anthracene	50	µg/L	ND	ND	ND	ND	ND	0.13	ND	ND
Benzo(a)anthracene	0.002	µg/L	ND	ND	ND	ND	ND	0.18	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND	0.11	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	0.17	ND	ND
Benzo(g,h,i)perylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	0.14	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND	0.11	ND	ND
Dibenz(a,h)anthracene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	ND	ND	ND	0.28	ND	ND
Fluorene	50	µg/L	ND	ND	ND	ND	ND	0.21	ND	ND
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
2-Methylnaphthalene	--	µg/L	ND	ND	ND	ND	ND	0.35	ND	ND
Naphthalene	10	µg/L	ND	ND	0.13	0.37	0.21	1.9	0.17	0.13
Phenanthrene	50	µg/L	ND	ND	ND	ND	ND	0.44	ND	ND
Pyrene	50	µg/L	ND	ND	ND	ND	ND	0.23	ND	ND
Inorganics										
Cyanide, Total	200	µg/L	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

Results are presented in units of micrograms per liter (µg/L).

- E = Results exceeded calibration range
- D = Compound quantitated using a secondary dilution
- J = Analyte was detected at a concentration less than the laboratory reporting limit
- ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.
- Bolded** = values indicate exceedance of the NYSDEC AWQS



Table 2
Groundwater Analytical Data
MW-19R

	NYSDEC TOGS 1.1.1 Guidance Values	Units	09/25/14	10/18/17	07/14/20	10/01/20	04/15/21	10/20/21	04/14/22	10/20/22
BTEX										
Benzene	1	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Total Xylenes	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
SVOCs										
Acenaphthene	20	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Acenaphthylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Anthracene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)anthracene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluorene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
2-Methylnaphthalene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene	10	µg/L	ND	ND	0.30	0.12	ND	ND	0.14	ND
Phenanthrene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Pyrene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Inorganics										
Cyanide, Total	200	µg/L	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

Results are presented in units of micrograms per liter (µg/L).

- E = Results exceeded calibration range
- D = Compound quantitated using a secondary dilution
- J = Analyte was detected at a concentration less than the laboratory reporting limit
- ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.
- Bolded** = values indicate exceedance of the NYSDEC AWQS



Table 2
Groundwater Analytical Data
 MW-20R

	NYSDEC TOGS 1.1.1 Guidance Values	Units	09/25/14	10/18/17	07/14/20	10/01/20	04/15/21	10/20/21	04/14/22	10/20/22
BTEX										
Benzene	1	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Total Xylenes	5	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
SVOCs										
Acenaphthene	20	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Acenaphthylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Anthracene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)anthracene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(a)pyrene	ND	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(b)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(k)fluoranthene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Chrysene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Dibenz(a,h)anthracene	--	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluoranthene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Fluorene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Indeno(1,2,3-cd)pyrene	0.002	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
2-Methylnaphthalene	--	µg/L	ND	ND	0.14	ND	ND	ND	ND	ND
Naphthalene	10	µg/L	ND	ND	0.89	0.21	ND	0.21	ND	ND
Phenanthrene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Pyrene	50	µg/L	ND	ND	ND	ND	ND	ND	ND	ND
Inorganics										
Cyanide, Total	200	µg/L	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

Results are presented in units of micrograms per liter (µg/L).

- E = Results exceeded calibration range
- D = Compound quantitated using a secondary dilution
- J = Analyte was detected at a concentration less than the laboratory reporting limit
- ND (<#) = Not detected above laboratory reporting limit. # represents the laboratory reporting limit.
- Bolded** = values indicate exceedance of the NYSDEC AWQS



Appendix A – Field Inspection Reports

**Site Management Plan Inspection Form
Ogdensburg (King Street)
Non-Owned Former MGP Site
Ogdensburg, New York**

Date: 10/20/2022
Technician: KL

NYSDEC Site No. V00479

Time: 8:30
Weather: Rain 40

Site Wide			
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS:
Are the requirements of the Site Management Plan being met?	YES	NO	COMMENTS:
Any signs/evidence of use of the Site in a manner inconsistent with the deed restriction?	YES	NO	COMMENTS:

Site Wide - SLG Responsible to Maintain			
Perimeter Fence and Gates intact?	YES	NO	COMMENTS:
Have the lawns been mowed?	YES	NO	COMMENTS:

Soil Cover System			
Any signs of ground-intrusive activities?	YES	NO	COMMENTS:
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:
Any surface erosion?	YES	NO	COMMENTS:
Any settlement?	YES	NO	COMMENTS:
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:

NG Owned Property on Lake Street - Not part of the SMP				
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Have the lawns been mowed?	YES	NO	COMMENTS:	
Condition of the sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Condition of the site trees?	GOOD	FAIR	POOR	COMMENTS:
Are the boulders in place?	YES	NO	COMMENTS:	

Miscellaneous				
Evidence of Trespassing	YES	NO	COMMENTS:	
Litter	NONE	MINOR	SIGNIFICANT	COMMENTS:

Site Monitoring Wells		
Well ID.	Location Secure	
MW-2(R)	YES	NO
MW-5R(R)	YES	NO
MW-8R	YES	NO
MW-9	YES	NO
MW-10R	YES	NO
MW-11	YES	NO
MW-12R	YES	NO
MW-14R	YES	NO
MW-15	YES	NO
MW-15RS	YES	NO
MW-17R	YES	NO
MW-19R	YES	NO
MW-20R	YES	NO

General Comments:

**Site Management Plan Inspection Form
Ogdensburg (King Street)
Non-Owned Former MGP Site
Ogdensburg, New York**

Date: 7/20/2022
Technician: KL

NYSDEC Site No. V00479

Time: 10:30
Weather: Sunny 85

Site Wide			
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS:
Are the requirements of the Site Management Plan being met?	YES	NO	COMMENTS:
Any signs/evidence of use of the Site in a manner inconsistent with the deed restriction?	YES	NO	COMMENTS:

Site Wide - SLG Responsible to Maintain			
Perimeter Fence and Gates intact?	YES	NO	COMMENTS:
Have the lawns been mowed?	YES	NO	COMMENTS:

Soil Cover System			
Any signs of ground-intrusive activities?	YES	NO	COMMENTS:
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:
Any surface erosion?	YES	NO	COMMENTS:
Any settlement?	YES	NO	COMMENTS:
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:

NG Owned Property on Lake Street - Not part of the SMP				
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Have the lawns been mowed?	YES	NO	COMMENTS:	
Condition of the sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Condition of the site trees?	GOOD	FAIR	POOR	COMMENTS:
Are the boulders in place?	YES	NO	COMMENTS:	

Miscellaneous				
Evidence of Trespassing	YES	NO	COMMENTS:	
Litter	NONE	MINOR	SIGNIFICANT	COMMENTS:

Site Monitoring Wells		
Well ID.	Location Secure	
MW-2(R)	YES	NO
MW-5R(R)	YES	NO
MW-8R	YES	NO
MW-9	YES	NO
MW-10R	YES	NO
MW-11	YES	NO
MW-12R	YES	NO
MW-14R	YES	NO
MW-15	YES	NO
MW-15RS	YES	NO
MW-17R	YES	NO
MW-19R	YES	NO
MW-20R	YES	NO

General Comments:

Partial demolition of cheese factory building on the SW corner due to a fire near the area of MW-12R.
No well damage.

**Site Management Plan Inspection Form
Ogdensburg (King Street)
Non-Owned Former MGP Site
Ogdensburg, New York**

Date: 4/14/2022
Technician: KL

NYSDEC Site No. V00479

Time: 8:30
Weather: Cloudy 46

Site Wide			
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS:
Are the requirements of the Site Management Plan being met?	YES	NO	COMMENTS:
Any signs/evidence of use of the Site in a manner inconsistent with the deed restriction?	YES	NO	COMMENTS:

Site Wide - SLG Responsible to Maintain			
Perimeter Fence and Gates intact?	YES	NO	COMMENTS:
Have the lawns been mowed?	YES	NO	COMMENTS:

Soil Cover System			
Any signs of ground-intrusive activities?	YES	NO	COMMENTS:
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:
Any surface erosion?	YES	NO	COMMENTS:
Any settlement?	YES	NO	COMMENTS:
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:

NG Owned Property on Lake Street - Not part of the SMP				
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Have the lawns been mowed?	YES	NO	COMMENTS:	
Condition of the sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Condition of the site trees?	GOOD	FAIR	POOR	COMMENTS:
Are the boulders in place?	YES	NO	COMMENTS:	

Miscellaneous				
Evidence of Trespassing	YES	NO	COMMENTS:	
Litter	NONE	MINOR	SIGNIFICANT	COMMENTS:

Site Monitoring Wells		
Well ID.	Location Secure	
MW-2(R)	YES	NO
MW-5R(R)	YES	NO
MW-8R	YES	NO
MW-9	YES	NO
MW-10R	YES	NO
MW-11	YES	NO
MW-12R	YES	NO
MW-14R	YES	NO
MW-15	YES	NO
MW-15RS	YES	NO
MW-17R	YES	NO
MW-19R	YES	NO
MW-20R	YES	NO

General Comments:

**Site Management Plan Inspection Form
Ogdensburg (King Street)
Non-Owned Former MGP Site
Ogdensburg, New York**

Date: 1/20/2022
Technician: KL

NYSDEC Site No. V00479

Time: 10:30
Weather: Sunny 2

Site Wide			
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS:
Are the requirements of the Site Management Plan being met?	YES	NO	COMMENTS:
Any signs/evidence of use of the Site in a manner inconsistent with the deed restriction?	YES	NO	COMMENTS:

Site Wide - SLG Responsible to Maintain			
Perimeter Fence and Gates intact?	YES	NO	COMMENTS:
Have the lawns been mowed?	YES	NO	COMMENTS: winter

Soil Cover System			
Any signs of ground-intrusive activities?	YES	NO	COMMENTS:
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:
Any surface erosion?	YES	NO	COMMENTS:
Any settlement?	YES	NO	COMMENTS:
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:

NG Owned Property on Lake Street - Not part of the SMP				
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Have the lawns been mowed?	YES	NO	COMMENTS:	
Condition of the sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Condition of the site trees?	GOOD	FAIR	POOR	COMMENTS:
Are the boulders in place?	YES	NO	COMMENTS:	

Miscellaneous				
Evidence of Trespassing	YES	NO	COMMENTS:	
Litter	NONE	MINOR	SIGNIFICANT	COMMENTS:

Site Monitoring Wells		
Well ID.	Location Secure	
MW-2(R)	YES	NO
MW-5R(R)	YES	NO
MW-8R	YES	NO
MW-9	YES	NO
MW-10R	YES	NO
MW-11	YES	NO
MW-12R	YES	NO
MW-14R	YES	NO
MW-15	YES	NO
MW-15RS	YES	NO
MW-17R	YES	NO
MW-19R	YES	NO
MW-20R	YES	NO

General Comments:



Appendix B – Well Sampling Field Data

Well ID	Sample?	Well Size	DTW	DTP	DTB	Comments
MW-2(R)	Yes	2"	1.26		6.35	
MW-5R(R)	Yes	2"	0.00		24.30	
MW-8R	Yes	2"	1.62		20.92	MS/MSD
MW-9	Yes	2"	4.84		6.35	
MW-10R	Yes	2"	0.00		22.50	Field Duplicate
MW-11	Yes	2"	2.14		6.51	
MW-12R	Yes	2"	5.48		21.40	
MW-14R	Yes	2"	0.00		50.80	
MW-15	Yes	2"	6.96		9.04	
MW-15RS	Yes	1"	7.80		23.65	
MW-17R	Yes	2"	5.95		26.90	
MW-19R	Yes	2"	2.50		38.05	
MW-20R	Yes	2"	0.00		28.40	

DTW -depth to water

DTP -depth to product

DTB -depth to bottom

MW-10R's DTW was updated to 0.00 upon review. Initial DTW was measured above the top of casing as the water level rose above it following the removal of the j-plug due to positive pressure.

Sampling Personnel: C. ERNST
 Job Number: 0603275-136690-221
 Well Id. MW-2(R)

Date: 4/14/22
 Weather: clear 50°s
 Time In: 1140 Time Out: 1220

Well Information			TOC	Other
Depth to Water:	(feet)	<u>1.26</u>		
Depth to Bottom:	(feet)	<u>6.35</u>		
Depth to Product:	(feet)	<u>5.09</u>	<u>AP</u>	
Length of Water Column:	(feet)	<u>5.09</u>		
Volume of Water in Well:	(gal)	<u>0.81</u>		
Three Well Volumes:	(gal)	<u>2.44</u>		

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information				Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	gal/ft.	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input checked="" type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>	of				
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	water	0.04	0.16	0.66	1.47
Average Pumping Rate:	(ml/min)	<u>200</u>		1 gallon=3.785L=3785mL=1337cu. feet				
Duration of Pumping:	(min)	<u>30</u>						
Total Volume Removed:	(gal)		Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>					
Horiba U-52 Water Quality Meter Used?		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1145</u>	<u>1.76</u>	<u>12.36</u>	<u>8.23</u>	<u>-232</u>	<u>0.782</u>	<u>73.5</u>	<u>0.38</u>	<u>0.499</u>
<u>1150</u>	<u>2.77</u>	<u>10.50</u>	<u>7.84</u>	<u>-224</u>	<u>0.657</u>	<u>51.5</u>	<u>0.41</u>	<u>0.416</u>
<u>1155</u>	<u>3.65</u>	<u>10.31</u>	<u>7.99</u>	<u>-217</u>	<u>0.574</u>	<u>27.2</u>	<u>2.51</u>	<u>0.366</u>
<u>1200</u>	<u>3.66</u>	<u>10.42</u>	<u>8.19</u>	<u>-227</u>	<u>0.564</u>	<u>17.8</u>	<u>1.96</u>	<u>0.361</u>
<u>1205</u>	<u>4.09</u>	<u>10.37</u>	<u>8.45</u>	<u>-244</u>	<u>0.579</u>	<u>20.1</u>	<u>0.12</u>	<u>0.370</u>
<u>1210</u>	<u>4.55</u>	<u>10.33</u>	<u>8.81</u>	<u>-265</u>	<u>0.542</u>	<u>14.7</u>	<u>0.00</u>	<u>0.346</u>
<u>1215</u>	<u>5.07</u>	<u>10.40</u>	<u>9.03</u>	<u>-273</u>	<u>0.497</u>	<u>7.5</u>	<u>0.06</u>	<u>0.338</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes No
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No

Sample ID: MW-2(R)-0422 Duplicate? Yes No
 Sample Time: 1215 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical
 Greensburg, PA

Comments/Notes: _____

Sampling Personnel: G. ERNST
 Job Number: 0603275-136690-221
 Well Id. MW-5R(R)

Date: 4/14/22
 Weather: clearing 50°s
 Time In: 1045 Time Out: 1140

Well Information			TOC	Other
Depth to Water:	(feet)	<u>0.00</u>	<u>Artisian</u>	
Depth to Bottom:	(feet)	<u>24.30</u>		
Depth to Product:	(feet)	<u>-</u>		
Length of Water Column:	(feet)	<u>24.30</u>		
Volume of Water in Well:	(gal)	<u>3.89</u>		
Three Well Volumes:	(gal)	<u>11.66</u>		

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information

Purging Method: _____
 Tubing/Bailer Material: _____
 Sampling Method: _____

Bailer Peristaltic
 Teflon Stainless St.
 Bailer Peristaltic

Grundfos Pump
 Polyethylene
 Grundfos Pump

Average Pumping Rate: (ml/min) 200
 Duration of Pumping: (min) 30
 Total Volume Removed: (gal) _____

Did well go dry? Yes No

Horiba U-52 Water Quality Meter Used? Yes No

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1100	0.52	9.35	7.64	-281	0.724	1.5	0.00	0.460
1105	2.70	9.66	8.00	-311	0.702	2.1	0.00	0.449
1110	3.38	9.83	7.99	-316	0.701	2.0	0.00	0.449
1115	3.95	10.02	7.95	-320	0.702	1.0	0.00	0.449
1120	4.68	10.35	7.94	-323	0.705	0.7	0.00	0.451
1125	5.28	10.52	7.92	-326	0.705	0.9	0.00	0.451
1130	5.75	10.80	7.90	-328	0.702	0.6	0.00	0.449

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
 EPA SW-846 Method 8260 VOC's BTEX
 EPA SW-846 Method 9012 Total Cyanide

2 - 100 ml ambers Yes No
 3 - 40 ml vials Yes No
 1 - 250 ml plastic Yes No

Sample ID: MW-5R(R)-0422 Duplicate? Yes No
 Sample Time: 1130 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical
 Greensburg, PA

Comments/Notes: _____

Sampling Personnel: Peter Lyon
 Job Number: 0603275-136690-221
 Well Id. MW-8R

Date: 4/14/22
 Weather: Sunny 55°
 Time In: 1050 Time Out: 1135

Well Information			TOC	Other
Depth to Water:	(feet)	<u>1.62</u>		
Depth to Bottom:	(feet)	<u>20.92</u>		
Depth to Product:	(feet)	<u>-</u>		
Length of Water Column:	(feet)	<u>19.3</u>		
Volume of Water in Well:	(gal)	<u>3.08</u>		
Three Well Volumes:	(gal)	<u>9.26</u>		

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information				Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	gal/ft.	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>	of				
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	water	0.04	0.16	0.66	1.47
Average Pumping Rate:	(ml/min)	<u>200</u>		1 gallon=3.785L=3785mL=1337cu. feet				
Duration of Pumping:	(min)	<u>30</u>						
Total Volume Removed:	(gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>					
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>							

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1100	2.34	9.47	7.63	-202	1.35	136	4.43	0.002
1105	2.74	9.76	7.57	-227	1.679	2.2	0.98	.431
1110	3.15	9.87	7.60	-247	1.659	0.6	0.67	.422
1115	3.53	9.96	7.56	-269	1.653	0.3	0.92	.418
1120	3.72	10.06	7.53	-284	1.650	0.1	1.04	.416
1125	3.88	10.16	7.49	-296	1.648	0.0	1.16	.415
1130	3.97	10.33	7.47	-302	1.645	0.0	1.27	.413

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
 EPA SW-846 Method 8260 VOC's BTEX
 EPA SW-846 Method 9012 Total Cyanide

6 - 100 ml ambers Yes No
 9 - 40 ml vials Yes No
 3 - 250 ml plastic Yes No

MW-8R-MS-0422 MW-8R-MSD-0422

Sample ID: MW-8R-0422 Duplicate? Yes No
 Sample Time: 1130 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical
 Greensburg, PA

Comments/Notes: _____

Sampling Personnel: Peter Lyon
 Job Number: 0603275-136690-221
 Well Id. MW-9

Date: 4/14/22
 Weather: 53° Cloudy
 Time In: 1008 Time Out: 1045

Well Information			TOC	Other
Depth to Water:	(feet)	<u>4.84</u>		
Depth to Bottom:	(feet)	<u>6.35</u>		
Depth to Product:	(feet)	<u>-</u>		
Length of Water Column:	(feet)	<u>1.51</u>		
Volume of Water in Well:	(gal)	<u>.24</u>		
Three Well Volumes:	(gal)	<u>0.72</u>		

Well Type: Flushmount Yes No
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information			Conversion Factors			
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>			
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input checked="" type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>			
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>			
Average Pumping Rate:	(ml/min)	<u>200</u>				
Duration of Pumping:	(min)	<u>30</u>				
Total Volume Removed:	(gal)	<u>2</u>				
Did well go dry?			Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>		
Horiba U-52 Water Quality Meter Used?			Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1010	4.92	8.68	8.76	-179	.712	36.0	2.57	.450
1015	4.98	8.67	8.83	-181	.711	36.5	2.57	.452
1020	5.14	8.23	8.16	-184	1.01	35.4	1.57	.727
1025	5.35	8.54	7.99	-131	1.26	25.3	1.03	.705
1030	5.50	8.40	7.83	-131	1.36	17.9	3.23	.875
1035	5.65	8.92	7.69	-140	1.38	21.5	0.94	.884
1040	5.86	8.27	7.67	-152	1.43	23.1	0.93	.915

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's Yes No
 EPA SW-846 Method 8260 VOC's BTEX Yes No
 EPA SW-846 Method 9012 Total Cyanide Yes No

2 - 100 ml ambers Yes No
 3 - 40 ml vials Yes No
 1 - 250 ml plastic Yes No

Sample ID: MW-9-0422 Duplicate? Yes No
 Sample Time: 1040 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical
 Greensburg, PA

Comments/Notes: _____

Sampling Personnel: Peter Lyon
 Job Number: 0603275-136690-221
 Well Id. MW-10R

Date: 4/14/22
 Weather: 55° Rain
 Time In: 0926 Time Out: 1005

Well Information			TOC	Other
Depth to Water:	(feet)		<u>0.00</u>	
Depth to Bottom:	(feet)		<u>22.50</u>	
Depth to Product:	(feet)		<u>-</u>	
Length of Water Column:	(feet)		<u>22.65</u>	
Volume of Water in Well:	(gal)		<u>3.624</u>	
Three Well Volumes:	(gal)		<u>10.87</u>	

Well Type: Flushmount Yes No
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information			Conversion Factors			
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>			
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>			
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>			
Average Pumping Rate:	(ml/min)	<u>250</u>				
Duration of Pumping:	(min)	<u>30</u>				
Total Volume Removed:	(gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Horiba U-52 Water Quality Meter Used? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47

1 gallon=3.785L=3785mL=1337cu. feet

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>0930</u>	<u>-0.15</u>	<u>9.98</u>	<u>8.45</u>	<u>-192</u>	<u>.356</u>	<u>0.8</u>	<u>22.02</u>	<u>.231</u>
<u>0935</u>	<u>-0.09</u>	<u>9.22</u>	<u>8.81</u>	<u>-223</u>	<u>.362</u>	<u>0.7</u>	<u>9.11</u>	<u>.235</u>
<u>0940</u>	<u>0.0</u>	<u>9.04</u>	<u>8.97</u>	<u>-232</u>	<u>.364</u>	<u>0.4</u>	<u>7.38</u>	<u>.237</u>
<u>0945</u>	<u>0.39</u>	<u>8.81</u>	<u>9.05</u>	<u>-234</u>	<u>.368</u>	<u>0.4</u>	<u>6.21</u>	<u>.239</u>
<u>0950</u>	<u>0.57</u>	<u>8.76</u>	<u>9.07</u>	<u>-236</u>	<u>.371</u>	<u>0.3</u>	<u>5.72</u>	<u>.241</u>
<u>0955</u>	<u>0.69</u>	<u>8.81</u>	<u>9.11</u>	<u>-238</u>	<u>.370</u>	<u>0.0</u>	<u>5.26</u>	<u>.240</u>
<u>1000</u>	<u>0.90</u>	<u>8.73</u>	<u>9.17</u>	<u>-241</u>	<u>.372</u>	<u>0.5</u>	<u>4.94</u>	<u>.242</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
 EPA SW-846 Method 8260 VOC's BTEX
 EPA SW-846 Method 9012 Total Cyanide

4 - 100 ml ambers Yes No
 6 - 40 ml vials Yes No
 2 - 250 ml plastic Yes No

FD-0422
 Sample ID: MW-10R-0422 Duplicate? Yes No
 Sample Time: 1000 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical
 Greensburg, PA

Comments/Notes: _____

Sampling Personnel: G. Ernst
 Job Number: 0603275-136690-221
 Well Id. MW-11

Date: 4/14/22
 Weather: Cloudy LT Rain 50°s
 Time In: 0955 Time Out: 1045

Well Information			TOC	Other
Depth to Water:	(feet)	<u>2.16</u>		
Depth to Bottom:	(feet)	<u>6.51</u>		
Depth to Product:	(feet)	<u>-</u>		
Length of Water Column:	(feet)	<u>4.35</u>		
Volume of Water in Well:	(gal)	<u>0.70</u>		
Three Well Volumes:	(gal)	<u>2.09</u>		

Well Type:	Flushmount	<input checked="" type="checkbox"/>	Stick-Up	<input type="checkbox"/>
Well Locked:	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Measuring Point Marked:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Well Material:	PVC	<input checked="" type="checkbox"/>	SS	<input type="checkbox"/>
Well Diameter:	1"	<input type="checkbox"/>	2"	<input checked="" type="checkbox"/>
Comments:				

Purging Information				Conversion Factors			
Purging Method:	Bailer	<input type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>	Grundfos Pump	<input type="checkbox"/>	
Tubing/Bailer Material:	Teflon	<input type="checkbox"/>	Stainless St.	<input type="checkbox"/>	Polyethylene	<input checked="" type="checkbox"/>	
Sampling Method:	Bailer	<input type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>	Grundfos Pump	<input type="checkbox"/>	
Average Pumping Rate:	(ml/min)	<u>200</u>					
Duration of Pumping:	(min)	<u>30</u>					
Total Volume Removed:	(gal)						
Did well go dry?	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>			
Horiba U-52 Water Quality Meter Used?	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>			

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1005</u>	<u>2.28</u>	<u>10.99</u>	<u>8.22</u>	<u>-221</u>	<u>1.17</u>	<u>0.0</u>	<u>1.63</u>	<u>0.754</u>
<u>1010</u>	<u>2.28</u>	<u>8.35</u>	<u>7.55</u>	<u>-220</u>	<u>1.25</u>	<u>0.0</u>	<u>0.00</u>	<u>0.798</u>
<u>1015</u>	<u>2.29</u>	<u>8.22</u>	<u>7.32</u>	<u>-222</u>	<u>1.25</u>	<u>668</u>	<u>0.00</u>	<u>0.804</u>
<u>1020</u>	<u>2.30</u>	<u>7.33</u>	<u>7.22</u>	<u>-222</u>	<u>1.32</u>	<u>42.0</u>	<u>0.00</u>	<u>0.847</u>
<u>1025</u>	<u>2.30</u>	<u>7.25</u>	<u>7.11</u>	<u>-223</u>	<u>1.34</u>	<u>38.1</u>	<u>0.00</u>	<u>0.859</u>
<u>1030</u>	<u>2.30</u>	<u>7.15</u>	<u>7.03</u>	<u>-224</u>	<u>1.36</u>	<u>37.7</u>	<u>0.00</u>	<u>0.871</u>
<u>1035</u>	<u>2.30</u>	<u>7.10</u>	<u>6.97</u>	<u>-224</u>	<u>1.37</u>	<u>38.5</u>	<u>0.00</u>	<u>0.877</u>

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	2 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample ID: <u>MW-11-0422</u>	Duplicate? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup	<input checked="" type="checkbox"/>
Sample Time: <u>1040</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Ship to Pace	<input type="checkbox"/>
Comments/Notes:		Laboratory: Pace Analytical	
		Greensburg, PA	

Sampling Personnel: G. Ernst
 Job Number: 0603275-136690-221
 Well Id. MW-12R

Date: 4/14/22
 Weather: cloudy 40's
 Time In: 0900 Time Out: 0955

Well Information			TOC	Other
Depth to Water:	(feet)	<u>5.48</u>		
Depth to Bottom:	(feet)	<u>21.40</u>		
Depth to Product:	(feet)	<u>-</u>		
Length of Water Column:	(feet)	<u>15.92</u>		
Volume of Water in Well:	(gal)	<u>2.55</u>		
Three Well Volumes:	(gal)	<u>7.64</u>		

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information			Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	gal/ft.	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	of				
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	water	0.04	0.16	0.66	1.47
Average Pumping Rate:	(ml/min)	<u>200</u>	1 gallon=3.785L=3785mL=1337cu. feet				
Duration of Pumping:	(min)	<u>30</u>					
Total Volume Removed:	(gal)		Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
0915	6.68	23.94	7.45	-262	0.548	1.7	0.00	0.348
0920	7.43	22.99	7.46	-298	0.529	1.1	0.00	0.339
0925	9.36	20.54	7.45	-321	0.550	0.8	0.00	0.359
0930	10.42	18.64	7.41	-325	0.576	0.8	0.00	0.369
0935	11.23	17.09	7.36	-328	0.599	0.8	0.00	0.384
0940	11.98	15.77	7.31	-331	0.620	1.0	0.00	0.397
0945	12.56	14.86	7.27	-332	0.634	1.0	0.00	0.406
0950	12.94	14.27	7.26	-333	0.643	1.1	0.00	0.412

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
 EPA SW-846 Method 8260 VOC's BTEX
 EPA SW-846 Method 9012 Total Cyanide

2 - 100 ml ambers Yes No
 3 - 40 ml vials Yes No
 1 - 250 ml plastic Yes No

Sample ID: MW-12R-0422 Duplicate? Yes No
 Sample Time: 0950 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical
 Greensburg, PA

Comments/Notes: _____

Sampling Personnel: KL
 Job Number: 0603275-136690-221
 Well Id. MW-14R

Date: 4/14/22
 Weather: Cloudy
 Time In: 09:40 Time Out: 09:50

Well Information			TOC	Other
Depth to Water:	(feet)	<u>50.80</u>		
Depth to Bottom:	(feet)	<u>50.80</u>		
Depth to Product:	(feet)			
Length of Water Column:	(feet)	<u>50.80</u>		
Volume of Water in Well:	(gal)	<u>8.12</u>		
Three Well Volumes:	(gal)	<u>24.36</u>		

Well Type:	Flushmount	<input checked="" type="checkbox"/>	Stick-Up	<input type="checkbox"/>
Well Locked:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Measuring Point Marked:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Well Material:	PVC	<input checked="" type="checkbox"/>	SS	<input type="checkbox"/>
Well Diameter:	1"	<input type="checkbox"/>	2"	<input checked="" type="checkbox"/>
Comments:				

Purging Information		Conversion Factors			
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>		
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>		
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>		
Average Pumping Rate:	(ml/min)	<u>200</u>			
Duration of Pumping:	(min)	<u>30</u>			
Total Volume Removed:	(gal)	<u>2</u>	Did well go dry?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/>		No <input type="checkbox"/>		

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
09:15	+6.0	14.15	7.19	-131	0.864	4.9	3.73	0.528
09:20	+6.0	14.14	7.52	-196	0.633	13.3	0.05	0.404
09:25		12.77	7.42	-231	0.621	6.6	0.00	0.389
09:30		11.98	7.35	-255	0.630	4.4	0.00	0.403
09:35		11.69	7.33	-264	0.631	3.0	0.00	0.404
09:40		11.44	7.32	-272	0.635	2.5	0.00	0.407
09:45		11.33	7.28	-278	0.637	2.7	0.00	0.407

Sampling Information:		<u>Water Above Well Casings 6"</u>			
EPA SW-846 Method 8270	SVOC PAH's	2 - 100 ml ambers	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
EPA SW-846 Method 8260	VOC's BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
EPA SW-846 Method 9012	Total Cyanide	1 - 250 ml plastic	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample ID: <u>MW-14R-0422</u>	Duplicate? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup	<input checked="" type="checkbox"/>		
Sample Time: <u>09:45</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Ship to Pace	<input type="checkbox"/>		
Comments/Notes:	Laboratory: Pace Analytical		Greensburg, PA		

Sampling Personnel: K
 Job Number: 0603275-136690-221
 Well Id. MW-15

Date: 4/14/22
 Weather: S.MY 48
 Time In: 11:25 Time Out: _____

Well Information			TOC	Other
Depth to Water:	(feet)	<u>6.96</u>		
Depth to Bottom:	(feet)	<u>9.04</u>		
Depth to Product:	(feet)	<u>2</u>		
Length of Water Column:	(feet)	<u>2.08</u>		
Volume of Water in Well:	(gal)	<u>1.92</u>		
Three Well Volumes:	(gal)	<u>5.76</u>		

Well Type:	Flushmount	<input checked="" type="checkbox"/>	Stick-Up	<input type="checkbox"/>
Well Locked:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Measuring Point Marked:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Well Material:	PVC	<input checked="" type="checkbox"/>	SS	<input type="checkbox"/>
Well Diameter:	1"	<input type="checkbox"/>	2"	<input checked="" type="checkbox"/>
Comments:	_____			

Purging Information				Conversion Factors								
Purging Method:	Bailer	<input type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>	Grundfos Pump	<input type="checkbox"/>	gal/ft. of water	1" ID	2" ID	4" ID	6" ID	
Tubing/Bailer Material:	Teflon	<input type="checkbox"/>	Stainless St.	<input checked="" type="checkbox"/>	Polyethylene	<input checked="" type="checkbox"/>	0.04	0.16	0.66	1.47		
Sampling Method:	Bailer	<input type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>	Grundfos Pump	<input type="checkbox"/>	1 gallon=3.785L=3785mL=1337cu. feet					
Average Pumping Rate:	(ml/min)	<u>30</u>										
Duration of Pumping:	(min)	<u>30</u>										
Total Volume Removed:	(gal)	<u>2</u>	Did well go dry?	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>					
Horiba U-52 Water Quality Meter Used?	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>								

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>11:30</u>	<u>7.00</u>	<u>10.24</u>	<u>7.23</u>	<u>-86</u>	<u>1.05</u>	<u>494</u>	<u>3.27</u>	<u>0.673</u>
<u>11:35</u>	<u>7.63</u>	<u>9.17</u>	<u>6.78</u>	<u>-99</u>	<u>1.12</u>	<u>57.9</u>	<u>0.00</u>	<u>0.719</u>
<u>11:40</u>	<u>7.76</u>	<u>9.25</u>	<u>6.70</u>	<u>-104</u>	<u>1.12</u>	<u>26.0</u>	<u>0.00</u>	<u>0.720</u>
<u>11:45</u>	<u>7.98</u>	<u>9.35</u>	<u>6.63</u>	<u>-108</u>	<u>1.12</u>	<u>13.2</u>	<u>0.00</u>	<u>0.720</u>
<u>11:50</u>	<u>8.25</u>	<u>9.41</u>	<u>6.59</u>	<u>-112</u>	<u>1.12</u>	<u>6.0</u>	<u>0.00</u>	<u>0.720</u>
<u>11:55</u>	<u>8.40</u>	<u>9.44</u>	<u>6.58</u>	<u>-113</u>	<u>1.12</u>	<u>3.4</u>	<u>0.00</u>	<u>0.719</u>
<u>12:00</u>	<u>8.57</u>	<u>9.48</u>	<u>6.57</u>	<u>-114</u>	<u>1.12</u>	<u>5.3</u>	<u>0.00</u>	<u>0.720</u>

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	2 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample ID: <u>MW-15-0422</u>	Duplicate? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup	<input checked="" type="checkbox"/>
Sample Time: <u>12:00</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Ship to Pace	<input type="checkbox"/>
Comments/Notes: _____		Laboratory: Pace Analytical Greensburg, PA	

Sampling Personnel: [Signature]
 Job Number: 0603275-136690-221
 Well Id. **MW-15RS**

Date: 4/14/22
 Weather: Sunny
 Time In: 1206 Time Out: _____

Well Information			TOC	Other
Depth to Water:	(feet)	<u>7.00</u>		
Depth to Bottom:	(feet)	23.65		
Depth to Product:	(feet)			
Length of Water Column:	(feet)	<u>15.85</u>		
Volume of Water in Well:	(gal)	<u>0.1034</u>		
Three Well Volumes:	(gal)	<u>1.290</u>		

Well Type:	Flushmount <input checked="" type="checkbox"/>	Stick-Up <input type="checkbox"/>
Well Locked:	Yes <input type="checkbox"/>	No <input type="checkbox"/>
Measuring Point Marked:	Yes <input type="checkbox"/>	No <input type="checkbox"/>
Well Material:	PVC <input checked="" type="checkbox"/> SS <input type="checkbox"/> Other: _____	
Well Diameter:	1" <input checked="" type="checkbox"/> 2" <input type="checkbox"/> Other: _____	
Comments:	_____	

Purging Information			
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Average Pumping Rate:	(ml/min)	<u>200</u>	
Duration of Pumping:	(min)	<u>30</u>	
Total Volume Removed:	(gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
12:10		11.21	6.57	-116	1.13	26.0	3.25	0.772
12:15		10.83	6.64	-233	1.23	11.1	1.19	0.791
12:20		11.06	7.01	-269	1.32	3.8	0.29	0.844
12:25		11.14	7.02	-277	1.33	2.3	0.29	0.855
12:30		11.18	7.05	-289	1.35	1.5	0.00	0.871
12:35		11.28	7.10	-300	1.37	1.7	0.00	0.879
12:40	18.20	11.39	7.12	-304	1.37	1.3	0.00	0.878

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	2 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample ID: <u>MW-15RS-0422</u>	Duplicate? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup <input checked="" type="checkbox"/>	Ship to Pace <input type="checkbox"/>
Sample Time: <u>12:40</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Laboratory: Pace Analytical	Greensburg, PA
Comments/Notes: _____			

Sampling Personnel: Peter Lyon
 Job Number: 0603275-136690-221
 Well Id. MW-17R

Date: 4/14/22
 Weather: 55° sunny
 Time In: 1153 Time Out: 1235

Well Information			TOC	Other
Depth to Water:	(feet)	<u>5.95</u>		
Depth to Bottom:	(feet)	<u>26.90</u>		
Depth to Product:	(feet)	<u>-</u>		
Length of Water Column:	(feet)	<u>20.95</u>		
Volume of Water in Well:	(gal)	<u>3.35</u>		
Three Well Volumes:	(gal)	<u>10.05</u>		

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information			Conversion Factors			
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>			
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input checked="" type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>			
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>			
Average Pumping Rate:	(ml/min)	<u>200</u>				
Duration of Pumping:	(min)	<u>30</u>				
Total Volume Removed:	(gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Horiba U-52 Water Quality Meter Used?			Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>			

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1200</u>	<u>7.00</u>	<u>11.83</u>	<u>7.19</u>	<u>-290</u>	<u>.697</u>	<u>0.0</u>	<u>9.46</u>	<u>.447</u>
<u>1205</u>	<u>7.45</u>	<u>11.42</u>	<u>7.19</u>	<u>-294</u>	<u>.703</u>	<u>0.0</u>	<u>6.84</u>	<u>.450</u>
<u>1210</u>	<u>7.75</u>	<u>11.57</u>	<u>7.17</u>	<u>-297</u>	<u>.701</u>	<u>0.0</u>	<u>4.86</u>	<u>.449</u>
<u>1215</u>	<u>7.99</u>	<u>11.75</u>	<u>7.15</u>	<u>-301</u>	<u>.699</u>	<u>0.0</u>	<u>1.43</u>	<u>.447</u>
<u>1220</u>	<u>8.15</u>	<u>12.02</u>	<u>7.13</u>	<u>-305</u>	<u>.696</u>	<u>0.0</u>	<u>1.38</u>	<u>.446</u>
<u>1225</u>	<u>8.21</u>	<u>12.43</u>	<u>7.12</u>	<u>-306</u>	<u>.688</u>	<u>0.0</u>	<u>1.37</u>	<u>.440</u>
<u>1230</u>	<u>8.24</u>	<u>12.93</u>	<u>7.11</u>	<u>-302</u>	<u>.677</u>	<u>0.0</u>	<u>1.28</u>	<u>.433</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
 EPA SW-846 Method 8260 VOC's BTEX
 EPA SW-846 Method 9012 Total Cyanide

2 - 100 ml ambers Yes No
 3 - 40 ml vials Yes No
 1 - 250 ml plastic Yes No

Sample ID: MW-17R-0422 Duplicate? Yes No
 Sample Time: 1230 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical
 Greensburg, PA

Comments/Notes: _____

Sampling Personnel: [Signature]
 Job Number: 0603275-136690-221
 Well Id. **MW-19R**

Date: 4/14/22
 Weather: Cloudy 46
 Time In: 10:35 Time Out: 11:15

Well Information			TOC	Other
Depth to Water:	(feet)	<u>2.58</u>		
Depth to Bottom:	(feet)	38.05		
Depth to Product:	(feet)	<u>-</u>		
Length of Water Column:	(feet)	<u>35.47</u>		
Volume of Water in Well:	(gal)	<u>5.67</u>		
Three Well Volumes:	(gal)	<u>17.02</u>		

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information:

Purging Method: _____
 Tubing/Bailer Material: _____
 Sampling Method: _____

Bailer Peristaltic
 Teflon Stainless St.
 Bailer Peristaltic

Grundfos Pump
 Polyethylene
 Grundfos Pump

Average Pumping Rate: (ml/min) 200
 Duration of Pumping: (min) 30
 Total Volume Removed: (gal) 2 Did well go dry? Yes No

Horiba U-52 Water Quality Meter Used? Yes No

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47

1 gallon=3.785L=3785mL=1337cu. feet

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
10:40	3.90	9.75	6.93	-129	0.599	2.5	0.46	0.383
10:45	5.60	9.85	7.20	-148	0.597	1.9	0.00	0.382
10:50	7.80	9.81	7.46	-162	0.597	1.1	0.00	0.382
10:55	10.00	9.83	7.86	-163	0.598	0.5	0.00	0.383
11:00	11.79	9.79	7.59	-161	0.598	0.7	0.00	0.383
11:05	13.60	9.81	7.60	-159	0.598	0.8	0.00	0.382
11:10	15.70	9.83	7.62	-156	0.598	0.8	0.00	0.383

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's
 EPA SW-846 Method 8260 VOC's BTEX
 EPA SW-846 Method 9012 Total Cyanide

2 - 100 ml ambers Yes No
 3 - 40 ml vials Yes No
 1 - 250 ml plastic Yes No

Sample ID: MW-19R-0422 Duplicate? Yes No
 Sample Time: 11:10 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical
 Greensburg, PA

Comments/Notes: _____

Sampling Personnel:
 Job Number: 0603275-136690-221
 Well Id. MW-20R

Date: 4/14/22
 Weather: Cloudy 46
 Time In: 09:50 Time Out:

Well Information		TOC	Other
Depth to Water:	(feet)	0.00	
Depth to Bottom:	(feet)	28.40	
Depth to Product:	(feet)	—	
Length of Water Column:	(feet)	4.54	28.40
Volume of Water in Well:	(gal)	4.34	
Three Well Volumes:	(gal)	13.03	

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other:
 Well Diameter: 1" 2" Other:
 Comments:

Purging Information

Purging Method: Bailer Peristaltic Grundfos Pump
 Tubing/Bailer Material: Teflon Stainless St. Polyethylene
 Sampling Method: Bailer Peristaltic Grundfos Pump
 Average Pumping Rate: (ml/min) 2.50
 Duration of Pumping: (min) 30
 Total Volume Removed: (gal) 7 Did well go dry? Yes No
 Horiba U-52 Water Quality Meter Used? Yes No

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47

1 gallon=3.785L=3785mL=1337cu. feet

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
09:55	0.60	11.72	7.28	-200	0.640	5.1	5.33	0.413
10:00	1.55	10.24	7.22	-208	0.647	2.2	0.00	0.414
10:05	2.95	10.21	7.18	-205	0.647	17.1	0.00	0.414
10:10	4.00	10.20	7.15	-202	0.648	7.9	0.00	0.415
10:15	4.98	10.10	7.10	-196	0.649	3.4	0.00	0.415
10:20	5.85	10.10	7.05	-191	0.650	2.3	0.00	0.416
10:25	6.55	10.20	6.99	-187	0.650	2.3	0.00	0.416

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes No
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No

Sample ID: MW-20R-0422 Duplicate? Yes No
 Sample Time: 10:25 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical Greensburg, PA

Comments/Notes:

Section A Required Client Information		Section B Required Project Information		Section C Invoice Information	
Company: GCS - Syracuse		Reason To: Davis Shop (GCS)		Attention: Accounts Payable via email at gcs.ap@faceanalytical.com	
Address: 8782 Nicholas Blvd, Suite 150		Reason To: Tim Braulton (GCS)		Company Name: Greenrock & Environmental Services, Inc.	
City: Syracuse NY 13207		Reason To: GCS@faceanalytical.com		Address: 8-20 Northern Blvd, East 100 East Syracuse, NY 13207	
Email: GCS@faceanalytical.com		Purchase Order No:		Face Daily Balance:	
Phone: 820 223 3865		Project Name: National Grid - Onondaga		Face Project Manager: Rachel Christie	
Fax: None		City: Shari Onondaga, NY		Face Invoice #: 381-Annual GWS	
Requested Run Date/Type: Standard		Object Number: 3913275 130922-221-1168		Type: Public	

GENERAL SERVICE AGENCY			
MPDES	INDUSTRIAL WATER	DOMESTIC WATER	
USE	ACWA	DRIVER	
	SA	LC	LC
	DN	SC	DR

ITEM #	Section D Required Client Information		COLLECTED				SAMPLE TEMP AT COLLECTION		Presumptive																					
	SAMPLE ID		DATE	TIME	CONF	TIME	Temp (C)	Temp (F)	PH	D.O.	CL	TC	TR	NO ₃ -N	NO ₂ -N	NH ₄ -N	COD	BOD	TSS	TP	SR	SP	FA	SO ₄ -S	CO ₃ -S	HCO ₃ -S	CL ₂	Free Chlorine	Chlorine Dioxide	
MW-2RT-0422	WT	G	4/14/22	12:15	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-6R(B)-0422	WT	G		11:30	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-8R-0422	WT	G		11:30	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-8R-MS-0422	WT	G		11:30	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-8R-MSD-0422	WT	G		10:40	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-9-0422	WT	G		10:00	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-10R-0422	WT	G		10:40	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-11-0422	WT	G		09:50	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-12R-0422	WT	G		09:45	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-14R-0422	WT	G		12:20	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-15-0422	WT	G		12:40	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-15RS-0422	WT	G		12:30	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-17R-0422	WT	G		11:10	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-19R-0422	WT	G		10:35	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
MW-20R-0422	WT	G		-	7	2	13.0	55.4	7.5	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0	11.0
FD-0422	WT	G		-	2																									
Trip Blanks																														

Additional Comments:
SAMPLES WILL ARRIVE IN COOLERS. *4/14/22 13:30*

Please send reports to: info@faceanalytical.com, custserv@faceanalytical.com

SPECIFIC EID NAME:
ONONDAGA 13161EQGDD.zip

TEMPERATURE AND SIGNATURES:
FACEANALYTICAL *4/14/22*

SAMPLE CONDITIONS:

Temp (C)	Temp (F)	Flow	Vin	Vin	Vin	Vin	Vin	Vin	Vin	Vin

Well ID	Sample?	Well Size	DTW	DTP	DTB	Comments
MW-2(R)	Yes	2"	2.72		6.35	
MW-5R(R)	Yes	2"	1.89		24.30	
MW-8R	Yes	2"	1.75		20.92	MS/MSD
MW-9	Yes	2"	4.84		6.35	
MW-10R	Yes	2"	0.00		22.50	Field Duplicate
MW-11	Yes	2"	3.31		6.51	
MW-12R	Yes	2"	8.73		21.40	
MW-14R	Yes	2"	0.00		50.80	
MW-15	Yes	2"	7.55		9.04	
MW-15RS	Yes	1"	8.25		23.65	
MW-17R	Yes	2"	6.88		26.90	
MW-19R	Yes	2"	3.30		38.05	
MW-20R	Yes	2"	0.00		28.40	

DTW -depth to water

DTP -depth to product

DTB -depth to bottom

MW-10R's DTW was updated to 0.00 upon review. Initial DTW was measured above the top of casing as the water level rose above it following the removal of the j-plug due to positive pressure.

Sampling Personnel: G. Ernst
 Job Number: 0603324-136690-221
 Well Id. MW-2(R)

Date: 10/20/22
 Weather: LT Rain 40°S
 Time In: 1105 Time Out: 1200

Well Information			TOC	Other
Depth to Water:	(feet)	<u>2.72</u>		
Depth to Bottom:	(feet)	<u>6.35</u>		
Depth to Product:	(feet)	<u>NP</u>		
Length of Water Column:	(feet)	<u>3.63</u>		
Volume of Water in Well:	(gal)	<u>0.58</u>		
Three Well Volumes:	(gal)	<u>1.8</u>		

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information			Conversion Factors			
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump			
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>			
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump			
Average Pumping Rate:	(ml/min)	<u>200</u>	gal/ft. of water			
Duration of Pumping:	(min)	<u>30</u>	1" ID	2" ID	4" ID	6" ID
Total Volume Removed:	(gal)	<u>2</u>	0.04	0.16	0.66	1.47
Did well go dry?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	1 gallon=3.785L=3785mL=1337cu. feet			
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1120</u>	<u>3.34</u>	<u>13.40</u>	<u>9.07</u>	<u>-276</u>	<u>0.583</u>	<u>21.2</u>	<u>0.00</u>	<u>0.370</u>
<u>1125</u>	<u>3.59</u>	<u>13.29</u>	<u>9.33</u>	<u>-310</u>	<u>0.545</u>	<u>24.7</u>	<u>0.00</u>	<u>0.347</u>
<u>1130</u>	<u>3.78</u>	<u>13.44</u>	<u>9.66</u>	<u>-341</u>	<u>0.500</u>	<u>16.2</u>	<u>0.00</u>	<u>0.320</u>
<u>1135</u>	<u>4.28</u>	<u>13.47</u>	<u>9.83</u>	<u>-349</u>	<u>0.488</u>	<u>8.3</u>	<u>0.00</u>	<u>0.316</u>
<u>1140</u>	<u>4.92</u>	<u>13.38</u>	<u>10.42</u>	<u>-367</u>	<u>0.442</u>	<u>8.1</u>	<u>0.00</u>	<u>0.287</u>
<u>1145</u>	<u>5.03</u>	<u>13.24</u>	<u>10.95</u>	<u>-370</u>	<u>0.456</u>	<u>10.1</u>	<u>0.00</u>	<u>0.298</u>
<u>1150</u>	<u>5.23</u>	<u>12.95</u>	<u>11.80</u>	<u>-370</u>	<u>0.651</u>	<u>12.3</u>	<u>0.00</u>	<u>0.416</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes No
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No

Sample ID: MW-2(R)-1022 Duplicate? Yes No
 Sample Time: 1155 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Comments/Notes: _____ Laboratory: Pace Analytical Greensburg, PA

Sampling Personnel: 6 ERNST
 Job Number: 0603324-136690-221
 Well Id. **MW-5R(R)**

Date: 10/20/22
 Weather: cloudy 40°S
 Time In: 1200 Time Out: _____

Well Information			TOC	Other
Depth to Water:	(feet)	<u>1.89</u>		
Depth to Bottom:	(feet)	<u>24.30</u>		
Depth to Product:	(feet)	<u>NP</u>		
Length of Water Column:	(feet)	<u>22.41</u>		
Volume of Water in Well:	(gal)	<u>3.59</u>		
Three Well Volumes:	(gal)	<u>10.8</u>		

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information				Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	gal/ft.	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>	of				
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	water	0.04	0.16	0.66	1.47
Average Pumping Rate:	(ml/min)	<u>200</u>		1 gallon=3.785L=3785mL=133.7cu. feet				
Duration of Pumping:	(min)	<u>30</u>						
Total Volume Removed:	(gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input type="checkbox"/>					
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>							

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1210	3.37	12.39	9.18	-203	6.905	8.4	0.00	0.578
1215	5.04	12.79	8.88	-257	0.894	2.6	0.00	0.572
1220	6.27	12.89	8.78	-281	0.876	5.0	0.00	0.560
1225	7.40	12.98	8.70	-299	0.841	1.8	0.00	0.538
1230	8.45	12.93	8.64	-311	0.808	0.9	0.00	0.517
1235	8.73	12.92	8.62	-315	0.793	1.3	0.00	0.507
1240	8.95	12.86	8.58	-319	0.765	0.6	0.00	0.489

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes No
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No

Sample ID: MW-5R(R)-1022 Duplicate? Yes No
 Sample Time: 1245 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical Greensburg, PA

Comments/Notes: _____

Sampling Personnel: Peter Lyon
Job Number: 0603324-136690-221
Well Id. MW-8R

Date: 10/20/22
Weather: 45° Rain
Time In: 1056 Time Out: 1135

Well Information			TOC	Other
Depth to Water:	(feet)	<u>1.75</u>		
Depth to Bottom:	(feet)	<u>20.92</u>		
Depth to Product:	(feet)	<u>19.17</u>		
Length of Water Column:	(feet)	<u>19.17</u>		
Volume of Water in Well:	(gal)	<u>3.06</u>		
Three Well Volumes:	(gal)	<u>9.20</u>		

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information				Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	gal/ft.	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>	of				
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	water	0.04	0.16	0.66	1.47
Average Pumping Rate:	(ml/min)	<u>200</u>		1 gallon=3.785L=3785mL=1337cu. feet				
Duration of Pumping:	(min)	<u>30</u>						
Total Volume Removed:	(gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>					
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>							

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1100	2.15	14.97	8.43	-226	0.779	52.9	4.91	0.484
1105	3.02	14.60	7.02	-261	0.687	8.3	3.06	0.439
1110	3.93	14.64	8.15	-270	0.680	2.8	2.29	0.435
1115	4.81	14.64	8.40	-273	0.681	1.6	1.54	0.436
1120	5.11	14.63	8.41	-274	0.681	2.0	1.22	0.436
1125	5.51	14.55	8.43	-277	0.681	1.6	0.76	0.436
1130	5.72	14.48	8.49	-280	0.681	1.7	0.44	0.436

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 6 - 100 ml ambers Yes No
 EPA SW-846 Method 8260 VOC's BTEX 9 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 3 - 250 ml plastic Yes No

MW-8R-MS-1022 MW-8R-MSD-1022

Sample ID: MW-8R-1022 Duplicate? Yes No
 Sample Time: 1130 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical Greensburg, PA

Comments/Notes: _____

Sampling Personnel: PKL Lyr
 Job Number: 0603324-136690-221
 Well Id. **MW-9**

Date: 10/20/20
 Weather: 45° Rain/Cloudy
 Time In: 1012 Time Out: _____

Well Information		TOC	Other
Depth to Water:	(feet)	<u>4.81</u>	
Depth to Bottom:	(feet)	<u>6.35</u>	
Depth to Product:	(feet)	<u>-</u>	
Length of Water Column:	(feet)	<u>1.51</u>	
Volume of Water in Well:	(gal)	<u>0.24</u>	
Three Well Volumes:	(gal)	<u>0.72</u>	

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information

Purging Method: _____ Bailer Peristaltic Grundfos Pump
 Tubing/Bailer Material: _____ Teflon Stainless St. Polyethylene
 Sampling Method: _____ Bailer Peristaltic Grundfos Pump
 Average Pumping Rate: (ml/min) 200
 Duration of Pumping: (min) 36
 Total Volume Removed: (gal) 2 Did well go dry? Yes No
 Horiba U-52 Water Quality Meter Used? Yes No

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1015</u>	<u>5.05</u>	<u>15.13</u>	<u>7.42</u>	<u>-72</u>	<u>1.20</u>	<u>10.4</u>	<u>6.92</u>	<u>0.777</u>
<u>1020</u>	<u>5.27</u>	<u>15.16</u>	<u>6.89</u>	<u>-104</u>	<u>1.39</u>	<u>8.4</u>	<u>7.50</u>	<u>0.896</u>
<u>1025</u>	<u>5.34</u>	<u>15.67</u>	<u>7.03</u>	<u>-126</u>	<u>1.44</u>	<u>8.1</u>	<u>8.73</u>	<u>0.923</u>
<u>1030</u>	<u>5.51</u>	<u>15.23</u>	<u>7.28</u>	<u>-152</u>	<u>1.47</u>	<u>7.6</u>	<u>8.31</u>	<u>0.938</u>
<u>1035</u>	<u>5.66</u>	<u>15.33</u>	<u>7.63</u>	<u>-179</u>	<u>1.47</u>	<u>7.4</u>	<u>7.56</u>	<u>0.943</u>
<u>1040</u>	<u>5.84</u>	<u>15.42</u>	<u>7.90</u>	<u>-208</u>	<u>1.46</u>	<u>6.4</u>	<u>7.40</u>	<u>0.937</u>
<u>1045</u>	<u>6.02</u>	<u>15.41</u>	<u>7.94</u>	<u>-225</u>	<u>1.46</u>	<u>6.2</u>	<u>7.62</u>	<u>0.935</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes No
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No

Sample ID: MW-9-1022 Duplicate? Yes No
 Sample Time: 1045 MS/MSD? Yes No
 Shipped: Pace Courier Pickup
 Ship to Pace
 Laboratory: Pace Analytical Greensburg, PA

Comments/Notes: _____

Sampling Personnel: Pete Lynn
 Job Number: 0603324-136690-221
 Well Id. MW-10R

Date: 10/20/11
 Weather: 42° Rain
 Time In: 0928 Time Out: _____

Well Information			TOC	Other
Depth to Water:	(feet)	<u>0.00</u>		
Depth to Bottom:	(feet)	<u>22.50</u>		
Depth to Product:	(feet)	<u>-</u>		
Length of Water Column:	(feet)	<u>22.53</u>		
Volume of Water in Well:	(gal)	<u>3.60</u>		
Three Well Volumes:	(gal)	<u>10.81</u>		

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information			Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	gal/ft.	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input checked="" type="checkbox"/>	of				
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	water	0.04	0.16	0.66	1.47
Average Pumping Rate:	(ml/min)	<u>200</u>	1 gallon=3.785L=3785mL=1337cu. feet				
Duration of Pumping:	(min)	<u>30</u>					
Total Volume Removed:	(gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				
Horiba U-52 Water Quality Meter Used?		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
0930	0.40	15.43	8.81	-147	0.341	2.9	23.24	0.220
0935	0.65	15.37	8.76	-159	0.333	2.7	10.54	0.216
0940	1.13	15.46	8.25	-175	0.339	2.4	9.50	0.221
0945	1.42	15.45	8.72	-176	0.350	3.4	9.28	0.228
0950	1.65	15.41	8.57	-176	0.375	2.8	9.17	0.244
0955	1.89	15.37	8.64	-186	0.393	2.9	8.94	0.256
1000	2.09	15.37	8.72	-188	0.404	2.6	9.33	0.262

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 4 - 100 ml ambers Yes No
 EPA SW-846 Method 8260 VOC's BTEX 6 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 2 - 250 ml plastic Yes No

FD-1022

Sample ID: MW-10R-1022 Duplicate? Yes No
 Sample Time: 1000 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical Greensburg, PA

Comments/Notes: _____

Sampling Personnel: _____
 Job Number: 0603324-136690-221
 Well Id. **MW-11**

Date: 10/20/22
 Weather: LT Rain 40°S
 Time In: 1015 Time Out: 1105

Well Information			TOC	Other
Depth to Water:	(feet)	<u>3.31</u>		
Depth to Bottom:	(feet)	<u>6.51</u>		
Depth to Product:	(feet)	<u>NP</u>		
Length of Water Column:	(feet)	<u>3.2</u>		
Volume of Water in Well:	(gal)	<u>0.512</u>		
Three Well Volumes:	(gal)	<u>1.53</u>		

Well Type:	Flushmount	<input checked="" type="checkbox"/>	Stick-Up	<input type="checkbox"/>
Well Locked:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Measuring Point Marked:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Well Material:	PVC	<input checked="" type="checkbox"/>	SS	<input type="checkbox"/>
Well Diameter:	1"	<input type="checkbox"/>	2"	<input checked="" type="checkbox"/>
Comments:	_____			

Purging Information				Conversion Factors							
Purging Method:	Bailer	<input type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>	Grundfos Pump	<input type="checkbox"/>	gal/ft. of water	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon	<input type="checkbox"/>	Stainless St.	<input type="checkbox"/>	Polyethylene	<input checked="" type="checkbox"/>	0.04	0.16	0.66	1.47	
Sampling Method:	Bailer	<input type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>	Grundfos Pump	<input type="checkbox"/>	1 gallon=3.785L=3785mL=1337cu. feet				
Average Pumping Rate:	(ml/min)	<u>200</u>	Did well go dry? Yes <input type="checkbox"/> No <input type="checkbox"/>								
Duration of Pumping:	(min)	<u>30</u>	Horiba U-52 Water Quality Meter Used? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>								
Total Volume Removed:	(gal)	<u>2</u>									

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1020	3.59	13.23	7.77	-209	1.66	268	0.00	1.07
1025	3.59	13.05	7.32	-210	1.71	80.3	0.00	1.09
1030	3.62	12.58	7.07	-213	1.68	12.8	0.00	1.08
1035	3.63	12.44	7.03	-213	1.66	8.0	0.00	1.06
1040	3.63	12.26	6.99	-212	1.66	5.4	0.00	1.06
1045	3.63	12.06	6.95	-210	1.65	3.2	0.00	1.06
1050	3.63	11.92	6.94	-209	1.64	2.0	0.00	1.05

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	2 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample ID: MW-11-1022	Duplicate? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup	<input checked="" type="checkbox"/>
Sample Time: <u>1055</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Ship to Pace	<input type="checkbox"/>
Comments/Notes: _____	Laboratory: Pace Analytical Greensburg, PA		

Sampling Personnel: G. Ernst
 Job Number: 0603324-136690-221
 Well Id. **MW-12R**

Date: 10/20/22
 Weather: LT Rain 40°S
 Time In: 0920 Time Out: 1015

Well Information		
	TOC	Other
Depth to Water: (feet)	<u>8.73</u>	
Depth to Bottom: (feet)	<u>21.40</u>	
Depth to Product: (feet)	<u>NP</u>	
Length of Water Column: (feet)	<u>12.67</u>	
Volume of Water in Well: (gal)	<u>2.03</u>	
Three Well Volumes: (gal)	<u>6.1</u>	

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information		
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Average Pumping Rate: (ml/min)	<u>200</u>	
Duration of Pumping: (min)	<u>30</u>	
Total Volume Removed: (gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>0935</u>	<u>10.13</u>	<u>19.90</u>	<u>7.90</u>	<u>-243</u>	<u>0.549</u>	<u>0.0</u>	<u>0.19</u>	<u>0.352</u>
<u>0940</u>	<u>10.77</u>	<u>19.31</u>	<u>7.89</u>	<u>-290</u>	<u>0.553</u>	<u>0.0</u>	<u>0.00</u>	<u>0.354</u>
<u>0945</u>	<u>11.95</u>	<u>18.23</u>	<u>7.86</u>	<u>-322</u>	<u>0.565</u>	<u>0.0</u>	<u>0.00</u>	<u>0.362</u>
<u>0950</u>	<u>13.06</u>	<u>14.00</u>	<u>7.88</u>	<u>-324</u>	<u>0.629</u>	<u>0.0</u>	<u>0.00</u>	<u>0.403</u>
<u>0955</u>	<u>13.99</u>	<u>13.75</u>	<u>7.85</u>	<u>-330</u>	<u>0.635</u>	<u>0.0</u>	<u>0.00</u>	<u>0.407</u>
<u>1000</u>	<u>15.15</u>	<u>13.55</u>	<u>7.83</u>	<u>-333</u>	<u>0.641</u>	<u>11.5</u>	<u>0.00</u>	<u>0.410</u>
<u>1005</u>	<u>16.42</u>	<u>13.07</u>	<u>7.80</u>	<u>-336</u>	<u>0.647</u>	<u>13.3</u>	<u>0.00</u>	<u>0.414</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes No
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No

Sample ID: MW-12R-1022 Duplicate? Yes No
 Sample Time: 1010 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical Greensburg, PA

Comments/Notes: _____

Sampling Personnel: [Signature]
 Job Number: 0603324-136690-221
 Well Id. **MW-14R**

Date: 10/20/22
 Weather: RAIN 40
 Time In: 09:15 Time Out: _____

Well Information			TOC	Other
Depth to Water:	(feet)	<u>0.00</u>		
Depth to Bottom:	(feet)	<u>50.80</u>		
Depth to Product:	(feet)	<u>✓</u>		
Length of Water Column:	(feet)	<u>50.80</u>		
Volume of Water in Well:	(gal)	<u>8-12</u>		
Three Well Volumes:	(gal)	<u>24.30</u>		

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information

Purging Method: _____
 Tubing/Bailer Material: _____
 Sampling Method: _____

Bailer Peristaltic
 Teflon Stainless St.
 Bailer Peristaltic

Grundfos Pump
 Polyethylene
 Grundfos Pump

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Average Pumping Rate: (ml/min) 200
 Duration of Pumping: (min) 30
 Total Volume Removed: (gal) 2 Did well go dry? Yes No

Horiba U-52 Water Quality Meter Used? Yes No

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>09:30</u>	<u>0.00</u>	<u>12.31</u>	<u>7.56</u>	<u>-71</u>	<u>0.701</u>	<u>1.2</u>	<u>4.11</u>	<u>0.445</u>
<u>09:35</u>	<u>0.00</u>	<u>12.34</u>	<u>8.22</u>	<u>-66</u>	<u>0.690</u>	<u>1.1</u>	<u>1.94</u>	<u>0.441</u>
<u>09:40</u>	<u>0.00</u>	<u>12.36</u>	<u>7.44</u>	<u>-69</u>	<u>0.667</u>	<u>0.4</u>	<u>0.83</u>	<u>0.426</u>
<u>09:45</u>	<u>0.00</u>	<u>12.07</u>	<u>7.44</u>	<u>-156</u>	<u>0.657</u>	<u>1.0</u>	<u>0.71</u>	<u>0.420</u>
<u>09:50</u>	<u>0.00</u>	<u>11.96</u>	<u>7.45</u>	<u>-185</u>	<u>0.655</u>	<u>0.8</u>	<u>0.67</u>	<u>0.419</u>
<u>09:55</u>	<u>0.00</u>	<u>11.71</u>	<u>7.51</u>	<u>-236</u>	<u>0.655</u>	<u>0.6</u>	<u>0.63</u>	<u>0.419</u>
<u>10:00</u>	<u>0.00</u>	<u>11.63</u>	<u>7.53</u>	<u>-248</u>	<u>0.657</u>	<u>0.0</u>	<u>0.65</u>	<u>0.424</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes No
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No

Sample ID: MW-14R-1022 Duplicate? Yes No
 Sample Time: 10:00 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Comments/Notes: _____

Laboratory: Pace Analytical Greensburg, PA

Sampling Personnel:
 Job Number: 0603324-136690-221
 Well Id. **MW-15**

Date: 10/20/20
 Weather: RAINY
 Time In: 12:05 Time Out:

Well Information			TOC	Other
Depth to Water:	(feet)		<u>7.55</u>	
Depth to Bottom:	(feet)		9.04	
Depth to Product:	(feet)		<u> </u>	
Length of Water Column:	(feet)		<u>1.49</u>	
Volume of Water in Well:	(gal)		<u>0.27</u>	
Three Well Volumes:	(gal)		<u>0.71</u>	

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other:
 Well Diameter: 1" 2" Other:
 Comments:

Purging Information				Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	gal/ft.	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>	of				
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	water	0.04	0.16	0.66	1.47
Average Pumping Rate:	(ml/min)	<u>201</u>		1 gallon=3.785L=3785mL=1337cu. feet				
Duration of Pumping:	(min)	<u>31</u>						
Total Volume Removed:	(gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>					
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>							

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
12:10	<u>7.63</u>	<u>11.77</u>	<u>6.90</u>	<u>-269</u>	<u>1.36</u>	<u>0.9</u>	<u>9.90</u>	<u>0.870</u>
12:15	<u>7.73</u>	<u>11.80</u>	<u>6.80</u>	<u>-266</u>	<u>1.35</u>	<u>0.1</u>	<u>9.56</u>	<u>0.854</u>
12:20	<u>8.01</u>	<u>12.09</u>	<u>6.68</u>	<u>-730</u>	<u>1.31</u>	<u>0.0</u>	<u>8.66</u>	<u>0.836</u>
12:25	<u>8.20</u>	<u>12.21</u>	<u>6.67</u>	<u>-227</u>	<u>1.30</u>	<u>0.0</u>	<u>8.34</u>	<u>0.839</u>
12:30	<u>8.25</u>	<u>12.28</u>	<u>6.71</u>	<u>-225</u>	<u>1.29</u>	<u>0.0</u>	<u>8.08</u>	<u>0.825</u>
12:35	<u>8.40</u>	<u>12.30</u>	<u>6.74</u>	<u>-221</u>	<u>1.28</u>	<u>0.0</u>	<u>7.72</u>	<u>0.820</u>
12:40	<u>8.49</u>	<u>12.29</u>	<u>6.73</u>	<u>-219</u>	<u>1.29</u>	<u>0.0</u>	<u>7.39</u>	<u>0.818</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes No
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No

Sample ID: MW-15-1022 Duplicate? Yes No
 Sample Time: 1240 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical
 Greensburg, PA

Comments/Notes:

Sampling Personnel: KE
 Job Number: 0603324-136690-221
 Well Id. **MW-15RS**

Date: 10/20/22
 Weather: RAIN 40
 Time In: 11:25 Time Out: _____

Well Information		TOC	Other
Depth to Water:	(feet)	<u>8.25</u>	
Depth to Bottom:	(feet)	23.65	
Depth to Product:	(feet)		
Length of Water Column:	(feet)	<u>15.4</u>	
Volume of Water in Well:	(gal)	<u>0.1016</u>	
Three Well Volumes:	(gal)	<u>1.69</u>	

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information		Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	gal/ft.	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/>	of				
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	water	0.04	0.16	0.66	1.47
Average Pumping Rate:	(ml/min) <u>200</u>	1 gallon=3.785L=3785mL=1337cu. feet				
Duration of Pumping:	(min) <u>30</u>					
Total Volume Removed:	(gal) <u>2</u>					
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Did well go dry?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>11:30</u>	<u>12.61</u>	<u>7.47</u>	<u>-106</u>	<u>1.03</u>	<u>0.0</u>	<u>2.42</u>	<u>0.697</u>	
<u>11:35</u>	<u>12.52</u>	<u>7.31</u>	<u>-257</u>	<u>1.29</u>	<u>0.0</u>	<u>1.92</u>	<u>0.829</u>	
<u>11:40</u>	<u>12.45</u>	<u>7.31</u>	<u>-284</u>	<u>1.34</u>	<u>0.0</u>	<u>1.72</u>	<u>0.892</u>	
<u>11:45</u>	<u>12.30</u>	<u>7.30</u>	<u>-294</u>	<u>1.41</u>	<u>0.0</u>	<u>1.00</u>	<u>0.905</u>	
<u>11:50</u>	<u>12.19</u>	<u>7.24</u>	<u>-301</u>	<u>1.43</u>	<u>0.0</u>	<u>0.91</u>	<u>0.919</u>	
<u>11:55</u>	<u>12.02</u>	<u>7.20</u>	<u>-310</u>	<u>1.46</u>	<u>0.0</u>	<u>0.76</u>	<u>0.934</u>	
<u>12:00</u>	<u>11.95</u>	<u>7.19</u>	<u>-314</u>	<u>1.47</u>	<u>0.0</u>	<u>0.72</u>	<u>0.940</u>	

Sampling Information: **PROBE DOESNT FIT IN WELL**

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes No
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No

Sample ID: MW-15RS-1022 Duplicate? Yes No
 Sample Time: 12:00 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Comments/Notes: _____
 Laboratory: Pace Analytical
 Greensburg, PA

Sampling Personnel: Pace 402
 Job Number: 0603324-136690-221
 Well Id. MW-17R

Date: 10/20/20
 Weather: 45° overcast
 Time In: 1147 Time Out: 1225

Well Information			TOC	Other
Depth to Water:	(feet)	<u>6.87</u>		
Depth to Bottom:	(feet)	<u>26.90</u>		
Depth to Product:	(feet)	<u>-</u>		
Length of Water Column:	(feet)	<u>20.02</u>		
Volume of Water in Well:	(gal)	<u>3.20</u>		
Three Well Volumes:	(gal)	<u>9.60</u>		

Well Type: Flushmount Stick-Up
 Well Locked: Yes No
 Measuring Point Marked: Yes No
 Well Material: PVC SS Other: _____
 Well Diameter: 1" 2" Other: _____
 Comments: _____

Purging Information

Purging Method: _____
 Tubing/Bailer Material: _____
 Sampling Method: _____

Bailer Peristaltic
 Teflon Stainless St.
 Bailer Peristaltic

Grundfos Pump
 Polyethylene
 Grundfos Pump

Average Pumping Rate: (ml/min) 200
 Duration of Pumping: (min) 30
 Total Volume Removed: (gal) 2 Did well go dry? Yes No

Horiba U-52 Water Quality Meter Used? Yes No

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1150	7.81	14.06	8.16	-251	0.823	6.8	1.02	0.528
1155	8.54	14.05	7.78	-256	0.840	1.8	0.36	0.530
1200	9.07	14.08	7.62	-256	0.841	1.3	0.00	0.538
1205	9.48	14.18	7.50	-256	0.841	1.8	0.00	0.538
1210	9.80	14.25	7.52	-256	0.837	0.3	0.00	0.535
1215	10.05	14.22	7.67	-255	0.828	1.9	0.00	0.530
1220	10.21	14.23	7.70	-255	0.829	2.3	0.00	0.530

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes No
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes No
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No

Sample ID: MW-17R-1022 Duplicate? Yes No
 Sample Time: 1220 MS/MSD? Yes No

Shipped: Pace Courier Pickup
 Ship to Pace

Laboratory: Pace Analytical Greensburg, PA

Comments/Notes: _____

Sampling Personnel: K
 Job Number: 0603324-136690-221
 Well Id. **MW-19R**

Date: 10/20/12
 Weather: PAR 90
 Time In: 10:45 Time Out: _____

Well Information			TOC	Other
Depth to Water:	(feet)	<u>3.30</u>		
Depth to Bottom:	(feet)	<u>38.05</u>		
Depth to Product:	(feet)	<u>—</u>		
Length of Water Column:	(feet)	<u>34.75</u>		
Volume of Water in Well:	(gal)	<u>5.56</u>		
Three Well Volumes:	(gal)	<u>16.68</u>		

Well Type:	Flushmount	<input checked="" type="checkbox"/>	Stick-Up	<input type="checkbox"/>
Well Locked:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Measuring Point Marked:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Well Material:	PVC	<input checked="" type="checkbox"/>	SS	<input type="checkbox"/>
Well Diameter:	1"	<input type="checkbox"/>	2"	<input checked="" type="checkbox"/>
Comments:	_____			

Purging Information			Conversion Factors																		
Purging Method:	Bailer	<input type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>	Grundfos Pump	<input type="checkbox"/>															
Tubing/Bailer Material:	Teflon	<input type="checkbox"/>	Stainless St.	<input type="checkbox"/>	Polyethylene	<input checked="" type="checkbox"/>															
Sampling Method:	Bailer	<input type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>	Grundfos Pump	<input type="checkbox"/>															
Average Pumping Rate:	(ml/min)	<u>200</u>	<table border="1"> <thead> <tr> <th>gal/ft. of water</th> <th>1" ID</th> <th>2" ID</th> <th>4" ID</th> <th>6" ID</th> </tr> </thead> <tbody> <tr> <td></td> <td>0.04</td> <td>0.16</td> <td>0.66</td> <td>1.47</td> </tr> <tr> <td colspan="5">1 gallon=3.785L=3785mL=1337cu. feet</td> </tr> </tbody> </table>				gal/ft. of water	1" ID	2" ID	4" ID	6" ID		0.04	0.16	0.66	1.47	1 gallon=3.785L=3785mL=1337cu. feet				
gal/ft. of water	1" ID	2" ID					4" ID	6" ID													
	0.04	0.16					0.66	1.47													
1 gallon=3.785L=3785mL=1337cu. feet																					
Duration of Pumping:	(min)	<u>30</u>																			
Total Volume Removed:	(gal)	<u>2</u>																			
Horiba U-52 Water Quality Meter Used?	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>	Did well go dry?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>															

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
10:50	3.95	12.33	7.49	-161	0.683	0.0	1.49	0.436
10:58	5.16	12.39	7.66	-171	0.668	0.7	1.78	0.426
11:00	7.40	12.97	7.74	-176	0.661	0.0	1.56	0.423
11:08	8.98	13.04	7.75	-176	0.661	0.0	1.46	0.427
11:10	10.74	13.11	7.71	-168	0.661	0.0	1.43	0.423
11:15	13.60	13.23	7.69	-159	0.661	0.0	1.39	0.423
11:20	15.95	13.23	7.63	-143	0.659	0.0	1.51	0.422

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	2 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample ID: MW-19R-1022	Duplicate?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup <input checked="" type="checkbox"/>
Sample Time: <u>11:20</u>	MS/MSD?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Ship to Pace <input type="checkbox"/>
Comments/Notes:	Laboratory: Pace Analytical Greensburg, PA		

Sampling Personnel: [Signature]
Job Number: 0603324-136690-221
Well Id. **MW-20R**

Date: 10/20/22
Weather: PAID 40
Time In: 10:05 Time Out: _____

Well Information		TOC	Other
Depth to Water:	(feet)	<u>0.00</u>	
Depth to Bottom:	(feet)	28.40	
Depth to Product:	(feet)	<u>✓</u>	
Length of Water Column:	(feet)	<u>4.54</u>	
Volume of Water in Well:	(gal)	<u>9.54</u>	
Three Well Volumes:	(gal)	<u>13.63</u>	

Well Type: Flushmount Stick-Up
Well Locked: Yes No
Measuring Point Marked: Yes No
Well Material: PVC SS Other: _____
Well Diameter: 1" 2" Other: _____
Comments: _____

Purging Information

Purging Method: _____ Bailer Peristaltic Grundfos Pump
Tubing/Bailer Material: Teflon Stainless St. Polyethylene
Sampling Method: Bailer Peristaltic Grundfos Pump
Average Pumping Rate: (ml/min) 200
Duration of Pumping: (min) 30
Total Volume Removed: (gal) 2 Did well go dry? Yes No
Horiba U-52 Water Quality Meter Used? Yes No

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
10:10	0.00	11.34	7.46	-168	0.611	3.4	5.66	0.430
10:15	2.95	13.10	7.55	-202	0.711	0.0	3.39	0.456
10:20	5.80	13.44	7.51	-198	0.708	21.2	3.40	0.453
10:25	7.65	13.64	7.49	-193	0.702	8.6	3.12	0.449
10:30	9.72	13.81	7.48	-188	0.702	3.3	2.57	0.449
10:35	10.74	13.39	7.47	-182	0.702	1.2	2.43	0.449
10:40	11.76	13.19	7.46	-179	0.691	1.1	1.98	0.447

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes No
EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes No
EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes No

Sample ID: **MW-20R-1022** Duplicate? Yes No
Sample Time: 10:40 MS/MSD? Yes No
Shipped: Pace Courier Pickup
Ship to Pace

Laboratory: Pace Analytical Greensburg, PA

Comments/Notes: _____



Section A Required Client Information Company: GES - Syracuse Address: 8780 Northern Blvd, Suite 100 East Syracuse, New York 13657 Email To: dshey@gesonline.com Phone: 800 220 3388 Fax: None Requested Due Date/TAT: Standard		Section B Required Project Information Report To: Dawn Shay (AES) dshey@gesonline.com Report To: Tim Beaumont (GES) tbeaumont@gesonline.com Purchase Order No: Project Name: National Grid - Ogdensburg King Street Ogdensburg NY Project Number: 00033274-130990-221-1108		Section C Invoice Information Attention: Accounts Payable via email at grs-physics@gesonline.com Company Name: Groundwater & Environmental Services, Inc Address: 6780 Northern Blvd, Suite 100, East Syracuse, NY 13057 Pace Quote Reference: Pace Project Manager: Rachel Chamber Pace Prof. # #: Semi-Annual GWS	
---	--	---	--	--	--

REGULATORY AGENCY

NPDES SPILL/WATER DRINKING WATER
 UST RCRA OTHER _____

SITE LOCATION
 GA IL IN MI NY OH PA VA WY

ITEM #	Section D Required Client Information SAMPLE ID One Character per box (A-Z, 0-9) - Samples IDs MUST BE UNIQUE	MATRIX CODE	SAMPLE TYPE	GLOUSE G-COMP	COLLECTED				PRESERVATIVES										Filtered (Y/N)	Requested Analysis:	Pace Project Number Lab ID						
					DATE	TIME	DATE	TIME	UNPRESERVED	H2O2	HALO	AC	PHI	HCl	HNO3	H2SO4	Ascorbic Acid	None									
1	MW-2(R)-1022	WT	G					10/26/12	11:55	7	2	1	3	1													
2	MW-5(R)-1022	WT	G						12:45	7	2	1	3	1													
3	MW-6R-1022	WT	G						11:30	7	2	1	3	1													
4	MW-8R-MS-1022	WT	G						11:30	7	2	1	3	1													
5	MW-8R-MSD-1022	WT	G						11:30	7	2	1	3	1													
6	MW-9-1022	WT	C						10:45	7	2	1	3	1													
7	MW-10R-1022	WT	G						10:10	7	2	1	3	1													
8	MW-11-1022	WT	G						10:55	7	2	1	3	1													
9	MW-12R-1022	WT	G						10:10	7	2	1	3	1													
10	MW-14R-1022	WT	G						10:40	7	2	1	3	1													
11	MW-15-1022	WT	G						12:40	7	2	1	3	1													
12	MW-15RS-1022	WT	G						12:10	7	2	1	3	1													
13	MW-17R-1022	WT	G						12:20	7	2	1	3	1													
14	MW-19R-1022	WT	G						11:20	7	2	1	3	1													
15	MW-20R-1022	WT	G						12:00	7	2	1	3	1													
16	FD-1022	WT	G							7	2	1	3	1													
17	Trip Blanks	WT	G						13:00	2																	

Additional Comments: SAMPLES WILL ARRIVE IN COOLERS.

RELEASED BY: *[Signature]* DATE: 10/26/12 TIME: 13:05
 ACCEPTED BY: *[Signature]* DATE: TIME:

Please send reports to: dshey@gesonline.com, tbeaumont@gesonline.com
 NERregion@gesonline.com, qes@gesonline.com

SPECIFIC EDD NAME: NGOgdensburg-Inhnumber.28351.EQEDD.zip

Temp in °C	Refrigerated on Ice	Culinary Sterile Container	Samples Intact	SAMPLE CONDITIONS			
				Y/N	Y/N	Y/N	Y/N
				Y/N	Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE: *[Signature]* DATE: 10/26/12



Appendix C – Data Usability Summary Report



Groundwater & Environmental Services, Inc.
708 North Main Street, Suite 201
Blacksburg, VA 24060
T. 800.662.5067

February 2, 2023

Devin Shay
Groundwater & Environmental Services, Syracuse
6780 Northern Blvd., Suite 100
East Syracuse, NY 13057

RE: Data Usability Summary Report for National Grid - Ogdensburg: Data Packages Pace
Analytical Job No. 30481458, 30532087

Groundwater & Environmental Services, Inc. (GES) reviewed two data packages (Laboratory Project Numbers 30481458, 30532087) from Pace Analytical Services, Inc., for the analysis of groundwater samples collected on April 14, 2022 and October 20, 2022 from monitoring wells located at the at the National Grid Ogdensburg site. Collected samples included 13 aqueous samples in the spring and 12 aqueous samples in the fall event, as well as field quality samples including a trip blank and a field duplicate during each event. Sample MW-15 was not analyzed in the fall sampling event, as the sample was lost at the laboratory. The samples were processed for volatile organic compounds benzene, toluene, ethylbenzene and xylenes (BTEX), cyanide and polycyclic aromatic hydrocarbons (PAHs). The trip blanks were analyzed for volatiles with the site samples. The purpose of the trip blank is to determine if there is outside BTEX contamination caused by transporting the samples.

Analytical methodologies are those of the USEPA with additional requirements of the NYSDEC ASP.

Complete NYSDEC Category B deliverables were included in the laboratory data package and all information required for validation of the data is present. This usability report is generated from review of the summary form information, and review of associated QC raw data. The reported summary forms have been reviewed for application of validation qualifiers, using guidance from the National Grid generic QAPP, USEPA Region 2 validation SOPs, the USEPA National Functional Guidelines for Data Review, and professional judgment, as affects the usability of the data. The following items were reviewed:

- Laboratory Narrative Discussion
- Custody Documentation
- Holding Times
- Surrogate and Internal Standard Recoveries
- Matrix Spike Recoveries/Duplicate (MS/MSD) Correlations
- Field Duplicate Correlations
- Laboratory Control Sample (LCS)
- Preparation/Calibration Blanks
- Calibration/Low Level Standard Responses
- Instrumental Tunes
- Sample Quantitation and Identification

All of the items were determined to be acceptable for the DUSR level review. In summary, sample results are usable.

The laboratory case narratives and sample identification summary forms are attached to this text, and should be reviewed in conjunction with this report.

Table 1 – Data Qualifications

Sample ID	Qualifier	Analyte	Reason for qualification
MW-8R-1022	J+	Benzene	High MS/MSD recoveries
	R	Cyanide	MS/MSD recoveries <10%
	J	Anthracene Benzo(a)anthracene Benzo(a)pyrene Benzo(b)fluoranthene Benzo(k)fluoranthene Chrysene Fluoranthene Phenanthrene Pyrene	RPD exceeds maximum
	UJ	Benzo(g,h,i)perylene Indeno(1,2,3-cd)pyrene	
MW-2R-0422	J-	Cyanide Naphthalene	Low MS/MSD recoveries
	J+	2-Methylnaphthalene Acenaphthene	High MS/MSD recoveries
MW-15RS-0422 MW-17R-0422 MW-19R-0422	J+	Naphthalene	Method Blank detections

J-/UJ-: estimated detect/estimated non-detect with a possible low bias

R: Data unusable due to gross QC failure

J+: estimated detect with a possible high bias

J/UJ: estimated with an indeterminate bias

BTEX and TCL Volatiles by EPA 8260C/NYSDEC ASP

Sample holding times for groundwater and instrumental tune fragmentations are within acceptance ranges for both events. Surrogate and internal standard recoveries are within required limits. Calibration standards show acceptable responses within analytical protocol and validation action limits.

LCS/LCSD recoveries and relative percent differences (RPD) are within criteria for both events.

For the spring event, an MS/MSD was analyzed using **MW-8R-0422** as the matrix. Per EPA guidance, the original concentration cannot be more than 4x the spiking concentration for recovery accuracy to be calculated. Benzene recovered outside specification; however, the original concentration was ~18x that of the spiking concentration and the calculated recovery does not accurately represent the method efficacy. No qualifiers were required. The blind field duplicate correlations of **MW-10R** were within the project specification of ≤25% for both sampling events.

Table 2a: VOCs Precision Calculations

Compound	MW-10R-0422	FD-0422	RPD
Benzene	1220	1200	1.7
Ethylbenzene	101	98.7	2.3
Toluene	174	165	5.3
Xylene (Total)	127	124	2.4
m&p-Xylene	84.3	80.7	4.4
o-Xylene	43.1	43.2	0.2

µg/L-microgram per liter RPD - relative percent difference

For the fall event, an MS/MSD was analyzed using **MW-8R-1022** as the matrix. All QC elements fell within project criteria with the exception of benzene, which recovered high. The blind field duplicate correlations of **MW-10R** were within the project specification of ≤25% for both sampling events.

Table 2b: VOCs Precision Calculations

Compound	MW-10R-1022	FD-1022	RPD
Benzene	1760	1650	6.4
Ethylbenzene	139	140	0.7
Toluene	222	222	0
Xylene (Total)	175	171	2.3

µg/L-microgram per liter RPD - relative percent difference

Cyanide by EPA 9012B/NYDESC ASP

Holding times were met for both sampling events. Blanks, both laboratory and field-generated, show no contamination. Calibration standards, both initial and continuing, show acceptable responses within analytical method protocols and validation guidelines.

The laboratory control spike recoveries and precision indicate the method is within laboratory control.

For the spring event, an MS/MSDs were analyzed using **MW-2R-0422** where the recoveries were below criteria (81%, 84%). The cyanide data for this sample is qualified as estimated with a possible low bias.

The blind field duplicate correlations of **MW-10R-0422** were within project criteria. No data was qualified.

Table 3a: Cyanide Precision Calculations

Compound	MW-10R-0422	FD-0422	RPD
Cyanide	0.15	0.14	6.9

µg/L-microgram per liter RPD - relative percent difference

For the fall event, an MS/MSD was analyzed using **MW-8R-1022** where the recoveries were below criteria (-12%, 7%). These recoveries are below the EPA-required 10% for usable data. Cyanide in the fall event for MW-8R is rejected.

The blind field duplicate correlations of **MW-10R-1022** were within project criteria. No data was qualified.

Table 3b: Cyanide Precision Calculations

Compound	MW-10R-1022	FD-0422	RPD
Cyanide	0.11	0.13	16.7

µg/L-microgram per liter RPD - relative percent difference

PAHs by EPA8270D/NYSDEC ASP

Holding times were met. Instrumental tune fragmentations are within acceptance ranges. Blanks reported no above RL concentrations with the exception of naphthalene (0.18 µg/L) in the method blank associated with the spring sampling event. Three associated samples had naphthalene detections <5x the blank concentration, rendering these naphthalene data points as possibly affected by the same laboratory source as the method blank. Data from these samples are qualified as estimated with a possible high bias, as noted in **Table 1**. All other samples had no detection of naphthalene, or reported concentrations > 5x the blank.

Surrogates were within specification for all samples. Calibration standards, both initial and continuing, show acceptable responses within analytical method protocols and validation guidelines. Samples with high concentrations were run at dilution to allow accurate quantification. Some detection limits are elevated.

The spring laboratory control spike recoveries and precision indicate the method is within laboratory control. Matrix spike and matrix spike associated with **MW-02R-0422** recoveries were within laboratory specified criteria, with the following exceptions:

- 2-Methylnaphthalene and acenaphthene both reported high.
- Naphthalene reported low recoveries

Data is qualified as estimated as noted in **Table 1**.

The blind field duplicate correlations of **MW-10R-0422** were within project specification of RPD ≤ 25%, with the exception of naphthalene. Naphthalene is qualified as estimated with an indeterminate bias.

Table 4a: PAH Precision Calculations

Compound	MW-10R-0422	FD-0422	RPD
Acenaphthene	29.2	26	11.6
Acenaphthylene	37.5	34	9.8
Anthracene	0.78	0.8	2.5
Fluorene	10.5	10.6	0.9
2-Methylnaphthalene	11.0	11.1	0.9
Naphthalene	449	647	36.1
Phenanthrene	1.7	1.8	5.7

The fall laboratory control spike recoveries and precision indicate the method is within laboratory control. Matrix spike and matrix spike recoveries associated with **MW-8R-1022** were within laboratory specified criteria, with the exception of the recovery for naphthalene, which recovered high, and acenaphthylene and phenanthrene, which recovered low. As the original naphthalene concentration >>4x the spiking concentration, the recovery does not accurately reflect the method efficacy, and no qualifications are required.

The RPDs of the following analytes exceeded criteria in the fall MS/MSD, and the associated data in **MW-8R-1022** is qualified as estimated due to the precision issue. This qualification supersedes the possible high or low bias introduced by MS/MSD recoveries.

- Anthracene
- Benzo(a)anthracene
- Benzo(a)pyrene
- Benzo(b)fluoranthene
- Benzo(g,h,i)perylene
- Benzo(k)fluoranthene
- Chrysene
- Fluoranthene
- Indeno(1,2,3-cd)pyrene
- Phenanthrene
- Pyrene

The blind field duplicate correlations of **MW-10R-1022** were within project specification of RPD \leq 25%. No qualifications are required.

Table 4b: PAH Precision Calculations

Compound	MW-10R	FD-1022	RPD
Acenaphthene	37.5	36.8	1.9
Acenaphthylene	46.6	45.0	3.5
Fluorene	16.2	16.3	0.6
2-Methylnaphthalene	6.4	6.0	6.5
Naphthalene	431	412	4.5
Phenanthrene	2.5	2.5	0.0

Data Package Completeness

Complete NYSDEC Category B deliverables were included in the laboratory data package, all information required for validation of the data is present.

Please do not hesitate to contact me if you have comments or questions regarding this report.

Sincerely,



Bonnie Janowiak, Ph.D.
Principal Environmental Chemist, NRCC Certified

SAMPLE SUMMARY

Project: National Grid - Ogdensburg Kin

Pace Project No.: 30481458

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30481458001	MW-2 (R)-0422	Water	04/14/22 12:15	04/15/22 09:10
30481458002	MW-5R(R)-0422	Water	04/14/22 11:30	04/15/22 09:10
30481458003	MW-8R-0422	Water	04/14/22 11:30	04/15/22 09:10
30481458004	MW-8R-MS-0422	Water	04/14/22 11:30	04/15/22 09:10
30481458005	MW-8R-MSD-0422	Water	04/14/22 11:30	04/15/22 09:10
30481458006	MW-9-0422	Water	04/14/22 10:40	04/15/22 09:10
30481458007	MW-10R-0422	Water	04/14/22 10:00	04/15/22 09:10
30481458008	MW-11-0422	Water	04/14/22 10:40	04/15/22 09:10
30481458009	MW-12R-0422	Water	04/14/22 09:50	04/15/22 09:10
30481458010	MW-14R-0422	Water	04/14/22 09:45	04/15/22 09:10
30481458011	MW-15-0422	Water	04/14/22 12:00	04/15/22 09:10
30481458012	MW-15RS-0422	Water	04/14/22 12:40	04/15/22 09:10
30481458013	MW-17R-0422	Water	04/14/22 12:30	04/15/22 09:10
30481458014	MW-19R-0422	Water	04/14/22 11:10	04/15/22 09:10
30481458015	MW-20R-0422	Water	04/14/22 10:25	04/15/22 09:10
30481458016	FD-0422	Water	04/14/22 10:25	04/15/22 09:10
30481458017	Trip Blank	Water	04/14/22 00:00	04/15/22 09:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid - Ogdensburg Kin

Pace Project No.: 30481458

Method: EPA 8270D by SIM

Description: 8270D PAH SIM Reduced Volume

Client: Groundwater & Environmental Services, Inc. (Syracuse)

Date: April 26, 2022

General Information:

16 samples were analyzed for EPA 8270D by SIM by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

QC Batch: 498907

B: Analyte was detected in the associated method blank.

- BLANK for HBN 498907 [OEXT/466 (Lab ID: 2414771)
- Naphthalene

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 498907

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30481458003

MH: Matrix spike recovery and/or matrix spike duplicate recovery was above laboratory control limits. Result may be biased high.

- MS (Lab ID: 2414773)
 - 2-Methylnaphthalene
 - Acenaphthene
 - Acenaphthylene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid - Ogdensburg Kin
Pace Project No.: 30481458

Method: EPA 8270D by SIM
Description: 8270D PAH SIM Reduced Volume
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: April 26, 2022

QC Batch: 498907

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30481458003

MH: Matrix spike recovery and/or matrix spike duplicate recovery was above laboratory control limits. Result may be biased high.

- MSD (Lab ID: 2414774)
 - Acenaphthene
 - Acenaphthylene
 - Fluoranthene

ML: Matrix spike recovery and/or matrix spike duplicate recovery was below laboratory control limits. Result may be biased low.

- MS (Lab ID: 2414773)
 - Naphthalene
- MSD (Lab ID: 2414774)
 - Naphthalene

R1: RPD value was outside control limits.

- MSD (Lab ID: 2414774)
 - 2-Methylnaphthalene
 - Naphthalene

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid - Ogdensburg Kin

Pace Project No.: 30481458

Method: EPA 8260C

Description: 8260C MSV

Client: Groundwater & Environmental Services, Inc. (Syracuse)

Date: April 26, 2022

General Information:

17 samples were analyzed for EPA 8260C by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 498448

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30481458003

ML: Matrix spike recovery and/or matrix spike duplicate recovery was below laboratory control limits. Result may be biased low.

- MS (Lab ID: 2412343)
 - Benzene
- MSD (Lab ID: 2412344)
 - Benzene

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid - Ogdensburg Kin
Pace Project No.: 30481458

Method: EPA 9012B
Description: 9012B Cyanide, Total
Client: Groundwater & Environmental Services, Inc. (Syracuse)
Date: April 26, 2022

General Information:

16 samples were analyzed for EPA 9012B by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 9012B with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 498316

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30481458001,30481458011

ML: Matrix spike recovery and/or matrix spike duplicate recovery was below laboratory control limits. Result may be biased low.

- MS (Lab ID: 2411963)
 - Cyanide
- MSD (Lab ID: 2411964)
 - Cyanide

QC Batch: 499639

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30481458003

ML: Matrix spike recovery and/or matrix spike duplicate recovery was below laboratory control limits. Result may be biased low.

- MS (Lab ID: 2418631)
 - Cyanide

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: National Grid - Ogdensburg, NY

Pace Project No.: 30532087

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30532087001	MW-2(R)-1022	Water	10/20/22 11:55	10/21/22 10:20
30532087002	MW-5R(R)-1022	Water	10/20/22 12:45	10/21/22 10:20
30532087003	MW-8R-1022	Water	10/20/22 11:30	10/21/22 10:20
30532087004	MW-8R-MS-1022	Water	10/20/22 11:30	10/21/22 10:20
30532087005	MW-8R-MSD-1022	Water	10/20/22 11:30	10/21/22 10:20
30532087006	MW-9-1022	Water	10/20/22 10:45	10/21/22 10:20
30532087007	MW-10R-1022	Water	10/20/22 10:00	10/21/22 10:20
30532087008	MW-11-1022	Water	10/20/22 10:55	10/21/22 10:20
30532087009	MW-12R-1022	Water	10/20/22 10:10	10/21/22 10:20
30532087010	MW-14R-1022	Water	10/20/22 10:10	10/21/22 10:20
30532087011	missing/ please delete sample	Water	10/20/22 12:40	10/21/22 10:20
30532087012	MW-15RS-1022	Water	10/20/22 12:00	10/21/22 10:20
30532087013	MW-17R-1022	Water	10/20/22 12:20	10/21/22 10:20
30532087014	MW-19R-1022	Water	10/20/22 11:20	10/21/22 10:20
30532087015	MW-20R-1022	Water	10/20/22 10:00	10/21/22 10:20
30532087016	FD-1022	Water	10/20/22 00:00	10/21/22 10:20
30532087017	Trip Blanks	Water	10/20/22 13:00	10/21/22 10:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid - Ogdensburg, NY

Pace Project No.: 30532087

Method: EPA 8270D by SIM

Description: 8270D PAH SIM Reduced Volume

Client: Groundwater & Environmental Services, Inc. (Syracuse)

Date: December 27, 2022

General Information:

15 samples were analyzed for EPA 8270D by SIM by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 542089

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- LCS (Lab ID: 2630722)
- Benzo(g,h,i)perylene

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 542089

L2: Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

- LCS (Lab ID: 2630722)
- Naphthalene

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid - Ogdensburg, NY

Pace Project No.: 30532087

Method: EPA 8270D by SIM

Description: 8270D PAH SIM Reduced Volume

Client: Groundwater & Environmental Services, Inc. (Syracuse)

Date: December 27, 2022

QC Batch: 542089

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30532087003

MH: Matrix spike recovery and/or matrix spike duplicate recovery was above laboratory control limits. Result may be biased high.

- MS (Lab ID: 2630723)
 - Naphthalene
- MSD (Lab ID: 2630724)
 - Naphthalene

ML: Matrix spike recovery and/or matrix spike duplicate recovery was below laboratory control limits. Result may be biased low.

- MS (Lab ID: 2630723)
 - Acenaphthylene
 - Phenanthrene

R1: RPD value was outside control limits.

- MSD (Lab ID: 2630724)
 - Anthracene
 - Benzo(a)anthracene
 - Benzo(a)pyrene
 - Benzo(b)fluoranthene
 - Benzo(g,h,i)perylene
 - Benzo(k)fluoranthene
 - Chrysene
 - Fluoranthene
 - Indeno(1,2,3-cd)pyrene
 - Phenanthrene
 - Pyrene

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid - Ogdensburg, NY

Pace Project No.: 30532087

Method: EPA 8260C

Description: 8260C MSV

Client: Groundwater & Environmental Services, Inc. (Syracuse)

Date: December 27, 2022

General Information:

16 samples were analyzed for EPA 8260C by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: National Grid - Ogdensburg, NY

Pace Project No.: 30532087

Method: EPA 9012B

Description: 9012B Cyanide, Total

Client: Groundwater & Environmental Services, Inc. (Syracuse)

Date: December 27, 2022

General Information:

15 samples were analyzed for EPA 9012B by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 9012B with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 542007

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30532087003,30532087015

ML: Matrix spike recovery and/or matrix spike duplicate recovery was below laboratory control limits. Result may be biased low.

- MS (Lab ID: 2631334)
 - Cyanide
- MSD (Lab ID: 2631335)
 - Cyanide

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.