



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S6D0558

Project Description

Annual Petroleum Permit

For:

William Schumacher

Huron

1093 Clark ST

Endicott, NY 13760

Customer Relationship Specialist

Renee Lantz

Sunday, May 10, 2026

Please find enclosed the analytical results for the samples you submitted to Microbac Laboratories. Review and compilation of your report was completed by Microbac Laboratories, Inc., Sayre Division. If you have any questions, comments, or require further assistance regarding this report, please contact your service representative listed above.

I certify that all test results meet all of the requirements of the accrediting authority listed within this report. Analytical results are reported on a 'as received' basis unless specified otherwise. Analytical results for solids with units ending in (dry) are reported on a dry weight basis. A statement of uncertainty for each analysis is available upon request. This laboratory report shall not be reproduced, except in full, without the written approval of Microbac Laboratories. The reported results are related only to the samples analyzed as received.

Microbac Laboratories, Inc.

2310 Elmira Street | Sayre, PA 18840 | 570-888-0169 p | www.microbac.com



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S6D0558

Huron

Project Name: Annual Petroleum Permit

William Schumacher
1093 Clark ST
Endicott, NY 13760

Project / PO Number: N/A
Received: 04/24/2026
Reported: 05/10/2026

Sample Summary Report

<u>Sample Name</u>	<u>Laboratory ID</u>	<u>Client Matrix</u>	<u>Sample Type</u>	<u>Sample Begin</u>	<u>Sample Taken</u>	<u>Lab Received</u>
EN-73	S6D0558-01	Aqueous	Grab		04/23/26 10:45	04/24/26 08:33
EN-114	S6D0558-02	Aqueous	Grab		04/23/26 11:05	04/24/26 08:33
TRIP BLANK	S6D0558-03	Aqueous	Grab		04/23/26 10:45	04/24/26 08:33



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S6D0558

Analytical Testing Parameters

Client Sample ID:	EN-73	Collected By:	Frank Blair
Sample Matrix:	Aqueous	Collection Date:	04/23/2026 10:45
Lab Sample ID:	S6D0558-01		

Analyses Performed by: Microbac Laboratories Inc., - Marietta, OH

Volatile Organic Compounds by GCMS	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 8260D							
Benzene	<1.00	1.00	ug/L			05/01/26 1828	CCC
n-Butylbenzene	<1.00	1.00	ug/L			05/01/26 1828	CCC
sec-Butylbenzene	<1.00	1.00	ug/L			05/01/26 1828	CCC
tert-Butylbenzene	<1.00	1.00	ug/L			05/01/26 1828	CCC
Ethylbenzene	<1.00	1.00	ug/L			05/01/26 1828	CCC
Isopropylbenzene	<1.00	1.00	ug/L			05/01/26 1828	CCC
4-Isopropyltoluene	<1.00	1.00	ug/L			05/01/26 1828	CCC
Methyl tert-butyl ether	<1.00	1.00	ug/L			05/01/26 1828	CCC
Naphthalene	<1.00	1.00	ug/L			05/01/26 1828	CCC
n-Propylbenzene	<1.00	1.00	ug/L			05/01/26 1828	CCC
Toluene	<1.00	1.00	ug/L			05/01/26 1828	CCC
1,2,4-Trimethylbenzene	<1.00	1.00	ug/L			05/01/26 1828	CCC
1,3,5-Trimethylbenzene	<1.00	1.00	ug/L			05/01/26 1828	CCC
m&p-xylene	<1.00	1.00	ug/L			05/01/26 1828	CCC
o-Xylene	<1.00	1.00	ug/L			05/01/26 1828	CCC
Xylenes (total)	<1.00	1.00	ug/L			05/01/26 1828	CCC
Surrogate: 4-Bromofluorobenzene	103	Limit: 86-115	% Rec			05/01/26 1828	CCC
Surrogate: Dibromofluoromethane	107	Limit: 86-118	% Rec			05/01/26 1828	CCC
Surrogate: 1,2-Dichloroethane-d4	110	Limit: 80-120	% Rec			05/01/26 1828	CCC
Surrogate: Toluene-d8	100	Limit: 88-110	% Rec			05/01/26 1828	CCC

Semivolatile Organic Compounds by GCMS	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 625.1							
Acenaphthene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Acenaphthylene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Aniline	<10.0	10.0	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
Anthracene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Benzidine	<25.0	25.0	ug/L		04/28/26 1507	04/30/26 2352	SCB
Benzoic acid	<25.0	25.0	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
Benzyl alcohol	<5.00	5.00	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
4-Bromophenyl phenyl ether	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Butyl benzyl phthalate	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Carbazole	<20.0	20.0	ug/L		04/28/26 1507	04/30/26 2352	SCB
4-Chloro-3-methylphenol	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
4-Chloroaniline	<5.00	5.00	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
bis(2-Chloroethoxy)methane	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
2-Chloronaphthalene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
2-Chlorophenol	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Chrysene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Dibenzofuran	<5.00	5.00	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S6D0558

Client Sample ID: EN-73	Collected By: Frank Blair
Sample Matrix: Aqueous	Collection Date: 04/23/2026 10:45
Lab Sample ID: S6D0558-01	

Semivolatile Organic Compounds by GCMS	Result	RL	Units	Note	Prepared	Analyzed	Analyst
Di-n-butyl phthalate	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
1,2-Dichlorobenzene	<5.00	5.00	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
1,4-Dichlorobenzene	<5.00	5.00	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
1,3-Dichlorobenzene	<5.00	5.00	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
3,3'-Dichlorobenzidine	<10.0	10.0	ug/L		04/28/26 1507	04/30/26 2352	SCB
2,4-Dichlorophenol	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Diethyl phthalate	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
2,4-Dimethylphenol	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Dimethyl phthalate	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
2,4-Dinitrophenol	<25.0	25.0	ug/L		04/28/26 1507	04/30/26 2352	SCB
Di-n-octyl phthalate	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
bis(2-Ethylhexyl)phthalate	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Fluoranthene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Fluorene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Hexachlorobenzene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Hexachlorobutadiene	<1.00	1.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Hexachlorocyclopentadiene	<10.0	10.0	ug/L		04/28/26 1507	04/30/26 2352	SCB
Hexachloroethane	<5.00	5.00	ug/L	Q3	04/28/26 1507	04/30/26 2352	SCB
Indeno(1,2,3-cd) pyrene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Isophorone	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
2-Methyl-4,6-dinitrophenol	<10.0	10.0	ug/L		04/28/26 1507	04/30/26 2352	SCB
2-Methylnaphthalene	<5.00	5.00	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
Naphthalene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
2-Nitroaniline	<25.0	25.0	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
3-Nitroaniline	<25.0	25.0	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
4-Nitroaniline	<25.0	25.0	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
Nitrobenzene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
2-Nitrophenol	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
4-Nitrophenol	<10.0	10.0	ug/L		04/28/26 1507	04/30/26 2352	SCB
n-Nitrosodimethylamine	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
n-Nitrosodi-n-propylamine	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
n-Nitrosomethylethalamine	<5.00	5.00	ug/L	Q3, Y	05/05/26 1610	05/06/26 1629	SCB
Pentachlorophenol	<10.0	10.0	ug/L		04/28/26 1507	04/30/26 2352	SCB
Phenanthrene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Phenol	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Pyrene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
Pyridine	<25.0	25.0	ug/L	Q3, Y	04/28/26 1507	04/30/26 2352	SCB
2,3,4,6-Tetrachlorophenol	<5.00	5.00	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
1,2,4-Trichlorobenzene	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
2,4,6-Trichlorophenol	<5.00	5.00	ug/L		04/28/26 1507	04/30/26 2352	SCB
2,4,5-Trichlorophenol	<5.00	5.00	ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
Total Phthalates	0.00		ug/L	Y	04/28/26 1507	04/30/26 2352	SCB
Surrogate: 2-Fluorobiphenyl	87.2	Limit: 43-116	% Rec		05/05/26 1610	05/06/26 1629	SCB
Surrogate: 2-Fluorobiphenyl	59.0	Limit: 43-116	% Rec		04/28/26 1507	04/30/26 2352	SCB



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S6D0558

Client Sample ID: EN-73	Collected By: Frank Blair
Sample Matrix: Aqueous	Collection Date: 04/23/2026 10:45
Lab Sample ID: S6D0558-01	

Semivolatile Organic Compounds by GCMS	Result	RL	Units	Note	Prepared	Analyzed	Analyst
Surrogate: 2-Fluorophenol	39.2	Limit: 19-119	% Rec		05/05/26 1610	05/06/26 1629	SCB
Surrogate: 2-Fluorophenol	40.0	Limit: 19-119	% Rec		04/28/26 1507	04/30/26 2352	SCB
Surrogate: Nitrobenzene-d5	75.4	Limit: 35-114	% Rec		05/05/26 1610	05/06/26 1629	SCB
Surrogate: Nitrobenzene-d5	59.3	Limit: 35-114	% Rec		04/28/26 1507	04/30/26 2352	SCB
Surrogate: Phenol-d5	26.5	Limit: 10-94	% Rec		05/05/26 1610	05/06/26 1629	SCB
Surrogate: Phenol-d5	28.8	Limit: 10-94	% Rec		04/28/26 1507	04/30/26 2352	SCB
Surrogate: p-Terphenyl-d14	93.9	Limit: 10-130	% Rec		05/05/26 1610	05/06/26 1629	SCB
Surrogate: p-Terphenyl-d14	83.7	Limit: 10-130	% Rec		04/28/26 1507	04/30/26 2352	SCB
Surrogate: 2,4,6-Tribromophenol	71.9	Limit: 22-142	% Rec		05/05/26 1610	05/06/26 1629	SCB
Surrogate: 2,4,6-Tribromophenol	74.0	Limit: 22-142	% Rec		04/28/26 1507	04/30/26 2352	SCB



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S6D0558

Client Sample ID: EN-114
 Sample Matrix: Aqueous
 Lab Sample ID: S6D0558-02

Collected By: Frank Blair
 Collection Date: 04/23/2026 11:05

Analyses Performed by: Microbac Laboratories Inc., - Marietta, OH

Volatile Organic Compounds by GCMS	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 8260D							
Benzene	<1.00	1.00	ug/L			05/01/26 1851	CCC
n-Butylbenzene	<1.00	1.00	ug/L			05/01/26 1851	CCC
sec-Butylbenzene	<1.00	1.00	ug/L			05/01/26 1851	CCC
tert-Butylbenzene	<1.00	1.00	ug/L			05/01/26 1851	CCC
Ethylbenzene	<1.00	1.00	ug/L			05/01/26 1851	CCC
Isopropylbenzene	<1.00	1.00	ug/L			05/01/26 1851	CCC
4-Isopropyltoluene	<1.00	1.00	ug/L			05/01/26 1851	CCC
Methyl tert-butyl ether	<1.00	1.00	ug/L			05/01/26 1851	CCC
Naphthalene	<1.00	1.00	ug/L			05/01/26 1851	CCC
n-Propylbenzene	<1.00	1.00	ug/L			05/01/26 1851	CCC
Toluene	<1.00	1.00	ug/L			05/01/26 1851	CCC
1,2,4-Trimethylbenzene	<1.00	1.00	ug/L			05/01/26 1851	CCC
1,3,5-Trimethylbenzene	<1.00	1.00	ug/L			05/01/26 1851	CCC
m&p-xylene	<1.00	1.00	ug/L			05/01/26 1851	CCC
o-Xylene	<1.00	1.00	ug/L			05/01/26 1851	CCC
Xylenes (total)	<1.00	1.00	ug/L			05/01/26 1851	CCC
Surrogate: 4-Bromofluorobenzene	104	Limit: 86-115	% Rec			05/01/26 1851	CCC
Surrogate: Dibromofluoromethane	107	Limit: 86-118	% Rec			05/01/26 1851	CCC
Surrogate: 1,2-Dichloroethane-d4	109	Limit: 80-120	% Rec			05/01/26 1851	CCC
Surrogate: Toluene-d8	99.5	Limit: 88-110	% Rec			05/01/26 1851	CCC

Semivolatile Organic Compounds by GCMS	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 625.1							
Acenaphthene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Acenaphthylene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Aniline	<10.0	10.0	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
Anthracene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Benzidine	<25.0	25.0	ug/L		04/28/26 1507	05/01/26 0019	SCB
Benzoic acid	<25.0	25.0	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
Benzyl alcohol	<5.00	5.00	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
4-Bromophenyl phenyl ether	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Butyl benzyl phthalate	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Carbazole	<20.0	20.0	ug/L		04/28/26 1507	05/01/26 0019	SCB
4-Chloro-3-methylphenol	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
4-Chloroaniline	<5.00	5.00	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
bis(2-Chloroethoxy)methane	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
2-Chloronaphthalene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
2-Chlorophenol	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Chrysene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Dibenzofuran	<5.00	5.00	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
Di-n-butyl phthalate	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
1,2-Dichlorobenzene	<5.00	5.00	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS

S6D0558

Client Sample ID: EN-114	Collected By: Frank Blair
Sample Matrix: Aqueous	Collection Date: 04/23/2026 11:05
Lab Sample ID: S6D0558-02	

Semivolatile Organic Compounds by GCMS	Result	RL	Units	Note	Prepared	Analyzed	Analyst
1,4-Dichlorobenzene	<5.00	5.00	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
1,3-Dichlorobenzene	<5.00	5.00	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
3,3'-Dichlorobenzidine	<10.0	10.0	ug/L		04/28/26 1507	05/01/26 0019	SCB
2,4-Dichlorophenol	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Diethyl phthalate	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
2,4-Dimethylphenol	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Dimethyl phthalate	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
2,4-Dinitrophenol	<25.0	25.0	ug/L		04/28/26 1507	05/01/26 0019	SCB
Di-n-octyl phthalate	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
bis(2-Ethylhexyl)phthalate	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Fluoranthene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Fluorene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Hexachlorobenzene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Hexachlorobutadiene	<1.00	1.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Hexachlorocyclopentadiene	<10.0	10.0	ug/L		04/28/26 1507	05/01/26 0019	SCB
Hexachloroethane	<5.00	5.00	ug/L	Q3	04/28/26 1507	05/01/26 0019	SCB
Indeno(1,2,3-cd) pyrene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Isophorone	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
2-Methyl-4,6-dinitrophenol	<10.0	10.0	ug/L		04/28/26 1507	05/01/26 0019	SCB
2-Methylnaphthalene	<5.00	5.00	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
Naphthalene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
2-Nitroaniline	<25.0	25.0	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
3-Nitroaniline	<25.0	25.0	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
4-Nitroaniline	<25.0	25.0	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
Nitrobenzene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
2-Nitrophenol	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
4-Nitrophenol	<10.0	10.0	ug/L		04/28/26 1507	05/01/26 0019	SCB
n-Nitrosodimethylamine	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
n-Nitrosodi-n-propylamine	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
n-Nitrosomethylethalamine	<5.00	5.00	ug/L	Q3, Y	05/05/26 1610	05/06/26 1657	SCB
Pentachlorophenol	<10.0	10.0	ug/L		04/28/26 1507	05/01/26 0019	SCB
Phenanthrene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Phenol	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Pyrene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
Pyridine	<25.0	25.0	ug/L	Q3, Y	04/28/26 1507	05/01/26 0019	SCB
2,3,4,6-Tetrachlorophenol	<5.00	5.00	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
1,2,4-Trichlorobenzene	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
2,4,6-Trichlorophenol	<5.00	5.00	ug/L		04/28/26 1507	05/01/26 0019	SCB
2,4,5-Trichlorophenol	<5.00	5.00	ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
Total Phthalates	0.00		ug/L	Y	04/28/26 1507	05/01/26 0019	SCB
Surrogate: 2-Fluorobiphenyl	59.1	Limit: 43-116	% Rec		05/05/26 1610	05/06/26 1657	SCB
Surrogate: 2-Fluorobiphenyl	58.6	Limit: 43-116	% Rec		04/28/26 1507	05/01/26 0019	SCB
Surrogate: 2-Fluorophenol	37.5	Limit: 19-119	% Rec		04/28/26 1507	05/01/26 0019	SCB
Surrogate: 2-Fluorophenol	32.0	Limit: 19-119	% Rec		05/05/26 1610	05/06/26 1657	SCB



Microbac Laboratories, Inc., Sayre Division

CERTIFICATE OF ANALYSIS
S6D0558

Client Sample ID: EN-114
Sample Matrix: Aqueous
Lab Sample ID: S6D0558-02
Collected By: Frank Blair
Collection Date: 04/23/2026 11:05

Table with 8 columns: Semivolatile Organic Compounds by GCMS, Result, RL, Units, Note, Prepared, Analyzed, Analyst. Rows include Surrogate: Nitrobenzene-d5, Phenol-d5, p-Terphenyl-d14, and 2,4,6-Tribromophenol.

Definitions

- AC: This internal is passing based on 625.1 criteria
H2: Initial analysis was within holding time. Reanalysis was done past holding time.
Q3: LCS recovery is below acceptance limits. The reported value is estimated.
RL: Reporting Limit
ug/L: Micrograms per Liter
ug/mL: Micrograms per Milliliter
Y: This analyte is not on the laboratory's current scope of accreditation.

Cooler Receipt Log

Cooler ID: Default Cooler Temp: 4.9°C

Cooler Inspection Checklist

Checklist table with 4 columns: Question, Yes/No, Question, Yes/No. Items include Ice Present, Custody seals, COC information, Sample collector, etc.

Project Requested Certification(s)

Microbac Laboratories Inc., - Marietta, OH
10861

NY State Department of Health

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.
The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. The services were provided under and subject to Microbac's standard terms and conditions which can be located and reviewed at <https://www.microbac.com/standard-terms-conditions>.

Reviewed and Approved By:

Signature of Renee Lantz

Renee Lantz
Customer Relationship Specialist
Reported: 05/10/2026 19:07



Chain of Custody

Microbac Laboratories, Inc., Sayre Division

Lab Contact: Shannon Weeks



S6D0558

TAT 7 days

Huron Project Name: Annual Petroleum Permit

William Schumacher 1093 Clark ST Endicott, NY 13760

Phone: (607) 755-6070 wschumacher@phoenixinvestors.com Project/PO Number: N/A Tenatively Scheduled: 4/22/2026 Route: NY-Route 1 Bing

Client Sample ID: EN-73

Lab Sample ID: S6D0558-01

Matrix: Aqueous

Type: Grab

Sampled Date & Time: 04/23/2026 10:45

Table with 4 columns: Analysis, Method, Field Results/Comments, Hold Time. Includes rows for 625.1 SVOC EXT OVD and 8260C VOC with sub-rows for container designators A-E.

Client Sample ID: EN-114

Lab Sample ID: S6D0558-02

Matrix: Aqueous

Type: Grab

Sampled Date & Time: 04/23/2026 11:05

Table with 4 columns: Analysis, Method, Field Results/Comments, Hold Time. Includes rows for 625.1 SVOC EXT OVD and 8260C VOC with sub-rows for container designators A-E.

Client Sample ID: TRIP BLANK

Lab Sample ID: S6D0558-03

Matrix: Aqueous

Type: Grab

Sampled Date & Time: 04/23/2026 10:45

Table with 4 columns: Analysis, Method, Field Results/Comments, Hold Time. Includes row for 8260C VOC.



Chain of Custody

Microbac Laboratories, Inc., Sayre Division

Lab Contact: Shannon Weeks



S6D0558

Huron

William Schumacher
1093 Clark ST
Endicott, NY 13760
Phone: (607) 755-6070
wschumacher@phoenixinvestors.com

Project Name: Annual Petroleum Permit

Project/PO Number: N/A

Tenatively Scheduled: 4/22/2026
Route: NY-Route 1 Bing

		Container(s) 40ml-Vial-HCL	Designator A
Sampled/Relinquished by: <i>F. Blain</i>	Date/Time: <i>4-23-26</i>	Received by:	
Printed Name: <i>F. Blain</i>	<i>1440</i>	Printed Name:	
Relinquished by:	Date/Time:	Received by:	
Printed Name:		Printed Name:	
Relinquished by:	Date/Time: <i>4/24/26</i>	Received by: <i>[Signature]</i>	
Printed Name:	<i>883</i>	Printed Name: <i>WJ Steuffer</i>	

As Received at Laboratory: On Ice: Yes No Temp: 4.9 °C Thermometer ID: 8 Custody Seal: Yes / No / NA

Total Containers: 11.00

Microbac Laboratories may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to an appropriately accredited laboratory. By signing this document you are acknowledging that you have been informed by Microbac that testing could be subcontracted and agree with this arrangement.

Notes:

EPA 625 only needs base Neutral compounds. When project is complete, Huron will let us know that we have to send to NYSDEC in Syracuse, Kevin Kemp. They like to review project first before we send it in. SAMPLING MUST BE DONE between 4/15 and 5/15