

 **Sevenson  
Environmental  
Services, Inc.**

June 15, 2005

Stephen J. DeNardis, P.E.  
Resident Engineer  
West Point Area Office  
New York District  
U.S. Army Corps of Engineers  
Building 667A 3<sup>rd</sup> Floor  
West Point, New York 10996

Attention: Mr. Nicholas Patsis, P.E.

RE: Quarterly Progress Report No. 7  
Contract # DACW41-01-D-001-0006  
Vestal Wellfield 1-1, Area 4, Vestal, New York

Sirs:

Enclosed is Quarterly Progress Report No. 7 for the referenced contract. This report covers system operations during January, February, and March 2005. O&M activities for the period as well as sampling activities are summarized in this report. Copies of the analytical data are included.


Please email me at [cmarshall@sevensonphilly.com](mailto:cmarshall@sevensonphilly.com) or call at 610-388-0721 if you've any questions.



Sincerely,  
Sevenson Environmental Services, Inc.

  
Cassandra T. Marshall  
Project Manager

CTM/1

cc: A. LaGreca (Sevenson)  
J. Singer (Sevenson)  
D. Callahan (Envirogen)  
B. Buckrucker (USACE)  
F. Bales (USACE)  
S. Trocher (USEPA)  
M. Dunham (NYSDEC)



| <b>TRANSMITTAL OF SHOP DRAWINGS, EQUIPMENT DATA, MATERIAL SAMPLES, OR<br/>MANUFACTURER'S CERTIFICATES OF COMPLIANCE</b><br>(Read Instructions on the reverse side prior to initiating this form) |                                                                                     |                                                                                                |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | DATE 6/15/05                              |                                                        | <input checked="" type="checkbox"/> New Submittal<br><input type="checkbox"/> Resubmittal |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------------------------|-------------------------------------------------------------------------------------------|--|
| <b>Section I REQUEST FOR APPROVAL OF THE FOLLOWING ITEMS (This section will be initiated by the contractor)</b>                                                                                  |                                                                                     |                                                                                                |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                           |                                                        |                                                                                           |  |
| TO:<br>USACE West Point Area Office<br>New York District<br>Building 667A 3rd Floor<br>West Point, New York 10996                                                                                |                                                                                     |                                                                                                | FROM:<br>Severson Environmental Services Inc.<br>2749 Lockport Rd.<br>Niagara Falls, N.Y. 14302 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | CONTRACT NO. DACW-41-01-D-0001 T.O.# 0006 |                                                        | TRANSMITTAL NO.<br>40                                                                     |  |
|                                                                                                                                                                                                  |                                                                                     |                                                                                                |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                           |                                                        | PREVIOUS TRANS. NO.<br>(If Any)                                                           |  |
| SPECIFICATION SEC. NO. (Cover only one section with each transmittal)                                                                                                                            |                                                                                     |                                                                                                |                                                                                                 | PROJECT TITLE AND LOCATION: Vestal Well 1-1 Superfund Site, Area 2 Soil Vapor Extraction System, Broome County, New York                                                                                                                                                                                                                                                                                                                                                    |                                           |                                                        |                                                                                           |  |
| ITEM NO.<br><br><i>a.</i>                                                                                                                                                                        | DESCRIPTION OF ITEMS SUBMITTED<br>(Type, size, model number, etc.)<br><br><i>b.</i> | MFG. OR CONTR. CAT., CURVE DRAWING OR BROCHURE NO.<br>(See instruction No. 8)<br><br><i>c.</i> | NO. OF COPIES<br><br><i>d.</i>                                                                  | CONTRACT REFERENCE DOCUMENT                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                           | VARIATIONS<br>(See instruction No. 6)<br><br><i>g.</i> | FOR C E USE CODE<br><br><i>h.</i>                                                         |  |
|                                                                                                                                                                                                  |                                                                                     |                                                                                                |                                                                                                 | SPEC. PARA. NO.<br><br><i>e.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                            | DRAWING SHEET NO.<br><br><i>f.</i>        |                                                        |                                                                                           |  |
| 1.                                                                                                                                                                                               | Quarterly Report No. 7                                                              |                                                                                                | 1                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                           |                                                        |                                                                                           |  |
|                                                                                                                                                                                                  |                                                                                     |                                                                                                |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                           |                                                        |                                                                                           |  |
|                                                                                                                                                                                                  |                                                                                     |                                                                                                |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                           |                                                        |                                                                                           |  |
|                                                                                                                                                                                                  |                                                                                     |                                                                                                |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                           |                                                        |                                                                                           |  |
|                                                                                                                                                                                                  |                                                                                     |                                                                                                |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                           |                                                        |                                                                                           |  |
| <b>REMARKS:</b><br>Sent via Federal Express:<br>2 copies to CENWK<br>1 copy to USEPA Region II<br>1 copy to N.Patsis<br>1 copy to NYSDEC                                                         |                                                                                     |                                                                                                |                                                                                                 | I certify that the above submitted items have been reviewed in detail and are correct and in strict conformance with the contract drawings and specifications except as otherwise stated.<br><br><div style="text-align: right;"> <br/>         NAME AND SIGNATURE OF CONTRACTOR<br/><br/>  </div> |                                           |                                                        |                                                                                           |  |
| <b>Section II APPROVAL ACTION</b>                                                                                                                                                                |                                                                                     |                                                                                                |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                           |                                                        |                                                                                           |  |
| INCLOSURES RETURNED (List by Item No.)                                                                                                                                                           |                                                                                     | NAME, TITLE AND SIGNATURE OF APPROVING AUTHORITY                                               |                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                           |                                                        | DATE                                                                                      |  |

ENG FORM 4025, Oct 84 (ER 415-1-10) EDITION OF JUL 81 IS OBSOLETE

(Proponent: CEEC-CE)

SHEET \_\_\_\_ OF \_\_\_\_

**QUARTERLY PROGRESS REPORT NO. 7  
(January 1 through March 31, 2005)**

**FULL SCALE IN-SITU SOIL VAPOR  
EXTRACTION SYSTEM  
VESTAL AREA 4,  
VESTAL, NEW YORK**

Prepared by:

**SEVENSON PRAC TEAM MEMBER**  
Envirogen/Shaw, Inc.  
103 College Ave SE  
Grand Rapids, MI 49503

Submitted to:

Sevenson Environmental Services, Inc.  
2749 Lockport Road  
Niagara Falls, New York 14305

15 June 2005

## TABLE OF CONTENTS

|       |                                                                                           |    |
|-------|-------------------------------------------------------------------------------------------|----|
| 1.0   | INTRODUCTION .....                                                                        | 1  |
| 2.0   | SUMMARY OF ACTIVITIES CONDUCTED DURING THE REPORTING PERIOD .....                         | 1  |
| 3.0   | SVE SYSTEM MONITORING AND ADJUSTMENTS .....                                               | 2  |
| 3.1   | Pressure/Vacuum Readings .....                                                            | 3  |
| 3.1.1 | Vacuum Blowers .....                                                                      | 3  |
| 3.1.2 | Carbon Units .....                                                                        | 3  |
| 3.1.3 | Well Field .....                                                                          | 3  |
| 3.2   | Temperatures .....                                                                        | 3  |
| 3.3   | Process Air Flows .....                                                                   | 4  |
| 3.3.1 | Total System Process Air Flow .....                                                       | 4  |
| 3.3.2 | SVE Well Process Air Flow .....                                                           | 4  |
| 3.4   | Process Air VOC Concentrations .....                                                      | 4  |
| 3.4.1 | SVE Withdrawal Wells .....                                                                | 5  |
| 3.4.2 | Carbon Process Air Control Samples .....                                                  | 5  |
| 3.4.3 | QA/QC Process Air Samples .....                                                           | 5  |
| 4.0   | VOC YIELD .....                                                                           | 6  |
| 4.1   | SVE Withdrawal Well VOC Yields .....                                                      | 6  |
| 4.2   | Total System VOC Yield .....                                                              | 7  |
| 5.0   | QUARTERLY REPORT No. 7 ANALYSIS OF MONITORING DATA .....                                  | 8  |
| 5.1   | Total System .....                                                                        | 8  |
| 6.0   | PROBLEMS ENCOUNTERED DURING THE REPORTING PERIOD AND RESPECTIVE CORRECTIVE MEASURES ..... | 8  |
| 7.0   | ANTICIPATED ACTIVITIES .....                                                              | 9  |
| 8.0   | AUTHOR IDENTIFICATION .....                                                               | 10 |

## **LIST OF FIGURES**

- 1 SVE System Layout
- 2 Total Target VOC Concentration, March 22 & 23, 2005
- 3 1,1,1 TCA Concentration (ppm), March 22 & 23, 2005
- 4 TCE Concentration (ppm), March 22 & 23, 2005
- 5 Carbon System Sampling Diagram
- 6 Concentration (ppmv) And Yield Rate (lbs/day) Of Total Target VOCs Vs. Time, Total System Sample, Vestal Area 4
- 7 Total Target VOC Yield (lbs/day), March 22 & 23, 2005
- 8 1,1,1 TCA Yield (lbs/day), March 22 & 23, 2005
- 9 TCE Yield (lbs/day), March 22 & 23, 2005
- 10 Total Target Contaminant Yield Start-Up to Date (lbs.) Vs. Time, Total System Sample, Vestal Area 4

## **LIST OF TABLES**

- |         |                                                                                 |
|---------|---------------------------------------------------------------------------------|
| Table 1 | SVE Well Status, Vestal Area 4, January 12, February 9, and March 22 & 23, 2005 |
| Table 2 | Analytical Results of Concentrations Of Target Compounds, Vestal Area 4         |
| Table 3 | Contaminant Concentrations and Yields, March 22 & 23, 2005, Vestal Area 4       |
| Table 4 | Target Contaminant Yield, Vestal Area 4                                         |
| Table 5 | Total Target Contaminant Yield To Date, Vestal Area 4                           |
| Table 6 | SVE Well Proposed Changes, Vestal Area 4                                        |

## **LIST OF APPENDICES**

- |            |                                                                                                                                                     |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Appendix A | Operation and Maintenance Data (Including Daily O&M Records, Routine Maintenance and Inspection Forms, and Field Notes)                             |
| Appendix B | Sampling and Analytical Data - Process Air Data (Including Laboratory Data Summary Sheets, Chain-of-Custody Forms, and Field Sample Log Book Notes) |
| Appendix C | Summary of Operation Data/Contaminant Yield Calculation                                                                                             |

## **1.0 INTRODUCTION**

Sevenson Environmental Services, Inc. and their subcontractor (Shaw Environmental and Infrastructure (SHAW), formerly Envirogen, Inc. of Lansing, Michigan), has prepared this Quarterly Report No. 7 for the Full Scale Soil Vapor Extraction System (SVE System or System) at the Vestal Area 4 Site in Vestal, NY (Site). This report was prepared on behalf of the United States Environmental Protection Agency (USEPA) and the United States Army Corp of Engineers (USACE) who are conducting the Remedial Action for the Vestal Area 4 Site. This report was prepared under contract DACA41-01-D-0001-0006. Sevenson's remedial action work is under supervision of the USEPA and USACE. The seventh Quarterly Progress Report is provided and prepared in accordance with the approved Workplan. This report discusses the System operation based on data collected during January, February, and March 2005, and also discusses System operation and maintenance during these months.

Figure 1 (shown at the end of this report) is a Site plan showing the SVE System treatment area, cell distribution buildings, and the main SVE treatment building. Construction of the SVE System began in mid-April 2003 and was completed on June 23, 2003. The remedial action began on June 27, 2003, after completion of a successful start-up sequence. The SVE System is operated in accordance with the approved Workplan, O&M Manual and the Final Design documents.

Figure 1 depicts System and SVE well polarity (withdrawal, active injection or temporarily off-line) following the System installation.

Section 2.0 of this report summarizes general activities conducted during the reporting period. Section 3.0 summarizes System monitoring and adjustments. Section 4.0 discusses volatile organic compound (VOC) contaminant yields based on process air analytical data. Section 5.0 discusses analysis of data specific to the Quarterly Report period between January and March 2005. Section 6.0 discusses problems encountered during the reporting period and their respective corrective measures. Section 7.0 lists anticipated future activities.

## **2.0 SUMMARY OF ACTIVITIES CONDUCTED DURING THE REPORTING PERIOD**

The O&M inspections/site visits were performed on January 12, February 9, and March 22 & 23, 2005. Air flow and Photo Ionic Detector (PID) readings were measured throughout the System on January 12, February 9, and March 22 & 23, 2005. A full round of process air samples was collected from withdrawal wells on March 22 and 23, 2005.

Samples of process air through the carbon treatment system were collected on January 12, February 9, and March 22 & 23, 2005.

The SVE System at the Vestal Area 4 Site ran approximately 30 days during the period January 1, 2005 to January 31, 2005, without incident.

The first Interim Soil Sampling Event as well as the normal monthly air sampling was conducted on February 9, 2005. Shaw technicians also inspected a reported caved in monitoring well on February 9, 2005 and temporarily backfilled with cold patch up to grade level. This inspection did not yield much data, other than the fact that the well has been knocked over and sits at 45°.

The SVE System at the Vestal Area 4 Site ran approximately 28 days during the period February 1, 2005 to February 28, 2005.

A report of the Interim Sampling Event activities and results was prepared and submitted on March 8, 2005. Following a conference call with USACE and USEPA to discuss the results, the SVE System was reconfigured on March 17, 2005. Wells D2, D3, E2, and F2 were changed from vacuum to injection. Wells E1 and F1 were changed from injection to vacuum. The SVE System at the Vestal Area 4 Site ran approximately 30 days during the period March 1, 2005 to March 31, 2005.

Physical monitoring of the System parameters, such as PID readings, temperature, and air flow measurements, along with routine maintenance of the System, was conducted during the January through March reporting period in accordance with the O&M Manual. These O&M measurements and activities were recorded on daily O&M logs, which are provided in Appendix A.

The System operated for 30 days in January, 28 days in February, and 30 days during March 2005 bringing the total operational time to approximately 532 days since the June 23, 2003, start-up.

Health and Safety (H&S) monitoring was conducted as outlined in the Health and Safety Plan (HASP). No significant events were observed during this monitoring period.

### **3.0 SVE SYSTEM MONITORING AND ADJUSTMENTS**

This section summarizes monitoring of and adjustments made to the SVE System during the reporting period. Monitoring of the System included pressure/vacuum readings, PID and temperature measurements, air flow measurements, and process air sampling and associated VOC analysis. The locations of the SVE wells are illustrated in Figure 1. System parameters were recorded on O&M daily log sheets, which are provided in Appendix A. The chain-of-custody forms and laboratory data summary sheets are provided in Appendix B. Monitoring and adjustments were performed in accordance with the O&M Manual.

### **3.1 Pressure/Vacuum Readings**

Pressure/vacuum measurements were taken across the air blowers and carbon units, and recorded on the daily log sheets (Appendix A). These measurements were collected on January 12, February 9, and March 22 & 23, 2005.

#### **3.1.1 Vacuum Blowers**

Pressure drops were measured across the vacuum blowers and filter during System operation. The pressure across the vacuum blower and filter ranged between 4 and 6 inches of water (H<sub>2</sub>O).

#### **3.1.2 Carbon Units**

The total pressure drop across the two carbon units averaged 11 inches of H<sub>2</sub>O during the reporting period. This pressure drop includes the carbon units and the connecting piping and fittings.

#### **3.1.3 Well Field**

Vacuum flow rate and PID reading for the individual SVE wells on January 12, February 9, and March 22 & 23, 2005, are listed in Table 1. On January 12 vacuum flow rates at the cell distribution buildings ranged from less than 5 to 22 standard cubic feet per minute (scfm) for Cell 1 and less than 5 to 20 scfm for Cell 2. Injection flow rates ranged from 8 to 16 scfm for Cell 1 from 6 to 7 in Cell 2.

On February 9, 2005 vacuum flow rates at the cell distribution buildings ranged from less than 5 to 20 scfm for Cell 1 and less than 5 to 20 scfm for Cell 2. Injection flow rates ranged from 6 to 20 scfm for Cell 1 and from less than 5 to 5 scfm in Cell 2.

On March 22 & 23, 2005 (the quarterly monitoring event) vacuum pressures at the cell distribution buildings manifolds ranged from 76 inches of H<sub>2</sub>O for Cell 1 to 85 inches of H<sub>2</sub>O for Cell 2. Injection pressure ranged from 82 inches of H<sub>2</sub>O for Cell 1 and 85 inches of H<sub>2</sub>O for Cell 2.

### **3.2 Temperatures**

Process air stream temperatures, measured at the discharge of the air blowers and across the carbon treatment system, were recorded on the O&M daily log sheets (Appendix A).

Temperature measurements at the vacuum air blowers did not exceed 170°F, which was below the design settings of 220°F. The temperature at the discharge of the vacuum blower was

measured at an average of 163°F, and the temperature at the discharge of the injection blower was measured at an average of 157°F. Temperature at the vacuum header within the Cell distribution buildings ranged from 48°F to 58°F, and ranged between 46°F and 52°F at the injection header. The carbon treatment system influent air stream temperatures ranged from 70°F to 90°F.

### **3.3 Process Air Flows**

This section discusses process air flow measurements and balancing throughout the entire System and for the individual SVE wells. Individual SVE withdrawal and injection well process airflow measurements are provided in Table 1 for January 12, February 9, and March 22 & 23, 2005.

#### **3.3.1 Total System Process Air Flow**

During the reporting period, air flow throughout the entire System was measured as outlined in the O&M Manual. The air flow through the System was calculated by measuring the pressure drop across the blowers, and using this value to obtain the air flow from the blower curve computer model supplied by the manufacturer. Calculated air flow rates are contained in Table 2. Based on this data, the calculated airflow through the entire System between January and March 2005 averaged 512 scfm. The bypass airflow for January 12, February 9, and March 22 & 23, 2005 was 210 scfm (table 1). The entire system flow is a culmination of the bypass flow and the individual flow rates. Estimated wellfield airflow was 453.

#### **3.3.2 SVE Well Process Air Flow**

Individual SVE withdrawal and injection well process airflow measurements were recorded on January 12, February 9, and March 22 & 23, 2005. This data is contained in Table 1.

Total SVE well air flow on the withdrawal side of the System was 512 scfm January 12, February 9, and March 22 & 23, 2005.

### **3.4 Process Air VOC Concentrations**

Process air samples were collected during the reporting period on January 12, February 9, and March 23, 2005. Samples were collected and analyzed in accordance with the O&M Manual. The withdrawal well process air analytical results and the carbon treatment system process air analytical results are contained in Table 2. Quality Assurance/Quality Control (QA/QC) analytical results are also presented in Table 3. The laboratory data summary sheets, chain-of-custody forms, and field sample log book notes are provided in Appendix B.

### **3.4.1 SVE Withdrawal Wells**

Quarterly sampling of the SVE withdrawal wells occurred on March 22 and 23, 2005. Concentrations of total targeted VOCs at individual wells ranged from non-measurable in wells A3; B3; C3; F5 and F5; G1; H1; I1, I3, and I5; J2, J3, and J5; K5; L2; and M2, to 6.72 ppm<sub>v</sub> in well K3 (Table 3). Trichloroethene (TCE) and 1,1,1-trichloroethane (1,1,1-TCA) show the highest concentrations.

The total targeted VOC concentration contours using the March analytical data are illustrated in Figure 2. Figures 3 and 4 show individual contaminant concentrations of 1,1,1-TCA and TCE, respectively. The highest VOC concentrations were located in the areas of cell 1 between wells C2 and D1.

### **3.4.2 Carbon Process Air Control Samples**

Carbon treatment system process air control samples were collected from three (3) sample ports identified and illustrated on Figure 5.

Total System VOC samples are collected prior to the combined process air stream entering the carbon treatment system. System samples were labeled "INFLUENT", "MID", and "EFFLUENT".

Total System samples were collected on January 12, February 9, and March 23, 2005. The total targeted influent VOC concentration averaged 2.05 ppm<sub>v</sub> over the reporting period (Table 2). TCE and 1,1,1-TCA constitute the majority of the VOC mass in the process air stream. Concentrations of target VOCs in the total System samples collected since the initial startup of the System in June 2003 are shown in Figure 6.

Between carbon bed ("MID") and after carbon bed ("EFFLUENT") samples were also collected on the same days as the total System sample to evaluate VOC breakthrough and to determine when carbon change-outs should be performed.

### **3.4.3 QA/QC Process Air Samples**

QA/QC process air samples, including duplicates, sample pump blanks, trip blanks, and instrument blanks, were collected during the sampling events. Duplicates of withdrawal well samples E4 and K3 were collected and analyzed for the targeted VOCs. The results of the analysis are shown on Table 3. The sample pump blank concentrations of total targeted compounds were below the detection limit (0.05 ppm<sub>v</sub>). The trip and instrument blanks concentrations were also below the detection limit for total targeted compounds.

## 4.0 VOC YIELD

This section details the System VOC yield distribution based on the individual SVE withdrawal well samples collected during the March 22 & 23, 2005 sampling event. Also discussed in this section is the total System VOC yield based on the air flow through the blowers and the composite/total System VOC analytical results.

### 4.1 SVE Withdrawal Well VOC Yields

The VOC yield rate for each SVE withdrawal well was calculated using the Ideal Gas Law, the average molecular weight of the targeted compounds, the flow rate for each individual withdrawal well, and the total targeted VOC concentration for each well. Table 3 summarizes the yield rate in pounds per day (lbs/day) for each SVE withdrawal well as measured during the March sampling event.

The VOC yield rates varied from non-measurable to 0.02 lbs/day (well E4 and K3). Wells B2, C2 and C3; D1, E1, F1 and F4; H1, I1 and I3; J2 and J5; K4 and K5; L2, and M2 had a non-measurable yield because of only low VOC concentration (PID reading less than 10 ppm), and no wells had a non-measurable yield due to only very low air flow (5 scfm or lower) only. Well F5 had a non-measurable yield due to a low VOC concentration and low flow. The table below (see below) summarizes the wells with non-measurable VOC yield rates.

At this time, some wells located in areas with high contaminant concentrations (as shown in the Pre-Remediation Geoprobe Sampling Summary Report, Vestal Well 1-1, Operable Unit 2, Area 4, March 21, 2002), currently show low VOC yield rates. Air flow rates and VOC contaminant levels with this off-gas data may be limited by subsurface geologic conditions (silt lenses), preferential air flow patterns, and soil moisture content. These conditions are unpredictable and change with varying Site conditions.

Figure 7 illustrates SVE withdrawal well total targeted VOC yield rate contours for the March sampling event. Figures 8 and 9 show individual contaminant yield rates of 1,1,1- TCA and TCE, respectively. All of the withdrawal wells in the treatment area indicate a yield of less than 0.05 lbs/day total targeted VOC.

| SUMMARY OF WELLS WITH LOW YIELD RATES |           |              |          |                  |                     |                             |                      |
|---------------------------------------|-----------|--------------|----------|------------------|---------------------|-----------------------------|----------------------|
| SVE WELL #                            | FLOW RATE | PID READINGS | LOW FLOW | LOW PID (<10ppm) | Soil Concentrations | Proposed Actions to Improve | Notes/Action List    |
| B2                                    | 5         | 7.5          |          | X                | Low                 | None                        | See paragraph below. |
| C2                                    | 5         | 0.9          |          | X                | Medium              | None                        | See paragraph below. |
| C3                                    | 5         | 6.2          |          | X                | Medium              | None                        | See paragraph below. |
| D1                                    | 5         | 1.3          |          | X                | Low                 | None                        | See paragraph below. |
| E1                                    | 5         | 1.2          |          | X                | Low                 | None                        | See paragraph below. |

| SUMMARY OF WELLS WITH LOW YIELD RATES |           |              |          |                  |                     |                             |                      |
|---------------------------------------|-----------|--------------|----------|------------------|---------------------|-----------------------------|----------------------|
| SVE WELL #                            | FLOW RATE | PID READINGS | LOW FLOW | LOW PID (<10ppm) | Soil Concentrations | Proposed Actions to improve | Notes/Action List    |
| F1                                    | 8         | 1.0          |          | X                | Low                 | None                        | See paragraph below. |
| F4                                    | 5         | 4.4          |          | X                | Low                 | None                        | See paragraph below. |
| F5                                    | 2         | 1.8          | X        | X                | Low                 | None                        | See paragraph below. |
| H1                                    | 5         | 5.8          |          | X                | Low                 | None                        | See paragraph below. |
| I1                                    | 5         | 4.6          |          | X                | Low                 | None                        | See paragraph below. |
| I3                                    | 5         | 9.8          |          | X                | Medium              | None                        | See paragraph below. |
| J2                                    | 5         | 2.0          |          | X                | Medium              | None                        | See paragraph below. |
| J5                                    | 5         | 7.2          |          | X                | High                | None                        | See paragraph below. |
| K4                                    | 5         | 1.7          |          | X                | Medium              | None                        | See paragraph below. |
| K5                                    | 5         | 1.8          |          | X                | High                | None                        | See paragraph below. |
| L2                                    | 5         | 1.9          |          | X                | High                | None                        | See paragraph below. |
| M2                                    | 5         | 1.9          |          | X                | Low                 | None                        | See paragraph below. |

There are no proposed actions to improve the System (Table 6). The new configuration (as of March 17, 2005) of the System focuses on Cell 1. There have been elevated sustained contaminant concentrations and yields for the majority of 'hot spots' in Cell 1. We will monitor the individual wells and recommend action if the concentrations and yields drop substantially for an extended period of time.

#### 4.2 Total System VOC Yield

The total System VOC yield (Table 4) was calculated using the total System air flow rate (Section 3.3.1) and the influent System sample ("INFLUENT") analytical results. Based on these calculations, the System has yielded approximately 2,072 pounds of VOCs through the March 23, 2005 sampling event (Table 5). Therefore, the average yield rate of the System between June 23, 2003 and March 23, 2005, is 3.91 lbs/day. TCE constitutes approximately 46 percent and 1,1,1-TCA approximately 54 percent of the total VOC yield since the beginning of the SVE System operation. The increasing mass of total targeted VOCs removed from the treatment area is illustrated in Figure 10.

## **5.0 QUARTERLY REPORT No. 7 ANALYSIS OF MONITORING DATA**

This section provides additional analysis of operational data collected between January and March 2005. Total System data was evaluated for this time period. The following evaluations were performed: analyses of total targeted VOC concentrations and yield rates vs. time and Total Targeted Contaminant Yield start-up to March 23, 2005.

### **5.1 Total System**

Table 2 summarizes the total System VOC concentrations and Table 4 summarizes the total contaminant yield per day of each VOC within the process air stream. Figure 6 illustrates concentration and daily yield rates of targeted contaminant vs. time, and Figure 10 illustrates total targeted contaminant yield from start-up to June 22, 2004. As expected, the yield rate and concentration trends closely match.

1-1-1,TCA is the dominant compound detected (Table 4), ranging from 56 to 71 percent of the VOC component of the total System process air stream. TCE ranged from approximately 29 to 48 percent of the total (Table 4).

There is a decrease of the average contaminant yield rate from quarter 6 through quarter 7 (3.01 lbs/day and 0.51 lbs/day, respectively).

After reconfiguration of the SVE well polarity and subsequent reduction of flow rates/vacuum pressure to treatment area number 2 the yield ratio of TCE to 1-1-1,TCA from individual wells has significantly increased (Figures 8 and 9). This is due to the ability of 1-1-1,TCA to be released from inter soil pore spaces at a faster rate than TCE.

The total System air flow continues at a stable rate (512 scfm), which was within 2 to 3 percent of the target air flow rate of 500 scfm.

## **6.0 PROBLEMS ENCOUNTERED DURING THE REPORTING PERIOD AND RESPECTIVE CORRECTIVE MEASURES**

With the exceptions of problems discussed in Section 2.0 and in this section the System operated well throughout the seventh quarter.

During this reporting period, some wells were recorded with limited flow. These problems are related to the presence of condensate water in the process piping. Maintenance activities have been performed to remove (increased vacuum to selected wells) and control the amount of water being drawn into the treatment System (closing of selected wells). Should the site soils begin producing substantial quantities of condensate, the pump-out time will be increased in wells constructed with condensate drop legs.

## **7.0 ANTICIPATED ACTIVITIES**

We will be closely monitoring the effectiveness of the most recent reconfiguration and evaluating the system for additional reconfiguration opportunities to maximize contaminant removal as well as planning for and implementing an interim sampling event. We understand that we will need to provide an assessment of the removal productivity in order to make a recommendation to the EPA on whether or not to extend the system operation beyond June 2005. To that end, the following activities are anticipated for the next reporting period:

- Review of all system specific data regarding flow rates, contaminant concentrations and weather conditions at the site, make adjustments as deemed necessary;
- Development of additional system operation time, and/or further reconfiguration to USACE and EPA, based upon soil sampling data;
- Continue operations and maintenance of the SVE system;
- The next quarterly sampling event is scheduled for June 2005; and
- A carbon change out is anticipated during the next quarter.


In addition, we note that the operating funds for this most recent 150 days is due to run out in early June.

## 8.0 AUTHOR IDENTIFICATION

This report was prepared and checked by:



Douglas C. Callahan  
Shaw Environmental, Inc.  
Project Manager



Cassandra T. Marshall  
Sevenson Environmental Services, Inc.  
Project Manager

## FIGURES

|     |         |                         |    |
|-----|---------|-------------------------|----|
| NO. | DATE    | REVISION                | BY |
| 1   | 4-28-05 | BASED FOR CLIENT REVIEW | NO |
| 2   |         | ISSUED FOR              | BY |

**S** Severson Environmental Services Inc.  
1000 FULTON ST. SUITE 200  
BIRMINGHAM, AL 35203

**ENVIROGEN**  
Shaw E&I Engineering of New York, P.C.  
100 COLLEGE AVE. 5TH FLOOR  
NEW YORK, NY 10003

**US Army Corps of Engineers**  
Regional City District  
CONTRACT NO. DACW41-01-D-0001

|                      |         |    |
|----------------------|---------|----|
| STEWART HARRIS ARBOR | BL      | DC |
| CHECKED BY           | DC      | DC |
| DESIGN DATE          | DC      | DC |
| APPROVED BY          | SA      | SA |
| DATE                 | 3-23-05 |    |

VESTAL AREA 4  
TOWN OF VESTAL, BROOME COUNTY, NEW YORK

FIGURE 1  
Site Plan with SVE System


|                       |               |
|-----------------------|---------------|
| SCALE AS SHOWN        | REVISION      |
| PROJECT NUMBER 081086 | DATE          |
| ISSUED FOR VES A4 - 1 | SHEET 1 OF 10 |

**LEGEND**

- A5 ● - INJECTION SVE well
- D3 ○ - VACUUM SVE well
- D3 ⊕ - Nested VACUUM SVE well
- H2 ▽ - SVE well shut off



BASE MAP PROVIDED BY JOYCE SURVEYING AND MAPPING



The MATCO Electronics Group  
American Board

36" High by 12" Wide Concrete Wall w/ Patio

STAGE ROAD

Approximate edge of asphalt

⊙ Cleanout

AREA 4 BOUNDARY

Asphalt Parking

Asphalt Parking

Edge of Asphalt

Edge of Asphalt Parking (Typical)

AREA 4

CELL 1  
DISTRIBUTION  
BUILDING

CELL 2  
DISTRIBUTION  
BUILDING

Benchmark  
file cut in west  
rim of manhole  
Elevation = 824.39

Overhead Electric and Telephone

Boundary for 6" Buried Mobil Oil Corporation Gas-line  
NYSEG & NYTEL 10 Ft. Offset

BASE MAP PROVIDED BY JOYCE SURVEYING AND MAPPING

#### LEGEND

- A3 ⊙ - INJECTION SVE well
- D3 ⊙ - VACUUM SVE well
- D3 ⊙ - Mixed VACUUM SVE well
- D3 ⊙ - SVE well shut off
- - Utility pole and overhead line
- - Water main
- - Sanitary sewer line/manhole
- - Natural gas or petroleum line
- - Elevation Contour Line
- 1.27 - TTC Concentration (ppmv)
- NA - Not Available
- - 0-50 (ppmv) TTC Concentration
- - 50-100 (ppmv) TTC Concentration
- - 100-1,000 (ppmv) TTC Concentration
- - >1,000 (ppmv) TTC Concentration

0 20 40  
SCALE IN FEET

**S** Severson  
Environmental  
Services Inc.  
8749 LUDLOW ROAD  
KANSAS CITY, MO 64114

**ENVIROGEN**  
Shaw E&I Engineering  
of New York, P.C.  
103 COLLEGE AVE SE  
GRAND RAPIDS, MICHIGAN 49503



US Army Corps of Engineers  
Kansas City District  
CONTRACT No. DACW41-01-D-0001

STEWART HARRIS ADAMS

DRAWN BY BL

CHECKED BY: DC

DESIGN ENGR: DC

APPROVED BY: SA

DATE: 3-23-05

NEW YORK PROFESSIONAL ENGINEER  
LICENSE NUMBER: 078693

SITE:

VESTAL AREA 4  
TOWN OF VESTAL, BROOME COUNTY, NEW YORK

TITLE:

TOTAL TARGET VOC CONCENTRATION  
MARCH 22 & 23, 2005


SCALE: AS SHOWN




REVISION:

PROJECT NUMBER: 681086

DRAWING NUMBER: VES A4- 2

SHEET 2 of 10

[illegible]



|     |         |                          |            |
|-----|---------|--------------------------|------------|
| NO. | DATE    | REASON FOR CLIENT REVIEW | ISSUED FOR |
| 1   | 4-28-05 | REASON FOR REVIEW        | DC         |
| 2   |         |                          | DC         |
| 3   |         |                          | DC         |
| 4   |         |                          | DC         |
| 5   |         |                          | DC         |
| 6   |         |                          | DC         |
| 7   |         |                          | DC         |
| 8   |         |                          | DC         |
| 9   |         |                          | DC         |
| 10  |         |                          | DC         |

Sevenson  
Environmental  
Services Inc.  
770 LEXINGTON ROAD  
BIRMINGHAM, AL 35203

ENVIROGEN  
Shaw E&I Engineering  
of New York, P.C.  
103 COLLIER AVE. S.  
GARDEN CITY, NEW YORK 11530

US Army Corps of Engineers  
New York City District  
CONTRACT NO. DACW41-01-D-0001

STEWART HARRIS ADDRESS  
LITCHFIELD NUMBER 078003

BRANCH  
BL  
DC  
SA

STTD  
TOWN OF VESTAL, BROOME COUNTY, NEW YORK  
TCE CONCENTRATION (ppmv)  
MARCH 22 & 23, 2005


SCALE AS SHOWN  
PROJECT NUMBER  
681096  
DRAWING NUMBER  
VES A4- 4  
SHEET 4 OF 10

BASE MAP PROVIDED BY JOYCE SURVEYING AND MAPPING


**LEGEND**




AS - ALLESTON SWE and  
D3O - WICKHAM SWE and  
D3 - Hatched WICKHAM SWE and  
D3P - SWE and and off  
--- Utility poles and overhead line  
--- Water main  
--- Sanitary sewer line/branch  
--- Natural gas or petroleum line  
--- Elevation Contour Line

1.27 - TCE Concentration (ppmv)  
NA - Not Available  
0-50 (ppmv) TCE Concentration  
50-100 (ppmv) TCE Concentration  
100-1,000 (ppmv) TCE Concentration  
>1,000 (ppmv) TCE Concentration



**FIGURE 6**  
**CONCENTRATION (ppmv) AND YIELD RATE (lbs/day)**  
**OF TOTAL TARGET VOCs Vs. TIME**  
**TOTAL SYSTEM SAMPLE**  
**VESTAL AREA 4**





The MATCO Electronics Group  
American Board

STAGE ROAD

Approximate edge of asphalt

36" High by 12" Wide Concrete Wall w/ Patio

AREA 4

Asphalt Parking

Asphalt Parking

Edge of Asphalt Parking (Typical)

Edge of Asphc

AREA 4 BOUNDARY

CELL 1 DISTRIBUTION BUILDING

CELL 2 DISTRIBUTION BUILDING

Cleanout

6" Sanitary Sewer

Overhead Electric and Telephone  
Boundary for 6" Buried Mobil Oil Corporation Gas line  
NYSEG & NYTEL 10 Ft. Offset

Benchmark  
file cut in west  
rim of manhole  
Elevation = 824.36

BASE MAP PROVIDED BY JOYCE SURVEYING AND MAPPING

# LEGEND

- AS - INJECTION SVE well
- D3 O - VACUUM SVE well
- D3 - Nested VACUUM SVE well
- D3 D - SVE well shut off
- Utility pole and overhead line
- Water main
- Sanitary sewer line/manhole
- Natural gas or petroleum line
- Elevation Contour Line
- 1.27 - 1,1,1 TCA Yield (lbs/day)
- NA - Not Available
- 0-0.05 (lbs/day) 1,1,1 TCA Yield
- 0.05-0.10 (lbs/day) 1,1,1 TCA Yield
- 0.10-1.0 (lbs/day) 1,1,1 TCA Yield
- >1.0 (lbs/day) 1,1,1 TCA Yield

0 20 40  
SCALE IN FEET

**S** Severson  
Environmental  
Services Inc.  
2749 LEXINGTON ROAD  
HARRISBURG, PA 17105

**ENVIROGEN**  
Shaw E&I Engineering  
of New York, P.C.  
103 COLLEGE AVE SE  
GRAND RAPIDS, MICHIGAN 49503

**US Army Corps of Engineers**  
Kansas City District  
CONTRACT No. DACW41-01-D-0001


STEWART HARRIS ABRAMS  
NEW YORK PROFESSIONAL ENGINEER  
LICENSE NUMBER 079693

DRAWN: BL  
CHECKED BY: DC  
DESIGN ENGINEER: DC  
APPROVED BY: SA  
DATE: 3-23-05

SITE: VESTAL AREA 4  
TOWN OF VESTAL, BROOME COUNTY, NEW YORK  
TITLE: TCE YIELD (lbs/day)  
MARCH 22 & 23, 2005

SCALE: AS SHOWN  
REVISION:  
PROJECT NUMBER: 681086  
DRAWING NUMBER: VES A4- 9  
SHEET 9 OF 10

FIGURE 10  
TOTAL TARGET CONTAMINANT YIELD START-UP TO DATE (lbs) Vs. TIME  
TOTAL SYSTEM SAMPLE  
VESTAL, AREA 4



# TABLES

**TABLE 1**  
**SVE WELL STATUS**  
**VESTAL AREA 4**  
**January 12, 2005**

| SVE WELL #       | VAC WELL | INJ WELL | FLOW RATE | STATUS | PID READINGS | SOIL CONCENTRATION |
|------------------|----------|----------|-----------|--------|--------------|--------------------|
| Bypass Flow Rate |          |          | 210       |        |              |                    |
| INFLUENT         |          |          | 512       |        | 10.9         |                    |
| MIDDLE           |          |          | 512       |        | 0.9          |                    |
| EFFLUENT         |          |          | 512       |        | 0.6          |                    |
| A1               |          | X        | 10        | OPEN   | NA           | LOW                |
| A2               |          | X        | 8         | OPEN   | NA           | LOW                |
| A3               | X        |          | 5         | OPEN   | 31.8         | LOW                |
| B1               | X        |          | NA        | WATER  | NA           | LOW                |
| B2               | X        |          | NA        | WATER  | NA           | LOW                |
| B3               | X        |          | <5        | LF     | 20.6         | LOW                |
| C1               |          | X        | 15        | OPEN   | NA           | LOW                |
| C2               | X        |          | <5        | LF     | 82.5         | MEDIUM             |
| C3               | X        |          | 5         | OPEN   | 6.2          | MEDIUM             |
| D1               | X        |          | 6         | OPEN   | 110.5        | LOW                |
| D2               | X        |          | 8         | OPEN   | 4.7          | MEDIUM             |
| D3               | X        |          | <5        | LF     | 70.6         | HIGH               |
| D4               | X        |          | 22        | OPEN   | 8.1          | HIGH               |
| E1               |          | X        | 10        | OPEN   | 9.4          | LOW                |
| E2               | X        |          | NA        | WATER  | NA           | MEDIUM             |
| E3               | X        |          | 8         | OPEN   | 10.9         | HIGH               |
| E4               | X        |          | <5        | LF     | 3.4          | HIGH               |
| E5               | X        |          | <5        | LF     | 26.4         | HIGH               |
| F1               |          | X        | 16        | OPEN   | NA           | LOW                |
| F2               | X        |          | NA        | WATER  | NA           | MEDIUM             |
| F3               | X        |          | <5        | LF     | 2.7          | MEDIUM             |
| F4               | X        |          | NA        | WATER  | NA           | LOW                |
| F5               | X        |          | <5        | LF     | 6.2          | LOW                |
| F6               | X        |          | 7         | OPEN   | 11.4         | LOW                |
| G1               | X        |          | <5        | LF     | 17.3         | LOW                |
| G2               | X        |          | 20        | OPEN   | 42.3         | LOW                |
| H1               | X        |          | <5        | LF     | 5.1          | LOW                |
| H2               |          |          | NA        | OFF    | NA           | LOW                |
| I1               | X        |          | <5        | LF     | 3.3          | LOW                |
| I2               |          |          | NA        | OFF    | NA           | LOW                |
| I3               | X        |          | NA        | WATER  | NA           | MEDIUM             |
| I4               |          | X        | 7         | OPEN   | NA           | MEDIUM             |
| I5               | X        |          | 6         | OPEN   | 12.4         | HIGH               |
| J1               |          |          | NA        | OFF    | NA           | LOW                |
| J2               | X        |          | <5        | LF     | 4.0          | MEDIUM             |
| J3               | X        |          | 8         | OPEN   | 15.7         | HIGH               |
| J4               | X        |          | 6         | OPEN   | 44.1         | HIGH               |

**TABLE 1**  
**SVE WELL STATUS**  
**VESTAL AREA 4**  
**January 12, 2005**

| SVE WELL # | VAC WELL | INJ WELL | FLOW RATE | STATUS | PID READINGS | SOIL CONCENTRATION |
|------------|----------|----------|-----------|--------|--------------|--------------------|
| J5         | X        |          | 10        | OPEN   | 10.6         | HIGH               |
| J6         | X        |          | <5        | LF     | 20.8         | HIGH               |
| K1         |          | X        | 6         | OPEN   | NA           | LOW                |
| K2         | X        |          | <5        | LF     | 1.5          | LOW                |
| K3         | X        |          | 7         | OPEN   | 11.1         | MEDIUM             |
| K4         |          |          | NA        | OFF    | NA           | MEDIUM             |
| K5         | X        |          | <5        | LF     | 15.6         | HIGH               |
| L1         |          | X        | 6         | OPEN   | NA           | LOW                |
| L2         | X        |          | <5        | LF     | 13.9         | HIGH               |
| L3         |          | X        | 7         | OPEN   | NA           | LOW                |
| L4         | X        |          | NA        | WATER  | NA           | LOW                |
| M1         |          |          | NA        | OFF    | NA           | LOW                |
| M2         | X        |          | <5        | LF     | 20.7         | LOW                |
| M3         | X        |          | <5        | LF     | 4.2          | LOW                |
| M4         |          |          | NA        | OFF    | NA           | LOW                |
| N1         |          |          | NA        | OFF    | NA           | LOW                |
| N2         |          |          | NA        | OFF    | NA           | LOW                |
| N3         |          |          | NA        | OFF    | NA           | LOW                |

NOTE: Total System Flow calculated by Roots Blower program with climate variables of the day of sampling.

LF= limited airflow

**TABLE 1**  
**SVE WELL STATUS**  
**VESTAL AREA 4**  
**February 9, 2005**

| SVE WELL #       | VAC WELL | INJ WELL | FLOW RATE | STATUS | PID READINGS | SOIL CONCENTRATION |
|------------------|----------|----------|-----------|--------|--------------|--------------------|
| Bypass Flow Rate |          |          | 210       |        |              |                    |
| INFLUENT         |          |          | 512       |        | 12.3         |                    |
| MIDDLE           |          |          | 512       |        | 1.9          |                    |
| EFFLUENT         |          |          | 512       |        | 1.3          |                    |
| A1               |          | X        | 9         | OPEN   | NA           | LOW                |
| A2               |          | X        | 6         | OPEN   | NA           | LOW                |
| A3               | X        |          | 5         | OPEN   | 30.6         | LOW                |
| B1               | X        |          | NA        | WATER  | NA           | LOW                |
| B2               | X        |          | NA        | WATER  | NA           | LOW                |
| B3               | X        |          | <5        | LF     | 22.6         | LOW                |
| C1               |          | X        | 10        | OPEN   | NA           | LOW                |
| C2               | X        |          | 5         | OPEN   | 90.6         | MEDIUM             |
| C3               | X        |          | <5        | LF     | 3.0          | MEDIUM             |
| D1               | X        |          | 6         | OPEN   | 100.3        | LOW                |
| D2               | X        |          | 9         | OPEN   | 19.3         | MEDIUM             |
| D3               | X        |          | <5        | LF     | 70.3         | HIGH               |
| D4               | X        |          | 20        | OPEN   | 16.7         | HIGH               |
| E1               |          | X        | 10        | OPEN   | NA           | LOW                |
| E2               | X        |          | NA        | WATER  | NA           | MEDIUM             |
| E3               | X        |          | NA        | WATER  | NA           | HIGH               |
| E4               | X        |          | 6         | OPEN   | 8.3          | HIGH               |
| E5               | X        |          | 5         | OPEN   | 18.8         | HIGH               |
| F1               |          | X        | 20        | OPEN   | NA           | LOW                |
| F2               | X        |          | NA        | WATER  | NA           | MEDIUM             |
| F3               | X        |          | NA        | WATER  | NA           | MEDIUM             |
| F4               | X        |          | <5        | LF     | 6.3          | LOW                |
| F5               | X        |          | NA        | WATER  | NA           | LOW                |
| F6               | X        |          | 7         | OPEN   | 4.6          | LOW                |
| G1               | X        |          | <5        | LF     | 25.1         | LOW                |
| G2               | X        |          | 20        | OPEN   | 38.5         | LOW                |
| H1               | X        |          | NA        | WATER  | NA           | LOW                |
| H2               |          |          | NA        | OFF    | NA           | LOW                |
| I1               | X        |          | 5         | OPEN   | 3.2          | LOW                |
| I2               |          |          | NA        | OFF    | NA           | LOW                |
| I3               | X        |          | 7         | OPEN   | 13.5         | MEDIUM             |
| I4               |          | X        | 6         | OPEN   | NA           | MEDIUM             |
| I5               | X        |          | <5        | LF     | 19.6         | HIGH               |
| J1               |          |          | NA        | OFF    | NA           | LOW                |
| J2               | X        |          | <5        | LF     | 4.9          | MEDIUM             |
| J3               | X        |          | 8         | OPEN   | 14.3         | HIGH               |
| J4               | X        |          | 9         | OPEN   | 40.8         | HIGH               |

**TABLE 1**  
**SVE WELL STATUS**  
**VESTAL AREA 4**  
**February 9, 2005**

| SVE WELL # | VAC WELL | INJ WELL | FLOW RATE | STATUS | PID READINGS | SOIL CONCENTRATION |
|------------|----------|----------|-----------|--------|--------------|--------------------|
| J5         | X        |          | 10        | OPEN   | 6.4          | HIGH               |
| J6         | X        |          | <5        | LF     | 22.6         | HIGH               |
| K1         |          | X        | 5         | OPEN   | NA           | LOW                |
| K2         | X        |          | 6         | OPEN   | 3.8          | LOW                |
| K3         | X        |          | <5        | LF     | 16.3         | MEDIUM             |
| K4         |          |          | NA        | OFF    | NA           | MEDIUM             |
| K5         | X        |          | <5        | LF     | 15.9         | HIGH               |
| L1         |          | X        | 5         | OPEN   | NA           | LOW                |
| L2         | X        |          | 5         | OPEN   | 16.3         | HIGH               |
| L3         |          | X        | <5        | OPEN   | NA           | LOW                |
| L4         | X        |          | NA        | WATER  | NA           | LOW                |
| M1         |          |          | NA        | OFF    | NA           | LOW                |
| M2         | X        |          | <5        | LF     | 21.4         | LOW                |
| M3         | X        |          | <5        | LF     | 9.1          | LOW                |
| M4         |          |          | NA        | OFF    | NA           | LOW                |
| N1         |          |          | NA        | OFF    | NA           | LOW                |
| N2         |          |          | NA        | OFF    | NA           | LOW                |
| N3         |          |          | NA        | OFF    | NA           | LOW                |

NOTE: Total System Flow calculated by Roots Blower program with climate variables of the day of sampling.

LF= limited airflow

**TABLE 1**  
**SVE WELL STATUS**  
**VESTAL AREA 4**  
**March 22 & 23, 2005**

| SVE WELL #       | VAC WELL | INJ WELL | FLOW RATE | STATUS | PID READINGS | SOIL CONCENTRATION |
|------------------|----------|----------|-----------|--------|--------------|--------------------|
| Bypass Flow Rate |          |          | 210       |        |              |                    |
| INFLUENT         |          |          | 512       |        | 9.6          |                    |
| MIDDLE           |          |          | 512       |        | 0.6          |                    |
| EFFLUENT         |          |          | 512       |        | 0.6          |                    |
| A1               |          | X        | 9         | OPEN   | NA           | LOW                |
| A2               |          | X        | 6         | OPEN   | NA           | LOW                |
| A3               | X        |          | 5         | OPEN   | 15.4         | LOW                |
| B1               | X        |          | NA        | WATER  | NA           | LOW                |
| B2               | X        |          | 5         | OPEN   | 7.5          | LOW                |
| B3               | X        |          | 5         | OPEN   | 20.1         | LOW                |
| C1               |          | X        | 10        | OPEN   | NA           | LOW                |
| C2               | X        |          | 5         | OPEN   | 0.9          | MEDIUM             |
| C3               | X        |          | 5         | OPEN   | 6.2          | MEDIUM             |
| D1               | X        |          | 5         | OPEN   | 1.3          | LOW                |
| D2               |          | X        | 9         | OPEN   | NA           | MEDIUM             |
| D3               |          | X        | <5        | OPEN   | NA           | HIGH               |
| D4               | X        |          | NA        | WATER  | NA           | HIGH               |
| E1               | X        |          | 5         | OPEN   | 1.2          | LOW                |
| E2               |          | X        | NA        | OPEN   | NA           | MEDIUM             |
| E3               | X        |          | 20        | OPEN   | 3.2          | HIGH               |
| E4               | X        |          | 25        | OPEN   | 6.4          | HIGH               |
| E5               | X        |          | NA        | WATER  | NA           | HIGH               |
| F1               | X        |          | 8         | OPEN   | 1.0          | LOW                |
| F2               |          | X        | NA        | OPEN   | NA           | MEDIUM             |
| F3               | X        |          | NA        | WATER  | NA           | MEDIUM             |
| F4               | X        |          | 5         | OPEN   | 4.4          | LOW                |
| F5               | X        |          | <5        | LF     | 1.8          | LOW                |
| F6               | X        |          | NA        | WATER  | NA           | LOW                |
| G1               | X        |          | 5         | OPEN   | 17.4         | LOW                |
| G2               | X        |          | 25        | OPEN   | 21.1         | LOW                |
| H1               | X        |          | 5         | OPEN   | 5.8          | LOW                |
| H2               |          |          | NA        | OFF    | NA           | LOW                |
| I1               | X        |          | 5         | OPEN   | 4.6          | LOW                |
| I2               |          |          | NA        | OFF    | NA           | LOW                |
| I3               | X        |          | 5         | OPEN   | 9.8          | MEDIUM             |
| I4               |          |          | NA        | OFF    | NA           | MEDIUM             |
| I5               | X        |          | 5         | OPEN   | 19.1         | HIGH               |
| J1               |          |          | NA        | OFF    | NA           | LOW                |
| J2               | X        |          | 5         | OPEN   | 2.0          | MEDIUM             |
| J3               | X        |          | 5         | OPEN   | 15.5         | HIGH               |
| J4               | X        |          | 5         | OPEN   | 13.3         | HIGH               |

**TABLE 1**  
**SVE WELL STATUS**  
**VESTAL AREA 4**  
**March 22 & 23, 2005**

| SVE WELL # | VAC WELL | INJ WELL | FLOW RATE | STATUS | PID READINGS | SOIL CONCENTRATION |
|------------|----------|----------|-----------|--------|--------------|--------------------|
| J5         | X        |          | 5         | OPEN   | 7.2          | HIGH               |
| J6         | X        |          | NA        | WATER  | NA           | HIGH               |
| K1         |          | X        | 5         | OPEN   | NA           | LOW                |
| K2         | X        |          | 5         | OPEN   | 12.3         | LOW                |
| K3         | X        |          | 5         | OPEN   | 4.5          | MEDIUM             |
| K4         | X        |          | 5         | OPEN   | 1.7          | MEDIUM             |
| K5         | X        |          | 5         | OPEN   | 1.8          | HIGH               |
| L1         |          | X        | 5         | OPEN   | NA           | LOW                |
| L2         | X        |          | 5         | OPEN   | 1.9          | HIGH               |
| L3         |          | X        | <5        | OPEN   | NA           | LOW                |
| L4         | X        |          | NA        | WATER  | NA           | LOW                |
| M1         |          |          | NA        | OFF    | NA           | LOW                |
| M2         | X        |          | 5         | OPEN   | 1.9          | LOW                |
| M3         | X        |          | NA        | WATER  | NA           | LOW                |
| M4         |          |          | NA        | OFF    | NA           | LOW                |
| N1         |          |          | NA        | OFF    | NA           | LOW                |
| N2         |          |          | NA        | OFF    | NA           | LOW                |
| N3         |          |          | NA        | OFF    | NA           | LOW                |

NOTE: Total System Flow calculated by Roots Blower program with climate variables of the day of sampling.

LF= limited airflow

**TABLE 2**  
**ANALYTICAL RESULTS OF CONCENTRATIONS OF TARGET COMPOUNDS**  
**VESTAL AREA 4**

| SAMPLE DATE | SAMPLE NUMBER           | WELL NUMBER | FLOW RATE (SCFM) | PID READINGS (ppm) | 1,1,1 TCA (ppmv) | TCE (ppmv) | TOTAL TARGET VOCs (ppmv) |
|-------------|-------------------------|-------------|------------------|--------------------|------------------|------------|--------------------------|
| 1/12/05     | VS-SVE-INF-011205-0498  | INF         | 512              | 10.9               | 1.13             | 0.79       | 1.92                     |
| 1/12/05     | VS-SVE-MID-011205-0499  | MID         | 512              | 0.9                | 0.15             | 0.00       | 0.15                     |
| 1/12/05     | VS-SVE-EFF-011205-0500  | EFF         | 512              | 0.6                | 0.00             | 0.00       | 0.00                     |
| 1/12/05     | VS-SVE-TB-011205-0502   | TB          | NA               | 0.3                | 0.00             | 0.00       | 0.00                     |
| 2/9/05      | VS-SVE-INF-020905-0503  | INF         | 512              | 12.3               | 2.29             | 0.94       | 3.23                     |
| 2/9/05      | VS-SVE-MID-020905-0504  | MID         | 512              | 1.9                | 0.89             | 0.00       | 0.89                     |
| 2/9/05      | VS-SVE-EFF-020905-0505  | EFF         | 512              | 1.3                | 0.00             | 0.00       | 0.00                     |
| 2/9/05      | VS-SVE-TB-020905-0507   | TB          | NA               | 1.0                | 0.00             | 0.00       | 0.00                     |
| 3/23/05     | VS-SVE-INF-032305-0551  | INF         | 512              | 9.6                | 0.54             | 0.46       | 1.00                     |
| 3/23/05     | VS-SVE-MID-032305-0552  | MID         | 512              | 0.6                | 1.23             | 0.00       | 1.23                     |
| 3/23/05     | VS-SVE-EFF-032305-0553  | EFF         | 512              | 0.6                | 0.31             | 0.00       | 0.31                     |
| 3/23/05     | VS-SVE-TB-6-032305-0555 | TB          | NA               | NA                 | 0.00             | 0.00       | 0.00                     |

NOTE 1: 1,1,1 TCA= 1,1,1-Trichloroethane  
TCE= Trichloroethene  
NA = Not Applicable

NOTE 2: INF= Influent  
MID= Middle Carbon  
EFF= Effluent  
TB= Trip Blank

**TABLE 3**  
**CONTAMINANT CONCENTRATIONS AND YIELDS**  
**MARCH 22 & 23, 2005**  
**VESTAL, AREA 4**

| SAMPLE DATE | SAMPLE ID | FLOW (CFM) | PID<br>READING | 1,1,1-TCA<br>(ppmv) | TCE<br>(ppmv) | TOTAL<br>TARGETED<br>CONTAMINANTS<br>(ppmv) | LBS OF<br>1,1,1-TCA | LBS OF<br>TCE | LBS OF TOTAL<br>TARGETED<br>CONTAMINANTS<br>PER DAY |
|-------------|-----------|------------|----------------|---------------------|---------------|---------------------------------------------|---------------------|---------------|-----------------------------------------------------|
| 3/22/05     | E1        | 5          | 1.2            | 0.12                | 0.00          | 0.12                                        | 0.00                | 0.00          | 0.00                                                |
| 3/22/05     | C2        | 5          | 0.9            | 0.00                | 0.12          | 0.12                                        | 0.00                | 0.00          | 0.00                                                |
| 3/22/05     | F1        | 8          | 1.0            | 0.22                | 0.00          | 0.22                                        | 0.00                | 0.00          | 0.00                                                |
| 3/22/05     | B2        | 5          | 7.5            | 0.66                | 0.62          | 1.28                                        | 0.00                | 0.00          | 0.00                                                |
| 3/22/05     | TB-1      | NA         | NA             | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/22/05     | D1        | 5          | 1.3            | 0.00                | 0.06          | 0.06                                        | 0.00                | 0.00          | 0.00                                                |
| 3/22/05     | E4        | 25         | 6.4            | 0.81                | 0.75          | 1.56                                        | 0.01                | 0.01          | 0.02                                                |
| 3/22/05     | E4-D      | 25         | 6.4            | 0.96                | 0.83          | 1.79                                        | 0.01                | 0.01          | 0.02                                                |
| 3/22/05     | F4        | 5          | 4.4            | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/22/05     | F5        | 2          | 1.8            | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/22/05     | TB-2      | NA         | NA             | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/22/05     | C3        | 5          | 6.2            | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/22/05     | B3        | 5          | 20.1           | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/22/05     | A3        | 5          | 15.4           | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/22/05     | TB-3      | NA         | NA             | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/22/05     | PB-1      | NA         | NA             | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | J4        | 5          | 13.3           | 1.70                | 0.66          | 2.36                                        | 0.00                | 0.00          | 0.01                                                |
| 3/23/05     | J2        | 5          | 2.0            | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | L2        | 5          | 1.9            | 0.14                | 0.00          | 0.14                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | K5        | 5          | 1.8            | 0.07                | 0.00          | 0.07                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | K4        | 5          | 1.7            | 0.06                | 0.06          | 0.12                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | K2        | 5          | 12.3           | 3.27                | 2.15          | 5.43                                        | 0.01                | 0.01          | 0.01                                                |
| 3/23/05     | K3        | 5          | 4.5            | 6.59                | 0.13          | 6.72                                        | 0.02                | 0.00          | 0.02                                                |
| 3/23/05     | K3-D      | 5          | 5              | 5.89                | 0.08          | 5.98                                        | 0.01                | 0.00          | 0.01                                                |

| SAMPLE DATE | SAMPLE ID | FLOW (CFM) | PID<br>READING | 1,1,1-TCA<br>(ppmv) | TCE<br>(ppmv) | TOTAL<br>TARGETED<br>CONTAMINANTS<br>(ppmv) | LBS OF<br>1,1,1-TCA | LBS OF<br>TCE | LBS OF TOTAL<br>TARGETED<br>CONTAMINANTS<br>PER DAY |
|-------------|-----------|------------|----------------|---------------------|---------------|---------------------------------------------|---------------------|---------------|-----------------------------------------------------|
| 3/23/05     | TB-4      | NA         | 0.9            | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | M2        | 5          | 1.9            | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | J3        | 5          | 15.5           | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | G1        | 5          | 17.4           | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | I5        | 5          | 19.1           | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | G2        | 25         | 21.1           | 0.14                | 0.25          | 0.39                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | I3        | 5          | 9.8            | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | H1        | 5          | 5.8            | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | TB-5      | NA         | NA             | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | J5        | 5          | 7.2            | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | I1        | 5          | 4.6            | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | INF       | 512        | 9.6            | 0.54                | 0.46          | 1.00                                        | 0.14                | 0.12          | 0.25                                                |
| 3/23/05     | MID       | 512        | 0.6            | 1.23                | 0.00          | 1.23                                        | 0.31                | 0.00          | 0.31                                                |
| 3/23/05     | EFF       | 512        | 0.6            | 0.31                | 0.00          | 0.31                                        | 0.08                | 0.00          | 0.08                                                |
| 3/23/05     | PB-2      | NA         | NA             | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |
| 3/23/05     | TB-6      | NA         | NA             | 0.00                | 0.00          | 0.00                                        | 0.00                | 0.00          | 0.00                                                |

Note: Flows of less than 5 CFM were recorded as 2.

**TABLE 4**  
**TARGET CONTAMINANT YIELD**  
**VESTAL AREA 4**

| SAMPLE DATE | SAMPLE NUMBER                            | WELL NUMBER | 1,1,1 TCA (lbs/day) | TCE (lbs/day) | TOTAL TARGET VOCs (lbs/day) |
|-------------|------------------------------------------|-------------|---------------------|---------------|-----------------------------|
| 6/23/2003   | VS-SS-INFL-062303-0                      | INF         | 9.58                | 7.18          | 16.76                       |
| 6/23/2003   | VS-SS-INFL-062303-1                      | INF         | 6.37                | 4.85          | 11.22                       |
|             | INFLUENT AVG PER DAY FOR PERIOD          |             | 7.98                | 6.02          | 13.99                       |
|             | TOTAL YIELD (lbs) FOR PERIOD (6/23-6/23) |             |                     |               | 0.56                        |
| 6/23/2003   | VS-SS-INFL-062303-1                      | INF         | 6.37                | 4.85          | 11.22                       |
| 6/23/2003   | VS-SS-INFL-062303-4                      | INF         | 5.23                | 5.42          | 10.66                       |
|             | INFLUENT AVG PER DAY FOR PERIOD          |             | 5.80                | 5.14          | 10.94                       |
|             | TOTAL YIELD (lbs) FOR PERIOD (6/23-6/23) |             |                     |               | 1.42                        |
| 6/23/2003   | VS-SS-INFL-062303-4                      | INF         | 5.23                | 5.42          | 10.66                       |
| 6/23/2003   | VS-SS-INFL-062303-8                      | INF         | 4.10                | 4.33          | 8.43                        |
|             | INFLUENT AVG PER DAY FOR PERIOD          |             | 4.67                | 4.88          | 9.55                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (6/23-6/23) |             |                     |               | 1.62                        |
| 6/23/2003   | VS-SS-INFL-062303-8                      | INF         | 4.10                | 4.33          | 8.43                        |
| 6/24/2003   | VS-SS-INF-062403                         | INF         | 4.52                | 6.18          | 10.70                       |
|             | INFLUENT AVG PER DAY FOR PERIOD          |             | 4.31                | 5.26          | 9.57                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (6/23-6/24) |             |                     |               | 11.19                       |
| 6/24/2003   | VS-SS-INF-062403                         | INF         | 4.52                | 6.18          | 10.70                       |
| 6/25/2003   | VS-SS-INF-062503                         | INF         | 2.28                | 2.21          | 4.48                        |
|             | INFLUENT AVG PER DAY FOR PERIOD          |             | 3.40                | 4.20          | 7.59                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (6/24-6/25) |             |                     |               | 4.40                        |
| 6/25/2003   | VS-SS-INF-062503                         | INF         | 2.28                | 2.21          | 4.48                        |
| 6/27/2003   | VS-SVE-INF-062703                        | INF         | 3.28                | 3.26          | 6.53                        |
|             | INFLUENT AVG PER DAY FOR PERIOD          |             | 2.78                | 2.74          | 5.51                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (6/25-6/27) |             |                     |               | 10.79                       |
| 6/27/2003   | VS-SVE-INF-062703                        | INF         | 3.28                | 3.26          | 6.53                        |
| 7/7/2003    | VS-SVE-INF-070703-0001                   | INF         | 6.87                | 5.04          | 11.91                       |
|             | INFLUENT AVG PER DAY FOR PERIOD          |             | 5.08                | 4.15          | 9.22                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (7/27-7/7)  |             |                     |               | 92.57                       |
| 7/7/2003    | VS-SVE-INF-070703-0001                   | INF         | 6.87                | 5.04          | 11.91                       |
| 7/9/2003    | VS-SVE-INF-070903-0006                   | INF         | 19.45               | 17.96         | 36.92                       |
|             | INFLUENT AVG PER DAY FOR PERIOD          |             | 13.16               | 11.50         | 24.42                       |
|             | TOTAL YIELD (lbs) FOR PERIOD (7/7-7/9)   |             |                     |               | 47.85                       |
| 7/9/2003    | VS-SVE-INF-070903-0006                   | INF         | 19.45               | 17.96         | 36.92                       |
| 7/17/2003   | VS-SVE-INF-071703-0011                   | INF         | 8.60                | 5.65          | 14.25                       |
|             | INFLUENT AVG PER DAY FOR PERIOD          |             | 14.03               | 11.81         | 25.59                       |
|             | TOTAL YIELD (lbs) FOR PERIOD (7/9-7/17)  |             |                     |               | 114.11                      |

**TABLE 4**  
**TARGET CONTAMINANT YIELD**  
**VESTAL AREA 4**

| SAMPLE DATE | SAMPLE NUMBER                              | WELL NUMBER | 1,1,1 TCA (lbs/day) | TCE (lbs/day) | TOTAL TARGET VOCs (lbs/day) |
|-------------|--------------------------------------------|-------------|---------------------|---------------|-----------------------------|
| 7/17/2003   | VS-SVE-INF-071703-0011                     | INF         | 8.60                | 5.65          | 14.25                       |
| 7/29/2003   | VS-SVE-INF-072903-0016                     | INF         | 2.70                | 1.88          | 4.67                        |
|             | INFLUENT AVG PER DAY FOR PERIOD            |             | 5.65                | 3.77          | 9.46                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (7/17-7/29)   |             |                     |               | 76.91                       |
| 7/29/2003   | VS-SVE-INF-072903-0016                     | INF         | 2.70                | 1.88          | 4.67                        |
| 8/12/2003   | VS-SVE-INF-081203-0026                     | INF         | 4.07                | 2.34          | 6.40                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 3.39                | 2.11          | 5.54                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (7/29-8/12)   |             |                     |               | 30.33                       |
| 8/12/2003   | VS-SVE-INF-081203-0026                     | INF         | 4.07                | 2.34          | 6.40                        |
| 8/25/2003   | VS-SVE-INF-082503-0031                     | INF         | 6.23                | 5.06          | 11.28                       |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 5.15                | 3.70          | 8.84                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (8/12-8/25)   |             |                     |               | 90.08                       |
| 8/25/2003   | VS-SVE-INF-082503-0031                     | INF         | 6.23                | 5.06          | 11.28                       |
| 9/3/2003    | VS-SVE-INF-090303-0036                     | INF         | 8.45                | 4.01          | 12.46                       |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 7.34                | 4.54          | 11.87                       |
|             | TOTAL YIELD (lbs) FOR PERIOD (8/25-9/3)    |             |                     |               | 103.74                      |
| 9/3/2003    | VS-SVE-INF-090303-0036                     | INF         | 8.45                | 4.01          | 12.46                       |
| 9/8/2003    | VS-SVE-INF-090803-0041                     | INF         | 4.23                | 2.46          | 6.70                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 6.34                | 3.24          | 9.58                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (9/3-9/8)     |             |                     |               | 38.51                       |
| 9/8/2003    | VS-SVE-INF-090803-0041                     | INF         | 4.23                | 2.46          | 6.70                        |
| 9/24/2003   | VS-SVE-INF-092403-0099                     | INF         | 2.74                | 1.30          | 4.04                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 3.48                | 1.88          | 5.37                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (9/8-9/24)    |             |                     |               | 72.89                       |
| 9/24/2003   | VS-SVE-INF-092403-0099                     | INF         | 2.74                | 1.30          | 4.04                        |
| 10/9/2003   | VS-SVE-INF-100903-0109                     | INF         | 1.91                | 1.51          | 3.42                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 2.32                | 1.40          | 3.73                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (9/24-10/9)   |             |                     |               | 55.77                       |
| 10/9/2003   | VS-SVE-INF-100903-0109                     | INF         | 1.91                | 1.51          | 3.42                        |
| 10/15/2003  | VS-SVE-INF-101503-0114                     | INF         | 2.82                | 2.26          | 5.08                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 2.37                | 1.89          | 4.25                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (10/9-10/15)  |             |                     |               | 25.50                       |
| 10/15/2003  | VS-SVE-INF-101503-0114                     | INF         | 2.82                | 2.26          | 5.08                        |
| 10/28/2003  | VS-SVE-INF-102803-0119                     | INF         | 2.65                | 2.21          | 4.86                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 2.74                | 2.24          | 4.97                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (10/15-10/28) |             |                     |               | 64.91                       |

**TABLE 4**  
**TARGET CONTAMINANT YIELD**  
**VESTAL AREA 4**

| SAMPLE DATE | SAMPLE NUMBER                              | WELL NUMBER | 1,1,1 TCA (lbs/day) | TCE (lbs/day) | TOTAL TARGET VOCs (lbs/day) |
|-------------|--------------------------------------------|-------------|---------------------|---------------|-----------------------------|
| 10/28/2003  | VS-SVE-INF-102803-0119                     | INF         | 2.65                | 2.21          | 4.86                        |
| 11/11/2003  | VS-SVE-INF-111103-0124                     | INF         | 0.99                | 1.46          | 2.45                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 1.82                | 1.84          | 3.66                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (10/28-11/11) |             |                     |               | 25.11                       |
| 11/11/2003  | VS-SVE-INF-111103-0124                     | INF         | 0.99                | 1.46          | 2.45                        |
| 11/19/2003  | VS-SVE-INF-111903-0129                     | INF         | 1.27                | 1.39          | 2.65                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 1.13                | 1.43          | 2.55                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (11/11-11/19) |             |                     |               | 19.74                       |
| 11/19/2003  | VS-SVE-INF-111103-0124                     | INF         | 1.27                | 1.39          | 2.65                        |
| 12/4/2003   | VS-SVE-INF-111903-0129                     | INF         | 0.74                | 0.76          | 1.50                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 1.01                | 1.08          | 2.08                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (11/19-12/4)  |             |                     |               | 32.56                       |
| 12/4/2003   | VS-SVE-INF-111903-0129                     | INF         | 0.74                | 0.76          | 1.50                        |
| 1/14/2004   | VS-SVE-INF-011404-0197                     | INF         | 0.69                | 0.90          | 1.59                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 0.72                | 0.83          | 1.55                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (12/4-1/14)   |             |                     |               | 12.13                       |
| 1/14/2004   | VS-SVE-INF-011404-0197                     | INF         | 0.69                | 0.90          | 1.59                        |
| 1/26/2004   | VS-SVE-INF-012604-0202                     | INF         | 1.63                | 1.79          | 3.42                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 1.16                | 1.35          | 2.51                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (1/14-1/26)   |             |                     |               | 24.17                       |
| 1/26/2004   | VS-SVE-INF-012604-0202                     | INF         | 1.63                | 1.79          | 3.42                        |
| 2/9/2004    | VS-SVE-INF-020904-0207                     | INF         | 3.09                | 3.10          | 6.20                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 2.36                | 2.45          | 4.81                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (1/26-2/9)    |             |                     |               | 55.27                       |
| 2/9/2004    | VS-SVE-INF-020904-0207                     | INF         | 3.09                | 3.10          | 6.20                        |
| 2/24/2004   | VS-SVE-INF-022404-0212                     | INF         | 3.72                | 2.91          | 6.63                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 3.41                | 3.01          | 6.42                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (2/9-2/24)    |             |                     |               | 95.58                       |
| 2/24/2004   | VS-SVE-INF-022404-0212                     | INF         | 3.72                | 2.91          | 6.63                        |
| 3/10/2004   | VS-SVE-INF-031004-0262                     | INF         | 2.23                | 2.54          | 4.78                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 2.98                | 2.73          | 5.71                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (2/24-3/10)   |             |                     |               | 45.58                       |
| 3/10/2004   | VS-SVE-INF-031004-0262                     | INF         | 2.23                | 2.54          | 4.78                        |
| 4/5/2004    | VS-SVE-INF-040504-0267                     | INF         | 2.51                | 2.56          | 5.07                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD           |             | 2.37                | 2.55          | 4.93                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (3/10-4/5)    |             |                     |               | 75.11                       |

**TABLE 4**  
**TARGET CONTAMINANT YIELD**  
**VESTAL AREA 4**

| SAMPLE DATE | SAMPLE NUMBER                             | WELL NUMBER | 1,1,1 TCA (lbs/day) | TCE (lbs/day) | TOTAL TARGET VOCs (lbs/day) |
|-------------|-------------------------------------------|-------------|---------------------|---------------|-----------------------------|
| 4/5/2004    | VS-SVE-INF-040504-0267                    | INF         | 2.51                | 2.56          | 5.07                        |
| 4/27/2004   | VS-SVE-INF-042704-0272                    | INF         | 1.47                | 1.64          | 3.11                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD          |             | 1.99                | 2.10          | 4.09                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (4/5-4/27)   |             |                     |               | 60.45                       |
| 4/27/2004   | VS-SVE-INF-042704-0272                    | INF         | 1.47                | 1.64          | 3.11                        |
| 5/11/2004   | VS-SVE-INF-051104-0277                    | INF         | 2.35                | 2.77          | 5.12                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD          |             | 1.91                | 2.21          | 4.12                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (4/27-5/11)  |             |                     |               | 54.36                       |
| 5/11/2004   | VS-SVE-INF-051104-0277                    | INF         | 2.35                | 2.77          | 5.12                        |
| 6/1/2004    | VS-SVE-INF-060104-0282                    | INF         | 2.10                | 2.59          | 4.69                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD          |             | 2.23                | 2.68          | 4.91                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (5/11-6/1)   |             |                     |               | 94.18                       |
| 6/1/2004    | VS-SVE-INF-060104-0282                    | INF         | 2.10                | 2.59          | 4.69                        |
| 6/22/2004   | VS-SVE-INF-062204-0332                    | INF         | 1.30                | 1.11          | 2.40                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD          |             | 1.70                | 1.85          | 3.55                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (6/1-6/22)   |             |                     |               | 73.91                       |
| 6/22/2004   | VS-SVE-INF-062204-0332                    | INF         | 1.30                | 1.11          | 2.40                        |
| 7/13/2004   | VS-SVE-INF-071304-0337                    | INF         | 4.61                | 3.23          | 7.84                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD          |             | 2.96                | 2.17          | 5.12                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (6/22-7/13)  |             |                     |               | 107.37                      |
| 7/13/2004   | VS-SVE-INF-071304-0337                    | INF         | 4.61                | 3.23          | 7.84                        |
| 7/22/2004   | VS-SVE-INF-072204-0342                    | INF         | 3.63                | 3.46          | 7.09                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD          |             | 4.12                | 3.35          | 7.47                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (7/13-7/22)  |             |                     |               | 46.95                       |
| 7/22/2004   | VS-SVE-INF-072204-0342                    | INF         | 3.63                | 3.46          | 7.09                        |
| 8/16/2004   | VS-SVE-INF-081604-0347                    | INF         | 0.54                | 0.63          | 1.17                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD          |             | 2.09                | 2.05          | 4.13                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (7/22-8/16)  |             |                     |               | 68.02                       |
| 8/16/2004   | VS-SVE-INF-081604-0347                    | INF         | 0.54                | 0.63          | 1.17                        |
| 9/28/2004   | VS-SVE-INF-092804-0423                    | INF         | 0.37                | 0.62          | 0.98                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD          |             | 0.46                | 0.63          | 1.08                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (8/16-9/28)  |             |                     |               | 46.06                       |
| 9/28/2004   | VS-SVE-INF-092804-0423                    | INF         | 0.37                | 0.62          | 0.98                        |
| 10/19/2004  | VS-SVE-INF-101904-0428                    | INF         | 3.15                | 2.40          | 5.56                        |
|             | INFLUENT AVG. PER DAY FOR PERIOD          |             | 1.76                | 1.51          | 3.27                        |
|             | TOTAL YIELD (lbs) FOR PERIOD (9/28-10/19) |             |                     |               | 68.67                       |

**TABLE 4**  
**TARGET CONTAMINANT YIELD**  
**VESTAL AREA 4**

| SAMPLE DATE                  | SAMPLE NUMBER                              | WELL NUMBER | 1,1,1 TCA (lbs/day) | TCE (lbs/day) | TOTAL TARGET VOCs (lbs/day) |
|------------------------------|--------------------------------------------|-------------|---------------------|---------------|-----------------------------|
| 10/19/2004                   | VS-SVE-INF-101904-0428                     | INF         | 3.15                | 2.40          | 5.56                        |
| 11/17/2004                   | VS-SVE-INF-111704-0433                     | INF         | 1.69                | 1.20          | 2.89                        |
|                              | INFLUENT AVG. PER DAY FOR PERIOD           |             | 2.42                | 1.80          | 4.23                        |
|                              | TOTAL YIELD (lbs) FOR PERIOD (10/19-11/17) |             |                     |               | 122.53                      |
| 11/17/2004                   | VS-SVE-INF-111704-0433                     | INF         | 1.69                | 1.20          | 2.89                        |
| 12/21/2004                   | VS-SVE-INF-122104-0493                     | INF         | 0.07                | 0.12          | 0.19                        |
|                              | INFLUENT AVG. PER DAY FOR PERIOD           |             | 0.88                | 0.66          | 1.54                        |
|                              | TOTAL YIELD (lbs) FOR PERIOD (11/17-12/21) |             |                     |               | 52.22                       |
| 12/21/2004                   | VS-SVE-INF-122104-0493                     | INF         | 0.07                | 0.12          | 0.19                        |
| 1/12/2005                    | VS-SVE-INF-011205-0498                     | INF         | 0.29                | 0.20          | 0.49                        |
|                              | INFLUENT AVG. PER DAY FOR PERIOD           |             | 0.18                | 0.16          | 0.34                        |
|                              | TOTAL YIELD (lbs) FOR PERIOD (12/21-1/12)  |             |                     |               | 7.49                        |
| 1/12/2005                    | VS-SVE-INF-011205-0498                     | INF         | 0.29                | 0.20          | 0.49                        |
| 2/9/2005                     | VS-SVE-INF-020905-0503                     | INF         | 0.58                | 0.24          | 0.82                        |
|                              | INFLUENT AVG. PER DAY FOR PERIOD           |             | 0.44                | 0.22          | 0.66                        |
|                              | TOTAL YIELD (lbs) FOR PERIOD (1/12-2/9)    |             |                     |               | 18.29                       |
| 2/9/2005                     | VS-SVE-INF-020905-0503                     | INF         | 0.58                | 0.24          | 0.82                        |
| 3/23/2005                    | VS-SVE-INF-032305-0551                     | INF         | 0.14                | 0.12          | 0.25                        |
|                              | INFLUENT AVG. PER DAY FOR PERIOD           |             | 0.36                | 0.18          | 0.54                        |
|                              | TOTAL YIELD (lbs) FOR PERIOD (2/9-3/23)    |             |                     |               | 22.46                       |
| TOTAL YIELD TO REPORTED DATE |                                            |             |                     |               | 2071.38                     |

Note 1: Beginning and ending period influent yields are averaged and then multiplied by the number of operational days during the reporting period.

Note 2: 1,1,1 TCA= 1,1,1-Trichloroethane  
TCE= Trichloroethene

Note 3: INF= Influent

**TABLE 5**  
**TOTAL TARGET CONTAMINANT YIELD TO DATE**  
**VESTAL AREA 4**

| SAMPLE DATE | 1,1,1 TCA (lbs) | TCE (lbs) | TOTAL TARGET VOCs (lbs) |
|-------------|-----------------|-----------|-------------------------|
| 6/23/2003   | 0.00            | 0.00      | 0.00                    |
| 6/23/2003   | 0.33            | 0.25      | 0.58                    |
| 6/23/2003   | 1.06            | 0.89      | 1.95                    |
| 6/23/2003   | 1.84            | 1.71      | 3.54                    |
| 6/24/2003   | 6.87            | 7.83      | 14.70                   |
| 6/25/2003   | 8.85            | 10.28     | 19.13                   |
| 6/27/2003   | 14.28           | 15.63     | 29.92                   |
| 7/7/2003    | 65.21           | 57.31     | 122.52                  |
| 7/9/2003    | 90.98           | 79.35     | 170.33                  |
| 7/17/2003   | 153.51          | 130.86    | 284.38                  |
| 7/29/2003   | 199.85          | 161.45    | 361.30                  |
| 8/12/2003   | 218.64          | 172.99    | 391.63                  |
| 8/25/2003   | 271.09          | 210.67    | 481.76                  |
| 9/3/2003    | 335.21          | 250.27    | 585.48                  |
| 9/8/2003    | 360.71          | 263.28    | 623.99                  |
| 9/24/2003   | 408.05          | 288.83    | 696.88                  |
| 10/9/2003   | 442.85          | 309.83    | 752.68                  |
| 10/15/2003  | 457.04          | 321.14    | 778.18                  |
| 10/28/2003  | 492.69          | 350.33    | 843.02                  |
| 11/11/2003  | 505.20          | 362.94    | 868.14                  |
| 11/19/2003  | 513.95          | 373.96    | 887.91                  |
| 12/4/2003   | 529.68          | 390.80    | 920.48                  |
| 1/14/2004   | 535.30          | 397.32    | 932.62                  |
| 1/26/2004   | 546.51          | 410.29    | 956.80                  |
| 2/9/2004    | 573.66          | 438.42    | 1012.08                 |
| 2/24/2004   | 624.45          | 483.19    | 1107.65                 |
| 3/10/2004   | 648.24          | 504.97    | 1153.22                 |
| 4/5/2004    | 684.38          | 543.87    | 1228.25                 |
| 4/27/2004   | 713.77          | 574.92    | 1288.69                 |
| 5/11/2004   | 739.02          | 604.07    | 1343.09                 |
| 6/1/2004    | 781.81          | 655.48    | 1437.29                 |
| 6/22/2004   | 817.27          | 693.97    | 1511.24                 |
| 7/13/2004   | 879.24          | 739.47    | 1618.71                 |
| 7/22/2004   | 905.17          | 760.52    | 1665.69                 |
| 8/16/2004   | 939.55          | 794.17    | 1733.72                 |
| 9/28/2004   | 959.14          | 820.79    | 1779.93                 |
| 10/19/2004  | 996.13          | 852.47    | 1848.60                 |
| 11/17/2004  | 1066.51         | 904.73    | 1971.24                 |
| 12/21/2004  | 1096.44         | 927.00    | 2023.44                 |
| 1/12/2005   | 1100.43         | 930.44    | 2030.87                 |
| 2/9/2005    | 1112.63         | 936.50    | 2049.13                 |
| 3/23/2005   | 1127.81         | 943.89    | 2071.71                 |

NOTE 1: 1,1,1 TCA= 1,1,1-Trichloroethane  
TCE= Trichloroethene

**TABLE 6**  
**SVE WELL PROPOSED CHANGES**  
**VESTAL AREA 4**

| CURRENT STATUS |          |          |     |             | PROPOSED CHANGES      |                                                                    |
|----------------|----------|----------|-----|-------------|-----------------------|--------------------------------------------------------------------|
| SVE WELL #     | VAC WELL | INJ WELL | OFF | FLOW STATUS | PROPOSED FLOW CHANGES | REASON                                                             |
| INFLUENT       |          |          |     |             |                       |                                                                    |
| MIDDLE         |          |          |     |             |                       |                                                                    |
| EFFLUENT       |          |          |     |             |                       |                                                                    |
| A1             |          | X        |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| A2             |          | X        |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| A3             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| B1             | X        |          |     | WATER       | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| B2             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| B3             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| C1             |          | X        |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| C2             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| C3             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| D1             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| D2             |          | X        |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| D3             |          | X        |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| D4             | X        |          |     | WATER       | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| E1             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| E2             |          | X        |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| E3             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| E4             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| E5             | X        |          |     | WATER       | None                  | Leave in the current configuration to focus on the area in Cell 1. |

**TABLE 6**  
**SVE WELL PROPOSED CHANGES**  
**VESTAL AREA 4**

| CURRENT STATUS |          |          |     |             | PROPOSED CHANGES      |                                                                    |
|----------------|----------|----------|-----|-------------|-----------------------|--------------------------------------------------------------------|
| SVE WELL #     | VAC WELL | INJ WELL | OFF | FLOW STATUS | PROPOSED FLOW CHANGES | REASON                                                             |
| F1             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| F2             |          | X        |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| F3             | X        |          |     | WATER       | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| F4             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| F5             | X        |          |     | LF          | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| F6             | X        |          |     | WATER       | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| G1             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| G2             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| H1             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| H2             |          |          | X   | OFF         | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| I1             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| I2             |          |          | X   | OFF         | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| I3             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| I4             |          |          | X   | OFF         | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| I5             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| J1             |          |          | X   | OFF         | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| J2             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| J3             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| J4             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| J5             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |

**TABLE 6**  
**SVE WELL PROPOSED CHANGES**  
**VESTAL AREA 4**

| CURRENT STATUS |          |          |     |             | PROPOSED CHANGES      |                                                                    |
|----------------|----------|----------|-----|-------------|-----------------------|--------------------------------------------------------------------|
| SVE WELL #     | VAC WELL | INJ WELL | OFF | FLOW STATUS | PROPOSED FLOW CHANGES | REASON                                                             |
| J6             | X        |          |     | WATER       | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| K1             |          | X        |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| K2             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| K3             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| K4             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| K5             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| L1             |          | X        |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| L2             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| L3             |          | X        |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| L4             | X        |          |     | WATER       | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| M1             |          |          | X   | OFF         | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| M2             | X        |          |     | OPEN        | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| M3             | X        |          |     | WATER       | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| M4             |          |          | X   | OFF         | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| N1             |          |          | X   | OFF         | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| N2             |          |          | X   | OFF         | None                  | Leave in the current configuration to focus on the area in Cell 1. |
| N3             |          |          | X   | OFF         | None                  | Leave in the current configuration to focus on the area in Cell 1. |

# **APPENDIX A**

## **Operation and Maintenance Data**

(Including Daily O&M Records, Routine Maintenance and  
Inspection Forms, and Field Notes)

VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

DATE: 1/12/05 ARRIVAL TIME: 0900 FAULT LIGHTS ON (list): "None"

REASON FOR VISIT: MONTHLY QUARTERLY OTHER

OTHER (define): CARBON BED OF Sampling + SVE CHECK.

TASK PERFORMED: Runned 06 Samples From Influent MID-CARBON, AND EFFLUENT. CHECKED OUT THE SITE READINGS OF MANIFOLDS IN THE GALS. TOOK READINGS AT THE BLOWERS AND CARBON BEDS.

**MAIN EQUIPMENT BUILDING**

MAIN CONTROL PANEL ☒ CONTROL BOX LOCKED ☒ CONTROL DOOR LOCKED  
HOUR METER: SVE UNIT 11032.5 HRS.

**SVE PUMPING UNIT**

INJECTION BLOWER TEMP: 138° F  
INJECTION BLOWER TEMP SETTING: 230° F  
PRESSURE AFTER INJECTION BLOWER 8 "H<sub>2</sub>O/H6

VACUUM BLOWER TEMP: 160° F  
VACUUM BLOWER TEMP SETTING: 230° F  
VACUUM AFTER FILTER 6 "H<sub>2</sub>O/H6  
PRESSURE AFTER VACUUM BLOWER: 5 "H<sub>2</sub>O/H6

GREASE SEALS CHECKED: ☒ DATE OF LAST GREASE: 12-14-'04

OIL LEVEL CHECKED: ☒ DATE OF LAST OIL CHANGE: 12-14-'04

BELTS CHECKED FOR WEAR: ☒ BELT GUARD IN PLACE: ☒

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

DATE: 1/12/05

PAGE 2

## CARBON BED SYSTEM

CHECK ALL ABOVE-GROUND PIPING, VALVES, FITTINGS AND OTHER COMPONENTS FOR CRACKS OR LEAKS; CHECK CARBON BEDS CONNECTIONS AND ASSOCIATED INSTRUMENTATION. ✓

PRESSURE BEFORE GAC UNIT 1  
TEMPERATURE BEFORE GAC 1

14 "H2O  
70 °F

PRESSURE BETWEEN GAC UNIT 1 AND 2

10 "H2O

PRESSURE AFTER GAC UNIT 2  
TEMPERATURE AFTER GAC 2

4 "H2O  
70 °F

## WATER STORAGE UNIT

CHECK ALL ABOVE-GROUND PIPING, VALVES, FITTINGS AND OTHER COMPONENTS FOR CRACKS OR LEAKS; CHECK CARBON BEDS CONNECTIONS AND ASSOCIATED INSTRUMENTATION. ✓

VOLUME OF WATER IN STORAGE TANK: 0 GALLONS  
WATER IN CONTAINMENT VESSEL: YES     NO ✓ AMOUNT: 0 INCHES

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

PAGE 3

## CELL 1 DISTRIBUTION CENTER

CHECK ALL ABOVE-GROUND PIPING, VALVES, FITTINGS AND OTHER COMPONETS FOR CRACKS OR LEAKS AND ADIQUCY OF SEALS.

CONTROL BOX DISCONNECT ON: ☒ 240-VOLT DISCONNECT ON ☒

SELECTOR SWITCH: MANUAL ☐ OFF ☐ AUTO ☒

VACUUM STATUS LIGHT: ON ☒ OFF ☐

CONTROL BOX LOCKED ☒

ELECTRICAL HEAT BREAKER: ON ☒ OFF ☐

ELECTRICAL HEATER THERMOSTAT SETTING: 55°F

PRESSURE AT INJECTION MANIFOLD: 76 "H2O

TEMP AT INJECTION MANIFOLD: 48°F

VACUUM AT VACUUM MANIFOLD: 55 "H2O

TEMP AT VACUUM MANIFOLD: 52°F

VACUUM AT KNOCKOUT TANK: N/A "Hg

WATER PUMP PRESSURE RELIEF SETTING: N/A psi

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

PAGE 4

## CELL 2 DISTRIBUTION CENTER

CHECK ALL ABOVE-GROUND PIPING, VALVES, FITTINGS AND OTHER COMPONENTS FOR CRACKS OR LEAKS AND ADEQUACY OF SEALS.

CONTROL BOX DISCONNECT ON:   /   240-VOLT DISCONNECT ON   /  

SELECTOR SWITCH: MANUAL    OFF    AUTO   /  

VACUUM STATUS LIGHT: ON   /   OFF   

CONTROL BOX LOCKED   /  

ELECTRICAL HEAT BREAKER: ON   /   OFF   

ELECTRICAL HEATER THERMOSTAT SETTING: 55° F

PRESSURE AT INJECTION MANIFOLD: 78" H<sub>2</sub>O

TEMP AT INJECTION MANIFOLD: 52° F

VACUUM AT VACUUM MANIFOLD: 62" H<sub>2</sub>O

TEMP AT VACUUM MANIFOLD: 56° F

VACUUM AT KNOCKOUT TANK: N/A "Hg

WATER PUMP PRESSURE RELIEF SETTING: N/A psi

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

## GENERAL SITE OBSERVATIONS

PAGE 5

CHECK AND NOTE CONDITION OF SITE: LOOKS GOOD

### FIELD ACTIVITY CHECKLIST

SVE WELLHEAD AIR FLOWS MEASURED: ☐ YES ☐ NO

SVE WELLS SAMPLED: ☐ YES ☐ NO

CARBON CHANGEOUT PERFORMED: ☐

WATER REMOVAL PERFORMED: ☐

EXTERIOR OF MAIN AND CELL BUILDINGS INSPECTED: ☒

INSPECT MAIN POWER AND TELEPHONE LINE: ☒

SUMMARY OF PROCESS AIR SAMPLING: Five 06 Samples From Influent, AND EFFLUENT AND MID CARBON.

SUMMARY OF OTHER ACTIVITIES: TOOK ALL READINGS TEMPERATURES AND PRESSURES.

COMMENTS: \_\_\_\_\_

SIGNATURE OF OPERATIONS TECHNICIAN(S): \_\_\_\_\_

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

DATE: 2/9/05 ARRIVAL TIME: 0900 FAULT LIGHTS ON (list): NONE

REASON FOR VISIT: MONTHLY QUARTERLY OTHER

OTHER (define): Carroll BEO 06 Sampling (monthly)

TASK PERFORMED: Runned 06 Samples From Influent, Mid ARBIN AND EFFLUENT.

## MAIN EQUIPMENT BUILDING

MAIN CONTROL PANEL ☒ CONTROL BOX LOCKED ☒ CONTROL DOOR LOCKED  
HOUR METER: SVE UNIT

11702.8 HRS.

### SVE PUMPING UNIT

INJECTION BLOWER TEMP: 160° F  
INJECTION BLOWER TEMP SETTING: 230 F  
PRESSURE AFTER INJECTION BLOWER 8 "H<sub>2</sub>O 45

VACUUM BLOWER TEMP: 160° F  
VACUUM BLOWER TEMP SETTING: 230 F  
VACUUM AFTER FILTER 6 "H<sub>2</sub>O 46  
PRESSURE AFTER VACUUM BLOWER: 6 "H<sub>2</sub>O 46

GREASE SEALS CHECKED: ☒ DATE OF LAST GREASE: 1-12-05

OIL LEVEL CHECKED: ☒ DATE OF LAST OIL CHANGE: 12-14-04

BELTS CHECKED FOR WEAR: ☒ BELT GUARD IN PLACE: ☒

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

DATE: 2.9.05

PAGE 2

## CARBON BED SYSTEM

CHECK ALL ABOVE-GROUND PIPING, VALVES, FITTINGS AND OTHER COMPONENTS FOR CRACKS OR LEAKS; CHECK CARBON BEDS CONNECTIONS AND ASSOCIATED INSTRUMENTATION. ✓

PRESSURE BEFORE GAC UNIT 1  
TEMPERATURE BEFORE GAC 1

14 "H2O  
76° F

PRESSURE BETWEEN GAC UNIT 1 AND 2

11 "H2O

PRESSURE AFTER GAC UNIT 2  
TEMPERATURE AFTER GAC 2

4 "H2O  
76° F

## WATER STORAGE UNIT

CHECK ALL ABOVE-GROUND PIPING, VALVES, FITTINGS AND OTHER COMPONENTS FOR CRACKS OR LEAKS; CHECK CARBON BEDS CONNECTIONS AND ASSOCIATED INSTRUMENTATION. ✓

VOLUME OF WATER IN STORAGE TANK: 0 GALLONS  
WATER IN CONTAINMENT VESSEL: YES     NO ✓ AMOUNT: 0 INCHES

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

PAGE 3

## CELL 1 DISTRIBUTION CENTER

CHECK ALL ABOVE-GROUND PIPING, VALVES, FITTINGS AND OTHER COMPONETS FOR CRACKS OR LEAKS AND ADIQUCY OF SEALS.

CONTROL BOX DISCONNECT ON:   ✓  

240-VOLT DISCONNECT ON   ✓  

SELECTOR SWITCH:

MANUAL   

OFF   

AUTO   ✓  

VACUUM STATUS LIGHT:

ON   ✓  

OFF   

CONTROL BOX LOCKED   ✓  

ELECTRICAL HEAT BREAKER: ON   ✓  

OFF   

ELECTRICAL HEATER THERMOSTAT SETTING: 55° F

PRESSURE AT INJECTION MANIFOLD: 76 "H2O

TEMP AT INJECTION MANIFOLD: 49° F

VACUUM AT VACUUM MANIFOLD: 54 "H2O

TEMP AT VACUUM MANIFOLD: 52° F

VACUUM AT KNOCKOUT TANK: N/A "Hg

WATER PUMP PRESSURE RELIEF SETTING: N/A psi

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

PAGE 4

## CELL 2 DISTRIBUTION CENTER

CHECK ALL ABOVE-GROUND PIPING, VALVES, FITTINGS AND OTHER COMPONETS FOR CRACKS OR LEAKS AND ADIQUCY OF SEALS.

CONTROL BOX DISCONNECT ON: ✓ 240-VOLT DISCONNECT ON ✓

SELECTOR SWITCH: MANUAL     OFF     AUTO ✓

VACUUM STATUS LIGHT: ON ✓ OFF    

CONTROL BOX LOCKED ✓

ELECTRICAL HEAT BREAKER: ON ✓ OFF    

ELECTRICAL HEATER THERMOSTAT SETTING: 55° F

PRESSURE AT INJECTION MANIFOLD: 80" "H2O

TEMP AT INJECTION MANIFOLD: 51° F

VACUUM AT VACUUM MANIFOLD: 60" "H2O

TEMP AT VACUUM MANIFOLD: 56° F

VACUUM AT KNOCKOUT TANK: N/A "Hg

WATER PUMP PRESSURE RELIEF SETTING: N/A psi

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

## GENERAL SITE OBSERVATIONS

PAGE 5

CHECK AND NOTE CONDITION OF SITE: Site Looks Good.

## FIELD ACTIVITY CHECKLIST

SVE WELLHEAD AIR FLOWS MEASURED:      YES      NO

SVE WELLS SAMPLED:      YES      NO

CARBON CHANGEOUT PERFORMED:     

WATER REMOVAL PERFORMED:     

EXTERIOR OF MAIN AND CELL BUILDINGS INSPECTED:      ☒

INSPECT MAIN POWER AND TELEPHONE LINE:     

SUMMARY OF PROCESS AIR SAMPLING: PURED DB Sampled From  
INFLUENT, MID-CARBON AND EFFLUENT.

SUMMARY OF OTHER ACTIVITIES: ADJUSTED INJECTION AND VACUUM OUT TO  
THE CENS. CHANGED SOME HOSES AND CLEANED SPM FLOW  
MEAS IN CELL #2.

COMMENTS: D. Callahan + J. Katus on Site Working with SEERSON  
Taking Core Samples Near the AMERICAN BOARD BLDG.

SIGNATURE OF OPERATIONS TECHNICIAN(S): L.P. Lutz

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

DATE: 3/23/05 ARRIVAL TIME: 1830 FAULT LIGHTS ON (list): "None"

REASON FOR VISIT: MONTHLY QUARTERLY OTHER

OTHER (define): Only. 06 Sampling Event.

TASK PERFORMED: Failed 06 Samples FROM Designated Wells  
in Cells 1. Took a full round of Flow, VAC, & PID Rds.  
CHANGED OIL IN BLOWER MOTORS. 2600. 80/140 WT. GEAR OIL.

## MAIN EQUIPMENT BUILDING

MAIN CONTROL PANEL ☒ CONTROL BOX LOCKED ☒ CONTROL DOOR LOCKED

HOUR METER: SVE UNIT

12687.2 hrs.

### SVE PUMPING UNIT

12710.4 hrs. 3/23

INJECTION BLOWER TEMP:

180° F 170° - 170°

175

INJECTION BLOWER TEMP SETTING:

230° F

PRESSURE AFTER INJECTION BLOWER

6 "H2O/H6"

VACUUM BLOWER TEMP:

170° F 170° - 180°

170

VACUUM BLOWER TEMP SETTING:

230° F

VACUUM AFTER FILTER

4 "H2O/H6"

PRESSURE AFTER VACUUM BLOWER:

6 "H2O/H6"

GREASE SEALS CHECKED: ☒

DATE OF LAST GREASE: 3-17-05

OIL LEVEL CHECKED: ☒

DATE OF LAST OIL CHANGE: 3-22-05

BELTS CHECKED FOR WEAR: ☒

BELT GUARD IN PLACE: ☒

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

DATE: 3/27/05

PAGE 2

## CARBON BED SYSTEM

CHECK ALL ABOVE-GROUND PIPING, VALVES, FITTINGS AND OTHER COMPONENTS FOR CRACKS OR LEAKS; CHECK CARBON BEDS CONNECTIONS AND ASSOCIATED INSTRUMENTATION. ✓

PRESSURE BEFORE GAC UNIT 1  
TEMPERATURE BEFORE GAC 1

20 "H2O  
90 F

PRESSURE BETWEEN GAC UNIT 1 AND 2

15 "H2O

PRESSURE AFTER GAC UNIT 2  
TEMPERATURE AFTER GAC 2

6 "H2O  
90 F

## WATER STORAGE UNIT

CHECK ALL ABOVE-GROUND PIPING, VALVES, FITTINGS AND OTHER COMPONENTS FOR CRACKS OR LEAKS; CHECK CARBON BEDS CONNECTIONS AND ASSOCIATED INSTRUMENTATION. ✓

VOLUME OF WATER IN STORAGE TANK: 0 GALLONS  
WATER IN CONTAINMENT VESSEL: YES     NO ✓ AMOUNT: 0 INCHES

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

PAGE 3

## CELL 1 DISTRIBUTION CENTER

CHECK ALL ABOVE-GROUND PIPING, VALVES, FITTINGS AND OTHER COMPONETS FOR CRACKS OR LEAKS AND ADIQUCY OF SEALS.

CONTROL BOX DISCONNECT ON:   ✓  

240-VOLT DISCONNECT ON   ✓  

SELECTOR SWITCH: MANUAL   ✓  

OFF   

AUTO   ✓  

VACUUM STATUS LIGHT: ON   ✓   OFF   

CONTROL BOX LOCKED   ✓  

ELECTRICAL HEAT BREAKER: ON   ✓   OFF   

ELECTRICAL HEATER THERMOSTAT SETTING: 55 F

PRESSURE AT INJECTION MANIFOLD: 82 "H2O

TEMP AT INJECTION MANIFOLD: 46° F

VACUUM AT VACUUM MANIFOLD: 76 "H2O

TEMP AT VACUUM MANIFOLD: 48° F

VACUUM AT KNOCKOUT TANK: N/A "Hg

WATER PUMP PRESSURE RELIEF SETTING: N/A psi

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

PAGE 4

## CELL 2 DISTRIBUTION CENTER

CHECK ALL ABOVE-GROUND PIPING, VALVES, FITTINGS AND OTHER COMPONETS FOR CRACKS OR LEAKS AND ADIQUCY OF SEALS.

CONTROL BOX DISCONNECT ON: ☒ 240-VOLT DISCONNECT ON ☒

SELECTOR SWITCH: MANUAL ☐ OFF ☐ AUTO ☒

VACUUM STATUS LIGHT: ON ☒ OFF ☐

CONTROL BOX LOCKED ☒

ELECTRICAL HEAT BREAKER: ON ☒ OFF ☐

ELECTRICAL HEATER THERMOSTAT SETTING: 55 F

PRESSURE AT INJECTION MANIFOLD: 85 "H2O

TEMP AT INJECTION MANIFOLD: 52° F

VACUUM AT VACUUM MANIFOLD: 85 "H2O

TEMP AT VACUUM MANIFOLD: 58° F

VACUUM AT KNOCKOUT TANK: N/A "Hg

WATER PUMP PRESSURE RELIEF SETTING: N/A psi

# VESTAL AREA 4 SITE INSPECTION AND OPERATION/MAINTANCE LOG

## GENERAL SITE OBSERVATIONS

PAGE 5

CHECK AND NOTE CONDITION OF SITE: SITE LOOKS GOOD

### FIELD ACTIVITY CHECKLIST

SVE WELLHEAD AIR FLOWS MEASURED: ☒ YES ☐ NO

SVE WELLS SAMPLED: ☒ YES ☐ NO

CARBON CHANGEOUT PERFORMED: ☐

WATER REMOVAL PERFORMED: ☐

EXTERIOR OF MAIN AND CELL BUILDINGS INSPECTED: ☒

INSPECT MAIN POWER AND TELEPHONE LINE: ☐

SUMMARY OF PROCESS AIR SAMPLING: TURNED 06 SAMPLES FROM VAC.  
WELLS IN CELLS #1 AND #2.

SUMMARY OF OTHER ACTIVITIES: TOOK A FULL ROUND OF FLOW/VAC READ.  
HAD PIP REGS.

COMMENTS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

SIGNATURE OF OPERATIONS TECHNICIAN(S): M.P. McQuinn

## **APPENDIX B**

# **Sampling and Analytical Data — Process Air Data**

(Including QC Data, Laboratory Data Summary Sheets, Chain of  
Custody Forms, Field Sample Log Book Notes)

QA/QC Report for Vestal Samples  
(Sample Date: 1/12/05)

1. Sample Receipt

The samples arrived at the lab were carefully packed in coolers. All of the sample bags in the coolers arrived intact and the labels on the bags were found to be complete. The information on the sample labels agreed with the information on the chain-of-custody forms placed inside the shipping coolers.

2. Sample Holding Times

The required holding times were met according to the lab SOP.

3. Instrument Blank Analysis

The instrument blank analysis indicated the instruments did not contain any target compounds.

4. Lab Duplicate Analysis

| Vestal Duplicate Sample RPD Report |           |       |       |         |                 |
|------------------------------------|-----------|-------|-------|---------|-----------------|
| Sample ID: VS-SVE-INF-011205-0498  |           |       |       |         |                 |
| Sample Date                        | Analytes  | Data1 | Data2 | RPD (%) | RPD Acceptable? |
| 1/12/05                            | TCE       | 1.073 | 1.037 | 3.4     | YES             |
| 1/12/05                            | 1,1,1-TCA | 1.573 | 1.589 | 1.0     | YES             |

5. GC Calibrations

The instruments performed target compound standards calibration check each analysis day, or re-run the standards. The results met the requirement in the lab SOP.

6. Lab Authentication Statement

I certify, to the best of my knowledge, that the information in this QA/QC report is true, accurate and complete.



Yixin Li  
Chemist  
Shaw E & I  
14155 Farmington Rd.  
Livonia, MI 48154

QA/QC Report for Vestal Samples  
(Sample Date: 2/9/05)

1. Sample Receipt

The samples arrived at the lab were carefully packed in coolers. All of the sample bags in the coolers arrived intact and the labels on the bags were found to be complete. The information on the sample labels agreed with the information on the chain-of-custody forms placed inside the shipping coolers.

2. Sample Holding Times

The required holding times were met according to the lab SOP.

3. Instrument Blank Analysis

The instrument blank analysis indicated the instruments did not contain any target compounds.

4. Lab Duplicate Analysis

| Vestal Duplicate Sample RPD Report |           |       |       |         |                 |
|------------------------------------|-----------|-------|-------|---------|-----------------|
| Sample ID: VS-SVE-MID-020905-0504  |           |       |       |         |                 |
| Sample Date                        | Analytes  | Data1 | Data2 | RPD (%) | RPD Acceptable? |
| 2/9/05                             | 1,1,1-TCA | 1.242 | 1.06  | 15.8    | YES             |

5. GC Calibrations

The instruments performed target compound standards calibration check each analysis day, or re-run the standards. The results met the requirement in the lab SOP.

6. Lab Authentication Statement

I certify, to the best of my knowledge, that the information in this QA/QC report is true, accurate and complete.



Yixin Li  
Chemist  
Shaw E & I  
14155 Farmington Rd.  
Livonia, MI 48154

QA/QC Report for Vestal Samples  
(Sample Date: 3/22/05)

1. Sample Receipt

The samples arrived at the lab were carefully packed in coolers. All of the sample bags in the coolers arrived intact and the labels on the bags were found to be complete. The information on the sample labels agreed with the information on the chain-of-custody forms placed inside the shipping coolers.

2. Sample Holding Times

The required holding times were met according to the lab SOP.

3. Instrument Blank Analysis

The instrument blank analysis indicated the instruments did not contain any target compounds.

4. Lab Duplicate Analysis


| Vestal Duplicate Sample RPD Report |           |       |       |         |                 |
|------------------------------------|-----------|-------|-------|---------|-----------------|
| Sample ID: VS-SVE-B2-032205-0511   |           |       |       |         |                 |
| Sample Date                        | Analytes  | Data1 | Data2 | RPD (%) | RPD Acceptable? |
| 3/22/05                            | TCE       | 0.915 | 0.845 | 8.0     | YES             |
| 3/22/05                            | 1,1,1-TCA | 0.943 | 0.917 | 2.8     | YES             |

5. GC Calibrations

The instruments performed target compound standards calibration check each analysis day, or re-run the standards. The results met the requirement in the lab SOP.

6. Lab Authentication Statement

I certify, to the best of my knowledge, that the information in this QA/QC report is true, accurate and complete.



Yixin Li  
Chemist  
Shaw E & I  
14155 Farmington Rd.  
Livonia, MI 48154

QA/QC Report for Vestal Samples  
(Sample Date: 3/23/05)

1. Sample Receipt

The samples arrived at the lab were carefully packed in coolers. All of the sample bags in the coolers arrived intact and the labels on the bags were found to be complete. The information on the sample labels agreed with the information on the chain-of-custody forms placed inside the shipping coolers.

2. Sample Holding Times

The required holding times were met according to the lab SOP.

3. Instrument Blank Analysis

The instrument blank analysis indicated the instruments did not contain any target compounds.

4. Lab Duplicate Analysis

| Vestal Duplicate Sample RPD Report |           |       |       |         |                 |
|------------------------------------|-----------|-------|-------|---------|-----------------|
| Sample ID: VS-SVE-E5-120704-0458   |           |       |       |         |                 |
| Sample Date                        | Analytes  | Data1 | Data2 | RPD (%) | RPD Acceptable? |
| 3/23/05                            | TCE       | 0.907 | 0.997 | 9.5     | YES             |
| 3/23/05                            | 1,1,1-TCA | 2.359 | 2.348 | 0.5     | YES             |

5. GC Calibrations

The instruments performed target compound standards calibration check each analysis day, or re-run the standards. The results met the requirement in the lab SOP.

6. Lab Authentication Statement

I certify, to the best of my knowledge, that the information in this QA/QC report is true, accurate and complete.



Yixin Li  
Chemist  
Shaw E & I  
14155 Farmington Rd.  
Livonia, MI 48154

**Vestal Sample Instrument and Trip Blank Results**

| SAMPLE DATE | SAMPLE ID               | 1,1,1-TCA (ppm) | TCE (ppm) | Detection Limits (ppm) |
|-------------|-------------------------|-----------------|-----------|------------------------|
| 12-Jan-05   | INSTRUMENT BLANK        | 0.00            | 0.00      | 0.05                   |
| 12-Jan-05   | VS-SVE-TB-011205-0502   | 0.00            | 0.00      | 0.05                   |
| 09-Feb-05   | INSTRUMENT BLANK        | 0.00            | 0.00      | 0.05                   |
| 09-Feb-05   | VS-SVE-TB-020905-0507   | 0.00            | 0.00      | 0.05                   |
| 22-Mar-05   | INSTRUMENT BLANK        | 0.00            | 0.00      | 0.05                   |
| 22-Mar-05   | VS-SVE-TB-1-032205-0513 | 0.00            | 0.00      | 0.05                   |
| 22-Mar-05   | VS-SVE-TB-2-032205-0521 | 0.00            | 0.00      | 0.05                   |
| 22-Mar-05   | VS-SVE-TB-3-032205-0528 | 0.00            | 0.00      | 0.05                   |
| 23-Mar-05   | INSTRUMENT BLANK        | 0.00            | 0.00      | 0.05                   |
| 23-Mar-05   | VS-SVE-TB-4-032305-0538 | 0.00            | 0.00      | 0.05                   |
| 23-Mar-05   | VS-SVE-TB-5-032305-0547 | 0.00            | 0.00      | 0.05                   |
| 23-Mar-05   | VS-SVE-TB-6-032305-0555 | 0.00            | 0.00      | 0.05                   |

Notes: 0.00 indicates below detection limit.

## *Shaw E & I Lab Analytical Results*

*Client: Severson/USACE  
Analysis Date: 1/13/2005  
Detection Limit: See below  
Analyst: YL*

*Client Code: 681086  
Sample Date: 1/12/05  
Units: ppmv  
Project Manager: D. Callahan*

| <i>SAMPLE ID</i>       | <i>1,1,1-TCA</i> | <i>TCE</i> | <i>DL</i> |
|------------------------|------------------|------------|-----------|
| VS-SVE-INF-011205-0498 | 1.13             | 0.79       | 0.05      |
| VS-SVE-MID-011205-0499 | 0.15             | 0.00       | 0.05      |
| VS-SVE-EFF-011205-0500 | 0.00             | 0.00       | 0.05      |
| VS-SVE-SP-011205-0501  | 0.00             | 0.00       | 0.05      |
| VS-SVE-TB-011205-0502  | 0.00             | 0.00       | 0.05      |

*Notes:*

- [1] TVOC: estimated value. TVOC was calculated by the average response factor of the known contaminants.  
[2] 0.00 indicates BELOW DETECTION LIMIT. (For TVOC, the Detection Limit is 1.0 ppmv.)  
[3] DL = Detection Limit.*

# CHAIN - OF - CUSTODY for AIR SAMPLES

Hour Meter: 11032.5 HRS

Client: SEVENSON / USACE Client Code: #681086

Flow Meter- Type: \_\_\_\_\_ Range (cfm): \_\_\_\_\_

Site Address: 210 STAGE RD, VESTAL, NY

Withdrawal blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

Project Manager: D. CAULAHAN

Injection blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

System Status: "OPERATING"

| Sample ID.    | Date    | Time            | Indicated Flow (cfm) | Carbon Dioxide PPD (ppm) PPD | Analysis Requested | Notes      |
|---------------|---------|-----------------|----------------------|------------------------------|--------------------|------------|
| 1 US-SVE-0498 | 1-12-05 | 1037            |                      | 10.9 ppm                     | TO14, A            | INFLUENT   |
| 2 US-SVE-0499 |         | 1051            |                      | 0.9 ppm                      |                    | MID CARBON |
| 3 US-SVE-0500 |         | 1110            |                      | 0.6 ppm                      |                    | EFFLUENT   |
| 4 US-SVE-0501 |         | 1020 Pump BLANK |                      | 0.3 AMB.                     |                    | Pump BLANK |
| 5 US-SVE-0502 |         | Trip BLANK      |                      | 0.3                          |                    | Trip BLANK |
| 6             |         |                 |                      |                              |                    |            |
| 7             |         |                 |                      |                              |                    |            |
| 8             |         |                 |                      |                              |                    |            |
| 9             |         |                 |                      |                              |                    |            |
| 10            |         |                 |                      |                              |                    |            |
| 11            |         |                 |                      |                              |                    |            |
| 12            |         |                 |                      |                              |                    |            |

Collected By: COLABUARD / MCGUIRE Date: 1-12-05 Time: 1000

**Envirogen, Inc.**

Delivered By: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

New Solutions to Hazardous Waste Problems

Received By: VP Date: 1/13/05 Time: 10:10

5126 West Grand River, Lansing, Michigan. 48906

Remarks: \_\_\_\_\_

Phone #: (517) 886-5600 Fax #: (517) 886-5700

White copy = Laboratory Yellow copy = Technical Analyst Pink copy = Operation Technicians

## *Shaw E & I Lab Analytical Results*

*Client: Severson/USACE*  
*Analysis Date: 2/10/2005*  
*Detection Limit: See below*  
*Analyst: YL*

*Client Code: 681086*  
*Sample Date: 2/9/2005*  
*Units: ppmv*  
*Project Manager: D. Callahan*

| <i>SAMPLE ID</i>       | <i>1,1,1-TCA</i> | <i>TCE</i> | <i>DL</i> |
|------------------------|------------------|------------|-----------|
| VS-SVE-INF-020905-0503 | 2.29             | 0.94       | 0.05      |
| VS-SVE-MID-020905-0504 | 0.89             | 0.00       | 0.05      |
| VS-SVE-EFF-020905-0505 | 0.00             | 0.00       | 0.05      |
| VS-SVE-SP-020905-0506  | 0.00             | 0.00       | 0.05      |
| VS-SVE-TB-020905-0507  | 0.00             | 0.00       | 0.05      |

*Notes:*

- [1] TVOC: estimated value. TVOC was calculated by the average response factor of the known contaminants.*  
*[2] 0.00 indicates BELOW DETECTION LIMIT. (For TVOC, the Detection Limit is 1.0 ppmv.)*  
*[3] DL = Detection Limit.*

# CHAIN - OF - CUSTODY for AIR SAMPLES

Hour Meter: 11702.8 hrs

Client: SEVENSON/USACE Client Code: #601086

Flow Meter- Type: \_\_\_\_\_ Range (cfm): \_\_\_\_\_

Site Address: 210 STAGE RD., VESTAL, NY

Withdrawal blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

Project Manager: D. CALLAHAN

Injection blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

System Status: "OPERATING"

| Sample ID.  | Date        | Time       | Indicated Flow (cfm) | Carbon Dioxide<br>PID (ppm) PID | Analysis<br>Requested | Notes      |
|-------------|-------------|------------|----------------------|---------------------------------|-----------------------|------------|
| 1 USVE-0503 | 2-9-05<br>↓ | 1010       |                      | 12.3 ppm                        | TO 14, A<br>↓         | INFLUENT   |
| 2 USVE-0504 |             | 1025       |                      | 1.9 ppm                         |                       | MID-CARBON |
| 3 USVE-0505 |             | 1050       |                      | 1.3 ppm                         |                       | EFFLUENT   |
| 4 USVE-0506 |             | 0920       |                      | 1.0 ppm                         |                       | Pump BLANK |
| 5 USVE-0507 |             | Trip BLANK |                      | 1.0 ppm                         |                       | Trip BLANK |
| 6           |             |            |                      |                                 |                       |            |
| 7           |             |            |                      |                                 |                       |            |
| 8           |             |            |                      |                                 |                       |            |
| 9           |             |            |                      |                                 |                       |            |
| 10          |             |            |                      |                                 |                       |            |
| 11          |             |            |                      |                                 |                       |            |
| 12          |             |            |                      |                                 |                       |            |

Collected By: COLASURDO/McGUIRE Date: 2-9-05 Time: 0900 **Envirogen, Inc.**

Delivered By: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_ New Solutions to Hazardous Waste Problems

Received By: [Signature] Date: 2/10/05 Time: 9:45 5126 West Grand River, Lansing, Michigan. 48906

Remarks: \_\_\_\_\_ Phone #: (517) 886-5600 Fax #: (517) 886-5700

White copy = Laboratory    Yellow copy = Technical Analyst    Pink copy = Operation Technicians

# *Shaw E & I Lab Analytical Results*

*Client: Severson/USACE*

*Analysis Date: 3/23/2005*

*Detection Limit: See below*

*Analyst: YL*

*Client Code: 681086*

*Sample Date: 3/22/2005*

*Units: ppmv*

*Project Manager: D. Callahan*

| <i>SAMPLE ID</i>        | <i>1,1,1-TCA</i> | <i>TCE</i> | <i>DL</i> |
|-------------------------|------------------|------------|-----------|
| VS-SVE-E1-032205-0508   | 0.12             | 0.00       | 0.05      |
| VS-SVE-C2-032205-0509   | 0.00             | 0.12       | 0.05      |
| VS-SVE-F1-032205-0510   | 0.22             | 0.00       | 0.05      |
| VS-SVE-B2-032205-0511   | 0.66             | 0.62       | 0.05      |
| VS-SVE-TB-1-032205-0513 | 0.00             | 0.00       | 0.05      |
| VS-SVE-D1-032205-0514   | 0.00             | 0.06       | 0.05      |
| VS-SVE-E4-032205-0516   | 0.81             | 0.75       | 0.05      |
| VS-SVE-E4-D-032205-0517 | 0.96             | 0.83       | 0.05      |
| VS-SVE-F4-032205-0518   | 0.00             | 0.00       | 0.05      |
| VS-SVE-F5-032205-0519   | 0.00             | 0.00       | 0.05      |
| VS-SVE-TB-2-032205-0521 | 0.00             | 0.00       | 0.05      |
| VS-SVE-C3-032205-0522   | 0.00             | 0.00       | 0.05      |
| VS-SVE-B3-032205-0523   | 0.00             | 0.00       | 0.05      |
| VS-SVE-A3-032205-0524   | 0.00             | 0.00       | 0.05      |
| VS-SVE-TB-3-032205-0528 | 0.00             | 0.00       | 0.05      |
| VS-SVE-PB-1-032205-0529 | 0.00             | 0.00       | 0.05      |

*Notes:*

*[1] TVOC: estimated value. TVOC was calculated by the average response factor of the known contaminants.*

*[2] 0.00 indicates BELOW DETECTION LIMIT. (For TVOC, the Detection Limit is 1.0 ppmv.)*

*[3] DL = Detection Limit.*

## *Shaw E & I Lab Analytical Results*

*Client: Severson/USACE*  
*Analysis Date: 3/24/2005*  
*Detection Limit: See below*  
*Analyst: YL*

*Client Code: 681086*  
*Sample Date: 3/23/05*  
*Units: ppmv*  
*Project Manager: D. Callahan*

| <i>SAMPLE ID</i>        | <i>1,1,1-TCA</i> | <i>TCE</i> | <i>DL</i> |
|-------------------------|------------------|------------|-----------|
| VS-SVE-J4-032305-0530   | 1.70             | 0.66       | 0.05      |
| VS-SVE-J2-032305-0531   | 0.00             | 0.00       | 0.05      |
| VS-SVE-L2-032305-0532   | 0.14             | 0.00       | 0.05      |
| VS-SVE-K5-032305-0533   | 0.07             | 0.00       | 0.05      |
| VS-SVE-K4-032305-0534   | 0.06             | 0.06       | 0.05      |
| VS-SVE-K2-032305-0535   | 3.27             | 2.15       | 0.05      |
| VS-SVE-K3-032305-0536   | 6.59             | 0.13       | 0.05      |
| VS-SVE-K3-D-032305-0537 | 5.89             | 0.08       | 0.05      |
| VS-SVE-TB-4-032305-0538 | 0.00             | 0.00       | 0.05      |
| VS-SVE-M2-032305-0539   | 0.00             | 0.00       | 0.05      |
| VS-SVE-J3-032305-0541   | 0.00             | 0.00       | 0.05      |
| VS-SVE-G1-032305-0542   | 0.00             | 0.00       | 0.05      |
| VS-SVE-I5-032305-0543   | 0.00             | 0.00       | 0.05      |
| VS-SVE-G2-032305-0544   | 0.14             | 0.25       | 0.05      |
| VS-SVE-I3-032305-0545   | 0.00             | 0.00       | 0.05      |
| VS-SVE-H1-032305-0546   | 0.00             | 0.00       | 0.05      |
| VS-SVE-TB-5-032305-0547 | 0.00             | 0.00       | 0.05      |
| VS-SVE-J5-032305-0548   | 0.00             | 0.00       | 0.05      |
| VS-SVE-I1-032305-0549   | 0.00             | 0.00       | 0.05      |
| VS-SVE-INF-032305-0551  | 0.54             | 0.46       | 0.05      |
| VS-SVE-MID-032305-0552  | 1.23             | 0.00       | 0.05      |
| VS-SVE-EFF-032305-0553  | 0.31             | 0.00       | 0.05      |

## *Shaw E & I Lab Analytical Results*

*Client: Severson/USACE  
Analysis Date: 3/24/2005  
Detection Limit: See below  
Analyst: YL*

*Client Code: 681086  
Sample Date: 3/23/05  
Units: ppmv  
Project Manager: D. Callahan*

| <i>SAMPLE ID</i>        | <i>1,1,1-TCA</i> | <i>TCE</i> | <i>DL</i> |
|-------------------------|------------------|------------|-----------|
| VS-SVE-PB-2-032305-0554 | 0.00             | 0.00       | 0.05      |
| VS-SVE-TB-6-032305-0555 | 0.00             | 0.00       | 0.05      |

**Notes:**

*[1] TVOC: estimated value. TVOC was calculated by the average response factor of the known contaminants.*

*[2] 0.00 indicates BELOW DETECTION LIMIT. (For TVOC, the Detection Limit is 1.0 ppmv.)*

*[3] DL = Detection Limit.*

Cooler #1  
UPS-Tracking #  
12 6VA567 22 1000 2327

## CHAIN - OF - CUSTODY for AIR SAMPLES

Hour Meter: 12687.2 hrs

Flow Meter- Type: \_\_\_\_\_ Range (cfm): \_\_\_\_\_

Withdrawl blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

Injection blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

Client: SEVENSON / USACE Client Code: #681086

Site Address: 210 STAGE B, VESTAL, NY

Project Manager: D. CALLAHAN

System Status: "OPERATING"

| Sample ID.    | Date    | Time    | Indicated Flow (cfm) | Carbon Dioxide PFD (ppm) PFD | Analysis Requested | Notes                 |
|---------------|---------|---------|----------------------|------------------------------|--------------------|-----------------------|
| 1 VS-SVE-0508 | 3-22-05 | 1015    | -5 <del>1.2</del>    | <del>1.2</del> 1.2 ppm       | TOH, A             | WEAK FIELD E-1 * 3/17 |
| 2 VS-SVE-0509 |         | 1021    | -5                   | 0.9 ppm                      |                    | C-2                   |
| 3 VS-SVE-0510 |         | 1027    | 8                    | 1.0 ppm                      |                    | F-1 * 3/17            |
| 4 VS-SVE-0511 |         | 1032    | -5                   | 7.5 ppm                      |                    | B-2                   |
| 5 VS-SVE-0512 |         | N/S #20 | 0/S #20              | <del>0/S #20</del>           |                    | N/S D-A (H2O)         |
| 6 VS-SVE-0513 |         | —       | —                    | —                            |                    | TB #1                 |
| 7             |         |         |                      |                              |                    |                       |
| 8             |         |         |                      |                              |                    |                       |
| 9             |         |         |                      |                              |                    |                       |
| 10            |         |         |                      |                              |                    |                       |
| 11            |         |         |                      |                              |                    |                       |
| 12            |         |         |                      |                              |                    |                       |

Collected By: Colasurdo / McGuire Date: 3-22-05 Time: 0900

Delivered By: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Received By: VR Date: 3/23/05 Time: 9:30

Remarks: \_\_\_\_\_

**Envirogen, Inc.**

New Solutions to Hazardous Waste Problems

5126 West Grand River, Lansing, Michigan. 48906

Phone #: (517) 886-5600 Fax #: (517) 886-5700

White copy = Laboratory Yellow copy = Technical Analyst Pink copy = Operation Technicians

Cooler #2  
GPS TAPING #  
126VA567 22/1000 2336

# CHAIN - OF - CUSTODY for AIR SAMPLES

Hour Meter: 12687.2 + 128

Client: SEVENSON / USACE Client Code: #681086

Flow Meter- Type: \_\_\_\_\_ Range (cfm): \_\_\_\_\_

Site Address: 210 STAGE RD, VESTAL, NY

Withdrawal blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

Project Manager: D. CALLAHAN

Injection blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

System Status: "OPERATING"

| Sample ID.    | Date    | Time                | Indicated Flow (cfm) | Carbon Dioxide <del>FD</del> (ppm) <del>FD</del> | Analysis Requested | Notes                     |
|---------------|---------|---------------------|----------------------|--------------------------------------------------|--------------------|---------------------------|
| 1 VS-SVE-0514 | 3-22-05 | 1041                | -5                   | 1.3 ppm                                          | T014, A            | D-1                       |
| 2 VS-SVE-0515 |         | N/S <del>1046</del> | 20                   | 3.2 ppm                                          |                    | WEAK FLOW E-3 N/S PLUGGED |
| 3 VS-SVE-0516 |         | 1048                | 25 0/s               | 6.4 ppm                                          |                    | E-4                       |
| 4 VS-SVE-0517 |         | 1050                | —                    | 6.4 ppm                                          |                    | E-4-D                     |
| 5 VS-SVE-0518 |         | 1056                | -5                   | 4.4 ppm                                          |                    | F-4                       |
| 6 VS-SVE-0519 |         | 1103                | N/E                  | 1.8 ppm                                          |                    | WEAK FLOW F-5             |
| 7 VS-SVE-0520 |         | N/S (#20)           | -5                   | N/E (#20)                                        |                    | WEAK FLOW F-6 N/S H2O     |
| 8 VS-SVE-0521 |         | —                   | —                    | —                                                |                    | TB #2                     |
| 9             |         |                     |                      |                                                  |                    |                           |
| 10            |         |                     |                      |                                                  |                    |                           |
| 11            |         |                     |                      |                                                  |                    |                           |
| 12            |         |                     |                      |                                                  |                    |                           |

Collected By: CHASARDO / McGUIRE Date: 3-22-05 Time: 0900

**Envirogen, Inc.**

Delivered By: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

New Solutions to Hazardous Waste Problems

Received By: VR Date: 3/23/05 Time: 9:30

5126 West Grand River, Lansing, Michigan. 48906

Remarks: \_\_\_\_\_

Phone #: (517) 886-5600 Fax #: (517) 886-5700

E-2

Cooler #3  
GPS TRACKING #

126V4567 22/000 2318

## CHAIN - OF - CUSTODY for AIR SAMPLES

Hour Meter: 12697.2 hrsClient: SEWENIN/USACE Client Code: #681086

Flow Meter- Type: \_\_\_\_\_ Range (cfm): \_\_\_\_\_

Site Address: 210 STAGE RD., VESTAL, NY

Withdrawal blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

Project Manager: D. Cavanaugh

Injection blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

System Status: "OPERATING"

| Sample ID.  | Date    | Time    | Indicated Flow (cfm) | Carbon Dioxide Ppd (ppm) Ppd | Analysis Requested | Notes       |
|-------------|---------|---------|----------------------|------------------------------|--------------------|-------------|
| 1 US/E-0522 | 3-22-05 | 1155    | -5                   |                              | T014, A            | C-3         |
| 2 US/E-0523 |         | 1201    | -5                   |                              |                    | B-3         |
| 3 US/E-0524 |         | 1207    | -5                   |                              |                    | A-3         |
| 4 US/E-0525 |         | N/R H2O | Disc.                |                              |                    | B-1 N/R H2O |
| 5 US/E-0526 |         | N/R H2O | 12                   |                              |                    | E-5 N/R H2O |
| 6 US/E-0527 |         | N/R H2O | 13                   |                              |                    | F-3 N/R H2O |
| 7 US/E-0528 |         | —       | —                    | —                            |                    | TB #3       |
| 8 US/E-0529 |         | —       | —                    | —                            |                    | Sample Pump |
| 9           |         |         |                      |                              |                    |             |
| 10          |         |         |                      |                              |                    |             |
| 11          |         |         |                      |                              |                    |             |
| 12          |         |         |                      |                              |                    |             |

Collected By: CLABUDD / MCQUIRE Date: 3-22-05 Time: 0900

Envirogen, Inc.

Delivered By: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

New Solutions to Hazardous Waste Problems

Received By: VR Date: 3/23/05 Time: 9:30

5126 West Grand River, Lansing, Michigan. 48906

Remarks: \_\_\_\_\_

Phone #: (517) 886-5600 Fax #: (517) 886-5700

White copy = Laboratory Yellow copy = Technical Analyst Pink copy = Operation Technicians

Cooler #4

Tracking #

## 126V4 567 22/000 2283 CHAIN - OF - CUSTODY for AIR SAMPLES

Hour Meter: 12710.4 HRSClient: SEVENSON / USACE Client Code: 0601086

Flow Meter- Type: \_\_\_\_\_ Range (cfm): \_\_\_\_\_

Site Address: 210 STAGE RD, VESTAL, NY

Withdrawal blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

Project Manager: D. COLLAHAN

Injection blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

System Status: "OPERATING"

| Sample ID.    | Date     | Time | Indicated Flow (cfm) | Carbon Dioxide PFD (ppm) PFD | Analysis Requested | Notes |
|---------------|----------|------|----------------------|------------------------------|--------------------|-------|
| 1 VS-SVE-0530 | 3-23-'05 | 1010 | -5                   | 13.3 ppm                     | To14, A            | J-4   |
| 2 VS-SVE-0531 |          | 1014 | -5                   | 2.0                          |                    | J-2   |
| 3 VS-SVE-0532 |          | 1019 | -5                   | 1.9                          |                    | L-2   |
| 4 VS-SVE-0533 |          | 1025 | -5                   | 1.8                          |                    | K-5   |
| 5 VS-SVE-0534 |          | 1029 | -5                   | 1.7                          |                    | K-4   |
| 6 VS-SVE-0535 |          | 1041 | -5                   | 12.3                         |                    | K-2   |
| 7 VS-SVE-0536 |          | 1045 | -5                   | 4.5                          |                    | K-3   |
| 8 VS-SVE-0537 |          | 1047 | —                    | 4.5                          |                    | K-3-D |
| 9 VS-SVE-0538 |          | —    | —                    | 0.9 amb.                     |                    | TB#4  |
| 10            |          |      |                      |                              |                    |       |
| 11            |          |      |                      |                              |                    |       |
| 12            |          |      |                      |                              |                    |       |

Collected By: COLABUARD / M. GURR Date: 3-23-05 Time: 0930

Delivered By: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Received By: MA Date: 3/24/05 Time: 9:30

Remarks: \_\_\_\_\_

**Envirogen, Inc.**  
New Solutions to Hazardous Waste Problems  
5126 West Grand River, Lansing, Michigan. 48906  
Phone #: (517) 886-5600 Fax #: (517) 886-5700

White copy = Laboratory Yellow copy = Technical Analyst Pink copy = Operation Technicians

Cooler #5

126V4567 22 1000 229 2

## CHAIN - OF - CUSTODY for AIR SAMPLES

Hour Meter: 12710.4 HRSClient: SEWSON/USACE Client Code: #681086

Flow Meter- Type: \_\_\_\_\_ Range (cfm): \_\_\_\_\_

Site Address: 210 STAGE B, VESTAL, NY

Withdrawal blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

Project Manager: D. COLLAMAN

Injection blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

System Status: OPERATING

| Sample ID.   | Date    | Time    | Indicated Flow (cfm) | Carbon Dioxide<br>PID (ppm) PID | Analysis Requested | Notes       |
|--------------|---------|---------|----------------------|---------------------------------|--------------------|-------------|
| 1 VS5VE-0539 | 3-23-05 | 1055    | -5                   | 1.9 ppm                         | T014, A            | M-2         |
| 2 VS5VE-0540 |         | N/R-H2O | -5                   | N/R-H2O                         |                    | J-6 N/A #20 |
| 3 VS5VE-0541 |         | 1101    | -5                   |                                 |                    | J-3         |
| 4 VS5VE-0542 |         | 1108    | -5                   |                                 |                    | G-1         |
| 5 VS5VE-0543 |         | 1113    | -5                   |                                 |                    | I-5         |
| 6 VS5VE-0544 |         | 1120    | 0/5                  |                                 |                    | G-2         |
| 7 VS5VE-0545 |         | 1125    | -5                   |                                 |                    | I-3         |
| 8 VS5VE-0546 |         | 1136    | -5                   |                                 |                    | H-1         |
| 9 VS5VE-0547 |         | —       | —                    | —                               |                    | TB #5       |
| 10           |         |         |                      |                                 |                    |             |
| 11           |         |         |                      |                                 |                    |             |
| 12           |         |         |                      |                                 |                    |             |

Collected By: COLASURDO / McGUIRE Date: 3-23-05 Time: 0930

Envirogen, Inc.

Delivered By: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

New Solutions to Hazardous Waste Problems

Received By: [Signature] Date: 3/24/05 Time: 9:30

5126 West Grand River, Lansing, Michigan. 48906

Remarks: J-6 NOT A LOT OF WATER - BUT MOISTURE (AFFECTED PID)

Phone #: (517) 886-5600 Fax #: (517) 886-5700

White copy = Laboratory Yellow copy = Technical Analyst Pink copy = Operation Technicians

Order #6

126V456722/000 2309

# CHAIN - OF - CUSTODY for AIR SAMPLES

Hour Meter: 12710.4 hrs

Client: SEVENON/USACE Client Code: #681086

Flow Meter- Type: \_\_\_\_\_ Range (cfm): \_\_\_\_\_

Site Address: 210 STAGE B, VESTAL, NY

Withdrawal blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

Project Manager: D. CAHANAN

Injection blower - Vacuum: \_\_\_\_\_ Pressure: \_\_\_\_\_

System Status: OPERATING

| Sample ID.   | Date    | Time    | Indicated Flow (cfm) | Carbon Dioxide <del>FD</del> (ppm) <del>FD</del> | Analysis Requested | Notes         |
|--------------|---------|---------|----------------------|--------------------------------------------------|--------------------|---------------|
| 1 VS-VE-0548 | 3-23-05 | 1150    | -5                   |                                                  | T014, A            | J-5           |
| 2 VS-VE-0549 |         | 1156    | -5                   |                                                  |                    | I-1           |
| 3 VS-VE-0550 |         | N/S H2O | -5                   |                                                  |                    | M-3 N/S H2O   |
| 4 VS-VE-0551 |         | 1210    |                      |                                                  |                    | INFLUENT      |
| 5 VS-VE-0552 |         | 1218    |                      |                                                  |                    | MID-CARBON    |
| 6 VS-VE-0553 |         | 1229    |                      |                                                  |                    | EFFLUENT      |
| 7 VS-VE-0554 |         | —       | —                    | —                                                |                    | SAMPLE PUMP   |
| 8 VS-VE-0555 |         | —       | —                    | —                                                |                    | TRIP BLANK #6 |
| 9            |         |         |                      |                                                  |                    |               |
| 10           |         |         |                      |                                                  |                    |               |
| 11           |         |         |                      |                                                  |                    |               |
| 12           |         |         |                      |                                                  |                    |               |

Collected By: CLAUDDO MCGINNE Date: 3-23-05 Time: 0930

**Envirogen, Inc.**

Delivered By: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

New Solutions to Hazardous Waste Problems

Received By: MA Date: 3/24/05 Time: 9:30

5126 West Grand River, Lansing, Michigan. 48906

Remarks: \_\_\_\_\_

Phone #: (517) 886-5600 Fax #: (517) 886-5700

## **APPENDIX C**

# **Summary of Operation Data/Contaminant Yield Calculation**

**Appendix C**  
**Summary of Operation Data**  
**Vestal, Area 4**

| SAMPLE DATE | SAMPLE ID | REPORT SAMPLE ID       | FLOW (CFM) | 1,1,1-TCA (ppmv) | TCE (ppmv) | TOTAL TARGETED CONTAMINANTS (ppmv) | LBS OF 1,1,1-TCA per day | LBS OF TCE per day | LBS OF TOTAL TARGETED CONTAMINANTS PER DAY | OPERATION DAYS | STATION HOUR METER | NUMBER OF DAYS IN PERIOD |
|-------------|-----------|------------------------|------------|------------------|------------|------------------------------------|--------------------------|--------------------|--------------------------------------------|----------------|--------------------|--------------------------|
| 6/27/03     | INF       | VS-SVE-INF-062703      | 517        | 12.70            | 12.83      | 25.53                              | 3.28                     | 3.26               | 6.53                                       | 4.04           | 97.0               | 1.96                     |
| 7/7/2003    | INF       | VS-SVE-INF-070703-0001 | 517        | 26.62            | 19.87      | 46.49                              | 6.87                     | 5.04               | 11.91                                      | 14.08          | 338                | 10.04                    |
| 7/9/2003    | INF       | VS-SVE-INF-070903-0006 | 517        | 75.42            | 68.79      | 144.21                             | 19.45                    | 17.46              | 36.92                                      | 16.04          | 385                | 1.96                     |
| 7/17/2003   | INF       | VS-SVE-INF-071703-0011 | 517        | 33.34            | 22.24      | 55.58                              | 8.60                     | 5.65               | 14.25                                      | 20.50          | 492                | 4.46                     |
| 7/29/2003   | INF       | VS-SVE-INF-072903-0016 | 517        | 10.83            | 7.39       | 18.22                              | 2.79                     | 1.88               | 4.67                                       | 28.63          | 687.2              | 8.13                     |
| 8/12/2003   | INF       | VS-SVE-INF-081203-0026 | 517        | 15.77            | 9.20       | 24.97                              | 4.07                     | 2.34               | 6.40                                       | 34.11          | 818.7              | 5.48                     |
| 8/25/2003   | INF       | VS-SVE-INF-082503-0031 | 512        | 24.37            | 20.12      | 44.49                              | 6.23                     | 5.06               | 11.28                                      | 44.30          | 1063.3             | 10.19                    |
| 9/3/2003    | INF       | VS-SVE-INF-090303-0036 | 512        | 33.08            | 15.94      | 49.02                              | 8.45                     | 4.01               | 12.46                                      | 53.0           | 1273               | 8.74                     |
| 9/8/2003    | INF       | VS-SVE-INF-090803-0041 | 512        | 16.57            | 9.80       | 26.37                              | 4.23                     | 2.46               | 6.70                                       | 57.1           | 1369.5             | 4.02                     |
| 9/24/2003   | INF       | VS-SVE-INF-092403-0099 | 512        | 10.72            | 5.16       | 15.88                              | 2.74                     | 1.30               | 4.04                                       | 70.6           | 1695.5             | 13.58                    |
| 10/15/2003  | INF       | VS-SVE-INF-101503-0114 | 512        | 11.02            | 8.98       | 20.00                              | 2.82                     | 2.26               | 5.07                                       | 91.6           | 2,198.6            | 20.96                    |
| 10/15/2003  | INF       | VS-SVE-INF-101503-0114 | 512        | 11.02            | 8.98       | 20.00                              | 2.82                     | 2.26               | 5.07                                       | 91.6           | 2198.6             | 0.00                     |
| 10/28/2003  | INF       | VS-SVE-INF-102803-0119 | 512        | 10.36            | 8.80       | 19.16                              | 2.65                     | 2.21               | 4.86                                       | 104.7          | 2512.0             | 13.06                    |
| 11/11/2003  | INF       | VS-SVE-INF-111103-0124 | 512        | 3.89             | 5.81       | 9.70                               | 0.99                     | 1.46               | 2.45                                       | 111.5          | 2,676.9            | 6.87                     |
| 11/19/2003  | INF       | VS-SVE-INF-111903-0129 | 512        | 4.96             | 5.51       | 10.47                              | 1.27                     | 1.39               | 2.65                                       | 119.3          | 2,862.7            | 7.74                     |
| 12/4/2003   | INF       | VS-SVE-INF-120403-0187 | 512        | 2.89             | 3.03       | 5.92                               | 0.74                     | 0.76               | 1.50                                       | 132.0          | 3167.2             | 15.69                    |
| 1/14/2004   | INF       | VS-SVE-INF-011404-0197 | 512        | 2.71             | 3.57       | 6.28                               | 0.69                     | 0.90               | 1.59                                       | 139.8          | 3,355.7            | 7.85                     |
| 1/26/2004   | INF       | VS-SVE-INF-012604-0202 | 512        | 6.39             | 7.13       | 13.52                              | 1.63                     | 1.79               | 3.42                                       | 149.5          | 3,587.2            | 9.65                     |
| 2/9/2004    | INF       | VS-SVE-INF-020904-0207 | 512        | 12.11            | 12.34      | 24.45                              | 3.09                     | 3.10               | 6.20                                       | 161.0          | 3,863.0            | 11.49                    |
| 2/24/2004   | INF       | VS-SVE-INF-022404-0212 | 512        | 14.57            | 11.56      | 26.13                              | 3.72                     | 2.91               | 6.63                                       | 175.9          | 4,220.7            | 14.90                    |
| 3/10/2004   | INF       | VS-SVE-INF-031004-0262 | 512        | 8.74             | 10.12      | 18.86                              | 2.23                     | 2.54               | 4.78                                       | 183.9          | 4,412.5            | 7.99                     |
| 4/5/2004    | INF       | VS-SVE-INF-040504-0267 | 512        | 9.82             | 10.18      | 19.99                              | 2.51                     | 2.56               | 5.07                                       | 199.1          | 4,778.4            | 15.25                    |
| 4/27/2004   | INF       | VS-SVE-INF-042704-0272 | 512        | 5.76             | 6.54       | 12.30                              | 1.47                     | 1.64               | 3.11                                       | 213.9          | 5133               | 14.78                    |
| 5/11/2004   | INF       | VS-SVE-INF-051104-0277 | 512        | 9.21             | 11.02      | 20.23                              | 2.35                     | 2.77               | 5.12                                       | 227.1          | 5,450.0            | 13.21                    |
| 6/1/2004    | INF       | VS-SVE-INF-060104-0282 | 512        | 8.24             | 10.29      | 18.53                              | 2.10                     | 2.59               | 4.69                                       | 246.3          | 5,910.7            | 19.20                    |
| 6/22/2004   | INF       | VS-SVE-INF-062204-0332 | 512        | 5.06             | 4.40       | 9.48                               | 1.30                     | 1.11               | 2.40                                       | 267.1          | 6,411.0            | 20.85                    |
| 7/13/2004   | INF       | VS-SVE-INF-071304-0337 | 512        | 18.05            | 12.86      | 30.91                              | 4.61                     | 3.23               | 7.84                                       | 288.1          | 6,914.3            | 20.97                    |
| 7/22/2004   | INF       | VS-SVE-INF-072204-0342 | 512        | 14.22            | 13.76      | 27.98                              | 3.63                     | 3.46               | 7.09                                       | 294.4          | 7,065.3            | 6.29                     |
| 8/16/2004   | INF       | VS-SVE-INF-081604-0347 | 512        | 2.13             | 2.49       | 4.63                               | 0.54                     | 0.63               | 1.17                                       | 310.9          | 7,460.5            | 16.47                    |
| 9/28/2004   | INF       | VS-SVE-INF-092804-0423 | 512        | 1.45             | 2.45       | 3.89                               | 0.37                     | 0.62               | 0.98                                       | 353.7          | 8,489.0            | 42.85                    |
| 10/19/2004  | INF       | VS-SVE-INF-101904-0428 | 512        | 12.35            | 9.55       | 21.90                              | 3.15                     | 2.40               | 5.56                                       | 374.7          | 8,993.0            | 21.00                    |
| 11/17/2004  | INF       | VS-SVE-INF-111704-0433 | 512        | 6.63             | 4.76       | 11.39                              | 1.69                     | 1.20               | 2.89                                       | 403.8          | 9,690.0            | 29.04                    |
| 12/21/2004  | INF       | VS-SVE-INF-122104-0493 | 512        | 0.29             | 0.46       | 0.74                               | 0.07                     | 0.12               | 0.19                                       | 437.7          | 10,503.8           | 33.91                    |
| 1/12/2005   | INF       | VS-SVE-INF-011205-0498 | 512        | 1.13             | 0.79       | 1.92                               | 0.29                     | 0.20               | 0.49                                       | 459.7          | 11,032.5           | 22.03                    |
| 2/9/2005    | INF       | VS-SVE-INF-020905-0503 | 512        | 2.29             | 0.94       | 3.23                               | 0.58                     | 0.24               | 0.82                                       | 487.6          | 11,702.8           | 27.93                    |
| 3/23/2005   | INF       | VS-SVE-INF-032305-0551 | 512        | 0.54             | 0.46       | 1.00                               | 0.14                     | 0.12               | 0.25                                       | 529.6          | 12,710.4           | 41.98                    |

## Appendix C Example Calculations Vestal, Area 4

Example: 8/25/03  
1,1,1 TCA (ppm) to 1,1,1 TCA (lbs/day)

$$0.00000374(\text{conversion constant}) * 24.37(\text{ppm}) * 512(\text{flow}) * 133.4(\text{molecular weight}) = 6.23 \text{ lbs}$$

Example: 8/12/03 to 8/25/03 'Total Target VOCs'

$$[6.40 (8/12) + 11.28 (8/25)] / 2 = 8.84 \text{ avg. lbs per day for the period}$$
$$8.84 (\text{lbs per day}) * 10.19 (\text{days}) = 90.08 \text{ pounds per reporting period}$$

Calculated Flow Rate:

Vacuum Pressure (Inches Hg) = 6

Blower Speed (RPM) = 2000

Temperature (degrees F) = 72

Elevation = 1200 feet

Based on proprietary Roots, Inc flow rate software for Roots 68 blower, the  
CFM for these parameters is 512 on 8/25/03

||

**Appendix C**  
**Influent Sample Parameters**  
**Vestal, Area 4**

| SAMPLE DATE | SAMPLE ID              | VACUUM<br>PRESURE<br>(inches Hg) | RPM  | TEMPERATURE<br>(degrees F) | FLOW<br>(cfm) | PiD   | OPERATION<br>DAYS | STATION<br>HOUR METER |
|-------------|------------------------|----------------------------------|------|----------------------------|---------------|-------|-------------------|-----------------------|
| 6/27/03     | VS-SVE-INF-062703      | 6                                | 2000 | 68                         | 517           | 34.0  | 4.0               | 97.0                  |
| 7/7/2003    | VS-SVE-INF-070703-0001 | 6                                | 2000 | 72                         | 517           | 153.4 | 14.1              | 338                   |
| 7/9/2003    | VS-SVE-INF-070903-0006 | 6                                | 2000 | 75                         | 517           | 87.0  | 16.0              | 385                   |
| 7/17/2003   | VS-SVE-INF-071703-0011 | 6                                | 2000 | 80                         | 517           | 79.5  | 20.5              | 492                   |
| 7/29/2003   | VS-SVE-INF-072903-0016 | 6                                | 2000 | 75                         | 517           | 20.3  | 28.6              | 687.2                 |
| 8/12/2003   | VS-SVE-INF-081203-0026 | 6                                | 2000 | 73                         | 517           | 45.6  | 34.1              | 818.7                 |
| 8/25/2003   | VS-SVE-INF-082503-0031 | 6                                | 2000 | 72                         | 512           | 27.5  | 44.3              | 1063.3                |
| 9/3/2003    | VS-SVE-INF-090303-0036 | 6                                | 2000 | 70                         | 512           | 21.3  | 53.0              | 1273.0                |
| 9/8/2003    | VS-SVE-INF-090803-0041 | 6                                | 2000 | 70                         | 512           | 22.8  | 57.1              | 1369.5                |
| 9/24/2003   | VS-SVE-INF-092403-0099 | 6                                | 2000 | 70                         | 512           | 12.6  | 70.6              | 1695.5                |
| 10/15/2003  | VS-SVE-INF-101503-0114 | 6                                | 2000 | 62                         | 512           | 14.2  | 91.6              | 2,198.6               |
| 10/15/2003  | VS-SVE-INF-101503-0114 | 6                                | 2000 | 68                         | 512           | 13.7  | 91.6              | 2198.6                |
| 10/28/2003  | VS-SVE-INF-102803-0119 | 6                                | 2000 | 65                         | 512           | 16.4  | 104.7             | 2512.0                |
| 11/11/2003  | VS-SVE-INF-111103-0124 | 6                                | 2000 | 54                         | 512           | 7.9   | 111.5             | 2676.9                |
| 11/19/2003  | VS-SVE-INF-111903-0129 | 6                                | 2000 | 50                         | 512           | 12.1  | 119.3             | 2862.7                |
| 12/4/2003   | VS-SVE-INF-120403-0187 | 6                                | 2000 | 48                         | 512           | 7.7   | 132.0             | 3167.2                |
| 1/14/2004   | VS-SVE-INF-011404-0197 | 6                                | 2000 | 50                         | 512           | 7.7   | 139.8             | 3,355.7               |
| 1/26/2004   | VS-SVE-INF-012604-0202 | 6                                | 2000 | 50                         | 512           | 12.9  | 149.5             | 3,587.2               |
| 2/9/2004    | VS-SVE-INF-020904-0207 | 6                                | 2000 | 40                         | 512           | 21.3  | 161.0             | 3,863.0               |
| 2/24/2004   | VS-SVE-INF-022404-0212 | 6                                | 2000 | 45                         | 512           | 19.5  | 175.9             | 4,220.7               |
| 3/10/2004   | VS-SVE-INF-031004-0262 | 6                                | 2000 | 48                         | 512           | 10.3  | 183.9             | 4,412.5               |
| 4/5/2004    | VS-SVE-INF-040504-0267 | 6                                | 2000 | 66                         | 512           | 11.9  | 199.1             | 4778.4                |
| 4/27/2004   | VS-SVE-INF-042704-0272 | 6                                | 2000 | 68                         | 512           | 5.0   | 213.9             | 5133                  |
| 5/11/2004   | VS-SVE-INF-051104-0277 | 6                                | 2000 | 64                         | 512           | 13.4  | 227.1             | 5,450.0               |
| 6/1/2004    | VS-SVE-INF-060104-0282 | 6                                | 2000 | 62                         | 512           | 14.8  | 246.3             | 5,910.7               |
| 6/22/2004   | VS-SVE-INF-062204-0332 | 6                                | 2000 | 68                         | 512           | 7.7   | 267.1             | 6,411.0               |
| 7/13/2004   | VS-SVE-INF-071304-0337 | 6                                | 2000 | 76                         | 512           | 15.4  | 288.1             | 6,914.3               |
| 7/22/2004   | VS-SVE-INF-072204-0342 | 6                                | 2000 | 80                         | 512           | 16.1  | 294.4             | 7,065.3               |
| 8/16/2004   | VS-SVE-INF-081604-0347 | 6                                | 2000 | 75                         | 512           | 5.4   | 310.9             | 7,460.5               |
| 9/28/2004   | VS-SVE-INF-092804-0423 | 6                                | 2000 | 60                         | 512           | 17.4  | 353.7             | 8,489.0               |
| 10/19/2004  | VS-SVE-INF-101904-0428 | 6                                | 2000 | 50                         | 512           | 66.9  | 374.7             | 8,993.0               |
| 11/17/2004  | VS-SVE-INF-111704-0433 | 6                                | 2000 | 51                         | 512           | 47.9  | 403.75            | 9,690.0               |
| 12/21/2004  | VS-SVE-INF-122104-0493 | 6                                | 2000 | 54                         | 512           | 9.9   | 437.7             | 10,503.8              |
| 1/12/2005   | VS-SVE-INF-011205-0498 | 6                                | 2000 | 50                         | 512           | 10.9  | 459.7             | 11,032.5              |
| 2/9/2005    | VS-SVE-INF-020905-0503 | 6                                | 2000 | 52                         | 512           | 12.3  | 487.6             | 11,702.8              |
| 3/23/2005   | VS-SVE-INF-032305-0551 | 6                                | 2000 | 60                         | 512           | 9.6   | 529.6             | 12,710.4              |