

**BROOME COUNTY
DEPARTMENT OF SOLID WASTE
COLESVILLE RESIDENTIAL SAMPLING
1st Quarter - 1996**

Prepared by:

BUCK ENVIRONMENTAL LABORATORIES, INC.
3845 ROUTE 11 S, PO BOX 5150
CORTLAND, NY 13045

BUCK ENVIRONMENTAL

LABORATORIES, INC.

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96


Site: COLESVILLE RESIDENCES

Sample ID: SCOTT JR

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	03/13/96	JEC	mg/L	2	42
Arsenic, total	206.2/7060	03/11/96	SRG	mg/L	0.001	ND
Cadmium, total	213.2/7131	03/15/96	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	03/11/96	SRG	mg/L	0.021	20.2
Chloride, total	325.3/9252	03/21/96	JEC	mg/L	1	23.1
Chromium, total	218.2/7191	03/12/96	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	03/07/96	JEC	mg/L	1	211
Copper, total	200.7/6010	03/11/96	SRG	mg/L	0.002	0.009
Dissolved Oxygen	360.1	03/07/96	KW	mg/L	0.01	7.5
pH	150.1/9040	03/07/96	JEC	units	0.1	6.2
Iron, total	200.7/6010	03/11/96	SRG	mg/L	0.006	0.122
Lead, total	239.2/7421	03/13/96	SRG	mg/L	0.001	ND
Magnesium, total	200.7/6010	03/11/96	SRG	mg/L	0.01	4.13
Manganese, total	200.7/6010	03/11/96	SRG	mg/L	0.001	0.019
Mercury, total	245.1/7470	03/12/96	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	03/12/96	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	03/11/96	SRG	mg/L	0.09	10.6
Sulfate	375.4/9038	03/22/96	JEC	mg/L	2	16.4
Total Dissolved Solids	160.1	03/11/96	SAG	mg/L	5	157
Total Hardness	SM 214A	03/25/96	PJB	mg/L	1	67.4
Zinc, total	200.7/6010	03/11/96	SRG	mg/L	0.004	ND

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTAL
LABORATORIES, INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report**
Lab Log No: 9603047Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96


Site: COLESVILLE RESIDENCES

Sample ID: SCOTT SR - RAW

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	03/13/96	JEC	mg/L	2	125
Arsenic, total	206.2/7060	03/11/96	SRG	mg/L	0.001	0.005
Cadmium, total	213.2/7131	03/15/96	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	03/11/96	SRG	mg/L	0.021	31
Chloride, total	325.3/9252	03/21/96	JEC	mg/L	1	1.6
Chromium, total	218.2/7191	03/12/96	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	03/07/96	JEC	mg/L	1	227
Copper, total	200.7/6010	03/11/96	SRG	mg/L	0.002	0.135
Dissolved Oxygen	360.1	03/07/96	KW	mg/L	0.01	3.7
pH	150.1/9040	03/07/96	JEC	units	0.1	7.69
Iron, total	200.7/6010	03/11/96	SRG	mg/L	0.006	0.667
Lead, total	239.2/7421	03/13/96	SRG	mg/L	0.001	0.01
Magnesium, total	200.7/6010	03/11/96	SRG	mg/L	0.01	5.32
Manganese, total	200.7/6010	03/11/96	SRG	mg/L	0.001	0.25
Mercury, total	245.1/7470	03/12/96	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	03/12/96	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	03/11/96	SRG	mg/L	0.09	9.17
Sulfate	375.4/9038	03/22/96	JEC	mg/L	2	3.09
Total Dissolved Solids	160.1	03/11/96	SAG	mg/L	5	159
Total Hardness	SM 214A	03/25/96	PJB	mg/L	1	99.3
Zinc, total	200.7/6010	03/11/96	SRG	mg/L	0.004	0.058

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)


John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTAL
LABORATORIES, INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report**
Lab Log No: 9603047Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96

Site: COLESVILLE RESIDENCES


Sample ID: SCOTT SR - TAP

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	03/13/96	JEC	mg/L	2	126
Arsenic, total	206.2/7060	03/11/96	SRG	mg/L	0.001	0.002
Cadmium, total	213.2/7131	03/15/96	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	03/11/96	SRG	mg/L	0.021	29.9
Chloride, total	325.3/9252	03/21/96	JEC	mg/L	1	2.4
Chromium, total	218.2/7191	03/12/96	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	03/07/96	JEC	mg/L	1	227
Copper, total	200.7/6010	03/11/96	SRG	mg/L	0.002	0.072
Dissolved Oxygen	360.1	03/07/96	KW	mg/L	0.01	3.2
pH	150.1/9040	03/07/96	JEC	units	0.1	7.67
Iron, total	200.7/6010	03/11/96	SRG	mg/L	0.006	0.017
Lead, total	239.2/7421	03/13/96	SRG	mg/L	0.001	0.006
Magnesium, total	200.7/6010	03/11/96	SRG	mg/L	0.01	5.13
Manganese, total	200.7/6010	03/11/96	SRG	mg/L	0.001	0.245
Mercury, total	245.1/7470	03/12/96	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	03/12/96	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	03/11/96	SRG	mg/L	0.09	8.71
Sulfate	375.4/9038	03/22/96	JEC	mg/L	2	2.83
Total Dissolved Solids	160.1	03/11/96	SAG	mg/L	5	159
Total Hardness	SM 214A	03/25/96	PJB	mg/L	1	95.8
Zinc, total	200.7/6010	03/11/96	SRG	mg/L	0.004	0.022

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_inorg1.fx


John H. Buck, P.E.
Laboratory Director

ELAP ID: 10795

BUCK ENVIRONMENTALLABORATORIES, INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96

Site: COLESVILLE RESIDENCES


Sample ID: LAVARE - RAW

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	03/13/96	JEC	mg/L	2	72
Arsenic, total	206.2/7060	03/11/96	SRG	mg/L	0.001	ND
Cadmium, total	213.2/7131	03/15/96	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	03/11/96	SRG	mg/L	0.021	22.8
Chloride, total	325.3/9252	03/21/96	JEC	mg/L	1	16.2
Chromium, total	218.2/7191	03/12/96	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	03/07/96	JEC	mg/L	1	222
Copper, total	200.7/6010	03/11/96	SRG	mg/L	0.002	0.058
Dissolved Oxygen	360.1	03/07/96	KW	mg/L	0.01	7.2
pH	150.1/9040	03/07/96	JEC	units	0.1	6.69
Iron, total	200.7/6010	03/11/96	SRG	mg/L	0.006	0.042
Lead, total	239.2/7421	03/13/96	SRG	mg/L	0.001	0.006
Magnesium, total	200.7/6010	03/11/96	SRG	mg/L	0.01	4.7
Manganese, total	200.7/6010	03/11/96	SRG	mg/L	0.001	0.004
Mercury, total	245.1/7470	03/12/96	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	03/12/96	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	03/11/96	SRG	mg/L	0.09	10.6
Sulfate	375.4/9038	03/22/96	JEC	mg/L	2	13.5
Total Dissolved Solids	160.1	03/11/96	SAG	mg/L	5	169
Total Hardness	SM 214A	03/25/96	PJB	mg/L	1	76.3
Zinc, total	200.7/6010	03/11/96	SRG	mg/L	0.004	0.035

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_inorg1.frx


John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTAL
LABORATORIES, INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96

Site: COLESVILLE RESIDENCES


Sample ID: LAVARE - TAP

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	03/13/96	JEC	mg/L	2	71
Arsenic, total	206.2/7060	03/11/96	SRG	mg/L	0.001	ND
Cadmium, total	213.2/7131	03/15/96	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	03/11/96	SRG	mg/L	0.021	23.7
Chloride, total	325.3/9252	03/21/96	JEC	mg/L	1	16.9
Chromium, total	218.2/7191	03/12/96	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	03/07/96	JEC	mg/L	1	224
Copper, total	200.7/6010	03/11/96	SRG	mg/L	0.002	0.089
Dissolved Oxygen	360.1	03/07/96	KW	mg/L	0.01	4.8
pH	150.1/9040	03/07/96	JEC	units	0.1	6.58
Iron, total	200.7/6010	03/11/96	SRG	mg/L	0.006	0.038
Lead, total	239.2/7421	03/13/96	SRG	mg/L	0.001	0.003
Magnesium, total	200.7/6010	03/11/96	SRG	mg/L	0.01	4.95
Manganese, total	200.7/6010	03/11/96	SRG	mg/L	0.001	0.011
Mercury, total	245.1/7470	03/12/96	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	03/12/96	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	03/11/96	SRG	mg/L	0.09	11.1
Sulfate	375.4/9038	03/22/96	JEC	mg/L	2	15.1
Total Dissolved Solids	160.1	03/11/96	SAG	mg/L	5	144
Total Hardness	SM 214A	03/25/96	PJB	mg/L	1	79.6
Zinc, total	200.7/6010	03/11/96	SRG	mg/L	0.004	0.032

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_inorg1 frx

John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

**BUCK ENVIRONMENTAL
LABORATORIES, INC.**
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report**
Lab Log No: 9603047Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96

Site: COLESVILLE RESIDENCES


Sample ID: LEE SPRING

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	03/13/96	JEC	mg/L	2	107
Arsenic, total	206.2/7060	03/11/96	SRG	mg/L	0.001	ND
Cadmium, total	213.2/7131	03/15/96	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	03/11/96	SRG	mg/L	0.021	35.9
Chloride, total	325.3/9252	03/21/96	JEC	mg/L	1	28.9
Chromium, total	218.2/7191	03/12/96	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	03/07/96	JEC	mg/L	1	315
Copper, total	200.7/6010	03/11/96	SRG	mg/L	0.002	0.014
Dissolved Oxygen	360.1	03/07/96	KW	mg/L	0.01	3.2
pH	150.1/9040	03/07/96	JEC	units	0.1	6.3
Iron, total	200.7/6010	03/11/96	SRG	mg/L	0.006	0.028
Lead, total	239.2/7421	03/13/96	SRG	mg/L	0.001	ND
Magnesium, total	200.7/6010	03/11/96	SRG	mg/L	0.01	9.03
Manganese, total	200.7/6010	03/11/96	SRG	mg/L	0.001	ND
Mercury, total	245.1/7470	03/12/96	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	03/12/96	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	03/11/96	SRG	mg/L	0.09	10.5
Sulfate	375.4/9038	03/22/96	JEC	mg/L	2	10.8
Total Dissolved Solids	160.1	03/11/96	SAG	mg/L	5	199
Total Hardness	SM 214A	03/25/96	PJB	mg/L	1	127
Zinc, total	200.7/6010	03/11/96	SRG	mg/L	0.004	0.012

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_inorg1.frx


John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTALLABORATORIES, INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96

Site: COLESVILLE RESIDENCES


Sample ID: GAINES

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO3)	310.1	03/13/96	JEC	mg/L	2	83
Arsenic, total	206.2/7060	03/11/96	SRG	mg/L	0.001	ND
Cadmium, total	213.2/7131	03/15/96	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	03/11/96	SRG	mg/L	0.021	21.1
Chloride, total	325.3/9252	03/21/96	JEC	mg/L	1	1.4
Chromium, total	218.2/7191	03/12/96	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	03/07/96	JEC	mg/L	1	174
Copper, total	200.7/6010	03/11/96	SRG	mg/L	0.002	0.01
Dissolved Oxygen	360.1	03/07/96	KW	mg/L	0.01	0.4
pH	150.1/9040	03/07/96	JEC	units	0.1	7.21
Iron, total	200.7/6010	03/11/96	SRG	mg/L	0.006	0.363
Lead, total	239.2/7421	03/13/96	SRG	mg/L	0.001	ND
Magnesium, total	200.7/6010	03/11/96	SRG	mg/L	0.01	5.5
Manganese, total	200.7/6010	03/11/96	SRG	mg/L	0.001	0.306
Mercury, total	245.1/7470	03/12/96	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	03/12/96	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	03/11/96	SRG	mg/L	0.09	4.85
Sulfate	375.4/9038	03/22/96	JEC	mg/L	2	11.8
Total Dissolved Solids	160.1	03/11/96	SAG	mg/L	5	118
Total Hardness	SM 214A	03/25/96	PJB	mg/L	1	75.3
Zinc, total	200.7/6010	03/11/96	SRG	mg/L	0.004	ND

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_inorg1.frx


John H. Buck, P.E.
Laboratory Director

ELAP ID: 10795

BUCK ENVIRONMENTAL
LABORATORIES, INC.

ACCREDITED ENVIRONMENTAL ANALYSIS

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96

Site: COLESVILLE RESIDENCES

Sample ID: SMITH - RAW

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO3)	310.1	03/13/96	JEC	mg/L	2	173
Arsenic, total	206.2/7060	03/11/96	SRG	mg/L	0.001	ND
Cadmium, total	213.2/7131	03/15/96	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	03/11/96	SRG	mg/L	0.021	22.5
Chloride, total	325.3/9252	03/21/96	JEC	mg/L	1	6.1
Chromium, total	218.2/7191	03/12/96	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	03/07/96	JEC	mg/L	1	329
Copper, total	200.7/6010	03/11/96	SRG	mg/L	0.002	0.026
Dissolved Oxygen	360.1	03/07/96	KW	mg/L	0.01	2.2
pH	150.1/9040	03/07/96	JEC	units	0.1	7.87
Iron, total	200.7/6010	03/11/96	SRG	mg/L	0.006	0.499
Lead, total	239.2/7421	03/13/96	SRG	mg/L	0.001	0.002
Magnesium, total	200.7/6010	03/11/96	SRG	mg/L	0.01	5.55
Manganese, total	200.7/6010	03/11/96	SRG	mg/L	0.001	0.222
Mercury, total	245.1/7470	03/12/96	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	03/12/96	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	03/11/96	SRG	mg/L	0.09	40.4
Sulfate	375.4/9038	03/22/96	JEC	mg/L	2	ND
Total Dissolved Solids	160.1	03/11/96	SAG	mg/L	5	206
Total Hardness	SM 214A	03/25/96	PJB	mg/L	1	79
Zinc, total	200.7/6010	03/11/96	SRG	mg/L	0.004	0.015


This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)

(DL => detection limit)

(mg/L => ppm in water)

(ug/g => ppm in solid)


John H. Buck, P.E.
Laboratory Director

ELAP ID: 10795

BUCK ENVIRONMENTALLABORATORIES, INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96


Site: COLESVILLE RESIDENCES

Sample ID: SMITH - TAP

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	03/13/96	JEC	mg/L	2	171
Arsenic, total	206.2/7060	03/11/96	SRG	mg/L	0.001	ND
Cadmium, total	213.2/7131	03/15/96	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	03/11/96	SRG	mg/L	0.021	21.1
Chloride, total	325.3/9252	03/21/96	JEC	mg/L	1	5.9
Chromium, total	218.2/7191	03/12/96	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	03/07/96	JEC	mg/L	1	339
Copper, total	200.7/6010	03/11/96	SRG	mg/L	0.002	0.1
Dissolved Oxygen	360.1	03/07/96	KW	mg/L	0.01	1.7
pH	150.1/9040	03/07/96	JEC	units	0.1	7.95
Iron, total	200.7/6010	03/11/96	SRG	mg/L	0.006	0.523
Lead, total	239.2/7421	03/13/96	SRG	mg/L	0.001	0.018
Magnesium, total	200.7/6010	03/11/96	SRG	mg/L	0.01	5.12
Manganese, total	200.7/6010	03/11/96	SRG	mg/L	0.001	0.199
Mercury, total	245.1/7470	03/12/96	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	03/12/96	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	03/11/96	SRG	mg/L	0.09	44.3
Sulfate	375.4/9038	03/22/96	JEC	mg/L	2	ND
Total Dissolved Solids	160.1	03/11/96	SAG	mg/L	5	209
Total Hardness	SM 214A	03/25/96	PJB	mg/L	1	73.8
Zinc, total	200.7/6010	03/11/96	SRG	mg/L	0.004	0.023

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)


John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTAL LABORATORIES, INC.

ACCREDITED ENVIRONMENTAL ANALYSIS

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES


Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96
Analyzed By: EAC
Analyzed: 03/16/96**Sample ID: SCOTT JR****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	109
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	120

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

BUCK ENVIRONMENTAL LABORATORIES INC.

ACCREDITED ENVIRONMENTAL ANALYSIS

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES


Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96
Analyzed By: EAC
Analyzed: 03/16/96**Sample ID: SCOTT SR - RAW****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	98.6
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	112

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

**BUCK ENVIRONMENTAL
LABORATORIES, INC.**3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES


Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96
Analyzed By: EAC
Analyzed: 03/16/96**Sample ID: SCOTT SR - TAP****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	80.7
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	114

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

**BUCK ENVIRONMENTAL
LABORATORIES, INC.**

ACCREDITED ENVIRONMENTAL ANALYSIS

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES


Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96
Analyzed By: EAC
Analyzed: 03/16/96**Sample ID: LAVARE - RAW****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	80.4
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	120

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

**BUCK ENVIRONMENTAL
LABORATORIES, INC.**3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES


Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96
Analyzed By: EAC
Analyzed: 03/16/96**Sample ID: LAVARE - TAP****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	0.9
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	88
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	122

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

BUCK ENVIRONMENTAL LABORATORIES, INC.3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES


Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96
Analyzed By: EAC
Analyzed: 03/16/96**Sample ID: LEE SPRING****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	2.8
1,2-Dichloroethane	107-06-2	MCG/L	0.5	1.3
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	2
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	2.1
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	1.5
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	78.1
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	114

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

**BUCK ENVIRONMENTAL
LABORATORIES, INC.**3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report**
Lab Log No: 9603047Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES

Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96
Analyzed By: EAC
Analyzed: 03/16/96

Sample ID: GAINES


VOLATILES BY EPA 502.2

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	80.5
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	120

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

BUCK ENVIRONMENTAL LABORATORIES INC.

ACCREDITED ENVIRONMENTAL ANALYSIS

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES


Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96
Analyzed By: EAC
Analyzed: 03/16/96**Sample ID: SMITH - RAW****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	76.9
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	116

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

**BUCK ENVIRONMENTAL
LABORATORIES, INC.**3845 ROUTE 11 SOUTH, P.O. BOX 5150
CORTLAND, N.Y. 13045 607-753-3403**Laboratory Report****Lab Log No: 9603047**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES


Report Date: 03/27/96
Sampling Date: 03/06/96
Sampled By: E. SPENCER
Date Received: 03/06/96
Analyzed By: EAC
Analyzed: 03/16/96**Sample ID: SMITH - TAP****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	75.9
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	112

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795