

**BROOME COUNTY
DEPARTMENT OF SOLID WASTE
COLESVILLE RESIDENTIAL SAMPLING
3rd Quarter - 1995**

Prepared by:

BUCK ENVIRONMENTAL LABORATORIES, INC.
3845 ROUTE 11 S, PO BOX 5150
CORTLAND, NY 13045

**BUCK ENVIRONMENTAL
LABORATORIES INC.**3845 ROUTE 11 SOUTH. P.O. BOX 5150
CORTLAND, N.Y. 13045 607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995**Sample ID: SCOTT SR. RESIDENCE, RAW**

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO3)	310.1	09/21/95	JEC	mg/L	2	122
Arsenic, total	206.2/7060	09/18/95	SRG	mg/L	0.001	0.008
Cadmium, total	213.2/7131	09/18/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	09/19/95	SRG	mg/L	0.021	27.8
Chloride, total	325.3/9252	09/21/95	JEC	mg/L	1	2.3
Chromium, total	218.2/7191	09/19/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	09/19/95	JEC	mg/L	1	235
Copper, total	200.7/6010	09/19/95	SRG	mg/L	0.002	0.049
Dissolved Oxygen	360.1	09/12/95	KW	mg/L	0.01	1.9
pH	150.1/9040	09/18/95	JEC	units	0.1	7.9
Iron, total	200.7/6010	09/19/95	SRG	mg/L	0.006	0.58
Lead, total	239.2/7421	09/18/95	SRG	mg/L	0.001	0.006
Magnesium, total	200.7/6010	09/19/95	SRG	mg/L	0.01	4.68
Manganese, total	200.7/6010	09/19/95	SRG	mg/L	0.001	0.198
Mercury, total	245.1/7470	09/25/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	09/19/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	09/19/95	SRG	mg/L	0.09	8.88
Sulfate	375.4/9038	09/18/95	JEC	mg/L	2	2.37
Total Dissolved Solids	160.1	09/19/95	GB	mg/L	5	126
Total Hardness	SM 214A	10/19/95	SET	mg/L	1	88.7
Zinc, total	200.7/6010	09/19/95	SRG	mg/L	0.004	0.008

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.


(ND => not detected above DL indicated)

(DL => detection limit)

(mg/L => ppm in water)

(ug/g => ppm in solid)

_inorg1.frx

John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795


BUCK ENVIRONMENTAL
LABORATORIES INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995**Sample ID: SCOTT SR. RESIDENCE, TAP**

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	09/21/95	JEC	mg/L	2	122
Arsenic, total	206.2/7060	09/18/95	SRG	mg/L	0.001	0.006
Cadmium, total	213.2/7131	09/18/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	09/19/95	SRG	mg/L	0.021	27.9
Chloride, total	325.3/9252	09/21/95	JEC	mg/L	1	2.6
Chromium, total	218.2/7191	09/19/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	09/19/95	JEC	mg/L	1	237
Copper, total	200.7/6010	09/19/95	SRG	mg/L	0.002	0.024
Dissolved Oxygen	360.1	09/12/95	KW	mg/L	0.01	2.4
pH	150.1/9040	09/18/95	JEC	units	0.1	8.04
Iron, total	200.7/6010	09/19/95	SRG	mg/L	0.006	ND
Lead, total	239.2/7421	09/18/95	SRG	mg/L	0.001	0.006
Magnesium, total	200.7/6010	09/19/95	SRG	mg/L	0.01	5.09
Manganese, total	200.7/6010	09/19/95	SRG	mg/L	0.001	0.314
Mercury, total	245.1/7470	09/25/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	09/19/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	09/19/95	SRG	mg/L	0.09	8.48
Sulfate	375.4/9038	09/18/95	JEC	mg/L	2	ND
Total Dissolved Solids	160.1	09/19/95	GB	mg/L	5	137
Total Hardness	SM 214A	10/19/95	SET	mg/L	1	90.6
Zinc, total	200.7/6010	09/19/95	SRG	mg/L	0.004	ND

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_inorg1.fx


John H. Buck, P.E.
Laboratory Director

ELAP ID: 10795

BUCK ENVIRONMENTAL


LABORATORIES, INC.

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995**Sample ID: SMITH RESIDENCE, RAW**

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	09/21/95	JEC	mg/L	2	177
Arsenic, total	206.2/7060	09/18/95	SRG	mg/L	0.001	0.002
Cadmium, total	213.2/7131	09/18/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	09/19/95	SRG	mg/L	0.021	49.1
Chloride, total	325.3/9252	09/21/95	JEC	mg/L	1	23.8
Chromium, total	218.2/7191	09/19/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	09/19/95	JEC	mg/L	1	411
Copper, total	200.7/6010	09/19/95	SRG	mg/L	0.002	ND
Dissolved Oxygen	360.1	09/12/95	KW	mg/L	0.01	1.6
pH	150.1/9040	09/18/95	JEC	units	0.1	7.67
Iron, total	200.7/6010	09/19/95	SRG	mg/L	0.006	0.23
Lead, total	239.2/7421	09/18/95	SRG	mg/L	0.001	0.009
Magnesium, total	200.7/6010	09/19/95	SRG	mg/L	0.01	3.51
Manganese, total	200.7/6010	09/19/95	SRG	mg/L	0.001	0.077
Mercury, total	245.1/7470	09/25/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	09/19/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	09/19/95	SRG	mg/L	0.09	58.5
Sulfate	375.4/9038	09/18/95	JEC	mg/L	2	ND
Total Dissolved Solids	160.1	09/19/95	GB	mg/L	5	221
Total Hardness	SM 214A	10/19/95	SET	mg/L	1	137
Zinc, total	200.7/6010	09/19/95	SRG	mg/L	0.004	ND

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)



John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

Laboratory Report
Lab Log No: 9509111

Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95


Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995

Sample ID: SMITH RESIDENCE, TAP

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO3)	310.1	09/21/95	JEC	mg/L	2	182
Arsenic, total	206.2/7060	09/18/95	SRG	mg/L	0.001	0.002
Cadmium, total	213.2/7131	09/18/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	09/19/95	SRG	mg/L	0.021	11.2
Chloride, total	325.3/9252	09/21/95	JEC	mg/L	1	20.8
Chromium, total	218.2/7191	09/19/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	09/19/95	JEC	mg/L	1	408
Copper, total	200.7/6010	09/19/95	SRG	mg/L	0.002	0.413
Dissolved Oxygen	360.1	09/12/95	KW	mg/L	0.01	1.3
pH	150.1/9040	09/18/95	JEC	units	0.1	7.7
Iron, total	200.7/6010	09/19/95	SRG	mg/L	0.006	0.04
Lead, total	239.2/7421	09/18/95	SRG	mg/L	0.001	0.023
Magnesium, total	200.7/6010	09/19/95	SRG	mg/L	0.01	2.57
Manganese, total	200.7/6010	09/19/95	SRG	mg/L	0.001	0.043
Mercury, total	245.1/7470	09/25/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	09/19/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	09/19/95	SRG	mg/L	0.09	59.5
Sulfate	375.4/9038	09/18/95	JEC	mg/L	2	ND
Total Dissolved Solids	160.1	09/19/95	GB	mg/L	5	126
Total Hardness	SM 214A	10/19/95	SET	mg/L	1	38.5
Zinc, total	200.7/6010	09/19/95	SRG	mg/L	0.004	ND

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)


John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTAL

LABORATORIES INC.

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**

Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95

Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995

Sample ID: GAINES RESIDENCE, RAW

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	09/21/95	JEC	mg/L	2	82
Arsenic, total	206.2/7060	09/18/95	SRG	mg/L	0.001	0.002
Cadmium, total	213.2/7131	09/18/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	09/19/95	SRG	mg/L	0.021	19.8
Chloride, total	325.3/9252	09/21/95	JEC	mg/L	1	2.2
Chromium, total	218.2/7191	09/19/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	09/19/95	JEC	mg/L	1	181
Copper, total	200.7/6010	09/19/95	SRG	mg/L	0.002	ND
Dissolved Oxygen	360.1	09/12/95	KW	mg/L	0.01	1.8
pH	150.1/9040	09/18/95	JEC	units	0.1	7.42
Iron, total	200.7/6010	09/19/95	SRG	mg/L	0.006	0.08
Lead, total	239.2/7421	09/18/95	SRG	mg/L	0.001	0.002
Magnesium, total	200.7/6010	09/19/95	SRG	mg/L	0.01	5.16
Manganese, total	200.7/6010	09/19/95	SRG	mg/L	0.001	0.241
Mercury, total	245.1/7470	09/25/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	09/19/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	09/19/95	SRG	mg/L	0.09	5.52
Sulfate	375.4/9038	09/18/95	JEC	mg/L	2	11.8
Total Dissolved Solids	160.1	09/19/95	GB	mg/L	5	57
Total Hardness	SM 214A	10/19/95	SET	mg/L	1	70.7
Zinc, total	200.7/6010	09/19/95	SRG	mg/L	0.004	ND


This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)

(DL => detection limit)

(mg/L => ppm in water)

(ug/g => ppm in solid)



John H. Buck, P.E.
Laboratory Director

ELAP ID: 10795

Laboratory Report
Lab Log No: 9509111

Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95


Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995

Sample ID: CLAUDE SCOTT RESIDENCE, RAW

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	09/21/95	JEC	mg/L	2	181
Arsenic, total	206.2/7060	09/18/95	SRG	mg/L	0.001	0.002
Cadmium, total	213.2/7131	09/18/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	09/19/95	SRG	mg/L	0.021	55.5
Chloride, total	325.3/9252	09/21/95	JEC	mg/L	1	22.3
Chromium, total	218.2/7191	09/19/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	09/19/95	JEC	mg/L	1	457
Copper, total	200.7/6010	09/19/95	SRG	mg/L	0.002	ND
Dissolved Oxygen	360.1	09/12/95	KW	mg/L	0.01	0.2
pH	150.1/9040	09/18/95	JEC	units	0.1	6.68
Iron, total	200.7/6010	09/19/95	SRG	mg/L	0.006	0.07
Lead, total	239.2/7421	09/18/95	SRG	mg/L	0.001	0.017
Magnesium, total	200.7/6010	09/19/95	SRG	mg/L	0.01	9.89
Manganese, total	200.7/6010	09/19/95	SRG	mg/L	0.001	0.777
Mercury, total	245.1/7470	09/25/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	09/19/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	09/19/95	SRG	mg/L	0.09	9.66
Sulfate	375.4/9038	09/18/95	JEC	mg/L	2	16.2
Total Dissolved Solids	160.1	09/19/95	GB	mg/L	5	192
Total Hardness	SM 214A	10/19/95	SET	mg/L	1	179
Zinc, total	200.7/6010	09/19/95	SRG	mg/L	0.004	ND

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)


John H. Buck, P.E.
Laboratory Director

ELAP ID: 10795

Laboratory Report
Lab Log No: 9509111

Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95

Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995


Sample ID: CHARLES SCOTT JR. RESIDENCE, RAW

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO3)	310.1	09/21/95	JEC	mg/L	2	59
Arsenic, total	206.2/7060	09/18/95	SRG	mg/L	0.001	ND
Cadmium, total	213.2/7131	09/18/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	09/19/95	SRG	mg/L	0.021	22.4
Chloride, total	325.3/9252	09/21/95	JEC	mg/L	1	26.5
Chromium, total	218.2/7191	09/19/95	SRG	mg/L	0.001	0.001
Conductivity	120.1/9050	09/19/95	JEC	mg/L	1	247
Copper, total	200.7/6010	09/19/95	SRG	mg/L	0.002	ND
Dissolved Oxygen	360.1	09/12/95	KW	mg/L	0.01	5.2
pH	150.1/9040	09/18/95	JEC	units	0.1	6.36
Iron, total	200.7/6010	09/19/95	SRG	mg/L	0.006	ND
Lead, total	239.2/7421	09/18/95	SRG	mg/L	0.001	0.002
Magnesium, total	200.7/6010	09/19/95	SRG	mg/L	0.01	4.52
Manganese, total	200.7/6010	09/19/95	SRG	mg/L	0.001	ND
Mercury, total	245.1/7470	09/25/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	09/19/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	09/19/95	SRG	mg/L	0.09	11.5
Sulfate	375.4/9038	09/18/95	JEC	mg/L	2	16.1
Total Dissolved Solids	160.1	09/19/95	GB	mg/L	5	51
Total Hardness	SM 214A	10/19/95	SET	mg/L	1	74.5
Zinc, total	200.7/6010	09/19/95	SRG	mg/L	0.004	ND

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_inorg1.frx



John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTALLABORATORIES, INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995**Sample ID: LEE SPRING**

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	09/21/95	JEC	mg/L	2	116
Arsenic, total	206.2/7060	09/18/95	SRG	mg/L	0.001	0.004
Cadmium, total	213.2/7131	09/18/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	09/19/95	SRG	mg/L	0.021	34.1
Chloride, total	325.3/9252	09/21/95	JEC	mg/L	1	28
Chromium, total	218.2/7191	09/19/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	09/19/95	JEC	mg/L	1	339
Copper, total	200.7/6010	09/19/95	SRG	mg/L	0.002	ND
Dissolved Oxygen	360.1	09/12/95	KW	mg/L	0.01	0.9
pH	150.1/9040	09/18/95	JEC	units	0.1	6.47
Iron, total	200.7/6010	09/19/95	SRG	mg/L	0.006	ND
Lead, total	239.2/7421	09/18/95	SRG	mg/L	0.001	0.002
Magnesium, total	200.7/6010	09/19/95	SRG	mg/L	0.01	8.81
Manganese, total	200.7/6010	09/19/95	SRG	mg/L	0.001	ND
Mercury, total	245.1/7470	09/25/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	09/19/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	09/19/95	SRG	mg/L	0.09	10.8
Sulfate	375.4/9038	09/18/95	JEC	mg/L	2	10.8
Total Dissolved Solids	160.1	09/19/95	GB	mg/L	5	109
Total Hardness	SM 214A	10/19/95	SET	mg/L	1	121
Zinc, total	200.7/6010	09/19/95	SRG	mg/L	0.004	ND

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTAL

LABORATORIES INC.

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995**Sample ID: LAVARE RESIDENCE, RAW**

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	09/21/95	JEC	mg/L	2	69
Arsenic, total	206.2/7060	09/18/95	SRG	mg/L	0.001	0.001
Cadmium, total	213.2/7131	09/18/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	09/19/95	SRG	mg/L	0.021	15.4
Chloride, total	325.3/9252	09/21/95	JEC	mg/L	1	6.4
Chromium, total	218.2/7191	09/19/95	SRG	mg/L	0.001	0.001
Conductivity	120.1/9050	09/19/95	JEC	mg/L	1	160
Copper, total	200.7/6010	09/19/95	SRG	mg/L	0.002	0.023
Dissolved Oxygen	360.1	09/12/95	KW	mg/L	0.01	6.7
pH	150.1/9040	09/18/95	JEC	units	0.1	6.8
Iron, total	200.7/6010	09/19/95	SRG	mg/L	0.006	ND
Lead, total	239.2/7421	09/18/95	SRG	mg/L	0.001	0.015
Magnesium, total	200.7/6010	09/19/95	SRG	mg/L	0.01	3.29
Manganese, total	200.7/6010	09/19/95	SRG	mg/L	0.001	ND
Mercury, total	245.1/7470	09/25/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	09/19/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	09/19/95	SRG	mg/L	0.09	7.13
Sulfate	375.4/9038	09/18/95	JEC	mg/L	2	13
Total Dissolved Solids	160.1	09/19/95	GB	mg/L	5	19
Total Hardness	SM 214A	10/19/95	SET	mg/L	1	52
Zinc, total	200.7/6010	09/19/95	SRG	mg/L	0.004	ND


This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)

(DL => detection limit)

(mg/L => ppm in water)

(ug/g => ppm in solid)


John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTAL
LABORATORIES, INC.3845 ROUTE 11 SOUTH, P.O. BOX 5150
CORTLAND, N.Y. 13045 607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995**Sample ID: LAVARE RESIDENCE, TAP**

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO3)	310.1	09/21/95	JEC	mg/L	2	71
Arsenic, total	206.2/7060	09/18/95	SRG	mg/L	0.001	0.001
Cadmium, total	213.2/7131	09/18/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	09/19/95	SRG	mg/L	0.021	16.5
Chloride, total	325.3/9252	09/21/95	JEC	mg/L	1	6.3
Chromium, total	218.2/7191	09/19/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	09/19/95	JEC	mg/L	1	161
Copper, total	200.7/6010	09/19/95	SRG	mg/L	0.002	ND
Dissolved Oxygen	360.1	09/12/95	KW	mg/L	0.01	6.7
pH	150.1/9040	09/18/95	JEC	units	0.1	7.27
Iron, total	200.7/6010	09/19/95	SRG	mg/L	0.006	ND
Lead, total	239.2/7421	09/18/95	SRG	mg/L	0.001	0.008
Magnesium, total	200.7/6010	09/19/95	SRG	mg/L	0.01	3.43
Manganese, total	200.7/6010	09/19/95	SRG	mg/L	0.001	ND
Mercury, total	245.1/7470	09/25/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	09/19/95	SRG	mg/L	0.001	0.001
Sodium, total	200.7/6010	09/19/95	SRG	mg/L	0.09	7.16
Sulfate	375.4/9038	09/18/95	JEC	mg/L	2	8.15
Total Dissolved Solids	160.1	09/19/95	GB	mg/L	5	39
Total Hardness	SM 214A	10/19/95	SET	mg/L	1	55.3
Zinc, total	200.7/6010	09/19/95	SRG	mg/L	0.004	ND

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTAL
LABORATORIES, INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9510075**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 10/25/95
Sampling Date: 10/06/95
Sampled By: CLIENT
Date Received: 10/06/95


Site: COLESVILLE RESIDENCE

Sample ID: KITCHEN RESIDENCE

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	10/16/95	JEC	mg/L	2	88.3
Arsenic, total	206.2/7060	10/10/95	SRG	mg/L	0.001	0.002
Cadmium, total	213.2/7131	10/17/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	10/10/95	SRG	mg/L	0.021	21.3
Chloride, total	325.3/9252	10/16/95	JEC	mg/L	1	3
Chromium, total	218.2/7191	10/18/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	10/13/95	JEC	mg/L	1	162
Copper, total	200.7/6010	10/10/95	SRG	mg/L	0.002	ND
Dissolved Oxygen	360.1	10/06/95	KW	mg/L	0.01	3.1
pH	150.1/9040	10/16/95	JEC	units	0.1	7.85
Iron, total	200.7/6010	10/10/95	SRG	mg/L	0.006	0.414
Lead, total	239.2/7421	10/10/95	SRG	mg/L	0.001	0.002
Magnesium, total	200.7/6010	10/10/95	SRG	mg/L	0.01	2.61
Manganese, total	200.7/6010	10/10/95	SRG	mg/L	0.001	0.119
Mercury, total	245.1/7470	10/11/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	10/12/95	SRG	mg/L	0.001	0.001
Sodium, total	200.7/6010	10/10/95	SRG	mg/L	0.09	8.15
Sulfate	375.4/9038	10/17/95	JEC	mg/L	2	ND
Total Dissolved Solids	160.1	10/13/95	GB	mg/L	5	63
Total Hardness	SM 214A	10/20/95	SET	mg/L	1	63.9
Zinc, total	200.7/6010	10/10/95	SRG	mg/L	0.004	0.073

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)


John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTAL
LABORATORIES INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report**
Lab Log No: 9510075Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCE

Report Date: 10/23/95
Sampling Date: 10/06/95
Sampled By: CLIENT
Date Received: 10/06/95
Analyzed By: EAC
Analyzed: 10/12/95

Sample ID: KITCHEN RESIDENCE


VOLATILES BY EPA 502.2

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	107
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	98.2

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795


BUCK ENVIRONMENTAL
LABORATORIES INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95
Analyzed By: EAC
Analyzed: 09/24/95**Sample ID: SCOTT SR. RESIDENCE, RAW****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	88.2
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	111

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021LFRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

BUCK ENVIRONMENTAL

LABORATORIES INC.

3845 ROUTE 11 SOUTH, P.O. BOX 5150
CORTLAND, N.Y. 13045 607-753-3403**Laboratory Report**

Lab Log No: 9509111

Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95
Analyzed By: EAC
Analyzed: 09/24/95

Sample ID: SCOTT SR. RESIDENCE, TAP


VOLATILES BY EPA 502.2

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	77.2
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	107

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX



John H. Buck, P.E.
Laboratory Director, ELAP ID 10795


BUCK ENVIRONMENTAL
LABORATORIES INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH.
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95
Analyzed By: EAC
Analyzed: 09/24/95**Sample ID: SMITH RESIDENCE, RAW****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	1.4
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	92.8
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	111

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795


BUCK ENVIRONMENTAL
LABORATORIES INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95
Analyzed By: EAC
Analyzed: 09/26/95**Sample ID: SMITH RESIDENCE, TAP****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	118
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	91.4

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

BUCK ENVIRONMENTAL

LABORATORIES INC.

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**

Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995

Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95
Analyzed By: EAC
Analyzed: 09/22/95


Sample ID: GAINES RESIDENCE, RAW**VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	83.5
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	108

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795


BUCK ENVIRONMENTAL
LABORATORIES, INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH.
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95
Analyzed By: EAC
Analyzed: 09/24/95**Sample ID: CLAUDE SCOTT RESIDENCE, RAW****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	0.6
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	3.8
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	60.5
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	45.4
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	21.7
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	53.2
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	2.2
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	93.5
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	110

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

BUCK ENVIRONMENTAL

LABORATORIES INC.


3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95
Analyzed By: EAC
Analyzed: 09/24/95**Sample ID: CHARLES SCOTT JR. RESIDENCE, RAW****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	1.8
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	0.7
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	1.8
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	0.8
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	85.8
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	104

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795


BUCK ENVIRONMENTAL
LABORATORIES INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95
Analyzed By: EAC
Analyzed: 09/24/95**Sample ID: LEE SPRING****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	3.8
1,2-Dichloroethane	107-06-2	MCG/L	0.5	11.2
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	2.1
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	2.4
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	1.4
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	87.9
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	111

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

BUCK ENVIRONMENTAL

LABORATORIES INC.


3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95
Analyzed By: EAC
Analyzed: 09/24/95**Sample ID: LAVARE RESIDENCE, RAW****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	21.5
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	1
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	75.1
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	97.3

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX



John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

BUCK ENVIRONMENTAL

LABORATORIES INC.

ACCREDITED ENVIRONMENTAL ANALYSIS


3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9509111**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Site: COLESVILLE RESIDENCES
3RD QUARTER, 1995Report Date: 10/20/95
Sampling Date: 09/12/95
Sampled By: E. SPENCER
Date Received: 09/12/95
Analyzed By: EAC
Analyzed: 09/24/95**Sample ID: LAVARE RESIDENCE, TAP****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	76.6
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	86.7

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

CHAIN OF CUSTODY RECORD

7509111

CLIENT Breone County Solid Waste NORMAL QA/QC _____
 ADDRESS _____ PREMIUM QA/QC _____
 PHONE NO. _____ NORMAL TURNAROUND _____
 REPORT TO ATTN: _____ EXPEDITE AT PREMIUM _____
 CLIENT AUTHORIZ. SIGN. _____

PROJECT NAME Colesville Res -
 PO NO. _____
 SAMPLED BY E. Spence

DATE	TIME	LOCATION	ANALYSIS REQUESTED						MATRIX (AIR, SOLID, WATER)	GRAB OR COMPOSITE	NUMBER OF CONTAINERS	VOLUME OF CONTAINERS	PRESERVATIVE USED	
9/12		Scott SR Res Raw	X							W	G	5	Van	Ref
9/12		Scott SR Res TAP	X											
9/12		Smith Res RAW	X											
9/12		Smith Res TAP	X											
9/12		Cairns Res RAW	X											
9/12		Claude Scott Res RAW	X											
9/12		Charles Scott ^{SR} RAW	X											
9/12		Lee Spring	X											
9/12		Lallare Res - RAW	X							W	G	5	Van	Ref

DATE	TIME	RELINQUISHED BY	ACCEPTED BY	ADDITIONAL COMMENTS
9/12	5:30	<u>[Signature]</u>	#10 LaVare Res - Tap	
		2		
		3		
		4		

9-111

0-075

3845 Route 11 S. • PO Box 5150 • Cortland, NY 13045 • (607) 753-3403
FAX: 753-3415

BRANCH OFFICES - 14 Smith Ave. • Binghamton, NY 13904 • (607) 771-0866
- 526 Old Liverpool Rd. • Liverpool, NY 13088 • (315) 451-2644