

**BROOME COUNTY
DEPARTMENT OF SOLID WASTE
COLESVILLE RESIDENTIAL SAMPLING
4th Quarter - 1995**

Prepared by:

BUCK ENVIRONMENTAL LABORATORIES, INC.
3845 ROUTE 11 S, PO BOX 5150
CORTLAND, NY 13045

BUCK ENVIRONMENTAL

LABORATORIES, INC.

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9512194**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95

Site: COLESVILLE RESIDENCES


Sample ID: SCOTT SR. - RAW

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	12/19/95	JEC	mg/L	2	126
Arsenic, total	206.2/7060	12/21/95	SRG	mg/L	0.001	0.004
Cadmium, total	213.2/7131	12/19/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	12/20/95	SRG	mg/L	0.021	31.5
Chloride, total	325.3/9252	01/02/96	EJA	mg/L	1	ND
Chromium, total	218.2/7191	12/22/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	12/19/95	JEC	mg/L	1	220
Copper, total	200.7/6010	12/20/95	SRG	mg/L	0.002	0.08
Dissolved Oxygen	360.1	12/15/95	KW	mg/L	0.01	3.7
pH	150.1/9040	12/19/95	JEC	units	0.1	7.84
Iron, total	200.7/6010	12/20/95	SRG	mg/L	0.006	0.653
Lead, total	239.2/7421	12/26/95	SRG	mg/L	0.001	0.011
Magnesium, total	200.7/6010	12/20/95	SRG	mg/L	0.01	5.38
Manganese, total	200.7/6010	12/20/95	SRG	mg/L	0.001	0.248
Mercury, total	245.1/7470	12/28/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	12/20/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	12/20/95	SRG	mg/L	0.09	8.99
Sulfate	375.4/9038	01/02/96	JEC	mg/L	2	2.82
Total Dissolved Solids	160.1	01/03/96	EJA	mg/L	5	180
Total Hardness	SM 214A	01/11/96	PJB	mg/L	1	101
Zinc, total	200.7/6010	12/20/95	SRG	mg/L	0.004	0.018

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_LFILLA.FRX

John H. Buck, P.E.
Laboratory Director

ELAP ID: 10795

BUCK ENVIRONMENTAL
LABORATORIES INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9512194**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95

Site: COLESVILLE RESIDENCES


Sample ID: SCOTT SR. - TAP

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	12/19/95	JEC	mg/L	2	128
Arsenic, total	206.2/7060	12/21/95	SRG	mg/L	0.001	0.002
Cadmium, total	213.2/7131	12/19/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	12/20/95	SRG	mg/L	0.021	31.5
Chloride, total	325.3/9252	01/02/96	EJA	mg/L	1	2.4
Chromium, total	218.2/7191	12/22/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	12/19/95	JEC	mg/L	1	222
Copper, total	200.7/6010	12/20/95	SRG	mg/L	0.002	0.093
Dissolved Oxygen	360.1	12/15/95	KW	mg/L	0.01	4.1
pH	150.1/9040	12/19/95	JEC	units	0.1	7.9
Iron, total	200.7/6010	12/20/95	SRG	mg/L	0.006	ND
Lead, total	239.2/7421	12/26/95	SRG	mg/L	0.001	0.008
Magnesium, total	200.7/6010	12/20/95	SRG	mg/L	0.01	5.37
Manganese, total	200.7/6010	12/20/95	SRG	mg/L	0.001	0.256
Mercury, total	245.1/7470	12/28/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	12/20/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	12/20/95	SRG	mg/L	0.09	9.02
Sulfate	375.4/9038	01/02/96	JEC	mg/L	2	2.73
Total Dissolved Solids	160.1	01/03/96	EJA	mg/L	5	170
Total Hardness	SM 214A	01/11/96	PJB	mg/L	1	101
Zinc, total	200.7/6010	12/20/95	SRG	mg/L	0.004	0.008

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_LFILLA.FRX

John H. Buck, P.E.
Laboratory Director

ELAP ID: 10795

BUCK ENVIRONMENTAL
LABORATORIES INC.

ACCREDITED ENVIRONMENTAL ANALYSIS

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9512194**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95

Site: COLESVILLE RESIDENCES


Sample ID: SMITH - RAW

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	12/19/95	JEC	mg/L	2	178
Arsenic, total	206.2/7060	12/21/95	SRG	mg/L	0.001	ND
Cadmium, total	213.2/7131	12/19/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	12/20/95	SRG	mg/L	0.021	15.2
Chloride, total	325.3/9252	01/02/96	EJA	mg/L	1	16.4
Chromium, total	218.2/7191	12/22/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	12/19/95	JEC	mg/L	1	369
Copper, total	200.7/6010	12/20/95	SRG	mg/L	0.002	0.033
Dissolved Oxygen	360.1	12/15/95	KW	mg/L	0.01	2.7
pH	150.1/9040	12/19/95	JEC	units	0.1	8.09
Iron, total	200.7/6010	12/20/95	SRG	mg/L	0.006	0.348
Lead, total	239.2/7421	12/26/95	SRG	mg/L	0.001	0.003
Magnesium, total	200.7/6010	12/20/95	SRG	mg/L	0.01	3.41
Manganese, total	200.7/6010	12/20/95	SRG	mg/L	0.001	0.123
Mercury, total	245.1/7470	12/28/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	12/20/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	12/20/95	SRG	mg/L	0.09	60.2
Sulfate	375.4/9038	01/02/96	JEC	mg/L	2	ND
Total Dissolved Solids	160.1	01/03/96	EJA	mg/L	5	252
Total Hardness	SM 214A	01/11/96	PJB	mg/L	1	52
Zinc, total	200.7/6010	12/20/95	SRG	mg/L	0.004	0.198

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_LFILLA.FRX

John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95

Site: COLESVILLE RESIDENCES


Sample ID: SMITH - TAP

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	12/19/95	JEC	mg/L	2	182
Arsenic, total	206.2/7060	12/21/95	SRG	mg/L	0.001	ND
Cadmium, total	213.2/7131	12/19/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	12/20/95	SRG	mg/L	0.021	11
Chloride, total	325.3/9252	01/02/96	EJA	mg/L	1	13.1
Chromium, total	218.2/7191	12/22/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	12/19/95	JEC	mg/L	1	362
Copper, total	200.7/6010	12/20/95	SRG	mg/L	0.002	0.043
Dissolved Oxygen	360.1	12/15/95	KW	mg/L	0.01	1.8
pH	150.1/9040	12/19/95	JEC	units	0.1	8.2
Iron, total	200.7/6010	12/20/95	SRG	mg/L	0.006	0.264
Lead, total	239.2/7421	12/26/95	SRG	mg/L	0.001	0.018
Magnesium, total	200.7/6010	12/20/95	SRG	mg/L	0.01	2.63
Manganese, total	200.7/6010	12/20/95	SRG	mg/L	0.001	0.093
Mercury, total	245.1/7470	12/28/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	12/20/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	12/20/95	SRG	mg/L	0.09	38.1
Sulfate	375.4/9038	01/02/96	JEC	mg/L	2	2.11
Total Dissolved Solids	160.1	01/03/96	EJA	mg/L	5	249
Total Hardness	SM 214A	01/11/96	PJB	mg/L	1	38.3
Zinc, total	200.7/6010	12/20/95	SRG	mg/L	0.004	0.585

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_LFILLA.FRX


John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

**BUCK ENVIRONMENTAL
LABORATORIES INC.**3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report
Lab Log No: 9512194**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95

Site: COLESVILLE RESIDENCES


Sample ID: GAINES - RAW

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO3)	310.1	12/19/95	JEC	mg/L	2	90
Arsenic, total	206.2/7060	12/21/95	SRG	mg/L	0.001	0.002
Cadmium, total	213.2/7131	12/19/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	12/20/95	SRG	mg/L	0.021	23.1
Chloride, total	325.3/9252	01/02/96	EJA	mg/L	1	1.2
Chromium, total	218.2/7191	12/22/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	12/19/95	JEC	mg/L	1	171
Copper, total	200.7/6010	12/20/95	SRG	mg/L	0.002	0.007
Dissolved Oxygen	360.1	12/15/95	KW	mg/L	0.01	2.9
pH	150.1/9040	12/19/95	JEC	units	0.1	7.29
Iron, total	200.7/6010	12/20/95	SRG	mg/L	0.006	0.245
Lead, total	239.2/7421	12/26/95	SRG	mg/L	0.001	ND
Magnesium, total	200.7/6010	12/20/95	SRG	mg/L	0.01	5.69
Manganese, total	200.7/6010	12/20/95	SRG	mg/L	0.001	0.298
Mercury, total	245.1/7470	12/28/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	12/20/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	12/20/95	SRG	mg/L	0.09	4.93
Sulfate	375.4/9038	01/02/96	JEC	mg/L	2	11.7
Total Dissolved Solids	160.1	01/03/96	EJA	mg/L	5	169
Total Hardness	SM 214A	01/11/96	PJB	mg/L	1	81.1
Zinc, total	200.7/6010	12/20/95	SRG	mg/L	0.004	0.237

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_LFILLA.FRX

John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTAL

LABORATORIES, INC.

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9512194**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95

Site: COLESVILLE RESIDENCES


Sample ID: SCOTT JR - RAW

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO3)	310.1	12/19/95	JEC	mg/L	2	67
Arsenic, total	206.2/7060	12/21/95	SRG	mg/L	0.001	ND
Cadmium, total	213.2/7131	12/19/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	12/20/95	SRG	mg/L	0.021	26.9
Chloride, total	325.3/9252	01/02/96	EJA	mg/L	1	31.2
Chromium, total	218.2/7191	12/22/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	12/19/95	JEC	mg/L	1	260
Copper, total	200.7/6010	12/20/95	SRG	mg/L	0.002	ND
Dissolved Oxygen	360.1	12/15/95	KW	mg/L	0.01	6.5
pH	150.1/9040	12/19/95	JEC	units	0.1	6.33
Iron, total	200.7/6010	12/20/95	SRG	mg/L	0.006	0.009
Lead, total	239.2/7421	12/26/95	SRG	mg/L	0.001	ND
Magnesium, total	200.7/6010	12/20/95	SRG	mg/L	0.01	5.17
Manganese, total	200.7/6010	12/20/95	SRG	mg/L	0.001	ND
Mercury, total	245.1/7470	12/28/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	12/20/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	12/20/95	SRG	mg/L	0.09	13
Sulfate	375.4/9038	01/02/96	JEC	mg/L	2	16
Total Dissolved Solids	160.1	01/03/96	EJA	mg/L	5	216
Total Hardness	SM 214A	01/11/96	PJB	mg/L	1	88.5
Zinc, total	200.7/6010	12/20/95	SRG	mg/L	0.004	ND

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_LFILLA.FRX

John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTAL

LABORATORIES, INC.

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9512194**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95

Site: COLESVILLE RESIDENCES


Sample ID: LEE SPRING - RAW

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO ₃)	310.1	12/19/95	JEC	mg/L	2	119
Arsenic, total	206.2/7060	12/21/95	SRG	mg/L	0.001	0.002
Cadmium, total	213.2/7131	12/19/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	12/20/95	SRG	mg/L	0.021	40.8
Chloride, total	325.3/9252	01/02/96	EJA	mg/L	1	26.7
Chromium, total	218.2/7191	12/22/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	12/19/95	JEC	mg/L	1	321
Copper, total	200.7/6010	12/20/95	SRG	mg/L	0.002	0.005
Dissolved Oxygen	360.1	12/15/95	KW	mg/L	0.01	3
pH	150.1/9040	12/19/95	JEC	units	0.1	6.36
Iron, total	200.7/6010	12/20/95	SRG	mg/L	0.006	0.124
Lead, total	239.2/7421	12/26/95	SRG	mg/L	0.001	0.001
Magnesium, total	200.7/6010	12/20/95	SRG	mg/L	0.01	9.53
Manganese, total	200.7/6010	12/20/95	SRG	mg/L	0.001	0.002
Mercury, total	245.1/7470	12/28/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	12/20/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	12/20/95	SRG	mg/L	0.09	11.8
Sulfate	375.4/9038	01/02/96	JEC	mg/L	2	10.2
Total Dissolved Solids	160.1	01/03/96	EJA	mg/L	5	255
Total Hardness	SM 214A	01/11/96	PJB	mg/L	1	141
Zinc, total	200.7/6010	12/20/95	SRG	mg/L	0.004	0.189

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

LFILLA.FRX


John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

Laboratory Report
Lab Log No: 9512194

Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95

Site: COLESVILLE RESIDENCES


Sample ID: LAVARE - RAW

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO3)	310.1	12/19/95	JEC	mg/L	2	72
Arsenic, total	206.2/7060	12/21/95	SRG	mg/L	0.001	ND
Cadmium, total	213.2/7131	12/19/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	12/20/95	SRG	mg/L	0.021	27.1
Chloride, total	325.3/9252	01/02/96	EJA	mg/L	1	18.7
Chromium, total	218.2/7191	12/22/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	12/19/95	JEC	mg/L	1	231
Copper, total	200.7/6010	12/20/95	SRG	mg/L	0.002	0.07
Dissolved Oxygen	360.1	12/15/95	KW	mg/L	0.01	7.5
pH	150.1/9040	12/19/95	JEC	units	0.1	6.76
Iron, total	200.7/6010	12/20/95	SRG	mg/L	0.006	0.061
Lead, total	239.2/7421	12/26/95	SRG	mg/L	0.001	0.009
Magnesium, total	200.7/6010	12/20/95	SRG	mg/L	0.01	5.43
Manganese, total	200.7/6010	12/20/95	SRG	mg/L	0.001	0.001
Mercury, total	245.1/7470	12/28/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	12/20/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	12/20/95	SRG	mg/L	0.09	10.1
Sulfate	375.4/9038	01/02/96	JEC	mg/L	2	12.2
Total Dissolved Solids	160.1	01/03/96	EJA	mg/L	5	175
Total Hardness	SM 214A	01/11/96	PJB	mg/L	1	90
Zinc, total	200.7/6010	12/20/95	SRG	mg/L	0.004	0.29

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_LFILLA.FRX


John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTAL
LABORATORIES, INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9512194**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95

Site: COLESVILLE RESIDENCES


Sample ID: LAVARE - TAP

ANALYTE	METHOD	ANALYZED	BY	UNITS	DL	RESULTS
Alkalinity (CaCO3)	310.1	12/19/95	JEC	mg/L	2	75
Arsenic, total	206.2/7060	12/21/95	SRG	mg/L	0.001	ND
Cadmium, total	213.2/7131	12/19/95	SRG	mg/L	0.001	ND
Calcium, total	200.7/6010	12/20/95	SRG	mg/L	0.021	26.9
Chloride, total	325.3/9252	01/02/96	EJA	mg/L	1	19
Chromium, total	218.2/7191	12/22/95	SRG	mg/L	0.001	ND
Conductivity	120.1/9050	12/19/95	JEC	mg/L	1	228
Copper, total	200.7/6010	12/20/95	SRG	mg/L	0.002	0.097
Dissolved Oxygen	360.1	12/15/95	KW	mg/L	0.01	4.3
pH	150.1/9040	12/19/95	JEC	units	0.1	6.71
Iron, total	200.7/6010	12/20/95	SRG	mg/L	0.006	0.007
Lead, total	239.2/7421	12/26/95	SRG	mg/L	0.001	0.003
Magnesium, total	200.7/6010	12/20/95	SRG	mg/L	0.01	5.38
Manganese, total	200.7/6010	12/20/95	SRG	mg/L	0.001	0.001
Mercury, total	245.1/7470	12/28/95	SRG	mg/L	0.0004	ND
Selenium, total	270.2/7740	12/20/95	SRG	mg/L	0.001	ND
Sodium, total	200.7/6010	12/20/95	SRG	mg/L	0.09	10.2
Sulfate	375.4/9038	01/02/96	JEC	mg/L	2	14
Total Dissolved Solids	160.1	01/03/96	EJA	mg/L	5	165
Total Hardness	SM 214A	01/11/96	PJB	mg/L	1	89.3
Zinc, total	200.7/6010	12/20/95	SRG	mg/L	0.004	0.453

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(DL => detection limit)
(mg/L => ppm in water)
(ug/g => ppm in solid)

_LFILLA.FRX

John H. Buck, P.E.
Laboratory Director
ELAP ID: 10795

BUCK ENVIRONMENTAL
LABORATORIES, INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report**
Lab Log No: 9512194Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES

Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95
Analyzed By: EAC
Analyzed: 12/29/95

Sample ID: SCOTT SR. - RAW


VOLATILES BY EPA 502.2

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	1.1
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	88.7
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	104

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

**BUCK ENVIRONMENTAL
LABORATORIES, INC.**
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report**
Lab Log No: 9512194Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES

Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95
Analyzed By: EAC
Analyzed: 12/29/95

Sample ID: SCOTT SR. - TAP


VOLATILES BY EPA 502.2

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Napthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	95.8
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	103

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

BUCK ENVIRONMENTAL

LABORATORIES, INC.

3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9512194**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES

Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95
Analyzed By: EAC
Analyzed: 12/29/95

Sample ID: SMITH - RAW


VOLATILES BY EPA 502.2

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BC8	MCG/L	0	82.2
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	94.2

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

**BUCK ENVIRONMENTAL
LABORATORIES INC.**
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report**
Lab Log No: 9512194Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES

Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95
Analyzed By: EAC
Analyzed: 12/29/95

Sample ID: SMITH - TAP


VOLATILES BY EPA 502.2

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	80.5
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	102

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

**BUCK ENVIRONMENTAL
LABORATORIES INC.**3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report**
Lab Log No: 9512194Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES

Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95
Analyzed By: EAC
Analyzed: 12/29/95

Sample ID: GAINES - RAW


VOLATILES BY EPA 502.2

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	82.4
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	104

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

BUCK ENVIRONMENTAL
LABORATORIES INC.
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report**

Lab Log No: 9512194

Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES

Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95
Analyzed By: EAC
Analyzed: 12/29/95

Sample ID: SCOTT JR - RAW


VOLATILES BY EPA 502.2

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Bromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	1.3
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	0.9
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	5.8
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	1.4
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	81.6
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	104

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

**BUCK ENVIRONMENTAL
LABORATORIES INC.**3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9512194**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES

Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95
Analyzed By: EAC
Analyzed: 12/29/95

Sample ID: LEE SPRING - RAW


VOLATILES BY EPA 502.2

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	4.6
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	4
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	3.7
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	1.5
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	78.5
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	105

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L.FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

**BUCK ENVIRONMENTAL
LABORATORIES, INC.**
ACCREDITED ENVIRONMENTAL ANALYSIS3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9512194**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES


Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95
Analyzed By: EAC
Analyzed: 12/29/95**Sample ID: LAVARE - RAW****VOLATILES BY EPA 502.2**

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	ND
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BC8	MCG/L	0	87.2
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	103

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

**BUCK ENVIRONMENTAL
LABORATORIES INC.**3845 ROUTE 11 SOUTH,
CORTLAND, N.Y. 13045P.O. BOX 5150
607-753-3403**Laboratory Report****Lab Log No: 9512194**Client: BROOME COUNTY DIV. OF SOLID WASTE
PO BOX 1766
BINGHAMTON NY 13902

Site: COLESVILLE RESIDENCES

Report Date: 01/25/96
Sampling Date: 12/15/95
Sampled By: E. SPENCER
Date Received: 12/15/95
Analyzed By: EAC
Analyzed: 12/29/95

Sample ID: LAVARE - TAP


VOLATILES BY EPA 502.2

ANALYTE	CAS #	UNITS	DL	RESULTS
Benzene	71-43-2	MCG/L	0.5	ND
Bromobenzene	108-86-1	MCG/L	0.5	ND
Bromochloromethane	74-97-5	MCG/L	0.5	ND
Bromodichloromethane	75-27-4	MCG/L	0.5	ND
Bromoform (Tribromomethane)	75-25-2	MCG/L	0.5	ND
Bromomethane	74-83-9	MCG/L	0.5	ND
n-Butylbenzene	104-51-8	MCG/L	0.5	ND
sec-Butylbenzene	135-98-8	MCG/L	0.5	ND
tert-Butylbenzene	98-06-6	MCG/L	0.5	ND
Carbon tetrachloride	56-23-5	MCG/L	0.5	ND
Chlorobenzene	108-90-7	MCG/L	0.5	ND
Chloroethane	75-00-3	MCG/L	0.5	ND
Chloroform (Trichloromethane)	67-66-3	MCG/L	0.5	ND
Chloromethane	74-87-3	MCG/L	0.5	ND
2-Chlorotoluene	95-49-8	MCG/L	0.5	ND
4-Chlorotoluene	106-43-4	MCG/L	0.5	ND
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	MCG/L	0.5	ND
Dibromochloromethane	124-48-1	MCG/L	0.5	ND
1,2-Dibromoethane	106-93-4	MCG/L	0.5	ND
Dibromomethane	74-95-3	MCG/L	0.5	ND
1,2-Dichlorobenzene	95-50-1	MCG/L	0.5	ND
1,3-Dichlorobenzene	541-73-1	MCG/L	0.5	ND
1,4-Dichlorobenzene	106-46-7	MCG/L	0.5	ND
Dichlorodifluoromethane	75-71-8	MCG/L	0.5	ND
1,1-Dichloroethane	75-34-3	MCG/L	0.5	0.8
1,2-Dichloroethane	107-06-2	MCG/L	0.5	ND
1,1-Dichloroethene	75-35-4	MCG/L	0.5	ND
cis-1,2-Dichloroethene	156-59-5	MCG/L	0.5	ND
trans-1,2-Dichloroethene	156-60-5	MCG/L	0.5	ND
1,2-Dichloropropane	78-87-5	MCG/L	0.5	ND
1,3-Dichloropropane	142-28-9	MCG/L	0.5	ND
2,2-Dichloropropane	590-20-7	MCG/L	0.5	ND
1,1-Dichloropropene	563-58-6	MCG/L	0.5	ND
cis-1,3-Dichloropropene	10061-01-5	MCG/L	0.5	ND
trans-1,3-Dichloropropene	10061-02-6	MCG/L	0.5	ND
Ethylbenzene	100-41-4	MCG/L	0.5	ND
Ethylene dibromide (1,2-Dibromoethane)	106-93-4	MCG/L	0.5	ND
Hexachlorobutadiene	87-68-3	MCG/L	0.5	ND
Isopropylbenzene	98-82-8	MCG/L	0.5	ND
p-Isopropyltoluene (p-cymene)	99-87-6	MCG/L	0.5	ND
Methylene chloride	75-09-2	MCG/L	0.5	ND
Naphthalene	91-20-3	MCG/L	0.5	ND
n-Propylbenzene	103-65-1	MCG/L	0.5	ND
Styrene	100-42-5	MCG/L	0.5	ND
1,1,1,2-Tetrachloroethane	630-20-6	MCG/L	0.5	ND
1,1,2,2-Tetrachloroethane	79-34-5	MCG/L	0.5	ND
Tetrachloroethene	127-18-4	MCG/L	0.5	ND
Toluene	108-88-3	MCG/L	0.5	ND
1,2,3-Trichlorobenzene	87-61-6	MCG/L	0.5	ND
1,2,4-Trichlorobenzene	120-82-1	MCG/L	0.5	ND
1,1,1-Trichloroethane	71-55-6	MCG/L	0.5	ND
1,1,2-Trichloroethane	79-00-5	MCG/L	0.5	ND
Trichloroethene	79-01-6	MCG/L	0.5	ND
Trichlorofluoromethane	75-69-4	MCG/L	0.5	ND
1,2,3-Trichloropropane	96-18-4	MCG/L	0.5	ND
1,2,4-Trimethylbenzene	95-63-6	MCG/L	0.5	ND
1,3,5-Trimethylbenzene	108-67-8	MCG/L	0.5	ND
Vinyl chloride	75-01-4	MCG/L	0.5	ND
m-Xylene	95-47-6	MCG/L	0.5	ND
o-Xylene	108-38-3	MCG/L	0.5	ND
p-Xylene	106-42-3	MCG/L	0.5	ND
Z_SURROGATE1 (75%-130%)	BCB	MCG/L	0	78
Z_SURROGATE2 (75%-130%)	1CPA	MCG/L	0	107

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. Buck Environmental Laboratories, Inc. makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report.

(ND => not detected above DL indicated)
(NEG => not detected)
(DL => detection limit)
(ug/L => ppb in water)
(ug/kg => ppb solid)

8021L FRX


John H. Buck, P.E.
Laboratory Director, ELAP ID 10795

9512194

CHAIN OF CUSTODY RECORD

NOTE: The information given on this form was supplied by the client and authorizes the Laboratory to proceed with analysis according to the Standard Terms and Conditions of Buck Environmental Laboratories, Inc. provided on the reverse side of this chain of custody. The client authorizes the Laboratory to acknowledge that the terms, into acceptable and implied to by the client.

CLIENT		ADDRESS		PHONE NO.		REPORT TO ATTN		NORMAL QA/QC		PREMIUM QA/QC		NORMAL TURNAROUND		EXPEDITE AT PREMIUM		CLIENT AUTHORIZ. SIGN.	
Broome County Solid Waste																	
PROJECT NAME		PO NO.		SAMPLED BY		ANALYSIS REQUESTED											
Colesville Residence - 4044				E. Spenner													
DATE	TIME	LOCATION	MATRIX (AR, SOLID, WATER)	COMPOSITE	NUMBER OF CONTAINERS	VOLUME OF CONTAINERS	USED PRESERVATIVE										
12/15		Scott Jr - RAW	W	G	5	Var	Ref.										
12/15		Scott Sr - RAW															
12/15		Scott Sr - TAP															
12/15		LaVare - RAW															
12/15		LaVare - TAP															
12/15		Griggs - RAW															
12/15		Lee Spring - RAW															
12/15		Smith - RAW															
12/15		Smith - TAP	W	G	5	Var	Ref.										
DATE	TIME	REMARKS	ACCEPTED BY		ADDITIONAL COMMENTS												
12/15	4:30				1												
					2												
					3												
					4												