

A facsimile from

TOWN OF CONKLIN

PO Box 182

Conklin, NY 13748

607-775-4114

FAX 607-775-1434

To: *Parson Long*

Fax number:

518-402-9814

pgs


8


Date:

6-14-07

Regarding:

Creek Testing





ENVIRONMENTAL
2566 Pennsylvania Ave.
Sayre, PA 18840
Phone (570) 888-0169
FAX (570) 888-0717

Certificate of Analysis

Conklin, Town of
P.O. Box 182
Conklin NY, 13748

Project: General
Project No: [none]
Project Manager: Chris Henderson

Reported:
06/11/07 09:24

Creek (Runoff)
7E16033-01 (Ground Water)

Date Sampled: 05/15/07 10:30
Date Received: 05/15/07 16:45

Analyte	Result	Detection Limit	Units	Prepared	Analyzed	Method	Analyst	Notes
EPA 524.2 Purgeable Organic Compounds								TB
Benzene	<0.50	0.50	ug/L	05/17/07 00:00	05/17/07 00:00	EPA 524.2	KS	
Bromobenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Bromochloromethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Bromodichloromethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Bromoform	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Bromomethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
n-Butylbenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
sec-Butylbenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
tert-Butylbenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Carbon tetrachloride	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Chlorobenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Chloroethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Chloroform	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Chloromethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
2-Chlorotoluene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
4-Chlorotoluene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Dibromochloromethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,2-Dichlorobenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,3-Dichlorobenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,4-Dichlorobenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Dichlorodifluoromethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,1-Dichloroethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,2-Dichloroethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,1-Dichloroethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
cis-1,2-Dichloroethene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
trans-1,2-Dichloroethene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,2-Dichloropropane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,3-Dichloropropane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
2,2-Dichloropropane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,1-Dichloropropene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
cis-1,3-Dichloropropene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	

Eastern Laboratory Services, Ltd.

Irene Chu


Reviewed by Irene Chu, Laboratory Director

The results in this report apply to the samples, as received by the laboratory, analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

PA 08380

NY 11216





ENVIRONMENTAL
2566 Pennsylvania Ave.
Sayre, PA 18840
Phone (570) 888-0169
FAX (570) 888-0717

Certificate of Analysis

Conklin, Town of P.O. Box 182 Conklin NY, 13748	Project: General Project No: [none] Project Manager: Chris Henderson	Reported: 06/11/07 09:24
---	--	------------------------------------

Creek (Runoff)
7E16033-01 (Ground Water)

Date Sampled: 05/15/07 10:30
Date Received: 05/15/07 16:45

Analyte	Result	Detection Limit	Units	Prepared	Analyzed	Method	Analyst	Notes
EPA 524.2 Purgeable Organic Compounds								TB
trans-1,3-Dichloropropene	<0.50	0.50	ug/L	05/17/07 00:00	"	EPA 524.2	KS	
Ethylbenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Hexachlorobutadiene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Isopropylbenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
p-Isopropyltoluene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Methylene chloride	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Naphthalene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
n-Propylbenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Styrene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,1,1,2-Tetrachloroethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,1,2,2-Tetrachloroethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Tetrachloroethene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Toluene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,2,3-Trichlorobenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,2,4-Trichlorobenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,1,1-Trichloroethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,1,2-Trichloroethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Trichloroethene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Trichlorofluoromethane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,2,3-Trichloropropane	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,2,4-Trimethylbenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
1,3,5-Trimethylbenzene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Vinyl chloride	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
m,p-Xylene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
o-Xylene	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Methyl tert-butyl ether	<0.50	0.50	ug/L	05/17/07 00:00	"	"	KS	
Surrogate: 1,2-Dichlorobenzene-d4		84.0 %	70-130		"	"	KS	
Surrogate: 4-Bromofluorobenzene		79.0 %	70-130		"	"	KS	
EPA 624 Purgeables								
Dichlorodifluoromethane	<5.0	5.0	ug/L	05/19/07 00:00	05/19/07 00:00	EPA 624	KS	
Chloromethane	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	

Eastern Laboratory Services, Ltd.

Irene Chu

Reviewed by Irene Chu, Laboratory Director


The results in this report apply to the samples, as received by the laboratory, analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

PA 08380

NY 11216

Page 2 of 7





ENVIRONMENTAL
2566 Pennsylvania Ave.
Sayre, PA 18840
Phone (570) 888-0169
FAX (570) 888-0717

Certificate of Analysis

Conklin, Town of
P.O. Box 182
Conklin NY, 13748

Project: General
Project No: [none]
Project Manager: Chris Henderson

Reported:
06/11/07 09:24

Creek (Runoff)
7E16033-01 (Ground Water)

Date Sampled: 05/15/07 10:30
Date Received: 05/15/07 16:45

Analyte	Result	Detection Limit	Units	Prepared	Analyzed	Method	Analyst	Notes
EPA 624 Purgeables								
Vinyl chloride	<5.0	5.0	ug/L	05/19/07 00:00	"	EPA 624	KS	
Bromomethane	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Chloroethane	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Trichlorofluoromethane	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
1,1-Dichloroethene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Methylene chloride	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
trans-1,2-Dichloroethene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
1,1-Dichloroethane	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Chloroform	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
1,1,1-Trichloroethane	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Carbon tetrachloride	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
1,2-Dichloroethane	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Trichloroethene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
1,2-Dichloropropane	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Bromodichloromethane	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
2-Chlorooethylvinyl ether	<10.0	10.0	ug/L	05/19/07 00:00	"	"	KS	LLFM
cis-1,3-Dichloropropene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
trans-1,3-Dichloropropene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
1,1,2-Trichloroethane	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Tetrachloroethene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Dibromochloromethane	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Bromoform	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
1,1,2,2-Tetrachloroethane	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Benzene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Toluene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Chlorobenzene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
Ethylbenzene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
1,3-Dichlorobenzene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
1,4-Dichlorobenzene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
1,2-Dichlorobenzene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	
m,p-Xylene	<5.0	5.0	ug/L	05/19/07 00:00	"	"	KS	

Eastern Laboratory Services, Ltd.

Irene Chu

The results in this report apply to the samples, as received by the laboratory, analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


Reviewed by Irene Chu, Laboratory Director

PA 08380

NY 11216

Page 3 of 7





ENVIRONMENTAL
2566 Pennsylvania Ave.
Sayre, PA 18840
Phone (570) 888-0169
FAX (570) 888-0717

Certificate of Analysis

Conklin, Town of P.O. Box 182 Conklin NY, 13748	Project: General Project No: [none] Project Manager: Chris Henderson	Reported: 06/11/07 09:24
---	--	-----------------------------

Creek (Runoff)
7E16033-01 (Ground Water)

Date Sampled: 05/15/07 10:30
Date Received: 05/15/07 16:45

Analyte	Result	Detection Limit	Units	Prepared	Analyzed	Method	Analyst	Notes
EPA 624 Purgeables								
o-Xylene	<5.0	5.0	ug/L	05/19/07 00:00	"	EPA 624	KS	
Acrolein	<25.0	25.0	ug/L	05/19/07 00:00	"	"	KS	
Acrylonitrile	<25.0	25.0	ug/L	05/19/07 00:00	"	"	KS	
Surrogate: 1,2-Dichloroethane-d4		115 %	70-130		"	"	KS	
Surrogate: Toluene-d8		95.0 %	97-105		"	"	KS	SURR
Surrogate: Bromofluorobenzene		102 %	80-117		"	"	KS	
Mercury by EPA 245.1								
Mercury	<0.0002	0.0002	mg/L	05/30/07 00:00	05/31/07 10:27	EPA 245.1	JD	
Metals by EPA 200 Series Methods								
Silver	<0.010	0.010	mg/L	05/30/07 00:00	05/31/07 01:07	EPA 200.7	CMD	
Arsenic	<0.050	0.050	mg/L	05/30/07 00:00	"	"	CMD	
Barium	<0.050	0.050	mg/L	05/30/07 00:00	"	"	CMD	
Cadmium	0.026	0.010	mg/L	05/30/07 00:00	"	"	CMD	HLFB
Chromium	<0.010	0.010	mg/L	05/30/07 00:00	"	"	CMD	
Lead220	<0.040	0.040	mg/L	05/30/07 00:00	"	"	CMD	
Selenium	<0.040	0.040	mg/L	05/30/07 00:00	"	"	CMD	

Qualifiers:

- HLFB = LFB percent recovery was high. The result may be bias high.
- LLFM = Matrix spike % Recovery below acceptance limits.
- SURR = Surrogate recovery was outside method limits.
- TB = Trip Blank not analyzed - sample results did not exceed the MDL for this method.

Eastern Laboratory Services, Ltd.

Irene Chu

Reviewed by Irene Chu, Laboratory Director


The results in this report apply to the samples, as received by the laboratory, analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

PA 08380

NY 11216

Page 4 of 7





ENVIRONMENTAL
2566 Pennsylvania Ave.
Sayre, PA 18840
Phone (570) 888-0169
FAX (570) 888-0717

Certificate of Analysis

Conklin, Town of
P.O. Box 182
Conklin NY, 13748

Project: General
Project No: [none]
Project Manager: Chris Henderson

Reported:
06/11/07 09:24

Sludge
7E16033-02 (Sludge)

Date Sampled: 05/15/07 10:30
Date Received: 05/15/07 16:45

Analyte	Result	Detection Limit	Units	Prepared	Analyzed	Method	Analyst	Notes
Metals by EPA 6000/7000 Series Methods								ELVM
Silver	<10	10	mg/kg dry	05/25/07 00:00	05/29/07 03:35	SW-846/6010B	CMD	
Arsenic	43	5.0	mg/kg dry	05/25/07 00:00	05/29/07 02:55	"	CMD	
Barium	100	50	mg/kg dry	05/25/07 00:00	05/29/07 03:35	"	CMD	
Cadmium	13	10	mg/kg dry	05/25/07 00:00	"	"	CMD	
Chromium	21	10	mg/kg dry	05/25/07 00:00	"	"	CMD	
Lead220	67	40	mg/kg dry	05/25/07 00:00	"	"	CMD	
Seelenium	5.6	2.0	mg/kg	06/08/07 14:01	06/08/07 14:01	"		ASIS, QC*
SW846/8260B Volatile Organic Compounds								
Benzene	<22.9	22.9	ug/kg	05/19/07 00:00	05/19/07 00:00	SW-846/8260B	KS	
Bromobenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Bromochloromethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Bromodichloromethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Bromoform	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Bromomethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
n-Butylbenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
sec-Butylbenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
tert-Butylbenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Carbon tetrachloride	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Chlorobenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Chloroethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Chloroform	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Chloromethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
2-Chlorotoluene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
4-Chlorotoluene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Dibromochloromethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Dibromomethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,2-Dibromoethane (EDB)	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,2-Dibromo-3-chloropropane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,2-Dichlorobenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,3-Dichlorobenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,4-Dichlorobenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	

Eastern Laboratory Services, Ltd.

Irene Chu

The results in this report apply to the samples, as received by the laboratory, analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


Reviewed by Irene Chu, Laboratory Director

PA 08380

NY 11216

Page 5 of 7





ENVIRONMENTAL
2566 Pennsylvania Ave.
Sayre, PA 18840
Phone (570) 888-0169
FAX (570) 888-0717

Certificate of Analysis

Conklin, Town of
P.O. Box 182
Conklin NY, 13748

Project: General
Project No: [none]
Project Manager: Chris Henderson

Reported:
06/11/07 09:24

Sludge
7E16033-02 (Sludge)

Date Sampled: 05/15/07 10:30
Date Received: 05/15/07 16:45

Analyte	Result	Detection Limit	Units	Prepared	Analyzed	Method	Analyst	Notes
SW846/8260B Volatile Organic Compounds								
Dichlorodifluoromethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	SW-846/8260B	KS	
1,1-Dichloroethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,2-Dichloroethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,1-Dichloroethene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
cis-1,2-Dichloroethene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
trans-1,2-Dichloroethene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,2-Dichloropropane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,3-Dichloropropane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
2,2-Dichloropropane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,1-Dichloropropene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
cis-1,3-Dichloropropene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
trans-1,3-Dichloropropene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Ethylbenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Hexachlorobutadiene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Isopropylbenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
p-Isopropyltoluene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Methylene chloride	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
n-Propylbenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Styrene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,1,1,2-Tetrachloroethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Tetrachloroethene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Toluene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,2,3-Trichlorobenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,2,4-Trichlorobenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,1,1-Trichloroethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,1,2-Trichloroethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Trichloroethene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Trichlorofluoromethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,2,3-Trichloropropane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,2,4-Trimethylbenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,3,5-Trimethylbenzene	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	

Eastern Laboratory Services, Ltd.

Irene Chu

CT

The results in this report apply to the samples, as received by the laboratory, analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.


Reviewed by Irene Chu, Laboratory Director

PA 08380

NY 11216

Page 6 of 7





ENVIRONMENTAL
2566 Pennsylvania Ave.
Sayre, PA 18840
Phone (570) 888-0169
FAX (570) 888-0717

Certificate of Analysis

Conklin, Town of P.O. Box 182 Conklin NY, 13748	Project: General Project No: [none] Project Manager: Chris Henderson	Reported: 06/11/07 09:24
---	--	-----------------------------

Sludge
7E16033-02 (Sludge)

Date Sampled: 05/15/07 10:30
Date Received: 05/15/07 16:45

Analyte	Result	Detection Limit	Units	Prepared	Analyzed	Method	Analyst	Notes
SW846/8260B Volatile Organic Compounds								
Vinyl chloride	<22.9	22.9	ug/kg	05/19/07 00:00	"	SW-846/8260B	KS	
o-Xylenc	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
m,p-Xylenc	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Naphthalenc	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Methyl tert-butyl ether	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
1,1,2,2-Tetrachloroethane	<22.9	22.9	ug/kg	05/19/07 00:00	"	"	KS	
Surrogate: 1,2-Dichloroethane-d4		114 %	98-139		"	"	KS	
Surrogate: Toluene-d8		96.2 %	88-106		"	"	KS	
Surrogate: Bromofluorobenzene		90.0 %	68-120		"	"	KS	
Mercury by SW-846/7471								
Mercury	<0.20	0.20	mg/kg dry	05/23/07 00:00	05/24/07 13:59	SW-846/7471A	JD	

Qualifiers:

- ASIS = Result is NOT calculated and reported on a dry weight basis.
- ELVM = Elevated reporting limit due to matrix interference.
- QC* = Analysis performed by NYS DOH #11223, PA DEP#09-131

Eastern Laboratory Services, Ltd.

Irene Chu

Reviewed by Irene Chu, Laboratory Director

The results in this report apply to the samples, as received by the laboratory, analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

PA 08380

NY 11216

Page 7 of 7

