7.09.009

GLADDING CORDAGE

South Otselic, NY

CHENANGO COUNTY

○ Summarize Analytical Data


Case Narrative

Site Name: Gladding Corp. Date received: 11/18/03

For sample delivery group(s): 322-01

The calibration verifications that were associated with these samples had several of the early eluting analytes fall out of the 30% acceptable deviation range stated in this method. It was determined that a bad standard had been used, but since the initial calibration that these samples were quantitated against was valid, any reported values for these early analytes should be considered acceptable. None of these compounds were found in the samples run under these calibration verifications.

All other QA/QC associated with this sample delivery group were within acceptable method criteria.



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **TRIP BLANK**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-01
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1201.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/19/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

TRIP BLANK

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-01

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1201.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/19/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-1**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01
Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-02
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1197.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/19/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-1

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-02

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1197.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/19/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-2S**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-03
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1198.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/19/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	4	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-2S

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-03

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1198.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/19/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-2I**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-04
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1199.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/19/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-2I

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-04

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1199.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/19/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-2D**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-05
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1200.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/19/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-2D

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-05

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1200.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/19/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-3S**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-06
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1204.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/20/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	3	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-3S

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-06

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1204.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/20/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-3I**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-07
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1205.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/20/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	7	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-3I

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-07

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1205.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/20/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-3D**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01
Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-08
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1206.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/20/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-3D

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-08

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1206.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/20/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-4I**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01
Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-09
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1207.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/20/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	58	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-4I

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 322-01

Matrix: (soil/water) WATER Lab Sample ID: 703-322-09

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1207.D

Level: (low/med) LOW Date Received: 11/18/03

% Moisture: not dec. _____ Date Analyzed: 11/20/03


GC Column: RTX624 ID: 0.00 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-5S**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-10
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1208.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/20/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	9	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-5S

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-10

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1208.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec.

Date Analyzed: 11/20/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: (uL)

Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-5I**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01
Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-11
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1209.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/20/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	20	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-5I

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 322-01

Matrix: (soil/water) WATER Lab Sample ID: 703-322-11

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1209.D

Level: (low/med) LOW Date Received: 11/18/03

% Moisture: not dec. _____ Date Analyzed: 11/20/03


GC Column: RTX624 ID: 0.00 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-5D**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01
Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-12
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1210.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/20/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	72	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-5D

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-12

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1210.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/20/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-6S**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01
Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-13
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1211.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/20/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-6S

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-13

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1211.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/20/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-6I**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-14
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1218.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/21/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-6I

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 322-01

Matrix: (soil/water) WATER Lab Sample ID: 703-322-14

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1218.D

Level: (low/med) LOW Date Received: 11/18/03

% Moisture: not dec. _____ Date Analyzed: 11/21/03


GC Column: RTX624 ID: 0.00 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-6D**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01
Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-15
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1219.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/21/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-6D

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 322-01

Matrix: (soil/water) WATER Lab Sample ID: 703-322-15

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1219.D

Level: (low/med) LOW Date Received: 11/18/03

% Moisture: not dec. _____ Date Analyzed: 11/21/03


GC Column: RTX624 ID: 0.00 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-7S**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01
Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-16
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1237.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/21/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	12	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-7S

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-16

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1237.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/21/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-7I**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01
Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-17
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1220.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/21/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-7I

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-17

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1220.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec.

Date Analyzed: 11/21/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: (uL)

Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-7D**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-18
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1221.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/21/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	21	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-7D

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-18

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1221.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/21/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-9I**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01
Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-19
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1222.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/21/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-9I

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-19

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1222.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/21/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-9D**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01
Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-20
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1223.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/21/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-9D

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 322-01

Matrix: (soil/water) WATER Lab Sample ID: 703-322-20

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1223.D

Level: (low/med) LOW Date Received: 11/18/03

% Moisture: not dec. Date Analyzed: 11/21/03


GC Column: RTX624 ID: 0.00 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-10D**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-21
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1227.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/21/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-10D

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-21

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1227.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/21/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-12I**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01
Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-22
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1228.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/22/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-12I

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-22

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1228.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/22/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-12D**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-23
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1229.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/22/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-12D

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-23

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1229.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec.

Date Analyzed: 11/22/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: (uL)

Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-14S**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-24
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1230.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/22/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	17	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-14S

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 322-01

Matrix: (soil/water) WATER Lab Sample ID: 703-322-24

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1230.D

Level: (low/med) LOW Date Received: 11/18/03

% Moisture: not dec. Date Analyzed: 11/22/03


GC Column: RTX624 ID: 0.00 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-14I**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-25
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1231.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/22/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	81	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-14I

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-25

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1231.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/22/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-15I**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 11/18/03 SDG No.: 322-01

Matrix: (soil/water) WATER Date Received: 11/18/03 Lab Sample ID: 703-322-26
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C1232.D
GC Column: RTX624 ID: 0.00 (mm) Date Analyzed: 11/22/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	110	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-15I

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 322-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-322-26

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C1232.D

Level: (low/med) LOW

Date Received: 11/18/03

% Moisture: not dec. _____

Date Analyzed: 11/22/03

GC Column: RTX624 ID: 0.00 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

Case Narrative

Site Name: Gladding Corp. Date received: 5/5/03

For sample delivery group(s): 125-01 and 132-01

For SDG 125-01:

- the tuning criteria was not met for one of the mass criteria by less than 1%. This had no effect on the identification and quantitation of the reported analytes.

- the BFB Surrogate Recovery for samples 703-125-08 thru 703-125-26 fell out of the inhouse recovery range, but was still within the stated method's recovery range.


All hits for Methylene Chloride were qualified with a 'B', because it was found to be a lab contaminant at the time of analysis, at approximately 2ug/L.

For SDG 132-01:

- samples 703-132-01 thru 703-132-13, the tuning criteria was not met for one of the mass criteria by less than 1%. This had no effect on the identification and quantitation of the reported analytes.

- for samples 703-132-25 thru 34, 37 and 38, the calibration verification that they were run under had two analytes fall out of the 30% acceptable deviation range stated in the method. Vinyl Chloride missed by 1.1% and 1,1-Dichloroethene missed by 8.3%. Neither compound was found in those samples run under this calibration verification.

All other QA/QC associated with these sample delivery groups were within method criteria.



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **TRIP BLANK**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-01
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0268.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/05/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	2	JB
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

TRIP BLANK

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 125-01

Matrix: (soil/water) WATER Lab Sample ID: 703-125-01

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0268.D

Level: (low/med) LOW Date Received: 05/05/03

% Moisture: not dec. _____ Date Analyzed: 05/05/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **TRIP BLANK**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-01
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0319.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/13/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

TRIP BLANK

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-01

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0319.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/13/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-1T**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-02
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0262.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/05/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	2	JB
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-1T

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-02

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0262.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec. _____

Date Analyzed: 05/05/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-1B**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-03
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0263.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/05/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	1	JB
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-1B

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-03

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0263.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec. _____

Date Analyzed: 05/05/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-2ST**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-02
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0314.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/13/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-2ST

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 132-01

Matrix: (soil/water) WATER Lab Sample ID: 703-132-02

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0314.D

Level: (low/med) LOW Date Received: 05/12/03

% Moisture: not dec. _____ Date Analyzed: 05/13/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-2IT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-03
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0315.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/13/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	2	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-2IT

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 132-01

Matrix: (soil/water) WATER Lab Sample ID: 703-132-03

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0315.D

Level: (low/med) LOW Date Received: 05/12/03

% Moisture: not dec. _____ Date Analyzed: 05/13/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-2IM**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-04
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0316.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/13/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	2	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-2IM

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 132-01

Matrix: (soil/water) WATER Lab Sample ID: 703-132-04

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0316.D

Level: (low/med) LOW Date Received: 05/12/03

% Moisture: not dec. _____ Date Analyzed: 05/13/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-2IB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-05
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0317.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/13/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-2IB

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-05

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0317.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/13/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-2DT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-06
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0318.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/13/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	2	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-2DT

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-06

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0318.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/13/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-2DM**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-07
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0320.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/13/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-2DM

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-07

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0320.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/13/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-2DB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-08
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0321.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/13/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-2DB

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-08

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0321.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/13/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-3ST**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-09
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0322.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/13/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	3	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-3ST

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-09

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0322.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/13/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-3SB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-10
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0323.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/13/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	2	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-3SB

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-10

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0323.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/13/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-3IT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-11
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0324.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/13/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-3IT

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-11

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0324.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/13/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-3IM**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-12
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0325.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/13/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	2	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-3IM

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-12

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0325.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/13/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-3IB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-13
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0326.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/13/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	3	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-3IB

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-13

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0326.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/13/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-3DT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-14
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0330.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-3DT

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 132-01

Matrix: (soil/water) WATER Lab Sample ID: 703-132-14

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0330.D

Level: (low/med) LOW Date Received: 05/12/03

% Moisture: not dec. _____ Date Analyzed: 05/14/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-3DM**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-15
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0331.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-3DM

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-15

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0331.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/14/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-3DB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-37
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0354.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	1	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-3DB

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-37

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0354.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/14/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-4I**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01
Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-04
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0264.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/05/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	1	J
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	48	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-4I

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-04

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0264.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec.

Date Analyzed: 05/05/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: (uL)

Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-5ST**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-16
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0332.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	5	J
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-5ST

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 132-01

Matrix: (soil/water) WATER Lab Sample ID: 703-132-16

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0332.D

Level: (low/med) LOW Date Received: 05/12/03

% Moisture: not dec. _____ Date Analyzed: 05/14/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-5SB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-17
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0333.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	5	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-5SB

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 132-01

Matrix: (soil/water) WATER Lab Sample ID: 703-132-17

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0333.D

Level: (low/med) LOW Date Received: 05/12/03

% Moisture: not dec. _____ Date Analyzed: 05/14/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-5IT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-18
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0334.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	2	J
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	19	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-5IT

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-18

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0334.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/14/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-5IM**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-19
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0335.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	19	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-5IM

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-19

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0335.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/14/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-5IB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-20
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0336.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	2	J
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	19	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-5IB

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 132-01

Matrix: (soil/water) WATER Lab Sample ID: 703-132-20

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0336.D

Level: (low/med) LOW Date Received: 05/12/03

% Moisture: not dec. _____ Date Analyzed: 05/14/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-5DT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-21
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0337.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	46	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-5DT

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-21

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0337.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/14/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-5DM**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-22
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0338.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	51	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-5DM

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-22

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0338.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/14/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-5DB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-23
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0339.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	54	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-5DB

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-23

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0339.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/14/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-6ST**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-24
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0340.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-6ST

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-24

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0340.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/14/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-6SM**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-25
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0344.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-6SM

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 132-01

Matrix: (soil/water) WATER Lab Sample ID: 703-132-25

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0344.D

Level: (low/med) LOW Date Received: 05/12/03

% Moisture: not dec. _____ Date Analyzed: 05/14/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-6SB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-38
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0355.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-6SB

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-38

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0355.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/14/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-6IT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-26
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0345.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-6IT

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-26

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0345.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/14/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-6IM**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-27
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0346.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-6IM

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 132-01

Matrix: (soil/water) WATER Lab Sample ID: 703-132-27

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0346.D

Level: (low/med) LOW Date Received: 05/12/03

% Moisture: not dec. _____ Date Analyzed: 05/14/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-6IB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-28
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0347.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	1	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-6IB

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 132-01

Matrix: (soil/water) WATER Lab Sample ID: 703-132-28

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0347.D

Level: (low/med) LOW Date Received: 05/12/03

% Moisture: not dec. _____ Date Analyzed: 05/14/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-6DT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-29
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0348.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-6DT

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-29

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0348.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/14/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-6DM**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-30
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0349.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-6DM

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 132-01

Matrix: (soil/water) WATER Lab Sample ID: 703-132-30

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0349.D

Level: (low/med) LOW Date Received: 05/12/03

% Moisture: not dec. _____ Date Analyzed: 05/14/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-6DB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-31
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0350.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-6DB

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 132-01

Matrix: (soil/water) WATER Lab Sample ID: 703-132-31

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0350.D

Level: (low/med) LOW Date Received: 05/12/03

% Moisture: not dec. _____ Date Analyzed: 05/14/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-7ST**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-07
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0267.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/05/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	2	JB
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	7	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-7ST

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 125-01

Matrix: (soil/water) WATER Lab Sample ID: 703-125-07

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0267.D

Level: (low/med) LOW Date Received: 05/05/03

% Moisture: not dec. _____ Date Analyzed: 05/05/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-7SB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-08
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0269.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/05/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	2	JB
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	6	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-7SB

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 125-01

Matrix: (soil/water) WATER Lab Sample ID: 703-125-08

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0269.D

Level: (low/med) LOW Date Received: 05/05/03

% Moisture: not dec. _____ Date Analyzed: 05/05/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-7IT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-05
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0265.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/05/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	1	JB
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	2	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-7IT

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 125-01

Matrix: (soil/water) WATER Lab Sample ID: 703-125-05

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0265.D

Level: (low/med) LOW Date Received: 05/05/03

% Moisture: not dec. _____ Date Analyzed: 05/05/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-7IB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-06
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0266.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/05/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	2	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-7IB

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 125-01

Matrix: (soil/water) WATER Lab Sample ID: 703-125-06

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0266.D

Level: (low/med) LOW Date Received: 05/05/03

% Moisture: not dec. _____ Date Analyzed: 05/05/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-7DT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01
Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-09
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0270.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/05/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	4	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-7DT

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 125-01

Matrix: (soil/water) WATER Lab Sample ID: 703-125-09

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0270.D

Level: (low/med) LOW Date Received: 05/05/03

% Moisture: not dec. _____ Date Analyzed: 05/05/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-7DM**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-10
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0271.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/05/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	2	JB
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	43	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-7DM

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-10

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0271.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec. _____

Date Analyzed: 05/05/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-7DB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-11
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0272.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/05/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	1	JB
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	18	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-7DB

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-11

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0272.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec. _____

Date Analyzed: 05/05/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-9I**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-12
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0273.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/05/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	1	JB
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	3	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-9I

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-12

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0273.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec. _____

Date Analyzed: 05/05/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-9DT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01
Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-13
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0274.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/06/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-9DT

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 125-01

Matrix: (soil/water) WATER Lab Sample ID: 703-125-13

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0274.D

Level: (low/med) LOW Date Received: 05/05/03

% Moisture: not dec. _____ Date Analyzed: 05/06/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-9DB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-14
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0280.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/06/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-9DB

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-14

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0280.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec. _____

Date Analyzed: 05/06/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-10T**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-32
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0351.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-10T

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-32

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0351.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec. _____

Date Analyzed: 05/14/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-10M**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01
Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-33
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0352.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-10M

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 132-01

Matrix: (soil/water) WATER Lab Sample ID: 703-132-33

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0352.D

Level: (low/med) LOW Date Received: 05/12/03

% Moisture: not dec. _____ Date Analyzed: 05/14/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-10B**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/12/03 SDG No.: 132-01

Matrix: (soil/water) WATER Date Received: 05/12/03 Lab Sample ID: 703-132-34
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0353.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/14/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-10B

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 132-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-132-34

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0353.D

Level: (low/med) LOW

Date Received: 05/12/03

% Moisture: not dec.

Date Analyzed: 05/14/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: (uL)

Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049--12IT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01
Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-15
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0281.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/06/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049--12IT

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-15

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0281.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec. _____

Date Analyzed: 05/06/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-12IM**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-16
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0282.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/06/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	1	JB
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-12IM

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 125-01

Matrix: (soil/water) WATER Lab Sample ID: 703-125-16

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0282.D

Level: (low/med) LOW Date Received: 05/05/03

% Moisture: not dec. _____ Date Analyzed: 05/06/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-12IB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-17
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0283.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/06/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-12IB

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-17

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0283.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec.

Date Analyzed: 05/06/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: (uL)

Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-12DT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-18
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0284.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/06/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	1	JB
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-12DT

Site Name: GLADDING CORP.

Site Code: 709009 SDG No.: 125-01

Matrix: (soil/water) WATER Lab Sample ID: 703-125-18

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0284.D

Level: (low/med) LOW Date Received: 05/05/03

% Moisture: not dec. Date Analyzed: 05/06/03


GC Column: ZB624 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-12DM**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-19
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0285.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/06/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	1	JB
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID: **A049-12DM**

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-19

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0285.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec. _____

Date Analyzed: 05/06/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-12DB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-20
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0286.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/06/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg) UG/L		Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg) UG/L		Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-12DB

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-20

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0286.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec. _____

Date Analyzed: 05/06/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-14S**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-21
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0287.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/06/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	10	U
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	4	J
71-55-6	1,1,1-Trichloroethane	14	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-14S

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-21

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0287.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec.

Date Analyzed: 05/06/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: (uL)

Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-14I**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-22
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0288.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/06/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	2	J
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	60	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-14I

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-22

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0288.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec. _____

Date Analyzed: 05/06/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-15IT**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-23
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0289.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/06/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	16	
75-09-2	Methylene Chloride	10	U
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	3	J
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	88	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:
A049-15IT

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-23

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0289.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec. _____

Date Analyzed: 05/06/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0


Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q



NYS DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATON
LABORATORY ANALYTICAL REPORT

ELAP LABORATORY ID NUMBER: 11625
EPA LABORATORY ID NUMBER: NY01358

VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD SAMPLE ID: **A049-15IB**

Site Name: GLADDING CORP.
Site Code: 709009 Date Collected: 5/5/03 SDG No.: 125-01

Matrix: (soil/water) WATER Date Received: 05/05/03 Lab Sample ID: 703-125-24
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: 03C0290.D
GC Column: ZB624 ID: 0.25 (mm) Date Analyzed: 05/06/03
% Moisture: decanted:(Y/N) N Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
75-01-4	Vinyl Chloride	10	U
74-83-9	Bromomethane	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
75-35-4	1,1-Dichloroethene	10	U
75-15-0	Carbon Disulfide	10	U
67-64-1	Acetone	10	U
75-09-2	Methylene Chloride	2	JB
1634-04-4	methyl-tert butyl ether	10	U
540-59-0	trans 1,2-Dichloroethene	10	U
75-34-4	1,1-Dichloroethane	3	J
108-05-4	Vinyl acetate	10	U
540-59-0	cis 1,2-Dichloroethene	10	U
78-93-3	2-Butanone	10	U
67-66-3	Chloroform	10	U
71-55-6	1,1,1-Trichloroethane	94	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
107-06-2	1,2-Dichloroethane	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
10061-02-6	trans-1,3-Dichloropropen	10	U
79-00-5	1,1,2-Trichloroethane	10	U
127-18-4	Tetrachloroethene	10	U
591-78-6	2-Hexanone	10	U
124-48-1	Dibromochloromethane	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
1330-20-7	m,p-Xylenes	10	U
1330-20-7	o-Xylene	10	U
100-42-5	Styrene	10	U
75-25-2	Bromoform	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
95-49-8	2-Chlorotoluene	10	U
106-43-4	4-Chlorotoluene	10	U
541-73-1	1,3-Dichlorobenzene	10	U

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or ug/Kg)	UG/L	Q
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U
87-61-6	1,2,3-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD SAMPLE ID:

A049-15IB

Site Name: GLADDING CORP.

Site Code: 709009

SDG No.: 125-01

Matrix: (soil/water) WATER

Lab Sample ID: 703-125-24

Sample wt/vol: 5.0 (g/ml) ML

Lab File ID: 03C0290.D

Level: (low/med) LOW

Date Received: 05/05/03

% Moisture: not dec. _____

Date Analyzed: 05/06/03

GC Column: ZB624 ID: 0.25 (mm)

Dilution Factor: 1.0

Soil Extract Volume: _____ (uL)

Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

From: Carol M. Meyer
New York State Department of Health
Wadsworth Center
Division of Environmental Disease Prevention
Empire State Plaza, P.O. Box 509
Albany, New York 12201-0509

Case Designation: SH2001
Sample Delivery Group: 0927
Sample Numbers: 01, 2D, 2I, 2S, 3D, 3I, 3S, 4D, 5D, 5I, 5S, 6D, 6I, 6S, 7D, 7I, 7S, 9D, 9I, 10D, 12D, 12I, 14S, 14I, 15I
DOH Accession Numbers: 200103111 through 200103139
Date: June 5, 2002

Enclosed is one copy of the data package deliverables for case SH2001, SDG 0927.

Please indicate receipt of this delivery by returning this signed form.

Thank you.

Signature:

Date: 06/07/02

New York State Department of Health
Wadsworth Center
Division of Environmental Disease Prevention
PO Box 0509
Albany, NY 12201-0509

SDG NARRATIVE

Case Designation:	SH2001
Sample Delivery Group:	0927
Contract Number:	
Sample Numbers:	01, 2D, 2I, 2S, 3D, 3I, 3S, 4D, 5D, 5I, 5S, 6D, 6I, 6S, 7D, 7I, 7S, 9D, 9I, 10D, 12D, 12I, 14S, 14I, 15I
DOH Accession Numbers:	200103111 through 200103139

COMMENTS:

ORGANIC ANALYSIS

Volatiles

Samples were received by Wadsworth Center on 9/27/01 and brought to Mass Spectrometry on 10/2/01. Analysis by our CLP VOA purge and trap method proceeded at once.

GC/MS Run List

Sample	ID	Run	Comment				
200103111	01	4_1002O	11-DCE		;111-TCE	ND	µg/L
200103112	2S	4_1002P	"	0.2	"	3	"
200103113	2I	4_1002Q	"		"	10	"
200103114	2D	4_1002R	"		"	4	"
200103115	3S	4_1002S	"	0.2	"	4	"
200103116	3I	4_1003L	"	0.4	"	25	"
200103117	3D	4_1003M	"		"	3	"
200103118	10D	4_1003O	"		"	0.4	"
200103119	6S	4_1003P	"		"	0.2	"
200103120	6I	4_1003Q	"		"	0.2	"
200103121	6D	4_1003R	"		"	ND	"
200103122	9I	4_1003S	"		"	5	"
200103123	9D	4_1003T	"		"	ND	"
200103124	5S	4_1003U	"	1	"	20	"
200103125	5I	4_1003V	"	4	"	98	"

GC/MS Run List Continued

Sample	ID	Run	Comment				
200103125	5IR	4_1005F	"	4	"	85	"
200103126	5D	4_1003X	"	0.8	"	63	"
200103127	7S	4_1004F	"	0.8	"	13	"
200103128	7I	4_1004G	"	0.1	"	12	"
200103129	7D	4_1004H	"	0.3	"	24	"
200103130	12I	4_1004I	"	0.1	"	7	"
200103131	12D	4_1004O	"		"	0.2	"
200103132	12DMS	4_1005I	"		"	0.3	"
200103133	12DMSD	4_1005L	"		"	0.3	"
200103134	14S	4_1004J	"	2	"	30	"
200103135	14I	4_1004K	"	3	"	78	"
200103136	4D	4_1004M	"	1	"	55	"
200103137	15I	4_1004P	"	3	"	110	"
200103138	0515TB	4_1002N	"		"	ND	"
200103139	0515BS	4_1005K	"		"	ND	"
0515MB	VBLK01	4_1002M	11-DCE		;111-TCE	ND	µg/L
0515MB2	VBLK02	4_1003K	"		"	ND	"
0515MB3	VBLK03	4_1003N	"		"	ND	"
0515MB4	VBLK04	4_1003W	"		"	0.2	"
0515MB5	VBLK05	4_1004E	"		"	ND	"
0515MB6	VBLK06	4_1004L	"		"	ND	"
0515MB7	VBLK07	4_1004N	"		"	ND	"
0515MB8	VBLK08	4_1005E	"		"	ND	"

11-DCE = 1,1-Dichloroethane (often accompanied by 1,1-dichloroethene at lower conc)
111-TCE = 1,1,1-Trichloroethane

Quality assurance goals were met. Blanks contained methylene chloride and sometimes chloroform or acetone as well, far below CRQL, and traces of late-emerging aromatics probably due to carryover from standards or higher level samples.

Analytes included 1,1,1-trichloroethane and 1,1-dichloroethane (tabulated above). 1,1-Dichloroethene was often present along with 1,1-dichloroethane, usually at a lower concentration. Other analytes were occasionally detected but only at trace levels.

Non-target analytes were not detected in these samples.

CERTIFICATION:

I certify that, except as noted above, this data package is in compliance with the terms and conditions of any pertinent, current contract, both technically and in terms of completeness. Release of the data contained in this hardcopy data-package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Signature: David R. Hilker

David R. Hilker, Ph.D.
LOAC Manager Designee

Date: May 29, 2002

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE IDENTIFICATION AND
ANALYTICAL REQUIREMENT SUMMARY

Customer Sample Code	Laboratory Sample Code	Analytical Requirements					
		VOA GC/MS Method #	BNA GC/MS Method #	VOA GC Method #	Pest PCBs Method #	Metals	Other
01	200103111	OLM04.2					
2S	200103112	OLM04.2					
2I	200103113	OLM04.2					
2D	200103114	OLM04.2					
3S	200103115	OLM04.2					
3I	200103116	OLM04.2					
3D	200103117	OLM04.2					
10D	200103118	OLM04.2					
6S	200103119	OLM04.2					
6I	200103120	OLM04.2					
6D	200103121	OLM04.2					
9I	200103122	OLM04.2					
9D	200103123	OLM04.2					
5S	200103124	OLM04.2					
5I	200103125	OLM04.2					
5D	200103126	OLM04.2					
7S	200103127	OLM04.2					
7I	200103128	OLM04.2					
7D	200103129	OLM04.2					
12I	200103130	OLM04.2					
12D	200103131	OLM04.2					
12D-MS	200103132	OLM04.2					
12D-MSD	200103133	OLM04.2					
14S	200103134	OLM04.2					
14I	200103135	OLM04.2					
4D	200103136	OLM04.2					
15I	200103137	OLM04.2					
TB	200103138	OLM04.2					
MSB	200103139	OLM04.2					

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
VOLATILES ANALYSES
BATCH 0515

Laboratory Sample ID	Matrix	Date Collected	Date Rec'd at Lab	Date Analyzed
200103111	WATER	09/26/01	10/02/01	10/02/01
200103112	WATER	09/26/01	10/02/01	10/02/01
200103113	WATER	09/26/01	10/02/01	10/02/01
200103114	WATER	09/26/01	10/02/01	10/02/01
200103115	WATER	09/26/01	10/02/01	10/02/01
200103116	WATER	09/26/01	10/02/01	10/03/01
200103117	WATER	09/26/01	10/02/01	10/03/01
200103118	WATER	09/26/01	10/02/01	10/03/01
200103119	WATER	09/26/01	10/02/01	10/03/01
200103120	WATER	09/26/01	10/02/01	10/03/01
200103121	WATER	09/26/01	10/02/01	10/03/01
200103122	WATER	09/26/01	10/02/01	10/03/01
200103123	WATER	09/26/01	10/02/01	10/03/01
200103124	WATER	09/26/01	10/02/01	10/03/01
200103125	WATER	09/26/01	10/02/01	10/03/01
200103126	WATER	09/26/01	10/02/01	10/04/01
200103127	WATER	09/26/01	10/02/01	10/04/01
200103128	WATER	09/26/01	10/02/01	10/04/01
200103129	WATER	09/26/01	10/02/01	10/04/01
200103130	WATER	09/27/01	10/02/01	10/04/01
200103131	WATER	09/27/01	10/02/01	10/04/01
200103132	WATER	09/27/01	10/02/01	10/05/01
200103133	WATER	09/27/01	10/02/01	10/05/01
200103134	WATER	09/27/01	10/02/01	10/04/01
200103135	WATER	09/27/01	10/02/01	10/04/01
200103136	WATER	09/27/01	10/02/01	10/04/01
200103137	WATER	09/27/01	10/02/01	10/04/01
200103138	NA	NA	10/02/01	10/02/01
200103139	NA	NA	NA	10/05/01

NA = not applicable

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER
DIVISION OF ENVIRONMENTAL DISEASE PREVENTION
EMPIRE STATE PLAZA, BOX 509
ALBANY, NY 12201-0509

CASE SH2001 SDG 0927

TABLE OF CONTENTS

	PAGE
SDG Narrative	1
NYSDEC Data Package Summary Forms	4
Table of Contents	6
ELDARS Reports	7
Sample Submission Forms	65
Organic QC and Data	94
External Chain-of-Custody	247
Internal Chain-of-Custody	250

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103111 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 01
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 12:30 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:01

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103111 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 12:30 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:01

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.04 MCG/L [BJ]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.2 MCG/L [BJ]

TENTATIVELY IDENTIFIED COMPOUNDS - VOL. 011112

1E EPA SAMPLE NO. 01

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103111
Sample wt/vol: 5.0 ML Lab File ID: 4_10020
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/02/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103112 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 2S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 12:35 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:2S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
',1-DICHLOROETHENE	< 10. MCG/L
,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.2 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	0.5 MCG/L [J]
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	3. MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103112 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 12:35 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:2S

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.05 MCG/L [BJ]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.03 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.2 MCG/L [BJ]

TENTATIVELY IDENTIFIED COMPOUNDS - VOL. 011112

1E EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET

TENTATIVELY IDENTIFIED COMPOUNDS | 2S |

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103112
Sample wt/vol: 5.0 ML Lab File ID: 4_1002P
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/02/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103113 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GAD 2I
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 12:40 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:2I

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	10. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103113 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 12:40 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:2I

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.007 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.04 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.
2I

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103113
Sample wt/vol: 5.0 ML Lab File ID: 4_1002Q
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/02/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103114 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 2D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 12:25 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:2D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	4. MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103114 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 12:25 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:2D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.01 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.
2D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103114
Sample wt/vol: 5.0 ML Lab File ID: 4_1002R
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/02/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103115 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 3S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 14:00 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:3S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.2 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	0.08 MCG/L [J]
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	4. MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103115 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 14:00 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:3S

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.03 MCG/L [J]
TETRACHLOROETHENE	0.06 MCG/L [J]
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.01 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L

TENTATIVELY IDENTIFIED COMPOUNDS - VOL. 011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.
3S

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103115
Sample wt/vol: 5.0 ML Lab File ID: 4_1002S
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/02/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103116 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 3I
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 14:05 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:3I

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.4 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.4 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	25. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103116 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 14:05 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:3I

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.02 MCG/L [J]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.05 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.2 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET

TENTATIVELY IDENTIFIED COMPOUNDS | 3I |

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103116
Sample wt/vol: 5.0 ML Lab File ID: 4_1003L
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103117 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 3D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 14:15 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:3D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	2. MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103117 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 14:15 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:3D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.07 MCG/L [J]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.04 MCG/L [J]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.03 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.09 MCG/L [BJ]

TENTATIVELY IDENTIFIED COMPOUNDS - VOL. 011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 3D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103117
Sample wt/vol: 5.0 ML Lab File ID: 4_1003M
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103118 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 10D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 15:05 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:10D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.4 MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103118 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 15:05 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:10D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.04 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 10D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103118
Sample wt/vol: 5.0 ML Lab File ID: 4_1003O
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103119 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 6S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 15:10 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:6S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
,1-DICHLOROETHENE	< 10. MCG/L
,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	0.8 MCG/L [BJ]
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.2 MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103119 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 15:10 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:6S

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.06 MCG/L [J]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.08 MCG/L [J]
STYRENE	< 10. MCG/L
ᵀSOPROPYLBENZENE (Cumene)	< 10. MCG/L
,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 6S

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103119
Sample wt/vol: 5.0 ML Lab File ID: 4_1003P
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103120 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 6I
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 15:25 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:6I

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.2 MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103120 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 15:25 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:6I

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	0.04 MCG/L [J]
TOTAL XYLENES	0.2 MCG/L [J]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.03 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO. 6I

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103120
Sample wt/vol: 5.0 ML Lab File ID: 4_1003Q
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103121 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 6D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 15:15 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:6D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
',1-DICHLOROETHENE	< 10. MCG/L
,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103121 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 15:15 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:6D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 6D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103121
Sample wt/vol: 5.0 ML Lab File ID: 4_1003R
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103122 SAMPLE RECEIVED: 10/02/2001 CHARGE: 8.00
PROGRAM: 6615: O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE: 0862
POLITICAL SUBDIVISION: OTSELIC COUNTY: CHENANGO
LATITUDE: LONGITUDE:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION: GLAD 9I
REPORTING LAB: TOX: LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W: TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999: OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT : 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 16:25 DATE REPORTED: 06/03/2002
CASE:SH2001 SDG:0927 CUST.NO.:9I

REVISION DATE 05/31/2002, DESCRIPTION CHANGED, WAS: GLAD 6D
REVISION DATE 05/31/2002, HLENFD CHANGED, WAS: A

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES GC/MS OLM 04.2
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	5. MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

COLLECTED BY:
SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103122 SAMPLE RECEIVED: 10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION: OTSELIC COUNTY: CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 16:25 DATE REPORTED: 06/03/2002
CASE:SH2001 SDG:0927 CUST.NO.:9I

PARAMETER	RESULT
TRICHLOROETHENE	< 10. MCG/L
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	0.04 MCG/L [J]
TOTAL XYLENES	0.06 MCG/L [J]
"YRENE	< 10. MCG/L
6OPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.03 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 9I

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103122
Sample wt/vol: 5.0 ML Lab File ID: 4_1003S
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103123 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 9D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 16:15 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:9D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
',1-DICHLOROETHENE	< 10. MCG/L
,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103123 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 16:15 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:9D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.
9D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103123
Sample wt/vol: 5.0 ML Lab File ID: 4_1003T
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103124 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 5S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 16:40 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:5S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.2 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	1. MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	20. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103124 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 16:40 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:5S

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 5S

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103124
Sample wt/vol: 5.0 ML Lab File ID: 4_1003U
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103125 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 5I
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 16:42 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:5I

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	0.04 MCG/L [J]
`,1-DICHLOROETHENE	2. MCG/L [J]
,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	4. MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	85. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103125 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 16:42 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:5I

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.009 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.01 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.08 MCG/L [BJ]

TENTATIVELY IDENTIFIED COMPOUNDS - VOL. 011112

1E EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET

TENTATIVELY IDENTIFIED COMPOUNDS | 5IR |

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103125
Sample wt/vol: 5.0 ML Lab File ID: 4_1005F
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/05/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103126 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 5D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 17:10 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:5D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.8 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.8 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	63. MCG/L [B]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103126 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 17:10 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:5D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.05 MCG/L [J]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.04 MCG/L [J]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.
5D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103126
Sample wt/vol: 5.0 ML Lab File ID: 4_1003X
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103127 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 7S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 17:05 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:7S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.8 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	0.08 MCG/L [BJ]
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	13. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103127 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 17:05 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:7S

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.04 MCG/L [BJ]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.01 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.1 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 7S

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103127
Sample wt/vol: 5.0 ML Lab File ID: 4_1004F
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103128 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 7I
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 18:00 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:7I

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.2 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.1 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	12. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103128 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 18:00 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:7I

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.07 MCG/L [BJ]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.05 MCG/L [J]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.04 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 7I

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103128
Sample wt/vol: 5.0 ML Lab File ID: 4_1004G
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103129 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 7D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 17:40 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:7D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.3 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	1. MCG/L [J]
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.3 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	24. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103129 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 17:40 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:7D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.05 MCG/L [BJ]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.01 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.06 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 7D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103129
Sample wt/vol: 5.0 ML Lab File ID: 4_1004H
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103130 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 12I
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 09:30 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12I

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	0.1 MCG/L [J]
1,1-DICHLOROETHANE	0.1 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	7. MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103130 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 09:30 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12I

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.04 MCG/L [BJ]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.03 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.
12I

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103130
Sample wt/vol: 5.0 ML Lab File ID: 4_1004I
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103131 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 12D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 09:26 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.2 MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103131 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 09:26 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO. | 12D |

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103131
Sample wt/vol: 5.0 ML Lab File ID: 4_1004O
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103132 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 12D- MATRIX SPIKE
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 287:MATRIX SPIKE (MS)
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 09:26 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12D-MS

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	50. MCG/L %R=100.
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.3 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.3 MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	46. MCG/L %R=91.
TRICHLOROETHENE	46. MCG/L %R=92.

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103132 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 09:26 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12D-MS

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	46. MCG/L %R=92.
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	45. MCG/L %R=90.
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103133 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 12D - MATRIX SPIKE DUPLICATE
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 299:MATRIX SPIKE DUPLICATE - MSD
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 09:26 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12D-MSD

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
',1-DICHLOROETHENE	53. MCG/L %R=105.
,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.3 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.3 MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	48. MCG/L %R=96.
TRICHLOROETHENE	48. MCG/L %R=97.

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103133 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 09:26 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12D-MSD

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	49. MCG/L %R=98.
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	47. MCG/L %R=95.
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
SOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103134 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 14S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 10:50 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:14S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.3 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	0.3 MCG/L [J]
1,1-DICHLOROETHANE	2. MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	30. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103134 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 10:50 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:14S

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.07 MCG/L [BJ]
TETRACHLOROETHENE	0.07 MCG/L [J]
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.1 MCG/L [J]
STYRENE	< 10. MCG/L
SOPROPYLBENZENE (Cumene)	< 10. MCG/L
,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO. 14S

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103134
Sample wt/vol: 5.0 ML Lab File ID: 4_1004J
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103135 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 14I
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 10:40 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:14I

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
',1-DICHLOROETHENE	0.9 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	3. MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	0.2 MCG/L [BJ]
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	78. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103135 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 10:40 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:14I

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L

TENTATIVELY IDENTIFIED COMPOUNDS - VOL. 011112

1E EPA SAMPLE NO. 14I

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103135
Sample wt/vol: 5.0 ML Lab File ID: 4_1004K
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103136 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 4D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 10:26 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:4D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
,1-DICHLOROETHENE	0.5 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	1. MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	55. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

****
* *
* * SUBMITTED BY:STRANG
* *
****

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103136 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 10:26 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:4D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L

TENTATIVELY IDENTIFIED COMPOUNDS - VOL. 011112

1E EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET | 4D |
TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103136
Sample wt/vol: 5.0 ML Lab File ID: 4_1004M
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103137 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 15I
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 11:40 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:15I

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
',1-DICHLOROETHENE	2. MCG/L [J]
,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	3. MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	0.5 MCG/L [BJ]
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	110. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103137 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 11:40 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:15I

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	0.3 MCG/L [J]
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.05 MCG/L [J]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.
15I

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103137
Sample wt/vol: 5.0 ML Lab File ID: 4_1004P
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103138 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:WITH SAMPLE 2001031111-37, DATE PREPARED 9/18/01
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 297:TRIP BLANK - ORIGINATES IN LABORATORY
TIME OF SAMPLING: 09/26/2001 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:TB

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	0.07 MCG/L [J]
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
METHYLCYCLOHEXANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103138 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:TB

PARAMETER	RESULT
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	0.02 MCG/L [BJ]
TOTAL XYLENES	0.07 MCG/L [BJ]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.07 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.2 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.1 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	0.3 MCG/L [BJ]
1,2,4-TRICHLOROBENZENE	0.5 MCG/L [BJ]

TENTATIVELY IDENTIFIED COMPOUNDS - VOL. 011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.
0515TB

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103138
Sample wt/vol: 5.0 ML Lab File ID: 4_1002N
Level: L Date Received: /7
Moisture: Date Analyzed: 10/02/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103139 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:MATRIX SPIKE BLANK
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 288:MATRIX SPIKE BLANK - MSB
TIME OF SAMPLING: 09/26/2001 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:MSB

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 11/15/2001 REPORT MAILED OUT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	46. MCG/L %R=92.
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.4 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	0.2 MCG/L [J]
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	45. MCG/L %R=91.
TRICHLOROETHENE	45. MCG/L %R=91.
METHYLCYCLOHEXANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRANG

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 200103139 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 DATE REPORTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:MSB

PARAMETER	RESULT
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	45. MCG/L %R=90.
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	44. MCG/L %R=89.
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

**** END OF REPORT ****

000065

4.0

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20010311 1

Sample Rec'd 01 (Year) 10 (Month) 02 (Day) (Military Hour 00-23)

Test Pattern TCL-VOL-W

Program Code 6615 Program Name NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL Source Number

Drainage Basin New York Gazetteer No. 0862 County Town

Latitude 4 ° ' . " N Longitude 7 ° ' . " W

Z Direction, altitude or depth, include units

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 01
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 01

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	12 (multiple)	30
Composite Start					

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list) 999 Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level: Purpose:

Health Emergency ☐ Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

000066 4.0°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20103112

Sample Rec'd: Year 01 Month 10 Day 02 Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code 6615 Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL Source Number

Drainage Basin New York Gazetteer No. 0862 County Town

Latitude 4 ° ' . " N Longitude 7 ° ' . " W

Z Direction, altitude or depth, include units

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 2S
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 2S

TIME OF SAMPLING

	Year	Month	Day	Military hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	12 (multiple)	35
Composite Start					

Type of Sample (Select from list) 999 Description

Chlorine Residual (Field)		Sample Temp. °C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level — Purpose

Health Emergency Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

000067

4.0

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20 0103113

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615

Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL

Source Number:

Drainage Basin: | New York Gazetteer No.: 0862 | County: | Town:

Latitude: 4 ° ' . " N Longitude: 7 ° ' . " W

Z Direction, altitude or depth, include units:

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.

GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.

GLAD 2I

RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 2I

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	12 (multiple)	40
Composite Start					

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list): 999 Description:

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO [ ] LPHE [ ]
To (No. of copies) FED [ ] INFO [ ] LAB [ ]

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG

Phone Number (518) 402-9640

Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level — Purpose

Health Emergency Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology

Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry

☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry

☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry

☐ Scheduled Analysis
☐ Other

Fuels

☐ Sulfur
☐ BTU
☐ Other

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

000068 4.0°

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20103114

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615

Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL

Source Number:

Drainage Basin: | New York Gazetteer No.: 0862 | County: | Town:

Latitude: 4 ° ' . " N Longitude: 7 ° ' . " W

Z Direction, altitude or depth, include units:

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.

GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.

GLAD 2D

RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 2D

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	12 (multiple)	25
Composite Start					

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list): 999 Description:

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO [ ] LPHE [ ]
To (No. of copies) FED [ ] INFO [ ] LAB [ ]

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

FOR LABORATORY USE ONLY — Priority Level: Purpose:

Health Emergency: Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

000069 4.0

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20010311 5

Sample Rec'd: Year 01 Month 10 Day 02 Military Hour 00-23

Test Pattern TCL-VOL-W

Program Code 6615 Program Name NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL Source Number

Drainage Basin New York Gazetteer No. 0862 County Town

Latitude 4 ° ' . " N Longitude 7 ° ' . " W

Z Direction, altitude or depth, include units

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 3S
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 3S

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	14 (multiple)	00
Composite Start					

Chlorine Residual (Field): 24 CHLORRES Free; 23 CHLORRES Total

Sample Temp. ° C: O2 TEMP.

Type of Sample (Select from list) 999 Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐
Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

FOR LABORATORY USE ONLY — Priority Level: Purpose:

Health Emergency? Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

000070 40°

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20010311G

Sample Rec'd: 01 (Year) 10 (Month) 02 (Day) ___ (Military Hour 00-23)

Test Pattern: TCL-VOL-W

Program Code: 6615
Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL
Source Number:

Drainage Basin: ___ New York Gazetteer No.: 0862 County: ___ Town: ___

Latitude: 4 ° ___ ' ___ . ___ " N Longitude: 7 ° ___ ' ___ . ___ " W

Z Direction, altitude or depth, include units:

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 3I
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 3I

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	14 (multiple)	05
Composite Start					

Type of Sample (Select from list): 999 Description:

Chlorine Residual (Field)		Sample Temp. °C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO [ ] LPHE [ ]
To (No. of copies) FED [ ] INFO [ ] LAB [ ]

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

FOR LABORATORY USE ONLY — Priority Level: ___ Purpose: ___

Health Emergency: Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other ___

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other ___

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals ___
☐ Other ___
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other ___

Fuels
☐ Sulfur
☐ BTU
☐ Other ___

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

000071 4.0°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20010311 7

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615
Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL
Source Number:

Drainage Basin: | New York Gazetteer No.: 0862 | County: | Town:

Latitude: 4 ° ' . " N Longitude: 7 ° ' . " W

Z Direction, altitude or depth, include units:

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 3D
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 3D

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	14 (multiple)	15
Composite Start					

Type of Sample (Select from list): 999 Description:

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO [ ] LPHE [ ]
To (No. of copies) FED [ ] INFO [ ] LAB [ ]
Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

FOR LABORATORY USE ONLY — Priority Level: Purpose:

Health Emergency? Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

000072 4.0

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20103118

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615
Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL
Source Number:

Drainage Basin: New York Gazetteer No. 0862 County: Town:

Latitude: 4 ° ' . " N Longitude: 7 ° ' . " W

Z Direction, altitude or depth, include units:

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 10D
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 10D

TIME OF SAMPLING

Grab/Composite Finish	Year	Month	Day	Mil hrs. 00-23	Minute
	01	09	26	15 (multiple)	05
Composite Start					

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list): 999 Description:

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Submitted by: STRANG
Phone Number: (518) 402-9640
Fax Number: (518) 402-9022

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

FOR LABORATORY USE ONLY — Priority Level: Purpose:

Health Emergency? Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

000073 4.0°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20 0103119

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615 | Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL | Source Number

Drainage Basin | New York Gazetteer No. 0862 | County | Town

Latitude 4 ° ' . " N | Longitude 7 ° ' . " W

Z Direction, altitude or depth, include units

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 65
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 | SDG 0927 | Customer # 65

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	multiple 15	10
Composite Start					

Chlorine Residual (Field)		Sample Temp. °C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list) 999 Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

FOR LABORATORY USE ONLY — Priority Level — Purpose

Health Emergency ☐ Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

000074 4.00

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20 0103120

Sample Rec'd: 01 (Year) 10 (Month) 02 (Day) ___ (Military Hour 00-23)

Test Pattern: TCL-VOL-W

Program Code: 6615
Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL
Source Number:

Drainage Basin: ___ New York Gazetteer No.: 0862 County: ___ Town: ___

Latitude: 4 ° ___ ' ___ . ___ " N Longitude: 7 ° ___ ' ___ . ___ " W

Z Direction, altitude or depth, include units:

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 6I
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 6I

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	15 (multiple)	25
Composite Start					

Chlorine Residual (Field): 24 CHLORRES — Free; 23 CHLORRES — Total

Sample Temp. ° C: O2 TEMP.

Type of Sample (Select from list): 999 Description:

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO [ ] LPHE [ ]
To (No. of copies) FED [ ] INFO [ ] LAB [ ]
Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

Special Mail Code: CM: Reason:
Additional Information Regarding This Sample

FOR LABORATORY USE ONLY — Priority Level: Purpose:

Health Emergency ☐ Yes ☐ No — If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

000075 4.00

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20103121

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615
Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL
Source Number:

Drainage Basin: New York Gazetteer No. 0862 County: Town:

Latitude: 4 ° ' . " N Longitude: 7 ° ' . " W

Z Direction, altitude or depth, include units:

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 6D
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 6D

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	15 (multiple)	15
Composite Start					

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list) 999 Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level: Purpose:

Health Emergency Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

000076 4.0

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20103122

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code 6615 | Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL | Source Number

Drainage Basin | New York Gazetteer No. 0862 | County | Town

Latitude 4 ° ' . " N | Longitude 7 ° ' . " W

Z Direction, altitude or depth, include units

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 9I
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 | SDG 0927 | Customer # 9I

TIME OF SAMPLING

Grab/Composite Finish	Year	Month	Day	Mil hrs. 00-23	Minute
	01	09	26	16 (multiple)	25
Composite Start					

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list) 999 Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO [ ] LPHE [ ]
To (No. of copies) FED [ ] INFO [ ] LAB [ ]
Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

FOR LABORATORY USE ONLY — Priority Level: Purpose:

Health Emergency: Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

000077 4.0

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20 0103123

Sample Rec'd: Year 01 Month 10 Day 02 Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615 Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL Source Number:

Drainage Basin: New York Gazetteer No. 0862 County: Town:

Latitude: 4 ° ' . " N Longitude: 7 ° ' . " W

Z Direction, altitude or depth, include units:

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 9D
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 9D

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	multiple 16	15
Composite Start					

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list) 999 Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level: Purpose:

Health Emergency ☐ Yes ☐ No — If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

000078 4.0°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20010312 4

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615 | Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL | Source Number

Drainage Basin | New York Gazetteer No. 0862 | County | Town

Latitude 4 ° ' . " N | Longitude 7 ° ' . " W

Z Direction, altitude or depth, include units

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 55
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 | SDG 0927 | Customer # 55

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	16 (multiple)	40
Composite Start					

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list) 999 Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO [ ] LPHE [ ]
To (No. of copies) FED [ ] INFO [ ] LAB [ ]

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level: Purpose:

Health Emergency Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

000079

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20103125

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615
Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL
Source Number:

Drainage Basin: New York Gazetteer No. 0862 County: Town:

Latitude: 4 ° ' . " N Longitude: 7 ° ' . " W

Z Direction, altitude or depth, include units:

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 5I
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 5I

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	multiple 16	42
Composite Start					

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list) 999 Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level Purpose

Health Emergency ☐ Yes ☐ No If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

000080 40°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20103126

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615 | Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL | Source Number

Drainage Basin | New York Gazetteer No. 0862 | County | Town

Latitude [4] ° [ ] ' [ ] . [ ] " N | Longitude [7] ° [ ] ' [ ] . [ ] " W

Z Direction, altitude or depth, include units

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD SD
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 | SDG 0927 | Customer # SD

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	17 (multiple)	10
Composite Start					

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list) 999 Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO [ ] LPHE [ ]
To (No. of copies) FED [ ] INFO [ ] LAB [ ]
Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

FOR LABORATORY USE ONLY — Priority Level | Purpose

Health Emergency? Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

000081 40°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20010312 7

Sample Rec'd: 01 (Year) 10 (Month) 02 (Day) ___ (Military Hour 00-23)

Test Pattern: TCL-VOL-W

Program Code: 6615 Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL Source Number:

Drainage Basin: ___ New York Gazetteer No.: 0862 County: ___ Town: ___

Latitude: 4 ° ___ ' ___ . ___ " N Longitude: 7 ° ___ ' ___ . ___ " W

Z Direction, altitude or depth, include units: ___

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 75
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 75

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	multiple 17	05
Composite Start					

Chlorine Residual (Field): 24 CHLORRES Free; 23 CHLORRES Total

Sample Temp. °C: O2 TEMP.

Type of Sample (Select from list): 999 Description: ___

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Special Mail Code: ___ CM: ___ Reason: ___

Additional Information Regarding This Sample: ___

Submitted by: STRANG
Phone Number: (518) 402-9640
Fax Number: (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level: ___ Purpose: ___

Health Emergency — Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other ___

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other ___

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals ___
☐ Other ___
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other ___

Fuels
☐ Sulfur
☐ BTU
☐ Other ___

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

000082 4.0°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20 0103128

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615
Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF ~~HAZARDOUS~~ SITE CONTROL
Source Number:

Drainage Basin: | New York Gazetteer No.: 0862 | County: | Town:

Latitude: 4 ° ' . " N Longitude: 7 ° ' . " W

Z Direction, altitude or depth, include units:

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 7I
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 7I

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23 (multiple)	Minute
Grab/Composite Finish	01	09	26	18	00
Composite Start					

Chlorine Residual (Field)		Sample Temp. °C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list): 999 Description:

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO [ ] LPHE [ ]
To (No. of copies) FED [ ] INFO [ ] LAB [ ]

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level: Purpose:

Health Emergency: Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

000083 4.0

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20103129

Sample Rec'd: Year 01 Month 10 Day 02 Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615 Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL Source Number

Drainage Basin New York Gazetteer No. 0862 County Town

Latitude 4 ° ' . " N Longitude 7 ° ' . " W

Z Direction, altitude or depth, include units

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD JD
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 7D

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	26	multiple 17	40
Composite Start					

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list) 999 Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level — Purpose

Health Emergency Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

000084? 4.0°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 200103130
Sample Rec'd 01 (Year) 10 (Month) 02 (Day) ___ (Military Hour 00-23)

Test Pattern TCL-VOL-W

Program Code 6615 Program Name NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL Source Number ___

Drainage Basin ___ New York Gazetteer No. 0862 County ___ Town ___

Latitude 4 ° ___ ' ___ . ___ " N Longitude 7 ° ___ ' ___ . ___ " W

Z Direction, altitude or depth, include units ___

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 12I
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 12I

TIME OF SAMPLING

Grab/Composite Finish	Year	Month	Day	Mil hrs. 00-23	Minute
	01	09	27	09 (multiple)	30
Composite Start					

Chlorine Residual (Field)		Sample Temp. °C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list) 999 Description ___

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐
Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

Special Mail Code ___ CM ___ Reason ___

Additional Information Regarding This Sample

FOR LABORATORY USE ONLY — Priority Level ___ Purpose ___

Health Emergency Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other ___

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other ___

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals ___
☐ Other ___
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other ___

Fuels
☐ Sulfur
☐ BTU
☐ Other ___

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

6 000085 4.0°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20103131

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern TCL-VOL-W

Program Code 6615 | Program Name NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL | Source Number

Drainage Basin | New York Gazetteer No. 0862 | County | Town

Latitude 4 ° ' . " N | Longitude 7 ° ' . " W

Z Direction, altitude or depth, include units

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 12D
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 | SDG 0927 | Customer # 12D

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	27	09 (multiple)	26
Composite Start					

Chlorine Residual (Field)		Sample Temp. °C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list) 999 | Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level — Purpose

Health Emergency — Yes ☐ No ☐ — If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

6615000086 4.0°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20 0103132

Sample Rec'd: Year 01 Month 10 Day 02 Military Hour 00-23

Test Pattern TCL-VOL-W

Program Code 6615 Program Name NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL Source Number

Drainage Basin New York Gazetteer No. 0862 County Town

Latitude 4 ° ' . " N Longitude 7 ° ' . " W

Z Direction, altitude or depth, include units

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 12D - MATRIX SPIKE
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 12D-MS

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	27	09 (multiple)	26
Composite Start					

Type of Sample (Select from list) ~~999~~ 287 Description

Chlorine Residual (Field)		Sample Temp. °C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level — Purpose

Health Emergency ☐ Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

66P00087 4.0°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20 0103133

Sample Rec'd 01 (Year) 10 (Month) 02 (Day) ___ (Military Hour 00-23)

Test Pattern TCL-VOL-W

Program Code 6615 Program Name NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL Source Number

Drainage Basin ___ New York Gazetteer No. 0862 County ___ Town ___

Latitude 4 ° ___ ' ___ . ___ " N Longitude 7 ° ___ ' ___ . ___ " W

Z Direction, altitude or depth, include units ___

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 12D = MATRIX SPIKE DUPLICATE
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 12D-MSD

TIME OF SAMPLING	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	27	09 (multiple)	26
Composite Start					

Type of Sample (Select from list) 99 299 Description ___

Chlorine Residual (Field)		Sample Temp. °C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO [ ] LPHE [ ]
To (No. of copies) FED [ ] INFO [ ] LAB [ ]

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level ___ Purpose ___

Health Emergency? Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other ___

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other ___

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals ___
☐ Other ___
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other ___

Fuels
☐ Sulfur
☐ BTU
☐ Other ___

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

661000088 4.0

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20103134

Sample Rec'd: Year 01 Month 10 Day 02 Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615 Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL Source Number

Drainage Basin New York Gazetteer No. 0862 County Town

Latitude 4 ° ' . " N Longitude 7 ° ' . " W

Z Direction, altitude or depth, include units

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 145
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 145

TIME OF SAMPLING	Year	Month	Day	Mil hrs. 00-23	Minute	Chlorine Residual (Field)		Sample Temp. °C
Grab/Composite Finish	01	09	27	multiple 10	50	24 CHLORRES	Free	O2 TEMP.
Composite Start						23 CHLORRES	Total	

Type of Sample (Select from list) 999 Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level: Purpose:

Health Emergency — Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

6615000089 40°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20 0103135

Sample Rec'd 01 (Year) 10 (Month) 02 (Day) (Military Hour 00-23)

Test Pattern TCL-VOL-W

Program Code 6615 Program Name NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL Source Number

Drainage Basin New York Gazetteer No. 0862 County Town

Latitude 4 ° ' . " N Longitude 7 ° ' . " W

Z Direction, altitude or depth, include units

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD - 14I
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 14I

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	27	10 (multiple)	40
Composite Start					

Type of Sample (Select from list) 999 Description

Chlorine Residual (Field)		Sample Temp. °C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level: — Purpose:

Health Emergency? Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

DOH-246 (5/95) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

60000090 4.0°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20103136

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615 | Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL | Source Number

Drainage Basin | New York Gazetteer No. 0862 | County | Town

Latitude 4 ° ' . " N | Longitude 7 ° ' . " W

Z Direction, altitude or depth, include units

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GCA2 4D
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 | SDG 0927 | Customer # 4D

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	27	multiple 10	26
Composite Start					

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list) 999 Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

FOR LABORATORY USE ONLY — Priority Level — Purpose

Health Emergency Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

6615 000091 4.0°

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20 0103137

Sample Rec'd: Year 01 | Month 10 | Day 02 | Military Hour 00-23

Test Pattern: TCL-VOL-W

Program Code: 6615
Program Name: NYSDEC, DIV. OF ENVIRONMENTAL REMEDIATION BUREAU OF HAZARDOUS SITE CONTROL
Source Number:

Drainage Basin: New York Gazetteer No. 0862 County: Town:

Latitude: 4 ° ' . " N Longitude: 7 ° ' . " W

Z Direction, altitude or depth, include units:

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
GLADDING CORPORATION

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
GLAD 15 I
RIDGE ROAD, SOUTH OTSELIC, NY 13155

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # 15I

TIME OF SAMPLING

	Year	Month	Day	Mil hrs. 00-23	Minute
Grab/Composite Finish	01	09	27	11 (multiple)	40
Composite Start					

Chlorine Residual (Field)		Sample Temp. °C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list) 999 Description

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results CO [X] RO ☐ LPHE ☐
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Submitted by STRANG
Phone Number (518) 402-9640
Fax Number (518) 402-9022

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

FOR LABORATORY USE ONLY — Priority Level — Purpose

Health Emergency Yes ☐ No ☐ If Yes, give additional information above

Sanitary Bacteriology
Check Water Source:
☐ Chlorinated Potable Water
☐ Unchlorinated Potable Water
☐ Bottled Water
☐ Nonpotable Surface Water
☐ Chlorinated Waste Water
☐ Other

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables-502.2
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants-S.V.
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Langlier Index
☐ Nitrate
☐ Trace Metals
☐ Other
☐ Lead

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other

Fuels
☐ Sulfur
☐ BTU
☐ Other

000092

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center for Laboratories & Research, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 200103138

Sample Rec'd 01 (Year) 10 (Month) 02 (Day) ____ (Military Hour 00-23)

Test Pattern TCL-VOL-W

Program Code 6615 Program Name _____ Source Number _____

Drainage Basin ____ New York Gazetteer No. 0862 County _____ Town _____

Latitude 4_ ° __ ' __._ __ " N Longitude 7_ ° __ ' __._ __ " W

Z Direction, altitude or depth, include units _____

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.
-TRIP BLANK-
GLADDING CORP.

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.
WITH SAMPLE #0103111 - 0103137
DATE PREPARED: 9/18/01

CLP ONLY Case SH2001 SDG 0927 Customer # TB

TIME OF SAMPLING						Chlorine Residual (Field)		Sample Temp. °C
Grab/Composite Finish	01 (Year)	09 (Month)	26 (Day)	(Mil hrs. 00-23)	(Minute)	24 CHLORRES	Free	O2 TEMP.
Composite Start						23 CHLORRES	Total	

Type of Sample (Select from list) 297 Description TRIP BLANK

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)
☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT

Report Results CO 1 RO 0 LPHE 0
To (No. of copies) FED ☐ INFO ☐ LAB ☐

Special Mail Code | CM | Reason

Additional Information Regarding This Sample

Submitted by STRANG

Phone Number (___) ___-____

FOR LABORATORY USE ONLY—Priority Level: Purpose:

Sanitary Bacteriology
☐ Total Coliforms MF Chlorinated Potable Water
☐ Total Coliforms MF &SPC Unchlorinated Potable Water
☐ Total & Fecal Coliforms MF Nonpotable Surface Water
☐ Total Coliforms MPN &SPC Potable Water
☐ Total & Fecal Coliforms MPN Chlorinated Waste Water
☐ Other _____

Organic Chemistry
☐ Insecticides
☐ Herbicides
☐ PCBs
☐ Purgeables (Halo., Arom.) (502.2)
☐ Nitrogen/Phosphorus Pesticides
☐ Petroleum Products
☐ Priority Pollutants (EPA 625)
☐ Dioxin/Furan
☐ Ketones
☐ CLP
☐ Other _____

Inorganic Chemistry
☐ Potable Water, OCSS-I
☐ Potable Water, OCSS-I + Secondary
☐ Fluoride
☐ Nitrate
☐ Trace Metals
☐ Other _____

Nuclear Chemistry
☐ Scheduled Analysis
☐ Other _____

Fuels
☐ Sulfur
☐ BTU
☐ Other _____

DOH-246 (8/92) WHITE COPY - Laboratory YELLOW COPY - Collector Retains

000093

NEW YORK STATE DEPARTMENT OF HEALTH
Wadsworth Center, PO Box 509, Albany, NY 12201-0509

Request for Analysis

For Laboratory Use Only
Lab Accession Number 20 0103139

Sample Rec'd: 01 (Year) 10 (Month) 02 (Day) ___ (Military Hour 00-23)

Test Pattern: TCL-VOL-W

Program Code: 6615 Program Name: ___ Source Number: ___

Drainage Basin: ___ New York Gazetteer No.: 0862 County: ___ Town: ___

Latitude: 4 ° ___ ' ___ . ___ " N Longitude: 7 ° ___ ' ___ . ___ " W

Z Direction, altitude or depth, include units: ___

LOCATION OR PROJECT: 60 character maximum. PLEASE PRINT.

GLADDING CORP.

EXACT DESCRIPTION OF SITE: (name of resident, street address, precise sampling point) 58 character maximum. PLEASE PRINT.

MATRIX SPIKE BLANK

ASP or CLP ONLY: Case SH2001 SDG 0927 Customer # MSB

TIME OF SAMPLING

Grab/Composite Finish: 01 (Year) 09 (Month) 26 (Day) ___ (Mil hrs. 00-23) ___ (Minute)

Composite Start: ___ ___ ___ ___ ___

Chlorine Residual (Field)		Sample Temp. ° C
24 CHLORRES	Free	O2 TEMP.
23 CHLORRES	Total	

Type of Sample (Select from list): 288 Description: ___

COMPLAINTS, OBSERVATIONS, REASONS FOR SUBMISSION (Do not check if routine surveillance)

☐ Illness (A) ☐ Turbidity (C) ☐ Natural Disaster (E) ☐ New Equip. or Proc. (G) ☐ Interruption in Chlorination (I)
☐ Taste/Odor (B) ☐ Color (D) ☐ Fishkill (F) ☐ Equip. Failure (H) ☐ Other (J)

☐ Chain of custody form accompanying sample ☐ Add Text: 001.TXT DP: Y ☐ N ☐

Report Results To (No. of copies): CO 1 RO ___ LPHE ___ FED ___ INFO ___ LAB ___

Special Mail Code: ___ CM: ___ Reason: ___

Additional Information Regarding This Sample

Submitted by: STANG

Phone Number ( ) ___

Fax Number ( ) ___

FOR LABORATORY USE ONLY — Priority Level: ___ Purpose: ___

Health Emergency Yes ☐ No ☐ **If Yes, give additional information above**

Sanitary Bacteriology

Check Water Source:
- ☐ Chlorinated Potable Water
- ☐ Unchlorinated Potable Water
- ☐ Bottled Water
- ☐ Nonpotable Surface Water
- ☐ Chlorinated Waste Water
- ☐ Other ___

Organic Chemistry
- ☐ Insecticides
- ☐ Herbicides
- ☐ PCBs
- ☐ Purgeables-502.2
- ☐ Nitrogen/Phosphorus Pesticides
- ☐ Petroleum Products
- ☐ Priority Pollutants-S.V.
- ☐ Dioxin/Furan
- ☐ Ketones
- ☐ CLP
- ☐ Other ___

Inorganic Chemistry
- ☐ Potable Water, OCSS-I
- ☐ Potable Water, OCSS-I + Secondary
- ☐ Langlier Index
- ☐ Nitrate
- ☐ Trace Metals ___
- ☐ Other ___
- ☐ Lead

Nuclear Chemistry
- ☐ Scheduled Analysis
- ☐ Other ___

Fuels
- ☐ Sulfur
- ☐ BTU
- ☐ Other ___

P 1 of 5

000094

Y.S.HEALTH DEP'T EXTRACTION RECORD
OSWORTH CENTER LAB'S & RES.
DES LAB. OF ORG. ANALYSES

BATCH # 0515 DATE RECEIVED 10/2/01 REVIEWED BY _____
DATE DUE _____
EXTRACT in 7 DAYS 30 days results received at client

BATCH CODE TCL-VOL-W

DATA ENTRY ELDARS _____

METHOD: CLP VOLATILES in WATER METHOD of EXTRACTION : _____

CASE SDG NUMBER
SH2001 : 0927 : _____

1/11/93

ELDARS APPROVAL						
ACCESSION NUMBER	0103111	0103112	0103113	0103114	0103115	0103116
ANALYSIS DATE	10.2.01	~			~	10.3.01
EVENT ENT. TCLV-AN						
SAMPLE VOL. PURGED in ML (5 ML.)						

VOLATILE SURROGATE MANUF., CAT #, LOT #, CON _____
VOL. of SPIKE (_____)
VOL. MATRIX SPIKE MANUF., CAT #, LOT #, CONC _____
VOL. of SPIKE (_____)
INTERNAL STD. MANUF., CAT #, LOT #, CONC.
VOL. of SPIKE (_____)

CONCENTRATIONS/DILUTIONS	from / to	from / to	from / to	from / to	from / to	from / to
	____/____	____/____	____/____	____/____	____/____	____/____
	____/____	____/____	____/____	____/____	____/____	____/____
	____/____	____/____	____/____	____/____	____/____	____/____
vol. inj.						

Formula used in calc. _____

P2of5 000095

Y.S.HEALTH DEP'T EXTRACTION RECORD BATCH # 0515 DATE RECEIVED _____ REVIEWED BY _____
SWORTH CENTER LAB'S & RES. DATE DUE _____
DES LAB. OF ORG. ANALYSES EXTRACT in 7 DAYS 30 days results received at client

BATCH CODE TCL-VOL-W DATA ENTRY ELDARS _____

METHOD: CLP VOLATILES in WATER METHOD of EXTRACTION : _____ CASE SDG NUMBER
SH2001 : 0927 : _____

1/11/93

ELDARS APPROVAL						
ACCESSION NUMBER	0103117	0103118	0103119	0103120	0103121	0103122
ANALYSIS DATE	10.3.01					
EVENT ENT. TCLV-AN						
SAMPLE VOL. PURGED in ML (5 ML.)						

VOLATILE SURROGATE MANUF., CAT #, LOT #, CON _____
VOL. of SPIKE (_____)
VOL. MATRIX SPIKE MANUF., CAT #, LOT #, CONC _____
VOL. of SPIKE (_____)
INTERNAL STD. MANUF., CAT #, LOT #, CONC.
VOL. of SPIKE (_____)

CONCENTRATIONS/DILUTIONS	from / to	from / to	from / to	from / to	from / to	from / to
	/	/	/	/	/	/
	/	/	/	/	/	/
	/	/	/	/	/	/
vol. inj.						

Formula used in calc. _____

P3 of 5

000096

[redacted].HEALTH DEP'T EXTRACTION RECORD
[redacted]ORTH CENTER LAB'S & RES.
DES LAB. OF ORG. ANALYSES

BATCH # 0515 DATE RECEIVED _____ REVIEWED BY _____
DATE DUE _____
EXTRACT in 7 DAYS 30 days results received at client

BATCH CODE TCL-VOL-W

DATA ENTRY ELDARS _____

METHOD: CLP VOLATILES in WATER METHOD of EXTRACTION : _____

CASE SDG NUMBER
SH2001 : 0927 : _____

1/11/93

	:	:	:	:	:	:
ELDARS APPROVAL	:	:	:	:	:	:
ACCESSION NUMBER	: 0103123	: 0103124	: 0103125	: 0103126	: 0103127	: 0103128
ANALYSIS DATE	: 10.3.01	: →	: →	: →	: 10.4.01	: →
EVENT ENT. TCLV-AN	:	:	:	:	:	:
SAMPLE VOL. PURGED in ML (5 ML.)	:	:	:	:	:	:

VOLATILE SURROGATE MANUF., CAT #, LOT #, CON _____
VOL. of SPIKE (_____)
VOL. MATRIX SPIKE MANUF., CAT #, LOT #, CONC _____
VOL. of SPIKE (_____)
INTERNAL STD. MANUF., CAT #, LOT #, CONC.
VOL. of SPIKE (_____)

CONCENTRATIONS/DILUTIONS	: from / to	: from / to	: from / to	: from / to	: from / to	: from / to
	: /	: /	: /	: /	: /	: /
	: /	: /	: /	: /	: /	: /
	: /	: /	: /	: /	: /	: /
vol. inj.	:	:	:	:	:	:

Formula used in calc. _____

S.HEALTH DEP'T EXTRACTION RECORD BATCH # 0515 DATE RECEIVED _____ REVIEWED BY _____
WADSWORTH CENTER LAB'S & RES. DATE DUE _____
DES LAB. OF ORG. ANALYSES EXTRACT in 7 DAYS 30 days results received at client

BATCH CODE TCL-VOL-W DATA ENTRY ELDARS _____

METHOD: CLP VOLATILES in WATER METHOD of EXTRACTION : _____ CASE SDG NUMBER

1/11/93

ELDARS APPROVAL						
ACCESSION NUMBER	0103129	0103130	0103131	0103132	0103133	0103134
ANALYSIS DATE	10-4-01					
EVENT ENT. TCLV-AN						
SAMPLE VOL. PURGED in ML (5 ML.)						

VOLATILE SURROGATE MANUF., CAT #, LOT #, CON _____
VOL. of SPIKE (_____)
VOL. MATRIX SPIKE MANUF., CAT #, LOT #, CONC _____
VOL. of SPIKE (_____)
INTERNAL STD. MANUF., CAT #, LOT #, CONC.
VOL. of SPIKE (_____)

CONCENTRATIONS/DILUTIONS	from / to	from / to	from / to	from / to	from / to	from / to
vol. inj.						

Formula used in calc. _____

P5 of 5 000098

" Y.S.HEALTH DEP'T EXTRACTION RECORD BATCH # 0515 DATE RECEIVED _____ REVIEWED BY _____
SWORTH CENTER LAB'S & RES. DATE DUE _____
DES LAB. OF ORG. ANALYSES EXTRACT in 7 DAYS 30 days results received at client

BATCH CODE TCL-VOL-W DATA ENTRY ELDARS _____

METHOD: CLP VOLATILES in WATER METHOD of EXTRACTION : _____ CASE SDG NUMBER

1/11/93

ELDARS APPROVAL				Trip blank	Sp. Lcd Blank	
ACCESSION NUMBER	0103135	0103136	0103137	0103138	0103139 TB	
ANALYSIS DATE	10.4.01			10.2.01	10.5.01	
EVENT ENT. TCLV-AN						
SAMPLE VOL. PURGED in ML (5 ML.)						

VOLATILE SURROGATE MANUF., CAT #, LOT #, CON _____
VOL. of SPIKE (_____)
VOL. MATRIX SPIKE MANUF., CAT #, LOT #, CONC _____
VOL. of SPIKE (_____)
INTERNAL STD. MANUF., CAT #, LOT #, CONC.
VOL. of SPIKE (_____)

CONCENTRATIONS/DILUTIONS	from / to	from / to	from / to	from / to	from / to	from / to
vol. inj.						

Formula used in calc. _____

WATER VOLATILE SAMPLE PREPARATION SUMMARY

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

	EPA SAMPLE NO.	LAB SAMPLE ID	FILE NAME	DATE ANALYZED	SAMPLE VOL ML	DILUTN FACTOR	COL
01	0515TB	200103138	4_1002N	10/02/01	5.0	1.00	
02	01	200103111	4_1002O	10/02/01	5.0	1.00	
03	2S	200103112	4_1002P	10/02/01	5.0	1.00	
04	2I	200103113	4_1002Q	10/02/01	5.0	1.00	
05	2D	200103114	4_1002R	10/02/01	5.0	1.00	
06	3S	200103115	4_1002S	10/02/01	5.0	1.00	
07	3I	200103116	4_1003L	10/03/01	5.0	1.00	
08	3D	200103117	4_1003M	10/03/01	5.0	1.00	
09	10D	200103118	4_1003O	10/03/01	5.0	1.00	
10	6S	200103119	4_1003P	10/03/01	5.0	1.00	
11	6I	200103120	4_1003Q	10/03/01	5.0	1.00	
12	6D	200103121	4_1003R	10/03/01	5.0	1.00	
13	9I	200103122	4_1003S	10/03/01	5.0	1.00	
14	9D	200103123	4_1003T	10/03/01	5.0	1.00	
15	5S	200103124	4_1003U	10/03/01	5.0	1.00	
16	5I	200103125	4_1003V	10/03/01	5.0	1.00	
17	5D	200103126	4_1003X	10/04/01	5.0	1.00	
18	7S	200103127	4_1004F	10/04/01	5.0	1.00	
19	7I	200103128	4_1004G	10/04/01	5.0	1.00	
20	7D	200103129	4_1004H	10/04/01	5.0	1.00	
21	12I	200103130	4_1004I	10/04/01	5.0	1.00	
22	14S	200103134	4_1004J	10/04/01	5.0	1.00	
23	14I	200103135	4_1004K	10/04/01	5.0	1.00	
24	4D	200103136	4_1004M	10/04/01	5.0	1.00	
25	12D	200103131	4_1004O	10/04/01	5.0	1.00	
26	15I	200103137	4_1004P	10/04/01	5.0	1.00	
27	5IR	200103125	4_1005F	10/05/01	5.0	1.00	
28	0515BS	200103139	4_1005K	10/05/01	5.0	1.00	
29	12DMS	200103132	4_1005I	10/05/01	5.0	1.00	
30	12DMSD	200103133	4_1005L	10/05/01	5.0	1.00	

AGN-Std (Elders
0515_01.MSD
transferred 11/13/01

WATER VOLATILE SAMPLE PREPARATION SUMMARY

Lab Name: WCLR Contract:

Lab Code: Case No.: BLANK SAS No.: SDG No.: 0927

	EPA SAMPLE NO.	LAB SAMPLE ID	FILE NAME	DATE ANALYZED	SAMPLE VOL ML	DILUTN FACTOR	COL
01	VBLK01	0515MB	4_1002M	10/02/01	5.0	1.00	
02	VBLK02	0515MB2	4_1003K	10/03/01	5.0	1.00	
03	VBLK03	0515MB3	4_1003N	10/03/01	5.0	1.00	
04	VBLK04	0515MB4	4_1003W	10/03/01	5.0	1.00	
05	VBLK05	0515MB5	4_1004E	10/04/01	5.0	1.00	
06	VBLK06	0515MB6	4_1004L	10/04/01	5.0	1.00	
07	VBLK07	0515MB7	4_1004N	10/04/01	5.0	1.00	
08	VBLK08	0515MB8	4_1005E	10/05/01	5.0	1.00	

11/87 Rev.

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

01

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103111

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002O

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.1	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

01

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103111

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_10020

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	0.04	BJ
541-73-1	1,3-Dichlorobenzene	0.04	BJ
106-46-7	1,4-Dichlorobenzene	0.04	BJ
95-50-1	1,2-Dichlorobenzene	0.04	BJ
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.2	BJ

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 01

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103111

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002O

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.
10D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103118

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003O

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	0.4	J
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

10D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103118

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_10030

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.04	BJ

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

10D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103118

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003O

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

000107

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

12D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103131

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_10040

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.1	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	0.2	J
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

12D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103131

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004O

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

12D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103131

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004O

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

12I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103130

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004I

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.1	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	0.1	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	7	J
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	0.1	J
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

12I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103130

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004I

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	0.04	BJ
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	0.03	BJ
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

12I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103130

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004I

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

14I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103135

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004K

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.1	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	0.9	J
75-34-3	1,1-Dichloroethane	3	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.2	BJ
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	78	
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

14I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103135

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004K

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	0.04	BJ
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

14I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103135

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004K

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

000116

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

14S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103134

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004J

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	0.3	J
75-34-3	1,1-Dichloroethane	2	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	30	
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	0.3	J
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

14S

Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103134

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004J

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	0.07	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	0.07	BJ
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	0.1	J
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

14S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103134

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004J

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

15I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103137

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004P

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.1	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	2	J
75-34-3	1,1-Dichloroethane	3	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.5	BJ
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	110	
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	0.3	J
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

15I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103137

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004P

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	0.05	J
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

15I

I Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103137

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004P

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103114

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002R

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.1	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	4	J
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103114

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002R

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	0.01	BJ
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103114

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002R

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103113

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002Q

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103113

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002Q

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	0.007	BJ
106-46-7	1,4-Dichlorobenzene	0.02	BJ
95-50-1	1,2-Dichlorobenzene	0.02	BJ
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.04	BJ

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2I

I Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103113

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002Q

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103112

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002P

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	0.2	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.5	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	3	J
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

2S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103112

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002P

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	0.05	BJ
541-73-1	1,3-Dichlorobenzene	0.02	BJ
106-46-7	1,4-Dichlorobenzene	0.03	BJ
95-50-1	1,2-Dichlorobenzene	0.04	BJ
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.2	BJ

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

2S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103112

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002P

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

3D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103117

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003M

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	10	U
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	2	J
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

3D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103117

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003M

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	0.07	J
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	0.04	J
541-73-1	1,3-Dichlorobenzene	0.02	BJ
106-46-7	1,4-Dichlorobenzene	0.04	BJ
95-50-1	1,2-Dichlorobenzene	0.03	BJ
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.09	BJ

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

3D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103117

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003M

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

3I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103116

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003L

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	0.4	J
75-34-3	1,1-Dichloroethane	0.4	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	25	
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

3I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103116

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003L

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	0.02	J
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	0.05	BJ
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.2	BJ

1E 000136 EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

3I

I Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103116

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003L

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

3S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103115

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002S

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.1	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	0.2	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.08	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	4	J
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

3S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103115

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002S

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	0.06	J
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	0.03	J
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	0.01	BJ
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

3S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103115

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002S

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

4D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103136

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004M

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	0.5	J
75-34-3	1,1-Dichloroethane	1	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	55	
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

4D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103136

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004M

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

4D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103136

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004M

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

5D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103126

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003X

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.1	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	0.8	J
75-34-3	1,1-Dichloroethane	0.8	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	63	B
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

5D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103126

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003X

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	0.05	J
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	0.04	J
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

5D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103126

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003X

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

5I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103125

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003V

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	2	J
75-34-3	1,1-Dichloroethane	4	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.2	BJ
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	98	
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

5I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103125

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003V

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

5I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103125

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003V

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

5IR

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103125

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1005F

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/05/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	0.04	J
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.1	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	2	J
75-34-3	1,1-Dichloroethane	4	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	85	
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

5IR

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103125

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1005F

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/05/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	0.009	BJ
106-46-7	1,4-Dichlorobenzene	0.02	BJ
95-50-1	1,2-Dichlorobenzene	0.01	BJ
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.08	BJ

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

5IR

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103125

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1005F

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/05/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

5S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103124

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003U

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	0.2	J
75-34-3	1,1-Dichloroethane	1	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	20	
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

5S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103124

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003U

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 5S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103124

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003U

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

6D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103121

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003R

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.1	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

6D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103121

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003R

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

6D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103121

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003R

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

6I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103120

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003Q

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	0.2	J
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

6I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103120

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003Q

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	0.04	J
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	0.2	J
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	0.03	BJ
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

000160 EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

6I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103120

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003Q

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

6S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103119

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003P

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.1	BJ
67-64-1	Acetone	0.8	BJ
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	0.2	J
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

6S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103119

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003P

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	0.06	J
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	0.08	J
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

6S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103119

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003P

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

7D

Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103129

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004H

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	1	J
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	0.3	J
75-34-3	1,1-Dichloroethane	0.3	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	24	
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

7D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103129

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004H

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	0.05	BJ
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	0.01	BJ
106-46-7	1,4-Dichlorobenzene	0.04	BJ
95-50-1	1,2-Dichlorobenzene	0.02	BJ
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.06	BJ

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

7D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103129

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004H

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

7I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103128

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004G

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	0.2	J
75-34-3	1,1-Dichloroethane	0.1	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	12	
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

7I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103128

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004G

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	0.07	BJ
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	0.05	J
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.04	BJ

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

7I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103128

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004G

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

7S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103127

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004F

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.1	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	0.8	J
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.08	BJ
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	13	
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

7S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103127

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004F

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	0.04	BJ
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	0.01	BJ
106-46-7	1,4-Dichlorobenzene	0.02	BJ
95-50-1	1,2-Dichlorobenzene	0.02	BJ
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.1	BJ

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 7S

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103127

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004F

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

9D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103123

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003T

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

9D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103123

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003T

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 9D

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103123

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003T

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

9I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103122

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003S

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	5	J
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

9I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103122

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003S

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	0.04	J
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	0.06	J
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	0.03	BJ
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 9I

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103122

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003S

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

0515TB

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103138

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002N

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	0.07	J
75-09-2	Methylene Chloride	0.2	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

0515TB

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103138

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002N

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	0.02	BJ
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	0.07	BJ
541-73-1	1,3-Dichlorobenzene	0.07	BJ
106-46-7	1,4-Dichlorobenzene	0.2	BJ
95-50-1	1,2-Dichlorobenzene	0.1	BJ
96-12-8	1,2-Dibromo-3-chloropropane	0.3	BJ
120-82-1	1,2,4-Trichlorobenzene	0.5	BJ

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

0515TB

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103138

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002N

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

CASE: SH2001

SDG: 0927

QUALITY CONTROL

BATCH 0515

WATER VOLATILE SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

	EPA SAMPLE NO.	SMC1 (TOL) #	SMC2 (BFB) #	SMC3 (DCE) #	OTHER	TOT OUT
01	01	104	96	97	0	0
02	0515BS	101	102	109	0	0
03	0515TB	103	99	97	0	0
04	10D	102	99	100	0	0
05	12D	103	98	104	0	0
06	12I	101	101	105	0	0
07	14I	101	101	107	0	0
08	14S	101	101	107	0	0
09	15I	103	100	105	0	0
10	2D	104	96	98	0	0
11	2I	101	99	99	0	0
12	2S	101	100	100	0	0
13	3D	103	96	101	0	0
14	3I	102	99	99	0	0
15	3S	101	100	100	0	0
16	4D	102	100	106	0	0
17	5D	101	100	103	0	0
18	5I	102	97	101	0	0
19	5IR	103	98	101	0	0
20	5S	102	97	102	0	0
21	6D	105	96	98	0	0
22	6I	102	104	100	0	0
23	6S	101	101	104	0	0
24	7D	100	101	105	0	0
25	7I	101	101	104	0	0
26	7S	103	99	102	0	0
27	9D	103	97	101	0	0
28	9I	103	98	98	0	0
29	12DMS	103	100	104	0	0
30	12DMSD	103	100	106	0	0

	QC LIMITS
SMC1 (TOL) = Toluene-d8	(88-110)
SMC2 (BFB) = Bromofluorobenzene	(86-115)
SMC3 (DCE) = 1,2-Dichloroethane-d4	(76-114)

Column to be used to flag recovery values

* Values outside of contract required QC limits

D System Monitoring Compound diluted out

2A

WATER VOLATILE SYSTEM MONITORING COMPOUND RECOVERY

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

	EPA SAMPLE NO.	SMC1 (TOL) #	SMC2 (BFB) #	SMC3 (DCE) #	OTHER	TOT OUT
01	VBLK01	101	100	101	0	0
02	VBLK02	101	100	101	0	0
03	VBLK03	101	101	101	0	0
04	VBLK04	102	100	103	0	0
05	VBLK05	101	101	102	0	0
06	VBLK06	102	103	106	0	0
07	VBLK07	102	102	106	0	0
08	VBLK08	101	101	103	0	0

	QC LIMITS
SMC1 (TOL) = Toluene-d8	(88-110)
SMC2 (BFB) = Bromofluorobenzene	(86-115)
SMC3 (DCE) = 1,2-Dichloroethane-d4	(76-114)

Column to be used to flag recovery values

* Values outside of contract required QC limits

D System Monitoring Compound diluted out

3A

WATER VOLATILE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix Spike - EPA Sample No.: 12D

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE CONCENTRATION (ug/L)	MS CONCENTRATION (ug/L)	MS % REC #	QC LIMITS REC.
1,1-Dichloroethene	50.00	0	50.12	100	61-145
Trichloroethene	50.00	0	45.92	92	71-120
Benzene	50.00	0	45.68	91	76-127
Toluene	50.00	0	46.12	92	76-125
Chlorobenzene	50.00	0	45.07	90	75-130

COMPOUND	SPIKE ADDED (ug/L)	MSD CONCENTRATION (ug/L)	MSD % REC #	% RPD #	QC LIMITS RPD	QC LIMITS REC.
1,1-Dichloroethene	50.00	52.52	105	5	14	61-145
Trichloroethene	50.00	48.27	97	5	14	71-120
Benzene	50.00	47.81	96	5	11	76-127
Toluene	50.00	48.76	98	6	13	76-125
Chlorobenzene	50.00	47.39	95	5	13	75-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 0 out of 5 outside limits
Spike Recovery: 0 out of 10 outside limits

COMMENTS:

3A
WATER VOLATILE MATRIX SPIKE BLANK RECOVERY

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix Spike - EPA Sample No.: VBLK08

0515BS (4_1005K)

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE CONCENTRATION (ug/L)	MS CONCENTRATION (ug/L)	MS % REC #	QC LIMITS REC.
1,1-Dichloroethene	50.00	0	45.76	92	61-145
Trichloroethene	50.00	0	45.31	91	71-120
Benzene	50.00	0	45.49	91	76-127
Toluene	50.00	0	45.19	90	76-125
Chlorobenzene	50.00	0	44.36	89	75-130

COMPOUND	SPIKE ADDED (ug/L)	MSD CONCENTRATION (ug/L)	MSD % REC #	% RPD #	QC LIMITS RPD	QC LIMITS REC.
1,1-Dichloroethene						
Trichloroethene						
Benzene						
Toluene						
Chlorobenzene						

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 0 out of 0 outside limits
Spike Recovery: 0 out of 5 outside limits

COMMENTS:

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

12DMS

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103132

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1005I

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/05/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.3	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	0.3	J
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

12DMS

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103132

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1005I

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/05/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	0.02	BJ
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

12DMSD

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103133

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1005L

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/05/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.3	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	0.3	J
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

12DMSD

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103133

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1005L

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/05/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

0515BS

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103139

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1005K

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/05/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.4	BJ
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	46	
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.2	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	45	
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	45	
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

0515BS

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 200103139

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1005K

Level: (low/med) LOW Date Received: 09/27/01

% Moisture: not dec. Date Analyzed: 10/05/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	45	
108-90-7	Chlorobenzene	44	
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

4A

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBLK01

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID: 4_1002M Lab Sample ID: 0515MB

Date Analyzed: 10/02/01 Time Analyzed: 1912

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

Instrument ID: HP4

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
01	01	200103111	4_1002O	2039
02	0515TB	200103138	4_1002N	1953
03	2D	200103114	4_1002R	2242
04	2I	200103113	4_1002Q	2201
05	2S	200103112	4_1002P	2120
06	3S	200103115	4_1002S	2321

COMMENTS:

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK01

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002M

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	J
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK01

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002M

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	0.05	J
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	0.2	J
541-73-1	1,3-Dichlorobenzene	0.2	J
106-46-7	1,4-Dichlorobenzene	0.3	J
95-50-1	1,2-Dichlorobenzene	0.5	J
96-12-8	1,2-Dibromo-3-chloropropane	2	J
120-82-1	1,2,4-Trichlorobenzene	2	J

1E

000196 EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

VBLK01

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1002M

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/02/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

4A

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBLK02

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID: 4_1003K Lab Sample ID: 0515MB2

Date Analyzed: 10/03/01 Time Analyzed: 1643

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

Instrument ID: HP4

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
01	3D	200103117	4_1003M	1755
02	3I	200103116	4_1003L	1719

COMMENTS:

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK02

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB2

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003K

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	J
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.2	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK02

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB2

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003K

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	0.03	J
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	0.05	J
106-46-7	1,4-Dichlorobenzene	0.08	J
95-50-1	1,2-Dichlorobenzene	0.07	J
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.3	J

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VBLK02

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB2

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003K

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

4A

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBLK03

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID: 4_1003N Lab Sample ID: 0515MB3

Date Analyzed: 10/03/01 Time Analyzed: 1831

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

Instrument ID: HP4

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
01	10D	200103118	4_1003O	1902
02	5I	200103125	4_1003V	2318
03	5S	200103124	4_1003U	2242
04	6D	200103121	4_1003R	2053
05	6I	200103120	4_1003Q	2017
06	6S	200103119	4_1003P	1941
07	9D	200103123	4_1003T	2207
08	9I	200103122	4_1003S	2131

COMMENTS:

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK03

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB3

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003N

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	J
67-64-1	Acetone	2	J
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.1	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK03

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB3

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003N

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	0.02	J
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.08	J

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VBLK03

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB3

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003N

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

4A

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBLK04

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID: 4_1003W Lab Sample ID: 0515MB4

Date Analyzed: 10/03/01 Time Analyzed: 2353

GC Column: DB624 ID: 0.530 (mm) Heated Purge: (Y/N) N

Instrument ID: HP4

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
01	5D	200103126	4_1003X	0029

COMMENTS:

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK04

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB4

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003W

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	J
67-64-1	Acetone	2	J
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.1	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	0.2	J
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK04

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB4

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003W

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VBLK04

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB4

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1003W

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/03/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

4A

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBLK05

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID: 4_1004E Lab Sample ID: 0515MB5

Date Analyzed: 10/04/01 Time Analyzed: 1133

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

Instrument ID: HP4

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
01	12I	200103130	4_1004I	1435
02	14I	200103135	4_1004K	1546
03	14S	200103134	4_1004J	1510
04	7D	200103129	4_1004H	1352
05	7I	200103128	4_1004G	1245
06	7S	200103127	4_1004F	1209

COMMENTS:

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK05

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB5

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004E

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.3	J
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.1	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK05

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB5

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004E

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	0.03	J
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	0.02	J
106-46-7	1,4-Dichlorobenzene	0.03	J
95-50-1	1,2-Dichlorobenzene	0.04	J
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.2	J

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VBLK05

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB5

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004E

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

4A

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBLK06

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID: 4_1004L Lab Sample ID: 0515MB6

Date Analyzed: 10/04/01 Time Analyzed: 1625

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

Instrument ID: HP4

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
01	4D	200103136	4_1004M	1707

COMMENTS:

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK06

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB6

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004L

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	J
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK06

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB6

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004L

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VBLK06

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB6

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004L

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

4A

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBLK07

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID: 4_1004N Lab Sample ID: 0515MB7

Date Analyzed: 10/04/01 Time Analyzed: 1743

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

Instrument ID: HP4

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
01	12D	200103131	4_1004O	1830
02	15I	200103137	4_1004P	1917

COMMENTS:

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK07

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB7

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004N

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.3	J
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	0.2	J
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK07

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB7

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004N

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	10	U
541-73-1	1,3-Dichlorobenzene	10	U
106-46-7	1,4-Dichlorobenzene	10	U
95-50-1	1,2-Dichlorobenzene	10	U
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	10	U

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VBLK07

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB7

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1004N

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/04/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0

CONCENTRATION UNITS:
(ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

4A

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBLK08

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID: 4_1005E Lab Sample ID: 0515MB8

Date Analyzed: 10/05/01 Time Analyzed: 1637

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

Instrument ID: HP4

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	TIME ANALYZED
01	0515BS	200103139	4_1005K	2100
02	5IR	200103125	4_1005F	1718
03	12DMS	200103132	4_1005I	1925
04	12DMSD	200103133	4_1005L	2141

COMMENTS:

1A 000222 EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET

VBLK08

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB8

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1005E

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/05/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
75-71-8	Dichlorodifluoromethane	10	U
74-87-3	Chloromethane	10	U
74-83-9	Bromomethane	10	U
75-01-4	Vinyl Chloride	10	U
75-00-3	Chloroethane	10	U
75-69-4	Trichlorofluoromethane	10	U
76-13-1	1,1,2-Trichloro-1,2,2-trifluo	10	U
75-09-2	Methylene Chloride	0.2	J
67-64-1	Acetone	10	U
75-15-0	Carbon Disulfide	10	U
79-20-9	Methyl Acetate	10	U
75-35-4	1,1-Dichloroethene	10	U
75-34-3	1,1-Dichloroethane	10	U
156-59-2	cis-1,2-Dichloroethene	10	U
156-60-5	trans-1,2-Dichloroethene	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
71-55-6	1,1,1-Trichloroethane	10	U
110-82-7	Cyclohexane	10	U
56-23-5	Carbon Tetrachloride	10	U
75-27-4	Bromodichloromethane	10	U
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
79-01-6	Trichloroethene	10	U
108-87-2	Methylcyclohexane	10	U
124-48-1	Dibromochloromethane	10	U
79-00-5	1,1,2-Trichloroethane	10	U
71-43-2	Benzene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
1634-04-4	Methyl tert-Butyl Ether	10	U
75-25-2	Bromoform	10	U
106-93-4	1,2-Dibromoethane	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

VBLK08

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB8

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1005E

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/05/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
108-10-1	4-Methyl-2-Pentanone	10	U
591-78-6	2-Hexanone	10	U
98-82-8	Isopropylbenzene	10	U
127-18-4	Tetrachloroethene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
108-88-3	Toluene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
100-42-5	Styrene	10	U
1330-20-7	Xylene (total)	0.02	J
541-73-1	1,3-Dichlorobenzene	0.05	J
106-46-7	1,4-Dichlorobenzene	0.08	J
95-50-1	1,2-Dichlorobenzene	0.08	J
96-12-8	1,2-Dibromo-3-chloropropane	10	U
120-82-1	1,2,4-Trichlorobenzene	0.3	J

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.

VBLK08

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Matrix: (soil/water) WATER Lab Sample ID: 0515MB8

Sample wt/vol: 5.00 (g/mL) ML Lab File ID: 4_1005E

Level: (low/med) LOW Date Received:

% Moisture: not dec. Date Analyzed: 10/05/01

GC Column: DB624 ID: 0.530 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

Number TICs found: 0 CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

5A

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID: 4_1002 BFB Injection Date: 10/02/01

Instrument ID: HP4 BFB Injection Time: 0850

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	18.5
75	30.0 - 66.0% of mass 95	45.2
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.5
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	50.0 - 120.0% of mass 95	66.7
175	4.0 - 9.0% of mass 174	4.9 (7.3)1
176	93.0 - 101.0% of mass 174	65.6 (98.3)1
177	5.0 - 9.0% of mass 176	4.3 (6.5)2

1-Value is % mass 174 2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	VSTD050		4_1002B	10/02/01	1039
02	VSTD200		4_1002D	10/02/01	1222
03	VSTD020		4_1002F	10/02/01	1337
04	VSTD010		4_1002G	10/02/01	1422
05	VSTD100		4_1002H	10/02/01	1502
06	VSTD050		4_1002J	10/02/01	1630
07	VBLK01	0515MB	4_1002M	10/02/01	1912
08	0515TB	200103138	4_1002N	10/02/01	1953
09	01	200103111	4_1002O	10/02/01	2039
10	2S	200103112	4_1002P	10/02/01	2120
11	2I	200103113	4_1002Q	10/02/01	2201
12	2D	200103114	4_1002R	10/02/01	2242
13	3S	200103115	4_1002S	10/02/01	2321

5A

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID: 4_1003 BFB Injection Date: 10/03/01

Instrument ID: HP4 BFB Injection Time: 0921

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	18.6
75	30.0 - 66.0% of mass 95	44.4
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.6
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	50.0 - 120.0% of mass 95	63.4
175	4.0 - 9.0% of mass 174	4.8 (7.6)1
176	93.0 - 101.0% of mass 174	61.8 (97.4)1
177	5.0 - 9.0% of mass 176	4.3 (6.9)2

1-Value is % mass 174 2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	VSTD050		4_1003I	10/03/01	1510
02	VBLK02	0515MB2	4_1003K	10/03/01	1643
03	3I	200103116	4_1003L	10/03/01	1719
04	3D	200103117	4_1003M	10/03/01	1755
05	VBLK03	0515MB3	4_1003N	10/03/01	1831
06	10D	200103118	4_1003O	10/03/01	1902
07	6S	200103119	4_1003P	10/03/01	1941
08	6I	200103120	4_1003Q	10/03/01	2017
09	6D	200103121	4_1003R	10/03/01	2053
10	9I	200103122	4_1003S	10/03/01	2131
11	9D	200103123	4_1003T	10/03/01	2207
12	5S	200103124	4_1003U	10/03/01	2242
13	5I	200103125	4_1003V	10/03/01	2318
14	VBLK04	0515MB4	4_1003W	10/03/01	2353
15	5D	200103126	4_1003X	10/04/01	0029

5A

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID: 4_1004 BFB Injection Date: 10/04/01

Instrument ID: HP4 BFB Injection Time: 0812

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	18.8
75	30.0 - 66.0% of mass 95	44.5
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.8
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	50.0 - 120.0% of mass 95	62.5
175	4.0 - 9.0% of mass 174	4.5 (7.2)1
176	93.0 - 101.0% of mass 174	61.2 (98.0)1
177	5.0 - 9.0% of mass 176	4.0 (6.5)2

1-Value is % mass 174 2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	VSTD050		4_1004C	10/04/01	1003
02	VBLK05	0515MB5	4_1004E	10/04/01	1133
03	7S	200103127	4_1004F	10/04/01	1209
04	7I	200103128	4_1004G	10/04/01	1245
05	7D	200103129	4_1004H	10/04/01	1352
06	12I	200103130	4_1004I	10/04/01	1435
07	14S	200103134	4_1004J	10/04/01	1510
08	14I	200103135	4_1004K	10/04/01	1546
09	VBLK06	0515MB6	4_1004L	10/04/01	1625
10	4D	200103136	4_1004M	10/04/01	1707
11	VBLK07	0515MB7	4_1004N	10/04/01	1743
12	12D	200103131	4_1004O	10/04/01	1830
13	15I	200103137	4_1004P	10/04/01	1917

5A

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID: 4_1005 BFB Injection Date: 10/05/01

Instrument ID: HP4 BFB Injection Time: 1235

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	18.2
75	30.0 - 66.0% of mass 95	44.2
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.8
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	50.0 - 120.0% of mass 95	65.1
175	4.0 - 9.0% of mass 174	4.9 (7.5)1
176	93.0 - 101.0% of mass 174	63.5 (97.5)1
177	5.0 - 9.0% of mass 176	4.1 (6.5)2

1-Value is % mass 174 2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

	EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	VSTD050		4_1005C	10/05/01	1431
02	VBLK08	0515MB8	4_1005E	10/05/01	1637
03	5IR	200103125	4_1005F	10/05/01	1718
04	12DMS	200103132	4_1005I	10/05/01	1925
05	0515BS	200103139	4_1005K	10/05/01	2100
06	12DMSD	200103133	4_1005L	10/05/01	2141

6A

VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: WCLR Contract:

Lab Code: Case No.: STAND SAS No.: SDG No.:

Instrument ID: HP4 Calibration Date(s): 10/02/01 10/02/01

Heated Purge: (Y/N): N Calibration Times: 1039 1502

GC Column: DB624 ID: 0.530(mm)

LAB FILE ID: RRF10 = 4_1002G RRF20 = 4_1002F
RRF50= 4_1002B RRF100= 4_1002H RRF200= 4_1002D

COMPOUND	RRF10	RRF20	RRF50	RRF100	RRF200	$\overline{RRF}$	% RSD
Dichlorodifluoromethane *	1.552	1.991	1.997	2.178	2.140	1.972	12.6*
Chloromethane *	1.216	1.404	1.421	1.470	1.533	1.409	8.4*
Bromomethane *	1.517	1.672	1.664	1.667	1.753	1.655	5.2*
Vinyl Chloride *	1.386	1.608	1.609	1.690	1.731	1.605	8.3*
Chloroethane	1.122	1.262	1.273	1.298	1.343	1.260	6.6
Trichlorofluoromethane *	2.765	3.211	3.070	2.959	3.118	3.025	5.7*
1,1,2-Trichloro-1,2,2-trifl *	2.723	3.235	3.171	3.214	2.933	3.055	7.2*
Methylene Chloride	1.694	1.876	1.924	1.845	1.829	1.834	4.7
Acetone	0.469	0.507	0.573	0.564	0.560	0.535	8.4
Carbon Disulfide	4.796	5.412	5.523	5.350	5.098	5.236	5.6
Methyl Acetate *	0.705	0.765	0.860	0.882	0.871	0.817	9.5*
1,1-Dichloroethene *	1.618	1.872	1.852	1.778	1.628	1.750	6.9*
1,1-Dichloroethane *	3.545	3.910	3.940	4.009	4.140	3.909	5.7*
cis-1,2-Dichloroethene *	2.174	2.482	2.512	2.496	2.603	2.453	6.7*
trans-1,2-Dichloroethene *	1.831	2.081	2.132	2.064	2.087	2.039	5.8*
Chloroform *	3.919	4.443	4.501	4.529	4.717	4.422	6.8*
1,2-Dichloroethane *	1.783	1.949	2.199	2.254	2.340	2.105	11.0*
2-Butanone	0.925	0.845	0.906	0.974	0.940	0.918	5.2
1,1,1-Trichloroethane *	0.545	0.621	0.650	0.636	0.654	0.621	7.2*
Cyclohexane *	0.543	0.639	0.650	0.692	0.694	0.644	9.5*
Carbon Tetrachloride *	0.454	0.519	0.551	0.541	0.558	0.525	8.0*
Bromodichloromethane *	0.571	0.643	0.684	0.673	0.697	0.654	7.7*
1,2-Dichloropropane	0.377	0.412	0.430	0.441	0.457	0.423	7.3
cis-1,3-Dichloropropene *	0.533	0.603	0.642	0.636	0.664	0.616	8.3*
Trichloroethene *	0.385	0.441	0.463	0.462	0.479	0.446	8.2*
Methylcyclohexane *	0.536	0.640	0.654	0.686	0.699	0.643	10.0*
Dibromochloromethane *	0.392	0.449	0.491	0.473	0.494	0.460	9.1*
1,1,2-Trichloroethane *	0.241	0.273	0.294	0.288	0.297	0.279	8.2*
Benzene *	1.060	1.188	1.250	1.231	1.273	1.200	7.0*
trans-1,3-Dichloropropene *	0.405	0.467	0.507	0.501	0.514	0.479	9.4*
Methyl tert-Butyl Ether *	3.540	3.921	4.205	4.151	4.097	3.983	6.8*
Bromoform *	0.250	0.295	0.327	0.312	0.321	0.301	10.3*
1,2-Dibromoethane *	0.372	0.423	0.456	0.440	0.450	0.428	7.9*
4-Methyl-2-Pentanone *	0.261	0.303	0.340	0.351	0.342	0.319	11.7*
2-Hexanone *	0.227	0.291	0.326	0.341	0.328	0.303	15.2*
Isopropylbenzene *	1.689	1.950	2.008	1.967	2.053	1.933	7.4*
Tetrachloroethene *	0.392	0.454	0.476	0.450	0.470	0.448	7.4*

* Compounds with required minimum RRF and maximum %RSD values.
All other compounds must meet a minimum RRF of 0.010.

6A

VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: WCLR Contract:

Lab Code: Case No.: STAND SAS No.: SDG No.:

Instrument ID: HP4 Calibration Date(s): 10/02/01 10/02/01

Heated Purge: (Y/N): N Calibration Times: 1039 1502

GC Column: DB624 ID: 0.530(mm)

LAB FILE ID: RRF10 = 4_1002G RRF20 = 4_1002F
RRF50= 4_1002B RRF100= 4_1002H RRF200= 4_1002D

COMPOUND		RRF10	RRF20	RRF50	RRF100	RRF200	$\overline{RRF}$	% RSD
1,1,2,2-Tetrachloroethane	*	0.415	0.487	0.519	0.513	0.512	0.489	8.8*
Toluene	*	1.365	1.544	1.587	1.562	1.625	1.537	6.5*
Chlorobenzene	*	0.968	1.099	1.137	1.105	1.160	1.094	6.8*
Ethylbenzene	*	1.682	1.927	1.977	1.970	2.057	1.923	7.4*
Styrene	*	0.989	1.176	1.216	1.212	1.263	1.171	9.1*
Xylene (total)	*	0.596	0.681	0.693	0.694	0.726	0.678	7.2*
1,3-Dichlorobenzene	*	0.792	0.918	0.959	0.917	0.979	0.913	8.0*
1,4-Dichlorobenzene	*	0.832	0.984	1.008	0.991	1.049	0.973	8.5*
1,2-Dichlorobenzene	*	0.716	0.847	0.880	0.838	0.892	0.835	8.4*
1,2-Dibromo-3-chloropropane	*	0.079	0.102	0.102	0.097	0.100	0.096	10.1*
1,2,4-Trichlorobenzene	*	0.407	0.573	0.502	0.516	0.555	0.511	12.6*
Toluene-d8	#	1.142	1.311	1.345	1.311	1.362	1.294	6.8#
4-Bromofluorobenzene	#	0.655	0.760	0.775	0.771	0.796	0.751	7.4#
1,2-Dichloroethane-d4	#	1.462	1.651	1.742	1.792	1.850	1.699	8.9#

* Compounds with required minimum RRF and maximum %RSD values.
All other compounds must meet a minimum RRF of 0.010.

7A

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Instrument ID: HP4 Calibration date: 10/02/01 Time: 1630

Lab File ID: 4_1002J Init. Calib. Date(s): 10/02/01 10/02/01

Heated Purge: (Y/N) N Init. Calib. Times: 1039 1502

GC Column: DB624 ID: 0.530(mm)

COMPOUND	$\overline{RRF}$	RRF50	MIN RRF	%D	MAX %D
Dichlorodifluoromethane	1.972	1.670	0.010	15.3	
Chloromethane	1.409	1.234	0.010	12.4	
Bromomethane	1.655	1.404	0.100	15.2	25.0
Vinyl Chloride	1.605	1.380	0.100	14.0	25.0
Chloroethane	1.260	1.094	0.010	13.2	
Trichlorofluoromethane	3.025	2.676	0.010	11.5	
1,1,2-Trichloro-1,2,2-trifluo	3.055	2.809	0.010	8.1	
Methylene Chloride	1.834	1.627	0.010	11.3	
Acetone	0.535	0.498	0.010	6.9	
Carbon Disulfide	5.236	4.850	0.010	7.4	
Methyl Acetate	0.817	0.729	0.010	10.8	
1,1-Dichloroethene	1.750	1.610	0.100	8.0	25.0
1,1-Dichloroethane	3.909	3.422	0.200	12.5	25.0
cis-1,2-Dichloroethene	2.453	2.170	0.010	11.5	
trans-1,2-Dichloroethene	2.039	1.832	0.010	10.2	
Chloroform	4.422	3.851	0.200	12.9	25.0
1,2-Dichloroethane	2.105	1.843	0.100	12.4	25.0
2-Butanone	0.918	0.789	0.010	14.0	
1,1,1-Trichloroethane	0.621	0.546	0.100	12.1	25.0
Cyclohexane	0.644	0.579	0.010	10.1	
Carbon Tetrachloride	0.525	0.454	0.100	13.5	25.0
Bromodichloromethane	0.654	0.574	0.200	12.2	25.0
1,2-Dichloropropane	0.423	0.376	0.010	11.1	
cis-1,3-Dichloropropene	0.616	0.555	0.200	9.9	25.0
Trichloroethene	0.446	0.396	0.300	11.2	25.0
Methylcyclohexane	0.643	0.575	0.010	10.6	
Dibromochloromethane	0.460	0.397	0.100	13.7	25.0
1,1,2-Trichloroethane	0.279	0.245	0.100	12.2	25.0
Benzene	1.200	1.067	0.500	11.1	25.0
trans-1,3-Dichloropropene	0.479	0.432	0.100	9.8	25.0
Methyl tert-Butyl Ether	3.983	3.575	0.010	10.2	
Bromoform	0.301	0.256	0.100	15.0	25.0
1,2-Dibromoethane	0.428	0.375	0.010	12.4	
4-Methyl-2-Pentanone	0.319	0.298	0.010	6.6	
2-Hexanone	0.303	0.281	0.010	7.3	
Isopropylbenzene	1.933	1.697	0.010	12.2	
Tetrachloroethene	0.448	0.385	0.200	14.1	25.0

All other compounds must meet a minimum RRF of 0.010.

7A

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Instrument ID: HP4 Calibration date: 10/02/01 Time: 1630

Lab File ID: 4_1002J Init. Calib. Date(s): 10/02/01 10/02/01

Heated Purge: (Y/N) N Init. Calib. Times: 1039 1502

GC Column: DB624 ID: 0.530(mm)

COMPOUND	$\overline{RRF}$	RRF50	MIN RRF	%D	MAX %D
1,1,2,2-Tetrachloroethane	0.489	0.429	0.300	12.3	25.0
Toluene	1.537	1.362	0.400	11.4	25.0
Chlorobenzene	1.094	0.966	0.500	11.7	25.0
Ethylbenzene	1.923	1.719	0.100	10.6	25.0
Styrene	1.171	1.053	0.300	10.1	25.0
Xylene (total)	0.678	0.603	0.300	11.1	25.0
1,3-Dichlorobenzene	0.913	0.783	0.600	14.2	25.0
1,4-Dichlorobenzene	0.973	0.824	0.500	15.3	25.0
1,2-Dichlorobenzene	0.835	0.711	0.400	14.8	25.0
1,2-Dibromo-3-chloropropane	0.096	0.079	0.010	17.7	
1,2,4-Trichlorobenzene	0.511	0.414	0.200	19.0	25.0
Toluene-d8	1.294	1.172		9.4	
4-Bromofluorobenzene	0.751	0.691	0.200	8.0	25.0
1,2-Dichloroethane-d4	1.699	1.575		7.3	

All other compounds must meet a minimum RRF of 0.010.

7A

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Instrument ID: HP4 Calibration date: 10/03/01 Time: 1510

Lab File ID: 4_1003I Init. Calib. Date(s): 10/02/01 10/02/01

Heated Purge: (Y/N) N Init. Calib. Times: 1039 1502

GC Column: DB624 ID: 0.530(mm)

COMPOUND	RRF	RRF50	MIN RRF	%D	MAX %D
Dichlorodifluoromethane	1.972	1.988	0.010	-0.8	
Chloromethane	1.409	1.417	0.010	-0.6	
Bromomethane	1.655	1.556	0.100	6.0	25.0
Vinyl Chloride	1.605	1.565	0.100	2.5	25.0
Chloroethane	1.260	1.196	0.010	5.1	
Trichlorofluoromethane	3.025	3.019	0.010	0.2	
1,1,2-Trichloro-1,2,2-trifluo	3.055	3.082	0.010	-0.9	
Methylene Chloride	1.834	1.779	0.010	3.0	
Acetone	0.535	0.501	0.010	6.4	
Carbon Disulfide	5.236	5.523	0.010	-5.5	
Methyl Acetate	0.817	0.789	0.010	3.4	
1,1-Dichloroethene	1.750	1.773	0.100	-1.3	25.0
1,1-Dichloroethane	3.909	3.787	0.200	3.1	25.0
cis-1,2-Dichloroethene	2.453	2.350	0.010	4.2	
trans-1,2-Dichloroethene	2.039	1.994	0.010	2.2	
Chloroform	4.422	4.260	0.200	3.7	25.0
1,2-Dichloroethane	2.105	2.036	0.100	3.3	25.0
2-Butanone	0.918	0.857	0.010	6.6	
1,1,1-Trichloroethane	0.621	0.592	0.100	4.7	25.0
Cyclohexane	0.644	0.622	0.010	3.4	
Carbon Tetrachloride	0.525	0.494	0.100	5.9	25.0
Bromodichloromethane	0.654	0.623	0.200	4.7	25.0
1,2-Dichloropropane	0.423	0.409	0.010	3.3	
cis-1,3-Dichloropropene	0.616	0.584	0.200	5.2	25.0
Trichloroethene	0.446	0.432	0.300	3.1	25.0
Methylcyclohexane	0.643	0.618	0.010	3.9	
Dibromochloromethane	0.460	0.433	0.100	5.9	25.0
1,1,2-Trichloroethane	0.279	0.268	0.100	3.9	25.0
Benzene	1.200	1.157	0.500	3.6	25.0
trans-1,3-Dichloropropene	0.479	0.464	0.100	3.1	25.0
Methyl tert-Butyl Ether	3.983	3.854	0.010	3.2	
Bromoform	0.301	0.281	0.100	6.6	25.0
1,2-Dibromoethane	0.428	0.402	0.010	6.1	
4-Methyl-2-Pentanone	0.319	0.327	0.010	-2.5	
2-Hexanone	0.303	0.304	0.010	-0.3	
Isopropylbenzene	1.933	1.816	0.010	6.1	
Tetrachloroethene	0.448	0.421	0.200	6.0	25.0

All other compounds must meet a minimum RRF of 0.010.

7A

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Instrument ID: HP4 Calibration date: 10/03/01 Time: 1510

Lab File ID: 4_1003I Init. Calib. Date(s): 10/02/01 10/02/01

Heated Purge: (Y/N) N Init. Calib. Times: 1039 1502

GC Column: DB624 ID: 0.530(mm)

COMPOUND	RRF	RRF50	MIN RRF	%D	MAX %D
1,1,2,2-Tetrachloroethane	0.489	0.468	0.300	4.3	25.0
Toluene	1.537	1.487	0.400	3.3	25.0
Chlorobenzene	1.094	1.047	0.500	4.3	25.0
Ethylbenzene	1.923	1.863	0.100	3.1	25.0
Styrene	1.171	1.166	0.300	0.4	25.0
Xylene (total)	0.678	0.669	0.300	1.3	25.0
1,3-Dichlorobenzene	0.913	0.850	0.600	6.9	25.0
1,4-Dichlorobenzene	0.973	0.889	0.500	8.6	25.0
1,2-Dichlorobenzene	0.835	0.785	0.400	6.0	25.0
1,2-Dibromo-3-chloropropane	0.096	0.085	0.010	11.5	
1,2,4-Trichlorobenzene	0.511	0.470	0.200	8.0	25.0
Toluene-d8	1.294	1.207		6.7	
4-Bromofluorobenzene	0.751	0.703	0.200	6.4	25.0
1,2-Dichloroethane-d4	1.699	1.591		6.4	

All other compounds must meet a minimum RRF of 0.010.

7A

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Instrument ID: HP4 Calibration date: 10/04/01 Time: 1003

Lab File ID: 4_1004C Init. Calib. Date(s): 10/02/01 10/02/01

Heated Purge: (Y/N) N Init. Calib. Times: 1039 1502

GC Column: DB624 ID: 0.530(mm)

COMPOUND	$\overline{RRF}$	RRF50	MIN RRF	%D	MAX %D
Dichlorodifluoromethane	1.972	1.778	0.010	9.8	
Chloromethane	1.409	1.334	0.010	5.3	
Bromomethane	1.655	1.665	0.100	-0.6	25.0
Vinyl Chloride	1.605	1.484	0.100	7.5	25.0
Chloroethane	1.260	1.198	0.010	4.9	
Trichlorofluoromethane	3.025	2.999	0.010	0.9	
1,1,2-Trichloro-1,2,2-trifluo	3.055	3.103	0.010	-1.6	
Methylene Chloride	1.834	1.819	0.010	0.8	
Acetone	0.535	0.525	0.010	1.9	
Carbon Disulfide	5.236	5.522	0.010	-5.5	
Methyl Acetate	0.817	0.774	0.010	5.3	
1,1-Dichloroethene	1.750	1.802	0.100	-3.0	25.0
1,1-Dichloroethane	3.909	3.778	0.200	3.4	25.0
cis-1,2-Dichloroethene	2.453	2.396	0.010	2.3	
trans-1,2-Dichloroethene	2.039	2.032	0.010	0.3	
Chloroform	4.422	4.272	0.200	3.4	25.0
1,2-Dichloroethane	2.105	1.983	0.100	5.8	25.0
2-Butanone	0.918	0.847	0.010	7.7	
1,1,1-Trichloroethane	0.621	0.611	0.100	1.6	25.0
Cyclohexane	0.644	0.618	0.010	4.0	
Carbon Tetrachloride	0.525	0.511	0.100	2.7	25.0
Bromodichloromethane	0.654	0.640	0.200	2.1	25.0
1,2-Dichloropropane	0.423	0.413	0.010	2.4	
cis-1,3-Dichloropropene	0.616	0.602	0.200	2.3	25.0
Trichloroethene	0.446	0.445	0.300	0.2	25.0
Methylcyclohexane	0.643	0.631	0.010	1.9	
Dibromochloromethane	0.460	0.449	0.100	2.4	25.0
1,1,2-Trichloroethane	0.279	0.276	0.100	1.1	25.0
Benzene	1.200	1.185	0.500	1.2	25.0
trans-1,3-Dichloropropene	0.479	0.468	0.100	2.3	25.0
Methyl tert-Butyl Ether	3.983	3.862	0.010	3.0	
Bromoform	0.301	0.290	0.100	3.7	25.0
1,2-Dibromoethane	0.428	0.420	0.010	1.9	
4-Methyl-2-Pentanone	0.319	0.315	0.010	1.3	
2-Hexanone	0.303	0.314	0.010	-3.6	
Isopropylbenzene	1.933	1.885	0.010	2.5	
Tetrachloroethene	0.448	0.444	0.200	0.9	25.0

All other compounds must meet a minimum RRF of 0.010.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Instrument ID: HP4 Calibration date: 10/04/01 Time: 1003

Lab File ID: 4_1004C Init. Calib. Date(s): 10/02/01 10/02/01

Heated Purge: (Y/N) N Init. Calib. Times: 1039 1502

GC Column: DB624 ID: 0.530(mm)

COMPOUND	$\overline{RRF}$	RRF50	MIN RRF	%D	MAX %D
1,1,2,2-Tetrachloroethane	0.489	0.481	0.300	1.6	25.0
Toluene	1.537	1.528	0.400	0.6	25.0
Chlorobenzene	1.094	1.089	0.500	0.5	25.0
Ethylbenzene	1.923	1.902	0.100	1.1	25.0
Styrene	1.171	1.209	0.300	-3.2	25.0
Xylene (total)	0.678	0.691	0.300	-1.9	25.0
1,3-Dichlorobenzene	0.913	0.870	0.600	4.7	25.0
1,4-Dichlorobenzene	0.973	0.943	0.500	3.1	25.0
1,2-Dichlorobenzene	0.835	0.793	0.400	5.0	25.0
1,2-Dibromo-3-chloropropane	0.096	0.088	0.010	8.3	
1,2,4-Trichlorobenzene	0.511	0.537	0.200	-5.1	25.0
Toluene-d8	1.294	1.205		6.9	
4-Bromofluorobenzene	0.751	0.696	0.200	7.3	25.0
1,2-Dichloroethane-d4	1.699	1.520		10.5	

All other compounds must meet a minimum RRF of 0.010.

7A

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Instrument ID: HP4 Calibration date: 10/05/01 Time: 1431

Lab File ID: 4_1005C Init. Calib. Date(s): 10/02/01 10/02/01

Heated Purge: (Y/N) N Init. Calib. Times: 1039 1502

GC Column: DB624 ID: 0.530(mm)

COMPOUND	RRF	RRF50	MIN RRF	%D	MAX %D
Dichlorodifluoromethane	1.972	1.582	0.010	19.8	
Chloromethane	1.409	1.230	0.010	12.7	
Bromomethane	1.655	1.539	0.100	7.0	25.0
Vinyl Chloride	1.605	1.404	0.100	12.5	25.0
Chloroethane	1.260	1.145	0.010	9.1	
Trichlorofluoromethane	3.025	2.960	0.010	2.1	
1,1,2-Trichloro-1,2,2-trifluo	3.055	3.060	0.010	-0.2	
Methylene Chloride	1.834	1.786	0.010	2.6	
Acetone	0.535	0.503	0.010	6.0	
Carbon Disulfide	5.236	5.352	0.010	-2.2	
Methyl Acetate	0.817	0.742	0.010	9.2	
1,1-Dichloroethene	1.750	1.773	0.100	-1.3	25.0
1,1-Dichloroethane	3.909	3.736	0.200	4.4	25.0
cis-1,2-Dichloroethene	2.453	2.372	0.010	3.3	
trans-1,2-Dichloroethene	2.039	1.990	0.010	2.4	
Chloroform	4.422	4.200	0.200	5.0	25.0
1,2-Dichloroethane	2.105	1.986	0.100	5.7	25.0
2-Butanone	0.918	0.811	0.010	11.7	
1,1,1-Trichloroethane	0.621	0.604	0.100	2.7	25.0
Cyclohexane	0.644	0.611	0.010	5.1	
Carbon Tetrachloride	0.525	0.507	0.100	3.4	25.0
Bromodichloromethane	0.654	0.635	0.200	2.9	25.0
1,2-Dichloropropane	0.423	0.409	0.010	3.3	
cis-1,3-Dichloropropene	0.616	0.594	0.200	3.6	25.0
Trichloroethene	0.446	0.438	0.300	1.8	25.0
Methylcyclohexane	0.643	0.626	0.010	2.6	
Dibromochloromethane	0.460	0.444	0.100	3.5	25.0
1,1,2-Trichloroethane	0.279	0.270	0.100	3.2	25.0
Benzene	1.200	1.172	0.500	2.3	25.0
trans-1,3-Dichloropropene	0.479	0.462	0.100	3.5	25.0
Methyl tert-Butyl Ether	3.983	3.808	0.010	4.4	
Bromoform	0.301	0.285	0.100	5.3	25.0
1,2-Dibromoethane	0.428	0.412	0.010	3.7	
4-Methyl-2-Pentanone	0.319	0.313	0.010	1.9	
2-Hexanone	0.303	0.306	0.010	-1.0	
Isopropylbenzene	1.933	1.864	0.010	3.6	
Tetrachloroethene	0.448	0.438	0.200	2.2	25.0

All other compounds must meet a minimum RRF of 0.010.

7A

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Instrument ID: HP4 Calibration date: 10/05/01 Time: 1431

Lab File ID: 4_1005C Init. Calib. Date(s): 10/02/01 10/02/01

Heated Purge: (Y/N) N Init. Calib. Times: 1039 1502

GC Column: DB624 ID: 0.530(mm)

COMPOUND	$\overline{RRF}$	RRF50	MIN RRF	%D	MAX %D
1,1,2,2-Tetrachloroethane	0.489	0.471	0.300	3.7	25.0
Toluene	1.537	1.512	0.400	1.6	25.0
Chlorobenzene	1.094	1.079	0.500	1.4	25.0
Ethylbenzene	1.923	1.878	0.100	2.3	25.0
Styrene	1.171	1.193	0.300	-1.9	25.0
Xylene (total)	0.678	0.678	0.300	0.0	25.0
1,3-Dichlorobenzene	0.913	0.856	0.600	6.2	25.0
1,4-Dichlorobenzene	0.973	0.926	0.500	4.8	25.0
1,2-Dichlorobenzene	0.835	0.800	0.400	4.2	25.0
1,2-Dibromo-3-chloropropane	0.096	0.087	0.010	9.4	
1,2,4-Trichlorobenzene	0.511	0.495	0.200	3.1	25.0
Toluene-d8	1.294	1.195		7.7	
4-Bromofluorobenzene	0.751	0.692	0.200	7.9	25.0
1,2-Dichloroethane-d4	1.699	1.507		11.3	

All other compounds must meet a minimum RRF of 0.010.

8A

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID (Standard): 4_1002J Date Analyzed: 10/02/01

Instrument ID: HP4 Time Analyzed: 1630

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

		IS1(BCM) AREA	#	RT	#	IS2(DFB) AREA	#	RT	#	IS3(CBZ) AREA	#	RT	#
	12 HOUR STD	117635		6.83		692904		10.45		606613		15.94	
	UPPER LIMIT	235270		7.33		1385808		10.95		1213226		16.44	
	LOWER LIMIT	58818		6.33		346452		9.95		303306		15.44	
	EPA SAMPLE NO.												
01	01	103830		6.81		677969		10.45		570758		15.94	
02	0515TB	111934		6.83		711290		10.46		599532		15.92	
03	2D	106863		6.82		703770		10.46		586091		15.94	
04	2I	120044		6.82		705005		10.46		609763		15.92	
05	2S	114479		6.82		688505		10.46		591157		15.92	
	3S	116131		6.83		697879		10.45		598242		15.93	
07	VBLK01	107883		6.83		631938		10.47		546271		15.94	

IS1 (BCM) = Bromochloromethane
IS2 (DFB) = 1,4-Difluorobenzene
IS3 (CBZ) = Chlorobenzene-d5

AREA UPPER LIMIT = + 100% of internal standard area.
AREA LOWER LIMIT = - 50% of internal standard area.
RT UPPER LIMIT = +0.50 minutes of internal standard RT.
RT LOWER LIMIT = -0.50 minutes of internal standard RT.

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

8A
VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID (Standard): 4_1003I Date Analyzed: 10/03/01

Instrument ID: HP4 Time Analyzed: 1510

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

		IS1(BCM) AREA #	RT #	IS2(DFB) AREA #	RT #	IS3(CBZ) AREA #	RT #
	12 HOUR STD	69200	6.83	411842	10.45	357215	15.92
	UPPER LIMIT	138400	7.33	823684	10.95	714430	16.42
	LOWER LIMIT	34600	6.33	205921	9.95	178608	15.42
	EPA SAMPLE NO.						
01	10D	68966	6.83	436522	10.45	369969	15.94
02	3D	62984	6.83	417439	10.45	352831	15.94
03	3I	64884	6.83	403849	10.45	343358	15.94
04	5D	72174	6.83	439032	10.46	375736	15.92
05	5I	58561	6.82	384224	10.46	326684	15.94
06	5S	66046	6.83	429859	10.46	365333	15.94
07	6D	61561	6.83	419260	10.45	344590	15.92
08	6I	64334	6.83	413937	10.45	349971	15.94
09	6S	71219	6.83	424179	10.47	363769	15.94
10	9D	64774	6.81	426254	10.45	360088	15.93
11	9I	62484	6.82	411390	10.46	345263	15.92
12	VBLK02	75333	6.83	443574	10.47	381485	15.94
13	VBLK03	68922	6.83	408580	10.45	349488	15.94
14	VBLK04	69278	6.82	413511	10.46	352565	15.94

IS1 (BCM) = Bromochloromethane
IS2 (DFB) = 1,4-Difluorobenzene
IS3 (CBZ) = Chlorobenzene-d5

AREA UPPER LIMIT = + 100% of internal standard area.
AREA LOWER LIMIT = - 50% of internal standard area.
RT UPPER LIMIT = +0.50 minutes of internal standard RT.
RT LOWER LIMIT = -0.50 minutes of internal standard RT.

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

8A

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID (Standard): 4_1004C Date Analyzed: 10/04/01

Instrument ID: HP4 Time Analyzed: 1003

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

		IS1(BCM) AREA	#	RT	#	IS2(DFB) AREA	#	RT	#	IS3(CBZ) AREA	#	RT	#
	12 HOUR STD	73555		6.83		427320		10.46		371312		15.92	
	UPPER LIMIT	147110		7.33		854640		10.96		742624		16.42	
	LOWER LIMIT	36778		6.33		213660		9.96		185656		15.42	
	EPA SAMPLE NO.												
01	12D	70252		6.83		455738		10.46		382972		15.92	
02	12I	74104		6.83		446900		10.46		382674		15.92	
03	14I	70333		6.85		425107		10.47		363522		15.94	
04	14S	73376		6.83		438555		10.47		375432		15.94	
05	15I	65530		6.83		422405		10.45		354056		15.94	
	4D	70879		6.85		450979		10.47		383133		15.94	
07	7D	77200		6.83		459081		10.46		394951		15.92	
08	7I	75703		6.84		448574		10.47		382331		15.93	
09	7S	69854		6.83		437267		10.45		370133		15.92	
10	VBLK05	76590		6.82		450653		10.46		385783		15.92	
11	VBLK06	69914		6.83		409382		10.46		349222		15.92	
12	VBLK07	71506		6.83		418320		10.47		358954		15.94	

IS1 (BCM) = Bromochloromethane
IS2 (DFB) = 1,4-Difluorobenzene
IS3 (CBZ) = Chlorobenzene-d5

AREA UPPER LIMIT = + 100% of internal standard area.
AREA LOWER LIMIT = - 50% of internal standard area.
RT UPPER LIMIT = +0.50 minutes of internal standard RT.
RT LOWER LIMIT = -0.50 minutes of internal standard RT.

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

8A

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: WCLR Contract:

Lab Code: WCLR Case No.: SH2001 SAS No.: SDG No.: 0927

Lab File ID (Standard): 4_1005C Date Analyzed: 10/05/01

Instrument ID: HP4 Time Analyzed: 1431

GC Column: DB624 ID: 0.530(mm) Heated Purge: (Y/N) N

		IS1(BCM) AREA	#	RT	#	IS2(DFB) AREA	#	RT	#	IS3(CBZ) AREA	#	RT	#
	12 HOUR STD	72413		6.85		419541		10.47		365489		15.94	
	UPPER LIMIT	144826		7.35		839082		10.97		730978		16.44	
	LOWER LIMIT	36206		6.35		209770		9.97		182744		15.44	
	EPA SAMPLE NO.												
01	0515BS	71179		6.85		425217		10.47		367861		15.94	
02	5IR	68620		6.86		437021		10.47		369632		15.94	
03	12DMS	65658		6.86		416122		10.47		354561		15.93	
04	12DMSD	66793		6.85		426891		10.47		361086		15.94	
05	VBLK08	74242		6.86		434042		10.48		373230		15.94	

IS1 (BCM) = Bromochloromethane
IS2 (DFB) = 1,4-Difluorobenzene
IS3 (CBZ) = Chlorobenzene-d5

AREA UPPER LIMIT = + 100% of internal standard area.
AREA LOWER LIMIT = - 50% of internal standard area.
RT UPPER LIMIT = +0.50 minutes of internal standard RT.
RT LOWER LIMIT = -0.50 minutes of internal standard RT.

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

Calculation of Surrogate Recovery for Volatiles in Water

Surrogate recovery is calculated as:

$$\% \text{ Recovery} = \frac{\text{Surrogatein Extract}}{\text{Surrogate Added}} \times 100$$

Surrogate added (in µg) is calculated from:

$$\text{Surrogate} = \text{Surrogate Conc.} \times \text{SurrogateVol.}$$

where Surrogate Vol. is in ml and Surrogate Conc. is in µg/ml for the solution added to the original sample.

Surrogate recovered (in µg) is calculated from:

$$0.005 \times \text{Surrogate Conc.}$$

where Surrogate concentration in the sample is calculated in µg/Liter using the same method as for other analytes. Since surrogates are absent from environmental samples, there is no correction for their presence in these calculations.

Calculation of Matrix Spike Recovery for Volatiles in Water

Spike (Duplicate) recovery is calculated as:

$$\% \text{ Recovery} = \frac{\text{Spiked Sample Conc. - Unspiked Sample Conc}}{\text{Conc. of Spike Added}} \times 100$$

where the spiked and unspiked samples are run at the same level of dilution and the concentration used for the unspiked sample is its concentration in the purge vessel.

Spike (Duplicate) added (in µg/liter) is calculated from:

$$\text{Spike Conc.} = \frac{\text{Stock Spike Conc. x Spike Vol.}}{0.005\ l}$$

where Stock Spike Vol. is in ml and Spike Conc. is in µg/ml for the solution added to the sample.

Spike recovered is calculated in µg/Liter using the same method as for other analytes. Since the spike is added to the 5 ml portion of (possibly diluted) sample finally analyzed, there is no correction for dilution.

It is necessary to calculate recoveries using concentrations rather than absolute quantities recovered since the contribution of spike analytes from the sample will depend on the quantity of sample extracted.

Calculation of Concentration or CRQL for Volatiles in Water

Concentration for an aqueous sample is measured by purging 5 ml of the sample. If a diluted aliquot of original sample is added for the final volume of 5 ml, its concentration is calculated as follows:

$$\text{Original Concentration} = \frac{5 \times \text{Aliquot Dilution}}{\text{Aliquot Vol.}} \times \text{Sample Concentration}$$

where the aliquot volume is in ml and the concentration in the sample is given as µg/Liter.

The CRQL for each analyte in an aqueous sample is based on the CRQL given for that compound in Appendix C of the NYSDEC Analytical Services Protocol. It is calculated as follows:

$$\text{Adjusted CRQL} = \frac{5 \times \text{Aliquot Dilution}}{\text{Aliquot Vol.}} \times \text{CRQL}$$

The concentration in the 5 ml sample is calculated by the internal standard method as follows:

$$\text{Extract Conc.} = \frac{\text{Analyte Counts x I.S. Concentration}}{\text{I.S. Counts x RRF}}$$

where the counts for analyte and internal standard are areas under the EICP for the quantitation ions as determined by automated integration and manual review, the I.S. concentration is in µg/ml of extract and the analyte's RRF (relative response factor) is determined from the daily calibration run as follows:

$$\text{RRF} = \frac{\text{Analyte Counts x I.S. Conc.}}{\text{I.S. Counts x Analyte Conc.}}$$

000244

STATE OF NEW YORK
DEPARTMENT OF HEALTH

Wadsworth Center The Governor Nelson A. Rockefeller Empire State Plaza P.O. Box 509 Albany, New York 12201-0509

Antonia C. Novello, M.D., M.P.H.
Commissioner

Dennis P. Whalen
Executive Deputy Commissioner

LABORATORY OF ORGANIC ANALYTICAL CHEMISTRY

SIGNATURE LIST

Name	Initials	Signature	Initials
Kenneth M. Aldous	KMA	Kenneth M. Aldous	KMA
Kurt E. Asmus	KEA	Kurt E. Asmus	KEA
Robert G. Briggs	RB		RB
William W. Brown II	WB	William W. Brown II	WB
Anthony F. Bucciferro	AFB	Anthony Bucciferro	AFB
Pamela A. Chin	PAC		PAC
Steven Connor	SC	Steven Connor	SC
Paul J. Curran	PJC	Paul J. Curran	PJC
George A. Eadon	GAE		
James A. Egan	JAE	James A. Egan	JAE
Anthony Fayo	AF		
Michael S. Force	MSF		MSF
John S. Garden II	JSG		
Robert R. Henion	RRH	Robert R. Henion II	RRH

STATE OF NEW YORK
DEPARTMENT OF HEALTH

Wadsworth Center The Governor Nelson A. Rockefeller Empire State Plaza P.O. Box 509 Albany, New York 12201-0509

Antonia C. Novello, M.D., M.P.H.
Commissioner

Dennis P. Whalen
Executive Deputy Commissioner

Name	Initials	Signature	Initials
David R. Hilker	DRH	David R. Hilker	DRH
Robert L. Jansing	RLJ	Robert L. Jansing	RLJ
Jeanette Jurusik	JJ	Jeanette Jurusik	JJ
Joan Kaczmarczyk	JHK	Joan H. Kaczmarczyk	JHK
Robert L. Kowalik	RLK	Robert L Kowalik	RLK
Eric P. Marczak	EPM	Eric P. Marczak	EPM
Carol M. Meyer	CMM	Carol M. Meyer	CMM
William D. Monthie	WDM	William D Monthie	WDM
Amarajit S. Narang	ASN	A S. Narang	ASN
Rajinder S. Narang	RSN	Rajinder Singh Narang	RSN
Patrick W. O'Keefe	PWOK	Patrick W O'Keefe	PWOK
John P. O'Neil	JPO	John P O'Neil	JPO
Ronald W. Pause	RWP	Ronald W Pause	RWP
James Regan	JR	James P. Regan	JR
Francis J. Ryan	FR	Francis J. Ryan	FR
Robert S. Schere	RSS	Robert S. Schere	RSS
Vera M. Schraa	VMS	Vera M. Schraa	VMS
Diana Shannon	DS	Diana Shannon	DS
Edward R. Smith	ERS	Edward R. Smith	ERS
Robert M. Smith	RMS	Robert M Smith	RMS

000246

STATE OF NEW YORK
DEPARTMENT OF HEALTH

Wadsworth Center The Governor Nelson A. Rockefeller Empire State Plaza P.O. Box 509 Albany, New York 12201-0509

Antonia C. Novello, M.D., M.P.H., Dr.P.H.
Commissioner

Dennis P. Whalen
Executive Deputy Commissioner

Name	Initials	Signature	Initials
Vincent B. Stein	VBS	Vincent Stein	VBS
Richard K. Terpening	RKT	Richard K. Terpening	RKT
Herman Valente	HV	Herman Valente	HV
Erik M. Waters	EMW	Erik M. Waters	EMW
Howard Blum	HB	Howard Blum	HB
Lorie Durocher	LD	Lorie Durocher	LD
Sheridawn Leitch	SL	Sheridawn Leitch	SL

August 2001

CHAIN OF CUSTODY RECORD

URS
CONSULTANTS, INC.

PROJECT NO.	SITE NAME	CLIENT
6615	GLADDING CORP.	NYSDEC

SAMPLERS (PRINT): JOHN STRANG

625 BROADWAY ALBANY, NY 12233 402-9640

LAB NYSDOH WADSWORTH*

COOLER 1 of 1

PAGE 1 of 3

DELIVERY SERVICE:_____ AIRBILL NO.:_____

TURNAROUND: ☒ NORMAL ☐ RUSH NUMBER OF DAYS:_____

000247

LOCATION IDENTIFIER	DATE	TIME	COMP	GRAB	SAMPLE ID	MATRIX	TOTAL NUMBER OF CONTAINERS	TESTS: Volatiles	BOTTLE TYPE AND PRESERVATIVE: 40ml Ascorbic Acid	REMARKS	RPMS: SAMPLE TYPE	RPMS: FIELD LOT #	RPMS: BEGINNING DEPTH (IN FEET)	RPMS: ENDING DEPTH (IN FEET)
GLAD 01	9/26/01	1230		X	GLAD 01	WG	2	2						
MW-2S	9/26/01	1235		X	GLAD 2S	WG	2	2						
2I	9/26/01	1240		X	GLAD 2I	WG	2	2						
2D	9/26/01	1225		X	GLAD 2D	WG	2	2						
3S	9/26/01	1400		X	GLAD 3S	WG	2	2						
3I	9/26/01	1405		X	GLAD 3I	WG	2	2						
3D	9/26/01	1415		X	GLAD 3D	WG	2	2						
10D	9/26/01	1505		X	GLAD 10D	WG	2	2						
6S	9/26/01	1510		X	GLAD 6S	WG	2	2						
6I	9/26/01	1525		X	GLAD 6I	WG	2	2						
6D	9/26/01	1515		X	GLAD 6D	WG	2	2						
9I	9/26/01	1625		X	GLAD 9I	WG	2	2						

MATRIX CODES

AA - AMBIENT AIR
SE - SEDIMENT
SH - HAZARDOUS SOLID WASTE
LH - HAZARDOUS LIQUID WASTE
SL - SLUDGE
ST - SOLID WASTE
WP - DRINKING WATER
WG - GROUND WATER
SO - SOIL
DC - DRILL CUTTINGS
WL - LEACHATE
GS - SOIL GAS
WC - DRILLING WATER
WO - OCEAN WATER
WS - SURFACE WATER
WW - WASTE WATER
LF - FLOATING/FREE PRODUCT ON GW TABLE

RELINQUISHED BY (SIGNATURE)	DATE	TIME	RECEIVED BY (SIGNATURE)	DATE	TIME
John R Strang	9/27/01	1540			
RELINQUISHED BY (SIGNATURE)	DATE	TIME	RECEIVED FOR LAB. BY (SIGNATURE)	DATE	TIME
				10/2/01	0830

SPECIAL INSTRUCTIONS

Distribution: Original accompanies shipment, copy to coordinator field files

URSF-075/1 OF ER

CHAIN OF CUSTODY RECORD

URS
CONSULTANTS, INC.

PROJECT NO.	SITE NAME	CLIENT
6615	GLADDING	NYSDEC

SAMPLERS (PRINT): JOHN STRANG

625 BROADWAY ALBANY, NY 12233 402-9640

LAB NYSDOH WADSWORTH

COOLER 1 of 1

PAGE 2 of 3

DELIVERY SERVICE:_____ AIRBILL NO.:_____

TURNAROUND: ☒ NORMAL ☐ RUSH NUMBER OF DAYS:_____

00248

LOCATION IDENTIFIER	DATE	TIME	COMP	GRAB	SAMPLE ID	MATRIX	TOTAL NUMBER OF CONTAINERS	TESTS: Volatiles (BOTTLE TYPE AND PRESERVATIVE: 40ml w/Ascorbic Acid)	REMARKS	AIRPIMS: SAMPLE TYPE	AIRPIMS: FIELD LOT #	AIRPIMS: BEGINNING DEPTH (IN FEET)	AIRPIMS: ENDING DEPTH (IN FEET)
MONITORING WELL 9D	9/26/01	1615		X	GLAD 9D	WG	2	2					
5S	9/26/01	1640		X	GLAD 5S	WG	2	2					
5I	9/26/01	1642		X	GLAD 5I	WG	2	2					
5D	9/26/01	1710		X	GLAD 5D	WG	2	2					
7S	9/26/01	1705		X	GLAD 7S	WG	2	2					
7I	9/26/01	1800		X	GLAD 7I	WG	2	2					
7D	9/26/01	1740		X	GLAD 7D	WG	2	2					
12I	9/27/01	930		X	GLAD 12I	WG	2	2					
12D	9/27/01	926		X	GLAD 12D	WG	2	2					
MS	9/27/01	926		X	DUPLICATE	WG	2	2					
MSD	9/27/01	926		X	MSD	WG	2	2					
14S	9/27/01	1050		X	GLAD 14S	WG	2	2					

MATRIX CODES

AA - AMBIENT AIR
SE - SEDIMENT
SH - HAZARDOUS SOLID WASTE
LH - HAZARDOUS LIQUID WASTE
SL - SLUDGE
ST - SOLID WASTE
WP - DRINKING WATER
WG - GROUND WATER
SO - SOIL
DC - DRILL CUTTINGS
WL - LEACHATE
GS - SOIL GAS
WC - DRILLING WATER
WO - OCEAN WATER
WS - SURFACE WATER
WW - WASTE WATER
LF - FLOATING/FREE PRODUCT ON GW TABLE

RELINQUISHED BY (SIGNATURE)	DATE	TIME	RECEIVED BY (SIGNATURE)	DATE	TIME	SPECIAL INSTRUCTIONS
John R Strang	9/27/01	1540				
RELINQUISHED BY (SIGNATURE)	DATE	TIME	RECEIVED FOR LAB. BY (SIGNATURE)	DATE	TIME	
			Robert Tuyman	10/2/01	0830	

Distribution: Original accompanies shipment, copy to coordinator field files

URSF-075/1 OF 1

CHAIN OF CUSTODY RECORD

URS
CONSULTANTS, INC.

000249

PROJECT NO.	SITE NAME	CLIENT
6615	GLADDING CORP.	NYSDEC

SAMPLERS (PRINT): JOHN STRANG
625 BROADWAY ALBANY, NY 12233 402-9640

LAB NYSDOH WADSWORTH
COOLER 1 of 1
PAGE 3 of 3

DELIVERY SERVICE:_____ AIRBILL NO.:_____

TURNAROUND: ☐ NORMAL ☐ RUSH NUMBER OF DAYS:_____

LOCATION IDENTIFIER	DATE	TIME	COMP	GRAB	SAMPLE ID	MATRIX	TOTAL NUMBER OF CONTAINERS	TESTS: VOLATILES	BOTTLE TYPE AND PRESERVATIVE: 40ml Asorbic Acid						REMARKS	IRPIMS: SAMPLE TYPE	FIELD LOT #	BEGINNING DEPTH (IN FEET)	ENDING DEPTH (IN FEET)
14I	9/27/01	1040		X	GLAD 14I	WG	2	2											
4D	9/27/01	1026		X	GLAD 4D	WG	2	2											
15I	9/27/01	1140		X	GLAD 15I	WG	2	2											
					TRIPBLANK	W	6+	6+											

MATRIX CODES:
AA - AMBIENT AIR; SE - SEDIMENT; SH - HAZARDOUS SOLID WASTE; LH - HAZARDOUS LIQUID WASTE; SL - SLUDGE; ST - SOLID WASTE; WP - DRINKING WATER; WG - GROUND WATER; SO - SOIL; DC - DRILL CUTTINGS; WL - LEACHATE; GS - SOIL GAS; WC - DRILLING WATER; WO - OCEAN WATER; WS - SURFACE WATER; WW - WASTE WATER; LF - FLOATING/FREE PRODUCT ON GW TABLE

RELINQUISHED BY (SIGNATURE)	DATE	TIME	RECEIVED BY (SIGNATURE)	DATE	TIME
John N Strang	9/27/01	1540			
RELINQUISHED BY (SIGNATURE)	DATE	TIME	RECEIVED FOR LAB. BY (SIGNATURE)	DATE	TIME
			Bridget Stevens	10/2/01	0830

SPECIAL INSTRUCTIONS

Distribution: Original accompanies shipment, copy to coordinator field files

URSF-075/1 OF 1

000250

CLP-2 (9/95)

WADSWORTH CENTER
Division of Environmental Disease Prevention

MATRIX H2O

BATCH # 0515 ☐ ANALYSIS TYPE TCL-VOL CASE # SN2001

_____ ☐ _____ SDG # 0927

_____ ☐ _____ _____

_____ ☐ _____ _____

INTERNAL CHAIN OF CUSTODY RECORD

NYSDOH SAMPLE #	DEC SAMPLE #	DATE REC'D AT LAB
0103111	01	9/27/01
0103112	2S	
0103113	2I	
0103114	2D	
0103115	3S	
0103116	3I	
0103117	3D	
0103118	10D	
0103119	6S	
0103120	6I	
0103121	6D	
0103122	9I	
0103123	9D	
0103124	5S	
0103125	5I	
0103126	5D	
0103127	7S	
0103128	7I	
0103129	7D	
0103130	12I	
0103131	12D	
0103132	12DMS	
0103133	12DMSD	

	Relinquished By	Received By	Date	Time	Location
1. ~~Sample~~/Aliquot/Extract	[signature]	[signature]	10/2/01	1030	D-26
2. Sample/Aliquot/Extract					
3. Sample/Aliquot/Extract					
4. Sample/Aliquot/Extract					
5. Sample/Aliquot/Extract					
6. Sample/Aliquot/Extract					
7. Sample/Aliquot/Extract					
8. Sample/Aliquot/Extract					

000251

CLP-2 (9/95)

WADSWORTH CENTER
Division of Environmental Disease Prevention

MATRIX H2O

BATCH # 0515 ☐ ANALYSIS TYPE TCL-VOC CASE # SH2001

☐ SDG # 0927

☐

☐

INTERNAL CHAIN OF CUSTODY RECORD

NYSDOH SAMPLE #	DEC SAMPLE #	DATE REC'D AT LAB
0103134	14S	9/27/01
0103135	14I	
0103136	4D	
0103137	15I	
0103138	TB	
0103139	MSB	

	Relinquished By	Received By	Date	Time	Location
1. Sample/Aliquot/Extract	[signature]		10/2/01	1030	D-266
2. Sample/Aliquot/Extract					
3. Sample/Aliquot/Extract					
4. Sample/Aliquot/Extract					
5. Sample/Aliquot/Extract					
6. Sample/Aliquot/Extract					
7. Sample/Aliquot/Extract					
8. Sample/Aliquot/Extract					

Copy from Sample Log Book #2

9/27/01 CASE: SH2001

SDG: 0927

RECD 25 SAMPLES TAKEN AT GLADDING CORP. SITE ALONG WITH SPIKE & DUPLICATE

Richard Stypmann

NYSDEC SAMPLE #	SAMPLE TAG #	ASSIGNED LAB #
01		0103111
2S		0103112
2I		0103113
2D		0103114
3S		0103115
3I		0103116
3D		0103117
10D		0103118
6S		0103119
6I		0103120
6D		0103121
9I		0103122
9D		0103123
5S.		0103124
5I		0103125
5D		0103126
7S		0103127
7I		0103128
7D		0103129
12I		0103130
12D		0103131
12D MS		0103132
12DMSD		0103133
14S		0103134
14I		0103135
4D		0103136
15I		0103137
TB		0103138

Samples were received from NYSDEC without any submission forms. The submitter, John Strang, was contacted by Email and he supplied a case number and SDG number. He did not supply the absent submission forms. Laboratory staff completed submission forms from the information provided on the chain of custody forms.

Ronald W Payne
10/02/01

000253

NY State Dept. of Health — SAMPLE LOG-IN SHEET

Lab Name: Wadsworth Center for Laboratories & Research Page 1 of 1

Received by (Print Name): RICHARD TERPENING Log-In Date: 10/2/01

Received by (Signature): Richard Terpening

Case Number: SH2001
SDG Number: 0927
SAS Number: _____

REMARKS:

1. Custody Seal(s) Present/Absent* Intact/Broken
2. Custody Seal Numbers: _____
3. Chain-of-Custody Records Present/Absent*
4. Contract Lab Sample Inform. Sheet (CLSIS) Present/Absent
5. Airbill Airbill/Sticker Present/Absent*
6. Airbill No.: HAND DELIVERED
7. Sample Tags Present/Absent* Sample Tag Nos. *Listed/Not Listed on Chain-of-Custody
8. Sample Condition Intact/Broken*/Leaking
9. Does information on custody rec., [illegible], & sample tags agree Yes/No*
10. Date received at Lab: 9/27/01
11. Time Received: 1545

	CORRESPONDING		
NYSDEC SAMPLE #	SAMPLE TAG #	ASSIGNED LAB #	REMARKS: CONDITION OF SAMPLE SHIPMENT, ETC.
01		0103111	
2S		0103112	
2I		0103113	
2D		0103114	
3S		0103115	
3I		0103116	
3D		0103117	
10D		0103118	
6S		0103119	
6I		0103120	
6D		0103121	
9I		0103122	
9D		0103123	
5S		0103124	
5I		0103125	
5D		0103126	
7S		0103127	
7I		0103128	
7D		0103129	
12I		0103130	
12D		0103131	
12D MS		0103132	
12D MSD		0103133	
14S		0103134	
14I		0103135	
4D		0103136	
15I		0103137	
TB		0103138	

Sample Transfer

Fraction: _____ _____
Area #: _____ _____
By: _____ _____
On: _____ _____

* Contact BTSR and attach record of resolution

Reviewed By: _____
Date: _____

Logbook No.: 2
Logbook Page No.: 241

FORM DC-1

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103111 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 01
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 12:30 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:01

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE (FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

RECEIVED
NOV 23 2001
BUREAU OF EASTERN
REMEDIAL ACTION

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103111 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 12:30 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:01

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.04 MCG/L [BJ]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.2 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 01

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103111
Sample wt/vol: 5.0 ML Lab File ID: 4_10020
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/02/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103112 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 2S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 12:35 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:2S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.2 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	0.5 MCG/L [J]
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	3. MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103112 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 12:35 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:2S

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.05 MCG/L [BJ]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.03 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.2 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 2S

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103112
Sample wt/vol: 5.0 ML Lab File ID: 4_1002P
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/02/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103113 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GAD 21
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 12:40 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:21

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	10. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103113 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 12:40 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:21

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.007 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.04 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 21

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103113
Sample wt/vol: 5.0 ML Lab File ID: 4_1002Q
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/02/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PA RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103114 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 2D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 12:25 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:2D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	4. MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PA RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103114 SAMPLE RECEIVED: 10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION: OTSELIC COUNTY: CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 12:25 DATE PRINTED: 11/15/2001
CASE: SH2001 SDG: 0927 CUST.NO.: 2D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.01 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

<> IE EPA SAMPLE NO. <>
<> VOLATILE ORGANICS ANALYSIS DATA SHEET <>
<> TENTATIVELY IDENTIFIED COMPOUNDS | 2D | <>
<> <>
<> Lab Name: WCLR Contract: <>
<> Lab Code: WCLR Case No.: SH200 <>
<> SAS No.: SDG No.: 0927 <>
<> Matrix: Water Lab Sample ID: 200103114 <>
<> Sample wt/vol: 5.0 ML Lab File ID: 4_1002R <>
<> Level: L Date Received: 09/27/01 <>
<> Moisture: Date Analyzed: 10/02/01 <>
<> GC Column: DB624 ID: 0.53 (mm) Dil. Factor: <>
<> Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL) <>
<> TICs found: 0 CONCENTRATION UNITS: <>

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103115 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 3S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 14:00 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:35

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.2 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	0.08 MCG/L [J]
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	4. MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103115 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 14:00 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:3S

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.03 MCG/L [J]
TETRACHLOROETHENE	0.06 MCG/L [J]
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.01 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET

TENTATIVELY IDENTIFIED COMPOUNDS | 3S |

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103115
Sample wt/vol: 5.0 ML Lab File ID: 4_1002S
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/02/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103116 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 31
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 14:05 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:31

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.4 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.4 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	25. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103116 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 14:05 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:31

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.02 MCG/L [J]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.05 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.2 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

<> 1E EPA SAMPLE NO. <>
<> VOLATILE ORGANICS ANALYSIS DATA SHEET | 31 | <>
<> TENTATIVELY IDENTIFIED COMPOUNDS <>
<> Lab Name: WCLR Contract: <>
<> Lab Code: WCLR Case No.: SH200 <>
<> SAS No.: SDG No.: 0927 <>
<> Matrix: Water Lab Sample ID: 200103116 <>
<> Sample wt/vol: 5.0 ML Lab File ID: 4_1003L <>
<> Level: L Date Received: 09/27/01 <>
<> Moisture: Date Analyzed: 10/03/01 <>
<> GC Column: DB624 ID: 0.53 (mm) Dil. Factor: <>
<> Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL) <>
<> TICs found: 0 CONCENTRATION UNITS: <>

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103117 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 3D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 14:15 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:3D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	2. MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103117 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 14:15 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:3D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.07 MCG/L [J]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.04 MCG/L [J]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.03 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.09 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 3D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103117
Sample wt/vol: 5.0 ML Lab File ID: 4_1003M
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103136 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 4D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 10:26 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:4D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.5 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	1. MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	55. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103136 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 10:26 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NC.:4D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 4D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103136
Sample wt/vol: 5.0 ML Lab File ID: 4_1004M
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAG

RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103124 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 5S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 16:40 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:5S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.2 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	1. MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	20. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAG RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103124 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 16:40 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:5S

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.
5S

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103124
Sample wt/vol: 5.0 ML Lab File ID: 4_1003U
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103125 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 51
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 16:42 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:51

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	0.04 MCG/L [J]
1,1-DICHLOROETHENE	2. MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	4. MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	85. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103125 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 16:42 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:51

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.009 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.01 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.08 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

<> IE EPA SAMPLE NO. <>
<> VOLATILE ORGANICS ANALYSIS DATA SHEET ---------- <>
<> TENTATIVELY IDENTIFIED COMPOUNDS | 5IR | <>
<> ---------- <>
<> Lab Name: WCLR Contract: <>
<> Lab Code: WCLR Case No.: SH200 <>
<> SAS No.: SDG No.: 0927 <>
<> Matrix: Water Lab Sample ID: 200103125 <>
<> Sample wt/vol: 5.0 ML Lab File ID: 4_1005F <>
<> Level: L Date Received: 09/27/01 <>
<> Moisture: Date Analyzed: 10/05/01 <>
<> GC Column: DB624 ID: 0.53 (mm) Dil. Factor: <>
<> Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL) <>
<> TICs found: 0 CONCENTRATION UNITS: <>

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103126 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 5D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 17:10 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:5D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.8 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.8 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	63. MCG/L [B]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103126 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 17:10 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:5D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.05 MCG/L [J]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.04 MCG/L [J]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 5D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103126
Sample wt/vol: 5.0 ML Lab File ID: 4_1003X
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103121 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 15:15 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:6D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L

TENTATIVELY IDENTIFIED COMPOUNDS - VOL. 011112

IE

EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET

TENTATIVELY IDENTIFIED COMPOUNDS | 6D |

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103121
Sample wt/vol: 5.0 ML Lab File ID: 4_1003R
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103121 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 6D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 15:15 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:6D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE (FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103120 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 15:25 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:61

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	0.04 MCG/L [J]
TOTAL XYLENES	0.2 MCG/L [J]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.03 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.
61

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103120
Sample wt/vol: 5.0 ML Lab File ID: 4_1003Q
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103120 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 61
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 15:25 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:61

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE (FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.2 MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LRHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAC RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103119 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 15:10 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:6S

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.06 MCG/L [J]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.08 MCG/L [J]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 6S

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103119
Sample wt/vol: 5.0 ML Lab File ID: 4_1003P
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

PA RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103119 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 6S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 15:10 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:6S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE (FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	0.8 MCG/L [BJ]
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.2 MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103127 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 7S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 17:05 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:7S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.8 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	0.08 MCG/L [BJ]
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	13. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103127 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 17:05 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:7S

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.04 MCG/L [BJ]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.01 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.1 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 7S

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103127
Sample wt/vol: 5.0 ML Lab File ID: 4_1004F
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103128 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 71
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 18:00 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:71

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.2 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.1 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	12. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103128 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 18:00 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:71

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.07 MCG/L [BJ]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.05 MCG/L [J]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.04 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 71

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103128
Sample wt/vol: 5.0 ML Lab File ID: 4_1004G
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

PAG RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103129 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 7D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 17:40 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:7D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.3 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	1. MCG/L [J]
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	0.3 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	24. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAC RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103129 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 17:40 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:7D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.05 MCG/L [BJ]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.01 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.06 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 7D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103129
Sample wt/vol: 5.0 ML Lab File ID: 4_1004H
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103122 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 6D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 16:25 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:91

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	5. MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103122 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 16:25 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:91

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	0.04 MCG/L [J]
TOTAL XYLENES	0.06 MCG/L [J]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.03 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO. | 91 |

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103122
Sample wt/vol: 5.0 ML Lab File ID: 4_1003S
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103123 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 9D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 16:15 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:9D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103123 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 16:15 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:9D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 9D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103123
Sample wt/vol: 5.0 ML Lab File ID: 4_1003T
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103118 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 10D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/26/2001 15:05 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:10D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.4 MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103118 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 15:05 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:10D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	0.04 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 10D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103118
Sample wt/vol: 5.0 ML Lab File ID: 4_10030
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/03/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103130 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 121
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 09:30 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:121

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	0.1 MCG/L [J]
1,1-DICHLOROETHANE	0.1 MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	7. MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103130 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 09:30 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:121

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.04 MCG/L [BJ]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.03 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 121

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103130
Sample wt/vol: 5.0 ML Lab File ID: 4_10041
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 20010313I SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 12D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 09:26 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.2 MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103131 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 09:26 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12D

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 12D

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103131
Sample wt/vol: 5.0 ML Lab File ID: 4_10040
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103132 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 12D- MATRIX SPIKE
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 287:MATRIX SPIKE (MS)
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 09:26 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12D-MS

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	50. MCG/L %R=100.
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.3 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.3 MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	46. MCG/L %R=91.
TRICHLOROETHENE	46. MCG/L %R=92.

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103132 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 09:26 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12D-MS

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	46. MCG/L %R=92.
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	45. MCG/L %R=90.
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.02 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103133 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 12D - MATRIX SPIKE DUPLICATE
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 299:MATRIX SPIKE DUPLICATE - MSD
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 09:26 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12D-MSD

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	53. MCG/L %R=105.
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.3 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.3 MCG/L [J]
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	48. MCG/L %R=96.
TRICHLOROETHENE	48. MCG/L %R=97.

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103133 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 09:26 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:12D-MSD

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	49. MCG/L %R=98.
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	47. MCG/L %R=95.
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

**** END OF REPORT ****

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAG RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103134 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 14S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 10:50 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:14S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.3 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	0.3 MCG/L [J]
1,1-DICHLOROETHANE	2. MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	30. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103134 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 10:40 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:14S

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.07 MCG/L [BJ]
TETRACHLOROETHENE	0.07 MCG/L [J]
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	0.1 MCG/L [J]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 14S

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103134
Sample wt/vol: 5.0 ML Lab File ID: 4_1004J
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103135 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 141
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 10:40 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:141

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	0.9 MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	3. MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	0.2 MCG/L [BJ]
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	78. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103135 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 10:40 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:141

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	0.04 MCG/L [BJ]
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 141

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103135
Sample wt/vol: 5.0 ML Lab File ID: 4_1004K
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103137 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:GLAD 151
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 999:OTHER/MISCELLANEOUS/UNCATEGORIZED
TEMPERATURE OF SAMPLE AT RECEIPT WAS 4.0 DEG C
TIME OF SAMPLING: 09/27/2001 11:40 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:151

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	2. MCG/L [J]
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.1 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	3. MCG/L [J]
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	0.5 MCG/L [BJ]
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	110. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103137 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/27/2001 11:40 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:151

PARAMETER	RESULT
METHYLCYCLOHEXANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	0.3 MCG/L [J]
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	0.05 MCG/L [J]
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

IE

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 151

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103137
Sample wt/vol: 5.0 ML Lab File ID: 4_1004P
Level: L Date Received: 09/27/01
Moisture: Date Analyzed: 10/04/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

WADSWORTH CENTER
EMPIRE STATE PLAZA, ALBANY NY 12201

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103138 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:WITH SAMPLE 2001031111-37, DATE PREPARED 9/18/01
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 297:TRIP BLANK - ORIGINATES IN LABORATORY
TIME OF SAMPLING: 09/26/2001 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:TB

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	0.07 MCG/L [J]
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.2 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
METHYLCYCLOHEXANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103138 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NC.:TB

PARAMETER	RESULT
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	0.02 MCG/L [BJ]
TOTAL XYLENES	0.07 MCG/L [BJ]
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	0.07 MCG/L [BJ]
1,4-DICHLOROBENZENE	0.2 MCG/L [BJ]
1,2-DICHLOROBENZENE	0.1 MCG/L [BJ]
1,2-DIBROMO-3-CHLOROPROPANE	0.3 MCG/L [BJ]
1,2,4-TRICHLOROBENZENE	0.5 MCG/L [BJ]
TENTATIVELY IDENTIFIED COMPOUNDS - VOL.	011112

1E

VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

EPA SAMPLE NO.: 0515TB

Lab Name: WCLR Contract:
Lab Code: WCLR Case No.: SH200
SAS No.: SDG No.: 0927
Matrix: Water Lab Sample ID: 200103138
Sample wt/vol: 5.0 ML Lab File ID: 4_1002N
Level: L Date Received: //
Moisture: Date Analyzed: 10/02/01
GC Column: DB624 ID: 0.53 (mm) Dil. Factor:
Soil Ext.Vol: (uL) Soil Aliquot Vol.: (uL)
TICs found: 0 CONCENTRATION UNITS:

CAS NUMBER	COMPOUND NAME	RT	EST.CONC.	Q

**** END OF REPORT ****

PAG RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103139 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
DESCRIPTION:MATRIX SPIKE BLANK
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 288:MATRIX SPIKE BLANK - MSB
TIME OF SAMPLING: 09/26/2001 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:MSB

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 11/15/2001 FINAL REPORT

PARAMETER	RESULT
DICHLORODIFLUOROMETHANE (FREON-12)	< 10. MCG/L
CHLOROMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
TRICHLOROFLUOROMETHANE (FREON-11)	< 10. MCG/L
1,1-DICHLOROETHENE	46. MCG/L %R=92.
1,1,2-TRICHLOROTRIFLUOROETHANE(FREON113)	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
ACETONE	< 10. MCG/L
METHYL ACETATE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.4 MCG/L [BJ]
TRANS-1,2-DICHLOROETHENE	< 10. MCG/L
METHYL-tert-BUTYL ETHER (MTBE)	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS-1,2-DICHLOROETHENE	< 10. MCG/L
2-BUTANONE (MEK)	< 10. MCG/L
CHLOROFORM	0.2 MCG/L [J]
1,2-DICHLOROETHANE	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CYCLOHEXANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BENZENE	45. MCG/L %R=91.
TRICHLOROETHENE	45. MCG/L %R=91.
METHYLCYCLOHEXANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID 10763, LAB DIR DR K. ALDOUS, CONTACT MR R. PAUSE 518-473-0323
<> THESE TEST RESULTS MEET THE REQUIREMENTS OF NELAC, <>
<> EXCEPT WHERE NELAC ACCREDITATION IS NOT AVAILABLE. <>
COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
625 BROADWAY SUBMITTED BY:STRANG
ALBANY *** INTERAGENCY MAIL ***

PAG RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 200103139 SAMPLE RECEIVED:10/02/2001 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORP., RIDGE RD., SOUTH OTSELIC, NY 13155
TIME OF SAMPLING: 09/26/2001 DATE PRINTED:11/15/2001
CASE:SH2001 SDG:0927 CUST.NO.:MSB

PARAMETER	RESULT
1,2-DICHLOROPROPANE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
TOLUENE	45. MCG/L %R=90.
TETRACHLOROETHENE	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
1,2-DIBROMOETHANE (EDB)	< 10. MCG/L
CHLOROBENZENE	44. MCG/L %R=89.
ETHYLBENZENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L
STYRENE	< 10. MCG/L
ISOPROPYLBENZENE (Cumene)	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
1,3-DICHLOROBENZENE	< 10. MCG/L
1,4-DICHLOROBENZENE	< 10. MCG/L
1,2-DICHLOROBENZENE	< 10. MCG/L
1,2-DIBROMO-3-CHLOROPROPANE	< 10. MCG/L
1,2,4-TRICHLOROBENZENE	< 10. MCG/L
TENTATIVELY IDENTIFIED COMPOUNDS - VOL	011112

**** END OF REPORT ****

November 19, 1998

Columbia Analytical Services inc.

Mr. John M. Ryan
NYS DEC
Bureau of Watershed Assessment & Research
50 Wolf Road, Room 392
Albany, NY 12233-3502

PROJECT: GLADDING
CASE #: SH098
SDG #: 1006
SAMPLE #'S: A04901 - A04928, TRIP BLANK, COOLER BLANK
Submission #: 9810000142

Dear Mr. Ryan:

Enclosed are the analytical results of the analyses requested. All data has been reviewed prior to report submission. Should you have any questions please contact me at (716) 288-5380.

Thank you for letting us provide this service.

Sincerely,

COLUMBIA ANALYTICAL SERVICES

Michael K. Perry

Michael Perry
Laboratory Director

Enc.

cc: Mr. T. M. Koch
NYS DEC - Division of Water
50 Wolf Road, Room 252
Albany, NY 12233-7010

0001

SDG NARRATIVE

CASE NARRATIVE

COMPANY: NYS DEC - Albany
PROJECT: Gladding
SUBMISSION #: 9810000142
SDG#: 1006
Case #: SH098

NYS DEC samples were collected on 10/06/98 - 10/07/98 and received at CAS on 10/08/98 in good condition at cooler temperature of 7.3 °C. See CAS CLP Batching sheets for a cross reference between Client ID and CAS Job # and analyses requested.

VOLATILE ORGANIC ANALYSIS

Twenty-Eight water samples and a Trip Blank were analyzed for Target Compound List (TCL) volatile organics by Method 95-1 from the NYSDEC 1995 ASP.

All Tuning criteria for BFB were within limits.

The initial and continuing calibration criteria were met for all analytes.

All internal standard areas were within QC limits.

All surrogate compounds were within QC limits for recovery.

Matrix Spike/Matrix Spike Duplicate recoveries and the Blank Spike recoveries were all acceptable.

All Laboratory Blanks were free from contamination.

Library Searches against the NBS/EPA library were conducted on all samples, reanalyzes, and blanks. The 30 largest peaks within 10 % of the nearest Internal Standard were searched. A summary of detected peaks is included following the Target data. Any analyte detected was quantitated based on the closest internal standard and has been reported flagged with a "J" as estimated.

No other analytical or QC problems were encountered during the analysis of this SDG.

1 Mustard Street, Suite 250 ▪ Rochester, NY 14609-6925 ▪ Telephone (716) 288-5380 ▪ Fax (716) 288-8475

INORGANIC ANALYSIS

Two water samples were analyzed for TAL Metals using SW-846 methodology and reported using NYSDEC 1995 ASP protocol. Mercury was analyzed by cold vapor methodology, Selenium by GFAA, and all other metals were analyzed by ICP.

All the LCS recoveries were within QC limits.

No analytical or QC problems were encountered.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Michael K. Perry
Laboratory Manager

11/19/98
Date

CAS ASP/CLP BATCH FORM / LOGIN SHEET

SDG #: 1006 CASE No.: SH098
SUBMISSION 9810000142
CLIENT: NYS DEC - Albany, NY
CLIENT REP: Michael Perry
PROJECT: Gladding

BATCH COMPLETE: __yes_____
DISKETTE REQUESTED: Y___ N__x__
DATE: 10/12/98
CUSTODY SEAL: PRESENT/ABSENT:
CHAIN OF CUSTODY: PRESENT/ABSENT:

DATE REVISED:
DATE DUE: 11/05/98
PROTOCOL: ASP-B
SHIPPING No.: UPS J0136969816

CAS JOB #	CLIENT/EPA ID	MATRIX	REQUESTED PARAMETERS	DATE SAMPLED	DATE RECEIVED	pH (SOLIDS)	% SOLIDS	REMARKS SAMPLE CONDITION
245954	A04901	WATER	95-1, TAL METALS	10/7/98	10/8/98			
245955	A04902	WATER	95-1, TAL METALS	10/7/98	10/8/98			
245956	A04903	WATER	95-1	10/6/98	10/8/98			
245957	A04904	WATER	95-1	10/6/98	10/8/98			
245958	A04905	WATER	95-1	10/6/98	10/8/98			
245960	A04906	WATER	95-1	10/6/98	10/8/98			
245961	A04907	WATER	95-1	10/6/98	10/8/98			
245962	A04908	WATER	95-1	10/6/98	10/8/98			
245963	A04909	WATER	95-1	10/6/98	10/8/98			
245965	A04910	WATER	95-1	10/6/98	10/8/98			
245966	A04911	WATER	95-1	10/6/98	10/8/98			
245967	A04912	WATER	95-1	10/6/98	10/8/98			
245968	A04913	WATER	95-1	10/6/98	10/8/98			
245969	A04914	WATER	95-1	10/6/98	10/8/98			
245970	A04915	WATER	95-1	10/6/98	10/8/98			
245971	A04916	WATER	95-1	10/6/98	10/8/98			
245972	A04917	WATER	95-1	10/6/98	10/8/98			
245973	A04918	WATER	95-1	10/6/98	10/8/98			
245974	A04919	WATER	95-1	10/6/98	10/8/98			
245975	A04920	WATER	95-1	10/6/98	10/8/98			
245976	A04921	WATER	95-1	10/6/98	10/8/98			
245977	A04922	WATER	95-1	10/7/98	10/8/98			
245978	A04923	WATER	95-1	10/7/98	10/8/98			
245979	A04924	WATER	95-1	10/7/98	10/8/98			
245980	A04925	WATER	95-1	10/7/98	10/8/98			
245981	A04926	WATER	95-1	10/7/98	10/8/98			
245982	A04927	WATER	95-1	10/7/98	10/8/98			
245983 QC	A04928	WATER	95-1	10/7/98	10/8/98			
245984	TRIP BLANK	WATER	95-1	10/6/98	10/8/98			
245985	COOLER BLANK	WATER	95-1	10/6/98	10/8/98			

5000

INORGANIC QUALIFIERS

C (Concentration) qualifier - Enter "B" if the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL) but was greater than or equal to the Instrument Detection Limit (IDL). If the analyte was analyzed for, but not detected, a "U" must be entered.

Q qualifier - Specified entries and their meanings are as follows:

E - The reported value is estimated because of the presence of interference.

M - Duplicate injection precision not met.

N - Spiked sample recovery not within control limits.

S - The reported value was determined by the Method of Standard Additions (MSA).

W - Post-digestion spike for Furnace AA Analysis is out of control limits (85-115), while sample absorbance is less than 50% of spike absorbance.

* - Duplicate analysis not within control limits.

+ - Correlation coefficient for the MSA is less than 0.995.

M (Method) qualifier - Enter:

- "P" for ICP
- "A" for Flame AA
- "F" for Furnace AA
- "PM" for ICP when Microwave Digestion is used
- "AM" for Flame AA when Microwave Digestion is used
- "FM" for Furnace M when Microwave Digestion is used
- "CV" for Manual Cold Vapor AA
- "AV" for Automated Cold Vapor AA
- "CA" for Midi-Distillation Spectrophotometric
- "AS" for Semi-Automated Spectrophotometric
- "C" for Manual Spectrophotometric
- "T" for Titrimetric
- " " where no data has been entered
- "NR" if the analyte is not required to be analyzed

CHAINS OF CUSTODY
SAMPLE INFORMATION SHEETS
INTERNAL CHAINS

COLUMBIA ANALYTICAL SERVICES, INC.

Mustard St., Suite 250, Rochester, NY 14609-6925
(716) 288-5380 • FAX (716) 288-8475

CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

(800) 695-7222

DATE Oct. 7, 1998 PAGE 1 OF 3

PROJECT NAME Gladding
PROJECT MANAGER/CONTACT T.M. Koch
COMPANY/ADDRESS Room 252: Wolf Rd.
Albany, N.Y. 12233-7010
TEL (518) 457-0747 FAX (518) 355-1418
SAMPLER'S SIGNATURE Thomas M. Koch

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	FOR OFFICE USE ONLY LAB I.D.	SAMPLE MATRIX	# OF CONTAINERS	GC/MS VOA's ☐ 8260 ☐ 624 ☒ 95-1	GC/MS SVOA's ☐ 8270 ☐ 625 ☐ 95-2	GC VOA's ☐ 8021 ☐ 601/602	PESTICIDES/PCB's ☐ 8081 ☐ 608 ☐ 95-3	STAR'S LIST 8021 VOA's ☐ TOTAL ☐ TCLP	STAR'S LIST 8270 SVOA's ☐ TOTAL ☐ TCLP	TCLP ☐ METALS ☐ VOA's ☐ SVOA's ☐ H/P	WASTE CHARACTERIZATION ☐ React ☐ Corros. ☐ Ignit.	METALS, TOTAL (LIST BELOW)	METALS, DISSOLVED (LIST BELOW)							PRESERVATION pH < 2.0	pH > 12	Other
SH098-1006-A049-01	10/7/98	11:20	245954	G.W.	3	3								1										
-02	10/7/98	11:25	955	G.W.	3	3								1										
-03	10/6/98	11:05	956	G.W.	3	3																		
-04	10/6/98	11:15	957	G.W.	3	3																		
-05	10/6/98	11:45	958	G.W.	3	3																		
-06	10/6/98	11:50	960	G.W.	3	3																		
-07	10/6/98	12:15	961	G.W.	3	3																		
-08	10/6/98	12:20	962	G.W.	3	3																		
-09	10/6/98	12:45	963	G.W.	3	3																		
-10	10/6/98	2:40pm	965	G.W.	3	3																		

RELINQUISHED BY:
Signature: Thomas M. Koch
Printed Name: Thomas M. Koch
Firm: NYSDEC: E-R
Date/Time: Oct. 7, 98 @ 5:00PM

RECEIVED BY:
Signature: Carrie Bellinger
Printed Name: Carrie Bellinger
Firm: CAS
Date/Time: 10/8/98 1000

RELINQUISHED BY:
Signature
Printed Name
Firm
Date/Time

RECEIVED BY:
Signature
Printed Name
Firm
Date/Time

RELINQUISHED BY:
Signature
Printed Name
Firm
Date/Time

RECEIVED BY:
Signature
Printed Name
Firm
Date/Time

TURNAROUND REQUIREMENTS
__ 24 hr. __ 48 hr. __ 5 day
☒ Standard (10-15 working days)
__ Provide Verbal Preliminary Results
__ Provide FAX Preliminary Results
Requested Report Date _____

REPORT REQUIREMENTS
__ 1. Routine Report
☒ 2. Routine Rep. w/CASE Narrative
__ 3. EPA Level III Validatable Package
__ 4. N.J. Reduced Deliverables Level IV
☒ 5. NY ASP/CLP Deliverables
__ 6. Site specific QC.

INVOICE INFORMATION:
P.O. #:
Bill To:

SAMPLE RECEIPT:
Shipping Via: UPS Red
Shipping #:
Temperature: 7.3
Submission No: 10-142

SPECIAL INSTRUCTIONS/COMMENTS:
METALS
ORGANICS: ☐ TCL ☐ PPL ☐ AE Only ☐ BN Only ☐ Special List

COLUMBIA ANALYTICAL SERVICES, INC.
Mustard St., Suite 250, Rochester, NY 14609-6925
(716) 288-5380 • FAX (716) 288-8475

CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

(800) 695-7222

DATE Oct. 7, 1998 PAGE 2 OF 3

PROJECT NAME Gladding
PROJECT MANAGER/CONTACT T.M. Koch
COMPANY/ADDRESS Room 252: Wolf Rd.
Albany, N.Y. 12233-7010
TEL (518) 457-0747 FAX (518) 355-1418
SAMPLER'S SIGNATURE Thomas M. Koch

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	FOR OFFICE USE ONLY LAB I.D.	SAMPLE MATRIX	# OF CONTAINERS	GC/MS VOA's ☐ 8260 ☐ 624 ☒ 95-1	GC/MS SVOA's ☐ 8270 ☐ 625 ☐ 95-2	GC VOA's ☐ 8021 ☐ 601/602	PESTICIDES/PCB's ☐ 8081 ☐ 608 ☐ 95-3	STAR'S LIST 8021 VOA's ☐ TOTAL ☐ TCLP	STAR'S LIST 8270 SVOA's ☐ TOTAL ☐ TCLP	TCLP ☐ METALS ☐ VOA's ☐ SVOA's ☐ H/P	WASTE CHARACTERIZATION ☐ React ☐ Corros. ☐ Ignit.	METALS, TOTAL (LIST BELOW)	METALS, DISSOLVED (LIST BELOW)								PRESERVATION pH < 2.0	pH > 12	Other
SH098-1006-A049-01	10/6/98	2:50pm	24596	G.W.	3	3																		
-02	10/6/98	3:20pm	967	G.W.	3	3																		
-13	10/6/98	3:03pm	968	G.W.	3	3																		
-14	10/6/98	3:40pm	969	G.W.	3	3																		
-15	10/6/98	3:45pm	970	G.W.	3	3																		
-16	10/6/98	3:48pm	971	G.W.	3	3																		
-17	10/6/98	4:32pm	972	G.W.	3	3																		
-18	10/6/98	4:36pm	973	G.W.	3	3																		
-19	10/6/98	5:17pm	974	G.W.	3	3																		
-20	10/6/98	5:28pm	975	G.W.	3	3																		

RELINQUISHED BY:
Signature: Thomas M. Koch
Printed Name: Thomas M. Koch
Firm: N.Y.S. D.E.C [E-R]
Date/Time: Oct. 7, 1998 @ 5:00PM

RECEIVED BY:
Signature: Carrie Bettinger
Printed Name: Carrie Bettinger
Firm: CAS
Date/Time: 10/8/98 10:00

RELINQUISHED BY:
Signature
Printed Name
Firm
Date/Time

RECEIVED BY:
Signature
Printed Name
Firm
Date/Time

RELINQUISHED BY:
Signature
Printed Name
Firm
Date/Time

RECEIVED BY:
Signature
Printed Name
Firm
Date/Time

TURNAROUND REQUIREMENTS
__ 24 hr. __ 48 hr. __ 5 day
☒ Standard (10-15 working days)
__ Provide Verbal Preliminary Results
__ Provide FAX Preliminary Results
Requested Report Date _____

REPORT REQUIREMENTS
☒ 1. Routine Report
__ 2. Routine Rep. w/CASE Narrative
__ 3. EPA Level III Validatable Package
__ 4. N.J. Reduced Deliverables Level IV
☒ 5. NY ASP/CLP Deliverables
__ 6. Site specific QC.

INVOICE INFORMATION:
P.O. #:
Bill To:

SAMPLE RECEIPT:
Shipping Via:
Shipping #:
Temperature: 7.3
Submission No: 16-142

SPECIAL INSTRUCTIONS/COMMENTS:
METALS 23 in water [CLP]
ORGANICS: ☐ TCL ☐ PPL ☐ AE Only ☐ BN Only ☐ Special List

COLUMBIA ANALYTICAL SERVICES, INC.

Mustard St., Suite 250, Rochester, NY 14609-6925
(716) 288-5380 • FAX (716) 288-8475

CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

(800) 695-7222

DATE Oct. 7, 1998 PAGE 3 OF 3

PROJECT NAME Gladding
PROJECT MANAGER/CONTACT T.M. Koch
COMPANY/ADDRESS Room 252: Wolf Rd. Albany, N.Y. 12233-7010
TEL (518) 457-0747 FAX (518) 355-1418
SAMPLER'S SIGNATURE Thomas M. Koch

ANALYSIS REQUESTED

SAMPLE I.D.	DATE	TIME	FOR OFFICE USE ONLY LAB I.D.	SAMPLE MATRIX	# OF CONTAINERS	GC/MS VOA's ☐ 8260 ☐ 624 ☒ 95-1	GC/MS SVOA's ☐ 8270 ☐ 625 ☐ 95-2	GC VOA's ☐ 8021 ☐ 601/602	PESTICIDES/PCB's ☐ 8081 ☐ 608 ☐ 95-3	STAR'S LIST 8021 VOA's ☐ TOTAL ☐ TCLP	STAR'S LIST 8270 SVOA's ☐ TOTAL ☐ TCLP	TCLP ☐ METALS ☐ VOA's ☐ SVOA's ☐ H/P	WASTE CHARACTERIZATION ☐ React ☐ Corros. ☐ Ignit.	METALS, TOTAL (LIST BELOW)	METALS, DISSOLVED (LIST BELOW)	PRESERVATION pH < 2.0	PRESERVATION pH > 12	PRESERVATION Other
SH098-1006-A049-21	10/6/98	6:30 pm	24596	G.W.	3	3												
-22	10/7/98	9:34	977	G.W.	3	3												
-23	10/7/98	10:07	978	G.W.	3	3												
-24	10/7/98	10:44	979	G.W.	3	3												
-25	10/7/98	10:52	980	G.W.	3	3												
-26	10/7/98	11:05	981	G.W.	3	3												
-27	10/7/98	11:40	982	G.W.	3	3								E				
-28	10/7/98	11:42	983	S.W.	3	3								E				
-T.B.	10/6/98	—	984	TRIP BLANK	3	3												

RELINQUISHED BY:
Signature: Thomas M. Koch
Printed Name: Thomas M. Koch
Firm: NYSDEC: E-R
Date/Time: Oct. 7, 1998 @ 5:00 PM

RECEIVED BY:
Signature: Carrie Bettinger
Printed Name: Carrie Bettinger
Firm: CAS
Date/Time: 10/8/98 10:00

RELINQUISHED BY:
Signature
Printed Name
Firm
Date/Time

RECEIVED BY:
Signature
Printed Name
Firm
Date/Time

RELINQUISHED BY:
Signature
Printed Name
Firm
Date/Time

RECEIVED BY:
Signature
Printed Name
Firm
Date/Time

TURNAROUND REQUIREMENTS
__ 24 hr. __ 48 hr. __ 5 day
☒ Standard (10-15 working days)
__ Provide Verbal Preliminary Results
__ Provide FAX Preliminary Results
Requested Report Date _____

REPORT REQUIREMENTS
__ 1. Routine Report
☒ 2. Routine Rep. w/CASE Narrative
__ 3. EPA Level III Validatable Package
__ 4. N.J. Reduced Deliverables Level IV
☒ 5. NY ASP/CLP Deliverables
__ 6. Site specific QC.

INVOICE INFORMATION:
P.O. #:
Bill To:

SAMPLE RECEIPT:
Shipping Via:
Shipping #:
Temperature: 7.3
Submission No: 10742

SPECIAL INSTRUCTIONS/COMMENTS:
METALS 23 in water [C.L.P.]
ORGANICS: ☐ TCL ☐ PPL ☐ AE Only ☐ BN Only ☐ Special List

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☒ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518-457-0747	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chenango	10-7-98	11:20 AM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
SV10198	10106	A10491 01	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

0012

74-15-1 (4/91)—9a

Send This Sheet with Sample to Contract Lab

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print legibly

Part 3

CAUTION (check if applicable)

☐ Lab Personnel are expected to use caution when handling DEC samples, however, please use special precautions when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic material(s).

Place QA Label Here

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

- ☐ 2. 13 PP Metals
- ☐ 3. Volatiles—(USEPA 624 GC/MS)
- ☐ 6. Pesticides/PCB's (USEPA 608-GC)
- ☐ 4. Acids Base/Neutrals (USEPA 625-GC/MS)
- ☐ 5. Cyanide
- ☐ 9. BOD
- ☐ 7. Halogenated Volatiles (USEPA 601-GC)
- ☐ 8. Aromatic Volatiles (USEPA 602-GC)
- ☐ 12. TSS
- ☐ 10. pH
- ☐ 11. COD
- ☐ 15. Ammonia
- ☐ 13. Settleable Solids
- ☐ 14. TKN
- ☐ 18. Reactive Phosphorus
- ☐ 16. Nitrate/Nitrite
- ☐ 17. Total Phosphorus
- ☐ 21. Total Phenols
- ☐ 19. Oil/Grease
- ☐ 20. TOC
- ☐ 60. PCB's congener method
- ☐ 22. Other _____
- ☐ 59. PCB's at 0.065 ug/L
- ☐ 64. Total Solids
- ☐ 62. CBOD
- ☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

- ☐ 23. (ALL)—Water—Includes 24-28
- ☐ 29. (ALL)— Soil/Sediments—Includes 30-34
- ☐ 24. Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #89-2)
- ☐ 30. B/N/A/—Soils/Sediment—GC/MS (ASP #89-2)
- ☒ 25. Volatile Organic Analysis VOA—Water—GC/MS(ASP #89-1)
- ☐ 31. VOA—Soils/Sediments—GC/MS (ASP #89-1)
- ☐ 26. Pesticides/PCB's—Water—GC(ASP #89-3)
- ☐ 32. Pesticides/PCB's—Soils/Sediment—GC (ASP #89-3)
- ☒ 27. Metals—23 in Water
- ☐ 33. Metals—23 inSoil/Sediment
- ☐ 28. Cyanide—Water
- ☐ 34. Cyanide—Soils/Sediment
- ☐ 66. Dioxin-Water (ASP #89-4)
- ☐ 67. Dioxin-Soil/Sediment (ASP #89-4)
- ☐ 35. Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

- ☐ 36. EP Toxicity
- ☐ 37. EP Toxicity (Metals Only)
- ☐ 38. Ignitability
- ☐ 39. Corrosivity
- ☐ 40. VOA—(USEPA 8240-GC/MS)
- ☐ 41. BNA—(USEPA 8270-GC/MS)
- ☐ 42. Pesticides/PCB's (USEPA 8080)
- ☐ 43. TCLP
- ☐ 44. TCLP (Metals Only)
- ☐ 45. Reactivity
- ☐ 46. Dioxin (USEPA 8280)
- ☐ 47. Appendix IX
- ☐ 48. Other _____
- ☐ 63. Percent Solids
- ☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

- ☐ 49. RSGB-01 ☐ 50. RSSR-01 ☐ 51. RSGR-01 ☐ 52. RSRB-01 ☐ 53. RSRI-01 (EP Toxicity-Metals only + RSRR-01)
- ☐ 54. RSRO-01 ☐ 55. RSSB-01 ☐ 56. RSRR-01 ☐ 57. RSRR-02 ☐ 58. Other _____

COLLECTED BY: TM Koch	TELEPHONE NUMBER: 518-457-0147		REGION NO: 7
CONTRACT LAB: Columbia Analytical	COUNTY: Chemung	SAMPLING DATE: 10-1-98	MILITARY TIME: 11:25 AM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☒ Surface Water ☐ Wastewater ☐ Other (Specify) _____

CASE NUMBER	SDG NUMBER	SAMPLE NUMBER	CHECK FOR MS/MD	TYPE OF SAMPLE:
5H0988	10006	A04902	☐ This Sample	☒ Grab ☐ Composite ☐ Term ____ hrs

☐ Check if there will be more samples with this SDG sent in this calendar week

Report via Catagory B, unless checked ☐

SAMPLING POINT:

Check if field duplicate ☐ | Outfall Number | Check if sampling is part of inspection ☐

SPDES NUMBER/REGISTRY NUMBER | FLOW GPD MGD

0013

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals	☐ 3. Volatiles—(USEPA 624 GC/MS)	☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)	☐ 5. Cyanide	☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)	☐ 8. Aromatic Volatiles USEPA 602 GC)	☐ 12. TSS
☐ 10. pH	☐ 11. COD	☐ 15. Ammonia
☐ 13. Settleable Solids	☐ 14. TKN	☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite	☐ 17. Total Phosphorus	☐ 21. Total Phenols
☐ 19. Oil/Grease)	☐ 20. TOC	☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____	☐ 59. PCBs at 0.065 ug/l	☐ 64. Total Solids
	☐ 62. CBOD	☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28	☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)	☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)	☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)	☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water	☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water	☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)	☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____	

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity	☐ 37. EP Toxicity (Metals Only)	☐ 38. Ignitability
☐ 39. Corrosivity	☐ 40. VOA—(USEPA 8260 GC/MS)	☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)	☐ 43. TCLP	☐ 44. TCLP (Metals Only)
☐ 45. Reactivity	☐ 46. Dioxin (USEPA 8280)	☐ 47. Appendix IX
☐ 48. Other _____	☐ 63 Percent Solids	☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T. M. Koch	518-457-0747	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	~~MILITARY~~ TIME:
Columbia Analytical	Chemango	10-6-98	11:05 AM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
S1H491	81QA61	A10491	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

						0	0	1	4		

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals	☐ 3. Volatiles—(USEPA 624 GC/MS)	☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)	☐ 5. Cyanide	☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)	☐ 8. Aromatic Volatiles USEPA 602 GC)	☐ 12. TSS
☐ 10. pH	☐ 11. COD	☐ 15. Ammonia
☐ 13. Settleable Solids	☐ 14. TKN	☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite	☐ 17. Total Phosphorus	☐ 21. Total Phenols
☐ 19. Oil/Grease)	☐ 20. TOC	☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____	☐ 59. PCBs at 0.065 ug/l	☐ 64. Total Solids
	☐ 62. CBOD	☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28	☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)	☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)	☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)	☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water	☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water	☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)	☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____	

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity	☐ 37. EP Toxicity (Metals Only)	☐ 38. Ignitability
☐ 39. Corrosivity	☐ 40. VOA—(USEPA 8260 GC/MS)	☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)	☐ 43. TCLP	☐ 44. TCLP (Metals Only)
☐ 45. Reactivity	☐ 46. Dioxin (USEPA 8280)	☐ 47. Appendix IX
☐ 48. Other _____	☐ 63 Percent Solids	☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
TM Koch	518 - 457 - 0747	1

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chautauqua	10 - 6 - 98	11:15 AM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
31101923	A0106	A10491014	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0	0	1	5		

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals	☐ 3. Volatiles—(USEPA 624 GC/MS)	☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)	☐ 5. Cyanide	☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)	☐ 8. Aromatic Volatiles USEPA 602 GC)	☐ 12. TSS
☐ 10. pH	☐ 11. COD	☐ 15. Ammonia
☐ 13. Settleable Solids	☐ 14. TKN	☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite	☐ 17. Total Phosphorus	☐ 21. Total Phenols
☐ 19. Oil/Grease)	☐ 20. TOC	☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____	☐ 59. PCBs at 0.065 ug/l	☐ 64. Total Solids
	☐ 62. CBOD	☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28	☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)	☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)	☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)	☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water	☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water	☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)	☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____	

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity	☐ 37. EP Toxicity (Metals Only)	☐ 38. Ignitability
☐ 39. Corrosivity	☐ 40. VOA—(USEPA 8260 GC/MS)	☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)	☐ 43. TCLP	☐ 44. TCLP (Metals Only)
☐ 45. Reactivity	☐ 46. Dioxin (USEPA 8280)	☐ 47. Appendix IX
☐ 48. Other _____	☐ 63 Percent Solids	☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
TM Koch	518-457-0147	1

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chemung	10-6-98	11:45 AM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
51110918	10061	A10491015	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0	0	1	6		

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals	☐ 3. Volatiles—(USEPA 624 GC/MS)	☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)	☐ 5. Cyanide	☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)	☐ 8. Aromatic Volatiles USEPA 602 GC)	☐ 12. TSS
☐ 10. pH	☐ 11. COD	☐ 15. Ammonia
☐ 13. Settleable Solids	☐ 14. TKN	☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite	☐ 17. Total Phosphorus	☐ 21. Total Phenols
☐ 19. Oil/Grease)	☐ 20. TOC	☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____	☐ 59. PCBs at 0.065 ug/l	☐ 64. Total Solids
	☐ 62. CBOD	☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28	☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)	☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)	☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)	☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water	☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water	☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)	☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____	

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity	☐ 37. EP Toxicity (Metals Only)	☐ 38. Ignitability
☐ 39. Corrosivity	☐ 40. VOA—(USEPA 8260 GC/MS)	☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)	☐ 43. TCLP	☐ 44. TCLP (Metals Only)
☐ 45. Reactivity	☐ 46. Dioxin (USEPA 8280)	☐ 47. Appendix IX
☐ 48. Other _____	☐ 63 Percent Solids	☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518-457-0747	1

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	~~MILITARY~~ TIME:
Columbia Analytical	Chautauqua	10-6-98	11:50 AM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
51H4918	11016	A10431 06	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0	0	1	7

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518 - 457 - 0747	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chemung	10 - 6 - 98	12:15 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
5 1 1 0 3 8	1 0 0 6 1	A 0 4 9 0 7	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

						0	0	1	8	1	

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518-457-0147	1

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chemung	10-6-98	12:20 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
31101918	110061	A0149108	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

						0	0	1	9	1	

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518 - 457 - 0147	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chemung	10 - 6 - 98	12:45 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
31101918	110161	A10491 09	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

								0	0	2	0

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals	☐ 3. Volatiles—(USEPA 624 GC/MS)	☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)	☐ 5. Cyanide	☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)	☐ 8. Aromatic Volatiles USEPA 602 GC)	☐ 12. TSS
☐ 10. pH	☐ 11. COD	☐ 15. Ammonia
☐ 13. Settleable Solids	☐ 14. TKN	☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite	☐ 17. Total Phosphorus	☐ 21. Total Phenols
☐ 19. Oil/Grease)	☐ 20. TOC	☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____	☐ 59. PCBs at 0.065 ug/l	☐ 64. Total Solids
	☐ 62. CBOD	☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28	☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)	☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)	☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)	☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water	☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water	☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)	☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____	

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity	☐ 37. EP Toxicity (Metals Only)	☐ 38. Ignitability
☐ 39. Corrosivity	☐ 40. VOA—(USEPA 8260 GC/MS)	☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)	☐ 43. TCLP	☐ 44. TCLP (Metals Only)
☐ 45. Reactivity	☐ 46. Dioxin (USEPA 8280)	☐ 47. Appendix IX
☐ 48. Other _____	☐ 63 Percent Solids	☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518 · 457 · 0141	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chemung	10 - 6 - 98	2:40 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
51191	10161	A4910	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0021

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
TM Koch	518-451-0147	

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	~~MILITARY~~ TIME:
Columbia Analytical	Chemung	10-6-98	2:50 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☑ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
51110198	110461	A0491 1	☐ This sample	☑ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0	0	2	2		

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518-451-0141	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chemung	10-6-98	3:20 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☑ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
51110198	110101	A101419112	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0	0	2	3	1	

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518-457-0747	5

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	~~MILITARY~~ TIME:
Columbia Analytical	Chemung	10-6-98	3:03 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
51101918	101016	A101419	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

						0	0	2	4		

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals	☐ 3. Volatiles—(USEPA 624 GC/MS)	☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)	☐ 5. Cyanide	☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)	☐ 8. Aromatic Volatiles USEPA 602 GC)	☐ 12. TSS
☐ 10. pH	☐ 11. COD	☐ 15. Ammonia
☐ 13. Settleable Solids	☐ 14. TKN	☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite	☐ 17. Total Phosphorus	☐ 21. Total Phenols
☐ 19. Oil/Grease)	☐ 20. TOC	☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____	☐ 59. PCBs at 0.065 ug/l	☐ 64. Total Solids
	☐ 62. CBOD	☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28	☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)	☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)	☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)	☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water	☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water	☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)	☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____	

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity	☐ 37. EP Toxicity (Metals Only)	☐ 38. Ignitability
☐ 39. Corrosivity	☐ 40. VOA—(USEPA 8260 GC/MS)	☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)	☐ 43. TCLP	☐ 44. TCLP (Metals Only)
☐ 45. Reactivity	☐ 46. Dioxin (USEPA 8280)	☐ 47. Appendix IX
☐ 48. Other _____	☐ 63 Percent Solids	☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518-457-0747	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	~~MILITARY~~ TIME:
Columbia Analytical	Chemango	10-6-98	3:40 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
SIH0918	10161	A10491/H	☐ This sample	☑ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				002b

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518-457-0147	1

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	~~MILITARY~~ TIME:
Columbia Analytical	Chemung	10-6-98	3:45 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
SW10198	101061	AC14191/5	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

								0	0	2	6

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☒ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
TM Koch	518-457-0747	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chenango	10-6-98	3:48 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
SV10198	10106	A10491 16	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0027

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals	☐ 3. Volatiles—(USEPA 624 GC/MS)	☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)	☐ 5. Cyanide	☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)	☐ 8. Aromatic Volatiles USEPA 602 GC)	☐ 12. TSS
☐ 10. pH	☐ 11. COD	☐ 15. Ammonia
☐ 13. Settleable Solids	☐ 14. TKN	☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite	☐ 17. Total Phosphorus	☐ 21. Total Phenols
☐ 19. Oil/Grease)	☐ 20. TOC	☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____	☐ 59. PCBs at 0.065 ug/l	☐ 64. Total Solids
	☐ 62. CBOD	☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28	☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)	☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☐ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)	☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☒ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)	☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water	☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water	☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)	☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____	

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity	☐ 37. EP Toxicity (Metals Only)	☐ 38. Ignitability
☐ 39. Corrosivity	☐ 40. VOA—(USEPA 8260 GC/MS)	☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)	☐ 43. TCLP	☐ 44. TCLP (Metals Only)
☐ 45. Reactivity	☐ 46. Dioxin (USEPA 8280)	☐ 47. Appendix IX
☐ 48. Other _____	☐ 63 Percent Solids	☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
TM Koch	518 - 457 - 0147	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chautauqua	10 - 6 - 98	4:32 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☑ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
SV10918	110101	10419 1 V	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

							0	0	2	8	

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
TM Koch	518-451-0147	4

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chemung	10-6-98	4:36 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
51101918	110106	A10491118	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0	0	2	9	1	

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
TM Koch	518-451-0147	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chemango	10-6-98	5:17 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
SM10918	110106	A10419	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				00301

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518-457-0747	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chautauqua	10-6-98	5:28 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
SIH019B	H0V61	H0K920	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0	0	3	1

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518-457-0747	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chemung	10-6-98	6:30 PM.

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
51110198	K0106	A1C4921	☐ This sample	☑ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0	0	3	2	1	

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
TM Koch	518-457-0141	4

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chemung	10-7-98	9:34 AM.

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
SH10198	A10101	A10419212	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

| | | |

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals	☐ 3. Volatiles—(USEPA 624 GC/MS)	☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)	☐ 5. Cyanide	☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)	☐ 8. Aromatic Volatiles USEPA 602 GC)	☐ 12. TSS
☐ 10. pH	☐ 11. COD	☐ 15. Ammonia
☐ 13. Settleable Solids	☐ 14. TKN	☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite	☐ 17. Total Phosphorus	☐ 21. Total Phenols
☐ 19. Oil/Grease)	☐ 20. TOC	☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____	☐ 59. PCBs at 0.065 ug/l	☐ 64. Total Solids
	☐ 62. CBOD	☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28	☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)	☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)	☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)	☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water	☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water	☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)	☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____	

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity	☐ 37. EP Toxicity (Metals Only)	☐ 38. Ignitability
☐ 39. Corrosivity	☐ 40. VOA—(USEPA 8260 GC/MS)	☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)	☐ 43. TCLP	☐ 44. TCLP (Metals Only)
☐ 45. Reactivity	☐ 46. Dioxin (USEPA 8280)	☐ 47. Appendix IX
☐ 48. Other _____	☐ 63 Percent Solids	☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
TM Koch	518-457-0147	1

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chicago	10-7-98	10:07 AM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
SH10918	110106	A10419213	☐ This sample	☑ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0	0	3	4	1		

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals	☐ 3. Volatiles—(USEPA 624 GC/MS)	☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)	☐ 5. Cyanide	☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)	☐ 8. Aromatic Volatiles USEPA 602 GC)	☐ 12. TSS
☐ 10. pH	☐ 11. COD	☐ 15. Ammonia
☐ 13. Settleable Solids	☐ 14. TKN	☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite	☐ 17. Total Phosphorus	☐ 21. Total Phenols
☐ 19. Oil/Grease)	☐ 20. TOC	☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____	☐ 59. PCBs at 0.065 ug/l	☐ 64. Total Solids
	☐ 62. CBOD	☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28	☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)	☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)	☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)	☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water	☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water	☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)	☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____	

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity	☐ 37. EP Toxicity (Metals Only)	☐ 38. Ignitability
☐ 39. Corrosivity	☐ 40. VOA—(USEPA 8260 GC/MS)	☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)	☐ 43. TCLP	☐ 44. TCLP (Metals Only)
☐ 45. Reactivity	☐ 46. Dioxin (USEPA 8280)	☐ 47. Appendix IX
☐ 48. Other _____	☐ 63 Percent Solids	☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
TM Koch	518-457-0747	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	~~MILITARY~~ TIME:
Columbia Analytical	Chemango	10-7-98	10:44 AM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
51101918	101016	A104912 14	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				00351

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals
☐ 3. Volatiles—(USEPA 624 GC/MS)
☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)
☐ 5. Cyanide
☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)
☐ 8. Aromatic Volatiles USEPA 602 GC)
☐ 12. TSS
☐ 10. pH
☐ 11. COD
☐ 15. Ammonia
☐ 13. Settleable Solids
☐ 14. TKN
☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite
☐ 17. Total Phosphorus
☐ 21. Total Phenols
☐ 19. Oil/Grease)
☐ 20. TOC
☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____
☐ 59. PCBs at 0.065 ug/l
☐ 64. Total Solids
☐ 62. CBOD
☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28
☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)
☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)
☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)
☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water
☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water
☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)
☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity
☐ 37. EP Toxicity (Metals Only)
☐ 38. Ignitability
☐ 39. Corrosivity
☐ 40. VOA—(USEPA 8260 GC/MS)
☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)
☐ 43. TCLP
☐ 44. TCLP (Metals Only)
☐ 45. Reactivity
☐ 46. Dioxin (USEPA 8280)
☐ 47. Appendix IX
☐ 48. Other _____
☐ 63 Percent Solids
☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
TM Koch	518-457-0141	1

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	~~MILITARY~~ TIME:
Columbia Analytical	Chemango	10-7-98	10:52 Am

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
51110918	110101	A10419125	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				00361

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals	☐ 3. Volatiles—(USEPA 624 GC/MS)	☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)	☐ 5. Cyanide	☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)	☐ 8. Aromatic Volatiles USEPA 602 GC)	☐ 12. TSS
☐ 10. pH	☐ 11. COD	☐ 15. Ammonia
☐ 13. Settleable Solids	☐ 14. TKN	☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite	☐ 17. Total Phosphorus	☐ 21. Total Phenols
☐ 19. Oil/Grease)	☐ 20. TOC	☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____	☐ 59. PCBs at 0.065 ug/l	☐ 64. Total Solids
	☐ 62. CBOD	☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28	☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)	☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)	☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)	☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water	☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water	☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)	☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____	

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity	☐ 37. EP Toxicity (Metals Only)	☐ 38. Ignitability
☐ 39. Corrosivity	☐ 40. VOA—(USEPA 8260 GC/MS)	☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)	☐ 43. TCLP	☐ 44. TCLP (Metals Only)
☐ 45. Reactivity	☐ 46. Dioxin (USEPA 8280)	☐ 47. Appendix IX
☐ 48. Other _____	☐ 63 Percent Solids	☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518-457-0141	5

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chemung	10-7-98	12:05 PM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
SH10918	10106	A10491216	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0	0	3	7	1		

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals	☐ 3. Volatiles—(USEPA 624 GC/MS)	☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)	☐ 5. Cyanide	☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)	☐ 8. Aromatic Volatiles USEPA 602 GC)	☐ 12. TSS
☐ 10. pH	☐ 11. COD	☐ 15. Ammonia
☐ 13. Settleable Solids	☐ 14. TKN	☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite	☐ 17. Total Phosphorus	☐ 21. Total Phenols
☐ 19. Oil/Grease)	☐ 20. TOC	☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____	☐ 59. PCBs at 0.065 ug/l	☐ 64. Total Solids
	☐ 62. CBOD	☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28	☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)	☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)	☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)	☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☒ 27 Metals—23 in Water	☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water	☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)	☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____	

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity	☐ 37. EP Toxicity (Metals Only)	☐ 38. Ignitability
☐ 39. Corrosivity	☐ 40. VOA—(USEPA 8260 GC/MS)	☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)	☐ 43. TCLP	☐ 44. TCLP (Metals Only)
☐ 45. Reactivity	☐ 46. Dioxin (USEPA 8280)	☐ 47. Appendix IX
☐ 48. Other _____	☐ 63 Percent Solids	☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
T.M. Koch	518-457-0147	1

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	MILITARY TIME:
Columbia Analytical	Chemung	10-7-98	11:40AM

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☒ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
51119 18	1 10 10 6 1	A 10 4 19 12 17	☐ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

1 1 1 1 00381

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly

Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals	☐ 3. Volatiles—(USEPA 624 GC/MS)	☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)	☐ 5. Cyanide	☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)	☐ 8. Aromatic Volatiles USEPA 602 GC)	☐ 12. TSS
☐ 10. pH	☐ 11. COD	☐ 15. Ammonia
☐ 13. Settleable Solids	☐ 14. TKN	☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite	☐ 17. Total Phosphorus	☐ 21. Total Phenols
☐ 19. Oil/Grease)	☐ 20. TOC	☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____	☐ 59. PCBs at 0.065 ug/l	☐ 64. Total Solids
	☐ 62. CBOD	☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28	☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)	☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)	☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)	☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water	☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water	☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)	☐ 67. Dioxin-Soil/Sediments (ASP #91-7)

☐ 35 Other MS & MSD on this sample

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity	☐ 37. EP Toxicity (Metals Only)	☐ 38. Ignitability
☐ 39. Corrosivity	☐ 40. VOA—(USEPA 8260 GC/MS)	☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)	☐ 43. TCLP	☐ 44. TCLP (Metals Only)
☐ 45. Reactivity	☐ 46. Dioxin (USEPA 8280)	☐ 47. Appendix IX
☐ 48. Other _____	☐ 63 Percent Solids	☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
TM Koch	518 - 457 - 0147	4

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	~~MILITARY~~ TIME:
Columbia Analytical	Chemango	10 - 7 - 98	11:42

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☒ Groundwater ☐ Surface Water ☐ Wastewater ☐ Other _____

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
51H019	10106	A01491	☒ This sample	☒ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0039

74-15-1 (9/97)—q

SEND THIS SHEET WITH SAMPLE TO CONTACT LAB

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

CONTRACT LAB SAMPLE INFORMATION SHEET

Print Legibly Part 3

CAUTION (check if applicable)

☐ Lab personnel are expected to use caution when handling DEC samples, however, please use special caution when handling this sample since it is believed to contain significant concentrations of hazardous and/or toxic materials(s)

CHECK THE BOX PRECEDING THE REQUESTED ANALYSIS

PRIORITY POLLUTANTS (Water Part 136)—SPDES

☐ 2. 13PP Metals	☐ 3. Volatiles—(USEPA 624 GC/MS)	☐ 6. Pesticides/PCBs (USEPA 608-GC)
☐ 4. Acids Base/Neutrals (USEPA 624 GC/MS)	☐ 5. Cyanide	☐ 9. BOD
☐ 7. Halogenated Volatiles (USEPA 601 GC)	☐ 8. Aromatic Volatiles USEPA 602 GC)	☐ 12. TSS
☐ 10. pH	☐ 11. COD	☐ 15. Ammonia
☐ 13. Settleable Solids	☐ 14. TKN	☐ 18. Reactive Phosphorus
☐ 16. Nitrate/Nitrite	☐ 17. Total Phosphorus	☐ 21. Total Phenols
☐ 19. Oil/Grease)	☐ 20. TOC	☐ 60. PCBs congener method (ASP 91-11)
☐ 22. Other _____	☐ 59. PCBs at 0.065 ug/l	☐ 64. Total Solids
	☐ 62. CBOD	☐ 65. Volatiles (USEPA 524.2 GC/MS)

CONTRACT LABORATORY PROTOCOLS

☐ 23 (ALL)—Water—Includes 24-28	☐ 29. (ALL)—Soil/Sediments—Includes 30-34
☐ 24 Base/Neutral/Acid (B/N/A)—Water—GC/MS (ASP #95-2)	☐ 30. (B/N/A)—Soil/Sediments—GC/MS (ASP #95-2)
☒ 25 Volatile Organic Analysis VOA—Water—GC/MS (ASP #95-1)	☐ 31. VOA—Soil/Sediments—GC/MS (ASP #95-1)
☐ 26 Pesticides/PCBs—Water—GC/MS (ASP #95-3)	☐ 32. Pesticides/PCBs—Soil/Sediments—GC (ASP #95-3)
☐ 27 Metals—23 in Water	☐ 33. Metals—23 in Soil/Sediments)
☐ 28 Cyanide—Water TRIP BLANK	☐ 34. Cyanide—Soil/Sediments)
☐ 66 Dioxin-Water (ASP #91-7)	☐ 67. Dioxin-Soil/Sediments (ASP #91-7)
☐ 35 Other _____	

HAZARDOUS WASTES/RCRA ANALYSIS SW-846

☐ 36. EP Toxicity	☐ 37. EP Toxicity (Metals Only)	☐ 38. Ignitability
☐ 39. Corrosivity	☐ 40. VOA—(USEPA 8260 GC/MS)	☐ 41. BNA—(USEPA 8270 GC/MS)
☐ 42. Pesticides/PCBs (USEPA 8081)	☐ 43. TCLP	☐ 44. TCLP (Metals Only)
☐ 45. Reactivity	☐ 46. Dioxin (USEPA 8280)	☐ 47. Appendix IX
☐ 48. Other _____	☐ 63 Percent Solids	☐ 68. Metals—17 Hazardous

MUNICIPAL SLUDGE

☐ 56. RS-01 ☐ 57. RS-02 ☐ 58. Other _____

COLLECTED BY:	TELEPHONE NUMBER:	REGION NO.:
TM Koch	518-457-0747	7

CONTRACT LABORATORY:	COUNTY:	SAMPLING DATE:	~~MILITARY TIME~~:
Columbia Analytical	Chemung	10-06-98	

SAMPLE MATRIX:

☐ Air ☐ Soil/Sediment ☐ Groundwater ☐ Surface Water ☐ Wastewater ☒ Other TRIP BLANK

CASE NO.	SDG NO.	SAMPLE NO.	CHECK FOR MS/MD	TYPE OF SAMPLE
31101318	110961	A04191TB	☐ This sample	☐ Grab ☐ Composite ☐ Term _____ hours

☐ Check if there will be more samples with this SDG sent in this calendar week.

SAMPLING POINT:

Report via Category B, unless checked ☐

Check if field duplicate ☐ | Outfall Number

Check if sampling is part of inspection ☐

FLOW: _____ GPD _____ MGD

SPDES NUMBER/REGISTRY NUMBER

				0040

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4901

INFLUENT

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245954 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: A3021.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	2	J
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	4	J
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	89	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4902

EFFLUENT FROM PLANT

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245955 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: A3022.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

CAS NO.	COMPOUND		Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

@11/11

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4903 MW-1S

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245956 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: A3023.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

1A

EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET

AO4904

MW-2D

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245957 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: A3024.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	7	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

0100

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4905

MW-2S

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245958 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: A3025.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

CAS NO.	COMPOUND		Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	5	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

Q 6/11

COVER PAGE - INORGANIC ANALYSES DATA PACKAGE

Lab Name: COLUMBIA ANALYTICAL Contract: NY DEC

Lab Code: 10145 Case No.: SH098 SAS No.: SDG No.: NY1006

SOW No.: NYS ASP 12/91

Sample No.	Lab Sample ID.
A04901	245954
A04902	245955

Were ICP interelement corrections applied? Yes/No YES

Were ICP background corrections applied? Yes/No YES

If yes, were raw data generated before application of background corrections? Yes/No NO

Comments: See attached case narrative

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Michael K. Perry Name: Michael K. Perry

Date: 11/19/98 Title: Laboratory Manager

ENVIROFORMS/INORGANIC CLP

1

INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

A04901

Lab Name: COLUMBIA ANALYTICAL Contract: NY DEC

Lab Code: 10145 Case No.: SH098 SAS No.: SDG No.: NY1006

Matrix (soil/water): WATER Lab Sample ID: 245954

Level (low/med): LOW Date Received: 10/08/98

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	18.2	U		P
7440-36-0	Antimony	3.3	U		P
7440-38-2	Arsenic	2.7	U		F
7440-39-3	Barium	40.6	B		P
7440-41-7	Beryllium	0.20	U		P
7440-43-9	Cadmium	0.70	U		P
7440-70-2	Calcium	52600			P
7440-47-3	Chromium	0.50	U		P
7440-48-4	Cobalt	0.80	U		P
7440-50-8	Copper	3.3	B		P
7439-89-6	Iron	35.9	B		P
7439-92-1	Lead	1.8	U		P
7439-95-4	Magnesium	6730			P
7439-96-5	Manganese	0.80	U		P
7439-97-6	Mercury	0.10	U		CV
7440-02-0	Nickel	2.8	U		P
7440-09-7	Potassium	1650	B		P
7782-49-2	Selenium	1.5	U		F
7440-22-4	Silver	0.30	U		P
7440-23-5	Sodium	14300			P
7440-28-0	Thallium	2.6	U		P
7440-62-2	Vanadium	2.3	U		P
7440-66-6	Zinc	14.9	B		P
	Cyanide				

Color Before: COLORLESS Clarity Before: CLEAR Texture:

Color After: COLORLESS Clarity After: CLEAR Artifacts:

Comments:

ENVIROFORMS/INORGANIC CLP

1

INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

A04902

Lab Name: COLUMBIA ANALYTICAL Contract: NY DEC

Lab Code: 10145 Case No.: SH098 SAS No.: SDG No.: NY1006

Matrix (soil/water): WATER Lab Sample ID: 245955

Level (low/med): LOW Date Received: 10/08/98

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
7429-90-5	Aluminum	18.2	U		P
7440-36-0	Antimony	3.3	U		P
7440-38-2	Arsenic	2.7	U		F
7440-39-3	Barium	41.7	B		P
7440-41-7	Beryllium	0.20	U		P
7440-43-9	Cadmium	0.70	U		P
7440-70-2	Calcium	52800			P
7440-47-3	Chromium	0.50	U		P
7440-48-4	Cobalt	0.80	U		P
7440-50-8	Copper	8.3	B		P
7439-89-6	Iron	76.2	B		P
7439-92-1	Lead	1.8	U		P
7439-95-4	Magnesium	6810			P
7439-96-5	Manganese	0.89	B		P
7439-97-6	Mercury	0.10	U		CV
7440-02-0	Nickel	2.8	U		P
7440-09-7	Potassium	1680	B		P
7782-49-2	Selenium	1.5	U		F
7440-22-4	Silver	0.30	U		P
7440-23-5	Sodium	14500			P
7440-28-0	Thallium	2.6	U		P
7440-62-2	Vanadium	2.3	U		P
7440-66-6	Zinc	19.8	B		P
	Cyanide				

Color Before: COLORLESS Clarity Before: CLEAR Texture:

Color After: COLORLESS Clarity After: CLEAR Artifacts:

Comments:

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4906 - MW-21

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245960 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: A3026.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	11	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4907

MW-31

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245961 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: A3027.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	18	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

Q a/n

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4908

MW-3S

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245962 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: A3028.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	11	
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	(3)	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

@ 11/17

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4909 MW-3D

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245963 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: A3029.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	2	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

@ 11/17

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4910

MW-5D

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245965 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: A3030.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	1	J
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	57	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

@ 9/17

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4911

MW-15I

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245966 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: A3031.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	2	J
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	2	J
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	100	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4912 MW-5S

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245967 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: A3032.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	2	J
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	4	J
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	120	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4913 MW-5I

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245968 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: A3033.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/17/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	2	J
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	5	J
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	87	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4914

MW-7S

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245969 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9493.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	22	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4915 MW-7I

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245970 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9494.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) UG/L Q

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	25	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

3/90 OS-1 RSP 0018 11/17

1A

EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET

AO4916

MW-7D

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245971 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9495.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	28	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4917

MW-9I

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245972 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9496.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	4	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

1A

EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET

AO4918

MW-9D

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245973 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9497.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

GS-1 RBP

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4919

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245974 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9498.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

95-1 ABS
3/96 8209@11/17

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4920

MW-6

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245975 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9499.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

95-1 ASP 0215 @11/17

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4921

MW-6I

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245976 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9500.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	2	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

95-1 RBP

3/96 10/22/98

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4922

MW-12D

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245977 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9509.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/17/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

95-1 RSP 12/11/98

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4923

MW-12I

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245978 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9510.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/17/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	7	J
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

95-ABP

3/98 0234 11/17

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4924

MW-14I

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245979 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9511.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/17/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	1	J
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	4	J
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	120	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

95-1 RSD 0241C 1/1

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4925

MW-14S

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245980 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9512.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/17/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	1	J
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	12	
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	110	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	4	J
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

95-1180
0240 1/1

1A

EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET

AO4926

MW-14D

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245981 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9513.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. Date Analyzed: 10/17/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: (uL) Soil Aliquot Volume: (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	52	
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

95-1 RD 11/12

0257

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4927

OTSELIC RIVER SAMPLE

(CLEAN @ 10ppb)

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245982 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9514.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/17/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

95-108.P

1A

VOLATILE ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

AO4928

MW-10D

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245983 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9487.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/16/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

95-1183P
0268 11/12

1A

EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET

trip blank

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245984 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9515.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/17/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CAS NO.	COMPOUND	CONCENTRATION UNITS: (ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

95-1185P
10274
10/17

1A

EPA SAMPLE NO.

VOLATILE ORGANICS ANALYSIS DATA SHEET

cooler blank

Lab Name: CAS-ROC Contract: C003784

Lab Code: 10145 Case No.: SH098 SAS No.: _____ SDG No.: 1006

Matrix: (soil/water) WATER Lab Sample ID: 245985 1.0

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: X9516.D

Level: (low/med) LOW Date Received: 10/08/98

% Moisture: not dec. _____ Date Analyzed: 10/17/98

GC Column: RTX502. ID: 0.53 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg) UG/L	Q
74-87-3	Chloromethane	10	U
75-01-4	Vinyl chloride	10	U
75-00-3	Chloroethane	10	U
74-83-9	Bromomethane	10	U
67-64-1	Acetone	10	U
75-35-4	1,1-Dichloroethene	10	U
75-09-2	Methylene chloride	10	U
75-15-0	Carbon disulfide	10	U
75-34-3	1,1-Dichloroethane	10	U
78-93-3	2-Butanone	10	U
540-59-0	1,2-Dichloroethene (total)	10	U
67-66-3	Chloroform	10	U
107-06-2	1,2-Dichloroethane	10	U
71-55-6	1,1,1-Trichloroethane	10	U
56-23-5	Carbon tetrachloride	10	U
71-43-2	Benzene	10	U
79-01-6	Trichloroethene	10	U
78-87-5	1,2-Dichloropropane	10	U
75-27-4	Bromodichloromethane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
79-00-5	1,1,2-Trichloroethane	10	U
124-48-1	Dibromochloromethane	10	U
75-25-2	Bromoform	10	U
108-10-1	4-Methyl-2-pentanone	10	U
108-88-3	Toluene	10	U
591-78-6	2-Hexanone	10	U
127-18-4	Tetrachloroethene	10	U
108-90-7	Chlorobenzene	10	U
100-41-4	Ethylbenzene	10	U
106423&108383	(m+p) Xylene	10	U
100-42-5	Styrene	10	U
108-88-3	1,1,2,2-Tetrachloroethane	10	U
95476	o-Xylene	10	U

95-1RSP
10/17

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702148 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-1S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 12:25 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW1S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702152 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-2S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 10:52 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW2S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	3. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702150 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-2I
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 11:25 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW2I

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	15. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702151 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-2D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 11:00 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW2D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	7. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702156 SAMPLE RECEIVED:97/10/09/00 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-3S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 15:28 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW3S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	5. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	19. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(O), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702154 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-31
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 16:03 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW31

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	21. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(O), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702155 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-3D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 15:25 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW3D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	4. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702171 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-4S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 10:12 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW4S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	1. MCG/L [J]
1,1-DICHLOROETHANE	7. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	72. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	3. MCG/L [J]
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702174 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-41
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 11:25 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW41

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	57. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702164 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-4D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 10:56 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW4D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	---------RESULT---------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	13. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	1. MCG/L [J]
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	6. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702148 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-1S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 12:25 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW1S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702148 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE COR 709003
TIME OF SAMPLING: 97/10/07 12:25 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TWIS

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702152 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-2S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 10:52 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW2S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	3. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

SAMPLE ID: 9702152 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009
TIME OF SAMPLING: 97/10/07 10:52 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW2S

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702150 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-2I
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 19I:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 11:25 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW2I

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	---------RESULT---------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	15. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(O), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702150 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009
TIME OF SAMPLING: 97/10/07 11:25 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW21

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702151 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-2D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 11:00 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW2D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	7. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702151 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009
TIME OF SAMPLING: 97/10/07 11:00 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW2D

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702156 SAMPLE RECEIVED:97/10/09/00 CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-3S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 15:28 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW3S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	5. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	19. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702156 SAMPLE RECEIVED:97/10/09/00 CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009
TIME OF SAMPLING: 97/10/07 15:28 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW3S

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702154 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-31
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 16:03 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW31

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	21. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702154 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009
TIME OF SAMPLING: 97/10/07 16:03 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW31

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702155 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-3D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 15:25 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW3D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	4. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(O), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702155 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009
TIME OF SAMPLING: 97/10/07 15:25 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW3D

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702171 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-4S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 10:12 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW4S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	1. MCG/L [J]
1,1-DICHLOROETHANE	7. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	72. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	3. MCG/L [J]
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702171 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/08 10:12 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW4S

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702174 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-4I
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 11:25 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW4I

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	57. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(O), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702174 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/08 11:25 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW41

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702164 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-4D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 10:56 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW4D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	13. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	1. MCG/L [J]
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	6. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702164 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/08 10:56 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW40

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

0001 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER

AGE 1 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 9702170 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL [redacted]
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 09:55 DATE REPORTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO:TW12D ?

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE REPORTED: 97/10/23 REPORT MAILED OUT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	2. MCG/L [J]
1,1-DICHLOROETHANE	6. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	55. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

SUBMITTED BY:STRNGROSSI

0002 NEW YORK STATE DEPARTMENT OF HEALTH ****
WADSWORTH CENTER

AGE 2 RESULTS OF EXAMINATION REPORT MAILED OUT

SAMPLE ID: 9702170 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/08 09:55 DATE REPORTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW12D

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702165 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-51
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 11:40 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW51

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	2. MCG/L [J]
1,1-DICHLOROETHANE	4. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	120. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702165 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/08 11:40 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW51

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702173 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:0 & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-5D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 11:15 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW5D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	56. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702173 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/08 11:15 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW50

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702144 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - T OF S OTSELIC
DESCRIPTION:MONITORING WELL TW-6S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 13:05 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW6S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.9 MCG/L [BJ]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702144 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - T OF S OTSELIC
TIME OF SAMPLING: 97/10/07 13:05 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW6S

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702149 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:0 & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-61
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 13:27 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW61

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	4. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702149 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709003
TIME OF SAMPLING: 97/10/07 13:27 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW61

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702153 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-6D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 12:30 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW6D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702153 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009
TIME OF SAMPLING: 97/10/07 12:30 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW6D

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702159 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-7S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 16:10 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW7S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	3. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	36. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

SAMPLE ID: 9702159 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009
TIME OF SAMPLING: 97/10/07 16:10 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW7S

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702160 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MATRIX SPIKE
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 287:MATRIX SPIKE (MS)
TIME OF SAMPLING: 97/10/07 : DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW7SMS

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	57. MCG/L %R=113.
1,1-DICHLOROETHANE	2. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	39. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	47. MCG/L %R=94.
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	53. MCG/L %R=106.
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702160 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/07 : DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW7SMS

PARAMETER	RESULT
TOLUENE	53. MCG/L %R=106.
CHLOROBENZENE	52. MCG/L %R=104.
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702161 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MATRIX SPIKE DUPLICATE
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 299:MATRIX SPIKE DUPLICATE - MSD
TIME OF SAMPLING: 97/10/07 : DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW7SMSD

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	55. MCG/L %R=110.
1,1-DICHLOROETHANE	3. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	36. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	47. MCG/L %R=93.
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	54. MCG/L %R=108.
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702161 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/07 : DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW7SMSD

PARAMETER	RESULT
TOLUENE	54. MCG/L %R=107.
CHLOROBENZENE	54. MCG/L %R=109.
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702157 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITROING WELL TW-71
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 16:30 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW71

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	38. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

SAMPLE ID: 9702157 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009
TIME OF SAMPLING: 97/10/07 16:30 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW71

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702158 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-7D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 16:00 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW7D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	30. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

SAMPLE ID: 9702158 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 70900
TIME OF SAMPLING: 97/10/07 16:00 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW7D

----------PARAMETER----------	----------RESULT----------
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702146 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-91
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 17:20 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW91

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	---------RESULT---------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	5. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702146 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009
TIME OF SAMPLING: 97/10/07 17:20 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW91

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702147 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-9D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 16:48 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW9D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702147 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009
TIME OF SAMPLING: 97/10/07 16:48 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW9D

PARAMETER	RESULT
TOLUENE	0.1 MCG/L [J]
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702162 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:0 & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-10D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 15:15 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW10D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702162 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/07 15:15 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW10D

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702163 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MATRIX SPIKE BLANK
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 288:MATRIX SPIKE BLANK - MSB
TIME OF SAMPLING: 97/10/07 : DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:MSB

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	---------RESULT---------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.5 MCG/L [J]
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	56. MCG/L %R=113.
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	48. MCG/L %R=95.
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	55. MCG/L %R=109.
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702163 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/07 : DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:MSB

PARAMETER	RESULT
TOLUENE	55. MCG/L %R=110.
CHLOROBENZENE	54. MCG/L %R=108.
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702168 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-121
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 09:48 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW121

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	11. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

SAMPLE ID: 9702168 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/08 09:48 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NC.:TW121

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702169 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-12D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 09:20 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW12D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

SAMPLE ID: 9702169 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/08 09:20 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW12D

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702166 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:0 & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-14S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 10:10 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW14S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	---------RESULT---------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	0.9 MCG/L [J]
1,1-DICHLOROETHANE	10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	74. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	1. MCG/L [J]
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702166 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/08 10:10 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW14S

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702167 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:0 & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-14SD
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 10:15 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW14SD

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	1. MCG/L [J]
1,1-DICHLOROETHANE	10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	73. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702167 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/08 10:15 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW14SD

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702172 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-141
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 10:32 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW141

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	---------RESULT---------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	2. MCG/L [J]
1,1-DICHLOROETHANE	4. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	100. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702172 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709003
TIME OF SAMPLING: 97/10/08 10:32 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW141

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702170 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE SITE #709009
DESCRIPTION:MONITORING WELL TW-5S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/08 09:55 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW12D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	2. MCG/L [J]
1,1-DICHLOROETHANE	6. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	55. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702170 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE SITE #709009
TIME OF SAMPLING: 97/10/08 09:55 DATE PRINTED:97/10/23
CASE:RH797 SDG:W1008 CUST.NO.:TW12D

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9702145 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009
DESCRIPTION:MONITORING WELL TW-151
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 97/10/07 18:02 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW151

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 97/10/22 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	3. MCG/L [J]
1,1-DICHLOROETHANE	2. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	97. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

NYS ELAP ID'S: 10762(INORGANIC,NUCLEAR) 10763(ORGANIC) 10765(BACTERIOLOGY)
COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )


RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

SAMPLE ID: 9702145 SAMPLE RECEIVED:97/10/09/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORR 709005
TIME OF SAMPLING: 97/10/07 18:02 DATE PRINTED:97/10/23
CASE:RH797 SDG:1007 CUST.NO.:TW151

PARAMETER	RESULT
TOLUENE	< 10. MCG/L
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

OCT 30 1997



From: Carol M. Meyer
New York State Department of Health
Wadsworth Center
Division of Environmental Disease Prevention
Empire State Plaza, P.O. Box 509
Albany, New York 12201-0509

JRS Strang 11/26/97

Case Designation: RH797
Sample Delivery Group: W1008
Sample Number: COMB, EFF, RW1, RW2, TW4D, TW4I, TW4S, TW5D, TW5I, TW5S, TW12D, TW12I, TW14I, TW14S, TW14SD
Date October 28, 1997

kept.

Enclosed is one copy of the data package deliverables for case RH797, SDG W1008.

Please indicate receipt of this delivery by returning this signed form.

Thank you.

Signature: John R Strang

Date: 11/26/97

New York State Department of Health
Wadsworth Center
Division of Environmental Disease Prevention
PO Box 0509
Albany, NY 12201-0509

SDG NARRATIVE

Case Designation:	RH797
Sample Delivery Group:	W1008
Contract Number:	None
Sample Numbers:	COMB, EFF, RW1, RW2, TW4D, TW4I, TW4S, TW5D, TW5I, TW5S TW12D, TW12I, TW14I, TW14S, TW14SD
DOH Accession Numbers:	9702164 through 9702180

COMMENTS

VOLATILE COMPOUNDS

Samples were received in the labs on 10/9/97 and analysis ensued at once. Mildly fluctuating hydrocarbon background did not interfere with analysis.

GC/MS Run List

Sample	ID	Run	Comment
9702164	4D	4_1015H	1,1,1-TCE 6 µg/L
9702174	4I	4_1016F	1,1,1-TCE 57 µg/L
9702171	4S	4_1015O	1,1,1-TCE 72 µg/L
9702173	5D	4_1016E	1,1,1-TCE 56 µg/L
9702165	5I	4_1015I	1,1,1-TCE 120 µg/L
9702170	5S	4_1015N	1,1,1-TCE 55 µg/L
9702169	12D	4_1015M	Clean
9702168	12I	4_1015L	1,1,1-TCE 11 µg/L
9702172	14I	4_1015P	1,1,1-TCE 100 µg/L
9702166	14S	4_1015J	1,1,1-TCE 74 µg/L
9702167	14SD	4_1015K	1,1,1-TCE 73 µg/L
9702175	COMB	4_1016G	1,1,1-TCE 100 µg/L
9702176	RW1	4_1016H	1,1,1-TCE 95 µg/L
9702177	RW2	4_1016I	1,1,1-TCE 110 µg/L
9702178	EFF	4_1016K	Clean
9702179	0580TB	4_1009M	Clean
9702180	0590BS	4_1009I	
0590MB	VBLK01	4_1009D	Clean
0590MB2	VBLK02	4_1009L	1,1,1-TCE 0.2 µg/L; Toluene 0.1 µg/L
0590MB3	VBLK03	4_1015E	Clean
0590MB4	VBLK04	4_1016D	Clean
0590MB5	VBLK05	4_1016J	Clean

QA goals were met. Most blanks were free of analytes and TICs.

CERTIFICATION

I certify that, except as noted above, this data package is in compliance with the terms and conditions of any pertinent, current contract, both technically and in terms of completeness. Release of the data contained in this hardcopy data-package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Signature: Arthur H. Richards

Dr. Arthur H. Richards
LOAC Manager Designee

Date: 10-28-97

OCT 30 1997

HAZARD... DIVISION OF WASTE...

From: Carol M. Meyer
New York State Department of Health
Wadsworth Center
Division of Environmental Disease Prevention
Empire State Plaza, P.O. Box 509
Albany, New York 12201-0509

Rest of Analytical Package put in Stop Box. 11/26/97 JRS

Case Designation: RH797
Sample Delivery Group: 1007
Sample Number: TW1S, TW2D, TW2I, TW2S, TW3D, TW3I, TW3S, TW6I, TW6D, TW6S, TW7D, TW7I, TW7S, TW9D, TW9I, TW10D, TW15I
DOH Accession Numbers: 9702144 through 9702163
Date October 28, 1997

Enclosed is one copy of the data package deliverables for case RH797, SDG 1007.

Please indicate receipt of this delivery by returning this signed form.

Thank you.

Signature: John R Storey

Date: 11/26/97

New York State Department of Health
Wadsworth Center
Division of Environmental Disease Prevention
PO Box 0509
Albany, NY 12201-0509

SDG NARRATIVE

Case Designation:	RH797
Sample Delivery Group:	1007
Contract Number:	None
Sample Numbers:	TW1S, TW2D, TW2I, TW2S, TW3D, TW3I, TW3S, TW6I, TW6D, TW6S, TW7D, TW7I, TW7S, TW9D, TW9I, TW10D, TW15I
DOH Accession Numbers:	9702144 through 9702163

COMMENTS

VOLATILE COMPOUNDS

Samples were received in the labs on 10/9/97 and analysis ensued at once. Mildly fluctuating hydrocarbon background did not interfere with analysis.

GC/MS Run List

Sample	ID	Run	Comment
9702148	1S	4_1010K	Clean
9702151	2D	4_1010J	1,1,1-TCE 7 µg/L
9702150	2I	4_1010I	1,1,1-TCE 15 µg/L
9702152	2S	4_1010L	1,1,1-TCE 3 µg/L
9702155	3D	4_1014J	1,1,1-TCE 4 µg/L
9702154	3I	4_1014I	1,1,1-TCE 21 µg/L
9702156	3S	4_1014K	1,1,1-TCE 19 µg/L; $C_{11}H_{24}$ isomers
9702153	6D	4_1010M	Clean
9702149	6I	4_1010H	1,1,1-TCE 4 µg/L
9702144	6S	4_1009N	1,1,1-TCE 1 µg/L
9702158	7D	4_1014M	1,1,1-TCE 30 µg/L
9702157	7I	4_1014L	1,1,1-TCE 38 µg/L
9702159	7S	4_1015F	1,1,1-TCE 36 µg/L
9702160	7SMS	4_1009J	1,1,1-TCE 39 µg/L
9702161	7SMSD	4_1009K	1,1,1-TCE 36 µg/L
9702147	9D	4_1010F	1,1,1-TCE 0 µg/L; Toluene 0.1 µg/L
9702146	9I	4_1010E	1,1,1-TCE 5 µg/L
9702162	10D	4_1015G	Clean
9702145	15I	4_1010D	1,1,1-TCE 97 µg/L
9702163	0589BS	4_1009H	
0589MB	VBLK01	4_1009D	Clean
0589MB2	VBLK02	4_1009L	1,1,1-TCE 0.2 µg/L; Toluene 0.1 µg/L
0589MB3	VBLK03	4_1010C	Clean
0589MB4	VBLK04	4_1014H	Clean
0589MB5	VBLK05	4_1015E	Clean

QA goals were met. Most blanks were free of analytes and TICs.

Sample 97801256 (3S) contained substances tentatively identified as $C_{11}H_{24}$ isomers as well as 1,1,1-trichloroethane.

CERTIFICATION

I certify that, except as noted above, this data package is in compliance with the terms and conditions of any pertinent, current contract, both technically and in terms of completeness. Release of the data contained in this hardcopy data-package has been authorized by the Laboratory Manager or his designee, as verified by the following signature.

Signature: Arthur H. Richards

Dr. Arthur H. Richards
LOAC Manager Designee

Date: 10-28-97

0749 NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

received 11/20/96

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602415 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-1S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/28 15:25 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-1S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

----------PARAMETER----------	---------RESULT---------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

RESULTS OF EXAMINATION

FINAL REPORT

SAMPLE ID: 9602415 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/28 15:25 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-1S

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602402 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-2S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 10:52 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-2S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	1. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	3. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602402 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709099 - S OTSELIC
TIME OF SAMPLING: 96/10/29 10:52 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-2S

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602400 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-21
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 10:40 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-21

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.5 MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

RECEIVED
NOV 20 1996
BUREAU OF HAZARDOUS SITE CONTROL
DIVISION OF HAZARDOUS WASTE REMEDIATION

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602400 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709099 - S OTSELIC
TIME OF SAMPLING: 96/10/29 10:40 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-21

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602401 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-2D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 10:50 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-2D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602401 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709099 - S OTSELIC
TIME OF SAMPLING: 96/10/29 10:50 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-2D

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602418 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:0 & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-3S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/28 15:42 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-3S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	4. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	17. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602418 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/28 15:42 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-3S

----------PARAMETER----------	----------RESULT----------
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602416 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-31
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/28 15:35 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-31

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.8 MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602416 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/28 15:35 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-31

----------PARAMETER----------	----------RESULT----------
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602417 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-3D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/28 15:40 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-3D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.4 MCG/L [J]
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602417 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/28 15:40 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-3D

----------PARAMETER----------	----------RESULT----------
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602430 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:0 & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-4S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 11:15 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-4S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	7. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	65. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	3. MCG/L [J]
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602430 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 11:15 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-4S

----------PARAMETER----------	----------RESULT----------
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602431 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-41
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 11:05 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-41

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	47. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602431 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 11:05 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-41

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602432 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-4D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 10:55 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-4D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	6. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602432 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 10:55 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-4D

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602403 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-5S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 10:15 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-5S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	2. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	28. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602403 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 10:15 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-5S

----------PARAMETER----------	----------RESULT----------
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602404 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-51
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 10:20 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-51

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	0.2 MCG/L [J]
1,1-DICHLOROETHANE	1. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	32. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602404 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 10:20 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-51

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602405 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:0 & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-5D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 10:30 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-5D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	8. MCG/L [J]
CARBON TETRACHLORIDE	1. MCG/L [J]
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602405 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 10:30 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-5D

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602428 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-6S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 09:45 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-6S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.8 MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602428 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 09:45 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-6S

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602427 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-61
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 09:50 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-61

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	2. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602427 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 09:50 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-61

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602429 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-6D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 09:55 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-6D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602429 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 09:55 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-6D

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602410 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL TW-7S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 09:40 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-7S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	2. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	38. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602410 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 09:40 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-7S

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602406 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-71
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 09:55 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-71

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	4. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602406 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 09:55 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-71

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602407 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MATRIX SPIKE
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 287:MATRIX SPIKE (MS)
TIME OF SAMPLING: 96/10/29 09:55 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-7IMS

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

----------PARAMETER----------	---------RESULT---------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	51. MCG/L %R=102.
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	3. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	45. MCG/L %R=90.
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	50. MCG/L %R=100.
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	53. MCG/L %R=106.

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602407 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 09:55 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-71MS

----------PARAMETER----------	----------RESULT----------
CHLOROBENZENE	54. MCG/L %R=108.
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602408 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MATRIX SPIKE DUPLICATE
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 299:MATRIX SPIKE DUPLICATE - MSD
TIME OF SAMPLING: 96/10/29 09:55 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-7IMSD

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	59. MCG/L %R=117.
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	4. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	47. MCG/L %R=95.
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	58. MCG/L %R=116.
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	58. MCG/L %R=116.

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602408 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 09:55 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-71MSD

PARAMETER	RESULT
CHLOROBENZENE	56. MCG/L %R=111.
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602409 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-7D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 10:05 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-7D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	3. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602409 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 10:05 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-7D

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602421 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-8S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/28 16:00 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-8S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602421 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/28 16:00 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-8S

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602422 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-81
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/28 15:55 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-81

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602422 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/28 15:55 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-81

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602423 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:0 & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-91
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/28 16:20 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-91

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	1. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602423 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/28 16:20 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-91

----------PARAMETER----------	----------RESULT----------
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602424 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-9D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/28 16:15 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-9D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602424 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/28 16:15 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-9D

----------PARAMETER----------	----------RESULT----------
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602426 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-10D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 10:00 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-10D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	1. MCG/L [J]
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602426 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 10:00 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-10D

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602419 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-11S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/28 15:02 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-11S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	2. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602419 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/28 15:02 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-11S

----------PARAMETER----------	----------RESULT----------
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602420 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-111
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/28 15:05 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-111

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	14. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602420 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/28 15:05 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-111

----------PARAMETER----------	----------RESULT----------
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602411 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-121
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 09:13 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-121

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

----------PARAMETER----------	----------RESULT----------
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	9. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

SAMPLE ID: 9602411 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 09:13 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-121

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602412 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-12D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 09:06 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-12D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	0.2 MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602412 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 09:06 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-12D

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602413 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-13S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/28 15:15 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-13S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602413 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/28 15:15 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-13S

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602414 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-131
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/28 15:20 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-131

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602414 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/28 15:20 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-131

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602433 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-14S
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 11:15 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-14S

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	0.6 MCG/L [BJ]
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	0.5 MCG/L [J]
1,1-DICHLOROETHANE	11. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	110. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	3. MCG/L [J]
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602433 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 11:15 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-14S

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602434 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-141
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 11:10 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-141

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	6. MCG/L [J]
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602434 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 11:10 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-141

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602435 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-14D
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 11:20 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-14D

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	0.7 MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	27. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602435 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 11:20 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-14D

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602436 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-14X
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/29 12:00 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-14X

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	0.6 MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	26. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602436 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 12:00 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-14X

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602425 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MONITORING WELL - TW-151
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 191:TEST WELL OR MONITORING WELL
TIME OF SAMPLING: 96/10/28 16:20 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-151

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	0.8 MCG/L [J]
1,1-DICHLOROETHANE	1. MCG/L [J]
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	52. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	110. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO(1), LPHE(0), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602425 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/28 16:20 DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TW-151

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602437 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
DESCRIPTION:MATRIX SPIKE BLANK
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 288:MATRIX SPIKE BLANK - MSB
TIME OF SAMPLING: 96/10/29 : DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:MSB

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	2. MCG/L [BJ]
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	51. MCG/L %R=101.
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	42. MCG/L %R=85.
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	50. MCG/L %R=99.
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	40. MCG/L %R=81.

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602437 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: GLADDING CORTAGE CORP 709009 - S OTSELIC
TIME OF SAMPLING: 96/10/29 : DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:MSB

PARAMETER	RESULT
CHLOROBENZENE	51. MCG/L %R=103.
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****

PAGE 1 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602438 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
PROGRAM: 6615:O & M LONG TERM MONITORING
SOURCE ID: DRAINAGE BASIN: GAZETTEER CODE:0862
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LATITUDE: . LONGITUDE: . Z DIRECTION:
LOCATION: TRIP BLANK - GALDDING CORTAGE CORP - #709009
DESCRIPTION:WITH SAMPLE #9602400 TO #9602437, DATE PREPARED: 3/12/96
REPORTING LAB: TOX:LAB FOR ORGANIC ANALYTICAL CHEMISTRY
TEST PATTERN: TCL-VOL-W:TARGET COMPOUND LIST - VOLATILES
SAMPLE TYPE: 297:TRIP BLANK - ORIGINATES IN LABORATORY
TIME OF SAMPLING: 96/10/29 : DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TB

ANALYSIS: TCL-VOL-W TARGET COMPOUND LIST - VOLATILES (GC/MS)
DATE PRINTED: 96/11/13 FINAL REPORT

PARAMETER	RESULT
CHLOROMETHANE	< 10. MCG/L
BROMOMETHANE	< 10. MCG/L
VINYL CHLORIDE	< 10. MCG/L
CHLOROETHANE	< 10. MCG/L
METHYLENE CHLORIDE (DICHLOROMETHANE)	< 10. MCG/L
ACETONE	< 10. MCG/L
CARBON DISULFIDE	< 10. MCG/L
1,1-DICHLOROETHENE	< 10. MCG/L
1,1-DICHLOROETHANE	< 10. MCG/L
CIS/TRANS-1,2-DICHLOROETHENE (TOTAL)	< 10. MCG/L
CHLOROFORM	< 10. MCG/L
1,2-DICHLOROETHANE	< 10. MCG/L
2-BUTANONE (METHYL ETHYL KETONE)	< 10. MCG/L
1,1,1-TRICHLOROETHANE	< 10. MCG/L
CARBON TETRACHLORIDE	< 10. MCG/L
BROMODICHLOROMETHANE	< 10. MCG/L
1,2-DICHLOROPROPANE	< 10. MCG/L
CIS-1,3-DICHLOROPROPENE	< 10. MCG/L
TRICHLOROETHENE	< 10. MCG/L
DIBROMOCHLOROMETHANE	< 10. MCG/L
1,1,2-TRICHLOROETHANE	< 10. MCG/L
BENZENE	< 10. MCG/L
TRANS-1,3-DICHLOROPROPENE	< 10. MCG/L
BROMOFORM	< 10. MCG/L
4-METHYL-2-PENTANONE (MIBK)	< 10. MCG/L
2-HEXANONE (METHYL BUTYL KETONE)	< 10. MCG/L
TETRACHLOROETHENE	< 10. MCG/L
1,1,2,2-TETRACHLOROETHANE	< 10. MCG/L
TOLUENE	< 10. MCG/L

**** CONTINUED ON NEXT PAGE ****

COPIES SENT TO: CO(1), RO( ), LPHE( ), FED( ), INFO-P( ), INFO-L( )

RONNIE LEE
NYSDEC - CENTRAL OFFICE
50 WOLF RD., - ROOM 252 SUBMITTED BY:STRNGROSSI
ALBANY *** INTERAGENCY MAIL ***

PAGE 2 RESULTS OF EXAMINATION FINAL REPORT

SAMPLE ID: 9602438 SAMPLE RECEIVED:96/10/30/ CHARGE: 8.00
POLITICAL SUBDIVISION:OTSELIC COUNTY:CHENANGO
LOCATION: TRIP BLANK - GALDDING CORTAGE CORP - #709009
TIME OF SAMPLING: 96/10/29 : DATE PRINTED:96/11/13
CASE:RH796 SDG:1028 CUST.NO.:TB

PARAMETER	RESULT
CHLOROBENZENE	< 10. MCG/L
ETHYLBENZENE	< 10. MCG/L
STYRENE	< 10. MCG/L
TOTAL XYLENES	< 10. MCG/L

**** END OF REPORT ****