

**New York Division
Cortland Office**
PO Box 5150
Cortland, NY 13045
Phone: 607-753-3403 Fax: 607-753-3415



**New York Division
Waverly Office**
509 Cayuta Avenue
Waverly, NY 14892
Phone: 607-565-3500 Fax: 607-656-4083

June 27, 2008

Mr. Richard A. Marx
Nixon Peabody LLP
1100 Clinton Square
Rochester, NY 14604

**Ref: Report of Water Testing
Rosen Site, Cortland, NY**

Dear Mr. Marx,

Attached are the laboratory reports and other documentation resulting from the analysis of ground and surface water samples collected from the Rosen site, Cortland, NY. The event included the following activities:

- Pre-sampling well inventory and condition (4/28/08)
- Monitoring well and surface seep sampling (5/20 and 5/21/08); and
- Analysis and reporting of the results.

Microbac Laboratories, Inc., New York Division was retained by Nixon Peabody LLP to perform the above listed activities. Mr. Eric Monsen of Microbac provided overall management of field sampling activities. Mr. Ernest Spencer of Microbac assisted in the field sampling activity. Mr. Monsen is an experienced Geologist with formal training in groundwater and vadose zone monitoring (ASTM). Both Mr. Monsen and Mr. Spencer have 40 hour OSHA Hazardous Waste Operations training with up-to-date refreshers. Samples collected from the site were analyzed by Microbac Laboratories, Inc., New York Division (ELAP 10795 and 10252).

Mr. Richard A. Marx of Nixon Peabody LLC was on-site during the pre-sampling well inventory and condition study on April 28, 2008 and during the sampling event on May 20 and 21, 2008. Ms. Diane Salkie of the USEPA was on-site for the majority of the well sampling events on May 20 and 21, 2008.

The sampling event was conducted in accordance with the sampling protocol outlined in the proposal to Nixon Peabody LLC dated May 5, 2008. The sampling of wells W-06, W-11, and W-19 was modified slightly from the proposal at the request of Mr. Mark Granger of the USEPA. The modification included the collection of only the metals samples using low flow sampling procedures. The other analytes for these wells were obtained following the low flow sampling using hand bailing purge and sampling methods outlined in the proposal.

The pre-sampling well inventory and condition study was successfully completed. After several reviews by both Mr. Monsen and Mr. Marx the study was finalized and is in the possession of Nixon Peabody.

The well and surface seep sampling was successfully completed. All of the pre-scheduled wells were sampled. Field data forms were completed and copies are attached. A total of four (4) seeps were obtained from the side swale. Quality control samples were obtained during the sampling event. The level of quality control was CLP equivalent. Field instrumentation (pH, cond., Eh) was checked both prior to and after the sampling and a copy of the calibration check is attached.

Nixon Peabody – Rosen Site
Page 2 of 2

Upon completion of the sampling all samples were placed on ice in coolers and transported to the laboratory under chain of custody. Copies of the chain of custody forms from samples collected on both days are attached

The laboratory reports resulting from the analysis of the water samples are attached along with other attachments indicated in this narrative.

We appreciate this work and please contact us if you need further assistance.

Sincerely,

Eric Monsen
Field Services Manager
G:\off\rosen\52008well\sampling nar



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Lab Log No.: **0805516**

June 26, 2008

NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051

TEL: (716) 263-1577
FAX:

RE: ROSEN SITE, CORTLAND

Attn: Richard Marx

MICROBAC - New York Division received 22 samples on 5/21/2008 for the analyses presented in the following report.

The analytical results for your samples are presented on the enclosed laboratory report(s). In accordance with NYSDOH-ELAP and NELAC regulations, we are required to notify you of any aspects of the analysis that did not comply with these regulations. A summary of problems, notations, and non-compliant parameters is presented on the attached "Narrative". Any data qualifiers are noted directly on the laboratory report. The Laboratory also maintains a "Sample Receipt Checklist" and the submitted "Chain of Custody" form in its files that are available on request.

The pagination at the bottom of the narrative and reports indicates the total number of pages in the client submittal. No duplication of this report should be done without duplication of the entire package, including cover letter and narrative.

Thank you for the opportunity to provide these analytical services. Please contact Pamela Davis, Client Services Manager, with questions on the analysis.

Sincerely,

Peter A. Indick
Managing Director

Microbac Laboratories, Inc - New York Division
PO Box 5150, Cortland, NY 13045-5150
Tel 607.753.3403
Fax 607.753.3415

ELAP # 10795
EPA # NY00935
PADEP # 68-01385



CLIENT: NIXON PEABODY, LLP
Project: ROSEN SITE, CORTLAND
Lab Order: 0805516

CASE NARRATIVE

Samples were analyzed using Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW846, 3rd Edition or other methods specifically approved by NYSDOH-ELAP. All quality control parameters for the analysis of samples under this lab log number met the laboratory acceptance limits and no data were qualified.

Glossary of terms and acronyms used in the lab reports:

CAS - Chemical Abstract Series identification for the analyte.

DF - "1" indicates that there was no dilution. Any other number indicates that the sample was diluted by that factor.

PQL - Practical Quantitation Limit - The lowest level that the lab would report a value.

Result - This is the numerical result of the analysis (in bold). An "ND" indicates that the analyte was not detected at greater than the PQL concentration.

Units - The units of measure for the analysis. Ug/L (ppb) and mg/L (ppm) are for liquid samples. Ug/kg (ppb) and mg/kg (ppm) are for solid based units.

Qual - An entry in this column indicates that the results are "qualified" according to the following codes (generally related to lab QC results):

J - The analyte was detected at less than the PQL, but the amount is not precisely known.

B - The analyte was detected in the lab blank indicating possible contamination.

E - The result is estimated because the measurement exceeded the upper calibration limit.

D - Surrogate recovery was low due to sample dilution.

S - Spike recovery was outside laboratory acceptance limits.

R - RPD was outside laboratory acceptance limits.

H - The measurement is estimated because the sample was analyzed after regulatory holding time expired.

* - The result exceeds the public drinking water maximum contaminant level.



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-01

Client Sample ID: W-18
Sampled By: E. MONSEN
Collection Date: 5/21/2008
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI		Analysis Date: May 24, 2008 6:51 pm		
1,1,1,2-Tetrachloroethane	630-20-8	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	6.9	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	78-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-8	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150
Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-01

Client Sample ID: W-18
Sampled By: E. MONSEN
Collection Date: 5/21/2008
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-68-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-8	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-01

Client Sample ID: W-18
Sampled By: E. MONSEN
Collection Date: 5/21/2008
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	102	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	100	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	99.7	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	100	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-02

Client Sample ID: W-20
Sampled By: E. MONSEN
Collection Date: 5/21/2008 8:48:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI		Analysis Date: May 24, 2008 7:20 pm		
1,1,1,2-Tetrachloroethane	830-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-02

Client Sample ID: W-20

Sampled By: E. MONSEN

Collection Date: 5/21/2008 8:48:00 AM

Received at Lab: 5/21/2008

Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-66-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-8	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-02

Client Sample ID: W-20
Sampled By: E. MONSEN
Collection Date: 5/21/2008 8:48:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-89-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Sum: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	102	%REC	
Sum: 4-Bromofluorobenzene	460-00-4	1	91.2-110	101	%REC	
Sum: Dibromofluoromethane	1888-53-7	1	87.4-113	100	%REC	
Sum: Toluene-d8	2037-26-5	1	90.5-110	100	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-03

Client Sample ID: W-16
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:04:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI	Analysis Date: May 24, 2008 5:54 pm			
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-88-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.


NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-03

Client Sample ID: W-16
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:04:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-66-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-03

Client Sample ID: W-16
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:04:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	100	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	101	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	100	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	100	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150
Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08
Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-04

Client Sample ID: W-17
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:00:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI	Analysis Date: May 24, 2008 6:22 pm			
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-8	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-04

Client Sample ID: W-17
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:00:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-66-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-04

Client Sample ID: W-17
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:00:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	101	%REC	
Surr: 4-Bromofluorobenzene	480-00-4	1	91.2-110	100	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	100	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	100	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150
Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-05

Client Sample ID: W-03
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:27:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI	Analysis Date: May 24, 2008 4:27 pm			
1,1,1,2-Tetrachloroethane	630-20-8	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-05

Client Sample ID: W-03

Sampled By: E. MONSEN

Collection Date: 5/21/2008 9:27:00 AM

Received at Lab: 5/21/2008

Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-68-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-05

Client Sample ID: W-03
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:27:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	99.3	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	101	%REC	
Surr: Dibromofluoromethane	1866-53-7	1	87.4-113	99.8	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	101	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-06

Client Sample ID: W-12
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:33:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI		Analysis Date: May 24, 2008 5:25 pm		
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	6.4	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-8	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-83-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.


NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-06

Client Sample ID: W-12
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:33:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	87-86-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	5.3	µg/L	


This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150
Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-06

Client Sample ID: W-12
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:33:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	99.6	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	100	%REC	
Surr: Dibromofluoromethane	1886-53-7	1	87.4-113	102	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	100	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08
Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-07

Client Sample ID: W-08
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:59:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI	Analysis Date: May 24, 2008 8:17 pm			
1,1,1,2-Tetrachloroethane	830-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-8	1	5.0	12	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-8	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-07

Client Sample ID: W-08
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:59:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-66-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150
Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-07

Client Sample ID: W-08
Sampled By: E. MONSEN
Collection Date: 5/21/2008 9:59:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	99.7	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	102	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	100	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	99.8	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08
Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-08

Client Sample ID: W-09
Sampled By: E. MONSEN
Collection Date: 5/21/2008 10:22:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260			Analyst: PI	Analysis Date: May 24, 2008 8:45 pm		
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-08

Client Sample ID: W-09

Sampled By: E. MONSEN

Collection Date: 5/21/2008 10:22:00 AM

Received at Lab: 5/21/2008

Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-68-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-08-8	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-80-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-08

Client Sample ID: W-09
Sampled By: E. MONSEN
Collection Date: 5/21/2008 10:22:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	99.6	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	102	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	99.4	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	102	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-09

Client Sample ID: W-01

Sampled By: E. MONSEN

Collection Date: 5/21/2008 10:15:00 AM

Received at Lab: 5/21/2008

Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI	Analysis Date: May 24, 2008 4:56 pm			
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	98-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-87-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-09

Client Sample ID: W-01

Sampled By: E. MONSEN

Collection Date: 5/21/2008 10:15:00 AM

Received at Lab: 5/21/2008

Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-68-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-8	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.


NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08
Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-09

Client Sample ID: W-01
Sampled By: E. MONSEN
Collection Date: 5/21/2008 10:15:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	100	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	101	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	101	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	100	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150
Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08
Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-10

Client Sample ID: W-04
Sampled By: E. MONSEN
Collection Date: 5/21/2008 10:55:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260			Analyst: PI	Analysis Date: May 30, 2008 4:32 pm		
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-10

Client Sample ID: W-04

Sampled By: E. MONSEN

Collection Date: 5/21/2008 10:55:00 AM

Received at Lab: 5/21/2008

Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-66-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150
Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-10

Client Sample ID: W-04
Sampled By: E. MONSEN
Collection Date: 5/21/2008 10:55:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	101	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	98.0	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	97.3	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	104	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150
Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-11

Client Sample ID: W-13

Sampled By: E. MONSEN

Collection Date: 5/21/2008 11:05:00 AM

Received at Lab: 5/21/2008

Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260						
		Analyst: PI	Analysis Date: May 30, 2008 5:00 pm			
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-11

Client Sample ID: W-13

Sampled By: E. MONSEN

Collection Date: 5/21/2008 11:05:00 AM

Received at Lab: 5/21/2008

Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-66-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-88-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415

Microbac

Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-11

Client Sample ID: W-13

Sampled By: E. MONSEN

Collection Date: 5/21/2008 11:05:00 AM

Received at Lab: 5/21/2008

Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-89-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	101	%REC	
Surr: 4-Bromofluorobenzene	480-00-4	1	91.2-110	97.7	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	97.4	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	103	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150
Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-12

Client Sample ID: W-14
Sampled By: E. MONSEN
Collection Date: 5/21/2008 10:50:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI	Analysis Date: May 30, 2008 3:06 pm			
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-8	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415

**Microbac Laboratories, Inc.**

New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08**Lab Log No:** 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-12

Client Sample ID: W-14**Sampled By:** E. MONSEN**Collection Date:** 5/21/2008 10:50:00 AM**Received at Lab:** 5/21/2008**Matrix:** AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-68-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795**PADEP #68-01385****EPA LAB ID #NY00935****POB 5150, Cortland, NY 13045-5150****Tel 607.753.3403 Fax 607.753.3415**

**Microbac Laboratories, Inc.**

New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08**Lab Log No:** 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051

Client Sample ID: W-14**Sampled By:** E. MONSEN**Project:** ROSEN SITE, CORTLAND**Collection Date:** 5/21/2008 10:50:00 AM**Lab ID:** 0805516-12**Received at Lab:** 5/21/2008**Matrix:** AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	102	%REC	
Surr: 4-Bromofluorobenzene	480-00-4	1	91.2-110	100	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	97.8	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	103	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795**PADEP #68-01385****EPA LAB ID #NY00935**

POB 5150, Cortland, NY 13045-5150
Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-13

Client Sample ID: W-23

Sampled By: E. MONSEN

Collection Date: 5/21/2008 11:39:00 AM

Received at Lab: 5/21/2008

Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260						
		Analyst: PI	Analysis Date: May 30, 2008 2:37 pm			
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-6	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-13

Client Sample ID: W-23

Sampled By: E. MONSEN

Collection Date: 5/21/2008 11:39:00 AM

Received at Lab: 5/21/2008

Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-66-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1834-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-8	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08
Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-13

Client Sample ID: W-23
Sampled By: E. MONSEN
Collection Date: 5/21/2008 11:39:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	102	%REC	
Surr: 4-Bromofluorobenzene	480-00-4	1	91.2-110	97.8	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	98.3	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	103	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08
Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-14

Client Sample ID: W-24
Sampled By: E. MONSEN
Collection Date: 5/21/2008 11:31:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260			Analyst: PI	Analysis Date: May 24, 2008 7:48 pm		
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-8	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-88-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-14

Client Sample ID: W-24
Sampled By: E. MONSEN
Collection Date: 5/21/2008 11:31:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-66-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	59	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	6.4	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	160	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08
Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-14

Client Sample ID: W-24
Sampled By: E. MONSEN
Collection Date: 5/21/2008 11:31:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-89-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	13	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	99.2	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	99.8	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	100	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	101	%REC	


This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150
Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-15

Client Sample ID: W-21
Sampled By: E. MONSEN
Collection Date: 5/21/2008 11:42:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI		Analysis Date: May 30, 2008 2:09 pm		
1,1,1,2-Tetrachloroethane	630-20-8	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415

Microbac

Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-15

Client Sample ID: W-21
Sampled By: E. MONSEN
Collection Date: 5/21/2008 11:42:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-66-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-8	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-15

Client Sample ID: W-21
Sampled By: E. MONSEN
Collection Date: 5/21/2008 11:42:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	103	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	98.0	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	97.3	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	104	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-16

Client Sample ID: W-05
Sampled By: E. MONSEN
Collection Date: 5/21/2008 11:55:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI		Analysis Date: May 30, 2008 3:35 pm		
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-48-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-84-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.


NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-16

Client Sample ID: W-05
Sampled By: E. MONSEN
Collection Date: 5/21/2008 11:55:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-87-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-66-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-16

Client Sample ID: W-05
Sampled By: E. MONSEN
Collection Date: 5/21/2008 11:55:00 AM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	103	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	100	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	98.0	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	103	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-17

Client Sample ID: W-22
Sampled By: E. MONSEN
Collection Date: 5/21/2008 12:00:00 PM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI	Analysis Date: May 24, 2008 10:11 pm			
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-8	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-17

Client Sample ID: W-22
Sampled By: E. MONSEN
Collection Date: 5/21/2008 12:00:00 PM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-66-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-08-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.


NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-17

Client Sample ID: W-22
Sampled By: E. MONSEN
Collection Date: 5/21/2008 12:00:00 PM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	102	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	99.3	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	100	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	99.7	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.


NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-18

Client Sample ID: W-07
Sampled By: E. MONSEN
Collection Date: 5/21/2008 12:13:00 PM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI		Analysis Date: May 30, 2008 4:03 pm		
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-83-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-18

Client Sample ID: W-07

Sampled By: E. MONSEN

Collection Date: 5/21/2008 12:13:00 PM

Received at Lab: 5/21/2008

Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-66-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	78-01-8	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-18

Client Sample ID: W-07
Sampled By: E. MONSEN
Collection Date: 5/21/2008 12:13:00 PM
Received at Lab: 5/21/2008
Matrix: AQUEOUS

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	101	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	98.0	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	97.2	%REC	
Surr: Toluene-d8	2037-28-5	1	90.5-110	103	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-19

Client Sample ID: TRIP BLANK
Sampled By: E. MONSEN
Collection Date: 5/21/2008
Received at Lab: 5/21/2008
Matrix: TRIP BLANK

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI	Analysis Date: May 24, 2008 3:29 pm			
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-9	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-19

Client Sample ID: TRIP BLANK
Sampled By: E. MONSEN
Collection Date: 5/21/2008
Received at Lab: 5/21/2008
Matrix: TRIP BLANK

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-66-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-19

Client Sample ID: TRIP BLANK
Sampled By: E. MONSEN
Collection Date: 5/21/2008
Received at Lab: 5/21/2008
Matrix: TRIP BLANK

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	99.1	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	103	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	99.5	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	100	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-20

Client Sample ID: STORAGE BLANK
Sampled By: E. MONSEN
Collection Date: 5/21/2008
Received at Lab: 5/21/2008
Matrix: QC SAMPLE

Analyses	CAS	DF	PQL	Result	Units	Qual
GC/MS VOLATILES BY EPA 8260		Analyst: PI	Analysis Date: May 24, 2008 3:58 pm			
1,1,1,2-Tetrachloroethane	630-20-6	1	5.0	ND	µg/L	
1,1,1-Trichloroethane	71-55-6	1	5.0	ND	µg/L	
1,1,2,2-Tetrachloroethane	79-34-5	1	5.0	ND	µg/L	
1,1,2-Trichloroethane	79-00-5	1	5.0	ND	µg/L	
1,1-Dichloroethane	75-34-3	1	5.0	ND	µg/L	
1,1-Dichloroethene	75-35-4	1	5.0	ND	µg/L	
1,1-Dichloropropene	563-58-6	1	5.0	ND	µg/L	
1,2,3-Trichlorobenzene	87-61-6	1	5.0	ND	µg/L	
1,2,3-Trichloropropane	96-18-4	1	5.0	ND	µg/L	
1,2,4-Trichlorobenzene	120-82-1	1	5.0	ND	µg/L	
1,2,4-Trimethylbenzene	95-63-6	1	5.0	ND	µg/L	
1,2-Dibromo-3-chloropropane	96-12-8	1	5.0	ND	µg/L	
1,2-Dibromoethane	106-93-4	1	5.0	ND	µg/L	
1,2-Dichlorobenzene	95-50-1	1	5.0	ND	µg/L	
1,2-Dichloroethane	107-06-2	1	5.0	ND	µg/L	
1,2-Dichloropropane	78-87-5	1	5.0	ND	µg/L	
1,3,5-Trimethylbenzene	108-67-8	1	5.0	ND	µg/L	
1,3-Dichlorobenzene	541-73-1	1	5.0	ND	µg/L	
1,3-Dichloropropane	142-28-8	1	5.0	ND	µg/L	
1,4-Dichlorobenzene	106-46-7	1	5.0	ND	µg/L	
1,4-Dioxane	123-91-1	1	5.0	ND	µg/L	
2,2-Dichloropropane	594-20-7	1	5.0	ND	µg/L	
2-Butanone	78-93-3	1	25	ND	µg/L	
2-Chloroethyl vinyl ether	110-75-8	1	5.0	ND	µg/L	
2-Chlorotoluene	95-49-8	1	5.0	ND	µg/L	
2-Hexanone	591-78-6	1	25	ND	µg/L	
4-Chlorotoluene	106-43-4	1	5.0	ND	µg/L	
4-Isopropyltoluene	99-87-6	1	5.0	ND	µg/L	
4-Methyl-2-pentanone	108-10-1	1	25	ND	µg/L	
Acetone	67-64-1	1	25	ND	µg/L	
Benzene	71-43-2	1	5.0	ND	µg/L	
Bromobenzene	108-86-1	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08

Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-20

Client Sample ID: STORAGE BLANK
Sampled By: E. MONSEN
Collection Date: 5/21/2008
Received at Lab: 5/21/2008
Matrix: QC SAMPLE

Analyses	CAS	DF	PQL	Result	Units	Qual
Bromochloromethane	74-97-5	1	5.0	ND	µg/L	
Bromodichloromethane	75-27-4	1	5.0	ND	µg/L	
Bromoform	75-25-2	1	5.0	ND	µg/L	
Bromomethane	74-83-9	1	5.0	ND	µg/L	
Carbon disulfide	75-15-0	1	5.0	ND	µg/L	
Carbon tetrachloride	56-23-5	1	5.0	ND	µg/L	
Chlorobenzene	108-90-7	1	5.0	ND	µg/L	
Chloroethane	75-00-3	1	5.0	ND	µg/L	
Chloroform	67-68-3	1	5.0	ND	µg/L	
Chloromethane	74-87-3	1	5.0	ND	µg/L	
cis-1,2-Dichloroethene	156-59-2	1	5.0	ND	µg/L	
cis-1,3-Dichloropropene	10061-01-5	1	5.0	ND	µg/L	
Dibromochloromethane	124-48-1	1	5.0	ND	µg/L	
Dibromomethane	74-95-3	1	5.0	ND	µg/L	
Dichlorodifluoromethane	75-71-8	1	5.0	ND	µg/L	
Ethylbenzene	100-41-4	1	5.0	ND	µg/L	
Hexachlorobutadiene	87-68-3	1	5.0	ND	µg/L	
Isopropylbenzene	98-82-8	1	5.0	ND	µg/L	
m,p-Xylene	1330-20-7	1	10	ND	µg/L	
Methyl tert-butyl ether	1634-04-4	1	5.0	ND	µg/L	
Methylene chloride	75-09-2	1	5.0	ND	µg/L	
n-Butylbenzene	104-51-8	1	5.0	ND	µg/L	
n-Propylbenzene	103-65-1	1	5.0	ND	µg/L	
Naphthalene	91-20-3	1	5.0	ND	µg/L	
o-Xylene	95-47-6	1	5.0	ND	µg/L	
sec-Butylbenzene	135-98-8	1	5.0	ND	µg/L	
Styrene	100-42-5	1	5.0	ND	µg/L	
tert-Butylbenzene	98-06-6	1	5.0	ND	µg/L	
Tetrachloroethene	127-18-4	1	5.0	ND	µg/L	
Toluene	108-88-3	1	5.0	ND	µg/L	
trans-1,2-Dichloroethene	156-60-5	1	5.0	ND	µg/L	
trans-1,3-Dichloropropene	10061-02-6	1	5.0	ND	µg/L	
Trichloroethene	79-01-6	1	5.0	ND	µg/L	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.


NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415



Microbac Laboratories, Inc.
New York Division
PO Box 5150
Cortland, NY 13045
(607) 753-3403 - Fax (607) 753-3415

Report Date: 26-Jun-08
Lab Log No: 0805516

CLIENT: NIXON PEABODY, LLP
CLINTON SQUARE
PO BOX 31051
ROCHESTER, NY 14603-1051
Project: ROSEN SITE, CORTLAND
Lab ID: 0805516-20

Client Sample ID: STORAGE BLANK
Sampled By: E. MONSEN
Collection Date: 5/21/2008
Received at Lab: 5/21/2008
Matrix: QC SAMPLE

Analyses	CAS	DF	PQL	Result	Units	Qual
Trichlorofluoromethane	75-69-4	1	5.0	ND	µg/L	
Vinyl acetate	108-05-4	1	5.0	ND	µg/L	
Vinyl chloride	75-01-4	1	5.0	ND	µg/L	
Surr: 1,2-Dichloroethane-d4	17060-07-0	1	85.6-117	101	%REC	
Surr: 4-Bromofluorobenzene	460-00-4	1	91.2-110	102	%REC	
Surr: Dibromofluoromethane	1868-53-7	1	87.4-113	100	%REC	
Surr: Toluene-d8	2037-26-5	1	90.5-110	99.8	%REC	

This laboratory analysis has been performed in accordance with generally accepted laboratory practices and requirements of the New York State Department of Health ELAP Program. MICROBAC-New York makes no recommendations, representations or warranties other than as specifically set forth in this report and shall not be responsible or liable for any action or the consequences of any action taken in connection with this report. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included on the cover letter.

NYSDOH ELAP #10795

PADEP #68-01385

EPA LAB ID #NY00935

POB 5150, Cortland, NY 13045-5150

Tel 607.753.3403 Fax 607.753.3415

CLIENT: NIXON PEABODY, LLP
Work Order: 0805516

Project: ROSEN SITE, CORTLAND

ANALYTICAL QC SUMMARY REPORT

TestNo: SW8260A

Sample ID: 0805516-21A	Sample Type: MS	Test Code: M8260L_EX	Units: µg/L	Prep Date:	Run ID: MSD5_080524A						
Client ID: W-09 MS	Batch ID: R28562	Test No: SW8260A		Analysis Date: 5/24/2008	Seq No: 516438						
Analyte	Result	POL	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual

Acetone	ND	25	20	0	0	10	212.1	0	0		S
Benzene	56.19	5.0	50	0	112	80.7	127.4	0	0		S
Bromobenzene	ND	5.0	20	0	0	71.1	129.6	0	0		S
Bromodichloromethane	ND	5.0	20	0	0	73.6	140.5	0	0		S
Bromoform	ND	5.0	20	0	0	66.9	115.6	0	0		S
Bromomethane	ND	5.0	20	0	0	64.6	134.4	0	0		S
2-Butanone	ND	25	20	0	0	68.7	130.7	0	0		S
n-Butylbenzene	ND	5.0	20	0	0	78.3	130.4	0	0		S
sec-Butylbenzene	ND	5.0	20	0	0	78.3	134.1	0	0		S
tert-Butylbenzene	ND	5.0	20	0	0	86.7	153.8	0	0		S
Carbon disulfide	ND	5.0	20	0	0	89.4	143.8	0	0		S
Carbon tetrachloride	ND	5.0	20	0	0	80.1	132.8	0	0		S
Chlorobenzene	53.34	5.0	50	0	107	80.7	123.3	0	0		S
Chloroethane	ND	5.0	20	0	0	38.7	232.1	0	0		S
2-Chloroethyl vinyl ether	ND	5.0	20	0	0	84	103.6	0	0		S
Chloroform	ND	5.0	20	0	0	84.5	131.2	0	0		S
Chloromethane	ND	5.0	20	0	0	85.6	106.1	0	0		S
2-Chlorotoluene	ND	5.0	20	0	0	71.7	125.9	0	0		S
4-Chlorotoluene	ND	5.0	20	0	0	72.1	126.9	0	0		S
1,2-Dibromo-3-chloropropane	ND	5.0	20	0	0	55.7	134.5	0	0		S
Dibromochloromethane	ND	5.0	20	0	0	70.6	136.5	0	0		S
1,2-Dibromoethane	ND	5.0	20	0	0	77.8	125.5	0	0		S
Dibromomethane	ND	5.0	20	0	0	70.3	132	0	0		S
1,2-Dichlorobenzene	ND	5.0	20	0	0	66.8	127.3	0	0		S
1,3-Dichlorobenzene	ND	5.0	20	0	0	69	122.5	0	0		S
1,4-Dichlorobenzene	ND	5.0	20	0	0	76.2	123.3	0	0		S
Dichlorodifluoromethane	ND	5.0	20	0	0	73.9	122.3	0	0		S
1,1-Dichloroethane	ND	5.0	20	0	0	78.4	138.3	0	0		S
1,2-Dichloroethane	ND	5.0	20	0	0	85.8	144	0	0		S
1,1-Dichloroethene	59.03	5.0	50	0	118	72.3	134.5	0	0		S

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: NIXON PEABODY, LLP
Work Order: 0805516

Project: ROSEN SITE, CORTLAND

ANALYTICAL QC SUMMARY REPORT

TestNo: SW8260A

Sample ID: 0805516-21A		Sample Type: MS		TestCode: M8260L_EX		Units: µg/L		Prep Date:		Run ID: MSD5_080524A	
Client ID: W-09 MS		Batch ID: R28562		TestNo: SW8260A				Analysis Date: 5/24/2008		SeqNo: 516438	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,2-Dichloroethene	ND	5.0	20	0	0	80.6	136.6	0	0		S
trans-1,2-Dichloroethene	ND	5.0	20	0	0	80.7	129.9	0	0		S
1,2-Dichloropropane	ND	5.0	20	0	0	84.3	135.5	0	0		S
1,3-Dichloropropane	ND	5.0	20	0	0	73	134.3	0	0		S
2,2-Dichloropropane	ND	5.0	20	0	0	65.2	127.3	0	0		S
cis-1,3-Dichloropropene	ND	5.0	20	0	0	43.5	131.5	0	0		S
trans-1,3-Dichloropropene	ND	5.0	20	0	0	67.8	133.2	0	0		S
Hexachlorobutadiene	ND	5.0	20	0	0	71.2	115.6	0	0		S
Ethylbenzene	ND	5.0	20	0	0	74.9	129.7	0	0		S
1,1-Dichloropropene	ND	5.0	20	0	0	76.9	128.4	0	0		S
2-Hexanone	ND	25	20	0	0	60.9	135.5	0	0		S
Methylene chloride	ND	5.0	20	0	0	76.8	136.4	0	0		S
4-Isopropyltoluene	ND	5.0	20	0	0	73.9	129.7	0	0		S
Methyl tert-butyl ether	ND	5.0	20	0	0	69	141	0	0		S
4-Methyl-2-pentanone	ND	25	20	0	0	71.1	143.4	0	0		S
n-Propylbenzene	ND	5.0	20	0	0	74.9	130.6	0	0		S
Styrene	ND	5.0	20	0	0	71.7	137.6	0	0		S
Isopropylbenzene	ND	5.0	20	0	0	72.7	130.1	0	0		S
Naphthalene	ND	5.0	20	0	0	29.2	104.1	0	0		S
1,1,1,2-Tetrachloroethane	ND	5.0	20	0	0	70.4	130.9	0	0		S
1,1,2,2-Tetrachloroethane	ND	5.0	20	0	0	63.4	127.5	0	0		S
Tetrachloroethene	ND	5.0	20	0	0	78.7	121.2	0	0		S
Toluene	55.47	5.0	50	0	111	82.3	124.6	0	0		S
1,2,3-Trichlorobenzene	ND	5.0	20	0	0	51.8	113.9	0	0		S
1,2,4-Trichlorobenzene	ND	5.0	20	0	0	61	118.8	0	0		S
1,1,1-Trichloroethane	ND	5.0	20	0	0	79.7	133.1	0	0		S
Trichloroethene	53.03	5.0	50	0	106	79.3	129.2	0	0		S
1,1,2-Trichloroethane	ND	5.0	20	0	0	81.2	130.8	0	0		S
1,2,3-Trichloropropane	ND	5.0	20	0	0	78.1	127.6	0	0		S
Trichlorofluoromethane	ND	5.0	20	0	0	75	130	0	0		S
1,2,4-Trimethylbenzene	ND	5.0	20	0	0	75.1	136.5	0	0		S

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: NIXON PEABODY, LLP
 Work Order: 0805516
 Project: ROSEN SITE, CORTLAND

ANALYTICAL QC SUMMARY REPORT

TestNo: SW8260A

Sample ID: 0805516-21A	Sample Type: MS	TestCode: M8260L_EX	Units: µg/L	Prep Date:	Run ID: MSD5_080524A						
Client ID: W-09 MS	Batch ID: R28562	TestNo: SW8260A		Analysis Date: 5/24/2008	SeqNo: 516438						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,3,5-Trimethylbenzene	ND	5.0	20	0	0	74.3	136.6	0	0		S
Vinyl acetate	ND	5.0	20	0	0	29.1	180.1	0	0		S
Vinyl chloride	ND	5.0	20	0	0	61.2	139	0	0		S
m,p-Xylene	ND	10	40	0	0	77	133.6	0	0		S
o-Xylene	ND	5.0	20	0	0	77.7	132.9	0	0		S
Surr: 1,2-Dichloroethane-d4	49.08	1.0	50	0	98.2	85.6	117	0	0		
Surr: 4-Bromofluorobenzene	51.24	5.0	50	0	102	91.2	110	0	0		
Surr: Dibromofluoromethane	49.58	5.0	50	0	99.2	87.4	113	0	0		
Surr: Toluene-d8	50.79	5.0	50	0	102	90.5	110	0	0		

Sample ID: 0805516-22A		Sample Type: MSD		TestCode: M8260L_EX		Units: µg/L		Prep Date:		Run ID: MSD5_080524A	
Client ID: W-09 MSD		Batch ID: R28562		TestNo: SW8260A				Analysis Date: 5/24/2008		SeqNo: 516439	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acetone	ND	25	20	0	0	10	212.1	0	0	0	S
Benzene	58.69	5.0	50	0	117	80.7	127.4	56.19	4.35	0	S
Bromobenzene	ND	5.0	20	0	0	71.1	129.6	0	0	0	S
Bromodichloromethane	ND	5.0	20	0	0	73.6	140.5	0	0	0	S
Bromoform	ND	5.0	20	0	0	66.9	115.6	0	0	0	S
Bromomethane	ND	5.0	20	0	0	64.6	134.4	0	0	0	S
2-Butanone	ND	25	20	0	0	68.7	130.7	0	0	0	S
n-Butylbenzene	ND	5.0	20	0	0	78.3	130.4	0	0	0	S
sec-Butylbenzene	ND	5.0	20	0	0	78.3	134.1	0	0	0	S
tert-Butylbenzene	ND	5.0	20	0	0	86.7	153.8	0	0	0	S
Carbon disulfide	ND	5.0	20	0	0	89.4	143.8	0	0	0	S
Carbon tetrachloride	ND	5.0	20	0	0	80.1	132.8	0	0	0	S
Chlorobenzene	55.97	5.0	50	0	112	80.7	123.3	53.34	4.81	0	S
Chloroethane	ND	5.0	20	0	0	38.7	232.1	0	0	0	S
2-Chloroethyl vinyl ether	ND	5.0	20	0	0	84	103.6	0	0	0	S
Chloroform	ND	5.0	20	0	0	84.5	131.2	0	0	0	S
Chloromethane	ND	5.0	20	0	0	85.6	106.1	0	0	0	S

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: NIXON PEABODY, LLP
Work Order: 0805516
Project: ROSEN SITE, CORTLAND

ANALYTICAL QC SUMMARY REPORT

TestNo: SW8260A

Sample ID: 0805516-22A	Sample Type: MSD	TestCode: M8260L_EX	Units: µg/L	Prep Date:	Run ID: MSD5_080524A						
Client ID: W-09 MSD	Batch ID: R28562	TestNo: SW8260A		Analysis Date: 5/24/2008	SeqNo: 516439						
Analyte	Result	POL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chlorotoluene	ND	5.0	20	0	0	71.7	125.9	0	0	0	S
4-Chlorotoluene	ND	5.0	20	0	0	72.1	126.9	0	0	0	S
1,2-Dibromo-3-chloropropane	ND	5.0	20	0	0	55.7	134.5	0	0	0	S
Dibromochloromethane	ND	5.0	20	0	0	70.6	136.5	0	0	0	S
1,2-Dibromoethane	ND	5.0	20	0	0	77.8	125.5	0	0	0	S
Dibromomethane	ND	5.0	20	0	0	70.3	132	0	0	0	S
1,2-Dichlorobenzene	ND	5.0	20	0	0	66.8	127.3	0	0	0	S
1,3-Dichlorobenzene	ND	5.0	20	0	0	69	122.5	0	0	0	S
1,4-Dichlorobenzene	ND	5.0	20	0	0	76.2	123.3	0	0	0	S
Dichlorodifluoromethane	ND	5.0	20	0	0	73.9	122.3	0	0	0	S
1,1-Dichloroethane	ND	5.0	20	0	0	78.4	138.3	0	0	0	S
1,2-Dichloroethane	ND	5.0	20	0	0	85.8	144	0	0	0	S
1,1-Dichloroethene	62.1	5.0	50	0	124	72.3	134.5	59.03	5.07	0	S
cis-1,2-Dichloroethene	ND	5.0	20	0	0	80.6	136.6	0	0	0	S
trans-1,2-Dichloroethene	ND	5.0	20	0	0	80.7	129.9	0	0	0	S
1,2-Dichloropropene	ND	5.0	20	0	0	84.3	135.5	0	0	0	S
1,3-Dichloropropene	ND	5.0	20	0	0	73	134.3	0	0	0	S
2,2-Dichloropropene	ND	5.0	20	0	0	65.2	127.3	0	0	0	S
cis-1,3-Dichloropropene	ND	5.0	20	0	0	43.5	131.5	0	0	0	S
trans-1,3-Dichloropropene	ND	5.0	20	0	0	67.8	133.2	0	0	0	S
Hexachlorobutadiene	ND	5.0	20	0	0	71.2	115.6	0	0	0	S
Ethylbenzene	ND	5.0	20	0	0	74.9	129.7	0	0	0	S
1,1-Dichloropropene	ND	5.0	20	0	0	76.9	128.4	0	0	0	S
2-Hexanone	ND	25	20	0	0	60.9	135.5	0	0	0	S
Methylene chloride	ND	5.0	20	0	0	76.8	136.4	0	0	0	S
4-Isopropyltoluene	ND	5.0	20	0	0	73.9	129.7	0	0	0	S
Methyl tert-butyl ether	ND	5.0	20	0	0	69	141	0	0	0	S
4-Methyl-2-pentanone	ND	25	20	0	0	71.1	143.4	0	0	0	S
n-Propylbenzene	ND	5.0	20	0	0	74.9	130.6	0	0	0	S
Styrene	ND	5.0	20	0	0	71.7	137.6	0	0	0	S
Isopropylbenzene	ND	5.0	20	0	0	72.7	130.1	0	0	0	S

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: NIXON PEABODY, LLP
Work Order: 0805516
Project: ROSEN SITE, CORTLAND

ANALYTICAL QC SUMMARY REPORT

TestNo: SW8260A

Sample ID: 0805516-22A	SamptType: MSD	TestCode: M8260L_EX	Units: µg/L	Prep Date:	Run ID: MSD5_080524A						
Client ID: W-09 MSD	Batch ID: R28562	TestNo: SW8260A		Analysis Date: 5/24/2008	SeqNo: 516439						
Analyte	Result	POL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Naphthalene	ND	5.0	20	0	0	29.2	104.1	0	0	0	S
1,1,1,2-Tetrachloroethane	ND	5.0	20	0	0	70.4	130.9	0	0	0	S
1,1,2,2-Tetrachloroethane	ND	5.0	20	0	0	63.4	127.5	0	0	0	S
Tetrachloroethene	ND	5.0	20	0	0	78.7	121.2	0	0	0	S
Toluene	58.02	5.0	50	0	0	116	82.3	124.6	55.47	4.49	0
1,2,3-Trichlorobenzene	ND	5.0	20	0	0	51.8	113.9	0	0	0	S
1,2,4-Trichlorobenzene	ND	5.0	20	0	0	61	118.8	0	0	0	S
1,1,1-Trichloroethane	ND	5.0	20	0	0	79.7	133.1	0	0	0	S
Trichloroethene	55.74	5.0	50	0	0	111	79.3	129.2	53.03	4.98	0
1,1,2-Trichloroethane	ND	5.0	20	0	0	81.2	130.8	0	0	0	S
1,2,3-Trichloropropane	ND	5.0	20	0	0	78.1	127.6	0	0	0	S
Trichlorofluoromethane	ND	5.0	20	0	0	75	130	0	0	0	S
1,2,4-Trimethylbenzene	ND	5.0	20	0	0	75.1	136.5	0	0	0	S
1,3,5-Trimethylbenzene	ND	5.0	20	0	0	74.3	136.6	0	0	0	S
Vinyl acetate	ND	5.0	20	0	0	29.1	180.1	0	0	0	S
Vinyl chloride	ND	5.0	20	0	0	61.2	139	0	0	0	S
m,p-Xylene	ND	10	40	0	0	77	133.6	0	0	0	S
o-Xylene	ND	5.0	20	0	0	77.7	132.9	0	0	0	S
Surf: 1,2-Dichloroethane-d4	49.31	1.0	50	0	0	98.6	85.6	117	0	0	0
Surf: 4-Bromofluorobenzene	50.48	5.0	50	0	0	101	91.2	110	0	0	0
Surf: Dibromofluoromethane	49.69	5.0	50	0	0	99.4	87.4	113	0	0	0
Surf: Toluene-d8	50.34	5.0	50	0	0	101	90.5	110	0	0	0

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

Client Information Name: <i>Nixon Kosbody</i> Address: Contact: <i>Richard Nixon</i> Phone: Project: <i>Reson Site</i> Quote ID: PO#:		Billing/Invoice:		Analysis Requested		Receiving Info (Lab Use Only) Cooler ID: Cooler Type: Cooler Temp: <i>1.7°</i> Cooler Seal: YES NO Shipping Carrier: Shipping Number/ Cost:	
Rush TAT Bus. Days: <2 2-5 5-7 7-10 Date Req.: Carbon Copy: Yes Email Results: Yes Fax Results: Yes		<i>645 u/l 40 u/L HCL</i>					
Sample Information		Date Time Initial Matrix Type		Number of Containers for Analysis Requested		Container Material Container Size (in Ml) Preservative Comments: Field Data	
1 W-18 <i>5/2/08</i> 8:33 EHM W		3					
2 W-20 8:48 W		3					
3 W-16 9:04 W		3					
4 W-17 9:00 W		3					
5 W-03 9:27 W		3					
6 W-12 9:33 W		3					
7 W-08 9:59 W		3					
8 W-09 10:22 W		3					
Print Name and Company <i>Eric Monson Microbac</i>		Signature 		Date/Time <i>5/2/08 1:40 PM</i>		Notes, Information, Instructions, Etc. <i>ES/EM 4 hrs each. Day 2</i>	
Sampled: Received: Received: Received:							

Client Information Name: <i>Alton K. Boddy</i> Address: Contact: <i>Richard Marx</i> Phone: Project: <i>Logan Site</i> Quote ID:		Billing/Invoice: PO#:	
Rush TAT Bus. Days: <2 2-5 5-7 7-10 Date Req.: Carbon Copy: Yes Email Results: Yes Fax Results: Yes		Analysis Requested <i>VOC's 8260 + 1-4 Dioxins</i> <i>Class 1015</i> <i>4001</i> <i>HCL</i>	
Sample Information Description/Location Date Time Initial Matrix 1 W-09 MS 5/21/08 10:22 EHM W 2 W-09 MSD 10:22 W 3 W-01 10:15 W 4 W-04 10:55 W 5 W-13 11:05 W 6 W-14 10:50 W 7 W-23 11:29 W 8 W-24 11:31 W		Number of Containers for Analysis Requested Container Material Container Size(in MI) Preservative Comments-Field Data	
Print Name and Company <i>ERIC MORGAN Microbac</i> Signature Date/Time <i>5/21/08 1:40pm</i>		Notes, Information, Instructions, Etc. <i>Day 2</i>	

Client Information Name: <i>Nixon Peabody</i> Address: Contact: <i>Richard Marx</i> Phone: Project: <i>Rosen site</i> Quote ID: PO#:		Billing/Invoice: Analysis Requested:		Receiving Info (Lab Use Only) Cooler ID: Cooler Type: Cooler Temp: Cooler Seal: YES NO Shipping Carrier: Shipping Number Cost	
Rush TAT Bus. Days: <2 2-5 5-7 7-10 Date Req.: Carbon Copy: Yes Email Results: Yes Fax Results: Yes		VOC's 8260 + 1-4 Pioxane Since 11/9/15 400L HCL			
Sample Information Description/Location Date Time Initial Matrix Type		Number of Containers for Analysis Requested		Container Material Container Size(in MI) Preservative Comments/Field Data	
1 W-21 5/21/08 11:42 EMM W		3		M	
2 W-05 11:55 W		3		M	
3 W-22 12:00 W		3		M	
4 W-07 12:13 W		3		M	
5 Trip Blank W		2		N	
6 Storage Blank 5/21/08 W		2		N	
7 8					
Print Name and Company Sampled: <i>Eric Whisen Microbac</i> Received: Received: Received:		Signature Date/Time 5/21/08 1:40pm Day Z		Notes, Information, Instructions, Etc	