

April 3, 2024

Mr. Michael Squire  
New York State Department of Environmental Conservation  
Division of Environmental Remediation, BURC  
625 Broadway  
Albany, New York 12233-7014

**Re:           *National Grid Oneida Former MGP Site  
NYSDEC Site No. 727008  
Oneida, New York  
2023 Periodic Review Report***

Dear Mr. Squire:

In accordance with the NYSDEC comments received on April 1, 2024, the attached report is a revision of the 2023 Periodic Review Report (PRR) initially submitted on February 29, 2024. The PRR pertains to the period from January 22, 2023 through January 22, 2024 and includes a brief report and Institutional Controls/Engineering Controls (IC/EC) Certification Form.

Please feel free to contact me at 315.428.5652 if you have any questions.

Sincerely,



for SPS  
Steven P. Stucker, C.P.G.  
Lead Environmental Engineer

**I. Introduction**

**A. Brief Site Summary –**

The Former Oneida Manufactured Gas Plant (MGP) Site (the Site) is located on an approximate 2.1-acre lot in Oneida, New York (refer to Figure 1 Site Location Map). Manufactured gas was produced at the Site by a predecessor company to Niagara Mohawk Power Corporation from approximately 1868 until around 1930 using the coal carbonization process. The majority of the buildings and above-grade structures were removed by 1964 with the exception of the Service Center Building which was expanded in 1974 and has remained essentially unchanged since that time.

An investigation of the Site began in 1994 with a PSA/IRM Study, the remedial investigation (RI) in 1997, and a feasibility study in 1998. In 2002, National Grid also conducted an investigation of the Tailrace/Oneida Creek confluence which is located downstream from the Site. These results prompted a supplemental site investigation in 2006.

The site investigations identified impacted soils from MGP related activities, specifically coal tar and purifier waste. The constituents of concern (COCs) are primarily the volatile organic compounds (VOCs) benzene, toluene, ethylbenzene, and xylenes (collectively, BTEX), the general class of semi-volatile organic compounds (SVOCs) known as polycyclic aromatic hydrocarbons (PAHs), and cyanide, all of which can be found at the Site and the off-Site area.

**B. Remedial Program Effectiveness** – During the reporting period (January 22, 2023 to January 22, 2024) the long-term remedial objectives were met for the site.

**C. Remedial Program Compliance** - The major elements within the Institutional Control/Engineering Control(s) (IC/EC) Plan are in compliance. The Institutional Control (IC) / Environmental Easement was recorded with Madison County on March 28, 2017,

**D. Remedial Program Recommendations** - It is recommended that no changes be made to the IC/EC Plan. It is recommended that an annual

## **National Grid- Oneida MGP Site (NYSDEC Site No. 727008)**

### **Reporting Period – January 22, 2023 to January 22, 2024**

Periodic Review Report (PRR) be submitted. The next PRR submittal will cover the period January 22, 2024 to January 22, 2025.

## **II. Site Overview**

### **A. Site Location and Boundaries –**

The Site is located in the City of Oneida, Madison County, New York (Figure 1 presents the site location map). The Site is an approximate 2.1-acre area bounded by vacant City-owned properties to the north and west, Sconondoa Street to the south, and a privately-owned commercial property to the east. Currently, the property contains a vacant, single-story office building/garage (Service Center Building), and is surrounded by a 6-foot chain link fence with barbed wire.

### **B. Regulatory History and Remedy Features –**

The Site and off-Site area were remediated in three separate phases between January 2008 and December 2012 in accordance with the *Record of Decision* (NYSDEC, 2000), *Amended Record of Decision* (NYSDEC, 2002), *Explanation of Significant Difference* (NYSDEC, 2007), *Remedial Design/Remedial Action Work Plan – Phase 1 Area and Phase 1 Area Extension* (Arcadis 2007), *Phase 1 Remedial Action – Addendum to Work Plan and Contractor Submittals* (National Grid 2008), *Phase 2 Remedial Design/Remedial Action Work Plan* (Arcadis 2008), and *Phase 3 Remedial Design/Remedial Action Work Plan* (Arcadis 2011). The remedial efforts included excavating approximately 65,337 cubic yards of soil and debris at depths of five (5) to 20 feet below grade, and the demolition of former building foundations, underground facilities, and former MGP structures located within the remedial excavation limits including gas holder and purifier foundations. Approximately 57,407 cubic yards of excavated soil and debris received off-site treatment and disposal due to exceeding the soil remediation levels. Clean imported fill as well as the excavated materials that met the applicable soil remediation levels were used to backfill the excavation areas. Groundwater was collected, treated and discharged during the remediation work totaling approximately 6.9 million gallons of construction wastewater.

## **III. Evaluate Remedy Performance, Effectiveness, and Protectiveness**

- A. **Evaluation of Remedy Performance** – Annual visual inspections of the cover system are conducted on the Site. The remedy performance has been effective in protecting the public.

**IV. IC/EC Plan Compliance Report**

**A. IC/EC Requirements and Compliance**

**1. IC/EC Controls**

The ICs/ECs:

- **Soil Cover System:** Annual site inspection of the cover system includes identification of any damage to the cover. National Grid conducts quarterly inspections for internal security purposes.
- **Monitoring Wells Associated with Monitored Natural Attenuation (MNA):** Semi-annual groundwater sampling of the monitoring well system, until either water quality is consistently below NYSDEC standards, or has become asymptotic at an acceptable level over an extended period.

2. **IC/EC Goals** - Each goal is being met and/or working effectively.
3. **IC/EC Corrective Measures** – No deficiencies were noted during the site inspections.
4. **IC/EC Conclusions/Recommendations** – The EC program is in compliance and there are no recommendations for the program at this time.
5. **IC/EC Certification** – Refer to PRR Form - Attachment 1 for the certification.

- V. Monitoring Plan Compliance Report** – The 2023 Annual Monitoring Report was submitted to the NYSDEC under a separate cover on February 28, 2024, and is provided as Attachment 3.

- VI. Operation & Maintenance (O&M) Plan Compliance Report** – Not Applicable

**VII. Overall PRR Conclusions and Recommendations**

**A. Compliance with Site Management Plan (SMP)**

1. **Requirements** – All IC/EC Plan requirements were met during this reporting period.
2. **Exposure Pathways** – There are no new completed exposure pathways resulting in unacceptable risk.
3. **Proposed Plans and Schedule to Meet Compliance** – No plan proposed.

**B. Performance and Effectiveness of the Remedy** – The remedy as described in the Site Management Plan and executed by National Grid has been effective in meeting the program goals.

**C. Future PRR Submittals** – The frequency of PRR Submittals should remain annual. Therefore, the next PRR reporting period will cover January 22, 2024 through January 22, 2025.

**VIII. Additional Guidance** – Well RW-1, which was damaged by a Town mower in 2022, was properly abandoned on September 13, 2023. A letter summarizing the well abandonment activity was submitted to the NYSDEC on November 2, 2023.

**National Grid- Oneida MGP Site (NYSDEC Site No. 727008)**

**Reporting Period – January 22, 2023 to January 22, 2024**

## **REFERENCES**

Arcadis, 2018. "Site Management Plan, Oneida (Sconodda Street) Former MGP Site", December 2018.

**National Grid- Oneida MGP Site (NYSDEC Site No. 727008)**

**Reporting Period – January 22, 2023 to January 22, 2024**

**Attachment 1: PRR Certification Form**



**Enclosure 2**  
**NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION**  
**Site Management Periodic Review Report Notice**  
**Institutional and Engineering Controls Certification Form**



**Site Details**

**Site No.**            **727008**

**Box 1**

**Site Name** **NM - Sconondoa St. - Oneida MGP**

Site Address: Sconondoa Street    Zip Code: 13421  
City/Town: Oneida  
County: Madison  
Site Acreage: 2.105

Reporting Period: January 22, 2023 to January 22, 2024

- |  | YES                                 | NO                                  |
|--|-------------------------------------|-------------------------------------|
| 1. Is the information above correct?   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| If NO, include handwritten above or on a separate sheet.   |                                     |                                     |
| 2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?                              | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?                      | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| <b>If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.</b> |                                     |                                     |
| 5. Is the site currently undergoing development?   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

**Box 2**

- |  | YES                                 | NO                       |
|--|-------------------------------------|--------------------------|
| 6. Is the current site use consistent with the use(s) listed below?<br>Commercial and Industrial | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 7. Are all ICs in place and functioning as designed?   | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

**IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

\_\_\_\_\_  
Signature of Owner, Remedial Party or Designated Representative

\_\_\_\_\_  
Date



**Description of Institutional Controls**

<u>Parcel</u>	<u>Owner</u>	<u>Institutional Control</u>
30.64-2-16	National Grid	Ground Water Use Restriction Site Management Plan Landuse Restriction

The specific institutional controls to be implemented under the SMP are as follows:

1. The Site may only be used for commercial and industrial enterprises provided that the long-term institutional and engineering controls identified in the SMP are employed.
2. All engineering controls must be operated and maintained as specified in the SMP.
3. All engineering controls must be inspected at the frequency and in the manner defined in the SMP.
4. The use of groundwater underlying the Site is prohibited without necessary water quality treatment, as determined by NYSDOH or the Madison County Department of Health, to render it safe for use as drinking water or for industrial purposes, and the user must first notify and obtain written approval to do so from NYSDEC.
5. Groundwater and other environmental or public health monitoring must be performed as defined in the SMP.

**Description of Engineering Controls**

<u>Parcel</u>	<u>Engineering Control</u>
30.64-2-16	Cover System Fencing/Access Control Monitoring Wells

Exposure to remaining MGP-related impacts in soil at the Site is prevented by a soil cover system, which comprises the following:

- ? A woven geotextile demarcation fabric and a minimum of 12 inches of clean imported fill material meeting the SCOs for commercial use, as set forth in Table 375-6.8(b) of 6 NYCRR 375;
- ? Asphalt pavement;
- ? Concrete sidewalks; and
- ? The concrete foundation slab of the existing Service Center Building.

### Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

(a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

\_\_\_\_\_  
Signature of Owner, Remedial Party or Designated Representative

\_\_\_\_\_  
Date

IC CERTIFICATIONS  
SITE NO. 727008

Box 6

**SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE**

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Gerald Cresap, PE at 6780 Northern Blvd., Suite 100, East Syracuse, NY,  
print name print business address

am certifying as agent for National Grid (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

  
Signature of Owner, Remedial Party, or Designated Representative  
Rendering Certification

2-24-2024  
Date



**EC CERTIFICATIONS**


**Box 7**

**Signature**

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Gerald Creasp, PE at 6780 Northern Blvd., Suite 100, East Syracuse, NY,  
print name print business address

am certifying as a for the agent for National Grid  
(Owner or Remedial Party)



Signature of Gerald H. Creasp, Jr. for the Owner or Remedial Party  
Rendering Certification

2-29-2024

Date

087401 Stamp  
(Required for PE)

**National Grid- Oneida MGP Site (NYSDEC Site No. 727008)**

**Reporting Period – January 22, 2023 to January 22, 2024**

**Attachment 2: Site Inspection Forms**

**Site Management Plan Inspection Form**  
**Sconodoa Street**  
**Former MGP Site**  
**Oneida, New York**

Date: 1/11/2024  
 Technician: Kevin Leo

Time: 14:31  
 Weather: Cloudy 39

<b>Soil Cover System</b>		
Any signs of ground-intrusive activities?	No	COMMENTS:
Any soil disturbance regardless of quantity/extent?	No	COMMENTS:
Any surface erosion?	No	COMMENTS:
Any settlement?	No	COMMENTS:
Bare or sparsely-vegetated areas?	No	COMMENTS:
Excessive cracking or missing pavement?	No	COMMENTS:
Any other conditions affecting the thickness or the integrity of the soil cover system?	No	COMMENTS:

<b>Site Wide</b>		
Any repairs, maintenance or corrective actions since the last inspection?	No	COMMENTS:
Fence Condition?	Good	COMMENTS:
Gate Conditions?	Good	COMMENTS:
NG and GES Padlocks?	Operational	COMMENTS:
Have the front lawns been mowed?	Yes	COMMENTS:
Condition of the asphalt pavement	Good	COMMENTS:
Condition of the front sidewalks?	Good	COMMENTS:
Condition of the building foundations?	Good	COMMENTS:
Are the requirements of the Site Management Plan being met?	Yes	COMMENTS:
Are there any needed changes?	No	COMMENTS:
Are the site records complete and up to date?	Yes	COMMENTS:

<b>Miscellaneous</b>		
Evidence of Trespassing	No	COMMENTS:
Litter	None	COMMENTS:

<b>Site Monitoring Wells</b>	
<b>Well ID.</b>	<b>Location Secure</b>
MW-1	Yes
MW-2	Yes
MW-3	Yes
MW-4	Yes
MW-5	Yes
MW-6	Yes
MW-7	Yes
MW-ES-8	Yes
MW-9	Yes
MW-ES-10S	Yes
MW-11	Yes
MW-12	Yes
MW-103	Yes

**General Comments:**

**Site Management Plan Inspection Form**  
**Sconodoa Street**  
**Former MGP Site**  
**Oneida, New York**

Date: 10/12/2023  
 Technician: AJ

Time: 14:45  
 Weather: Partly Sunny 60

<b>Soil Cover System</b>			
Any signs of ground-intrusive activities?	YES	NO	COMMENTS:
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:
Any surface erosion?	YES	NO	COMMENTS:
Any settlement?	YES	NO	COMMENTS:
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:
Excessive cracking or missing pavement?	YES	NO	COMMENTS:
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:

<b>Site Wide</b>				
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS: abandoned RW-1	
Fence Condition?	GOOD	FAIR	Damaged	COMMENTS:
Gate Conditions?	GOOD	FAIR	Damaged	COMMENTS:
NG and GES Padlocks?	OPERATIONAL	NON-OPERATIONAL	COMMENTS:	
Have the front lawns been mowed?	YES	NO	COMMENTS:	
Condition of the asphalt pavement	GOOD	FAIR	POOR	COMMENTS:
Condition of the front sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Condition of the building foundations?	GOOD	FAIR	POOR	COMMENTS:
Are the requirements of the Site Management Plan being met?	YES	NO	COMMENTS:	
Are there any needed changes?	YES	NO	COMMENTS:	
Are the site records complete and up to date?	YES	NO	COMMENTS:	

<b>Miscellaneous</b>				
Evidence of Trespassing	YES	NO	COMMENTS:	
Litter	NONE	MINOR	SIGNIFICANT	COMMENTS:

<b>Site Monitoring Wells</b>		
<b>Well ID.</b>	<b>Location Secure</b>	
MW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-4	YES	NO
MW-5	YES	NO
MW-6	YES	NO
MW-7	YES	NO
MW-ES-8	YES	NO
MW-9	YES	NO
MW-ES-10S	YES	NO
MW-11	YES	NO
MW-12	YES	NO
MW-103	YES	NO
RW-1	YES	NO

**General Comments:**

well was destroyed by a town mower 2022  
 Well was abandoned in place with sand and grout

**Site Management Plan Inspection Form  
Sconodoa Street  
Former MGP Site  
Oneida, New York**

Date: 7/5/2023  
Technician: GE

Time: 8:15  
Weather: Clear 75

<b>Soil Cover System</b>			
Any signs of ground-intrusive activities?	YES	NO	COMMENTS:
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:
Any surface erosion?	YES	NO	COMMENTS:
Any settlement?	YES	NO	COMMENTS:
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:
Excessive cracking or missing pavement?	YES	NO	COMMENTS:
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:

<b>Site Wide</b>				
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Fence Condition?	GOOD	FAIR	Damaged	COMMENTS:
Gate Conditions?	GOOD	FAIR	Damaged	COMMENTS:
NG and GES Padlocks?	OPERATIONAL	NON-OPERATIONAL	COMMENTS:	
Have the front lawns been mowed?	YES	NO	COMMENTS:	
Condition of the asphalt pavement	GOOD	FAIR	POOR	COMMENTS:
Condition of the front sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Condition of the building foundations?	GOOD	FAIR	POOR	COMMENTS:
Are the requirements of the Site Management Plan being met?	YES	NO	COMMENTS:	
Are there any needed changes?	YES	NO	COMMENTS:	
Are the site records complete and up to date?	YES	NO	COMMENTS:	

<b>Miscellaneous</b>				
Evidence of Trespassing	YES	NO	COMMENTS:	
Litter	NONE	MINOR	SIGNIFICANT	COMMENTS: cleaned up

<b>Site Monitoring Wells</b>		
<b>Well ID.</b>	<b>Location Secure</b>	
MW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-4	YES	NO
MW-5	YES	NO
MW-6	YES	NO
MW-7	YES	NO
MW-ES-8	YES	NO
MW-9	YES	NO
MW-ES-10S	YES	NO
MW-11	YES	NO
MW-12	YES	NO
MW-103	YES	NO
RW-1	YES	NO

**General Comments:**

well was destroyed by a town mower 2022



**Site Management Plan Inspection Form**  
**Sconodoa Street**  
**Former MGP Site**  
**Oneida, New York**

Date: 4/12/2023  
 Technician: AJ

Time: 14:30  
 Weather: Sunny 70

<b>Soil Cover System</b>			
Any signs of ground-intrusive activities?	YES	NO	COMMENTS:
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:
Any surface erosion?	YES	NO	COMMENTS:
Any settlement?	YES	NO	COMMENTS:
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:
Excessive cracking or missing pavement?	YES	NO	COMMENTS:
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:

<b>Site Wide</b>				
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Fence Condition?	GOOD	FAIR	Damaged	COMMENTS:
Gate Conditions?	GOOD	FAIR	Damaged	COMMENTS:
NG and GES Padlocks?	OPERATIONAL	NON-OPERATIONAL	COMMENTS:	
Have the front lawns been mowed?	YES	NO	COMMENTS:	
Condition of the asphalt pavement	GOOD	FAIR	POOR	COMMENTS:
Condition of the front sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Condition of the building foundations?	GOOD	FAIR	POOR	COMMENTS:
Are the requirements of the Site Management Plan being met?	YES	NO	COMMENTS:	
Are there any needed changes?	YES	NO	COMMENTS:	
Are the site records complete and up to date?	YES	NO	COMMENTS:	

<b>Miscellaneous</b>				
Evidence of Trespassing	YES	NO	COMMENTS:	
Litter	NONE	MINOR	SIGNIFICANT	COMMENTS:

<b>Site Monitoring Wells</b>		
<b>Well ID.</b>	<b>Location Secure</b>	
MW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-4	YES	NO
MW-5	YES	NO
MW-6	YES	NO
MW-7	YES	NO
MW-ES-8	YES	NO
MW-9	YES	NO
MW-ES-10S	YES	NO
MW-11	YES	NO
MW-12	YES	NO
MW-103	YES	NO
RW-1	YES	NO

**General Comments:**

well was destroyed by a town mower 2022



July 5, 2023 – Site Conditions



January 11, 2024– Site Conditions

**National Grid- Oneida MGP Site (NYSDEC Site No. 727008)**

**Reporting Period – January 22, 2023 to January 22, 2024**

**Attachment 3: Annual Monitoring Report**

February 29, 2024

Mr. Michael Squire  
New York State Department of Environmental Conservation  
Division of Environmental Remediation, Remedial Bureau C  
625 Broadway, 11<sup>th</sup> Floor  
Albany, NY 12233-7014

Re: 2023 Annual Groundwater Monitoring Report  
Oneida (Sconodoo Street) Former MGP Site  
Oneida, NY  
NYSDEC Site No. 7-27-008

Dear Mr. Squire:

Enclosed is the 2023 Annual Groundwater Monitoring Report for the former manufactured gas plant (MGP) site located on Sconodoo Street in Oneida, NY. The Groundwater Monitoring Report details compliance site monitoring, groundwater sampling, and recommendations.

A few highlights from the report include:

- NAPL was not detected in any of the monitoring wells gauged during the year.
- Quarterly site inspections have been conducted. Overall, the site is in compliance and in good condition.

Very truly yours,



for SPS

Steven P. Stucker, C.P.G.  
Lead Environmental Engineer  
National Grid

Enclosures

cc: Devin T. Shay - Groundwater & Environmental Services, Inc.

National Grid

# 2023 Groundwater Monitoring Report



National Grid Oneida Former MGP Site  
215 Sconodoa Street  
Oneida, NY  
NYSDEC Site No 727008

February 2024

Version 1





## 2023 Groundwater Monitoring Report

National Grid Oneida Site  
215 Sconondoa Street  
Oneida, NY

Prepared for:  
National Grid  
300 Erie Boulevard West, C-1  
Syracuse, NY 13202

Prepared by:  
Groundwater & Environmental Services, Inc.  
6780 Northern Boulevard, Suite 100  
East Syracuse, NY 13057  
TEL: 800-220-3069  
[www.gesonline.com](http://www.gesonline.com)

GES Project:  
0603400.132410.221

Date:  
February 29, 2024

A handwritten signature in black ink, appearing to read 'D. Shay', is positioned above a horizontal line.

---

Devin T. Shay, PG  
Program Manager / Principal Hydrogeologist



## Table of Contents

1	Introduction .....	1
1.1	Introduction .....	1
1.2	Site Background .....	1
1.3	Summary of Monitoring Activities .....	1
2	Groundwater Monitoring.....	2
2.1	General .....	2
2.2	Non-Aqueous Phase Liquid (NAPL) Monitoring .....	2
2.3	Groundwater Sampling Analytical Results .....	2
2.4	Analytical Results Data Validation.....	3
3	Operation and Maintenance Activities.....	3
3.1	Quarterly Site-Wide Inspections.....	3
3.2	Recommendations .....	4





## Figures

Figure 1 – Site Location Map

Figure 2 – Site Map

Figure 3 – Groundwater Contour Map, April 2023

Figure 4 – Groundwater Contour Map, October 2023

Figure 5 – Groundwater Analytical Map, April 2023

Figure 6 – Groundwater Analytical Map, October 2023

## Tables

Table 1 – Groundwater Level Measurements

Table 2 – NAPL Level Measurements

Table 3 – Groundwater Analytical Data

## Appendices

Appendix A – Well Sampling Field and Analytical Data

Appendix B – Well Sampling Data Usability Summary Report

Appendix C – Quarterly Site Inspections



## Acronyms & Abbreviations

DUSR	Data Usability Summary Report	MGP	Manufactured Gas Plant
GES	Groundwater & Environmental Services, Inc.	OM&M	Operation, Maintenance, and Monitoring
		Pace	Pace Analytical Laboratories
NAPL	Non-Aqueous Phase Liquid	QA/QC	Quality Assurance/Quality Control
NYSDEC	New York State Department of Environmental Conservation	SMP	Site Management Plan



# 1 Introduction

## 1.1 Introduction

Groundwater & Environmental Services, Inc. (GES) has prepared this 2023 Groundwater Monitoring Report on behalf of National Grid. This report compiles the groundwater monitoring activities completed in the Spring of 2023, and Fall of 2023 at the Oneida (Sconondoa Street) former manufactured gas plant (MGP) Site (the Site) located in Oneida, New York. The monitoring activities being conducted at the Site are based on the Site Management Plan (SMP) submitted by National Grid to the New York State Department of Environmental Conservation (NYSDEC) in September 2018, and approved by NYSDEC in December 2018.

## 1.2 Site Background

The Site is located at 215 Sconondoa Street in the City of Oneida, Madison County, New York, **Figure 1** provides a site location map. The approximately 2.1-acre property is identified as the Site. It is bordered by vacant City-owned properties to the north and west, Sconondoa Street to the south, and a privately-owned commercial property to the east. Currently the Site contains a vacant, single-story office building/garage and is surrounded by a six (6) foot high chain-link fence with barbed wire. A structure location map showing the location of features at the Site is presented as **Figure 2**.

The off-Site area occupies an area approximately 4.4 acres and comprises portions of several City of Oneida- or privately-owned properties along the alignment of an open drainage ditch, referred to as the “Tailrace”, and an isolated area located at the confluence of the Tailrace and the Oneida Creek, referred to as the “Confluence”.

Between 1896 and 1899 the manufactured gas plant was built on the Sconondoa Street property. The early gas works included coal retorts, a scrubber room, purifier room, lime storage room, a coal house, and a 25,000-cubic foot gas holder. Various modifications to the Site operations and the layout of the Site took place over time. In 1914 the electric plant was decommissioned a 100,000-cubic-foot distribution gas holder was installed on the north side of the Site. The New York Power and Light Corporation phased out the manufactured gas operations at the Site between 1928 and 1930. By 1964 all the MGP structures had been demolished to make way for the Niagara Mohawk Power Corporation service center. The Service Center Building was expanded in 1974 and has remained essentially unchanged since then.

## 1.3 Summary of Monitoring Activities

The following routine monitoring activities were conducted at the Site in 2023:

- Semi-Annual groundwater sampling was conducted in April 2023, and October 2023 at 13 monitoring wells. The samples were sent to Pace Analytical Laboratories (Pace) to be analyzed for benzene, toluene, ethylbenzene, xylenes (BTEX), polycyclic aromatic



hydrocarbons (PAHs) and Cyanide. The analytical data reports provided by Pace were validated by GES.

- Monitoring wells were monitored for any detections of non-aqueous phase liquid (NAPL).
- Quarterly site-wide inspections were conducted. General maintenance of the Site grounds, including snow removal, vegetation removal, and building upkeep was completed, as necessary.
- Well RW-1 was abandoned on September 13, 2023, following approval from the NYSDEC. A letter summarizing the well abandonment activity was submitted to the NYSDEC on November 2, 2023.

## 2 Groundwater Monitoring

### 2.1 General

The spring 2023 event was conducted on April 12, 2023, and fall 2023 event was conducted on October 12, 2023. Monitoring wells MW-1 through MW-7, MW-ES-8, MW-9, MW-ES-10S, MW-11, MW-12, and MW-103 were sampled during these events. Samples collected were sent to Pace for laboratory analysis of BTEX, PAHs, and Cyanide. Static water levels were measured in each well prior to purging. Purging data for the wells, field parameters measured during purging, and the chain of custody for the samples are included in **Appendix A**. The groundwater level measurements are provided on **Table 1**. Groundwater contours are shown on **Figure 3** and **Figure 4**.

### 2.2 Non-Aqueous Phase Liquid (NAPL) Monitoring

In April 2023, and October 2023, NAPL was not detected while measuring the static water levels in all the monitoring wells as well as the recovery well. NAPL was last detected in May 2019, in monitoring well MW-6. NAPL measurements are provided on **Table 2**.

### 2.3 Groundwater Sampling Analytical Results

Groundwater samples were collected by GES from 13 monitoring wells on April 12, 2023, and October 12, 2023 (MW-1 through MW-7, MW-ES-8, MW-9, MW-ES-10S, MW-11, MW-12, and MW-103). Low-flow sampling techniques were used to purge groundwater from each monitoring well prior to collecting groundwater samples. Field parameters (consisting of turbidity, temperature, pH, conductivity, oxidation reduction potential [ORP], and dissolved oxygen) were measured approximately every 5 to 10 minutes during well purging, and the depth to water was monitored throughout the pumping process to minimize drawdown within the well. Well purging activities continued at each well until the field parameters stabilized and the turbidity of the water in the wells was reduced to less than 50 nephelometric turbidity units (NTUs). Groundwater field data is presented in **Appendix A**.



Following purging, groundwater samples were collected. The groundwater samples were bottled and shipped to Pace Analytical for laboratory analysis for Benzene, Toluene, Ethylbenzene, and total Xylenes (BTEX; EPA Method 8260C), Semi-Volatile Polycyclic Aromatic Hydrocarbons (PAHs; EPA Method 8270D), as well as total cyanide (EPA Method 9012B). Quality assurance/quality control (QA/QC) samples, including a field duplicate, matrix spike, and duplicate matrix spike were also submitted for laboratory analysis. The laboratory analytical results for the groundwater samples were reported using NYSDEC Analytical Services Protocol (ASP) Category B data deliverable packages to facilitate data validation.

Purge water generated during the sampling activities was collected in 5-gallon buckets and transferred into 55-gallon steel drums for characterization prior to offsite treatment/disposal in accordance with applicable regulations.

Analytical results from the laboratory analysis report are summarized in **Table 3** and compared to the Class GA groundwater standards and guidance values presented in TOGS 1.1.1. VOC, where exceedances are bolded. Analytical data is also shown on **Figure 5** and **Figure 6**. The Data Usability Summary Report (DUSR) is included in **Appendix B**.

In April 2023, monitoring wells MW-3, MW-4, MW-12, and MW-103 had no detections of any analyzed compound. Monitoring wells MW-1, , MW-6, and MW-7 had exceedances of one or more compounds during the April 2023 sampling event. In October 2023, MW-1, MW-6, and MW-7 had exceedances of one or more compound. Monitoring well MW-3, MW-4, MW-5, MW-ES-8, MW-11, MW-12, and MW-103 had no detections of any analyzed compound in October 2023.

## 2.4 Analytical Results Data Validation

The analytical data reports provided by Pace for the April 2023, and October 2023 events were validated by GES. The primary objective of the data validation was to identify any questionable or invalid laboratory processes or data. The data validator reviewed all quality assurance/quality control information and the actual laboratory data to confirm the laboratory was operating within the required limits and results were correctly taken from the instruments.

The Data Usability Summary Reports for the groundwater monitoring including the validated laboratory data is presented in **Appendix B**.

## 3 Operation and Maintenance Activities

### 3.1 Quarterly Site-Wide Inspections

Quarterly site-wide inspections were conducted by GES and documented in inspection sheets. The vegetative cover, fence line, and security gates are inspected as part of site-wide inspection activities. Refer to **Appendix A** for photographs of the current site conditions, and to **Appendix C** for the quarterly inspection sheets.



## **3.2 Recommendations**


For 2024, GES recommends that the OM&M site program continue with the following elements:

- Perform semi-annual groundwater monitoring well sampling/analysis.
- Perform quarterly site-wide inspections. Conduct site maintenance, including routine snow removal, vegetation removal, and system/building upkeep.
- Perform semi-annual NAPL collection and disposal, as necessary.
- Prepare and submit the annual Groundwater Monitoring Report to NYSDEC.




# Figures

---




Source:  
 USGS 7.5 Minute Series  
 Topographic Quadrangle, 1993  
 Oneida, New York  
 Contour Interval = 10'



Site Location Map	
National Grid 215 Sconondoa Street Oneida, New York	
Drawn W.G.S. Designed  Approved	Date 9/24/20 Figure 1
 Scale In Feet  	



M:\Graphics\0600-Syracuse\Misc\National Grid\Oneida\Oneida SM.dwg, B100, WShea




**LEGEND**

---	PROPERTY BOUNDARY
x---	FENCE
(M)	UTILITY MANHOLE
(FH)	FIRE HYDRANT
(LP)	LIGHT POLE
(UP)	UTILITY POLE
(MW)	MONITORING WELL
(RW)	RECOVERY WELL
SS---	UNDERGROUND SANITARY SEWER LINE
ST---	UNDERGROUND STORM SEWER LINE
T---	UNDERGROUND TELEPHONE LINE
UE---	UNDERGROUND ELECTRIC LINE
W---	UNDERGROUND WATER LINE
G---	UNDERGROUND GAS LINE
OE---	OVERHEAD UTILITIES

Site Map	
National Grid 215 Sconondoa Street Oneida, New York	
Drawn W.G.S.	Date 11/3/21
Designed	Figure 2
Approved	
 Scale In Feet  Groundwater & Environmental Services, Inc.	

M:\Graphics\0600-Syracuse\Misc\National Grid\Oneida 5M.dwg, B100(CURRENT), 1/19/2024 5:03:34 PM, mholliester



**LEGEND**

- PROPERTY BOUNDARY
- x - FENCE
- (M) UTILITY MANHOLE
- ⊕ FIRE HYDRANT
- ☀ LIGHT POLE
- ⊖ UTILITY POLE
- ⊙ MONITORING WELL
- ⊙ ABANDONED RECOVERY WELL
- (416.27) GROUNDWATER ELEVATION (feet)
- ~ GROUNDWATER CONTOUR (feet)


Groundwater Contour Map  
April 12, 2023

---


National Grid  
215 Sconondoa Street  
Oneida, New York

---

Drawn M.R.H. Designed R.K. Approved T.B.	Date 01/19/24 Figure 3
---	---------------------------------




Scale In Feet

Groundwater & Environmental Services, Inc.

M:\Graphics\0600-Syracuse\Misc\National Grid\Oneida 5M.dwg, B100(CURRENT), 1/22/2024 9:01:38 AM, mhollister




**LEGEND**

- PROPERTY BOUNDARY
- x - FENCE
- (M) UTILITY MANHOLE
- (FH) FIRE HYDRANT
- (LP) LIGHT POLE
- (UP) UTILITY POLE
- (MW) MONITORING WELL
- (RW) ABANDONED RECOVERY WELL
- (415.28) GROUNDWATER ELEVATION (feet)
- ~ GROUNDWATER CONTOUR (feet)



Groundwater Contour Map  
October 12, 2023

National Grid  
215 Sconondoa Street  
Oneida, New York

Drawn M.R.H. Designed R.K. Approved T.B.	Date 01/22/24 Figure 4
---	---------------------------------




Scale In Feet

Groundwater & Environmental Services, Inc.

M:\Graphics\0600-Syracuse\Misc\National Grid\Oneida 5M.dwg, B100(CURRENT), 1/19/2024 4:39:28 PM, mholister



### LEGEND

- PROPERTY BOUNDARY
- FENCE
- UTILITY MANHOLE
- FIRE HYDRANT
- LIGHT POLE
- UTILITY POLE
- MONITORING WELL
- ABANDONED RECOVERY WELL

Well ID	Sample Date	BTEX Concentration (µg/L)	PAH Concentration (µg/L)	Cyanide Concentration (µg/L)
MW-1	4-12-23	ND(<3.0)	26.0	48


µg/L MICROGRAMS PER LITER  
 BTEX BENZENE, TOLUENE, ETHYLBENZENE, XYLENES  
 PAH POLYCYCLIC AROMATIC HYDROCARBONS  
 ND NOT DETECTED  
 (<#) WHERE AN ANALYTE IS NOT DETECTED, A METHOD DETECTION LIMIT IS GIVEN

**Groundwater Monitoring Map**  
April 12, 2023

National Grid  
215 Sconondoa Street  
Oneida, New York

Drawn M.R.H.	 Scale In Feet   Groundwater & Environmental Services, Inc.	Date 01/19/24
Designed R.K.		Figure 5
Approved T.B.		

M:\Graphics\0600-Syracuse\Misc\National Grid\Oneida 5M.dwg, B100(CURRENT), 1/19/2024 4:40:46 PM, mholister



### LEGEND

- PROPERTY BOUNDARY
- x- FENCE
- (M) UTILITY MANHOLE
- (FH) FIRE HYDRANT
- (LP) LIGHT POLE
- (UP) UTILITY POLE
- (MW) MONITORING WELL
- (ARW) ABANDONED RECOVERY WELL

Well ID	Sample Date	BTEX Concentration (µg/L)	PAH Concentration (µg/L)	Cyanide Concentration (µg/L)
MW-1	10-12-23	3.1	26.2	78

µg/L MICROGRAMS PER LITER  
 BTEX BENZENE, TOLUENE, ETHYLBENZENE, XYLENES  
 PAH POLYCYCLIC AROMATIC HYDROCARBONS  
 ND NOT DETECTED  
 (<#) WHERE AN ANALYTE IS NOT DETECTED, A METHOD DETECTION LIMIT IS GIVEN

Groundwater Monitoring Map  
October 12, 2023

National Grid  
215 Sconondoa Street  
Oneida, New York

Drawn M.R.H.  
 Designed R.K.  
 Approved T.B.

Date 01/19/24  
 Figure 6

Scale In Feet  
0 100

Groundwater & Environmental Services, Inc.



## Tables

---



**Table 1**  
**Groundwater Level Measurements**

Well ID	ELEVATION REFERENCE POINT	11/20/2014		6/23/2015		10/7/2015		12/28/2015		5/26/2016		10/13/2016		1/31/2017	
		Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)
MW-1	422.47	7.69	414.78	6.89	415.58	7.88	414.59	7.34	415.13	7.61	414.86	8.10	414.37	6.80	415.67
MW-2	421.89	7.20	414.69	6.47	415.42	7.31	414.58	6.92	414.97	7.16	414.73	7.60	414.29	6.55	415.34
MW-3	420.77	6.01	414.76	5.07	415.70	6.08	414.69	4.83	415.94	5.64	415.13	6.31	414.46	4.56	416.21
MW-4	419.72	5.93	413.79	5.30	414.42	5.98	413.74	5.78	413.94	5.94	413.78	6.05	413.67	6.56	413.16
MW-5	421.32	6.55	414.77	5.54	415.78	6.87	414.45	6.51	414.81	6.41	414.91	7.03	414.29	5.72	415.60
MW-6	422.21	5.52	416.69	4.46	417.75	6.02	416.19	5.58	416.63	5.59	416.62	6.23	415.98	4.68	417.53
MW-7	439.27	25.59	413.68	24.75	414.52	26.36	412.91	25.04	414.23	25.58	413.69	26.61	412.66	24.52	414.75
MW-ES-8	421.93	7.30	414.63	4.61	417.32	7.09	414.84	5.81	416.12	6.38	415.55	7.65	414.28	5.14	416.79
MW-9	437.43	24.82	412.61	23.59	413.84	25.86	411.57	24.03	413.40	24.84	412.59	26.53	410.90	23.22	414.21
MW-ES-10S	422.02	7.29	414.73	6.82	415.20	7.78	414.24	7.14	414.88	7.64	414.38	8.07	413.95	7.04	414.98
MW-11	420.37	8.30	412.07	4.58	415.79	8.54	411.83	8.02	412.35	8.32	412.05	8.69	411.68	8.48	411.89
MW-12	415.97	3.21	412.76	2.67	413.30	4.06	411.91	2.16	413.81	4.32	411.65	4.73	411.24	2.84	413.13
MW-103	440.82	26.80	414.02	26.67	414.15	27.26	413.56	26.64	414.18	27.04	413.78	27.56	413.26	26.65	414.17
RW-1	420.18	6.99	413.19	6.60	413.58	7.11	413.07	6.66	413.52	7.00	413.18	7.30	412.88	6.69	413.49

ft NGVD29 = vertical reference datum in the National Geodetic Verical Datum of 1929 (NGVD29).  
 ft bmp = Feet from below the measuring point.  
 GW = Groundwater.  
 NM = Not measured.  
 - = Monitoring well was destroyed/abandoned.



**Table 1**  
**Groundwater Level Measurements**

Well ID	ELEVATION REFERENCE POINT	4/25/2017		7/26/2017		5/29/2018		5/29/2019		10/23/2019		5/28/2020		10/15/2020	
		Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)
MW-1	422.47	7.74	414.73	7.12	415.35	7.27	415.20	6.65	415.82	6.92	415.55	7.35	415.12	7.99	414.48
MW-2	421.89	6.44	415.45	6.71	415.18	6.89	415.00	6.31	415.58	6.55	415.34	6.80	415.09	7.42	414.47
MW-3	420.77	4.25	416.52	4.39	416.38	4.74	416.03	4.19	416.58	4.00	416.77	4.69	416.08	5.43	415.34
MW-4	419.72	5.41	414.31	5.69	414.03	6.77	412.95	5.39	414.33	5.55	414.17	5.69	414.03	5.95	413.77
MW-5	421.32	5.27	416.05	5.64	415.68	5.89	415.43	4.93	416.39	5.95	415.37	5.79	415.53	6.90	414.42
MW-6	422.21	4.51	417.70	4.24	417.97	4.70	417.51	4.42	417.79	4.82	417.39	5.61	416.60	5.67	416.54
MW-7	439.27	24.01	415.26	24.37	414.90	25.06	414.21	24.02	415.25	24.80	414.47	24.98	414.29	26.75	412.52
MW-ES-8	421.93	4.45	417.48	4.64	417.29	6.24	415.69	4.64	417.29	5.42	416.51	6.91	415.02	8.12	413.81
MW-9	437.43	22.55	414.88	23.18	414.25	24.34	413.09	22.90	414.53	23.70	413.73	24.18	413.25	26.44	410.99
MW-ES-10S	422.02	6.86	415.16	7.10	414.92	7.28	414.74	6.80	415.22	6.84	415.18	7.23	414.79	7.98	414.04
MW-11	420.37	7.30	413.07	7.67	412.70	8.11	412.26	7.34	413.03	7.70	412.67	8.00	412.37	8.72	411.65
MW-12	415.97	2.67	413.30	2.73	413.24	3.76	412.21	2.73	413.24	2.00	413.97	3.95	412.02	4.93	411.04
MW-103	440.82	26.49	414.33	26.49	414.33	26.82	414.00	26.29	414.53	26.42	414.40	26.70	414.12	27.48	413.34
RW-1	420.18	6.42	413.76	6.71	413.47	7.00	413.18	6.68	413.50	6.70	413.48	7.27	412.91	7.98	412.20

ft NGVD29 = vertical reference datum in the National Geodetic Vertical Datum of 1929 (NGVD29).  
 ft bmp = Feet from below the measuring point.  
 GW = Groundwater.  
 NM = Not measured.  
 - = Monitoring well was destroyed/abandoned.





**Table 1**  
**Groundwater Level Measurements**

Well ID	ELEVATION REFERENCE POINT	4/21/2021		10/14/2021		4/20/2022		10/12/2022		4/12/2023		10/12/2023	
		Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)	Depth to Water (ft bmp)	GW Elevation (ft NGVD29)
MW-1	422.47	7.20	415.27	7.23	415.24	6.58	415.89	7.26	415.21	6.20	416.27	7.19	415.28
MW-2	421.89	6.70	415.19	6.70	415.19	6.09	415.80	6.74	415.15	6.02	415.87	6.78	415.11
MW-3	420.77	4.81	415.96	4.86	415.91	3.24	417.53	4.96	415.81	4.02	416.75	4.98	415.79
MW-4	419.72	5.52	414.20	5.60	414.12	4.94	414.78	5.37	414.35	4.92	414.80	5.47	414.25
MW-5	421.32	5.88	415.44	5.87	415.45	4.97	416.35	5.89	415.43	4.55	416.77	6.14	415.18
MW-6	422.21	5.40	416.81	5.91	416.30	3.53	418.68	4.93	417.28	4.05	418.16	5.34	416.87
MW-7	439.27	25.04	414.23	24.17	415.10	23.78	415.49	25.70	413.57	23.71	415.56	25.54	413.73
MW-ES-8	421.93	7.05	414.88	6.98	414.95	3.91	418.02	7.33	414.60	4.38	417.55	7.01	414.92
MW-9	437.43	24.51	412.92	24.60	412.83	22.16	415.27	25.12	412.31	21.95	415.48	25.12	412.31
MW-ES-10S	422.02	7.13	414.89	7.22	414.80	6.39	415.63	7.33	414.69	6.52	415.50	7.30	414.72
MW-11	420.37	2.91	417.46	8.05	412.32	7.03	413.34	8.02	412.35	7.00	413.37	8.05	412.32
MW-12	415.97	3.45	412.52	3.60	412.37	2.30	413.67	4.10	411.87	2.62	413.35	3.59	412.38
MW-103	440.82	26.57	414.25	26.82	414.00	25.82	415.00	26.65	414.17	25.95	414.87	26.90	413.92
RW-1	420.18	8.61	411.57	6.71	413.47	5.82	414.36	2.60	417.58	-	-	-	-

ft NGVD29 = vertical reference datum in the National Geodetic Vertical Datum of 1929 (NGVD29).  
 ft bmp = Feet from below the measuring point.  
 GW = Groundwater.  
 NM = Not measured.  
 - = Monitoring well was destroyed/abandoned.



**Table 2**  
**NAPL Thickness**

Well ID	11/20/2014	6/23/2015	10/7/2015	12/28/2015	5/26/2016	10/13/2016	1/31/2017	4/25/2017	7/26/2017	5/29/2018	5/29/2019	10/23/2019	5/28/2020	10/15/2020	4/21/2021	10/14/2021	4/20/2022	10/12/2022	4/12/2023	10/12/2023
MW-1	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
MW-2	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
MW-3	NP	NP	NP	NP	Trace	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
MW-4	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
MW-5	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
MW-6	NP	NP	Trace	0.35	0.25	0.11	0.37	0.07	0.09	Trace	0.02	NP	NP	NP	NP	NP	NP	NP	NP	NP
MW-7	NP	NP	NP	NP	Trace	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
MW-ES-8	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
MW-9	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
MW-ES-10S	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
MW-11	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
MW-12	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
MW-103	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP	NP
RW-1	NP	Trace	Trace	Trace	Trace	NP	NP	Trace	NP	Trace	NP	NP	NP	NP	NP	NP	NP	NP	-	-

**Notes**

All measurements are recorded in feet.

NP = No NAPL was detected in the well.

NM = Not measured.

Trace = Immeasurable thickness of NAPL detected in well, or observed on oil-water interface probe during gauging.

- = Monitoring well was destroyed/abandoned.



**Table 3**  
**Groundwater Analytical Data**  
MW-1

CONSTITUENT	UNITS	NYSDEC AWQS Values	11/24/14	06/24/15	12/28/15	10/14/16	04/26/17	05/31/18	05/30/19	10/23/19	05/28/20	10/15/20	04/21/21	10/14/21	04/20/22	10/12/22	04/12/23	10/12/23
<b>BTEX Compounds</b>																		
Benzene	µg/L	1	89.3 J	8.2	8.0	16.1	2.2	8	3	28.7	3.0	12.5	ND (<1.0)	6.3	ND (<1.0)	3.0	ND (<1.0)	3.1
Ethylbenzene	µg/L	5	24.4 J	0.95 J	1.5	4.0	0.63 J	4	1	3.9	1.5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	µg/L	5	27.9	0.50 J	ND (<1.0)	0.58 J	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylenes, Total	µg/L	5	81.8	8.6	2.5	3.7	1.0	2	ND (<5.0)	4.2	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
<b>PAHs</b>																		
Acenaphthene	µg/L	20	24	9.7	13.2	26.8	6.8	27	16	15.5	7.4	10.9	11.2	17.4	7.7	15.2	15.4	13
Acenaphthylene	µg/L	NC	5.7	3.8	4.6	6.8	0.84 J	2	0.7	0.71	0.35	0.62	ND (<0.098)	0.7	0.30	0.49	0.48	0.36
Anthracene	µg/L	50	3.3	1.6 J	1.6 J	2.3	ND (<1.0)	2	0.7	2.5	0.41	0.56	0.55	0.86	0.36	0.68	0.88	0.38
Benzo(a)anthracene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	0.03 J	0.27	ND (<0.095)	ND (<0.12)	ND (<0.098)	ND (<0.10)	ND (<0.099)	ND (<0.10)	0.12	ND (<0.099)
Benzo(a)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	0.12	ND (<0.095)	ND (<0.12)	ND (<0.098)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Benzo(b)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<1.0)	ND (<0.5)	0.02 J	0.14	ND (<0.095)	ND (<0.12)	ND (<0.098)	ND (<0.10)	ND (<0.099)	ND (<0.10)	0.11	ND (<0.099)
Benzo(g,h,i)perylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.098)	ND (<0.095)	ND (<0.12)	ND (<0.098)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Benzo(k)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.098)	ND (<0.095)	ND (<0.12)	ND (<0.098)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Chrysene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	0.03 J	0.2	ND (<0.095)	ND (<0.12)	ND (<0.098)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Dibenzo(a,h)anthracene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.098)	ND (<0.095)	ND (<0.12)	ND (<0.098)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Fluoranthene	µg/L	50	3.4	1.5 J	2.3 J	2.0	ND (<1.0)	1	0.7	3.2	0.51	0.88	0.51	1.1	0.48	1.2	1.1	1.4
Fluorene	µg/L	50	13.3	5.4	3.8 J	4.9	1.4	8	6	8.1	2.8	3.8	3.0	6.5	2.7	5.6	6.5	4.1
Indeno(1,2,3-cd)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.098)	ND (<0.095)	ND (<0.12)	ND (<0.098)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.099)
2-Methylnaphthalene	µg/L	NC	3.8	2.5	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	0.44	ND (<0.095)	0.34	ND (<0.098)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Naphthalene	µg/L	10	ND (<2.0)	9.6	3.5	17.3	1.2	3	4	22.6	0.89	8.0	1.4	1.4	3.4	2.3	0.41	4.6
Phenanthrene	µg/L	50	8.5	6.8	1.1 J	13.9	ND (<1.0)	6	3	5.2	0.99	0.18	0.65	0.19	ND (<0.099)	ND (<0.10)	0.27	ND (<0.099)
Pyrene	µg/L	50	2.5	1.0 J	1.6 J	1.2 J	ND (<1.0)	0.9	0.5	2.2	0.34	0.61	0.32	0.68	0.32	0.75	0.75	0.91
<b>Cyanide</b>																		
Cyanide	µg/L	200	38	31	49	100	20	62	48	ND (<10)	76	99	42	69	30	81	48	78

AWQS = Ambient Water Quality Standards  
 BTEX = Benzene, Ethylbenzene, Toluene and Xylene  
 J = Estimated Concentration Value  
 mg/L = Milligrams per Liter  
 NC = No Criteria  
 ND (<#) = Not detected above laboratory reporting limit (indicated by #)  
 NS = Not Sampled  
 NYSDEC = New York State Department of Environmental Conservation  
 PAHs = Polycyclic Aromatic Hydrocarbons  
 µg/L = Micrograms per Liter  
**Bolded** = values indicated exceedance of the NYSDEC AWQS



**Table 3**  
**Groundwater Analytical Data**  
MW-2

CONSTITUENT	UNITS	NYSDEC AWQS Values	11/24/14	06/24/15	12/28/15	10/13/16	05/10/17	05/31/18	05/30/19	10/23/19	05/28/20	10/15/20	04/21/21	10/14/21	04/20/22	10/12/22	04/12/23	10/12/23
<b>BTEX Compounds</b>																		
Benzene	µg/L	1	<b>31.4</b>	0.50 U	<b>61.4 J</b>	<b>41.6</b>	0.6 [1.5]	ND (<1)	ND (<1)	ND (<1.0)	<b>9.4</b>	<b>1.3</b>	ND (<1.0)	ND (<1.0)	<b>7.8</b>	ND (<1.0)	1.0	ND (<1.0)
Ethylbenzene	µg/L	5	1.0	ND (<1.0)	0.67 J	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylenes, Total	µg/L	5	1.3	ND (<1.0)	0.37 J	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<5)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
<b>PAHs</b>																		
Acenaphthene	µg/L	20	<b>34.8</b>	0.36 J	<b>30.1</b>	13.7	ND (<1.1)	2	ND (<0.05)	1.2	1.7	4.3	0.13	ND (<0.11)	1.0	0.16	ND (<0.10)	4.1
Acenaphthylene	µg/L	NC	7.3	ND (<2.0)	7.0	2.1	ND (<1.1)	0.3 J	ND (<0.05)	0.18	0.26	0.58	ND (<0.098)	ND (<0.11)	0.14	ND (<0.10)	ND (<0.10)	0.70
Anthracene	µg/L	50	1.8 J	ND (<2.0)	1.3 J	ND (<2.0)	ND (<1.1)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Benzo(a)anthracene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.1)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Benzo(a)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.1)	ND (<1.1)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Benzo(b)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.1)	ND (<1.1)	ND (<0.5)	<b>0.02 J</b>	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Benzo(g,h,i)perylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.1)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Benzo(k)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.1)	ND (<0.5)	<b>0.04 J</b>	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Chrysene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.1)	ND (<0.5)	<b>0.01 J</b>	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Dibenzo(a,h)anthracene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.1)	ND (<1.1)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Fluoranthene	µg/L	50	1.5 J	ND (<2.0)	1.1 J	0.71 J	ND (<1.1)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	0.18	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Fluorene	µg/L	50	17	ND (<2.0)	13.8 J	5.6	ND (<1.1)	0.9	ND (<0.05)	0.38	0.54	1.0	ND (<0.098)	ND (<0.11)	0.28	ND (<0.10)	ND (<0.10)	1.3
Indeno(1,2,3-cd)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.1)	ND (<1.1)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.10)	ND (<0.099)
2-Methylnaphthalene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.1)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	0.12	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Naphthalene	µg/L	10	1.3 J	ND (<2.0)	1.2 J	ND (<2.0)	ND (<1.1)	0.6	ND (<0.07)	ND (<0.10)	0.32	0.24	ND (<0.098)	ND (<0.11)	2.7	ND (<0.10)	ND (<0.10)	ND (<0.099)
Phenanthrene	µg/L	50	9.0	ND (<2.0)	5.3 J	0.51 J	ND (<1.1)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	0.25	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.10)	ND (<0.099)
Pyrene	µg/L	50	1.1 J	ND (<2.0)	0.88 J	0.60 J	ND (<1.1)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	0.17	ND (<0.098)	ND (<0.11)	ND (<0.11)	ND (<0.10)	ND (<0.10)	ND (<0.099)
<b>Cyanid</b>																		
Cyanide	µg/L	200	11	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	110	ND (<10)	ND (<10)	12	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)

AWQS = Ambient Water Quality Standards  
 BTEX = Benzene, Ethylbenzene, Toluene and Xylene  
 J = Estimated Concentration Value  
 mg/L = Milligrams per Liter  
 NC = No Criteria  
 ND (<#) = Not detected above laboratory reporting limit (indicated by #)  
 NS = Not Sampled  
 NYSDEC = New York State Department of Environmental Conservation  
 PAHs = Polycyclic Aromatic Hydrocarbons  
 µg/L = Micrograms per Liter  
**Bolded** = values indicated exceedance of the NYSDEC AWQS



Table 3  
Groundwater Analytical Data  
MW-3

CONSTITUENT	UNITS	NYSDEC AWQS Values	11/21/14	06/24/15	12/30/15	10/14/16	04/25/17	05/30/18	05/30/19	10/23/19	05/28/20	10/15/20	04/21/21	10/14/21	04/20/22	10/12/22	04/12/23	10/12/23
<b>BTEX Compounds</b>																		
Benzene	µg/L	1	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	0.26 J	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylenes, Total	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<5)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
<b>PAHs</b>																		
Acenaphthene	µg/L	20	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Acenaphthylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Anthracene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Benzo(a)anthracene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	<b>0.22</b>	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Benzo(a)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	<b>0.23</b>	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Benzo(b)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	<b>0.38</b>	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Benzo(g,h,i)perylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	<b>0.19</b>	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Benzo(k)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	<b>0.18</b>	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Chrysene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	<b>0.24</b>	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Dibenzo(a,h)anthracene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Fluoranthene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	0.32	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Fluorene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Indeno(1,2,3-cd)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	<b>0.18</b>	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
2-Methylnaphthalene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Naphthalene	µg/L	10	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	0.20	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Phenanthrene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	0.11	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Pyrene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	0.32	ND (<0.098)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.098)
<b>Cyanid</b>																		
Cyanide	µg/L	200	42	24	ND (<10)	16	ND (<10)	8.1 J	ND (<10)	ND (<10)	ND (<10)	11	ND (<10)	ND (<10)	11	ND (<10)	ND (<10)	ND (<10)

AWQS = Ambient Water Quality Standards  
 BTEX = Benzene, Ethylbenzene, Toluene and Xylene  
 J = Estimated Concentration Value  
 mg/L = Milligrams per Liter  
 NC = No Criteria  
 ND (<#) = Not detected above laboratory reporting limit (indicated by #)  
 NS = Not Sampled  
 NYSDEC = New York State Department of Environmental Conservation  
 PAHs = Polycyclic Aromatic Hydrocarbons  
 µg/L = Micrograms per Liter  
**Bolded** = values indicated exceedance of the NYSDEC AWQS



**Table 3**  
**Groundwater Analytical Data**  
MW-4

CONSTITUENT	UNITS	NYSDEC AWQS Values	11/21/14	06/23/15	12/30/15	10/14/16	04/25/17	05/30/18	05/30/19	10/23/19	05/28/20	10/15/20	04/21/21	10/14/21	04/20/22	10/12/22	04/12/23	10/12/23
<b>BTEX Compounds</b>																		
Benzene	µg/L	1	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	0.39 J	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylenes, Total	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<5)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
<b>PAHs</b>																		
Acenaphthene	µg/L	20	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Acenaphthylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Anthracene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Benzo(a)anthracene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Benzo(a)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Benzo(b)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Benzo(g,h,i)perylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Benzo(k)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Chrysene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Dibenzo(a,h)anthracene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Fluoranthene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Fluorene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Indeno(1,2,3-cd)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
2-Methylnaphthalene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Naphthalene	µg/L	10	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Phenanthrene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
Pyrene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.096)	ND (<0.098)	ND (<0.099)	ND (<0.098)	ND (<0.10)	ND (<0.10)	ND (<0.11)
<b>Cyanide</b>																		
Cyanide	µg/L	200	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)

AWQS = Ambient Water Quality Standards  
 BTEX = Benzene, Ethylbenzene, Toluene and Xylene  
 J = Estimated Concentration Value  
 mg/L = Milligrams per Liter  
 NC = No Criteria  
 ND (<#) = Not detected above laboratory reporting limit (indicated by #)  
 NS = Not Sampled  
 NYSDEC = New York State Department of Environmental Conservation  
 PAHs = Polycyclic Aromatic Hydrocarbons  
 µg/L = Micrograms per Liter  
**Bolded** = values indicated exceedance of the NYSDEC AWQS



**Table 3**  
**Groundwater Analytical Data**  
MW-5

CONSTITUENT	UNITS	NYSDEC AWQS Values	11/24/14	06/23/15	12/28/15	10/13/16	04/25/17	05/30/18	05/30/19	10/23/19	05/28/20	10/15/20	04/21/21	10/14/21	04/20/22	10/12/22	04/12/23	10/12/23
<b>BTEX Compounds</b>																		
Benzene	µg/L	1	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylenes, Total	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<5)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
<b>PAHs</b>																		
Acenaphthene	µg/L	20	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.099)	0.12	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Acenaphthylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.099)	ND (<0.095)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Anthracene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.099)	ND (<0.095)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Benzo(a)anthracene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.099)	ND (<0.095)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Benzo(a)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.099)	ND (<0.095)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Benzo(b)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.099)	ND (<0.095)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Benzo(g,h,i)perylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.099)	ND (<0.095)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Benzo(k)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.099)	ND (<0.095)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Chrysene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.099)	ND (<0.095)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Dibenzo(a,h)anthracene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.099)	ND (<0.095)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Fluoranthene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.099)	0.13	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Fluorene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.099)	ND (<0.095)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Indeno(1,2,3-cd)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.099)	ND (<0.095)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
2-Methylnaphthalene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.099)	0.1	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Naphthalene	µg/L	10	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.099)	0.12	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Phenanthrene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.099)	0.22	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Pyrene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.099)	0.15	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.10)	ND (<0.10)	ND (<0.098)	ND (<0.11)
<b>Cyanide</b>																		
Cyanide	µg/L	200	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	6.7 J	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	12	11	11	ND (<10)

AWQS = Ambient Water Quality Standards  
 BTEX = Benzene, Ethylbenzene, Toluene and Xylene  
 J = Estimated Concentration Value  
 mg/L = Milligrams per Liter  
 NC = No Criteria  
 ND (<#) = Not detected above laboratory reporting limit (indicated by #)  
 NS = Not Sampled  
 NYSDEC = New York State Department of Environmental Conservation  
 PAHs = Polycyclic Aromatic Hydrocarbons  
 µg/L = Micrograms per Liter  
**Bolded** = values indicated exceedance of the NYSDEC AWQS



**Table 3**  
**Groundwater Analytical Data**  
MW-6

CONSTITUENT	UNITS	NYSDEC AWQS Values	11/24/14	06/23/15	10/23/19	05/28/20	10/15/20	04/21/21	10/14/21	04/20/22	10/12/22	04/12/23	10/12/23
<b>BTEX Compounds</b>													
Benzene	µg/L	1	<b>135</b>	<b>28.4</b>	<b>7.9</b>	<b>10.1</b>	<b>82.5</b>	ND (<1.0)	<b>9.1</b>	<b>1.3</b>	<b>11.8</b>	<b>4.3</b>	<b>22.1</b>
Ethylbenzene	µg/L	5	<b>175</b>	<b>25.0</b>	4.1	<b>23.1</b>	<b>20.3</b>	3.7	<b>2.9</b>	ND (<1.0)	<b>3.1</b>	3.1	1.7
Toluene	µg/L	5	<b>6.3</b>	1.0	ND (<1.0)	ND (<1.0)	2.2	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylenes, Total	µg/L	5	<b>217</b>	<b>34.4</b>	<b>6.6</b>	<b>31.3</b>	<b>32.5</b>	4.5	3.7	ND (<3.0)	3.7	3.5	3.9
<b>PAHs</b>													
Acenaphthene	µg/L	20	<b>205</b>	<b>51.3</b>	<b>49.9</b>	<b>78.0</b>	<b>119</b>	<b>23.7</b>	<b>47.6</b>	<b>21.1</b>	<b>73.2</b>	<b>20.8</b>	<b>22.7</b>
Acenaphthylene	µg/L	NC	6.2 J	ND (<2.0)	1.7	14.9	11.4	ND (<0.11)	2.6	5.1	7.4	1.7	1.5
Anthracene	µg/L	50	9.6 J	1.7 J	9.0	48.0	48.6	3.6	3.1	3.9	25.0	0.9	3.6
Benzo(a)anthracene	µg/L	0.002	ND (<20)	ND (<2.0)	<b>3.5</b>	<b>33.7</b>	<b>31.8</b>	<b>2.0</b>	<b>3.1</b>	<b>8.9</b>	<b>13.4</b>	<b>2.1</b>	<b>3.7</b>
Benzo(a)pyrene	µg/L	0.002	ND (<20)	ND (<2.0)	<b>2.7</b>	<b>26.0</b>	<b>24.5</b>	<b>1.8</b>	<b>2.4</b>	<b>6.7</b>	<b>11.1</b>	<b>1.8</b>	<b>2.9</b>
Benzo(b)fluoranthene	µg/L	0.002	ND (<20)	ND (<2.0)	<b>3.1</b>	<b>21.0</b>	<b>21.4</b>	<b>1.7</b>	<b>2.9</b>	<b>8.5</b>	<b>13.2</b>	<b>1.9</b>	<b>3.0</b>
Benzo(g,h,i)perylene	µg/L	NC	ND (<20)	ND (<2.0)	0.87	9.0	8.2	0.85	0.93	3.1	4.6	0.59	0.91
Benzo(k)fluoranthene	µg/L	0.002	ND (<20)	ND (<2.0)	<b>2.9</b>	<b>9.4</b>	<b>7.6</b>	<b>0.58</b>	<b>2.5</b>	<b>7.8</b>	<b>12.0</b>	<b>1.6</b>	<b>2.3</b>
Chrysene	µg/L	0.002	ND (<20)	0.22 J	<b>2.8</b>	<b>21.5</b>	<b>23.6</b>	<b>1.6</b>	<b>2.0</b>	<b>7.3</b>	<b>10.4</b>	<b>1.3</b>	<b>2.3</b>
Dibenzo(a,h)anthracene	µg/L	NC	ND (<20)	ND (<2.0)	0.3	3.0	2.8	0.27	0.29	ND (<1.0)	1.5	0.16	0.27
Fluoranthene	µg/L	50	4.8 J	3.4	11.4	<b>70.6</b>	<b>72</b>	4.2	9.6	15.9	35.5	5.9	9.9
Fluorene	µg/L	50	<b>58.3</b>	13.3	16.4	<b>50.8</b>	<b>59.5</b>	11.2	4.0	2.2	38.9	1.4	5.0
Indeno(1,2,3-cd)pyrene	µg/L	0.002	ND (<20)	ND (<2.0)	<b>0.80</b>	<b>9.1</b>	<b>8.10</b>	<b>0.75</b>	<b>0.86</b>	<b>2.7</b>	<b>4.2</b>	<b>0.6</b>	<b>1.0</b>
2-Methylnaphthalene	µg/L	NC	511	56.0	ND (<0.099)	78.2	101	20.4	1.2	ND (<1.0)	27.7	ND (<0.098)	ND (<0.11)
Naphthalene	µg/L	10	<b>1,890</b>	<b>118</b>	ND (<0.099)	<b>92.7</b>	<b>186</b>	<b>48.2</b>	4.7	ND (<1.0)	<b>27.9</b>	ND (<0.098)	0.30
Phenanthrene	µg/L	50	<b>62.6</b>	<b>12.6</b>	40.9	<b>130</b>	<b>179</b>	16.7	2	6.3	<b>82.2</b>	1.1	3.5
Pyrene	µg/L	50	4.2 J	2.9	12.1	<b>76.4</b>	<b>75.9</b>	4.6	10.2	18.6	37.8	6.4	9.8
<b>Cyanide</b>													
Cyanide	µg/L	200	28	7.4 B	14	ND (<10)	18	ND (<10)	ND (<10)	16	19	13	30

AWQS = Ambient Water Quality Standards  
 BTEX = Benzene, Ethylbenzene, Toluene and Xylene  
 J = Estimated Concentration Value  
 mg/L = Milligrams per Liter  
 NC = No Criteria  
 ND (<#) = Not detected above laboratory reporting limit (indicated by #)  
 NS = Not Sampled  
 NYSDEC = New York State Department of Environmental Conservation  
 PAHs = Polycyclic Aromatic Hydrocarbons  
 µg/L = Micrograms per Liter  
**Bolded** = values indicated exceedance of the NYSDEC AWQS





Table 3  
Groundwater Analytical Data  
MW-7

CONSTITUENT	UNITS	NYSDEC AWQS Values	11/20/14	06/25/15	12/29/15	10/13/16	04/25/17	05/30/18	05/30/19	10/23/19	05/28/20	10/15/20	04/21/21	10/14/21	04/20/22	10/12/22	04/12/23	10/12/23
<b>BTEX Compounds</b>																		
Benzene	µg/L	1	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	1.0	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	µg/L	5	<b>13.6</b>	1.5	ND (<1.0)	1.8	<b>9.9</b>	ND (<1)	ND (<1)	1.7	ND (<1.0)	1.4	1.4	ND (<1.0)	ND (<1.0)	1.4	ND (<1.0)	1.2
Toluene	µg/L	5	0.52 J	1.2	ND (<1.0)	ND (<1.0)	0.95 J	ND (<1)	0.7 J	1.3	1.5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylenes, Total	µg/L	5	<b>9.4</b>	4.0	0.40 J	2.3	<b>7.3</b>	ND (<1)	ND (<5)	1.5	1.3	2.0	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
<b>PAHs</b>																		
Acenaphthene	µg/L	20	<b>55.5</b>	<b>21.7</b>	12.5	15.4	<b>43.3</b>	<b>29</b>	<b>34</b>	11.0	17.8	19.5	<b>24.6</b>	<b>22.6</b>	<b>24.0</b>	<b>29.9</b>	<b>22.1</b>	<b>23.6</b>
Acenaphthylene	µg/L	NC	1.5 J	1.0 J	0.78 J	0.83 J	1.8	1	1	0.67	1.2	1.2	ND (<0.10)	1.3	1.1	1.5	1.2	1.0
Anthracene	µg/L	50	9.6	2.5	0.69 J	0.37 J	2.9	1	3	0.49	1.0	0.51	1.1	0.61	0.86	0.53	0.91	0.51
Benzo(a)anthracene	µg/L	0.002	ND (<2.0)	0.27 J	ND (<2.0)	ND (<2.1)	0.44 J	0.2	<b>0.3</b>	<b>0.25</b>	<b>0.28</b>	<b>0.16</b>	<b>0.28</b>	<b>0.13</b>	<b>0.14</b>	<b>0.11</b>	<b>0.16</b>	ND (<0.098)
Benzo(a)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<5.2)	ND (<1.0)	ND (<0.5)	<b>0.1</b>	<b>0.12</b>	<b>0.14</b>	ND (<0.096)	<b>0.21</b>	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	ND (<0.098)
Benzo(b)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<5.2)	ND (<1.0)	ND (<0.5)	<b>0.1</b>	ND (<0.11)	<b>0.12</b>	ND (<0.096)	<b>0.18</b>	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	ND (<0.098)
Benzo(g,h,i)perylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<1.0)	ND (<0.5)	0.03 J	ND (<0.11)	ND (<0.095)	ND (<0.096)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	ND (<0.098)
Benzo(k)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<1.0)	ND (<0.5)	<b>0.04 J</b>	ND (<0.11)	ND (<0.095)	ND (<0.096)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	ND (<0.098)
Chrysene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<1.0)	<b>0.1 J</b>	<b>0.2</b>	<b>0.19</b>	<b>0.17</b>	<b>0.12</b>	<b>0.21</b>	ND (<0.099)	<b>0.11</b>	ND (<0.099)	ND (<0.11)	ND (<0.098)
Dibenzo(a,h)anthracene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<5.2)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.11)	ND (<0.095)	ND (<0.096)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	ND (<0.098)
Fluoranthene	µg/L	50	5.2	2.9	1.0 J	0.52 J	2.6	1	2	0.76	0.99	0.61	0.92	0.61	0.86	0.58	0.85	0.51
Fluorene	µg/L	50	26.6	7.1	4.1	5.1	14.3	11	14	3.6	6.8	6.3	8.4	7.5	7.3	9.1	7.8	7.0
Indeno(1,2,3-cd)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<5.2)	ND (<1.0)	ND (<0.5)	<b>0.04 J</b>	ND (<0.11)	ND (<0.095)	ND (<0.096)	ND (<0.10)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	ND (<0.098)
2-Methylnaphthalene	µg/L	NC	36.1	2.4	2.0 U	ND (<2.1)	3.1	2	3	0.68	1.3	0.47	9.8	0.85	1.2	1.2	2.1	2.0
Naphthalene	µg/L	10	<b>88</b>	2.4	0.75 J	0.76 J	<b>17.7</b>	6	10	6.5	6.3	6.5	<b>28.8</b>	7.6	8.7	10.0	<b>12.4</b>	12.8
Phenanthrene	µg/L	50	46.5	8.0	2.5	1.7 J	13.3	6	13	1.8	3.9	1.9	5.6	2.5	3.8	2.7	4.0	2.6
Pyrene	µg/L	50	4.6	2.9	1.1 J	0.49 J	2.4	1	2	0.82	1.0	0.62	0.99	0.61	0.89	0.56	0.85	0.49
<b>Cyanide</b>																		
Cyanide	µg/L	200	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	10	ND (<10)	ND (<10)	ND (<10)

AWQS = Ambient Water Quality Standards  
 BTEX = Benzene, Ethylbenzene, Toluene and Xylene  
 J = Estimated Concentration Value  
 mg/L = Milligrams per Liter  
 NC = No Criteria  
 ND (<#) = Not detected above laboratory reporting limit (indicated by #)  
 NS = Not Sampled  
 NYSDEC = New York State Department of Environmental Conservation  
 PAHs = Polycyclic Aromatic Hydrocarbons  
 µg/L = Micrograms per Liter  
**Bolded** = values indicated exceedance of the NYSDEC AWQS



**Table 3**  
**Groundwater Analytical Data**  
MW-ES-8

CONSTITUENT	UNITS	NYSDEC AWQS Values	11/24/14	06/23/15	12/28/15	10/13/16	04/25/17	05/30/18	05/30/19	10/23/19	05/28/20	10/15/20	04/21/21	10/14/21	04/20/22	10/12/22	04/12/23	10/12/23
<b>BTEX Compounds</b>																		
Benzene	µg/L	1	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	0.7 J	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylenes, Total	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<5)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
<b>PAHs</b>																		
Acenaphthene	µg/L	20	10.1	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	0.15	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Acenaphthylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Anthracene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Benzo(a)anthracene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Benzo(a)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Benzo(b)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Benzo(g,h,i)perylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Benzo(k)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Chrysene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Dibenzo(a,h)anthracene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Fluoranthene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Fluorene	µg/L	50	2.9	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Indeno(1,2,3-cd)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
2-Methylnaphthalene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	0.17	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Naphthalene	µg/L	10	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	0.29	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Phenanthrene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	0.15	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
Pyrene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.098)	ND (<0.096)	ND (<0.10)	ND (<0.10)	ND (<0.097)	ND (<0.11)
<b>Cyanide</b>																		
Cyanide	µg/L	200	15	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	16	ND (<10)	ND (<10)	ND (<10)	ND (<10)	13	ND (<10)

AWQS = Ambient Water Quality Standards  
 BTEX = Benzene, Ethylbenzene, Toluene and Xylene  
 J = Estimated Concentration Value  
 mg/L = Milligrams per Liter  
 NC = No Criteria  
 ND (<#) = Not detected above laboratory reporting limit (indicated by #)  
 NS = Not Sampled  
 NYSDEC = New York State Department of Environmental Conservation  
 PAHs = Polycyclic Aromatic Hydrocarbons  
 µg/L = Micrograms per Liter  
**Bolded** = values indicated exceedance of the NYSDEC AWQS



Table 3  
Groundwater Analytical Data  
MW-9

CONSTITUENT	UNITS	NYSDEC AWQS Values	11/20/14	06/25/15	12/29/15	10/17/16	04/27/17	05/29/18	05/29/19	10/23/19	05/28/20	10/15/20	04/21/21	10/14/21	04/20/22	10/12/22	04/12/23	10/12/23	
<b>BTEX Compounds</b>																			
Benzene	µg/L	1	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	
Ethylbenzene	µg/L	5	ND (<1.0)	0.82 J	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	
Toluene	µg/L	5	0.29 J	0.94 J	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	0.7 J	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	
Xylenes, Total	µg/L	5	1.3	1.9	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<5)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	
<b>PAHs</b>																			
Acenaphthene	µg/L	20	<b>41.9</b>	<b>41.4</b>	<b>24.3</b>	14.8	3.0	0.2 J	2	6.6	4.7	1.8	ND (<0.098)	2.0	18.1	8.0	6.2	2.8	
Acenaphthylene	µg/L	NC	13.7	8.8	1.6 J	2.1	ND (<1.0)	ND (<0.5)	0.09	0.34	0.31	0.34	ND (<0.098)	0.25	0.54	0.31	0.18	0.18	
Anthracene	µg/L	50	6.7	6.3	3.1	3.5	ND (<1.0)	ND (<0.5)	0.01 J	ND (<0.12)	ND (<0.10)	ND (<0.095)	ND (<0.098)	ND (<0.11)	5.0	ND (<0.10)	0.41	ND (<0.12)	
Benzo(a)anthracene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	<b>0.02 J</b>	<b>0.13</b>	ND (<0.10)	ND (<0.095)	ND (<0.098)	ND (<0.11)	<b>0.18</b>	0.11	ND (<0.096)	ND (<0.12)	
Benzo(a)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	<b>0.02 J</b>	ND (<0.12)	ND (<0.10)	ND (<0.095)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.096)	ND (<0.12)	
Benzo(b)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	<b>0.02 J</b>	ND (<0.12)	ND (<0.10)	ND (<0.095)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.096)	ND (<0.12)	
Benzo(g,h,i)perylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.12)	ND (<0.10)	ND (<0.095)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.096)	ND (<0.12)	
Benzo(k)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.12)	ND (<0.10)	ND (<0.095)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.096)	ND (<0.12)	
Chrysene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	<b>0.03 J</b>	ND (<0.12)	ND (<0.10)	ND (<0.095)	ND (<0.098)	ND (<0.11)	<b>0.13</b>	ND (<0.10)	ND (<0.096)	ND (<0.12)	
Dibenzo(a,h)anthracene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.12)	ND (<0.10)	ND (<0.095)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.096)	ND (<0.12)	
Fluoranthene	µg/L	50	3.6	2.8	1.5 J	2.3	1.0	0.9 J	1	3.2	1.9	1.7	2.8	1.5	3.0	1.9	1.2	0.94	
Fluorene	µg/L	50	25.4	22.8	11.8	8.4	ND (<1.0)	ND (<0.5)	0.05 J	0.21	0.13	ND (<0.095)	ND (<0.098)	ND (<0.11)	10.9	0.35	1.7	ND (<0.12)	
Indeno(1,2,3-cd)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.12)	ND (<0.10)	ND (<0.095)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.096)	ND (<0.12)	
2-Methylnaphthalene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.12)	0.38	ND (<0.095)	ND (<0.098)	ND (<0.11)	ND (<0.099)	ND (<0.10)	ND (<0.096)	ND (<0.12)	
Naphthalene	µg/L	10	2.3	0.33 J	1.9 J	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.12)	0.55	ND (<0.095)	ND (<0.098)	ND (<0.11)	0.24	ND (<0.10)	ND (<0.096)	ND (<0.12)	
Phenanthrene	µg/L	50	36.5	33.9	8.7	8.4	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.12)	ND (<0.10)	ND (<0.095)	ND (<0.098)	ND (<0.11)	15.4	ND (<0.10)	ND (<0.096)	ND (<0.12)	
Pyrene	µg/L	50	3.6	2.8	1.4 J	2.2	1.4	2 J	2	3.9	2.5	2.5	0.44	1.8	3.1	1.5	1.2	1.4	
<b>Cyanide</b>																			
Cyanide	µg/L	200	15	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	20	ND (<10)

AWQS = Ambient Water Quality Standards  
 BTEX = Benzene, Ethylbenzene, Toluene and Xylene  
 J = Estimated Concentration Value  
 mg/L = Milligrams per Liter  
 NC = No Criteria  
 ND (<#) = Not detected above laboratory reporting limit (indicated by #)  
 NS = Not Sampled  
 NYSDEC = New York State Department of Environmental Conservation  
 PAHs = Polycyclic Aromatic Hydrocarbons  
 µg/L = Micrograms per Liter  
**Bolded** = values indicated exceedance of the NYSDEC AWQS



**Table 3**  
**Groundwater Analytical Data**  
MW-ES-10S

CONSTITUENT	UNITS	NYSDEC AWQS Values	11/24/14	06/24/15	12/30/15	10/14/16	04/26/17	05/31/18	05/29/19	10/23/19	05/28/20	10/15/20	04/21/21	10/14/21	04/20/22	10/12/22	04/12/23	10/12/23	
<b>BTEX Compounds</b>																			
Benzene	µg/L	1	ND (<2.5)	ND (<0.50)	ND (<0.50)	ND (<2.5)	ND (<0.50)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	µg/L	5	ND (<5.0)	ND (<1.0)	ND (<1.0)	4.3 J	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	µg/L	5	ND (<5.0)	ND (<1.0)	ND (<1.0)	ND (<5.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylenes, Total	µg/L	5	ND (<5.0)	ND (<1.0)	ND (<1.0)	14.1	ND (<1.0)	ND (<1)	ND (<5)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
<b>PAHs</b>																			
Acenaphthene	µg/L	20	ND (<2.0)	15.7	14.4	11.2	9.2	8	6	6.0	3.9	8.0	10.3	8.8	8.9	11.9	11.2	10.9	
Acenaphthylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	0.09	0.15	0.14	0.17	ND (<0.099)	0.21	0.21	0.26	0.31	0.26	
Anthracene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	0.2 J	0.4	0.19	0.3	0.26	0.31	0.37	0.58	0.37	0.94	0.61	
Benzo(a)anthracene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.095)	ND (<0.099)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	
Benzo(a)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.095)	ND (<0.099)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	
Benzo(b)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.095)	ND (<0.099)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	
Benzo(g,h,i)perylene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.095)	ND (<0.099)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	
Benzo(k)fluoranthene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.095)	ND (<0.099)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	
Chrysene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.095)	ND (<0.099)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	
Dibenzo(a,h)anthracene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<5.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.095)	ND (<0.099)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	
Fluoranthene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	0.05	ND (<0.10)	ND (<0.095)	ND (<0.095)	ND (<0.099)	ND (<0.096)	ND (<0.099)	ND (<0.10)	0.14	ND (<0.11)	
Fluorene	µg/L	50	ND (<2.0)	6.7	6	4.6	4.6	3	3	2.9	2.2	3.6	4.6	4.9	4.9	6.5	6.9	6.2	
Indeno(1,2,3-cd)pyrene	µg/L	0.002	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.095)	ND (<0.099)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	
2-Methylnaphthalene	µg/L	NC	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.095)	ND (<0.099)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.099)	ND (<0.11)	
Naphthalene	µg/L	10	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	0.04 J	ND (<0.10)	ND (<0.095)	ND (<0.095)	ND (<0.099)	ND (<0.096)	0.20	ND (<0.10)	0.27	0.30	
Phenanthrene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	0.5	ND (<0.10)	0.39	0.28	0.16	ND (<0.096)	0.65	0.11	1.2	0.43	
Pyrene	µg/L	50	ND (<2.0)	ND (<2.0)	ND (<2.1)	ND (<2.0)	ND (<1.0)	ND (<0.5)	0.04 J	ND (<0.10)	ND (<0.095)	ND (<0.095)	ND (<0.099)	ND (<0.096)	ND (<0.099)	ND (<0.10)	0.10	ND (<0.11)	
<b>Cyanide</b>																			
Cyanide	µg/L	200	11	ND (<10)	ND (<10)	ND (<10)	13	10	14	ND (<10)	ND (<10)	21	19	ND (<10)	21	16	13	ND (<10)	

AWQS = Ambient Water Quality Standards  
 BTEX = Benzene, Ethylbenzene, Toluene and Xylene  
 J = Estimated Concentration Value  
 mg/L = Milligrams per Liter  
 NC = No Criteria  
 ND (<#) = Not detected above laboratory reporting limit (indicated by #)  
 NS = Not Sampled  
 NYSDEC = New York State Department of Environmental Conservation  
 PAHs = Polycyclic Aromatic Hydrocarbons  
 µg/L = Micrograms per Liter  
**Bolded** = values indicated exceedance of the NYSDEC AWQS



**Table 3**  
**Groundwater Analytical Data**  
MW-11

CONSTITUENT	UNITS	NYSDEC AWQS Values	11/20/14	06/24/15	12/29/15	10/14/16	04/26/17	05/30/18	05/29/19	10/23/19	05/28/20	10/15/20	04/21/21	10/14/21	04/20/22	10/12/22	04/12/23	10/12/23
<b>BTEX Compounds</b>																		
Benzene	µg/L	1	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	1.0	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylenes, Total	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<5)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
<b>PAHs</b>																		
Acenaphthene	µg/L	20	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Acenaphthylene	µg/L	NC	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Anthracene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Benzo(a)anthracene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Benzo(a)pyrene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Benzo(b)fluoranthene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<0.98)	ND (<0.5)	0.01 J	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Benzo(g,h,i)perylene	µg/L	NC	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Benzo(k)fluoranthene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Chrysene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Dibenzo(a,h)anthracene	µg/L	NC	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<0.98)	ND (<0.5)	ND (<0.07)	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Fluoranthene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	0.02 J	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Fluorene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Indeno(1,2,3-cd)pyrene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
2-Methylnaphthalene	µg/L	NC	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.07)	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Naphthalene	µg/L	10	ND (<2.2)	ND (<2.0)	0.99 J	ND (<2.0)	ND (<0.98)	ND (<0.5)	0.06 J	ND (<0.11)	0.25	ND (<0.099)	0.11	0.12	0.46	ND (<0.10)	0.38	ND (<0.11)
Phenanthrene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.07)	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
Pyrene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	0.03 J	ND (<0.11)	ND (<0.095)	ND (<0.099)	ND (<0.099)	ND (<0.097)	ND (<0.11)	ND (<0.10)	ND (<0.098)	ND (<0.11)
<b>Cyanide</b>																		
Cyanide	µg/L	200	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)

AWQS = Ambient Water Quality Standards  
 BTEX = Benzene, Ethylbenzene, Toluene and Xylene  
 J = Estimated Concentration Value  
 mg/L = Milligrams per Liter  
 NC = No Criteria  
 ND (<#) = Not detected above laboratory reporting limit (indicated by #)  
 NS = Not Sampled  
 NYSDEC = New York State Department of Environmental Conservation  
 PAHs = Polycyclic Aromatic Hydrocarbons  
 µg/L = Micrograms per Liter  
**Bolded** = values indicated exceedance of the NYSDEC AWQS



Table 3  
Groundwater Analytical Data  
MW-12

CONSTITUENT	UNITS	NYSDEC AWQS Values	11/20/14	06/24/15	12/29/15	10/14/16	04/26/17	05/30/18	05/31/19	10/23/19	05/28/20	10/15/20	04/21/21	10/14/21	04/20/22	10/12/22	04/12/23	10/12/23
<b>BTEX Compounds</b>																		
Benzene	µg/L	1	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylenes, Total	µg/L	5	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<5)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
<b>PAHs</b>																		
Acenaphthene	µg/L	20	ND (<2.2)	1.1 J	0.06 J	ND (<2.0)	ND (<0.98)	ND (<0.5)	0.01 J	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Acenaphthylene	µg/L	NC	ND (<2.2)	0.26 J	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	0.03 J	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Anthracene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Benzo(a)anthracene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	<b>0.11</b>	ND (<0.097)	ND (<0.098)
Benzo(a)pyrene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	<b>0.18</b>	ND (<0.097)	ND (<0.098)
Benzo(b)fluoranthene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	<b>0.39</b>	ND (<0.097)	ND (<0.098)
Benzo(g,h,i)perylene	µg/L	NC	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	0.19	ND (<0.097)	ND (<0.098)
Benzo(k)fluoranthene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	<b>0.36</b>	ND (<0.097)	ND (<0.098)
Chrysene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	<b>0.17</b>	ND (<0.097)	ND (<0.098)
Dibenzo(a,h)anthracene	µg/L	NC	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<0.98)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Fluoranthene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	0.04 J	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	0.24	ND (<0.097)	ND (<0.098)
Fluorene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Indeno(1,2,3-cd)pyrene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	0.16	ND (<0.097)	ND (<0.098)
2-Methylnaphthalene	µg/L	NC	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Naphthalene	µg/L	10	ND (<2.2)	ND (<2.0)	0.99 J	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	0.26	ND (<0.097)	ND (<0.098)
Phenanthrene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	ND (<0.10)	ND (<0.097)	ND (<0.098)
Pyrene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.097)	ND (<0.11)	ND (<0.11)	ND (<0.098)	0.23	ND (<0.097)	ND (<0.098)
<b>Cyanide</b>																		
Cyanide	µg/L	200	ND (<10)	ND (<10)	ND (<10)	22	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	11	ND (<10)	ND (<10)	ND (<10)

AWQS = Ambient Water Quality Standards  
 BTEX = Benzene, Ethylbenzene, Toluene and Xylene  
 J = Estimated Concentration Value  
 mg/L = Milligrams per Liter  
 NC = No Criteria  
 ND (<#) = Not detected above laboratory reporting limit (indicated by #)  
 NS = Not Sampled  
 NYSDEC = New York State Department of Environmental Conservation  
 PAHs = Polycyclic Aromatic Hydrocarbons  
 µg/L = Micrograms per Liter  
**Bolded** = values indicated exceedance of the NYSDEC AWQS



Table 3  
Groundwater Analytical Data  
MW-103

CONSTITUENT	UNITS	NYSDEC AWQS Values	11/21/14	06/25/15	12/29/15	10/17/16	04/27/17	05/29/18	05/29/19	10/23/19	05/23/20	10/15/20	04/21/21	10/14/21	04/20/22	10/12/22	04/12/23	10/12/23
<b>BTEX Compounds</b>																		
Benzene	µg/L	1	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<0.50)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Ethylbenzene	µg/L	5	0.37 J	0.39 J	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Toluene	µg/L	5	ND (<1.0)	0.53 J	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<1)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1.0)
Xylenes, Total	µg/L	5	ND (<1.0)	1.1	ND (<1.0)	ND (<1.0)	ND (<1.0)	ND (<1)	ND (<5)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)	ND (<3.0)
<b>PAHs</b>																		
Acenaphthene	µg/L	20	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	0.05 J	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Acenaphthylene	µg/L	NC	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Anthracene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Benzo(a)anthracene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	<b>0.01 J</b>	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Benzo(a)pyrene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<0.98)	ND (<0.5)	ND (<0.05)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Benzo(b)fluoranthene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<0.98)	ND (<0.5)	<b>0.03 J</b>	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Benzo(g,h,i)perylene	µg/L	NC	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	0.02 J	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Benzo(k)fluoranthene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	<b>0.02 J</b>	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Chrysene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	<b>0.02 J</b>	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Dibenzo(a,h)anthracene	µg/L	NC	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<0.98)	ND (<0.5)	0.02 J	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Fluoranthene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	0.01 J	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Fluorene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	0.01 J	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Indeno(1,2,3-cd)pyrene	µg/L	0.002	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<5.0)	ND (<0.98)	ND (<0.5)	<b>0.03 J</b>	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
2-Methylnaphthalene	µg/L	NC	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Naphthalene	µg/L	10	ND (<2.2)	ND (<2.0)	0.99 J	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.10)	0.14	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Phenanthrene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<0.98)	ND (<0.5)	ND (<0.07)	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
Pyrene	µg/L	50	ND (<2.2)	ND (<2.0)	ND (<2.0)	ND (<2.0)	ND (<1.0)	ND (<0.5)	0.03 J	ND (<0.10)	ND (<0.095)	ND (<0.10)	ND (<0.10)	ND (<0.096)	ND (<0.099)	ND (<0.10)	ND (<0.098)	ND (<0.099)
<b>Cyanide</b>																		
Cyanide	µg/L	200	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)	ND (<10)

AWQS = Ambient Water Quality Standards  
 BTEX = Benzene, Ethylbenzene, Toluene and Xylene  
 J = Estimated Concentration Value  
 mg/L = Milligrams per Liter  
 NC = No Criteria  
 ND (<#) = Not detected above laboratory reporting limit (indicated by #)  
 NS = Not Sampled  
 NYSDEC = New York State Department of Environmental Conservation  
 PAHs = Polycyclic Aromatic Hydrocarbons  
 µg/L = Micrograms per Liter  
**Bolded** = values indicated exceedance of the NYSDEC AWQS



## **Appendix A – Well Sampling Field and Analytical Data**

---



Well ID	Sample?	Well Size	DTW	DTP	DTB	Comments
MW-1	Yes	4"	6.20	—	19.70	
MW-2	Yes	2"	6.02	—	17.66	Field Duplicate
MW-3	Yes	2"	4.02	—	14.13	
MW-4	Yes	2"	4.92	—	13.34	
MW-5	Yes	2"	4.55	—	16.10	
MW-6	Yes	2"	4.05	—	14.25	
MW-7	Yes	4"	23.71	—	37.20	
MW-ES-8	Yes	2"	4.38	—	14.10	
MW-9	Yes	4"	21.95	—	40.50	MS/MSD
MW-ES-10S	Yes	2"	6.52	—	14.50	
MW-11	Yes	2"	7.00	—	18.50	
MW-12	Yes	2"	2.62	—	14.30	
MW-103	Yes	2"	25.95	—	40.00	
RW-1	No	6"	—	—	28.52	Destroyed / Damaged?

DTW - depth to water

DTP - depth to product

DTB - depth to bottom

Sampling Personnel: AS  
 Job Number: 0603324-132410-221  
 Well Id. **MW-1**

Date: 4/12/23  
 Weather: 60°F, sunny  
 Time In: 1235 Time Out: 1320

Well Information		TOC	Other
Depth to Water:	(feet)	<u>6.20</u>	
Depth to Bottom:	(feet)	<u>19.70</u>	
Depth to Product:	(feet)	<u>NP</u>	
Length of Water Column:	(feet)	<u>13.50</u>	
Volume of Water in Well:	(gal)	<u>8.64</u>	
Three Well Volumes:	(gal)	<u>25.9</u>	

Well Type: Flushmount  Stick-Up   
 Well Locked: Yes  No   
 Measuring Point Marked: Yes  No   
 Well Material: PVC  SS  Other: \_\_\_\_\_  
 Well Diameter: 1"  2"  Other: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Purging Information		Conversion Factors			
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>		
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>		
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>		
Average Pumping Rate:	<u>250</u> (ml/min)				
Duration of Pumping:	<u>30</u> (min)				
Total Volume Removed:	<u>2.5</u> (gal)	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>			
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1240</u>	<u>6.41</u>	<u>13.00</u>	<u>7.12</u>	<u>-121</u>	<u>1.88</u>	<u>18.9</u>	<u>0.81</u>	<u>1.15</u>
<u>1245</u>	<u>6.49</u>	<u>13.62</u>	<u>7.07</u>	<u>-143</u>	<u>1.86</u>	<u>34.0</u>	<u>0.58</u>	<u>1.19</u>
<u>1250</u>	<u>6.45</u>	<u>15.09</u>	<u>7.05</u>	<u>-145</u>	<u>1.93</u>	<u>48.9</u>	<u>0.51</u>	<u>1.23</u>
<u>1255</u>	<u>6.45</u>	<u>16.71</u>	<u>7.05</u>	<u>-144</u>	<u>1.92</u>	<u>46.4</u>	<u>0.62</u>	<u>1.23</u>
<u>1300</u>	<u>6.45</u>	<u>17.24</u>	<u>7.04</u>	<u>-141</u>	<u>1.89</u>	<u>46.7</u>	<u>0.65</u>	<u>1.21</u>
<u>1305</u>	<u>6.45</u>	<u>18.24</u>	<u>7.04</u>	<u>-138</u>	<u>1.90</u>	<u>42.7</u>	<u>0.78</u>	<u>1.21</u>
<u>1310</u>	<u>6.45</u>	<u>18.66</u>	<u>7.05</u>	<u>-136</u>	<u>1.88</u>	<u>92.9</u>	<u>0.83</u>	<u>1.21</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-1-0423 Duplicate? Yes  No   
 Sample Time: 1315 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
 Drop-off Albany Service Center

Laboratory: Pace Analytical  
Greensburg, PA

Comments/Notes: \_\_\_\_\_

Sampling Personnel: AS  
Job Number: 0603324-132410-221  
Well Id. **MW-2**

Date: 4/12/23  
Weather: 62°F, Sunny  
Time In: 1140 Time Out: 1230

Well Information		TOC	Other
Depth to Water:	(feet)	<u>6.02</u>	
Depth to Bottom:	(feet)	<u>17.66</u>	
Depth to Product:	(feet)	<u>NP</u>	
Length of Water Column:	(feet)	<u>12.64</u>	
Volume of Water in Well:	(gal)	<u>1.86</u>	
Three Well Volumes:	(gal)	<u>5.58</u>	

Well Type: Flushmount  Stick-Up   
Well Locked: Yes  No   
Measuring Point Marked: Yes  No   
Well Material: PVC  SS  Other: \_\_\_\_\_  
Well Diameter: 1"  2"  Other: \_\_\_\_\_  
Comments: \_\_\_\_\_

Purging Information		Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	gal./ft.	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/>	of				
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	water	0.04	0.16	0.66	1.47
Average Pumping Rate:	<u>250</u> (ml/min)	1 gallon=3.785L=3785mL=1337cu. feet				
Duration of Pumping:	<u>30</u> (min)					
Total Volume Removed:	<u>2.5</u> (gal)					
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					

Grundfos Pump  Polyethylene   
Grundfos Pump  Did well go dry? Yes  No

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1145</u>	<u>6.05</u>	<u>10.93</u>	<u>7.41</u>	<u>199</u>	<u>0.530</u>	<u>0.0</u>	<u>4.67</u>	<u>0.342</u>
<u>1150</u>	<u>6.10</u>	<u>12.17</u>	<u>7.45</u>	<u>195</u>	<u>0.467</u>	<u>3.1</u>	<u>4.41</u>	<u>0.305</u>
<u>1155</u>	<u>6.10</u>	<u>12.55</u>	<u>7.43</u>	<u>192</u>	<u>0.458</u>	<u>0.0</u>	<u>3.92</u>	<u>0.298</u>
<u>1200</u>	<u>6.10</u>	<u>12.74</u>	<u>7.42</u>	<u>189</u>	<u>0.460</u>	<u>0.0</u>	<u>3.61</u>	<u>0.299</u>
<u>1205</u>	<u>6.10</u>	<u>12.82</u>	<u>7.41</u>	<u>186</u>	<u>0.466</u>	<u>0.0</u>	<u>3.19</u>	<u>0.303</u>
<u>1210</u>	<u>6.10</u>	<u>12.89</u>	<u>7.40</u>	<u>184</u>	<u>0.473</u>	<u>0.0</u>	<u>2.95</u>	<u>0.307</u>
<u>1215</u>	<u>6.10</u>	<u>13.06</u>	<u>7.39</u>	<u>183</u>	<u>0.478</u>	<u>0.0</u>	<u>2.77</u>	<u>0.311</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 4 - 100 ml ambers Yes  No   
EPA SW-846 Method 8260 VOC's BTEX 6 - 40 ml vials Yes  No   
EPA SW-846 Method 9012 Total Cyanide 2 - 250 ml plastic Yes  No

**FD-0423**

Sample ID: MW-2-0423 Duplicate? Yes  No   
Sample Time: 1220 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
Drop-off Albany Service Center

Laboratory: Pace Analytical Greensburg, PA

Comments/Notes: \_\_\_\_\_

National Grid  
 Sconodoa Street, Oneida New York

Sampling Personnel: AS  
 Job Number: 0603324-132410-221  
 Well Id. **MW-3**

Date: 4/12/23  
 Weather: 60°F, sunny  
 Time In: 1050 Time Out: 1135

Well Information		TOC	Other
Depth to Water:	(feet)	<u>4.02</u>	
Depth to Bottom:	(feet)	14.13	
Depth to Product:	(feet)	<u>NP</u>	
Length of Water Column:	(feet)	<u>10.11</u>	
Volume of Water in Well:	(gal)	<u>1.61</u>	
Three Well Volumes:	(gal)	<u>4.85</u>	

Well Type: Flushmount  Stick-Up   
 Well Locked: Yes  No   
 Measuring Point Marked: Yes  No   
 Well Material: PVC  SS  Other: \_\_\_\_\_  
 Well Diameter: 1"  2"  Other: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Purging Information

Purging Method: \_\_\_\_\_  
 Tubing/Bailer Material: \_\_\_\_\_  
 Sampling Method: \_\_\_\_\_

Bailer  Peristaltic  Grundfos Pump   
 Teflon  Stainless St.  Polyethylene   
 Bailer  Peristaltic  Grundfos Pump

Average Pumping Rate: 250 (ml/min)  
 Duration of Pumping: 30 (min)  
 Total Volume Removed: 2.5 (gal)

Did well go dry? Yes  No

Horiba U-52 Water Quality Meter Used? Yes  No

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1055</u>	<u>4.28</u>	<u>10.48</u>	<u>7.30</u>	<u>48</u>	<u>0.655</u>	<u>0.0</u>	<u>2.90</u>	<u>0.422</u>
<u>1100</u>	<u>4.39</u>	<u>10.03</u>	<u>7.37</u>	<u>137</u>	<u>0.598</u>	<u>0.0</u>	<u>4.59</u>	<u>0.383</u>
<u>1105</u>	<u>4.39</u>	<u>9.98</u>	<u>7.36</u>	<u>176</u>	<u>0.579</u>	<u>0.0</u>	<u>4.57</u>	<u>0.370</u>
<u>1110</u>	<u>4.39</u>	<u>10.09</u>	<u>7.36</u>	<u>191</u>	<u>0.574</u>	<u>0.0</u>	<u>4.57</u>	<u>0.367</u>
<u>1115</u>	<u>4.39</u>	<u>10.10</u>	<u>7.36</u>	<u>193</u>	<u>0.573</u>	<u>0.0</u>	<u>4.58</u>	<u>0.367</u>
<u>1120</u>	<u>4.39</u>	<u>10.09</u>	<u>7.36</u>	<u>196</u>	<u>0.572</u>	<u>0.0</u>	<u>4.58</u>	<u>0.366</u>
<u>1125</u>	<u>4.39</u>	<u>10.10</u>	<u>7.37</u>	<u>200</u>	<u>0.569</u>	<u>0.0</u>	<u>4.61</u>	<u>0.364</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-3-0423 Duplicate? Yes  No   
 Sample Time: 1130 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
 Drop-off Albany Service Center

Comments/Notes: \_\_\_\_\_

Laboratory: Pace Analytical  
 Greensburg, PA

Sampling Personnel: AS  
Job Number: 0603324-132410-221  
Well Id. **MW-4**

Date: 4/12/23  
Weather: 58°F, Sunny  
Time In: 1000 Time Out: 1045

Well Information			TOC	Other
Depth to Water:	(feet)		<u>4.92</u>	
Depth to Bottom:	(feet)		13.34	
Depth to Product:	(feet)		<u>NP</u>	
Length of Water Column:	(feet)		<u>8.42</u>	
Volume of Water in Well:	(gal)		<u>1.34</u>	
Three Well Volumes:	(gal)		<u>4.0</u>	

Well Type: Flushmount  Stick-Up   
 Well Locked: Yes  No   
 Measuring Point Marked: Yes  No   
 Well Material: PVC  SS  Other: \_\_\_\_\_  
 Well Diameter: 1"  2"  Other: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Purging Information			Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>	gal/ft.			
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	of			
Average Pumping Rate:	<u>250</u> (ml/min)			water	0.04	0.16	0.66
Duration of Pumping:	<u>30</u> (min)						1.47
Total Volume Removed:	<u>2.5</u> (gal)		Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	1 gallon=3.785L=3785mL=1337cu. feet			
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1005</u>	<u>5.22</u>	<u>10.24</u>	<u>7.12</u>	<u>-1</u>	<u>0.832</u>	<u>3.9</u>	<u>1.08</u>	<u>0.536</u>
<u>1010</u>	<u>5.25</u>	<u>10.59</u>	<u>7.19</u>	<u>-35</u>	<u>0.748</u>	<u>8.5</u>	<u>1.02</u>	<u>0.480</u>
<u>1015</u>	<u>5.25</u>	<u>10.70</u>	<u>7.15</u>	<u>-39</u>	<u>0.724</u>	<u>7.3</u>	<u>0.65</u>	<u>0.463</u>
<u>1020</u>	<u>5.25</u>	<u>10.79</u>	<u>7.15</u>	<u>-43</u>	<u>0.718</u>	<u>4.0</u>	<u>0.600</u>	<u>0.4600</u>
<u>1025</u>	<u>5.25</u>	<u>10.93</u>	<u>7.14</u>	<u>-45</u>	<u>0.717</u>	<u>2.5</u>	<u>0.53</u>	<u>0.459</u>
<u>1030</u>	<u>5.25</u>	<u>10.95</u>	<u>7.14</u>	<u>-48</u>	<u>0.718</u>	<u>0.3</u>	<u>0.50</u>	<u>0.459</u>
<u>1035</u>	<u>5.25</u>	<u>10.93</u>	<u>7.15</u>	<u>-50</u>	<u>0.719</u>	<u>0.0</u>	<u>0.46</u>	<u>0.4600</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-4-0423 Duplicate? Yes  No   
 Sample Time: 1040 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
 Drop-off Albany Service Center

Laboratory: Pace Analytical  
Greensburg, PA

Comments/Notes: \_\_\_\_\_

Sampling Personnel: AS  
 Job Number: 0603324-132410-221  
 Well Id. **MW-5**

Date: 4/12/23  
 Weather: 54°F, mostly sunny  
 Time In: 0905 Time Out: 0950

Well Information		TOC	Other
Depth to Water:	(feet)	<u>4.55</u>	
Depth to Bottom:	(feet)	16.10	
Depth to Product:	(feet)	<u>NP</u>	
Length of Water Column:	(feet)	<u>11.55</u>	
Volume of Water in Well:	(gal)	<u>1.84</u>	
Three Well Volumes:	(gal)	<u>5.54</u>	

Well Type: Flushmount  Stick-Up   
 Well Locked: Yes  No   
 Measuring Point Marked: Yes  No   
 Well Material: PVC  SS  Other: \_\_\_\_\_  
 Well Diameter: 1"  2"  Other: \_\_\_\_\_  
 Comments: \_\_\_\_\_

**Purging Information**

Purging Method: \_\_\_\_\_  
 Tubing/Bailer Material: \_\_\_\_\_  
 Sampling Method: \_\_\_\_\_

Bailer  Peristaltic  Grundfos Pump   
 Teflon  Stainless St.  Polyethylene   
 Bailer  Peristaltic  Grundfos Pump

Average Pumping Rate: 250 (ml/min)  
 Duration of Pumping: 30 (min)  
 Total Volume Removed: 2.5 (gal) Did well go dry? Yes  No

Horiba U-52 Water Quality Meter Used? Yes  No

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>0910</u>	<u>4.71</u>	<u>10.94</u>	<u>7.00</u>	<u>141</u>	<u>0.845</u>	<u>84.9</u>	<u>3.39</u>	<u>0.539</u>
<u>0915</u>	<u>4.72</u>	<u>10.20</u>	<u>7.00</u>	<u>30</u>	<u>0.891</u>	<u>84.9</u>	<u>1.51</u>	<u>0.569</u>
<u>0920</u>	<u>4.73</u>	<u>10.17</u>	<u>6.96</u>	<u>39</u>	<u>0.910</u>	<u>13.3</u>	<u>0.77</u>	<u>0.583</u>
<u>0925</u>	<u>4.74</u>	<u>10.19</u>	<u>6.95</u>	<u>52</u>	<u>0.901</u>	<u>5.2</u>	<u>0.70</u>	<u>0.577</u>
<u>0930</u>	<u>4.74</u>	<u>9.96</u>	<u>6.95</u>	<u>54</u>	<u>0.897</u>	<u>0.0</u>	<u>0.65</u>	<u>0.574</u>
<u>0935</u>	<u>4.74</u>	<u>9.82</u>	<u>6.94</u>	<u>51</u>	<u>0.902</u>	<u>0.0</u>	<u>0.62</u>	<u>0.577</u>
<u>0940</u>	<u>4.74</u>	<u>9.89</u>	<u>6.94</u>	<u>49</u>	<u>0.905</u>	<u>0.0</u>	<u>0.62</u>	<u>0.579</u>

**Sampling Information:**

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-5-0423 Duplicate? Yes  No   
 Sample Time: 0945 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
 Drop-off Albany Service Center

Comments/Notes: \_\_\_\_\_

Laboratory: Pace Analytical  
Greensburg, PA

Sampling Personnel: AS  
 Job Number: 0603324-132410-221  
 Well Id. **MW-6**

Date: 4/12/23  
 Weather: 68°F, Sunny  
 Time In: 1335 Time Out: 1420

Well Information			TOC	Other
Depth to Water:	(feet)		<u>4.05</u>	
Depth to Bottom:	(feet)		<u>14.25</u>	
Depth to Product:	(feet)		<u>NP</u>	
Length of Water Column:	(feet)		<u>10.20</u>	
Volume of Water in Well:	(gal)		<u>1.63</u>	
Three Well Volumes:	(gal)		<u>4.89</u>	

Well Type: Flushmount  Stick-Up   
 Well Locked: Yes  No   
 Measuring Point Marked: Yes  No   
 Well Material: PVC  SS  Other: \_\_\_\_\_  
 Well Diameter: 1"  2"  Other: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Purging Information				Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	gal./ft. of water	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>					
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>					
Average Pumping Rate:	<u>250</u> (ml/min)			1 gallon=3.785L=3785mL=133.7cu. feet				
Duration of Pumping:	<u>30</u> (min)							
Total Volume Removed:	<u>2.5</u> (gal)			Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>							

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1340</u>	<u>4.72</u>	<u>15.98</u>	<u>7.04</u>	<u>-96</u>	<u>1.33</u>	<u>101</u>	<u>0.75</u>	<u>0.886</u>
<u>1345</u>	<u>4.78</u>	<u>13.02</u>	<u>6.95</u>	<u>-42</u>	<u>0.520</u>	<u>7.5</u>	<u>0.51</u>	<u>0.337</u>
<u>1350</u>	<u>4.79</u>	<u>12.72</u>	<u>6.84</u>	<u>-45</u>	<u>0.521</u>	<u>7.2</u>	<u>0.34</u>	<u>0.334</u>
<u>1355</u>	<u>4.80</u>	<u>12.42</u>	<u>6.79</u>	<u>-45</u>	<u>0.512</u>	<u>6.1</u>	<u>0.32</u>	<u>0.328</u>
<u>1400</u>	<u>4.80</u>	<u>12.20</u>	<u>6.79</u>	<u>-39</u>	<u>0.499</u>	<u>5.5</u>	<u>0.38</u>	<u>0.323</u>
<u>1405</u>	<u>4.80</u>	<u>12.10</u>	<u>6.79</u>	<u>-33</u>	<u>0.492</u>	<u>6.1</u>	<u>0.48</u>	<u>0.320</u>
<u>1410</u>	<u>4.80</u>	<u>12.07</u>	<u>6.78</u>	<u>-32</u>	<u>0.492</u>	<u>4.1</u>	<u>0.56</u>	<u>0.320</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-6-0423 Duplicate? Yes  No   
 Sample Time: 1415 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
 Drop-off Albany Service Center

Comments/Notes: \_\_\_\_\_

Laboratory: Pace Analytical  
Greensburg, PA

National Grid  
Sconodoa Street, Oneida New York

Sampling Personnel: Peter Lyon  
Job Number: 0603324-132410-221  
Well Id. MW-7

Date: 4/12/23  
Weather: Sunny 60°  
Time In: 1038 Time Out: 1120

Well Information		
	TOC	Other
Depth to Water: (feet)	<u>23.71</u>	
Depth to Bottom: (feet)	<u>37.20</u>	
Depth to Product: (feet)	<u>-</u>	
Length of Water Column: (feet)	<u>13.49</u>	
Volume of Water in Well: (gal)	<u>8.90</u>	
Three Well Volumes: (gal)	<u>26.71</u>	

Well Type: Flushmount  Stick-Up   
 Well Locked: Yes  No   
 Measuring Point Marked: Yes  No   
 Well Material: PVC  SS  Other: \_\_\_\_\_  
 Well Diameter: 1"  2"  Other: 4"  
 Comments: \_\_\_\_\_

Purging Information		
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Average Pumping Rate: (ml/min)	<u>200</u>	
Duration of Pumping: (min)	<u>30</u>	
Total Volume Removed: (gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1045</u>	<u>23.77</u>	<u>15.08</u>	<u>6.99</u>	<u>-60</u>	<u>1.48</u>	<u>2.3</u>	<u>4.79</u>	<u>0.952</u>
<u>1050</u>	<u>23.77</u>	<u>14.15</u>	<u>6.83</u>	<u>-66</u>	<u>1.54</u>	<u>1.2</u>	<u>2.03</u>	<u>0.989</u>
<u>1055</u>	<u>23.77</u>	<u>13.47</u>	<u>6.77</u>	<u>-64</u>	<u>1.58</u>	<u>1.6</u>	<u>1.59</u>	<u>1.01</u>
<u>1100</u>	<u>23.77</u>	<u>13.54</u>	<u>6.76</u>	<u>-61</u>	<u>1.57</u>	<u>1.2</u>	<u>1.52</u>	<u>1.00</u>
<u>1105</u>	<u>23.77</u>	<u>13.53</u>	<u>6.74</u>	<u>-59</u>	<u>1.56</u>	<u>1.2</u>	<u>1.46</u>	<u>1.00</u>
<u>1110</u>	<u>23.77</u>	<u>13.58</u>	<u>6.73</u>	<u>-55</u>	<u>1.56</u>	<u>0.2</u>	<u>1.42</u>	<u>1.00</u>
<u>1115</u>	<u>23.77</u>	<u>13.49</u>	<u>6.71</u>	<u>-54</u>	<u>1.56</u>	<u>0.2</u>	<u>1.41</u>	<u>1.00</u>

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	2 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample ID: <u>MW-7-0423</u>	Duplicate? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup	<input checked="" type="checkbox"/>
Sample Time: <u>1115</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drop-off Albany Service Center	<input type="checkbox"/>
Comments/Notes: _____		Laboratory: Pace Analytical	Greensburg, PA



National Grid  
Sconodoa Street, Oneida New York

Sampling Personnel: AS  
Job Number: 0603324-132410-221  
Well Id. **MW-ES-8**

Date: 4/12/23  
Weather: 52°F, mostly sunny  
Time In: 0815 Time Out: 0900

Well Information		TOC	Other
Depth to Water:	(feet)	<u>4.38</u>	
Depth to Bottom:	(feet)	<u>14.10</u>	
Depth to Product:	(feet)	<u>NP</u>	
Length of Water Column:	(feet)	<u>9.72</u>	
Volume of Water in Well:	(gal)	<u>1.55</u>	
Three Well Volumes:	(gal)	<u>4.66</u>	

Well Type: Flushmount  Stick-Up   
Well Locked: Yes  No   
Measuring Point Marked: Yes  No   
Well Material: PVC  SS  Other: \_\_\_\_\_  
Well Diameter: 1"  2"  Other: \_\_\_\_\_  
Comments: \_\_\_\_\_

**Purging Information**

Purging Method: \_\_\_\_\_ Bailer  Peristaltic  Grundfos Pump   
Tubing/Bailer Material: Teflon  Stainless St.  Polyethylene   
Sampling Method: Bailer  Peristaltic  Grundfos Pump   
Average Pumping Rate: 250 (ml/min)  
Duration of Pumping: 30 (min)  
Total Volume Removed: 2.5 (gal) Did well go dry? Yes  No   
Horiba U-52 Water Quality Meter Used? Yes  No

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>0820</u>	<u>4.82</u>	<u>11.28</u>	<u>7.13</u>	<u>178</u>	<u>0.860</u>	<u>77.1</u>	<u>5.78</u>	<u>0.539</u>
<u>0825</u>	<u>5.01</u>	<u>11.24</u>	<u>7.02</u>	<u>193</u>	<u>0.838</u>	<u>44.4</u>	<u>5.29</u>	<u>0.536</u>
<u>0830</u>	<u>5.32</u>	<u>11.28</u>	<u>6.99</u>	<u>206</u>	<u>0.822</u>	<u>28.6</u>	<u>5.21</u>	<u>0.527</u>
<u>0835</u>	<u>5.99</u>	<u>11.24</u>	<u>6.98</u>	<u>216</u>	<u>0.807</u>	<u>13.8</u>	<u>5.09</u>	<u>0.516</u>
<u>0835</u>	<u>6.72</u>	<u>11.26</u>	<u>6.97</u>	<u>223</u>	<u>0.807</u>	<u>7.8</u>	<u>4.81</u>	<u>0.517</u>
<u>0840</u>	<u>6.99</u>	<u>11.34</u>	<u>6.97</u>	<u>225</u>	<u>0.808</u>	<u>5.7</u>	<u>4.64</u>	<u>0.517</u>
<u>0845</u>	<u>7.29</u>	<u>11.35</u>	<u>6.97</u>	<u>226</u>	<u>0.810</u>	<u>6.9</u>	<u>4.53</u>	<u>0.519</u>
<u>0850</u>	<u>7.45</u>	<u>11.39</u>	<u>6.98</u>	<u>228</u>	<u>0.817</u>	<u>32.9</u>	<u>4.47</u>	<u>0.523</u>

**Sampling Information:**

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-ES-8-0423 Duplicate? Yes  No   
Sample Time: 0855 MS/MSD? Yes  No   
Shipped: Pace Courier Pickup   
Drop-off Albany Service Center

Laboratory: Pace Analytical  
Greensburg, PA

Comments/Notes: \_\_\_\_\_

National Grid  
Sconodoa Street, Oneida New York

Sampling Personnel: Peter Lyon  
 Job Number: 0603324-132410-221  
 Well Id. MW-9

Date: 4/12/23  
 Weather: Sunny 60°  
 Time In: 0948 Time Out: 1030

Well Information		
	TOC	Other
Depth to Water: (feet)	<u>21.95</u>	
Depth to Bottom: (feet)	<u>40.50</u>	
Depth to Product: (feet)	<u>-</u>	
Length of Water Column: (feet)	<u>18.55</u>	
Volume of Water in Well: (gal)	<u>12.21</u>	
Three Well Volumes: (gal)	<u>36.22</u>	

Well Type:	Flushmount <input type="checkbox"/>	Stick-Up <input checked="" type="checkbox"/>
Well Locked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Measuring Point Marked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Well Material:	PVC <input checked="" type="checkbox"/> SS <input type="checkbox"/>	Other: _____
Well Diameter:	1" <input type="checkbox"/> 2" <input type="checkbox"/>	Other: <u>4"</u>
Comments:		

Purging Information		
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>
Average Pumping Rate: (ml/min)	<u>200</u>	
Duration of Pumping: (min)	<u>30</u>	
Total Volume Removed: (gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>0950</u>	<u>22.15</u>	<u>12.34</u>	<u>7.31</u>	<u>-57</u>	<u>1.02</u>	<u>12.2</u>	<u>2.84</u>	<u>0.649</u>
<u>0955</u>	<u>22.17</u>	<u>12.48</u>	<u>7.24</u>	<u>-25</u>	<u>0.952</u>	<u>6.8</u>	<u>1.66</u>	<u>0.609</u>
<u>1000</u>	<u>22.18</u>	<u>12.62</u>	<u>7.24</u>	<u>-24</u>	<u>0.939</u>	<u>6.0</u>	<u>1.49</u>	<u>0.601</u>
<u>1005</u>	<u>22.19</u>	<u>12.77</u>	<u>7.23</u>	<u>-22</u>	<u>0.933</u>	<u>6.1</u>	<u>1.43</u>	<u>0.592</u>
<u>1010</u>	<u>22.18</u>	<u>12.97</u>	<u>7.20</u>	<u>-68</u>	<u>0.934</u>	<u>6.5</u>	<u>1.41</u>	<u>0.598</u>
<u>1015</u>	<u>22.18</u>	<u>13.23</u>	<u>7.10</u>	<u>-92</u>	<u>0.968</u>	<u>4.8</u>	<u>1.38</u>	<u>0.620</u>
<u>1020</u>	<u>22.18</u>	<u>13.26</u>	<u>7.03</u>	<u>-98</u>	<u>0.997</u>	<u>3.7</u>	<u>1.37</u>	<u>0.639</u>

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	6 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	9 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	3 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
<b>MW-9-MS-0423</b>	<b>MW-9-MSD-0423</b>		
Sample ID: <u>MW-9-0423</u>	Duplicate? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup	<input checked="" type="checkbox"/>
Sample Time: <u>1020</u>	MS/MSD? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>	Drop-off Albany Service Center	<input type="checkbox"/>
Comments/Notes:	Laboratory: Pace Analytical Greensburg, PA		

National Grid  
Sconondua Street, Oneida New York

Sampling Personnel: Peter Lyon  
Job Number: 0603324-132410-221  
Well Id. **MW-ES-10S**

Date: 4/12/23  
Weather: 70° Sunny  
Time In: 1217 Time Out: 1300

Well Information			TOC	Other
Depth to Water:	(feet)	<u>6.52</u>		
Depth to Bottom:	(feet)	<u>14.50</u>		
Depth to Product:	(feet)	<u>-</u>		
Length of Water Column:	(feet)	<u>7.98</u>		
Volume of Water in Well:	(gal)	<u>1.27</u>		
Three Well Volumes:	(gal)	<u>3.83</u>		

Well Type: Flushmount  Stick-Up   
Well Locked: Yes  No   
Measuring Point Marked: Yes  No   
Well Material: PVC  SS  Other: \_\_\_\_\_  
Well Diameter: 1"  2"  Other: \_\_\_\_\_  
Comments: \_\_\_\_\_

Purging Information				Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	gal/ft. of water	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>		0.04	0.16	0.66	1.47
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	1 gallon=3.785L=3785mL=1337cu. feet				
Average Pumping Rate:	(ml/min)	<u>250</u>	Did well go dry?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>			
Duration of Pumping:	(min)	<u>30</u>	Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>			
Total Volume Removed:	(gal)	<u>2</u>						

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1220</u>	<u>6.60</u>	<u>20.11</u>	<u>6.90</u>	<u>-58</u>	<u>2.56</u>	<u>25.2</u>	<u>2.03</u>	<u>1.63</u>
<u>1225</u>	<u>6.59</u>	<u>19.95</u>	<u>6.94</u>	<u>-74</u>	<u>2.52</u>	<u>26.2</u>	<u>1.60</u>	<u>1.61</u>
<u>1230</u>	<u>6.59</u>	<u>18.52</u>	<u>6.94</u>	<u>-89</u>	<u>2.40</u>	<u>15.0</u>	<u>1.20</u>	<u>1.53</u>
<u>1235</u>	<u>6.59</u>	<u>17.94</u>	<u>6.94</u>	<u>-93</u>	<u>2.39</u>	<u>13.8</u>	<u>1.18</u>	<u>1.53</u>
<u>1240</u>	<u>6.59</u>	<u>17.58</u>	<u>6.95</u>	<u>-96</u>	<u>2.39</u>	<u>10.7</u>	<u>1.18</u>	<u>1.53</u>
<u>1245</u>	<u>6.59</u>	<u>17.56</u>	<u>6.95</u>	<u>-97</u>	<u>2.38</u>	<u>10.6</u>	<u>1.18</u>	<u>1.52</u>
<u>1250</u>	<u>6.59</u>	<u>17.58</u>	<u>6.95</u>	<u>-99</u>	<u>2.37</u>	<u>4.5</u>	<u>1.18</u>	<u>1.52</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-ES-10S-0423 Duplicate? Yes  No   
 Sample Time: 1250 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
 Drop-off Albany Service Center

Comments/Notes: \_\_\_\_\_

Laboratory: Pace Analytical  
Greensburg, PA

Sampling Personnel: Elk 40  
 Job Number: 0603324-132410-221  
 Well Id. **MW-11**

Date: 4/12/23  
 Weather: Sunny 60°  
 Time In: 0820 Time Out: 0900

Well Information		TOC	Other
Depth to Water:	(feet)	<u>7.06</u>	
Depth to Bottom:	(feet)	<u>18.50</u>	
Depth to Product:	(feet)	<u>-</u>	
Length of Water Column:	(feet)	<u>11.50</u>	
Volume of Water in Well:	(gal)	<u>181</u>	
Three Well Volumes:	(gal)	<u>5.52</u>	

Well Type: Flushmount  Stick-Up   
 Well Locked: Yes  No   
 Measuring Point Marked: Yes  No   
 Well Material: PVC  SS  Other: \_\_\_\_\_  
 Well Diameter: 1"  2"  Other: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Purging Information		Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/> Grundfos Pump <input type="checkbox"/>	gal/ft.	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/> Polyethylene <input checked="" type="checkbox"/>	of				
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/> Grundfos Pump <input type="checkbox"/>	water	0.04	0.16	0.66	1.47
Average Pumping Rate:	(ml/min) <u>200</u>	1 gallon=3.785L=3785mL=1337cu. feet				
Duration of Pumping:	(min) <u>30</u>					
Total Volume Removed:	(gal) <u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>0825</u>	<u>6.97</u>	<u>11.14</u>	<u>8.19</u>	<u>-153</u>	<u>0.748</u>	<u>838</u>	<u>3.23</u>	<u>0.481</u>
<u>0830</u>	<u>6.96</u>	<u>10.76</u>	<u>7.89</u>	<u>-147</u>	<u>0.782</u>	<u>891</u>	<u>2.39</u>	<u>0.500</u>
<u>0835</u>	<u>6.96</u>	<u>10.57</u>	<u>7.57</u>	<u>-151</u>	<u>0.777</u>	<u>71.4</u>	<u>1.99</u>	<u>0.498</u>
<u>0840</u>	<u>6.98</u>	<u>10.23</u>	<u>7.48</u>	<u>-153</u>	<u>0.892</u>	<u>72.7</u>	<u>1.89</u>	<u>0.507</u>
<u>0845</u>	<u>6.99</u>	<u>10.26</u>	<u>7.41</u>	<u>-123</u>	<u>0.827</u>	<u>33.7</u>	<u>3.62</u>	<u>0.530</u>
<u>0850</u>	<u>6.96</u>	<u>10.28</u>	<u>7.36</u>	<u>-143</u>	<u>0.831</u>	<u>22.0</u>	<u>1.91</u>	<u>0.532</u>
<u>0855</u>	<u>6.96</u>	<u>10.39</u>	<u>7.35</u>	<u>-147</u>	<u>0.841</u>	<u>14.4</u>	<u>1.71</u>	<u>0.539</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-11-0423 Duplicate? Yes  No   
 Sample Time: 0855 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
 Drop-off Albany Service Center

Laboratory: Pace Analytical  
Greensburg, PA

Comments/Notes: \_\_\_\_\_

National Grid  
Sconodoa Street, Oneida New York

Sampling Personnel: Peter Lyon  
Job Number: 0603324-132410-221  
Well Id. MW-12

Date: 4/12/23  
Weather: Sunny 60°  
Time In: 0903 Time Out: 0940

Well Information			TOC	Other
Depth to Water:	(feet)	<u>2.62</u>		
Depth to Bottom:	(feet)	<u>14.30</u>		
Depth to Product:	(feet)	<u>-</u>		
Length of Water Column:	(feet)	<u>11.68</u>		
Volume of Water in Well:	(gal)	<u>1.86</u>		
Three Well Volumes:	(gal)	<u>5.60</u>		

Well Type: Flushmount  Stick-Up   
 Well Locked: Yes  No   
 Measuring Point Marked: Yes  No   
 Well Material: PVC  SS  Other: \_\_\_\_\_  
 Well Diameter: 1"  2"  Other: \_\_\_\_\_  
 Comments: \_\_\_\_\_

**Purging Information**

Purging Method: \_\_\_\_\_ Bailer  Peristaltic  Grundfos Pump   
 Tubing/Bailer Material: \_\_\_\_\_ Teflon  Stainless St.  Polyethylene   
 Sampling Method: \_\_\_\_\_ Bailer  Peristaltic  Grundfos Pump   
 Average Pumping Rate: (ml/min) 200  
 Duration of Pumping: (min) 30  
 Total Volume Removed: (gal) 2 Did well go dry? Yes  No   
 Horiba U-52 Water Quality Meter Used? Yes  No

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
0905	2.70	12.82	7.08	-89	5.16	37.4	3.28	3.26
0910	2.70	12.32	7.17	-78	5.32	16.7	2.23	3.35
0915	2.70	11.21	7.12	-64	4.83	11.1	1.53	3.08
0920	2.72	11.18	7.05	-63	4.62	2.4	1.51	2.95
0925	2.72	11.09	7.01	-64	4.49	3.6	1.48	2.77
0930	2.72	10.90	6.99	-66	4.44	1.7	1.43	2.74
0935	2.72	10.87	6.98	-67	4.43	1.2	1.42	2.83

**Sampling Information:**

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-12-0423 Duplicate? Yes  No   
 Sample Time: 0935 MS/MSD? Yes  No   
 Shipped: Pace Courier Pickup   
 Drop-off Albany Service Center

Laboratory: Pace Analytical  
Greensburg, PA

Comments/Notes: \_\_\_\_\_

National Grid  
Sconodda Street, Oneida New York

Sampling Personnel: Peter Lyon  
Job Number: 0603324-132410-221  
Well Id. **MW-103**

Date: 4/12/23  
Weather: Sunny 70°  
Time In: 1122 Time Out: 1200

Well Information		TOC	Other
Depth to Water:	(feet)	<u>25.95</u>	
Depth to Bottom:	(feet)	<u>40.00</u>	
Depth to Product:	(feet)	<u>-</u>	
Length of Water Column:	(feet)	<u>14.05</u>	
Volume of Water in Well:	(gal)	<u>2.24</u>	
Three Well Volumes:	(gal)	<u>6.74</u>	

Well Type: Flushmount  Stick-Up   
 Well Locked: Yes  No   
 Measuring Point Marked: Yes  No   
 Well Material: PVC  SS  Other: \_\_\_\_\_  
 Well Diameter: 1"  2"  Other: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Purging Information		Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/> Grundfos Pump <input type="checkbox"/>	gal/ft.	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/> Polyethylene <input checked="" type="checkbox"/>	of				
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/> Grundfos Pump <input type="checkbox"/>	water	0.04	0.16	0.66	1.47
Average Pumping Rate:	(ml/min) <u>200</u>	1 gallon=3.785L=3785mL=1337cu. feet				
Duration of Pumping:	(min) <u>30</u>					
Total Volume Removed:	(gal) <u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1125</u>	<u>26.05</u>	<u>17.79</u>	<u>7.14</u>	<u>-67</u>	<u>1.25</u>	<u>1000+</u>	<u>5.33</u>	<u>0.783</u>
<u>1130</u>	<u>26.05</u>	<u>17.78</u>	<u>7.00</u>	<u>-64</u>	<u>1.26</u>	<u>1000+</u>	<u>1.30</u>	<u>0.802</u>
<u>1135</u>	<u>26.05</u>	<u>16.46</u>	<u>6.88</u>	<u>-66</u>	<u>1.19</u>	<u>422</u>	<u>1.61</u>	<u>0.759</u>
<u>1140</u>	<u>26.05</u>	<u>16.78</u>	<u>6.84</u>	<u>-68</u>	<u>1.12</u>	<u>92.1</u>	<u>1.47</u>	<u>0.745</u>
<u>1145</u>	<u>26.05</u>	<u>17.48</u>	<u>6.85</u>	<u>-69</u>	<u>1.15</u>	<u>69.2</u>	<u>1.96</u>	<u>0.737</u>
<u>1150</u>	<u>26.05</u>	<u>17.92</u>	<u>6.87</u>	<u>-71</u>	<u>1.15</u>	<u>53.2</u>	<u>1.66</u>	<u>0.732</u>
<u>1155</u>	<u>26.05</u>	<u>18.08</u>	<u>6.88</u>	<u>-73</u>	<u>1.14</u>	<u>22.6</u>	<u>1.79</u>	<u>0.730</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-103-0423 Duplicate? Yes  No   
 Sample Time: 1155 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
 Drop-off Albany Service Center

Laboratory: Pace Analytical  
Greensburg, PA

Comments/Notes: \_\_\_\_\_



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

### Section A

Required Client Information:  
Company: GES - Syracuse

Address: 6780 Northern Blvd, Suite 100  
East Syracuse, New York 13057

Email To: dshay@gesonline.com

Phone: 800.220.3089 Fax: None  
x4051

Requested Due Date/TAT: Standard

### Section B

Required Project Information:  
Report To: Devin Shay (GES)  
dshay@gesonline.com

Report To: Tim Beaumont (GES)  
tbeaumont@gesonline.com

Purchase Order No.:

Project Name: National Grid - Oneida  
Schoharie St, Oneida NY

Project Number:  
0003324-132410-221-1106

### Section C

Invoice Information:  
Attention: Accounts Payable via email at ges-invoicing@gesonline.com

Company Name: Groundwater & Environmental Services, Inc.  
Address: 6780 Northern Blvd, Suite 100, East Syracuse, NY 13057

Pace Quote Reference:  
Pace Project Manager: Rachel Chrisher

Pace Profile #:

**REGULATORY AGENCY**  
 NPDES  GROUND WATER  DRINKING WATER  
 UST  RCRA  OTHER

**SITE**  
 3A  L  HER  
 3H  C  I

**LOCATION**  
 Filtered (Y/N)  
 Requested Analysis:

ITEM #	Required Client Information	MATRIX	SAMPLE ID	COLLECTED		DATE	TIME	DATE	TIME	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
				WT	G											WT	G	Temp in °C	Received on loc
1	MW-1-0423	WT	G	4/14/13	1315	4/14/13	1315	4/14/13	15:15	D. J. [Signature]	4/14/13	15:15	D. J. [Signature]	4/14/13	15:15				
2	MW-2-0423	WT	G	1220															
3	MW-3-0423	WT	G	1130															
4	MW-4-0423	WT	G	1040															
5	MW-5-0423	WT	G	0945															
6	MW-6-0423	WT	G	1415															
7	MW-7-0423	WT	G	1115															
8	MW-ES-8-0423	WT	G	0855															
9	MW-9-0423	WT	G	1620															
10	MW-9-MS-0423	WT	G	1620															
11	MW-9-MSD-0423	WT	G	1620															
12	MW-ES-10S-0423	WT	G	1250															
13	MW-11-0423	WT	G	0855															
14	MW-12-0423	WT	G	0935															
15	MW-103-0423	WT	G	1155															
16	FD-0423	WT	G	1200															
17	Trip Blanks	WT	G																

Additional Comments:

SAMPLES WILL ARRIVE IN # COOLERS.

Please send reports to: dshay@gesonline.com, tbeaumont@gesonline.com

mailto:dshay@gesonline.com, ges@gesonline.com

SPECIFIC EDD NAME:

NGOneida-tabnumber.28351.EQEDD.zip

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed (MM/DD/YY)

Well ID	Sample?	Well Size	DTW	DTP	DTB	Comments
MW-1	Yes	4"	7.19	—	19.70	
MW-2	Yes	2"	6.78	—	17.66	Field Duplicate
MW-3	Yes	2"	<del>4.58</del> 4.58	—	14.13	
MW-4	Yes	2"	5.47	—	13.34	
MW-5	Yes	2"	6.14	—	16.10	
MW-6	Yes	2"	5.34	—	14.25	
MW-7	Yes	4"	25.54	—	37.20	
MW-ES-8	Yes	2"	7.01	—	14.10	
MW-9	Yes	4"	25.12	—	40.50	MS/MSD
MW-ES-10S	Yes	2"	7.30	—	14.50	
MW-11	Yes	2"	8.05	—	18.50	
MW-12	Yes	2"	3.59	—	14.30	
MW-103	Yes	2"	26.90	—	40.00	
RW-1	No	6"	—	—	28.52	Abandoned

DTW -depth to water

DTP -depth to product

DTB -depth to bottom



National Grid  
Sconodoa Street, Oneida New York

Sampling Personnel: AT

Date: 10/12/23

Job Number: 0603400-132410-221

Weather:

Well Id. **MW-1**

Time In: 1250 Time Out:

Well Information		
	TOC	Other
Depth to Water: (feet)	<u>719</u>	
Depth to Bottom: (feet)	19.70	
Depth to Product: (feet)	<u>-</u>	
Length of Water Column: (feet)	<u>12.51</u>	
Volume of Water in Well: (gal)	<u>8.00</u>	
Three Well Volumes: (gal)	<u>24.01</u>	

Well Type: Flushmount  Stick-Up   
 Well Locked: Yes  No   
 Measuring Point Marked: Yes  No   
 Well Material: PVC  SS  Other: \_\_\_\_\_  
 Well Diameter: 1"  2"  Other: \_\_\_\_\_  
 Comments:

Purging Information		
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Average Pumping Rate: <u>200</u> (ml/min)		
Duration of Pumping: <u>30</u> (min)		
Total Volume Removed: <u>2.5</u> (gal)	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1255</u>	<u>7.35</u>	<u>18.70</u>	<u>6.85</u>	<u>-101</u>	<u>2.20</u>	<u>46.7</u>	<u>0.56</u>	<u>1.40</u>
<u>1300</u>	<u>7.57</u>	<u>18.33</u>	<u>7.03</u>	<u>-138</u>	<u>2.27</u>	<u>109</u>	<u>0.67</u>	<u>1.45</u>
<u>1305</u>	<u>7.72</u>	<u>17.89</u>	<u>6.82</u>	<u>-151</u>	<u>2.31</u>	<u>116</u>	<u>0.41</u>	<u>1.49</u>
<u>1310</u>	<u>7.83</u>	<u>17.91</u>	<u>6.77</u>	<u>-153</u>	<u>2.34</u>	<u>118</u>	<u>0.36</u>	<u>1.49</u>
<u>1315</u>	<u>7.95</u>	<u>18.02</u>	<u>6.76</u>	<u>-153</u>	<u>2.34</u>	<u>119</u>	<u>0.35</u>	<u>1.50</u>
<u>1320</u>	<u>8.05</u>	<u>18.07</u>	<u>6.75</u>	<u>-151</u>	<u>2.34</u>	<u>118</u>	<u>0.34</u>	<u>1.50</u>
<u>1325</u>	<u>8.10</u>	<u>18.10</u>	<u>6.74</u>	<u>-149</u>	<u>2.33</u>	<u>114</u>	<u>0.34</u>	<u>1.49</u>

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	2 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample ID: <u>MW-1-1023</u>	Duplicate? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup	<input checked="" type="checkbox"/>
Sample Time: <u>1330</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drop-off Albany Service Center	<input type="checkbox"/>
Comments/Notes:		Laboratory: Pace Analytical	Greensburg, PA

National Grid  
Sconodoa Street, Oneida New York

1000

Sampling Personnel: AB

Date: 10/12/23

Job Number: 0603400-132410-221

Weather: 55°F cloudy

Well Id. **MW-2**

Time In: 1135 Time Out: 1220

Well Information		TOC	Other
Depth to Water:	(feet)	<u>6.78</u>	
Depth to Bottom:	(feet)	17.66	
Depth to Product:	(feet)	-	
Length of Water Column:	(feet)	<u>4.88</u>	
Volume of Water in Well:	(gal)	<u>0.78</u>	
Three Well Volumes:	(gal)	<u>2.3</u>	

Well Type:	Flushmount <input checked="" type="checkbox"/>	Stick-Up <input type="checkbox"/>
Well Locked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Measuring Point Marked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Well Material:	PVC <input checked="" type="checkbox"/> SS <input type="checkbox"/> Other: _____	
Well Diameter:	1" <input type="checkbox"/> 2" <input checked="" type="checkbox"/> Other: _____	
Comments:	_____	

Purging Information			
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Average Pumping Rate:	<u>200</u> (ml/min)		
Duration of Pumping:	<u>30</u> (min)		
Total Volume Removed:	<u>3</u> (gal)	Did well go dry? Yes <input type="checkbox"/> No <input type="checkbox"/>	
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=133.7cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1140</u>	<u>6.80</u>	<u>16.91</u>	<u>7.47</u>	<u>106</u>	<u>0.593</u>	<u>0.0</u>	<u>2.79</u>	<u>0.380</u>
<u>1145</u>	<u>6.86</u>	<u>17.01</u>	<u>7.51</u>	<u>96</u>	<u>0.597</u>	<u>1000</u>	<u>2.67</u>	<u>0.384</u>
<u>1150</u>	<u>6.86</u>	<u>17.88</u>	<u>7.75</u>	<u>47</u>	<u>0.622</u>	<u>326</u>	<u>2.44</u>	<u>0.389</u>
<u>1155</u>	<u>6.87</u>	<u>18.13</u>	<u>7.70</u>	<u>40</u>	<u>0.623</u>	<u>288</u>	<u>2.06</u>	<u>0.399</u>
<u>1200</u>	<u>6.87</u>	<u>18.18</u>	<u>7.56</u>	<u>27</u>	<u>0.685</u>	<u>266</u>	<u>1.68</u>	<u>0.440</u>
<u>1205</u>	<u>6.88</u>	<u>18.13</u>	<u>7.52</u>	<u>11</u>	<u>0.708</u>	<u>214</u>	<u>1.40</u>	<u>0.453</u>
<u>1210</u>	<u>6.88</u>	<u>17.49</u>	<u>7.61</u>	<u>2</u>	<u>0.860</u>	<u>123</u>	<u>1.17</u>	<u>0.556</u>

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	4 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	6 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	2 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
<b>FD-1023</b>			
Sample ID: <u>MW-2-1023</u>	Duplicate? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Shipped: Pace Courier Pickup	<input checked="" type="checkbox"/>
Sample Time: <u>1215</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drop-off Albany Service Center	<input type="checkbox"/>
Comments/Notes: _____		Laboratory: Pace Analytical	Greensburg, PA

National Grid  
Sconodoo Street, Oneida New York

Sampling Personnel: AS  
Job Number: 0603400-132410-221  
Well Id. **MW-3**

Date: 10/12/23  
Weather: 56°F, mostly cloudy  
Time In: 1045 Time Out: 1130

Well Information		
	TOC	Other
Depth to Water: (feet)	<u>4.98</u>	
Depth to Bottom: (feet)	14.13	
Depth to Product: (feet)	<u>-</u>	
Length of Water Column: (feet)	<u>9.15</u>	
Volume of Water in Well: (gal)	<u>1.46</u>	
Three Well Volumes: (gal)	<u>4.39</u>	

Well Type: Flushmount  Stick-Up   
 Well Locked: Yes  No   
 Measuring Point Marked: Yes  No   
 Well Material: PVC  SS  Other: \_\_\_\_\_  
 Well Diameter: 1"  2"  Other: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Purging Information		
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Average Pumping Rate: <u>200</u> (ml/min)		
Duration of Pumping: <u>30</u> (min)		
Total Volume Removed: <u>2.5</u> (gal)	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Horiba U-52 Water Quality Meter Used? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1050</u>	<u>5.16</u>	<u>19.02</u>	<u>7.17</u>	<u>89</u>	<u>0.593</u>	<u>453</u>	<u>3.30</u>	<u>0.380</u>
<u>1055</u>	<u>5.26</u>	<u>19.22</u>	<u>7.09</u>	<u>93</u>	<u>0.590</u>	<u>190</u>	<u>3.45</u>	<u>0.372</u>
<u>1100</u>	<u>5.30</u>	<u>19.51</u>	<u>7.06</u>	<u>97</u>	<u>0.560</u>	<u>39.0</u>	<u>3.77</u>	<u>0.359</u>
<u>1105</u>	<u>5.35</u>	<u>19.64</u>	<u>7.06</u>	<u>100</u>	<u>0.554</u>	<u>31.8</u>	<u>3.81</u>	<u>0.355</u>
<u>1110</u>	<u>5.35</u>	<u>19.75</u>	<u>7.06</u>	<u>98</u>	<u>0.554</u>	<u>23.6</u>	<u>3.56</u>	<u>0.360</u>
<u>1115</u>	<u>5.40</u>	<u>19.81</u>	<u>7.05</u>	<u>92</u>	<u>0.570</u>	<u>14.7</u>	<u>3.32</u>	<u>0.365</u>
<u>1120</u>	<u>5.42</u>	<u>19.88</u>	<u>7.05</u>	<u>86</u>	<u>0.573</u>	<u>11.2</u>	<u>3.15</u>	<u>0.367</u>

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	2 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample ID: <b>MW-3-1023</b>	Duplicate? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup	<input checked="" type="checkbox"/>
Sample Time: <u>1125</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drop-off Albany Service Center	<input type="checkbox"/>
Comments/Notes:		Laboratory: Pace Analytical	Greensburg, PA

National Grid  
Sconodoa Street, Oneida New York

Sampling Personnel: AB

Date: 10/12/23

Job Number: 0603400-132410-221

Weather: \_\_\_\_\_

Well Id. MW-4

Time In: 1040 Time Out: 1125

Well Information			TOC	Other
Depth to Water:	(feet)	<u>5.47</u>		
Depth to Bottom:	(feet)	<u>13.34</u>		
Depth to Product:	(feet)	<u>-</u>		
Length of Water Column:	(feet)	<u>7.78</u>		
Volume of Water in Well:	(gal)	<u>1.26</u>		
Three Well Volumes:	(gal)	<u>3.78</u>		

Well Type:	Flushmount	<input checked="" type="checkbox"/>	Stick-Up	<input type="checkbox"/>
Well Locked:	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Measuring Point Marked:	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
Well Material:	PVC	<input checked="" type="checkbox"/>	SS	<input type="checkbox"/>
Well Diameter:	1"	<input type="checkbox"/>	2"	<input checked="" type="checkbox"/>
Comments:	_____			

Purging Information				Conversion Factors			
Purging Method:	Bailer	<input type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>	Grundfos Pump	<input type="checkbox"/>	
Tubing/Bailer Material:	Teflon	<input type="checkbox"/>	Stainless St.	<input type="checkbox"/>	Polyethylene	<input checked="" type="checkbox"/>	
Sampling Method:	Bailer	<input type="checkbox"/>	Peristaltic	<input checked="" type="checkbox"/>	Grundfos Pump	<input type="checkbox"/>	
Average Pumping Rate:	<u>200</u> (ml/min)						
Duration of Pumping:	<u>30</u> (min)						
Total Volume Removed:	<u>~4</u> (gal)	Did well go dry?		Yes	<input type="checkbox"/>	No	<input type="checkbox"/>
Horiba U-52 Water Quality Meter Used?	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>			

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1045</u>	<u>5.64</u>	<u>17.85</u>	<u>7.22</u>	<u>-94</u>	<u>0.685</u>	<u>10.3</u>	<u>1.34</u>	<u>0.437</u>
<u>1050</u>	<u>5.87</u>	<u>18.04</u>	<u>7.29</u>	<u>-96</u>	<u>0.669</u>	<u>11.4</u>	<u>1.02</u>	<u>0.425</u>
<u>1055</u>	<u>6.02</u>	<u>18.22</u>	<u>7.49</u>	<u>-101</u>	<u>0.637</u>	<u>10.9</u>	<u>0.75</u>	<u>0.408</u>
<u>1100</u>	<u>5.84</u>	<u>18.21</u>	<u>7.62</u>	<u>-111</u>	<u>0.641</u>	<u>4.9</u>	<u>0.65</u>	<u>0.411</u>
<u>1105</u>	<u>5.84</u>	<u>18.29</u>	<u>7.70</u>	<u>-122</u>	<u>0.643</u>	<u>5.3</u>	<u>0.63</u>	<u>0.412</u>
<u>1110</u>	<u>5.82</u>	<u>18.30</u>	<u>7.85</u>	<u>-136</u>	<u>0.655</u>	<u>3.6</u>	<u>0.61</u>	<u>0.420</u>
<u>1115</u>	<u>5.83</u>	<u>18.23</u>	<u>7.90</u>	<u>-140</u>	<u>0.656</u>	<u>3.3</u>	<u>0.59</u>	<u>0.422</u>

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	2 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample ID: <u>MW-4-1023</u>	Duplicate?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup <input checked="" type="checkbox"/>
Sample Time: <u>1120</u>	MS/MSD?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drop-off Albany Service Center <input type="checkbox"/>
Comments/Notes: _____		Laboratory: Pace Analytical Greensburg, PA	

National Grid  
Sconodoa Street, Oneida New York

Sampling Personnel: AB  
Job Number: 0603400-132410-221  
Well Id. MW-5

Date: 10/12/23  
Weather: 52°F cloudy  
Time In: 0945 Time Out: 1030

Well Information		
	TOC	Other
Depth to Water: (feet)	<u>6.14</u>	
Depth to Bottom: (feet)	<u>16.10</u>	
Depth to Product: (feet)	<u>-</u>	
Length of Water Column: (feet)	<u>9.96</u>	
Volume of Water in Well: (gal)	<u>1.59</u>	
Three Well Volumes: (gal)	<u>4.7</u>	

Well Type: Flushmount  Stick-Up   
Well Locked: Yes  No   
Measuring Point Marked: Yes  No   
Well Material: PVC  SS  Other: \_\_\_\_\_  
Well Diameter: 1"  2"  Other: \_\_\_\_\_  
Comments: \_\_\_\_\_

**Purging Information**

Purging Method: \_\_\_\_\_ Bailer  Peristaltic  Grundfos Pump   
Tubing/Bailer Material: Teflon  Stainless St.  Polyethylene   
Sampling Method: Bailer  Peristaltic  Grundfos Pump   
Average Pumping Rate: 200 (ml/min)  
Duration of Pumping: 30 (min)  
Total Volume Removed: \_\_\_\_\_ (gal) Did well go dry? Yes  No   
Horiba U-52 Water Quality Meter Used? Yes  No

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47

1 gallon=3.785L=3785mL=1337cu. feet

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>0950</u>	<u>6.36</u>	<u>17.01</u>	<u>5.95</u>	<u>18</u>	<u>0.800</u>	<u>13.9</u>	<u>1.83</u>	<u>0.512</u>
<u>0955</u>	<u>6.42</u>	<u>17.58</u>	<u>6.01</u>	<u>25</u>	<u>0.797</u>	<u>9.2</u>	<u>1.52</u>	<u>0.510</u>
<u>1000</u>	<u>6.46</u>	<u>18.39</u>	<u>6.72</u>	<u>3</u>	<u>0.791</u>	<u>1.9</u>	<u>0.95</u>	<u>0.506</u>
<u>1005</u>	<u>6.50</u>	<u>18.60</u>	<u>6.82</u>	<u>4</u>	<u>0.784</u>	<u>1.5</u>	<u>0.90</u>	<u>0.502</u>
<u>1010</u>	<u>6.52</u>	<u>18.77</u>	<u>6.84</u>	<u>6</u>	<u>0.780</u>	<u>1.3</u>	<u>0.90</u>	<u>0.499</u>
<u>1015</u>	<u>6.52</u>	<u>18.96</u>	<u>6.88</u>	<u>4</u>	<u>0.779</u>	<u>1.0</u>	<u>0.83</u>	<u>0.499</u>
<u>1020</u>	<u>6.52</u>	<u>19.00</u>	<u>6.80</u>	<u>5</u>	<u>0.780</u>	<u>0.9</u>	<u>0.76</u>	<u>0.499</u>

**Sampling Information:**

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-5-1023 Duplicate? Yes  No   
Sample Time: 1025 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
Drop-off Albany Service Center

Laboratory: Pace Analytical  
Greensburg, PA

Comments/Notes: \_\_\_\_\_

National Grid  
 Sconodoa Street, Oneida New York

Sampling Personnel: AB  
 Job Number: 0603400-132410-221  
 Well Id. **MW-6**

Date: 10/12/23  
 Weather: 55°F - Cloudy  
 Time In: 1250 Time Out: 1335

Well Information		TOC	Other
Depth to Water:	(feet)	<u>5.34</u>	
Depth to Bottom:	(feet)	<u>14.25</u>	
Depth to Product:	(feet)	<u>8.91 NP</u>	<u>MS</u>
Length of Water Column:	(feet)	<u>1.43</u>	<u>8.91</u>
Volume of Water in Well:	(gal)	<u>4.143</u>	<u>MS</u>
Three Well Volumes:	(gal)	<u>4.28</u>	

Well Type:	Flushmount <input checked="" type="checkbox"/>	Stick-Up <input type="checkbox"/>
Well Locked:	Yes <input type="checkbox"/>	No <input type="checkbox"/>
Measuring Point Marked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Well Material:	PVC <input checked="" type="checkbox"/> SS <input type="checkbox"/> Other: _____	
Well Diameter:	1" <input type="checkbox"/> 2" <input checked="" type="checkbox"/> Other: _____	
Comments:	_____	

Purging Information		Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	gal./ft. of water	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/>		0.04	0.16	0.66	1.47
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>		1 gallon=3.785L=3785mL=133.7cu. feet			
Average Pumping Rate:	<u>200</u> (ml/min)	Grundfos Pump <input type="checkbox"/>				
Duration of Pumping:	<u>30</u> (min)	Polyethylene <input checked="" type="checkbox"/>				
Total Volume Removed:	(gal) _____	Grundfos Pump <input type="checkbox"/>				
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Did well go dry?	Yes <input type="checkbox"/> No <input type="checkbox"/>			

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1255</u>	<u>5.34</u>	<u>18.89</u>	<u>5.78</u>	<u>-20</u>	<u>0.632</u>	<u>161</u>	<u>2.63</u>	<u>0.408</u>
<u>1300</u>	<u>6.11</u>	<u>18.21</u>	<u>5.66</u>	<u>-51</u>	<u>0.665</u>	<u>55</u>	<u>1.10</u>	<u>0.427</u>
<u>1305</u>	<u>6.38</u>	<u>18.40</u>	<u>5.64</u>	<u>-52</u>	<u>0.678</u>	<u>57</u>	<u>0.81</u>	<u>0.434</u>
<u>1310</u>	<u>6.58</u>	<u>18.41</u>	<u>5.68</u>	<u>-67</u>	<u>0.683</u>	<u>30.5</u>	<u>0.70</u>	<u>0.437</u>
<u>1315</u>	<u>6.72</u>	<u>18.45</u>	<u>5.75</u>	<u>-84</u>	<u>0.683</u>	<u>21.4</u>	<u>0.63</u>	<u>0.437</u>
<u>1320</u>	<u>6.84</u>	<u>18.44</u>	<u>5.80</u>	<u>-98</u>	<u>0.679</u>	<u>13.5</u>	<u>0.63</u>	<u>0.435</u>
<u>1325</u>	<u>6.86</u>	<u>18.46</u>	<u>5.84</u>	<u>-110</u>	<u>0.676</u>	<u>8.8</u>	<u>0.60</u>	<u>0.433</u>

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	2 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample ID: <b>MW-6-1023</b>	Duplicate? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup	<input checked="" type="checkbox"/>
Sample Time: <u>1330</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drop-off Albany Service Center	<input type="checkbox"/>
Comments/Notes: _____	Laboratory: Pace Analytical Greensburg, PA		

National Grid  
Sconodoa Street, Oneida New York

Sampling Personnel: Peter Lyon  
Job Number: 0603400-132410-221  
Well Id. MW-7

Date: 10/12/23  
Weather: 60° cloudy  
Time In: 1320 Time Out: 1400

Well Information		TOC	Other
Depth to Water:	(feet)	<u>25.54</u>	
Depth to Bottom:	(feet)	<u>37.20</u>	
Depth to Product:	(feet)	<u>-</u>	
Length of Water Column:	(feet)	<u>11.66</u>	
Volume of Water in Well:	(gal)	<u>7.69</u>	
Three Well Volumes:	(gal)	<u>23.08</u>	

Well Type: Flushmount  Stick-Up   
 Well Locked: Yes  No   
 Measuring Point Marked: Yes  No   
 Well Material: PVC  SS  Other: \_\_\_\_\_  
 Well Diameter: 1"  2"  Other: 4"  
 Comments: \_\_\_\_\_

Purging Information

Purging Method: \_\_\_\_\_ Bailer  Peristaltic  Grundfos Pump   
 Tubing/Bailer Material: \_\_\_\_\_ Teflon  Stainless St.  Polyethylene   
 Sampling Method: \_\_\_\_\_ Bailer  Peristaltic  Grundfos Pump   
 Average Pumping Rate: (ml/min) 20  
 Duration of Pumping: (min) 30  
 Total Volume Removed: (gal) 2 Did well go dry? Yes  No   
 Horiba U-52 Water Quality Meter Used? Yes  No

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1325</u>	<u>25.63</u>	<u>13.40</u>	<u>7.09</u>	<u>-142</u>	<u>1.57</u>	<u>3.7</u>	<u>0.11</u>	<u>0.975</u>
<u>1330</u>	<u>25.61</u>	<u>13.31</u>	<u>7.05</u>	<u>-140</u>	<u>1.55</u>	<u>3.6</u>	<u>0.00</u>	<u>0.989</u>
<u>1335</u>	<u>25.61</u>	<u>13.33</u>	<u>7.02</u>	<u>-132</u>	<u>1.54</u>	<u>3.3</u>	<u>0.00</u>	<u>0.983</u>
<u>1340</u>	<u>25.61</u>	<u>13.32</u>	<u>6.98</u>	<u>-128</u>	<u>1.52</u>	<u>2.9</u>	<u>0.00</u>	<u>0.963</u>
<u>1345</u>	<u>25.61</u>	<u>13.29</u>	<u>6.94</u>	<u>-110</u>	<u>1.48</u>	<u>2.0</u>	<u>0.00</u>	<u>0.955</u>
<u>1350</u>	<u>25.61</u>	<u>13.31</u>	<u>6.92</u>	<u>-106</u>	<u>1.48</u>	<u>1.9</u>	<u>0.00</u>	<u>0.952</u>
<u>1355</u>	<u>25.61</u>	<u>13.32</u>	<u>6.91</u>	<u>-104</u>	<u>1.49</u>	<u>2.1</u>	<u>0.00</u>	<u>0.951</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-7-1023 Duplicate? Yes  No   
 Sample Time: 1355 MS/MSD? Yes  No   
 Shipped: Pace Courier Pickup   
 Drop-off Albany Service Center   
 Laboratory: Pace Analytical Greensburg, PA

Comments/Notes: \_\_\_\_\_

National Grid  
Scononoda Street, Oneida New York

Sampling Personnel: AJ  
Job Number: 0603400-132410-221  
Well Id. **MW-ES-8**

Date: 10/12/23  
Weather: 54°F, partly sunny  
Time In: 0950 Time Out: 1035

Well Information		TOC	Other
Depth to Water:	(feet)	<u>7.01</u>	
Depth to Bottom:	(feet)	14.10	
Depth to Product:	(feet)	-	
Length of Water Column:	(feet)	<u>7.09</u>	
Volume of Water in Well:	(gal)	<u>1.13</u>	
Three Well Volumes:	(gal)	<u>3.40</u>	

Well Type: Flushmount  Stick-Up   
Well Locked: Yes  No   
Measuring Point Marked: Yes  No   
Well Material: PVC  SS  Other: \_\_\_\_\_  
Well Diameter: 1"  2"  Other: \_\_\_\_\_  
Comments: \_\_\_\_\_

**Purging Information**

Purging Method: \_\_\_\_\_ Bailer  Peristaltic  Grundfos Pump   
Tubing/Bailer Material: Teflon  Stainless St.  Polyethylene   
Sampling Method: Bailer  Peristaltic  Grundfos Pump   
Average Pumping Rate: 200 (ml/min)  
Duration of Pumping: 30 (min)  
Total Volume Removed: 2.5 (gal) Did well go dry? Yes  No   
Horiba U-52 Water Quality Meter Used? Yes  No

gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47

1 gallon=3.785L=3785mL=1337cu. feet

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>0955</u>	<u>8.01</u>	<u>16.48</u>	<u>7.08</u>	<u>123</u>	<u>1.17</u>	<u>71000</u>	<u>18.63</u>	<u>0.749</u>
<u>1006</u>	<u>8.28</u>	<u>16.98</u>	<u>6.95</u>	<u>108</u>	<u>1.17</u>	<u>71000</u>	<u>8.72</u>	<u>0.749</u>
<u>1005</u>	<u>8.45</u>	<u>17.50</u>	<u>6.71</u>	<u>79</u>	<u>1.19</u>	<u>71000</u>	<u>1.84</u>	<u>0.763</u>
<u>1010</u>	<u>8.50</u>	<u>17.47</u>	<u>6.64</u>	<u>55</u>	<u>1.28</u>	<u>878</u>	<u>0.84</u>	<u>0.818</u>
<u>1015</u>	<u>8.52</u>	<u>17.39</u>	<u>6.64</u>	<u>45</u>	<u>1.40</u>	<u>561</u>	<u>0.67</u>	<u>0.885</u>
<u>1020</u>	<u>8.53</u>	<u>17.36</u>	<u>6.64</u>	<u>36</u>	<u>1.53</u>	<u>282</u>	<u>0.61</u>	<u>0.874</u>
<u>1025</u>	<u>8.53</u>	<u>17.42</u>	<u>6.63</u>	<u>28</u>	<u>1.56</u>	<u>157</u>	<u>0.64</u>	<u>0.999</u>

**Sampling Information:**

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-ES-8-1023 Duplicate? Yes  No   
Sample Time: 1030 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
Drop-off Albany Service Center

Comments/Notes: \_\_\_\_\_ Laboratory: Pace Analytical Greensburg, PA



National Grid  
 Sconodoa Street, Oneida New York

Sampling Personnel: Peter Lyon

Date: 10/12/23

Job Number: 0603400-132410-221

Weather: 60°

Well Id. **MW-9**

Time In: 1225 Time Out: 1305

Well Information		
	TOC	Other
Depth to Water: (feet)	<u>25.12</u>	
Depth to Bottom: (feet)	40.50	
Depth to Product: (feet)	<u>-</u>	
Length of Water Column: (feet)	<u>15.38</u>	
Volume of Water in Well: (gal)	<u>22.6</u>	
Three Well Volumes: (gal)	<u>67.82</u>	

Well Type:	Flushmount <input type="checkbox"/>	Stick-Up <input checked="" type="checkbox"/>
Well Locked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Measuring Point Marked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Well Material:	PVC <input checked="" type="checkbox"/> SS <input type="checkbox"/> Other: _____	
Well Diameter:	1" <input type="checkbox"/> 2" <input type="checkbox"/> Other: <u>4"</u>	
Comments:	_____	

Purging Information		
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Average Pumping Rate: (ml/min)	<u>200</u>	
Duration of Pumping: (min)	<u>30</u>	
Total Volume Removed: (gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1230</u>	<u>25.34</u>	<u>17.25</u>	<u>7.37</u>	<u>-126</u>	<u>0.952</u>	<u>57.8</u>	<u>0.90</u>	<u>0.591</u>
<u>1235</u>	<u>25.39</u>	<u>15.90</u>	<u>7.18</u>	<u>-139</u>	<u>0.808</u>	<u>30.5</u>	<u>0.69</u>	<u>0.576</u>
<u>1240</u>	<u>25.39</u>	<u>15.51</u>	<u>7.15</u>	<u>-140</u>	<u>0.801</u>	<u>32.3</u>	<u>0.00</u>	<u>0.573</u>
<u>1245</u>	<u>25.37</u>	<u>15.43</u>	<u>7.13</u>	<u>-143</u>	<u>0.833</u>	<u>32.4</u>	<u>0.00</u>	<u>0.535</u>
<u>1250</u>	<u>25.37</u>	<u>15.34</u>	<u>7.11</u>	<u>-151</u>	<u>0.899</u>	<u>29.5</u>	<u>0.00</u>	<u>0.576</u>
<u>1255</u>	<u>25.37</u>	<u>15.26</u>	<u>7.10</u>	<u>-153</u>	<u>0.929</u>	<u>27.2</u>	<u>0.00</u>	<u>0.595</u>
<u>1300</u>	<u>25.37</u>	<u>15.26</u>	<u>7.08</u>	<u>-154</u>	<u>0.942</u>	<u>22.7</u>	<u>0.00</u>	<u>0.603</u>

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	6 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	9 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	3 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
<b>MW-9-MS-1023</b>	<b>MW-9-MSD-1023</b>		
Sample ID: <u>MW-9-1023</u>	Duplicate? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup	<input checked="" type="checkbox"/>
Sample Time: <u>1300</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Drop-off Albany Service Center	<input type="checkbox"/>
Comments/Notes: _____		Laboratory: Pace Analytical Greensburg, PA	

National Grid  
Sconodoa Street, Oneida New York

Sampling Personnel: AS

Date: 10/12/23

Job Number: 0603400-132410-221

Weather: 58°F, mostly cloudy

Well Id. **MW-ES-10S**

Time In: 1135 Time Out: 1220

Well Information			TOC	Other
Depth to Water:	(feet)	<u>7.30</u>		
Depth to Bottom:	(feet)	14.50		
Depth to Product:	(feet)	<u>-</u>		
Length of Water Column:	(feet)	<u>7.20</u>		
Volume of Water in Well:	(gal)	<u>1.15</u>		
Three Well Volumes:	(gal)	<u>3.45</u>		

Well Type:	Flushmount <input checked="" type="checkbox"/>	Stick-Up <input type="checkbox"/>
Well Locked:	Yes <input type="checkbox"/>	No <input type="checkbox"/>
Measuring Point Marked:	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
Well Material:	PVC <input checked="" type="checkbox"/> SS <input type="checkbox"/> Other: _____	
Well Diameter:	1" <input type="checkbox"/> 2" <input checked="" type="checkbox"/> Other: _____	
Comments:	_____	

Purging Information			
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>
Average Pumping Rate:	<u>200</u> (ml/min)		
Duration of Pumping:	<u>30</u> (min)		
Total Volume Removed:	<u>2.5</u> (gal)	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		

Conversion Factors				
gal/ft. of water	1" ID	2" ID	4" ID	6" ID
	0.04	0.16	0.66	1.47
1 gallon=3.785L=3785mL=1337cu. feet				

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1140</u>	<u>7.32</u>	<u>19.84</u>	<u>6.91</u>	<u>27</u>	<u>1.07</u>	<u>62.5</u>	<u>1.72</u>	<u>0.444</u>
<u>1145</u>	<u>7.32</u>	<u>19.41</u>	<u>6.46</u>	<u>-53</u>	<u>2.05</u>	<u>96.0</u>	<u>0.39</u>	<u>1.31</u>
<u>1150</u>	<u>7.32</u>	<u>19.17</u>	<u>6.59</u>	<u>-73</u>	<u>2.09</u>	<u>23.5</u>	<u>0.30</u>	<u>1.34</u>
<u>1155</u>	<u>7.32</u>	<u>18.85</u>	<u>6.58</u>	<u>-77</u>	<u>2.11</u>	<u>6.0</u>	<u>0.31</u>	<u>1.35</u>
<u>1200</u>	<u>7.32</u>	<u>18.76</u>	<u>6.58</u>	<u>-77</u>	<u>2.12</u>	<u>5.5</u>	<u>0.32</u>	<u>1.36</u>
<u>1205</u>	<u>7.32</u>	<u>18.65</u>	<u>6.59</u>	<u>-77</u>	<u>2.13</u>	<u>4.6</u>	<u>0.32</u>	<u>1.36</u>
<u>1210</u>	<u>7.32</u>	<u>18.63</u>	<u>6.59</u>	<u>-78</u>	<u>2.13</u>	<u>4.0</u>	<u>0.32</u>	<u>1.36</u>

Sampling Information:			
EPA SW-846 Method 8270	SVOC PAH's	2 - 100 ml ambers	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 8260	VOC's BTEX	3 - 40 ml vials	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
EPA SW-846 Method 9012	Total Cyanide	1 - 250 ml plastic	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Sample ID: <u>MW-ES-10S-1023</u>	Duplicate? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Shipped: Pace Courier Pickup <input checked="" type="checkbox"/>	Drop-off Albany Service Center <input type="checkbox"/>
Sample Time: <u>1215</u>	MS/MSD? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Laboratory: Pace Analytical	Greensburg, PA
Comments/Notes: _____			

National Grid  
Sconodoa Street, Oneida New York

Sampling Personnel: PKW Lyon  
Job Number: 0603324-132410-221  
Well Id. MW-11

Date: 10/12/23  
Weather: Cloudy 55°  
Time In: 9:10 Time Out: 10:10

Well Information		TOC	Other
Depth to Water:	(feet)	<u>8.05</u>	
Depth to Bottom:	(feet)	<u>18.50</u>	
Depth to Product:	(feet)	<u>-</u>	
Length of Water Column:	(feet)	<u>10.45</u>	
Volume of Water in Well:	(gal)	<u>1.67</u>	
Three Well Volumes:	(gal)	<u>5.01</u>	

Well Type: Flushmount  Stick-Up   
 Well Locked: Yes  No   
 Measuring Point Marked: Yes  No   
 Well Material: PVC  SS  Other: \_\_\_\_\_  
 Well Diameter: 1"  2"  Other: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Purging Information		Conversion Factors			
Purging Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/> Stainless St. <input checked="" type="checkbox"/>	gal/ft. of water			
Sampling Method:	Bailer <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/>	0.04	0.16	0.66	1.47
Average Pumping Rate:	(ml/min) <u>200</u>	1 gallon=3.785L=3785mL=1337cu. feet			
Duration of Pumping:	(min) <u>30</u>				
Total Volume Removed:	(gal) <u>2</u>				
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				

Grundfos Pump  Polyethylene  Grundfos Pump   
 Did well go dry? Yes  No

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1005</u>	<u>8.29</u>	<u>16.93</u>	<u>7.51</u>	<u>-181</u>	<u>0.558</u>	<u>82.0</u>	<u>1.01</u>	<u>0.357</u>
<u>1010</u>	<u>8.32</u>	<u>17.05</u>	<u>7.41</u>	<u>-180</u>	<u>0.564</u>	<u>72.5</u>	<u>0.40</u>	<u>0.361</u>
<u>1015</u>	<u>8.32</u>	<u>17.08</u>	<u>7.40</u>	<u>-183</u>	<u>0.570</u>	<u>51.2</u>	<u>0.26</u>	<u>0.365</u>
<u>1020</u>	<u>8.32</u>	<u>17.11</u>	<u>7.39</u>	<u>-185</u>	<u>0.578</u>	<u>32.0</u>	<u>0.18</u>	<u>0.378</u>
<u>1025</u>	<u>8.33</u>	<u>17.21</u>	<u>7.39</u>	<u>-188</u>	<u>0.583</u>	<u>25.2</u>	<u>0.12</u>	<u>0.373</u>
<u>1030</u>	<u>8.33</u>	<u>17.27</u>	<u>7.40</u>	<u>-191</u>	<u>0.591</u>	<u>16.4</u>	<u>0.09</u>	<u>0.378</u>
<u>1035</u>	<u>8.33</u>	<u>17.28</u>	<u>7.41</u>	<u>-194</u>	<u>0.601</u>	<u>13.2</u>	<u>0.06</u>	<u>0.385</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-11-1023 Duplicate? Yes  No   
 Sample Time: 1035 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
 Drop-off Albany Service Center

Laboratory: Pace Analytical  
Greensburg, PA

Comments/Notes: \_\_\_\_\_

National Grid  
Sconodoo Street, Oneida New York

Sampling Personnel: Peter Lyon  
Job Number: 0603400-132410-221  
Well Id. **MW-12**

Date: 10/12/23  
Weather: 60° Cloudy  
Time In: 1110 Time Out: 1150

Well Information			TOC	Other
Depth to Water:	(feet)		<u>3.59</u>	
Depth to Bottom:	(feet)		14.30	
Depth to Product:	(feet)		-	
Length of Water Column:	(feet)		<u>10.71</u>	
Volume of Water in Well:	(gal)		<u>1.71</u>	
Three Well Volumes:	(gal)		<u>5.14</u>	

Well Type: Flushmount  Stick-Up   
Well Locked: Yes  No   
Measuring Point Marked: Yes  No   
Well Material: PVC  SS  Other: \_\_\_\_\_  
Well Diameter: 1"  2"  Other: \_\_\_\_\_  
Comments: \_\_\_\_\_

Purging Information				Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	gal/ft.	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>	of				
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	water	0.04	0.16	0.66	1.47
Average Pumping Rate:	(ml/min)	<u>2.00</u>		1 gallon=3.785L=3785mL=1337cu. feet				
Duration of Pumping:	(min)	<u>30</u>						
Total Volume Removed:	(gal)	<u>2</u>	Did well go dry? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>					
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>							

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
<u>1115</u>	<u>3.75</u>	<u>12.94</u>	<u>7.41</u>	<u>-119</u>	<u>4.72</u>	<u>34.8</u>	<u>0.33</u>	<u>3.03</u>
<u>1120</u>	<u>3.77</u>	<u>12.69</u>	<u>7.32</u>	<u>-128</u>	<u>4.84</u>	<u>33.2</u>	<u>0.13</u>	<u>3.10</u>
<u>1125</u>	<u>3.79</u>	<u>12.74</u>	<u>7.28</u>	<u>-131</u>	<u>4.87</u>	<u>32.6</u>	<u>0.06</u>	<u>3.11</u>
<u>1130</u>	<u>3.79</u>	<u>12.80</u>	<u>7.25</u>	<u>-133</u>	<u>4.85</u>	<u>30.4</u>	<u>0.03</u>	<u>3.10</u>
<u>1135</u>	<u>3.81</u>	<u>12.69</u>	<u>7.23</u>	<u>-133</u>	<u>4.78</u>	<u>28.3</u>	<u>0.00</u>	<u>3.06</u>
<u>1140</u>	<u>3.82</u>	<u>12.73</u>	<u>7.20</u>	<u>-133</u>	<u>4.65</u>	<u>26.6</u>	<u>0.00</u>	<u>2.98</u>
<u>1145</u>	<u>3.82</u>	<u>12.73</u>	<u>7.18</u>	<u>-133</u>	<u>4.60</u>	<u>26.1</u>	<u>0.00</u>	<u>2.95</u>

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No   
 EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No   
 EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-12-1023 Duplicate? Yes  No   
 Sample Time: 1145 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
 Drop-off Albany Service Center

Laboratory: Pace Analytical  
Greensburg, PA

Comments/Notes: \_\_\_\_\_

National Grid  
Sconodoa Street, Oneida New York

Sampling Personnel: AB/AT

Date: 10/12/23

Job Number: 0603400-132410-221

Weather: 55F, cloudy

Well Id. **MW-103**

Time In: 1350 Time Out:

Well Information			TOC	Other
Depth to Water:	(feet)	<u>26.5</u>		
Depth to Bottom:	(feet)	40.00		
Depth to Product:	(feet)	-		
Length of Water Column:	(feet)	<u>13.5</u>		
Volume of Water in Well:	(gal)	<u>2.16</u>		
Three Well Volumes:	(gal)	<u>6.49</u>		

Well Type: Flushmount  Stick-Up

Well Locked: Yes  No

Measuring Point Marked: Yes  No

Well Material: PVC  SS  Other: \_\_\_\_\_

Well Diameter: 1"  2"  Other: \_\_\_\_\_

Comments: \_\_\_\_\_

Purging Information				Conversion Factors				
Purging Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	gal/ft. of water	1" ID	2" ID	4" ID	6" ID
Tubing/Bailer Material:	Teflon <input type="checkbox"/>	Stainless St. <input type="checkbox"/>	Polyethylene <input checked="" type="checkbox"/>		0.04	0.16	0.66	1.47
Sampling Method:	Bailer <input type="checkbox"/>	Peristaltic <input checked="" type="checkbox"/>	Grundfos Pump <input type="checkbox"/>	1 gallon=3.785L=3785mL=1337cu. feet				
Average Pumping Rate:	<u>200</u> (ml/min)							
Duration of Pumping:	<u>30</u> (min)							
Total Volume Removed:	<u>6.5</u> (gal)	Did well go dry? Yes <input type="checkbox"/> No <input type="checkbox"/>						
Horiba U-52 Water Quality Meter Used?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>							

Time	DTW (feet)	Temp (°C)	pH	ORP (mV)	Conductivity (mS/cm)	Turbidity (NTU)	DO (mg/L)	TDS (g/L)
1355	27.62	16.04	7.03	-60	1.20	184	0.87	0.766
1400	27.67	14.59	6.71	-64	1.20	27.8	0.58	0.767
1405	26.60	14.53	6.68	-68	1.20	17.8	0.51	0.764
1410	26.61	14.38	6.69	-71	1.19	12.2	0.45	0.762
1415	26.61	14.39	6.71	-74	1.18	8.3	0.42	0.756
1420	26.61	14.36	6.72	-76	1.18	6.6	0.40	0.753
1425	26.61	14.29	6.73	-78	1.18	6.2	0.42	0.755

Sampling Information:

EPA SW-846 Method 8270 SVOC PAH's 2 - 100 ml ambers Yes  No

EPA SW-846 Method 8260 VOC's BTEX 3 - 40 ml vials Yes  No

EPA SW-846 Method 9012 Total Cyanide 1 - 250 ml plastic Yes  No

Sample ID: MW-103-1023 Duplicate? Yes  No

Sample Time: 1430 MS/MSD? Yes  No

Shipped: Pace Courier Pickup   
Drop-off Albany Service Center

Comments/Notes: \_\_\_\_\_

Laboratory: Pace Analytical  
Greensburg, PA





July 5, 2023 – Site Conditions



January 11, 2024– Site Conditions





## Appendix B – Data Usability Summary Report

---



Groundwater & Environmental Services, Inc.  
708 North Main Street, Suite 201  
Blacksburg, VA 24060  
T. 800.662.5067

December 7, 2023

Devin Shay  
Groundwater & Environmental Services Syracuse  
6780 Northern Blvd., Suite 100  
East Syracuse, NY 13057

RE: Data Usability Summary Report for National Grid - Oneida, NY Site Data Package  
Pace Analytical Job Nos. 30416862,

Groundwater & Environmental Services, Inc. (GES) reviewed a data package (Laboratory Project Numbers 30416862) from Pace Analytical Services, Inc., for the analysis of groundwater samples collected on April 12, 2023 from monitoring wells located at the National Grid Oneida, NY Site. Thirteen aqueous samples, one field duplicate (MW-2) and a trip blank were analyzed for select volatile organics, PAHs, and cyanide. Data validation occurred per the guidance found in the National Functional Guidelines for Organic and Inorganic Superfund methods, revised in 2020. Methodologies utilized are the USEPA SW846 methods 8260B, 8270C and EPA 9012B, with additional method and QC criteria required under the NYSDEC ASP.

The data are reported as part of a complete full deliverable type B data validation. This usability report is generated from review of the following:

- Laboratory Narrative Discussion
- Custody Documentation
- Holding Times
- Surrogate and Internal Standard Recoveries
- Matrix Spike Recoveries/Duplicate (MS/MSD) Correlations
- Field Duplicate Correlations
- Laboratory Control Sample (LCS)
- Preparation/Calibration Blanks
- Calibration/Low Level Standard Responses
- Instrumental Tunes
- Instrument MDLs
- Sample Quantitation and Identification

The items listed above which show deficiencies are discussed within the text of this narrative. All of the other items are determined to be acceptable for the DUSR level review.

All of the items were determined to be acceptable for the DUSR level review.



**Table 1 – Data Qualifications**

Sample ID	Qualifier	Analyte	Reason for qualification
MW-2 MW-3 MW-ES-8 FD-0423	UJ-	VOCs	Residual chlorine
MW-1 MW-6	J	Benzo(b)fluoranthene Benzo(k)fluoranthene	Insufficient resolution
All Samples	UJ- (non-detects) J- (detects)	Acenaphthene Naphthalene	Low LCS recovery
All Samples	UJ-	Benzo(g,h,i)perylene	Low CCV

In summary, sample results are usable as reported, with the exception of the data listed above.

Residual chlorine was detected in MW-2, MW-3, MW-ES-8 and the field duplicate FD-0423. VOCs in these samples may be biased low.

Benzo(b)fluoranthene and benzo(k)fluoranthene were not sufficiently resolved in some sample chromatograms. For those samples that reported positive detections, the concentrations are qualified as estimated due to the resolution issue. No qualification was required for samples that did not report positive concentrations of the analytes.

Qualified data should be used with care, as the quantification cannot be assumed accurate and/or precise. Qualifications are detailed in Table 1.

The laboratory case narratives and sample identification summary forms are attached to this text, and should be reviewed in conjunction with this report.

**BTEX Volatiles by EPA 8260C/NYSDEC ASP**

Sample holding times for groundwater samples and instrumental tune fragmentations are within acceptance ranges.

Blanks show no contamination. Calibration standards, both initial and continuing, show acceptable responses within analytical method protocols and validation guidelines.

Surrogate and internal standard recoveries are within required limits.

Calibration standards show acceptable responses within analytical protocol and validation action limits.

LCS/LCSD recoveries were within project and laboratory criteria.

An MS/MSD pair that was analyzed was unassociated with the site, and was not used to determine site specific accuracy and precision.

MW-2 was the blind field duplicate location for both sampling events. Benzene was the only analyte detected in the pair, both of which reported 1 µg/L. The precision was within acceptable limits.

### **PAHs by EPA8270D/NYSDEC ASP**

Sample holding times for groundwater samples and instrumental tune fragmentations are within acceptance ranges.

Blanks show no contamination. Calibration standards, both initial and continuing, show acceptable responses within analytical method protocols and validation guidelines with the exception of a low recovery in the following continuing calibration verification standards:

- Benzo(g,h,i)perylene

Data for this analyte is qualified as estimated non-detect with a possible low bias.

Surrogate and internal standard recoveries are within required limits.

The laboratory control spike recoveries and precision indicate the method is within laboratory control with the exception of low recoveries of acenaphthene and naphthalene. These analytes are qualified as low biased in all site samples.

Surrogate and internal standard recoveries are within required limits.

An MS/MSD was analyzed using MW-9- as the matrix. Matrix spike and matrix spike recoveries were within laboratory specified criteria with the following exceptions:

MW-2 was the blind field duplicate. The blind field duplicate correlations of MW- were not calculated, as all PAH analytes reported non-detect.

### **Cyanide by EPA 9012B /NYSDEC ASP**

Holding times were met.

Blanks show no contamination.

Calibration standards, both initial and continuing, show acceptable responses within analytical method protocols and validation guidelines for both analytical runs.

The laboratory control spike recoveries and precision indicate the method is within laboratory control for both sampling events.

An MS/MSD was analyzed using MW-9. Although the sample reported cyanide recoveries (77%, 86%) below laboratory criteria (90% - 100%), the recoveries were above the EPA recommended 75% minimum, and met project DQO. No qualifications were required.

The blind field duplicate correlations of MW-2 were not were not calculated, as cyanide reported non-detect in both samples.



### **Data Package Completeness**

Complete NYSDEC Category B deliverables were included in the laboratory data package, all information required for validation of the data is present.

Please do not hesitate to contact me if you have comments or questions regarding this report.

Sincerely,

A handwritten signature in blue ink that reads 'B Janowiak'. The signature is fluid and cursive, with a long horizontal stroke at the end.

Bonnie Janowiak, Ph.D.,  
NRCC Environmental Chemist  
Principal Chemist

## SAMPLE SUMMARY

Project: National Grid - Oneida, NY

Pace Project No.: 30578680

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30578680001	MW-1-0423	Water	04/12/23 13:15	04/13/23 17:00
30578680002	MW-2-0423	Water	04/12/23 12:20	04/13/23 17:00
30578680003	MW-3-0423	Water	04/12/23 11:30	04/13/23 17:00
30578680004	MW-4-0423	Water	04/12/23 10:40	04/13/23 17:00
30578680005	MW-5-0423	Water	04/12/23 09:45	04/13/23 17:00
30578680006	MW-6-0423	Water	04/12/23 14:15	04/13/23 17:00
30578680007	MW-7-0423	Water	04/12/23 11:15	04/13/23 17:00
30578680008	MW-ES-8-0423	Water	04/12/23 08:55	04/13/23 17:00
30578680009	MW-9-0423	Water	04/12/23 10:20	04/13/23 17:00
30578680010	MW-9-MS-0423	Water	04/12/23 10:20	04/13/23 17:00
30578680011	MW-9-MSD-0423	Water	04/12/23 10:20	04/13/23 17:00
30578680012	MW-ES-10S-0423	Water	04/12/23 12:50	04/13/23 17:00
30578680013	MW-11-0423	Water	04/12/23 08:55	04/13/23 17:00
30578680014	MW-12-0423	Water	04/12/23 09:35	04/13/23 17:00
30578680015	MW-103-0423	Water	04/12/23 11:55	04/13/23 17:00
30578680016	FD-0423	Water	04/12/23 12:00	04/13/23 17:00
30578680017	Trip Blanks	Water	04/12/23 00:00	04/13/23 17:00

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: National Grid - Oneida, NY  
Pace Project No.: 30578680

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
30578680001	MW-1-0423	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30578680002	MW-2-0423	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30578680003	MW-3-0423	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30578680004	MW-4-0423	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30578680005	MW-5-0423	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30578680006	MW-6-0423	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30578680007	MW-7-0423	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30578680008	MW-ES-8-0423	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30578680009	MW-9-0423	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30578680010	MW-9-MS-0423	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30578680011	MW-9-MSD-0423	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30578680012	MW-ES-10S-0423	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30578680013	MW-11-0423	EPA 8270D by SIM	DSC	19	PASI-PA

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: National Grid - Oneida, NY

Pace Project No.: 30578680

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
30578680014	MW-12-0423	EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
		EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
30578680015	MW-103-0423	EPA 9012B	CMT	1	PASI-PA
		EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30578680016	FD-0423	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
30578680017	Trip Blanks	EPA 9012B	CMT	1	PASI-PA
		EPA 8260C	JDS	10	PASI-PA
		EPA 8260C	JDS	10	PASI-PA

PASI-PA = Pace Analytical Services - Greensburg

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: National Grid - Oneida, NY  
Pace Project No.: 30578680

---

**Date:** April 21, 2023

**MW-2-0423 (Lab ID: 30578680002)**

- Residual Chlorine was present in the VOA vial used for analysis.

**MW-3-0423 (Lab ID: 30578680003)**

- Residual Chlorine was present in the VOA vial used for analysis.

**MW-ES-8-0423 (Lab ID: 30578680008)**

- Residual Chlorine was present in the VOA vial used for analysis.

**FD-0423 (Lab ID: 30578680016)**

- Residual Chlorine was present in the VOA vial used for analysis.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Oneida, NY

Pace Project No.: 30578680

---

**Method:** EPA 8270D by SIM

**Description:** 8270D PAH SIM Reduced Volume

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** April 21, 2023

### General Information:

16 samples were analyzed for EPA 8270D by SIM by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Sample Preparation:

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 581798

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- BLANK (Lab ID: 2825388)
  - Benzo(g,h,i)perylene
- FD-0423 (Lab ID: 30578680016)
  - Benzo(g,h,i)perylene
- LCS (Lab ID: 2825389)
  - Benzo(g,h,i)perylene
- MS (Lab ID: 2825390)
  - Benzo(g,h,i)perylene
- MSD (Lab ID: 2825391)
  - Benzo(g,h,i)perylene
- MW-1-0423 (Lab ID: 30578680001)
  - Benzo(g,h,i)perylene
- MW-103-0423 (Lab ID: 30578680015)
  - Benzo(g,h,i)perylene
- MW-11-0423 (Lab ID: 30578680013)
  - Benzo(g,h,i)perylene
- MW-12-0423 (Lab ID: 30578680014)
  - Benzo(g,h,i)perylene
- MW-2-0423 (Lab ID: 30578680002)
  - Benzo(g,h,i)perylene
- MW-3-0423 (Lab ID: 30578680003)
  - Benzo(g,h,i)perylene
- MW-4-0423 (Lab ID: 30578680004)
  - Benzo(g,h,i)perylene
- MW-5-0423 (Lab ID: 30578680005)
  - Benzo(g,h,i)perylene

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Oneida, NY

Pace Project No.: 30578680

---

**Method:** EPA 8270D by SIM

**Description:** 8270D PAH SIM Reduced Volume

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** April 21, 2023

QC Batch: 581798

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- MW-6-0423 (Lab ID: 30578680006)
  - Benzo(g,h,i)perylene
- MW-7-0423 (Lab ID: 30578680007)
  - Benzo(g,h,i)perylene
- MW-9-0423 (Lab ID: 30578680009)
  - Benzo(g,h,i)perylene
- MW-9-MS-0423 (Lab ID: 30578680010)
  - Benzo(g,h,i)perylene
- MW-9-MSD-0423 (Lab ID: 30578680011)
  - Benzo(g,h,i)perylene
- MW-ES-10S-0423 (Lab ID: 30578680012)
  - Benzo(g,h,i)perylene
- MW-ES-8-0423 (Lab ID: 30578680008)
  - Benzo(g,h,i)perylene

**Internal Standards:**

All internal standards were within QC limits with any exceptions noted below.

**Surrogates:**

All surrogates were within QC limits with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 581798

L2: Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

- LCS (Lab ID: 2825389)
  - Acenaphthene
  - Naphthalene

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Oneida, NY

Pace Project No.: 30578680

---

**Method:** EPA 8260C

**Description:** 8260C MSV

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** April 21, 2023

**General Information:**

17 samples were analyzed for EPA 8260C by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Initial Calibrations (including MS Tune as applicable):**

All criteria were within method requirements with any exceptions noted below.

**Continuing Calibration:**

All criteria were within method requirements with any exceptions noted below.

**Internal Standards:**

All internal standards were within QC limits with any exceptions noted below.

**Surrogates:**

All surrogates were within QC limits with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 581740

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30578834004

MH: Matrix spike recovery and/or matrix spike duplicate recovery was above laboratory control limits. Result may be biased high.

- MSD (Lab ID: 2825537)
  - o-Xylene

R1: RPD value was outside control limits.

- MSD (Lab ID: 2825537)
  - Benzene
  - Ethylbenzene
  - Toluene
  - m&p-Xylene
  - o-Xylene

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Oneida, NY

Pace Project No.: 30578680

---

**Method:** EPA 8270D by SIM

**Description:** 8270D PAH SIM Reduced Volume

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** April 21, 2023

### General Information:

16 samples were analyzed for EPA 8270D by SIM by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Sample Preparation:

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 581798

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- BLANK (Lab ID: 2825388)
  - Benzo(g,h,i)perylene
- FD-0423 (Lab ID: 30578680016)
  - Benzo(g,h,i)perylene
- LCS (Lab ID: 2825389)
  - Benzo(g,h,i)perylene
- MS (Lab ID: 2825390)
  - Benzo(g,h,i)perylene
- MSD (Lab ID: 2825391)
  - Benzo(g,h,i)perylene
- MW-1-0423 (Lab ID: 30578680001)
  - Benzo(g,h,i)perylene
- MW-103-0423 (Lab ID: 30578680015)
  - Benzo(g,h,i)perylene
- MW-11-0423 (Lab ID: 30578680013)
  - Benzo(g,h,i)perylene
- MW-12-0423 (Lab ID: 30578680014)
  - Benzo(g,h,i)perylene
- MW-2-0423 (Lab ID: 30578680002)
  - Benzo(g,h,i)perylene
- MW-3-0423 (Lab ID: 30578680003)
  - Benzo(g,h,i)perylene
- MW-4-0423 (Lab ID: 30578680004)
  - Benzo(g,h,i)perylene
- MW-5-0423 (Lab ID: 30578680005)
  - Benzo(g,h,i)perylene

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Oneida, NY

Pace Project No.: 30578680

---

**Method:** EPA 8270D by SIM

**Description:** 8270D PAH SIM Reduced Volume

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** April 21, 2023

QC Batch: 581798

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- MW-6-0423 (Lab ID: 30578680006)
  - Benzo(g,h,i)perylene
- MW-7-0423 (Lab ID: 30578680007)
  - Benzo(g,h,i)perylene
- MW-9-0423 (Lab ID: 30578680009)
  - Benzo(g,h,i)perylene
- MW-9-MS-0423 (Lab ID: 30578680010)
  - Benzo(g,h,i)perylene
- MW-9-MSD-0423 (Lab ID: 30578680011)
  - Benzo(g,h,i)perylene
- MW-ES-10S-0423 (Lab ID: 30578680012)
  - Benzo(g,h,i)perylene
- MW-ES-8-0423 (Lab ID: 30578680008)
  - Benzo(g,h,i)perylene

**Internal Standards:**

All internal standards were within QC limits with any exceptions noted below.

**Surrogates:**

All surrogates were within QC limits with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 581798

L2: Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

- LCS (Lab ID: 2825389)
  - Acenaphthene
  - Naphthalene

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Oneida, NY  
Pace Project No.: 30578680

---

**Method:** EPA 8260C  
**Description:** 8260C MSV  
**Client:** Groundwater & Environmental Services, Inc. (Syracuse)  
**Date:** April 21, 2023

### General Information:

17 samples were analyzed for EPA 8260C by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

### Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

### Surrogates:

All surrogates were within QC limits with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 581740

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30578834004

MH: Matrix spike recovery and/or matrix spike duplicate recovery was above laboratory control limits. Result may be biased high.

- MSD (Lab ID: 2825537)
  - o-Xylene

R1: RPD value was outside control limits.

- MSD (Lab ID: 2825537)
  - Benzene
  - Ethylbenzene
  - Toluene
  - m&p-Xylene
  - o-Xylene

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: National Grid - Oneida, NY

Pace Project No.: 30578680

---

**Method:** EPA 9012B

**Description:** 9012B Cyanide, Total

**Client:** Groundwater & Environmental Services, Inc. (Syracuse)

**Date:** April 21, 2023

**General Information:**

16 samples were analyzed for EPA 9012B by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Sample Preparation:**

The samples were prepared in accordance with EPA 9012B with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 582637

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30578680009,30578680016

ML: Matrix spike recovery and/or matrix spike duplicate recovery was below laboratory control limits. Result may be biased low.

- MS (Lab ID: 2829774)
  - Cyanide
- MSD (Lab ID: 2829775)
  - Cyanide

**Additional Comments:**

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





Groundwater & Environmental Services, Inc.  
708 North Main Street, Suite 201  
Blacksburg, VA 24060  
T. 800.662.5067

February 26, 2024

Devin Shay  
Groundwater & Environmental Services Syracuse  
6780 Northern Blvd., Suite 100  
East Syracuse, NY 13057

RE: Data Usability Summary Report for National Grid - Oneida, NY Site Data Package  
Pace Analytical Job Nos. 30630887

Groundwater & Environmental Services, Inc. (GES) reviewed a data package (Laboratory Project Numbers 30630887) from Pace Analytical Services, Inc., for the analysis of groundwater samples collected on October 2023 from monitoring wells located at the National Grid Oneida, NY Site. Thirteen aqueous samples, one field duplicate (MW-2) and a trip blank were analyzed for select volatile organics, PAHs, and cyanide. Data validation occurred per the guidance found in the National Functional Guidelines for Organic and Inorganic Superfund methods, revised in 2020. Methodologies utilized are the USEPA SW846 methods 8260C, 8270D and EPA 9012B, with additional method and QC criteria required under the NYSDEC ASP.

The data are reported as part of a complete full deliverable type B data validation. This usability report is generated from review of the following:

- Laboratory Narrative Discussion
- Custody Documentation
- Holding Times
- Surrogate and Internal Standard Recoveries
- Matrix Spike Recoveries/Duplicate (MS/MSD) Correlations
- Field Duplicate Correlations
- Laboratory Control Sample (LCS)
- Preparation/Calibration Blanks
- Calibration/Low Level Standard Responses
- Instrumental Tunes
- Instrument MDLs
- Sample Quantitation and Identification

The items listed above which show deficiencies are discussed within the text of this narrative. All of the other items are determined to be acceptable for the DUSR level review.

All of the items were determined to be acceptable for the DUSR level review.



**Table 1 – Data Qualifications**

Sample ID	Qualifier	Analyte	Reason for qualification
MW-1	J-	Ethylbenzene	MS/MSD outside compliance
	UJ	Toluene	
	UJ	m&p-Xylene	
	UJ	o-Xylene	
All Samples	J- UJ	All SVOCs	Failed QC and re-analysis outside holding time

In summary, sample results are usable as reported, with the exception of the data listed above.

Qualified data should be used with care, as the quantification cannot be assumed accurate and/or precise. Qualifications are detailed in Table 1.

The laboratory case narratives and sample identification summary forms are attached to this text, and should be reviewed in conjunction with this report.

**BTEX Volatiles by EPA 8260C/NYSDEC ASP**

Sample holding times for groundwater samples and instrumental tune fragmentations are within acceptance ranges.

Blanks show no contamination. Calibration standards, both initial and continuing, show acceptable responses within analytical method protocols and validation guidelines.

Surrogate and internal standard recoveries are within required limits.

Calibration standards show acceptable responses within analytical protocol and validation action limits.

LCS/LCSD recoveries were within project and laboratory criteria.

An MS/MSD was analyzed using MW-9 as the matrix. Matrix spike and matrix spike recoveries were within laboratory specified criteria

An MS/MSD pair was analyzed utilizing samples from the MW-1 location. MS and MSD results were below acceptable criteria and the data may be biased low. RPDs were also above the maximum of 30%. Concentrations are qualified as estimated with a possible low bias.

MW-2 was the blind field duplicate location for both sampling events. The blind field duplicate correlations of MW-2 were not were not calculated, as BTEX reported non-detect in both samples.

**PAHs by EPA8270D/NYSDEC ASP**

Instrumental tune fragmentations are within acceptance ranges.



Blanks show no contamination. Calibration standards, both initial and continuing, show acceptable responses within analytical method protocols and validation guidelines

Surrogate and internal standard recoveries are within required limits.

An MS/MSD was analyzed using MW-9 as the matrix. Matrix spike and matrix spike recoveries were within project and EPA-specified criteria.

MW-2 was the blind field duplicate. The blind field duplicate correlations of MW-2 all fell within criteria.

Initial SVOC analysis occurred within hold time. SVOCs were subsequently re-extracted and analyzed due to LCS failure. The SVOC re-analysis was performed outside of holding time. Data results were confirmed in re-analysis. As the initial analysis had MS/MSD results within criteria, the initial data is considered reliable for reporting, although qualified with an estimated flag due to possible low bias.

Benzo(b)fluoranthene and benzo(k)fluoranthene were not sufficiently resolved in some sample chromatograms. For those samples that reported positive detections, the concentrations are qualified as estimated due to the resolution issue. No qualification was required for samples that did not report positive concentrations of the analytes.

#### **Cyanide by EPA 9012B /NYSDEC ASP**

Holding times were met.

Blanks show no contamination.

Calibration standards, both initial and continuing, show acceptable responses within analytical method protocols and validation guidelines for both analytical runs.

The laboratory control spike recoveries and precision indicate the method is within laboratory control for both sampling events.

An MS/MSD was analyzed using MW-9. The recoveries were above the EPA recommended 75% minimum, and met project DQO. No qualifications were required.

The blind field duplicate correlations of MW-2 were not were not calculated, as cyanide reported non-detect in both samples.



### **Data Package Completeness**

Complete NYSDEC Category B deliverables were included in the laboratory data package, all information required for validation of the data is present.

Please do not hesitate to contact me if you have comments or questions regarding this report.

Sincerely,

A handwritten signature in blue ink that reads 'B Janowiak' with a long, sweeping flourish at the end.

Bonnie Janowiak, Ph.D.,  
NRCC Environmental Chemist  
Principal Chemist



## SAMPLE SUMMARY

Project: National Grid - Oneida, NY  
Pace Project No.: 30630887

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30630887001	MW-1-1023	Water	10/12/23 13:30	10/13/23 09:10
30630887002	MW-2-1023	Water	10/12/23 12:15	10/13/23 09:10
30630887003	MW-3-1023	Water	10/12/23 11:25	10/13/23 09:10
30630887004	MW-4-1023	Water	10/12/23 11:20	10/13/23 09:10
30630887005	MW-5-1023	Water	10/12/23 10:25	10/13/23 09:10
30630887006	MW-6-1023	Water	10/12/23 13:30	10/13/23 09:10
30630887007	MW-7-1023	Water	10/12/23 13:55	10/13/23 09:10
30630887008	MW-ES-8-1023	Water	10/12/23 10:30	10/13/23 09:10
30630887009	MW-9-1023	Water	10/12/23 13:00	10/13/23 09:10
30630887010	MW-9-MS-1023	Water	10/12/23 13:00	10/13/23 09:10
30630887011	MW-9-MSD-1023	Water	10/12/23 13:00	10/13/23 09:10
30630887012	MW-ES-10S-1023	Water	10/12/23 12:15	10/13/23 09:10
30630887013	MW-11-1023	Water	10/12/23 10:35	10/13/23 09:10
30630887014	MW-12-1023	Water	10/12/23 11:45	10/13/23 09:10
30630887015	MW-103-1023	Water	10/12/23 14:30	10/13/23 09:10
30630887016	FD-1023	Water	10/12/23 12:00	10/13/23 09:10
30630887017	Trip Blanks	Water	10/12/23 00:00	10/13/23 09:10

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**SAMPLE ANALYTE COUNT**

Project: National Grid - Oneida, NY  
 Pace Project No.: 30630887

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
30630887001	MW-1-1023	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30630887002	MW-2-1023	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30630887003	MW-3-1023	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30630887004	MW-4-1023	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30630887005	MW-5-1023	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30630887006	MW-6-1023	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30630887007	MW-7-1023	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30630887008	MW-ES-8-1023	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30630887009	MW-9-1023	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30630887010	MW-9-MS-1023	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30630887011	MW-9-MSD-1023	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30630887012	MW-ES-10S-1023	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30630887013	MW-11-1023	EPA 8270D by SIM	DSC	19	PASI-PA

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**SAMPLE ANALYTE COUNT**

Project: National Grid - Oneida, NY  
 Pace Project No.: 30630887

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
30630887014	MW-12-1023	EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
		EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
30630887015	MW-103-1023	EPA 9012B	CMT	1	PASI-PA
		EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
30630887016	FD-1023	EPA 8270D by SIM	DSC	19	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 9012B	CMT	1	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
30630887017	Trip Blanks	EPA 9012B	CMT	1	PASI-PA
		EPA 8260C	JEW	10	PASI-PA
		EPA 8260C	JEW	10	PASI-PA

PASI-PA = Pace Analytical Services - Greensburg

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: National Grid - Oneida, NY  
Pace Project No.: 30630887

---

**Method:** EPA 8270D by SIM  
**Description:** 8270D PAH SIM Reduced Volume  
**Client:** Groundwater & Environmental Services, Inc. (Syracuse)  
**Date:** October 30, 2023

### General Information:

16 samples were analyzed for EPA 8270D by SIM by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H2: Extraction or preparation conducted outside EPA method holding time.

- FD-1023 (Lab ID: 30630887016)
- MW-1-1023 (Lab ID: 30630887001)
- MW-103-1023 (Lab ID: 30630887015)
- MW-11-1023 (Lab ID: 30630887013)
- MW-12-1023 (Lab ID: 30630887014)
- MW-2-1023 (Lab ID: 30630887002)
- MW-3-1023 (Lab ID: 30630887003)
- MW-4-1023 (Lab ID: 30630887004)
- MW-5-1023 (Lab ID: 30630887005)
- MW-6-1023 (Lab ID: 30630887006)
- MW-7-1023 (Lab ID: 30630887007)
- MW-9-1023 (Lab ID: 30630887009)
- MW-9-MS-1023 (Lab ID: 30630887010)
- MW-9-MSD-1023 (Lab ID: 30630887011)
- MW-ES-10S-1023 (Lab ID: 30630887012)
- MW-ES-8-1023 (Lab ID: 30630887008)

### Sample Preparation:

The samples were prepared in accordance with EPA 3510C with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

### Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

### Surrogates:

All surrogates were within QC limits with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





## PROJECT NARRATIVE

Project: National Grid - Oneida, NY  
Pace Project No.: 30630887

---

**Method:** EPA 8270D by SIM  
**Description:** 8270D PAH SIM Reduced Volume  
**Client:** Groundwater & Environmental Services, Inc. (Syracuse)  
**Date:** October 30, 2023

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 623524

L2: Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

- LCS (Lab ID: 3039508)
  - Acenaphthylene
  - Anthracene
  - Benzo(a)anthracene
  - Benzo(a)pyrene
  - Benzo(b)fluoranthene
  - Benzo(g,h,i)perylene
  - Benzo(k)fluoranthene
  - Chrysene
  - Dibenz(a,h)anthracene
  - Fluoranthene
  - Fluorene
  - Indeno(1,2,3-cd)pyrene
  - Phenanthrene
  - Pyrene

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 624640

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30630887009

R1: RPD value was outside control limits.

- MSD (Lab ID: 3045681)
  - Acenaphthene

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: National Grid - Oneida, NY  
Pace Project No.: 30630887

---

**Method:** EPA 8260C  
**Description:** 8260C MSV  
**Client:** Groundwater & Environmental Services, Inc. (Syracuse)  
**Date:** October 30, 2023

### General Information:

17 samples were analyzed for EPA 8260C by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

### Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

### Surrogates:

All surrogates were within QC limits with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 624161

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30630887001

ML: Matrix spike recovery and/or matrix spike duplicate recovery was below laboratory control limits. Result may be biased low.

- MS (Lab ID: 3042726)
  - Ethylbenzene
  - Toluene
  - m&p-Xylene
  - o-Xylene
- MSD (Lab ID: 3042727)
  - Ethylbenzene
  - Toluene
  - m&p-Xylene
  - o-Xylene

R1: RPD value was outside control limits.

- MSD (Lab ID: 3042727)

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: National Grid - Oneida, NY  
Pace Project No.: 30630887

---

**Method:** EPA 8260C  
**Description:** 8260C MSV  
**Client:** Groundwater & Environmental Services, Inc. (Syracuse)  
**Date:** October 30, 2023

QC Batch: 624161

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 30630887001

R1: RPD value was outside control limits.

- Benzene
- Ethylbenzene
- Toluene
- m&p-Xylene
- o-Xylene

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: National Grid - Oneida, NY  
Pace Project No.: 30630887

---

**Method:** EPA 9012B  
**Description:** 9012B Cyanide, Total  
**Client:** Groundwater & Environmental Services, Inc. (Syracuse)  
**Date:** October 30, 2023

### General Information:

16 samples were analyzed for EPA 9012B by Pace Analytical Services Greensburg. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Sample Preparation:

The samples were prepared in accordance with EPA 9012B with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

### Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## Appendix C – Quarterly Site Inspections

---

**Site Management Plan Inspection Form**  
**Sconodoa Street**  
**Former MGP Site**  
**Oneida, New York**

Date: 1/11/2024  
 Technician: Kevin Leo

Time: 14:31  
 Weather: Cloudy 39

<b>Soil Cover System</b>		
Any signs of ground-intrusive activities?	No	COMMENTS:
Any soil disturbance regardless of quantity/extent?	No	COMMENTS:
Any surface erosion?	No	COMMENTS:
Any settlement?	No	COMMENTS:
Bare or sparsely-vegetated areas?	No	COMMENTS:
Excessive cracking or missing pavement?	No	COMMENTS:
Any other conditions affecting the thickness or the integrity of the soil cover system?	No	COMMENTS:

<b>Site Wide</b>		
Any repairs, maintenance or corrective actions since the last inspection?	No	COMMENTS:
Fence Condition?	Good	COMMENTS:
Gate Conditions?	Good	COMMENTS:
NG and GES Padlocks?	Operational	COMMENTS:
Have the front lawns been mowed?	Yes	COMMENTS:
Condition of the asphalt pavement	Good	COMMENTS:
Condition of the front sidewalks?	Good	COMMENTS:
Condition of the building foundations?	Good	COMMENTS:
Are the requirements of the Site Management Plan being met?	Yes	COMMENTS:
Are there any needed changes?	No	COMMENTS:
Are the site records complete and up to date?	Yes	COMMENTS:

<b>Miscellaneous</b>		
Evidence of Trespassing	No	COMMENTS:
Litter	None	COMMENTS:

<b>Site Monitoring Wells</b>	
<b>Well ID.</b>	<b>Location Secure</b>
MW-1	Yes
MW-2	Yes
MW-3	Yes
MW-4	Yes
MW-5	Yes
MW-6	Yes
MW-7	Yes
MW-ES-8	Yes
MW-9	Yes
MW-ES-10S	Yes
MW-11	Yes
MW-12	Yes
MW-103	Yes

**General Comments:**

**Site Management Plan Inspection Form**  
**Sconodoa Street**  
**Former MGP Site**  
**Oneida, New York**

Date: 10/12/2023  
 Technician: AJ

Time: 14:45  
 Weather: Partly Sunny 60

<b>Soil Cover System</b>			
Any signs of ground-intrusive activities?	YES	NO	COMMENTS:
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:
Any surface erosion?	YES	NO	COMMENTS:
Any settlement?	YES	NO	COMMENTS:
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:
Excessive cracking or missing pavement?	YES	NO	COMMENTS:
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:

<b>Site Wide</b>				
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS: abandoned RW-1	
Fence Condition?	GOOD	FAIR	Damaged	COMMENTS:
Gate Conditions?	GOOD	FAIR	Damaged	COMMENTS:
NG and GES Padlocks?	OPERATIONAL	NON-OPERATIONAL	COMMENTS:	
Have the front lawns been mowed?	YES	NO	COMMENTS:	
Condition of the asphalt pavement	GOOD	FAIR	POOR	COMMENTS:
Condition of the front sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Condition of the building foundations?	GOOD	FAIR	POOR	COMMENTS:
Are the requirements of the Site Management Plan being met?	YES	NO	COMMENTS:	
Are there any needed changes?	YES	NO	COMMENTS:	
Are the site records complete and up to date?	YES	NO	COMMENTS:	

<b>Miscellaneous</b>				
Evidence of Trespassing	YES	NO	COMMENTS:	
Litter	NONE	MINOR	SIGNIFICANT	COMMENTS:

<b>Site Monitoring Wells</b>		
<b>Well ID.</b>	<b>Location Secure</b>	
MW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-4	YES	NO
MW-5	YES	NO
MW-6	YES	NO
MW-7	YES	NO
MW-ES-8	YES	NO
MW-9	YES	NO
MW-ES-10S	YES	NO
MW-11	YES	NO
MW-12	YES	NO
MW-103	YES	NO
RW-1	YES	NO

**General Comments:**

well was destroyed by a town mower 2022  
 Well was abandoned in place with sand and grout

**Site Management Plan Inspection Form**  
**Sconodoa Street**  
**Former MGP Site**  
**Oneida, New York**

Date: 7/5/2023  
 Technician: GE

Time: 8:15  
 Weather: Clear 75

<b>Soil Cover System</b>			
Any signs of ground-intrusive activities?	YES	NO	COMMENTS:
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:
Any surface erosion?	YES	NO	COMMENTS:
Any settlement?	YES	NO	COMMENTS:
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:
Excessive cracking or missing pavement?	YES	NO	COMMENTS:
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:

<b>Site Wide</b>				
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Fence Condition?	GOOD	FAIR	Damaged	COMMENTS:
Gate Conditions?	GOOD	FAIR	Damaged	COMMENTS:
NG and GES Padlocks?	OPERATIONAL	NON-OPERATIONAL	COMMENTS:	
Have the front lawns been mowed?	YES	NO	COMMENTS:	
Condition of the asphalt pavement	GOOD	FAIR	POOR	COMMENTS:
Condition of the front sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Condition of the building foundations?	GOOD	FAIR	POOR	COMMENTS:
Are the requirements of the Site Management Plan being met?	YES	NO	COMMENTS:	
Are there any needed changes?	YES	NO	COMMENTS:	
Are the site records complete and up to date?	YES	NO	COMMENTS:	

<b>Miscellaneous</b>				
Evidence of Trespassing	YES	NO	COMMENTS:	
Litter	NONE	MINOR	SIGNIFICANT	COMMENTS: cleaned up

<b>Site Monitoring Wells</b>		
<b>Well ID.</b>	<b>Location Secure</b>	
MW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-4	YES	NO
MW-5	YES	NO
MW-6	YES	NO
MW-7	YES	NO
MW-ES-8	YES	NO
MW-9	YES	NO
MW-ES-10S	YES	NO
MW-11	YES	NO
MW-12	YES	NO
MW-103	YES	NO
RW-1	YES	NO

**General Comments:**

well was destroyed by a town mower 2022



**Site Management Plan Inspection Form**  
**Sconodoa Street**  
**Former MGP Site**  
**Oneida, New York**

Date: 4/12/2023  
 Technician: AJ

Time: 14:30  
 Weather: Sunny 70

<b>Soil Cover System</b>			
Any signs of ground-intrusive activities?	YES	NO	COMMENTS:
Any soil disturbance regardless of quantity/extent?	YES	NO	COMMENTS:
Any surface erosion?	YES	NO	COMMENTS:
Any settlement?	YES	NO	COMMENTS:
Bare or sparsely-vegetated areas?	YES	NO	COMMENTS:
Excessive cracking or missing pavement?	YES	NO	COMMENTS:
Any other conditions affecting the thickness or the integrity of the soil cover system?	YES	NO	COMMENTS:

<b>Site Wide</b>				
Any repairs, maintenance or corrective actions since the last inspection?	YES	NO	COMMENTS:	
Fence Condition?	GOOD	FAIR	Damaged	COMMENTS:
Gate Conditions?	GOOD	FAIR	Damaged	COMMENTS:
NG and GES Padlocks?	OPERATIONAL	NON-OPERATIONAL	COMMENTS:	
Have the front lawns been mowed?	YES	NO	COMMENTS:	
Condition of the asphalt pavement	GOOD	FAIR	POOR	COMMENTS:
Condition of the front sidewalks?	GOOD	FAIR	POOR	COMMENTS:
Condition of the building foundations?	GOOD	FAIR	POOR	COMMENTS:
Are the requirements of the Site Management Plan being met?	YES	NO	COMMENTS:	
Are there any needed changes?	YES	NO	COMMENTS:	
Are the site records complete and up to date?	YES	NO	COMMENTS:	

<b>Miscellaneous</b>				
Evidence of Trespassing	YES	NO	COMMENTS:	
Litter	NONE	MINOR	SIGNIFICANT	COMMENTS:

<b>Site Monitoring Wells</b>		
<b>Well ID.</b>	<b>Location Secure</b>	
MW-1	YES	NO
MW-2	YES	NO
MW-3	YES	NO
MW-4	YES	NO
MW-5	YES	NO
MW-6	YES	NO
MW-7	YES	NO
MW-ES-8	YES	NO
MW-9	YES	NO
MW-ES-10S	YES	NO
MW-11	YES	NO
MW-12	YES	NO
MW-103	YES	NO
RW-1	YES	NO

**General Comments:**

well was destroyed by a town mower 2022