

McKesson Bear Street

Data Usability Summary Report (DUSR)

SYRACUSE, NEW YORK

Volatile, Semivolatile and Methanol Analyses

SDG #: 460-74504, 460-74604, and 460-74662

Analyses Performed By:
TestAmerica Laboratories
Edison, New Jersey

Report #: 21690R
Review Level: Tier III
Project: B0026003.2014.00010

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) #s 460-74504, 460-74604, and 460-74662 for samples collected in association with the McKesson Bear Street site in Syracuse, New York. The review was conducted as a Tier III evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	METH	MISC
460-74504	TB041614	460-74504-1	Water	04/16/2014		X				
	MW-4S	460-74504-2	Water	04/16/2014		X	X			
	PZ-4D	460-74504-3	Water	04/16/2014		X	X			
	MW-35	460-74504-4	Water	04/16/2014		X			X	
	MW-27	460-74504-5	Water	04/16/2014		X	X			
	MW-28	460-74504-6	Water	04/16/2014		X	X		X	
	MW-8SR	460-74504-7	Water	04/16/2014		X	X			
	BD041614-01	460-74504-8	Water	04/16/2014	MW-8SR	X	X			
460-74604	TB041714	460-74604-1	Water	04/17/2014		X				
	MW-31	460-74604-2	Water	04/17/2014		X	X		X	
	MW-32	460-74604-3	Water	04/17/2014		X	X		X	
	MW-33	460-74604-4	Water	04/17/2014		X	X			
	MW-34	460-74604-5	Water	04/17/2014		X	X		X	
	MW-36R	460-74604-6	Water	04/17/2014		X	X			
	TW-02RRR	460-74604-7	Water	04/17/2014		X	X		X	
	TW-01	460-74604-8	Water	04/17/2014		X	X		X	
	BD041714-02	460-74604-9	Water	04/17/2014	TW-02RRR	X	X		X	
460-74662	TB041814	460-74662-1	Water	04/18/2014		X				
	MW-9S	460-74662-2	Water	04/18/2014		X	X		X	

Notes:

1. METH - Methanol.
2. The matrix spike /matrix spike duplicate (MS/MSD) analysis was performed on sample location MW-35.
3. MS/MSD analysis was performed for VOCs on sample location MW-31.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 Methods 8260C, 8270D and 8015D as referenced in NYSDEC-ASP. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999 and USEPA Region II SOPs associated with USEPA SW-846 Validating Volatile Organic Compounds by GC/MS SW-846 Method 8260B (SOP HW-24 Revision 2, October 2006) and Validating Semivolatile Organic Compounds by GC/MS SW-846 Method 8270C (SOP HW-22 Revision 3, October 2006).

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected as unusable. The compound may or may not be present in the sample.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260C	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.
	Soil	48 hours from collection to extraction and 14 days from collection to analysis	Cool to <6°C

s.u. Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e. laboratory method blanks, trip blanks, and equipment rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Trip blanks measure sample storage contamination. Rinse blanks also measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination.

3. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution were acceptable.

4. Calibration

Satisfactory instrument calibration is established to insure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

4.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (15%) or a correlation coefficient greater than 0.99, and a RRF value greater than control limit (0.05).

4.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

5. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within the control limits.

6. Internal Standard Performance

Internal standard performance criteria insure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria requires the internal standard compounds associated with the VOC analysis exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within control limits.

7. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The spiked compounds used in the MS/MSD analysis must exhibit recoveries within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS and MSD results must be within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSDs performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD spiking concentration by a factor of four or greater. Sample results associated with MS/MSD exceedances where the parent samples are not site-specific are not qualified.

The MS/MSD exhibited acceptable recoveries. Sample locations associated with MS/MSD recoveries exhibiting an RPD greater than of the control limit presented in the following table.

Sample Locations	Compound
MW-35	Acetone

The criteria used to evaluate the RPD between the MS/MSD recoveries are presented in the following table. In the case of an RPD deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> UL	Non-detect	UJ
	Detect	J

8. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the accuracy of the analytical method independent of matrix interferences. The spiked compounds used in the LCS analysis must exhibit recoveries within the laboratory-established acceptance limits.

All compounds associated with the LCS analyses exhibited recoveries within the control limits.

9. Field Duplicate Analysis

The field duplicate analysis is used to assess the precision of the field sampling procedures and analytical method. A control limit of 50% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to five times the reporting limit (RL), a control limit for the difference between the results of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
MW-8SR/ BD041614-01	Benzene	3.2	3.3	AC
	Ethylbenzene	0.25 J	0.27 J	
	Toluene	1.2	1.1	
	Xylenes, Total	13	13	
TW-02RRR/ BD041714-02	Aceton	8.0 J	10	AC
	Benzene	1.2	1.2	
	Ethylbenzene	0.51 J	0.44 J	
	Toluene	0.18 J	0.17 J	
	Xylenes, Total	1.0 J	0.96 J	

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

10. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

11. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: SW-846 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment/Field blanks					X
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) Accuracy (%R)		X		X	
Laboratory Control Sample Duplicate (LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R		X		X	
Matrix Spike Duplicate (MSD) %R		X		X	
MS/MSD Precision RPD		X	X		
Field Duplicate RPD		X		X	
Surrogate Spike %R		X		X	
Dilution Factor		X		X	
Moisture Content					X
Tier III Validation					
System performance and column resolution		X		X	
Initial calibration %RSDs		X		X	
Continuing calibration RRFs		X		X	
Continuing calibration %Ds		X		X	
Instrument tune and performance check		X		X	
Ion abundance criteria for each instrument used		X		X	
Internal standard		X		X	
Compound identification and quantitation					
A. Reconstructed ion chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of sample compounds within the established RT windows		X		X	
D. Transcription/calculations acceptable		X		X	
E. Reporting limits adjusted for sample dilutions		X		X	

%R Percent recovery
 RPD Relative percent difference
 %RSD Relative standard deviation
 %D Percent difference

SEMIVOLATILE ORGANIC COMPOUND (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D	Water	7 days from collection to extraction and 40 days from extraction to analysis	Cool to <6°C
	Soil	14 days from collection to extraction and 40 days from extraction to analysis	

All samples were extracted and analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e. laboratory method blanks and equipment rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Target compounds were not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination.

3. Mass Spectrometer Tuning

Mass spectrometer performance was acceptable and all analyses were performed within a 12-hour tune clock.

System performance and column resolution are acceptable.

4. Calibration

Satisfactory instrument calibration is established to insure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

4.1 Initial Calibration

The method specifies percent relative standard deviation (%RSD) and relative response factor (RRF) limits for select compounds only. A technical review of the data applies limits to all compounds with no exceptions.

All target compounds associated with the initial calibration standards must exhibit a %RSD less than the control limit (15%) or a correlation coefficient greater than 0.99 and an RRF value greater than control limit (0.05).

4.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (20%) and RRF value greater than control limit (0.05).

All compounds associated with the calibrations were within the specified control limits.

5. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits, and that all SVOC surrogate recoveries be greater than ten percent.

Sample locations associated with surrogates exhibiting recoveries outside of the control limits presented in the following table.

Sample Locations	Surrogate	Recovery
TW-02RRR BD041714-02	Nitrobenzene-d5	D
	2-Fluorobiphenyl	
	Terphenyl-d14	
MW-34	Nitrobenzene-d5	AC
	2-Fluorobiphenyl	
	Terphenyl-d14	> UL

D Diluted
AC Acceptable

The criteria used to evaluate the surrogate recoveries are presented in the following table. In the case of a surrogate deviation, the sample results associated with the deviant fraction are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> upper control limit (UL)	Non-detect	No Action
	Detect	J
< lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J
One surrogate outside control limits but >10%	Non-detect	No Action
	Detect	

Control Limit	Sample Result	Qualification
Surrogates diluted below the calibration curve due to the high concentration of a target compounds	Non-detect	UJ ¹
	Detect	J ¹

A more concentrated analysis was not performed with surrogate compounds within the calibration range; therefore, no determination of extraction efficiency could be made.

6. Internal Standard Performance

Internal standard performance criteria insure that the GC/MS sensitivity and response are stable during every sample analysis. The criteria requires the internal standard compounds associated with the SVOC analysis exhibit area counts that are not greater than two times (+100%) or less than one-half (-50%) of the area counts of the associated continuing calibration standard.

All internal standard responses were within the control limits.

7. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit recoveries within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS and MSD results must be within the laboratory-established or analytical method-referenced acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater. Sample results associated with MS/MSD exceedances where the parent samples are not site-specific are not qualified.

The MS/MSD exhibited acceptable recoveries and RPD between the MS/MSD recoveries.

8. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit recoveries and relative percent differences (RPDs) between the LCS and LCSD results within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analyses exhibited recoveries and RPDs within the control limits.

9. Field Duplicate Analysis

The field duplicate analysis is used to assess the precision of the field sampling procedures and analytical method. A control limit of 50% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to five times the reporting limit (RL), a control limit for the difference between the results of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
MW-8SR/ BD041614-01	Aniline	3.9 J	5.9 J	AC
	n,n'-Dimethylaniline	1.4	1.9	AC
TW-02RRR/ BD041714-02	Aniline	1300	1700	26.7%
	n,n'-Dimethylaniline	2.8 J	3.5 J	AC

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

10. Compound Identification

Compounds are identified on the GC/MS by using the analytes relative retention time and ion spectra.

All identified compounds met the specified criteria.

11. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding Times		X		X	
Reporting Limits (units)		X		X	
Blanks					
A. Method Blanks		X		X	
B. Equipment/Field Blanks					X
Laboratory Control Sample (LCS) Accuracy (%R)		X		X	
Laboratory Control Sample Duplicate (LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R		X		X	
Matrix Spike Duplicate (MSD) %R		X		X	
MS/MSD RPD		X		X	
Field Duplicate RPD		X		X	
Surrogate Spike %R		X	X		
Dilution Factor		X		X	
Moisture Content					X
Tier III Validation					
System Performance and Column Resolution		X		X	
Initial Calibration %RSDs		X		X	
Continuing Calibration RRFs		X		X	
Continuing Calibration %Ds		X		X	
Instrument Tune and Performance Check		X		X	
Ion Abundance Criteria for Each Instrument Used		X		X	
Internal Standards		X		X	
Compound Identification and Quantitation					
A. Reconstructed Ion Chromatograms		X		X	
B. Quantitation Reports		X		X	
C. RT of Sample Compounds Within the Established RT Windows		X		X	
D. Transcription/calculations acceptable		X		X	
E. Reporting Limits Adjusted for Sample Dilutions		X		X	

%R Percent Recovery
 RPD Relative Percent Difference
 %RSD Relative Standard Deviation
 %D Percent Difference

METHANOL ANALYSIS

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
Methanol SW-846 8015D	Soil	14 days from collection to analysis	Cool to <6°C
	Water		

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e. laboratory method blanks and equipment rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected analyte in an associated blank is calculated for QA blanks containing concentrations greater than the reporting limit (RL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Methanol was not detected above the MDL in the associated blanks; therefore detected sample results were not associated with blank contamination.

3. System Performance

System performance and column resolution were acceptable.

4. Calibration

Satisfactory instrument calibration is established to insure that the instrument is capable of producing acceptable quantitative data. An initial calibration demonstrates that the instrument is capable of acceptable performance at the beginning of an experimental sequence. The continuing calibration verifies that the instrument daily performance is satisfactory.

4.1 Initial Calibration

A maximum RSD of 20% or a correlation coefficient of greater than 0.99 is allowed.

4.2 Continuing Calibration

All target compounds associated with the continuing calibration standard must exhibit a percent difference (%D) less than the control limit (15%).

All calibration criteria were within the control limits.

5. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. The analysis requires surrogate compounds exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within the control limits.

6. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The spiked analytes used in the MS/MSD analysis must exhibit recoveries within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS and MSD results must be within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSDs performed on sample locations where the analyte concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater. Sample results associated with MS/MSD exceedances where the parent samples are not site-specific are not qualified.

The MS/MSD exhibited acceptable recoveries and RPD between the MS/MSD recoveries.

7. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the accuracy of the analytical method independent of matrix interferences. The spiked compounds used in the LCS analysis must exhibit recoveries within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

8. Field Duplicate Analysis

The field duplicate analysis is used to assess the precision of the field sampling procedures and analytical method. A control limit of 50% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to five times the reporting limit (RL), a control limit for the difference between the results of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
TW-02RRR/ BD041714-02	Methanol	500 U	500 U	AC

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

9. Compound Identification

The retention times of all quantitated peaks must fall within the calculated retention time windows.

All identified compounds met the specified criteria.

10. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR METHANOL

Methanol: SW-846 8015D	Reported		Performance Acceptable		Not Required	
	No	Yes	No	Yes		
GAS CHROMATOGRAPHY (GC/FID)						
Tier II Validation						
Holding Times		X		X		
Reporting Limits (Units)		X		X		
Blanks						
A. Method Blanks		X		X		
B. Equipment Blanks					X	
C. Trip Blanks					X	
Laboratory Control Sample (LCS) Accuracy (%R)		X		X		
Laboratory Control Sample Duplicate (LCSD) %R					X	
LCS/LCSD Precision (RPD)					X	
Matrix Spike (MS) %R		X		X		
Matrix Spike Duplicate (MSD) %R		X		X		
MS/MSD RPD		X		X		
Field Duplicate RPD		X		X		
Surrogate Spike %R		X		X		
Dilution Factor		X		X		
Moisture Content					X	
Tier III Validation						
Initial Calibration %RSDs		X		X		
Continuing Calibration %Ds		X		X		
System Performance and Column Resolution		X		X		
Compound Identification and Quantitation						
A. Quantitation Reports		X		X		
B. RT of Sample Compounds Within Established RT Windows		X		X		
C. Pattern Identification					X	
D. Transcription/calculations acceptable		X		X		
E. Reporting Limits adjusted for Sample Dilutions		X		X		

%R Percent Recovery
 RPD Relative Percent Difference
 %RSD Relative Standard Deviation
 %D Percent Difference

SAMPLE COMPLIANCE REPORT

Sample Delivery Group (SDG)	Sampling Date	Protocol	Sample ID	Matrix	Compliance ¹					Noncompliance
					VOC	SVOC	PCB	METH	MISC	
460-74504	04/16/2014	SW846	TB041614	Water	yes	--	--	--	--	
	04/16/2014		MW-4S	Water	yes	yes	--	--	--	
	04/16/2014		PZ-4D	Water	yes	yes	--	--	--	
	04/16/2014		MW-35	Water	No	yes	--	yes	--	MS/MSD RPD
	04/16/2014		MW-27	Water	yes	yes	--	--	--	
	04/16/2014		MW-28	Water	yes	yes	--	yes	--	
	04/16/2014		MW-8SR	Water	yes	yes	--	--	--	
	04/16/2014		BD041614-01	Water	yes	yes	--	--	--	
460-74604	04/17/2014		TB041714	Water	yes	--	--	--	--	
	04/17/2014		MW-31	Water	yes	yes	--	yes	--	
	04/17/2014		MW-32	Water	yes	yes	--	yes	--	
	04/17/2014		MW-33	Water	yes	yes	--	--	--	
	04/17/2014		MW-34	Water	yes	no	--	yes	--	Surrogate %R
	04/17/2014		MW-36R	Water	yes	yes	--	--	--	
	04/17/2014		TW-02RRR	Water	yes	no	--	yes	--	Surrogate %R
	04/17/2014		TW-01	Water	yes	yes	--	yes	--	
	04/17/2014		BD041714-02	Water	yes	no	--	yes	--	Surrogate %R
460-74662	04/18/2014		TB041814	Water	yes	--	--	--	--	
	04/18/2014		MW-9S	Water	yes	yes	--	yes	--	

1 Samples which are compliant with no added validation qualifiers are listed as "yes". Samples which are non-compliant or which have added qualifiers are listed as "no". A "no" designation does not necessarily indicate that the data have been rejected or are otherwise unusable.

Validation Performed By: Lyndi Mott

Signature:

A handwritten signature in black ink, appearing to read "Lyndi Mott", is written over a light gray rectangular background. The signature is cursive and fluid.

Date: May 12, 2014


Peer Review: Dennis Capria

Date: May 16, 2014

**CHAIN OF CUSTODY/LABORATORY QUALIFIER DEFINITIONS/
CORRECTED SAMPLE ANALYSIS DATA SHEETS**

Chain of Custody Record

TestAmerica
 74504 NEW JERSEY TESTING

Client Information		Sampler: <u>Kelley Roe/Nicole Monroe</u>		Lab P/N: <u>Chang, Grace</u>		COC No: <u>460-45501-28639.3</u>	
Client Contact: <u>Accounts Payable</u>		Phone: <u>365-382-4934</u>		E-Mail: <u>grace.chang@testamerica.com</u>		Page: <u>Page 3 of 5</u>	
Company: <u>ARCADIS U.S. Inc</u>		Due Date Requested:		Camera Tracking No(s):		Reservation Codes:	
Address: <u>630 Plaza Drive, Suite 600</u>		TAT Requested (days):		Barcode: 		HCL NaOH Zn Acetate Nitric Acid NaHSO4 MeOH G-Armoher H-Acetic Acid I-Ice J-DI Water K-EDTA L-EDA Other:	
City: <u>Highlands Ranch</u>		Standard		460-74504 Chain of Custody		M - Hexane N - None O - AsNaO2 P - Na2CO3 Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - Ph 4.5 Z - other (specify)	
State Zip: <u>CO 80129</u>		Purchase Order Requested		Total Number of containers		Special Instructions/Notes	
Phone:		WO #:		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)	
Email: <u>accounts.payable.administration@arcadis-us.com</u>		Project #:		8270D - 8270D-Special Compound List		8260C - (MOD) 8260-Special Compound List	
Project Name: <u>McKesson Former Bear Street Facility</u>		46003506/50036003, 2014, 00610		8015D_DAI - Methanol		8015D_DAI - Methanol	
Site: <u>Bear St, Syracuse, NY</u>		SSOW#:		8015D_DAI - Methanol		8015D_DAI - Methanol	
Sample Identification		Sample Date		Sample Time		Sample Type (G=Comp, G=grab)	
TB041614		4/14/14		1200		Water	
MW-4S		4/16/14		1145		Water	
PE-4D		4/16/14		1140		Water	
MW-3S		4/16/14		1330		Water	
MW-2T		4/16/14		1440		Water	
MW-2E		4/16/14		1545		Water	
MW-8SR		4/16/14		1600		Water	
BD041614-01		4/16/14		0930		Water	
						Water	
						Water	
						Water	
Possible Hazard Identification		Non-Hazard		Flammable		Skin Irritant	
		Poison B		Unknown		Radiological	
Deliverable Requested: I, II, III, IV, Other (specify) <u>Per Subcontract Agreement</u>		Empty Kit Relinquished by: <u>TestAmerica/Syracuse</u>		Date: <u>4/14/14</u>		Time: <u>1000</u>	
Relinquished by: <u>Kelley Roe</u>		Date/Time: <u>4/16/14, 17:20</u>		Company: <u>ARCADIS</u>		Received by: <u>Kelley Roe</u>	
Relinquished by: <u>RE-14/11h</u>		Date/Time: <u>4-16-14, 19:00</u>		Company: <u>Syn</u>		Received by: <u>km (w/wo) (Ex-der)</u>	
Relinquished by:		Date/Time:		Company:		Received by:	
Custody Seal Intact: <u>Yes</u>		Custody Seal No: <u>736758</u>		Cooler Temperature(s) °C and Other Remarks: <u>REFS 0.3/0.4°C</u>		Method of Shipment: <u>Client Pickup</u>	
						Date/Time: <u>4-16-14, 17:20</u>	
						Date/Time: <u>4/17/14 9:20</u>	
						Company: <u>TA ED</u>	

**SUB
Work**

DATA REPORTING QUALIFIERS

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Lab Section	Qualifier	Description
GC/MS VOA	U	Indicates the analyte was analyzed for but not detected.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
GC/MS Semi VOA	U	Indicates the analyte was analyzed for but not detected.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
	X	Surrogate is outside control limits
GC VOA	U	Indicates the analyte was analyzed for but not detected.

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: TB041614

Lab Sample ID: 460-74504-1TB

Client Matrix: Water

Date Sampled: 04/16/2014 1600

Date Received: 04/17/2014 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-219595	Instrument ID:	CVOAMS9
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	K26289.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/18/2014 1725			Final Weight/Volume:	5 mL
Prep Date:	04/18/2014 1725				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U	2.7	10
Benzene	1.0	U	0.080	1.0
Ethylbenzene	1.0	U	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	1.0	U	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	3.0	U	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	103		70 - 130
Bromofluorobenzene	100		64 - 135
Dibromofluoromethane (Surr)	112		72 - 137
Toluene-d8 (Surr)	96		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: MW-4S

Lab Sample ID: 460-74504-2

Date Sampled: 04/16/2014 1145

Client Matrix: Water

Date Received: 04/17/2014 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-219595	Instrument ID:	CVOAMS9
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	K26291.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/18/2014 1813			Final Weight/Volume:	5 mL
Prep Date:	04/18/2014 1813				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U	2.7	10
Benzene	1.0	U	0.080	1.0
Ethylbenzene	1.0	U	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	1.0	U	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	3.0	U	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104		70 - 130
Bromofluorobenzene	96		64 - 135
Dibromofluoromethane (Surr)	111		72 - 137
Toluene-d8 (Surr)	90		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: PZ-4D

Lab Sample ID: 460-74504-3

Date Sampled: 04/16/2014 1140

Client Matrix: Water

Date Received: 04/17/2014 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-219595	Instrument ID:	CVOAMS9
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	K26292.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/18/2014 1837			Final Weight/Volume:	5 mL
Prep Date:	04/18/2014 1837				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U	2.7	10
Benzene	1.0	U	0.080	1.0
Ethylbenzene	1.0	U	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	1.0	U	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	3.0	U	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	103		70 - 130
Bromofluorobenzene	96		64 - 135
Dibromofluoromethane (Surr)	110		72 - 137
Toluene-d8 (Surr)	87		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: MW-35

Lab Sample ID: 460-74504-4

Date Sampled: 04/16/2014 1330

Client Matrix: Water

Date Received: 04/17/2014 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-219595	Instrument ID:	CVOAMS9
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	K26293.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/18/2014 1902			Final Weight/Volume:	5 mL
Prep Date:	04/18/2014 1902				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U J	2.7	10
Benzene	1.0	U	0.080	1.0
Ethylbenzene	1.0	U	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	1.0	U	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	3.0	U	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	105		70 - 130
Bromofluorobenzene	93		64 - 135
Dibromofluoromethane (Surr)	112		72 - 137
Toluene-d8 (Surr)	87		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: MW-27

Lab Sample ID: 460-74504-5

Date Sampled: 04/16/2014 1440

Client Matrix: Water

Date Received: 04/17/2014 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-219595	Instrument ID:	CVOAMS9
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	K26294.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/18/2014 1926			Final Weight/Volume:	5 mL
Prep Date:	04/18/2014 1926				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U	2.7	10
Benzene	1.0		0.080	1.0
Ethylbenzene	1.0	U	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	0.41	J	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	0.92	J	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104		70 - 130
Bromofluorobenzene	96		64 - 135
Dibromofluoromethane (Surr)	111		72 - 137
Toluene-d8 (Surr)	89		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: MW-28

Lab Sample ID: 460-74504-6

Date Sampled: 04/16/2014 1545

Client Matrix: Water

Date Received: 04/17/2014 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-219595	Instrument ID:	CVOAMS9
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	K26295.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/18/2014 1950			Final Weight/Volume:	5 mL
Prep Date:	04/18/2014 1950				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	13		2.7	10
Benzene	1.7		0.080	1.0
Ethylbenzene	1.0	U	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	0.29	J	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	3.0	U	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104		70 - 130
Bromofluorobenzene	93		64 - 135
Dibromofluoromethane (Surr)	109		72 - 137
Toluene-d8 (Surr)	89		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: MW-8SR

Lab Sample ID: 460-74504-7

Client Matrix: Water

Date Sampled: 04/16/2014 1600

Date Received: 04/17/2014 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-219595	Instrument ID:	CVOAMS9
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	K26296.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/18/2014 2014			Final Weight/Volume:	5 mL
Prep Date:	04/18/2014 2014				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U	2.7	10
Benzene	3.2		0.080	1.0
Ethylbenzene	0.25	J	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	1.2		0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	13		0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104		70 - 130
Bromofluorobenzene	102		64 - 135
Dibromofluoromethane (Surr)	113		72 - 137
Toluene-d8 (Surr)	88		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: BD041614-01

Lab Sample ID: 460-74504-8

Date Sampled: 04/16/2014 0930

Client Matrix: Water

Date Received: 04/17/2014 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-219595	Instrument ID:	CVOAMS9
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	K26297.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/18/2014 2038			Final Weight/Volume:	5 mL
Prep Date:	04/18/2014 2038				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U	2.7	10
Benzene	3.3		0.080	1.0
Ethylbenzene	0.27	J	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	1.1		0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	13		0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104		70 - 130
Bromofluorobenzene	102		64 - 135
Dibromofluoromethane (Surr)	114		72 - 137
Toluene-d8 (Surr)	88		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: MW-4S

Lab Sample ID: 460-74504-2

Date Sampled: 04/16/2014 1145

Client Matrix: Water

Date Received: 04/17/2014 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222235	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219569	Lab File ID:	M79163.D
Dilution:	1.0			Initial Weight/Volume:	240 mL
Analysis Date:	05/03/2014 0351			Final Weight/Volume:	2 mL
Prep Date:	04/17/2014 2035			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	10	U	0.20	10
n,n'-Dimethylaniline	1.0	U	0.18	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	63		50 - 120
Nitrobenzene-d5 (Surr)	66		60 - 114
Terphenyl-d14 (Surr)	77		72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: PZ-4D

Lab Sample ID: 460-74504-3

Date Sampled: 04/16/2014 1140

Client Matrix: Water

Date Received: 04/17/2014 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222235	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219569	Lab File ID:	M79164.D
Dilution:	1.0			Initial Weight/Volume:	250 mL
Analysis Date:	05/03/2014 0413			Final Weight/Volume:	2 mL
Prep Date:	04/17/2014 2035			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	10	U	0.19	10
n,n'-Dimethylaniline	1.0	U	0.17	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	61		50 - 120
Nitrobenzene-d5 (Surr)	62		60 - 114
Terphenyl-d14 (Surr)	74		72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: MW-35

Lab Sample ID: 460-74504-4

Date Sampled: 04/16/2014 1330

Client Matrix: Water

Date Received: 04/17/2014 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222005	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219569	Lab File ID:	M79106.D
Dilution:	1.0			Initial Weight/Volume:	240 mL
Analysis Date:	05/02/2014 0347			Final Weight/Volume:	2 mL
Prep Date:	04/17/2014 2035			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	10	U	0.20	10
n,n'-Dimethylaniline	1.6		0.18	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	58		50 - 120
Nitrobenzene-d5 (Surr)	68		60 - 114
Terphenyl-d14 (Surr)	89		72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: MW-27

Lab Sample ID: 460-74504-5

Date Sampled: 04/16/2014 1440

Client Matrix: Water

Date Received: 04/17/2014 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222416	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219569	Lab File ID:	M79222.D
Dilution:	1.0			Initial Weight/Volume:	240 mL
Analysis Date:	05/04/2014 1631			Final Weight/Volume:	2 mL
Prep Date:	04/17/2014 2035			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	0.60	J	0.20	10
n,n'-Dimethylaniline	0.48	J	0.18	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	57		50 - 120
Nitrobenzene-d5 (Surr)	61		60 - 114
Terphenyl-d14 (Surr)	76		72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: MW-28

Lab Sample ID: 460-74504-6

Date Sampled: 04/16/2014 1545

Client Matrix: Water

Date Received: 04/17/2014 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222416	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219569	Lab File ID:	M79223.D
Dilution:	1.0			Initial Weight/Volume:	250 mL
Analysis Date:	05/04/2014 1653			Final Weight/Volume:	2 mL
Prep Date:	04/17/2014 2035			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	10	U	0.19	10
n,n'-Dimethylaniline	0.72	J	0.17	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	73		50 - 120
Nitrobenzene-d5 (Surr)	75		60 - 114
Terphenyl-d14 (Surr)	103		72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: MW-8SR

Lab Sample ID: 460-74504-7

Client Matrix: Water

Date Sampled: 04/16/2014 1600

Date Received: 04/17/2014 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222416	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219569	Lab File ID:	M79224.D
Dilution:	1.0			Initial Weight/Volume:	240 mL
Analysis Date:	05/04/2014 1715			Final Weight/Volume:	2 mL
Prep Date:	04/17/2014 2035			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	3.9	J	0.20	10
n,n'-Dimethylaniline	1.4		0.18	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	61		50 - 120
Nitrobenzene-d5 (Surr)	61		60 - 114
Terphenyl-d14 (Surr)	75		72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: BD041614-01

Lab Sample ID: 460-74504-8

Date Sampled: 04/16/2014 0930

Client Matrix: Water

Date Received: 04/17/2014 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222416	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219569	Lab File ID:	M79225.D
Dilution:	1.0			Initial Weight/Volume:	240 mL
Analysis Date:	05/04/2014 1737			Final Weight/Volume:	2 mL
Prep Date:	04/17/2014 2035			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	5.6	J	0.20	10
n,n'-Dimethylaniline	1.9		0.18	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	78		50 - 120
Nitrobenzene-d5 (Surr)	76		60 - 114
Terphenyl-d14 (Surr)	103		72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: MW-35

Lab Sample ID: 460-74504-4

Date Sampled: 04/16/2014 1330

Client Matrix: Water

Date Received: 04/17/2014 0920

8015D Nonhalogenated Organic Compounds - Direct Injection (GC)

Analysis Method:	8015D	Analysis Batch:	480-177397	Instrument ID:	HP5890-4
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	
Analysis Date:	04/22/2014 1251			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methanol	500	U	410	500
Surrogate	%Rec	Qualifier	Acceptance Limits	
2-Hexanone	111		62 - 129	

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74504-1

Client Sample ID: MW-28

Lab Sample ID: 460-74504-6

Date Sampled: 04/16/2014 1545

Client Matrix: Water

Date Received: 04/17/2014 0920

8015D Nonhalogenated Organic Compounds - Direct Injection (GC)

Analysis Method:	8015D	Analysis Batch:	480-177397	Instrument ID:	HP5890-4
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	
Analysis Date:	04/22/2014 1331			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methanol	500	U	410	500
Surrogate	%Rec	Qualifier	Acceptance Limits	
2-Hexanone	113		62 - 129	

Chain of Custody Record

TestAmerica
 11550 N. DAWSON ROAD, TEST CO.

Client Information		Sampler: <u>K. Roe/N. Monroe</u>		Lab PM: <u>Chang, Grace</u>		Carrier Tracking No(s):		COC No: <u>460-4501-286394</u>	
Client Contact: <u>Accounts Payable</u>		Project: <u>35-382-4934</u>		E-Mail: <u>grace.chang@testamericainc.com</u>				Page: <u>4 of 5</u>	
Company: <u>ARCADIS U.S. Inc</u>		Due Date Requested:		Analysis Requested		Job #: <u>74604</u>			
Address: <u>630 Plaza Drive, Suite 600</u>		TAT Requested (days):		Standard		460-74604 Chain of Custody			
City: <u>Highlands Ranch</u>		State, Zip: <u>CO, 80129</u>		PO #:		Purchase Order Requested			
Phone:		Email: <u>accounts.payable.administration@arcadis-us.com</u>		Project #: <u>46003506</u>		Project Name: <u>McKesson Former Bear Street Facility</u>		Site: <u>Bear Street Syracuse, NY</u>	
Project Name: <u>McKesson Former Bear Street Facility</u>		Project #: <u>46003506</u>		Project Name: <u>McKesson Former Bear Street Facility</u>		Project #: <u>46003506</u>		Project Name: <u>McKesson Former Bear Street Facility</u>	
Sample Identification		Sample Date		Sample Time		Sample Type (G=Comp, G=Grab)		Matrix (Water, Seawater, Oil, BT-Tissue, A=Air)	
TB041714		4/14/14		1800		G		Water	
MW-31		4/17/14		1600		G		Water	
MW-32		4/17/14		1305		G		Water	
MW-33		4/17/14		1435		G		Water	
MW-34		4/17/14		1855		G		Water	
MW-31GR		4/17/14		1410		G		Water	
TW-02RRR		4/17/14		1120		G		Water	
TW-01		4/17/14		1155		G		Water	
BD041714-02		4/17/14		0900		G		Water	
Possible Hazard Identification		Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input checked="" type="checkbox"/> Unknown <input type="checkbox"/> Radiological <input type="checkbox"/>		Deliverable Requested: I, II, III (V, Other (specify))		Per Subcontract agreement		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
Empty Kit Relinquished by: <u>Test America/Syracuse</u>		Date: <u>4/17/14</u>		Time: <u>17:15</u>		Method of Shipment:		Special Instructions/OC Requirements:	
Relinquished by: <u>Subcontract</u>		Date/Time: <u>4/17/14 17:15</u>		Company: <u>Syracuse</u>		Received by: <u>Subcontract</u>		Date/Time: <u>4/17/14 17:15</u>	
Relinquished by: <u>Subcontract</u>		Date/Time: <u>4/17/14 19:00</u>		Company: <u>Syracuse</u>		Received by: <u>Subcontract</u>		Date/Time: <u>4/17/14 19:00</u>	
Relinquished by: <u>Subcontract</u>		Date/Time: <u>4/18/14 0930</u>		Company: <u>Syracuse</u>		Received by: <u>Subcontract</u>		Date/Time: <u>4/18/14 0930</u>	
Custody Seals Intact: <u>Yes</u>		Custody Seal No: <u>05# 736783</u>		Cooler Temperature(s) °C and Other Remarks:		2.9/3.0 °C		IRHS	

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: TB041714

Lab Sample ID: 460-74604-1

Client Matrix: Water

Date Sampled: 04/17/2014 1600

Date Received: 04/18/2014 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-220323	Instrument ID:	CVOAMS5
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	E27775.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/23/2014 0822			Final Weight/Volume:	5 mL
Prep Date:	04/23/2014 0822				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U	2.7	10
Benzene	1.0	U	0.080	1.0
Ethylbenzene	1.0	U	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	1.0	U	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	3.0	U	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	97		70 - 130
Bromofluorobenzene	96		64 - 135
Dibromofluoromethane (Surr)	98		72 - 137
Toluene-d8 (Surr)	96		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: MW-31

Lab Sample ID: 460-74604-2

Date Sampled: 04/17/2014 1600

Client Matrix: Water

Date Received: 04/18/2014 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-220323	Instrument ID:	CVOAMS5
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	E27777.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/23/2014 0910			Final Weight/Volume:	5 mL
Prep Date:	04/23/2014 0910				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U	2.7	10
Benzene	7.5		0.080	1.0
Ethylbenzene	0.22	J	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	0.93	J	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	4.6		0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	113		70 - 130
Bromofluorobenzene	107		64 - 135
Dibromofluoromethane (Surr)	112		72 - 137
Toluene-d8 (Surr)	108		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: MW-32

Lab Sample ID: 460-74604-3

Date Sampled: 04/17/2014 1305

Client Matrix: Water

Date Received: 04/18/2014 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-220323	Instrument ID:	CVOAMS5
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	E27778.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/23/2014 0934			Final Weight/Volume:	5 mL
Prep Date:	04/23/2014 0934				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U	2.7	10
Benzene	1.0	U	0.080	1.0
Ethylbenzene	1.0	U	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	1.0	U	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	3.0	U	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	99		70 - 130
Bromofluorobenzene	96		64 - 135
Dibromofluoromethane (Surr)	101		72 - 137
Toluene-d8 (Surr)	97		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: MW-33

Lab Sample ID: 460-74604-4

Date Sampled: 04/17/2014 1435

Client Matrix: Water

Date Received: 04/18/2014 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-220478	Instrument ID:	CVOAMS5
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	E27817.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/24/2014 0328			Final Weight/Volume:	5 mL
Prep Date:	04/24/2014 0328				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U	2.7	10
Benzene	1.1		0.080	1.0
Ethylbenzene	1.0	U	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	1.0	U	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	3.0	U	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	123		70 - 130
Bromofluorobenzene	118		64 - 135
Dibromofluoromethane (Surr)	122		72 - 137
Toluene-d8 (Surr)	117		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: MW-34

Lab Sample ID: 460-74604-5

Date Sampled: 04/17/2014 1255

Client Matrix: Water

Date Received: 04/18/2014 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-220478	Instrument ID:	CVOAMS5
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	E27818.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/24/2014 0352			Final Weight/Volume:	5 mL
Prep Date:	04/24/2014 0352				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	57		2.7	10
Benzene	1.4		0.080	1.0
Ethylbenzene	0.11	J	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	0.62	J	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	3.6		0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	97		70 - 130
Bromofluorobenzene	94		64 - 135
Dibromofluoromethane (Surr)	100		72 - 137
Toluene-d8 (Surr)	93		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: MW-36R

Lab Sample ID: 460-74604-6

Date Sampled: 04/17/2014 1410

Client Matrix: Water

Date Received: 04/18/2014 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-220478	Instrument ID:	CVOAMS5
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	E27819.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/24/2014 0416			Final Weight/Volume:	5 mL
Prep Date:	04/24/2014 0416				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	5.5	J	2.7	10
Benzene	1.1		0.080	1.0
Ethylbenzene	0.12	J	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	0.42	J	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	1.6	J	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	103		70 - 130
Bromofluorobenzene	98		64 - 135
Dibromofluoromethane (Surr)	106		72 - 137
Toluene-d8 (Surr)	97		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: TW-02RRR

Lab Sample ID: 460-74604-7

Date Sampled: 04/17/2014 1120

Client Matrix: Water

Date Received: 04/18/2014 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-220478	Instrument ID:	CVOAMS5
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	E27820.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/24/2014 0440			Final Weight/Volume:	5 mL
Prep Date:	04/24/2014 0440				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	8.0	J	2.7	10
Benzene	1.2		0.080	1.0
Ethylbenzene	0.51	J	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	0.18	J	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	1.0	J	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	102		70 - 130
Bromofluorobenzene	99		64 - 135
Dibromofluoromethane (Surr)	103		72 - 137
Toluene-d8 (Surr)	99		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: TW-01

Lab Sample ID: 460-74604-8

Date Sampled: 04/17/2014 1155

Client Matrix: Water

Date Received: 04/18/2014 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-220478	Instrument ID:	CVOAMS5
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	E27821.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/24/2014 0504			Final Weight/Volume:	5 mL
Prep Date:	04/24/2014 0504				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U	2.7	10
Benzene	1.0	U	0.080	1.0
Ethylbenzene	1.0	U	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	1.0	U	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	3.0	U	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	107		70 - 130
Bromofluorobenzene	104		64 - 135
Dibromofluoromethane (Surr)	110		72 - 137
Toluene-d8 (Surr)	103		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: BD041714-02

Lab Sample ID: 460-74604-9

Date Sampled: 04/17/2014 0900

Client Matrix: Water

Date Received: 04/18/2014 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-220478	Instrument ID:	CVOAMS5
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	E27822.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/24/2014 0529			Final Weight/Volume:	5 mL
Prep Date:	04/24/2014 0529				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10		2.7	10
Benzene	1.2		0.080	1.0
Ethylbenzene	0.44	J	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	0.17	J	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	0.96	J	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	97		70 - 130
Bromofluorobenzene	93		64 - 135
Dibromofluoromethane (Surr)	99		72 - 137
Toluene-d8 (Surr)	93		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: MW-31

Lab Sample ID: 460-74604-2

Date Sampled: 04/17/2014 1600

Client Matrix: Water

Date Received: 04/18/2014 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222297	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219763	Lab File ID:	M79198.D
Dilution:	1.0			Initial Weight/Volume:	250 mL
Analysis Date:	05/03/2014 1743			Final Weight/Volume:	2 mL
Prep Date:	04/18/2014 2016			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	0.75	J	0.19	10
n,n'-Dimethylaniline	1.9		0.17	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	94		50 - 120
Nitrobenzene-d5 (Surr)	93		60 - 114
Terphenyl-d14 (Surr)	122		72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: MW-32

Lab Sample ID: 460-74604-3

Date Sampled: 04/17/2014 1305

Client Matrix: Water

Date Received: 04/18/2014 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222297	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219763	Lab File ID:	M79199.D
Dilution:	1.0			Initial Weight/Volume:	240 mL
Analysis Date:	05/03/2014 1805			Final Weight/Volume:	2 mL
Prep Date:	04/18/2014 2016			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	10	U	0.20	10
n,n'-Dimethylaniline	1.1		0.18	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	90		50 - 120
Nitrobenzene-d5 (Surr)	98		60 - 114
Terphenyl-d14 (Surr)	127		72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: MW-33

Lab Sample ID: 460-74604-4

Date Sampled: 04/17/2014 1435

Client Matrix: Water

Date Received: 04/18/2014 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222463	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219763	Lab File ID:	M79250.D
Dilution:	1.0			Initial Weight/Volume:	240 mL
Analysis Date:	05/05/2014 0309			Final Weight/Volume:	2 mL
Prep Date:	04/18/2014 2016			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	0.32	J	0.20	10
n,n'-Dimethylaniline	2.3		0.18	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	97		50 - 120
Nitrobenzene-d5 (Surr)	98		60 - 114
Terphenyl-d14 (Surr)	124		72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: MW-34

Lab Sample ID: 460-74604-5

Date Sampled: 04/17/2014 1255

Client Matrix: Water

Date Received: 04/18/2014 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222463	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219763	Lab File ID:	M79251.D
Dilution:	1.0			Initial Weight/Volume:	250 mL
Analysis Date:	05/05/2014 0330			Final Weight/Volume:	2 mL
Prep Date:	04/18/2014 2016			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	2.6	J	0.19	10
n,n'-Dimethylaniline	1.6		0.17	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	92		50 - 120
Nitrobenzene-d5 (Surr)	86		60 - 114
Terphenyl-d14 (Surr)	137	X	72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: MW-36R

Lab Sample ID: 460-74604-6

Date Sampled: 04/17/2014 1410

Client Matrix: Water

Date Received: 04/18/2014 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222463	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219763	Lab File ID:	M79252.D
Dilution:	1.0			Initial Weight/Volume:	250 mL
Analysis Date:	05/05/2014 0352			Final Weight/Volume:	2 mL
Prep Date:	04/18/2014 2016			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	140		0.19	10
n,n'-Dimethylaniline	3.4		0.17	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	94		50 - 120
Nitrobenzene-d5 (Surr)	90		60 - 114
Terphenyl-d14 (Surr)	128		72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: TW-02RRR

Lab Sample ID: 460-74604-7

Date Sampled: 04/17/2014 1120

Client Matrix: Water

Date Received: 04/18/2014 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222463	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219763	Lab File ID:	M79253.D
Dilution:	10			Initial Weight/Volume:	250 mL
Analysis Date:	05/05/2014 0414			Final Weight/Volume:	2 mL
Prep Date:	04/18/2014 2016			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	1300	J	1.9	100
n,n'-Dimethylaniline	2.8	J	1.7	10

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	0	X	50 - 120
Nitrobenzene-d5 (Surr)	0	X	60 - 114
Terphenyl-d14 (Surr)	0	X	72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: TW-01

Lab Sample ID: 460-74604-8

Date Sampled: 04/17/2014 1155

Client Matrix: Water

Date Received: 04/18/2014 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222463	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219763	Lab File ID:	M79254.D
Dilution:	1.0			Initial Weight/Volume:	240 mL
Analysis Date:	05/05/2014 0436			Final Weight/Volume:	2 mL
Prep Date:	04/18/2014 2016			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	10	U	0.20	10
n,n'-Dimethylaniline	1.3		0.18	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	83		50 - 120
Nitrobenzene-d5 (Surr)	83		60 - 114
Terphenyl-d14 (Surr)	120		72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: BD041714-02

Lab Sample ID: 460-74604-9

Date Sampled: 04/17/2014 0900

Client Matrix: Water

Date Received: 04/18/2014 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-222463	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-219763	Lab File ID:	M79255.D
Dilution:	10			Initial Weight/Volume:	250 mL
Analysis Date:	05/05/2014 0458			Final Weight/Volume:	2 mL
Prep Date:	04/18/2014 2016			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	1700	J	1.9	100
n,n'-Dimethylaniline	3.5	J	1.7	10

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	0	X	50 - 120
Nitrobenzene-d5 (Surr)	0	X	60 - 114
Terphenyl-d14 (Surr)	0	X	72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: MW-31

Lab Sample ID: 460-74604-2

Date Sampled: 04/17/2014 1600

Client Matrix: Water

Date Received: 04/18/2014 0930

8015D Nonhalogenated Organic Compounds - Direct Injection (GC)

Analysis Method:	8015D	Analysis Batch:	480-177397	Instrument ID:	HP5890-4
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	
Analysis Date:	04/22/2014 1344			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methanol	500	U	410	500

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Hexanone	111		62 - 129

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: MW-32

Lab Sample ID: 460-74604-3

Date Sampled: 04/17/2014 1305

Client Matrix: Water

Date Received: 04/18/2014 0930

8015D Nonhalogenated Organic Compounds - Direct Injection (GC)

Analysis Method:	8015D	Analysis Batch:	480-177397	Instrument ID:	HP5890-4
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	
Analysis Date:	04/22/2014 1357			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methanol	500	U	410	500
Surrogate	%Rec	Qualifier	Acceptance Limits	
2-Hexanone	105		62 - 129	

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: MW-34

Lab Sample ID: 460-74604-5

Date Sampled: 04/17/2014 1255

Client Matrix: Water

Date Received: 04/18/2014 0930

8015D Nonhalogenated Organic Compounds - Direct Injection (GC)

Analysis Method:	8015D	Analysis Batch:	480-177397	Instrument ID:	HP5890-4
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	
Analysis Date:	04/22/2014 1410			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methanol	500	U	410	500

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Hexanone	97		62 - 129

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: TW-02RRR

Lab Sample ID: 460-74604-7

Date Sampled: 04/17/2014 1120

Client Matrix: Water

Date Received: 04/18/2014 0930

8015D Nonhalogenated Organic Compounds - Direct Injection (GC)

Analysis Method:	8015D	Analysis Batch:	480-177397	Instrument ID:	HP5890-4
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	
Analysis Date:	04/22/2014 1423			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methanol	500	U	410	500
Surrogate	%Rec	Qualifier	Acceptance Limits	
2-Hexanone	122		62 - 129	

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: TW-01

Lab Sample ID: 460-74604-8

Date Sampled: 04/17/2014 1155

Client Matrix: Water

Date Received: 04/18/2014 0930

8015D Nonhalogenated Organic Compounds - Direct Injection (GC)

Analysis Method:	8015D	Analysis Batch:	480-177397	Instrument ID:	HP5890-4
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	
Analysis Date:	04/22/2014 1436			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methanol	500	U	410	500
Surrogate	%Rec	Qualifier	Acceptance Limits	
2-Hexanone	100		62 - 129	

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74604-1

Client Sample ID: BD041714-02

Lab Sample ID: 460-74604-9

Date Sampled: 04/17/2014 0900

Client Matrix: Water

Date Received: 04/18/2014 0930

8015D Nonhalogenated Organic Compounds - Direct Injection (GC)

Analysis Method:	8015D	Analysis Batch:	480-177397	Instrument ID:	HP5890-4
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	
Analysis Date:	04/22/2014 1450			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methanol	500	U	410	500
Surrogate	%Rec	Qualifier	Acceptance Limits	
2-Hexanone	100		62 - 129	

TestAmerica

460-74662 Chain of Custody

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74662-1

Client Sample ID: TB041814

Lab Sample ID: 460-74662-1

Date Sampled: 04/18/2014 1110

Client Matrix: Water

Date Received: 04/19/2014 1000

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-221116	Instrument ID:	CVOAMS5
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	E27990.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/27/2014 1700			Final Weight/Volume:	5 mL
Prep Date:	04/27/2014 1700				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U	2.7	10
Benzene	1.0	U	0.080	1.0
Ethylbenzene	1.0	U	0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	1.0	U	0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	3.0	U	0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	107		70 - 130
Bromofluorobenzene	101		64 - 135
Dibromofluoromethane (Surr)	109		72 - 137
Toluene-d8 (Surr)	98		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74662-1

Client Sample ID: MW-9S

Lab Sample ID: 460-74662-2

Date Sampled: 04/18/2014 1110

Client Matrix: Water

Date Received: 04/19/2014 1000

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	460-221116	Instrument ID:	CVOAMS5
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	E27992.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	04/27/2014 1748			Final Weight/Volume:	5 mL
Prep Date:	04/27/2014 1748				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	U	2.7	10
Benzene	1.0		0.080	1.0
Ethylbenzene	19		0.10	1.0
Methylene Chloride	1.0	U	0.18	1.0
Toluene	2.2		0.15	1.0
Trichloroethene	1.0	U	0.090	1.0
Xylenes, Total	74		0.13	3.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104		70 - 130
Bromofluorobenzene	100		64 - 135
Dibromofluoromethane (Surr)	100		72 - 137
Toluene-d8 (Surr)	96		70 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74662-1

Client Sample ID: MW-9S

Lab Sample ID: 460-74662-2

Date Sampled: 04/18/2014 1110

Client Matrix: Water

Date Received: 04/19/2014 1000

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	460-220995	Instrument ID:	CBNAMS6
Prep Method:	3510C	Prep Batch:	460-220073	Lab File ID:	M78839.D
Dilution:	1.0			Initial Weight/Volume:	250 mL
Analysis Date:	04/26/2014 1603			Final Weight/Volume:	2 mL
Prep Date:	04/21/2014 2048			Injection Volume:	5 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aniline	10	U	0.19	10
n,n'-Dimethylaniline	5.7		0.17	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl	92		50 - 120
Nitrobenzene-d5 (Surr)	93		60 - 114
Terphenyl-d14 (Surr)	115		72 - 130

Analytical Data

Client: ARCADIS U.S. Inc

Job Number: 460-74662-1

Client Sample ID: MW-9S

Lab Sample ID: 460-74662-2

Date Sampled: 04/18/2014 1110

Client Matrix: Water

Date Received: 04/19/2014 1000

8015D Nonhalogenated Organic Compounds - Direct Injection (GC)

Analysis Method:	8015D	Analysis Batch:	480-177672	Instrument ID:	HP5890-4
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	
Analysis Date:	04/23/2014 1100			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methanol	500	U	410	500
Surrogate	%Rec	Qualifier	Acceptance Limits	
2-Hexanone	106		62 - 129	