



Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667

Certified in:
• Connecticut
• Massachusetts
• New Jersey
• New York
• Pennsylvania

Laboratory Analysis Report

NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418455 CLIENT SAMPLE ID: RW-2/9151-02			DATE/TIME SAMPLED: 02/09/06 @ 08:32		
Volatile - TCL VOLATILES					
1,1,1-trichloroethane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	<100	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloroethane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethene	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2,4-trichlorobenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromoethane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichlorobenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloroethane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloropropane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,3-dichlorobenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
1,4-dichlorobenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
2-butanone	<100	UG/L	02/20/06	EPA 8260B	MNE
2-hexanone	<100	UG/L	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	<100	UG/L	02/20/06	EPA 8260B	MNE
acetone	<100	UG/L	02/20/06	EPA 8260B	MNE
benzene	<100	UG/L	02/20/06	EPA 8260B	MNE
bromochloromethane	<100	UG/L	02/20/06	EPA 8260B	MNE
bromodichloromethane	<100	UG/L	02/20/06	EPA 8260B	MNE
bromoform	<100	UG/L	02/20/06	EPA 8260B	MNE
bromomethane	<100	UG/L	02/20/06	EPA 8260B	MNE
carbon disulfide	<100	UG/L	02/20/06	EPA 8260B	MNE
carbon tetrachloride	<100	UG/L	02/20/06	EPA 8260B	MNE
chlorobenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
chloroethane	<100	UG/L	02/20/06	EPA 8260B	MNE
chloroform	<100	UG/L	02/20/06	EPA 8260B	MNE
chloromethane	<100	UG/L	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<100	UG/L	02/20/06	EPA 8260B	MNE

NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418455 CLIENT SAMPLE ID: RW-2/9151-02			DATE/TIME SAMPLED: 02/09/06 @ 08:32		
Volatile - ICI VOLATILES					
cis-1,3-dichloropropene	<100	UG/L	02/20/06	EPA 8260B	MNE
cyclohexane	<100	UG/L	02/20/06	EPA 8260B	MNE
dibromochloromethane	<100	UG/L	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	<100	UG/L	02/20/06	EPA 8260B	MNE
ethylbenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<100	UG/L	02/20/06	EPA 8260B	MNE
methyl acetate	<100	UG/L	02/20/06	EPA 8260B	MNE
methylcyclohexane	<100	UG/L	02/20/06	EPA 8260B	MNE
methylene chloride	<100	UG/L	02/20/06	EPA 8260B	MNE
mtbe	<100	UG/L	02/20/06	EPA 8260B	MNE
styrene	<100	UG/L	02/20/06	EPA 8260B	MNE
tetrachloroethene	<100	UG/L	02/20/06	EPA 8260B	MNE
toluene	<100	UG/L	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<100	UG/L	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<100	UG/L	02/20/06	EPA 8260B	MNE
trichloroethene	<100	UG/L	02/20/06	EPA 8260B	MNE
trichlorofluoromethane	<100	UG/L	02/20/06	EPA 8260B	MNE
vinyl chloride	<100	UG/L	02/20/06	EPA 8260B	MNE
xylene, m+p	3110	UG/L	02/20/06	EPA 8260B	MNE
xylene, o	2570	UG/L	02/20/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 106 % recovery (toluene-d8): 98 % recovery (bromofluorobenzene) 101 %
recovery (1,2-dichlorobenzene-d4): 102 % recovery
Surrogate recovery acceptance limits are 80-120%

SAMPLE #: 418456		CLIENT SAMPLE ID: RW-3/9151-03		DATE/TIME SAMPLED: 02/09/06 @ 08:45		
Volatile - ICI VOLATILES						
1,1,1-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,1,2,2-tetrachloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,1,2-trichloro-1,2,2-trifluoroeth	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,1,2-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,1-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,1-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,2,3-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,2,4-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,2-dibromo-3-chloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,2-dibromoethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,2-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,2-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,2-dichloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,3-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE	



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418456 CLIENT SAMPLE ID: RW-3/9151-03			DATE/TIME SAMPLED: 02/09/06 @ 08:45		
Volatile - TCL VOLATILES					
1,4-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
benzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromodichloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromoform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
carbon disulfide	<1.00	UG/L	02/20/06	EPA 8260B	MNE
carbon tetrachloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
chloroform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	1.12	UG/L	02/20/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
cyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dibromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
ethylbenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methyl acetate	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylcyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylene chloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
mtbe	<1.00	UG/L	02/20/06	EPA 8260B	MNE
styrene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
tetrachloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
toluene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
trichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trichlorofluoromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
vinyl chloride	<2.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, m+p	<1.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, o	<1.00	UG/L	02/20/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 104 % recovery (toluene-d8): 99 % recovery (bromofluorobenzene): 96 %
recovery (1,2-dichlorobenzene-d4): 103 % recovery.
Surrogate recovery acceptance limits are 80-120%.



NYS DEC - ALBANY
625 Broadway
12th FL
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418457 CLIENT SAMPLE ID: RW-5/9151-05			DATE/TIME SAMPLED: 02/09/06 @ 08:25		
Volatile - TCL VOLATILES					
1,1,1-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2,4-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromoethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,3-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,4-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
benzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromodichloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromoform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
carbon disulfide	<1.00	UG/L	02/20/06	EPA 8260B	MNE
carbon tetrachloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
chloroform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
cyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dibromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
ethylbenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methyl acetate	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylcyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylene chloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
mtbe	<1.00	UG/L	02/20/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418457 CLIENT SAMPLE ID: RW-5/9151-05			DATE/TIME SAMPLED: 02/09/06 @ 08:25		
Volatile - TCI VOLATILES					
styrene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
tetrachloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
toluene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
trichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trichlorofluoromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
vinyl chloride	<2.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, m+p	4.68	UG/L	02/20/06	EPA 8260B	MNE
xylene, o	4.13	UG/L	02/20/06	EPA 8260B	MNE
Surrogate (dibromofluoromethane): 102 % recovery (toluene-d8): 98 % recovery (bromofluorobenzene) 96 % recovery, (1,2-dichlorobenzene-d4): 102 % recovery Surrogate recovery acceptance limits are 80-120%					

SAMPLE #: 418458		CLIENT SAMPLE ID: RW-6/9151-06		DATE/TIME SAMPLED: 02/09/06 @ 08:27		
Volatile - TCI VOLATILES						
1,1,1-trichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,1,2,2-tetrachloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,1,2-trichloro-1,2,2-trifluoroeth	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,1,2-trichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,1-dichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,1-dichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2,3-trichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2,4-trichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2-dibromo-3-chloropropane	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2-dibromoethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2-dichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2-dichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2-dichloropropane	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,3-dichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
1,4-dichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
2-butanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
2-hexanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
4-methyl-2-pentanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
acetone	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
benzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
bromochloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
bromodichloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
bromoform	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
bromomethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE	



NYS DEC - ALBANY
625 Broadway
12th FL
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418458 CLIENT SAMPLE ID: RW-6/9151-06			DATE/TIME SAMPLED: 02/09/06 @ 08:27		
Volatile - ICL VOLATILES					
carbon disulfide	<5.00	UG/L	02/16/06	EPA 8260B	MNE
carbon tetrachloride	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloroform	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cyclohexane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
dibromochloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
ethylbenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<5.00	UG/L	02/16/06	EPA 8260B	MNE
methyl acetate	<5.00	UG/L	02/16/06	EPA 8260B	MNE
methylcyclohexane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
methylene chloride	<5.00	UG/L	02/16/06	EPA 8260B	MNE
mtbe	<5.00	UG/L	02/16/06	EPA 8260B	MNE
styrene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
tetrachloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
toluene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trichlorofluoromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
vinyl chloride	<5.00	UG/L	02/16/06	EPA 8260B	MNE
xylene, m+p	284	UG/L	02/16/06	EPA 8260B	MNE
xylene, o	40.8	UG/L	02/16/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 107 % recovery (toluene-d8): 99 % recovery (bromofluorobenzene): 101 %
recovery (1,2-dichlorobenzene-d4): 102 % recovery.
Surrogate recovery acceptance limits are 80-120%.

SAMPLE #: 418459		CLIENT SAMPLE ID: RW-7/9151-07		DATE/TIME SAMPLED: 02/09/06 @ 08:40		
Volatile - ICL VOLATILES						
1,1,1-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,1,2,2-tetrachloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,1,2-trichloro-1,2,2-trifluoroeth	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,1,2-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,1-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,1-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE	
1,2,3-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE	



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418459 CLIENT SAMPLE ID: RW-7/9151-07			DATE/TIME SAMPLED: 02/09/06 @ 08:40		
Volatile - TCL VOLATILES					
1,2,4-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromoethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,3-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,4-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
benzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromodichloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromoform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
carbon disulfide	<1.00	UG/L	02/20/06	EPA 8260B	MNE
carbon tetrachloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
chloroform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
cyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dibromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
ethylbenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methyl acetate	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylcyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylene chloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
mtbe	<1.00	UG/L	02/20/06	EPA 8260B	MNE
styrene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
tetrachloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
toluene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
trichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trichlorofluoromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418459 CLIENT SAMPLE ID: RW-7/9151-07			DATE/TIME SAMPLED: 02/09/06 @ 08:40		
Volatile - ICL VOLATILES					
vinyl chloride	<2.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, m+p	23.6	UG/L	02/20/06	EPA 8260B	MNE
xylene, o	7.55	UG/L	02/20/06	EPA 8260B	MNE
<i>Surrogate (dibromofluoromethane): 103 % recovery, (toluene-d8): 98 % recovery, (bromofluorobenzene): 98 % recovery, (1,2-dichlorobenzene-d4): 100 % recovery.</i>					
<i>Surrogate recovery acceptance limits are 80-120%.</i>					
SAMPLE #: 418460 CLIENT SAMPLE ID: RW-8/9151-08			DATE/TIME SAMPLED: 02/09/06 @ 08:23		
Volatile - ICL VOLATILES					
1,1,1-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2,4-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromoethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,3-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,4-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
benzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromodichloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromoform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
carbon disulfide	<1.00	UG/L	02/20/06	EPA 8260B	MNE
carbon tetrachloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
chloroform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418460 CLIENT SAMPLE ID: RW-8/9151-08			DATE/TIME SAMPLED: 02/09/06 @ 08:23		
Volatile - TCL VOLATILES					
cis-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
cyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dibromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
ethylbenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methyl acetate	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylcyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylene chloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
mtbe	<1.00	UG/L	02/20/06	EPA 8260B	MNE
styrene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
tetrachloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
toluene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
trichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trichlorofluoromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
vinyl chloride	<2.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, m+p	<1.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, o	<1.00	UG/L	02/20/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 104 % recovery (toluene-d8): 100 % recovery, (bromofluorobenzene): 97 %
recovery, (1,2-dichlorobenzene-d4): 101 % recovery,
Surrogate recovery acceptance limits are 80-120%

SAMPLE #: 418461 CLIENT SAMPLE ID: GW-INF/9151-IN			DATE/TIME SAMPLED: 02/09/06 @ 08:55		
Volatile - TCL VOLATILES					
1,1,1-trichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,1,2-trichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,1-dichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,1-dichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2,4-trichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dibromoethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dichloropropane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,3-dichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL
Albany, NY 12233
ATTN: Mr David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418461 CLIENT SAMPLE ID: GW-INF/9151-IN			DATE/TIME SAMPLED: 02/09/06 @ 08:55		
Volatile - ICL VOLATILES					
1,4-dichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
benzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
bromochloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
bromodichloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
bromoform	<5.00	UG/L	02/16/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
carbon disulfide	<5.00	UG/L	02/16/06	EPA 8260B	MNE
carbon tetrachloride	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloroform	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cyclohexane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
dibromochloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
ethylbenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<5.00	UG/L	02/16/06	EPA 8260B	MNE
methyl acetate	<5.00	UG/L	02/16/06	EPA 8260B	MNE
methylcyclohexane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
methylene chloride	<5.00	UG/L	02/16/06	EPA 8260B	MNE
mtbe	<5.00	UG/L	02/16/06	EPA 8260B	MNE
styrene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
tetrachloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
toluene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trichlorofluoromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
vinyl chloride	<5.00	UG/L	02/16/06	EPA 8260B	MNE
xylene, m+p	161	UG/L	02/16/06	EPA 8260B	MNE
xylene, o	113	UG/L	02/16/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 111 % recovery (toluene-d8): 102 % recovery, (bromofluorobenzene): 101 % recovery, (1,2-dichlorobenzene-d4): 103 % recovery,
Surrogate recovery acceptance limits are 80-120%.



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY, 12233
ATTN: Mr David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418462 CLIENT SAMPLE ID: GW-EFF/9151-EF			DATE/TIME SAMPLED: 02/09/06 @ 09:00		
Volatile - TCI VOLATILES					
1,1,1-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2,4-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromoethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,3-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,4-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
benzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromodichloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromoform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
carbon disulfide	<1.00	UG/L	02/20/06	EPA 8260B	MNE
carbon tetrachloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
chloroform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
cyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dibromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
ethylbenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methyl acetate	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylcyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylene chloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
mtbe	<1.00	UG/L	02/20/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ WASTE SITE
STATE FAIR BLVD
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418462 CLIENT SAMPLE ID: GW-EFF/9151-EF DATE/TIME SAMPLED: 02/09/06 @ 09:00					
Volatile - TCI VOLATILES					
styrene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
tetrachloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
toluene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
trichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trichlorofluoromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
vinyl chloride	<2.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, m+p	<1.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, o	<1.00	UG/L	02/20/06	EPA 8260B	MNE
<i>Surrogate (dibromofluoromethane): 106 % recovery (toluene-d8) 100 % recovery, (bromofluorobenzene): 93 % recovery, (1,2-dichlorobenzene-d4) 101 % recovery, Surrogate recovery acceptance limits are 80-120%.</i>					

SAMPLE #: 418463 CLIENT SAMPLE ID: TRIP BLANK DATE/TIME SAMPLED: @ :					
Volatile - TCI VOLATILES					
1,1,1-trichloroethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,1,2-trichloroethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,1-dichloroethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,1-dichloroethene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,2,4-trichlorobenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dibromoethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dichlorobenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dichloroethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dichloropropane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,3-dichlorobenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
1,4-dichlorobenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
benzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
bromochloromethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
bromodichloromethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
bromoform	<1.00	UG/L	02/16/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418463	CLIENT SAMPLE ID:	TRIP BLANK		DATE/TIME SAMPLED:	@ :
Volatile - ICI VOLATILES					
carbon disulfide	<1.00	UG/L	02/16/06	EPA 8260B	MNE
carbon tetrachloride	<1.00	UG/L	02/16/06	EPA 8260B	MNE
chlorobenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloroform	<1.00	UG/L	02/16/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
cyclohexane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
dibromochloromethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
ethylbenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<1.00	UG/L	02/16/06	EPA 8260B	MNE
methyl acetate	<1.00	UG/L	02/16/06	EPA 8260B	MNE
methylcyclohexane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
methylene chloride	<1.00	UG/L	02/16/06	EPA 8260B	MNE
mtbe	<1.00	UG/L	02/16/06	EPA 8260B	MNE
styrene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
tetrachloroethene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
toluene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
trichloroethene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
trichlorofluoromethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
vinyl chloride	<2.00	UG/L	02/16/06	EPA 8260B	MNE
xylene, m+p	<1.00	UG/L	02/16/06	EPA 8260B	MNE
xylene, o	<1.00	UG/L	02/16/06	EPA 8260B	MNE
Surrogate (dibromofluoromethane): 111 % recovery, (toluene-d8): 100 % recovery (bromofluorobenzene): 98 % recovery, (1,2-dichlorobenzene-d4): 102 % recovery					
Surrogate recovery acceptance limits are 80-120%					

SAMPLE #: 418464	CLIENT SAMPLE ID:	RW-2/9151-02 MS	DATE/TIME SAMPLED: 02/09/06 @ :		
Volatile - ICI VOLATILES					
1,1,1-trichloroethane	104	PERCENT	02/20/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	84	PERCENT	02/20/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	98	PERCENT	02/20/06	EPA 8260B	MNE
1,1,2-trichloroethane	92	PERCENT	02/20/06	EPA 8260B	MNE
1,1-dichloroethane	105	PERCENT	02/20/06	EPA 8260B	MNE
1,1-dichloroethene	97	PERCENT	02/20/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	88	PERCENT	02/20/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418464 CLIENT SAMPLE ID: RW-2/9151-02 MS			DATE/TIME SAMPLED: 02/09/06 @ :		
Volatile - ICL VOLATILES					
1,2,4-trichlorobenzene	90	PERCENT	02/20/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	75	PERCENT	02/20/06	EPA 8260B	MNE
1,2-dibromoethane	90	PERCENT	02/20/06	EPA 8260B	MNE
1,2-dichlorobenzene	96	PERCENT	02/20/06	EPA 8260B	MNE
1,2-dichloroethane	104	PERCENT	02/20/06	EPA 8260B	MNE
1,2-dichloropropane	95	PERCENT	02/20/06	EPA 8260B	MNE
1,3-dichlorobenzene	96	PERCENT	02/20/06	EPA 8260B	MNE
1,4-dichlorobenzene	96	PERCENT	02/20/06	EPA 8260B	MNE
2-butanone	49	PERCENT	02/20/06	EPA 8260B	MNE
2-hexanone	55	PERCENT	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	67	PERCENT	02/20/06	EPA 8260B	MNE
acetone	40	PERCENT	02/20/06	EPA 8260B	MNE
benzene	99	PERCENT	02/20/06	EPA 8260B	MNE
bromochloromethane	97	PERCENT	02/20/06	EPA 8260B	MNE
bromodichloromethane	93	PERCENT	02/20/06	EPA 8260B	MNE
bromoform	75	PERCENT	02/20/06	EPA 8260B	MNE
bromomethane	95	PERCENT	02/20/06	EPA 8260B	MNE
carbon disulfide	97	PERCENT	02/20/06	EPA 8260B	MNE
carbon tetrachloride	103	PERCENT	02/20/06	EPA 8260B	MNE
chlorobenzene	95	PERCENT	02/20/06	EPA 8260B	MNE
chloroethane	113	PERCENT	02/20/06	EPA 8260B	MNE
chloroform	104	PERCENT	02/20/06	EPA 8260B	MNE
chloromethane	96	PERCENT	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	97	PERCENT	02/20/06	EPA 8260B	MNE
cis-1,3-dichloropropene	81	PERCENT	02/20/06	EPA 8260B	MNE
cyclohexane	104	PERCENT	02/20/06	EPA 8260B	MNE
dibromochloromethane	85	PERCENT	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	83	PERCENT	02/20/06	EPA 8260B	MNE
ethylbenzene	101	PERCENT	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	102	PERCENT	02/20/06	EPA 8260B	MNE
methyl acetate	95	PERCENT	02/20/06	EPA 8260B	MNE
methylcyclohexane	103	PERCENT	02/20/06	EPA 8260B	MNE
methylene chloride	96	PERCENT	02/20/06	EPA 8260B	MNE
mtbe	90	PERCENT	02/20/06	EPA 8260B	MNE
styrene	91	PERCENT	02/20/06	EPA 8260B	MNE
tetrachloroethene	99	PERCENT	02/20/06	EPA 8260B	MNE
toluene	97	PERCENT	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene	97	PERCENT	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene	83	PERCENT	02/20/06	EPA 8260B	MNE
trichloroethene	96	PERCENT	02/20/06	EPA 8260B	MNE
trichlorofluoromethane	106	PERCENT	02/20/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418464 CLIENT SAMPLE ID: RW-2/9151-02 MS DATE/TIME SAMPLED: 02/09/06 @ :					
Volatile - ICL VOLATILES					
vinyl chloride	112	PERCENT	02/20/06	EPA 8260B	MNE
xylene, m+p	100	PERCENT	02/20/06	EPA 8260B	MNE
xylene, o	103	PERCENT	02/20/06	EPA 8260B	MNE
<i>Surrogate (dibromofluoromethane): 107 % recovery, (toluene-d8): 100 % recovery (bromofluorobenzene): 102 % recovery, (1,2-dichlorobenzene-d4): 99 % recovery, Surrogate recovery acceptance limits are 80-120%</i>					
SAMPLE #: 418465 CLIENT SAMPLE ID: RW-2/9151-02 MSD DATE/TIME SAMPLED: 02/09/06 @ :					
Volatile - ICL VOLATILES					
1,1,1-trichloroethane	117	PERCENT	02/21/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	95	PERCENT	02/21/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	109	PERCENT	02/21/06	EPA 8260B	MNE
1,1,2-trichloroethane	103	PERCENT	02/21/06	EPA 8260B	MNE
1,1-dichloroethane	118	PERCENT	02/21/06	EPA 8260B	MNE
1,1-dichloroethene	107	PERCENT	02/21/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	101	PERCENT	02/21/06	EPA 8260B	MNE
1,2,4-trichlorobenzene	103	PERCENT	02/21/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	85	PERCENT	02/21/06	EPA 8260B	MNE
1,2-dibromoethane	100	PERCENT	02/21/06	EPA 8260B	MNE
1,2-dichlorobenzene	106	PERCENT	02/21/06	EPA 8260B	MNE
1,2-dichloroethane	116	PERCENT	02/21/06	EPA 8260B	MNE
1,2-dichloropropane	106	PERCENT	02/21/06	EPA 8260B	MNE
1,3-dichlorobenzene	108	PERCENT	02/21/06	EPA 8260B	MNE
1,4-dichlorobenzene	105	PERCENT	02/21/06	EPA 8260B	MNE
2-butanone	56	PERCENT	02/21/06	EPA 8260B	MNE
2-hexanone	58	PERCENT	02/21/06	EPA 8260B	MNE
4-methyl-2-pentanone	73	PERCENT	02/21/06	EPA 8260B	MNE
acetone	45	PERCENT	02/21/06	EPA 8260B	MNE
benzene	113	PERCENT	02/21/06	EPA 8260B	MNE
bromochloromethane	105	PERCENT	02/21/06	EPA 8260B	MNE
bromodichloromethane	107	PERCENT	02/21/06	EPA 8260B	MNE
bromoform	89	PERCENT	02/21/06	EPA 8260B	MNE
bromomethane	111	PERCENT	02/21/06	EPA 8260B	MNE
carbon disulfide	108	PERCENT	02/21/06	EPA 8260B	MNE
carbon tetrachloride	111	PERCENT	02/21/06	EPA 8260B	MNE
chlorobenzene	107	PERCENT	02/21/06	EPA 8260B	MNE
chloroethane	125	PERCENT	02/21/06	EPA 8260B	MNE
chloroform	119	PERCENT	02/21/06	EPA 8260B	MNE
chloromethane	111	PERCENT	02/21/06	EPA 8260B	MNE
cis-1,2-dichloroethene	107	PERCENT	02/21/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025


PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418465 CLIENT SAMPLE ID: RW-2/9151-02 MSD			DATE/TIME SAMPLED: 02/09/06 @ :		
Volatile - TCI VOLATILES					
cis-1,3-dichloropropene	93	PERCENT	02/21/06	EPA 8260B	MNE
cyclohexane	118	PERCENT	02/21/06	EPA 8260B	MNE
dibromochloromethane	100	PERCENT	02/21/06	EPA 8260B	MNE
dichlorodifluoromethane	90	PERCENT	02/21/06	EPA 8260B	MNE
ethylbenzene	112	PERCENT	02/21/06	EPA 8260B	MNE
isopropyl benzene (cumene)	115	PERCENT	02/21/06	EPA 8260B	MNE
methyl acetate	109	PERCENT	02/21/06	EPA 8260B	MNE
methylcyclohexane	109	PERCENT	02/21/06	EPA 8260B	MNE
methylene chloride	106	PERCENT	02/21/06	EPA 8260B	MNE
mtbe	101	PERCENT	02/21/06	EPA 8260B	MNE
styrene	102	PERCENT	02/21/06	EPA 8260B	MNE
tetrachloroethene	108	PERCENT	02/21/06	EPA 8260B	MNE
toluene	107	PERCENT	02/21/06	EPA 8260B	MNE
trans-1,2-dichloroethene	114	PERCENT	02/21/06	EPA 8260B	MNE
trans-1,3-dichloropropene	93	PERCENT	02/21/06	EPA 8260B	MNE
trichloroethene	110	PERCENT	02/21/06	EPA 8260B	MNE
trichlorofluoromethane	119	PERCENT	02/21/06	EPA 8260B	MNE
vinyl chloride	123	PERCENT	02/21/06	EPA 8260B	MNE
xylene, m+p	114	PERCENT	02/21/06	EPA 8260B	MNE
xylene, o	110	PERCENT	02/21/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 106 % recovery (toluene-d8): 100 % recovery (bromofluorobenzene): 103 %
recovery (1,2-dichlorobenzene-d4): 101 % recovery,
Surrogate recovery acceptance limits are 80-120%.

Sample Receipt Temperature: 5 Degrees C


David R. Hill
Laboratory Director

02/22/2006
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.



