




Environmental
LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park, North Syracuse, NY 13212
(315) 458-8033, FAX (315) 458-0526, (800) 842-4667



Certified in:
• Connecticut
• Massachusetts
• New Jersey
• New York
• Pennsylvania

Laboratory Analysis Report

NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418455 CLIENT SAMPLE ID: RW-2/9151-02			DATE/TIME SAMPLED: 02/09/06 @ 08:32		
Volatile - TCL VOLATILES					
1,1,1-trichloroethane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	<100	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloroethane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethene	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2,4-trichlorobenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromoethane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichlorobenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloroethane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloropropane	<100	UG/L	02/20/06	EPA 8260B	MNE
1,3-dichlorobenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
1,4-dichlorobenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
2-butanone	<100	UG/L	02/20/06	EPA 8260B	MNE
2-hexanone	<100	UG/L	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	<100	UG/L	02/20/06	EPA 8260B	MNE
acetone	<100	UG/L	02/20/06	EPA 8260B	MNE
benzene	<100	UG/L	02/20/06	EPA 8260B	MNE
bromochloromethane	<100	UG/L	02/20/06	EPA 8260B	MNE
bromodichloromethane	<100	UG/L	02/20/06	EPA 8260B	MNE
bromoform	<100	UG/L	02/20/06	EPA 8260B	MNE
bromomethane	<100	UG/L	02/20/06	EPA 8260B	MNE
carbon disulfide	<100	UG/L	02/20/06	EPA 8260B	MNE
carbon tetrachloride	<100	UG/L	02/20/06	EPA 8260B	MNE
chlorobenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
chloroethane	<100	UG/L	02/20/06	EPA 8260B	MNE
chloroform	<100	UG/L	02/20/06	EPA 8260B	MNE
chloromethane	<100	UG/L	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<100	UG/L	02/20/06	EPA 8260B	MNE

NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418455 CLIENT SAMPLE ID: RW-2/9151-02			DATE/TIME SAMPLED: 02/09/06 @ 08:32		
Volatile - TCL VOLATILES					
cis-1,3-dichloropropene	<100	UG/L	02/20/06	EPA 8260B	MNE
cyclohexane	<100	UG/L	02/20/06	EPA 8260B	MNE
dibromochloromethane	<100	UG/L	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	<100	UG/L	02/20/06	EPA 8260B	MNE
ethylbenzene	<100	UG/L	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<100	UG/L	02/20/06	EPA 8260B	MNE
methyl acetate	<100	UG/L	02/20/06	EPA 8260B	MNE
methylcyclohexane	<100	UG/L	02/20/06	EPA 8260B	MNE
methylene chloride	<100	UG/L	02/20/06	EPA 8260B	MNE
mtbe	<100	UG/L	02/20/06	EPA 8260B	MNE
styrene	<100	UG/L	02/20/06	EPA 8260B	MNE
tetrachloroethene	<100	UG/L	02/20/06	EPA 8260B	MNE
toluene	<100	UG/L	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<100	UG/L	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<100	UG/L	02/20/06	EPA 8260B	MNE
trichloroethene	<100	UG/L	02/20/06	EPA 8260B	MNE
trichlorofluoromethane	<100	UG/L	02/20/06	EPA 8260B	MNE
vinyl chloride	<100	UG/L	02/20/06	EPA 8260B	MNE
xylene, m+p	3110	UG/L	02/20/06	EPA 8260B	MNE
xylene, o	2570	UG/L	02/20/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 106 % recovery, (toluene-d8): 98 % recovery, (bromofluorobenzene): 101 % recovery, (1,2-dichlorobenzene-d4): 102 % recovery,
Surrogate recovery acceptance limits are 80-120%.

SAMPLE #: 418456		CLIENT SAMPLE ID:		RW-3/9151-03		DATE/TIME SAMPLED: 02/09/06 @ 08:45	
Volatile - TCL VOLATILES							
1,1,1-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE		
1,1,2,2-tetrachloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE		
1,1,2-trichloro-1,2,2-trifluoroeth	<1.00	UG/L	02/20/06	EPA 8260B	MNE		
1,1,2-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE		
1,1-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE		
1,1-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE		
1,2,3-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE		
1,2,4-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE		
1,2-dibromo-3-chloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE		
1,2-dibromoethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE		
1,2-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE		
1,2-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE		
1,2-dichloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE		
1,3-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE		



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418456 CLIENT SAMPLE ID: RW-3/9151-03			DATE/TIME SAMPLED: 02/09/06 @ 08:45		
Volatile - TCL VOLATILES					
1,4-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
benzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromodichloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromoform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
carbon disulfide	<1.00	UG/L	02/20/06	EPA 8260B	MNE
carbon tetrachloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
chloroform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	1.12	UG/L	02/20/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
cyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dibromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
ethylbenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methyl acetate	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylcyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylene chloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
mtbe	<1.00	UG/L	02/20/06	EPA 8260B	MNE
styrene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
tetrachloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
toluene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
trichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trichlorofluoromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
vinyl chloride	<2.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, m+p	<1.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, o	<1.00	UG/L	02/20/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 104 % recovery, (toluene-d8): 99 % recovery, (bromofluorobenzene): 96 % recovery, (1,2-dichlorobenzene-d4): 103 % recovery,
Surrogate recovery acceptance limits are 80-120%.



NYS DEC - ALBANY
 625 Broadway
 12th FL.
 Albany, NY 12233
 ATTN: Mr. David Chiusano
 PO#: 7-34-025

PROJECT #: 217814
 RECEIVED: 02/09/2006 @ 10:17

Site Address:
 MAESTRI INACTIVE HAZ. WASTE SITE
 STATE FAIR BLVD.
 GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418457 CLIENT SAMPLE ID: RW-5/9151-05			DATE/TIME SAMPLED: 02/09/06 @ 08:25		
Volatile - TCL VOLATILES					
1,1,1-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2,4-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromoethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,3-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,4-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
benzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromodichloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromoform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
carbon disulfide	<1.00	UG/L	02/20/06	EPA 8260B	MNE
carbon tetrachloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
chloroform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
cyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dibromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
ethylbenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methyl acetate	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylcyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylene chloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
mtbe	<1.00	UG/L	02/20/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED		RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418457	CLIENT SAMPLE ID:	RW-5/9151-05			DATE/TIME SAMPLED: 02/09/06 @ 08:25	
Volatile - TCL VOLATILES						
styrene		<1.00	UG/L	02/20/06	EPA 8260B	MNE
tetrachloroethene		<1.00	UG/L	02/20/06	EPA 8260B	MNE
toluene		<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene		<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene		<1.0	UG/L	02/20/06	EPA 8260B	MNE
trichloroethene		<1.00	UG/L	02/20/06	EPA 8260B	MNE
trichlorofluoromethane		<1.00	UG/L	02/20/06	EPA 8260B	MNE
vinyl chloride		<2.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, m+p		4.68	UG/L	02/20/06	EPA 8260B	MNE
xylene, o		4.13	UG/L	02/20/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 102 % recovery, (toluene-d8): 98 % recovery, (bromofluorobenzene): 96 % recovery, (1,2-dichlorobenzene-d4): 102 % recovery.
Surrogate recovery acceptance limits are 80-120%.

SAMPLE #: 418458	CLIENT SAMPLE ID:	RW-6/9151-06	DATE/TIME SAMPLED: 02/09/06 @ 08:27		
Volatile - TCL VOLATILES					
1,1,1-trichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,1,2-trichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,1-dichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,1-dichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2,4-trichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dibromoethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,2-dichloropropane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,3-dichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
1,4-dichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
benzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
bromochloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
bromodichloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
bromoform	<5.00	UG/L	02/16/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418458 CLIENT SAMPLE ID: RW-6/9151-06			DATE/TIME SAMPLED: 02/09/06 @ 08:27		
Volatile - TCL VOLATILES					
carbon disulfide	<5.00	UG/L	02/16/06	EPA 8260B	MNE
carbon tetrachloride	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloroform	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cyclohexane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
dibromochloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
ethylbenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<5.00	UG/L	02/16/06	EPA 8260B	MNE
methyl acetate	<5.00	UG/L	02/16/06	EPA 8260B	MNE
methylcyclohexane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
methylene chloride	<5.00	UG/L	02/16/06	EPA 8260B	MNE
mtbe	<5.00	UG/L	02/16/06	EPA 8260B	MNE
styrene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
tetrachloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
toluene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trichlorofluoromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
vinyl chloride	<5.00	UG/L	02/16/06	EPA 8260B	MNE
xylene, m+p	284	UG/L	02/16/06	EPA 8260B	MNE
xylene, o	40.8	UG/L	02/16/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 107 % recovery, (toluene-d8): 99 % recovery, (bromofluorobenzene): 101 % recovery, (1,2-dichlorobenzene-d4): 102 % recovery.
Surrogate recovery acceptance limits are 80-120%.

SAMPLE #: 418459	CLIENT SAMPLE ID:	RW-7/9151-07	DATE/TIME SAMPLED: 02/09/06 @ 08:40		
Volatile - TCL VOLATILES					
1,1,1-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE



NYS DEC - ALBANY
 625 Broadway
 12th FL.
 Albany, NY 12233
 ATTN: Mr. David Chiusano
 PO#: 7-34-025

PROJECT #: 217814
 RECEIVED: 02/09/2006 @ 10:17

Site Address:
 MAESTRI INACTIVE HAZ. WASTE SITE
 STATE FAIR BLVD.
 GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418459 CLIENT SAMPLE ID: RW-7/9151-07			DATE/TIME SAMPLED: 02/09/06 @ 08:40		
Volatile - TCL VOLATILES					
1,2,4-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromoethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,3-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,4-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
benzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromodichloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromoform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
carbon disulfide	<1.00	UG/L	02/20/06	EPA 8260B	MNE
carbon tetrachloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
chloroform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
cyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dibromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
ethylbenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methyl acetate	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylcyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylene chloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
mtbe	<1.00	UG/L	02/20/06	EPA 8260B	MNE
styrene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
tetrachloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
toluene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
trichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trichlorofluoromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418459 CLIENT SAMPLE ID: RW-7/9151-07 DATE/TIME SAMPLED: 02/09/06 @ 08:40					
Volatile - TCL VOLATILES					
vinyl chloride	<2.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, m+p	23.6	UG/L	02/20/06	EPA 8260B	MNE
xylene, o	7.55	UG/L	02/20/06	EPA 8260B	MNE
<i>Surrogate (dibromofluoromethane): 103 % recovery, (toluene-d8): 98 % recovery, (bromofluorobenzene): 98 % recovery, (1,2-dichlorobenzene-d4): 100 % recovery, Surrogate recovery acceptance limits are 80-120%.</i>					
SAMPLE #: 418460 CLIENT SAMPLE ID: RW-8/9151-08 DATE/TIME SAMPLED: 02/09/06 @ 08:23					
Volatile - TCL VOLATILES					
1,1,1-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2,4-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromoethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,3-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,4-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
benzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromodichloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromoform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
carbon disulfide	<1.00	UG/L	02/20/06	EPA 8260B	MNE
carbon tetrachloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
chloroform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418460 CLIENT SAMPLE ID: RW-8/9151-08			DATE/TIME SAMPLED: 02/09/06 @ 08:23		
Volatile - TCL VOLATILES					
cis-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
cyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dibromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
ethylbenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methyl acetate	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylcyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylene chloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
mtbe	<1.00	UG/L	02/20/06	EPA 8260B	MNE
styrene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
tetrachloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
toluene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
trichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trichlorofluoromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
vinyl chloride	<2.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, m+p	<1.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, o	<1.00	UG/L	02/20/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 104 % recovery,(toluene-d8): 100 % recovery,(bromofluorobenzene): 97 %
recovery,(1,2-dichlorobenzene-d4): 101 % recovery,
Surrogate recovery acceptance limits are 80-120%.

SAMPLE #: 418461		CLIENT SAMPLE ID:		GW-INF/9151-IN		DATE/TIME SAMPLED: 02/09/06 @ 08:55	
Volatile - TCL VOLATILES							
1,1,1-trichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE		
1,1,2,2-tetrachloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE		
1,1,2-trichloro-1,2,2-trifluoroeth	<5.00	UG/L	02/16/06	EPA 8260B	MNE		
1,1,2-trichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE		
1,1-dichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE		
1,1-dichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE		
1,2,3-trichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE		
1,2,4-trichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE		
1,2-dibromo-3-chloropropane	<5.00	UG/L	02/16/06	EPA 8260B	MNE		
1,2-dibromoethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE		
1,2-dichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE		
1,2-dichloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE		
1,2-dichloropropane	<5.00	UG/L	02/16/06	EPA 8260B	MNE		
1,3-dichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE		



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418461 CLIENT SAMPLE ID: GW-INF/9151-IN			DATE/TIME SAMPLED: 02/09/06 @ 08:55		
Volatile - TCL VOLATILES					
1,4-dichlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/16/06	EPA 8260B	MNE
benzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
bromochloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
bromodichloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
bromoform	<5.00	UG/L	02/16/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
carbon disulfide	<5.00	UG/L	02/16/06	EPA 8260B	MNE
carbon tetrachloride	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chlorobenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloroform	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cyclohexane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
dibromochloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
ethylbenzene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<5.00	UG/L	02/16/06	EPA 8260B	MNE
methyl acetate	<5.00	UG/L	02/16/06	EPA 8260B	MNE
methylcyclohexane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
methylene chloride	<5.00	UG/L	02/16/06	EPA 8260B	MNE
mtbe	<5.00	UG/L	02/16/06	EPA 8260B	MNE
styrene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
tetrachloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
toluene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trichloroethene	<5.00	UG/L	02/16/06	EPA 8260B	MNE
trichlorofluoromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
vinyl chloride	<5.00	UG/L	02/16/06	EPA 8260B	MNE
xylene, m+p	161	UG/L	02/16/06	EPA 8260B	MNE
xylene, o	113	UG/L	02/16/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 111 % recovery, (toluene-d8): 102 % recovery, (bromofluorobenzene): 101 % recovery, (1,2-dichlorobenzene-d4): 103 % recovery,
Surrogate recovery acceptance limits are 80-120%.



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418462 CLIENT SAMPLE ID: GW-EFF/9151-EF			DATE/TIME SAMPLED: 02/09/06 @ 09:00		
Volatile - TCL VOLATILES					
1,1,1-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1,2-trichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,1-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2,4-trichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dibromoethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloroethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,2-dichloropropane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,3-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
1,4-dichlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
2-butanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
2-hexanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
acetone	<5.00	UG/L	02/20/06	EPA 8260B	MNE
benzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromodichloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromoform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
bromomethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
carbon disulfide	<1.00	UG/L	02/20/06	EPA 8260B	MNE
carbon tetrachloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chlorobenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
chloroform	<1.00	UG/L	02/20/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
cyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dibromochloromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/20/06	EPA 8260B	MNE
ethylbenzene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methyl acetate	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylcyclohexane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
methylene chloride	<1.00	UG/L	02/20/06	EPA 8260B	MNE
mtbe	<1.00	UG/L	02/20/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418462	CLIENT SAMPLE ID:	GW-EFF/9151-EF		DATE/TIME SAMPLED: 02/09/06 @ 09:00	
Volatile - TCL VOLATILES					
styrene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
tetrachloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
toluene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<1.0	UG/L	02/20/06	EPA 8260B	MNE
trichloroethene	<1.00	UG/L	02/20/06	EPA 8260B	MNE
trichlorofluoromethane	<1.00	UG/L	02/20/06	EPA 8260B	MNE
vinyl chloride	<2.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, m+p	<1.00	UG/L	02/20/06	EPA 8260B	MNE
xylene, o	<1.00	UG/L	02/20/06	EPA 8260B	MNE
Surrogate (dibromofluoromethane): 106 % recovery,(toluene-d8): 100 % recovery,(bromofluorobenzene): 93 % recovery,(1,2-dichlorobenzene-d4): 101 % recovery, Surrogate recovery acceptance limits are 80-120%.					

SAMPLE #: 418463	CLIENT SAMPLE ID:	TRIP BLANK		DATE/TIME SAMPLED:		@ :
Volatile - TCL VOLATILES						
1,1,1-trichloroethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,1,2,2-tetrachloroethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,1,2-trichloro-1,2,2-trifluoroeth	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,1,2-trichloroethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,1-dichloroethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,1-dichloroethene	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2,3-trichlorobenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2,4-trichlorobenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2-dibromo-3-chloropropane	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2-dibromoethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2-dichlorobenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2-dichloroethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,2-dichloropropane	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,3-dichlorobenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
1,4-dichlorobenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
2-butanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
2-hexanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
4-methyl-2-pentanone	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
acetone	<5.00	UG/L	02/16/06	EPA 8260B	MNE	
benzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
bromochloromethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
bromodichloromethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
bromoform	<1.00	UG/L	02/16/06	EPA 8260B	MNE	
bromomethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE	



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418463	CLIENT SAMPLE ID:	TRIP BLANK	DATE/TIME SAMPLED:		@ :
Volatile - TCL VOLATILES					
carbon disulfide	<1.00	UG/L	02/16/06	EPA 8260B	MNE
carbon tetrachloride	<1.00	UG/L	02/16/06	EPA 8260B	MNE
chlorobenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
chloroethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
chloroform	<1.00	UG/L	02/16/06	EPA 8260B	MNE
chloromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
cis-1,2-dichloroethene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
cis-1,3-dichloropropene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
cyclohexane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
dibromochloromethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
dichlorodifluoromethane	<5.00	UG/L	02/16/06	EPA 8260B	MNE
ethylbenzene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
isopropyl benzene (cumene)	<1.00	UG/L	02/16/06	EPA 8260B	MNE
methyl acetate	<1.00	UG/L	02/16/06	EPA 8260B	MNE
methylcyclohexane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
methylene chloride	<1.00	UG/L	02/16/06	EPA 8260B	MNE
mtbe	<1.00	UG/L	02/16/06	EPA 8260B	MNE
styrene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
tetrachloroethene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
toluene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
trans-1,2-dichloroethene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
trans-1,3-dichloropropene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
trichloroethene	<1.00	UG/L	02/16/06	EPA 8260B	MNE
trichlorofluoromethane	<1.00	UG/L	02/16/06	EPA 8260B	MNE
vinyl chloride	<2.00	UG/L	02/16/06	EPA 8260B	MNE
xylene, m+p	<1.00	UG/L	02/16/06	EPA 8260B	MNE
xylene, o	<1.00	UG/L	02/16/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 111 % recovery, (toluene-d8): 100 % recovery, (bromofluorobenzene): 98 % recovery, (1,2-dichlorobenzene-d4): 102 % recovery,
Surrogate recovery acceptance limits are 80-120%.

SAMPLE #: 418464	CLIENT SAMPLE ID:	RW-2/9151-02 MS	DATE/TIME SAMPLED: 02/09/06 @ :		
Volatile - TCL VOLATILES					
1,1,1-trichloroethane	104	PERCENT	02/20/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	84	PERCENT	02/20/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	98	PERCENT	02/20/06	EPA 8260B	MNE
1,1,2-trichloroethane	92	PERCENT	02/20/06	EPA 8260B	MNE
1,1-dichloroethane	105	PERCENT	02/20/06	EPA 8260B	MNE
1,1-dichloroethene	97	PERCENT	02/20/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	88	PERCENT	02/20/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418464 CLIENT SAMPLE ID: RW-2/9151-02 MS			DATE/TIME SAMPLED: 02/09/06 @ :		
Volatile - TCL VOLATILES					
1,2,4-trichlorobenzene	90	PERCENT	02/20/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	75	PERCENT	02/20/06	EPA 8260B	MNE
1,2-dibromoethane	90	PERCENT	02/20/06	EPA 8260B	MNE
1,2-dichlorobenzene	96	PERCENT	02/20/06	EPA 8260B	MNE
1,2-dichloroethane	104	PERCENT	02/20/06	EPA 8260B	MNE
1,2-dichloropropane	95	PERCENT	02/20/06	EPA 8260B	MNE
1,3-dichlorobenzene	96	PERCENT	02/20/06	EPA 8260B	MNE
1,4-dichlorobenzene	96	PERCENT	02/20/06	EPA 8260B	MNE
2-butanone	49	PERCENT	02/20/06	EPA 8260B	MNE
2-hexanone	55	PERCENT	02/20/06	EPA 8260B	MNE
4-methyl-2-pentanone	67	PERCENT	02/20/06	EPA 8260B	MNE
acetone	40	PERCENT	02/20/06	EPA 8260B	MNE
benzene	99	PERCENT	02/20/06	EPA 8260B	MNE
bromochloromethane	97	PERCENT	02/20/06	EPA 8260B	MNE
bromodichloromethane	93	PERCENT	02/20/06	EPA 8260B	MNE
bromoform	75	PERCENT	02/20/06	EPA 8260B	MNE
bromomethane	95	PERCENT	02/20/06	EPA 8260B	MNE
carbon disulfide	97	PERCENT	02/20/06	EPA 8260B	MNE
carbon tetrachloride	103	PERCENT	02/20/06	EPA 8260B	MNE
chlorobenzene	95	PERCENT	02/20/06	EPA 8260B	MNE
chloroethane	113	PERCENT	02/20/06	EPA 8260B	MNE
chloroform	104	PERCENT	02/20/06	EPA 8260B	MNE
chloromethane	96	PERCENT	02/20/06	EPA 8260B	MNE
cis-1,2-dichloroethene	97	PERCENT	02/20/06	EPA 8260B	MNE
cis-1,3-dichloropropene	81	PERCENT	02/20/06	EPA 8260B	MNE
cyclohexane	104	PERCENT	02/20/06	EPA 8260B	MNE
dibromochloromethane	85	PERCENT	02/20/06	EPA 8260B	MNE
dichlorodifluoromethane	83	PERCENT	02/20/06	EPA 8260B	MNE
ethylbenzene	101	PERCENT	02/20/06	EPA 8260B	MNE
isopropyl benzene (cumene)	102	PERCENT	02/20/06	EPA 8260B	MNE
methyl acetate	95	PERCENT	02/20/06	EPA 8260B	MNE
methylcyclohexane	103	PERCENT	02/20/06	EPA 8260B	MNE
methylene chloride	96	PERCENT	02/20/06	EPA 8260B	MNE
mtbe	90	PERCENT	02/20/06	EPA 8260B	MNE
styrene	91	PERCENT	02/20/06	EPA 8260B	MNE
tetrachloroethene	99	PERCENT	02/20/06	EPA 8260B	MNE
toluene	97	PERCENT	02/20/06	EPA 8260B	MNE
trans-1,2-dichloroethene	97	PERCENT	02/20/06	EPA 8260B	MNE
trans-1,3-dichloropropene	83	PERCENT	02/20/06	EPA 8260B	MNE
trichloroethene	96	PERCENT	02/20/06	EPA 8260B	MNE
trichlorofluoromethane	106	PERCENT	02/20/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418464 CLIENT SAMPLE ID: RW-2/9151-02 MS DATE/TIME SAMPLED: 02/09/06 @ :					
Volatile - TCL VOLATILES					
vinyl chloride	112	PERCENT	02/20/06	EPA 8260B	MNE
xylene, m+p	100	PERCENT	02/20/06	EPA 8260B	MNE
xylene, o	103	PERCENT	02/20/06	EPA 8260B	MNE
<i>Surrogate (dibromofluoromethane): 107 % recovery, (toluene-d8): 100 % recovery, (bromofluorobenzene): 102 % recovery, (1,2-dichlorobenzene-d4): 99 % recovery, Surrogate recovery acceptance limits are 80-120%.</i>					
SAMPLE #: 418465 CLIENT SAMPLE ID: RW-2/9151-02 MSD DATE/TIME SAMPLED: 02/09/06 @ :					
Volatile - TCL VOLATILES					
1,1,1-trichloroethane	117	PERCENT	02/21/06	EPA 8260B	MNE
1,1,2,2-tetrachloroethane	95	PERCENT	02/21/06	EPA 8260B	MNE
1,1,2-trichloro-1,2,2-trifluoroeth	109	PERCENT	02/21/06	EPA 8260B	MNE
1,1,2-trichloroethane	103	PERCENT	02/21/06	EPA 8260B	MNE
1,1-dichloroethane	118	PERCENT	02/21/06	EPA 8260B	MNE
1,1-dichloroethene	107	PERCENT	02/21/06	EPA 8260B	MNE
1,2,3-trichlorobenzene	101	PERCENT	02/21/06	EPA 8260B	MNE
1,2,4-trichlorobenzene	103	PERCENT	02/21/06	EPA 8260B	MNE
1,2-dibromo-3-chloropropane	85	PERCENT	02/21/06	EPA 8260B	MNE
1,2-dibromoethane	100	PERCENT	02/21/06	EPA 8260B	MNE
1,2-dichlorobenzene	106	PERCENT	02/21/06	EPA 8260B	MNE
1,2-dichloroethane	116	PERCENT	02/21/06	EPA 8260B	MNE
1,2-dichloropropane	106	PERCENT	02/21/06	EPA 8260B	MNE
1,3-dichlorobenzene	108	PERCENT	02/21/06	EPA 8260B	MNE
1,4-dichlorobenzene	105	PERCENT	02/21/06	EPA 8260B	MNE
2-butanone	56	PERCENT	02/21/06	EPA 8260B	MNE
2-hexanone	58	PERCENT	02/21/06	EPA 8260B	MNE
4-methyl-2-pentanone	73	PERCENT	02/21/06	EPA 8260B	MNE
acetone	45	PERCENT	02/21/06	EPA 8260B	MNE
benzene	113	PERCENT	02/21/06	EPA 8260B	MNE
bromochloromethane	105	PERCENT	02/21/06	EPA 8260B	MNE
bromodichloromethane	107	PERCENT	02/21/06	EPA 8260B	MNE
bromoform	89	PERCENT	02/21/06	EPA 8260B	MNE
bromomethane	111	PERCENT	02/21/06	EPA 8260B	MNE
carbon disulfide	108	PERCENT	02/21/06	EPA 8260B	MNE
carbon tetrachloride	111	PERCENT	02/21/06	EPA 8260B	MNE
chlorobenzene	107	PERCENT	02/21/06	EPA 8260B	MNE
chloroethane	125	PERCENT	02/21/06	EPA 8260B	MNE
chloroform	119	PERCENT	02/21/06	EPA 8260B	MNE
chloromethane	111	PERCENT	02/21/06	EPA 8260B	MNE
cis-1,2-dichloroethene	107	PERCENT	02/21/06	EPA 8260B	MNE



NYS DEC - ALBANY
625 Broadway
12th FL.
Albany, NY 12233
ATTN: Mr. David Chiusano

PO#: 7-34-025

PROJECT #: 217814
RECEIVED: 02/09/2006 @ 10:17

Site Address:
MAESTRI INACTIVE HAZ. WASTE SITE
STATE FAIR BLVD.
GEDDES, NY

TEST PERFORMED	RESULTS	UNITS	DATE/TIME PERFORMED	METHOD NUMBER	PERFORMED BY
SAMPLE #: 418465 CLIENT SAMPLE ID: RW-2/9151-02 MSD			DATE/TIME SAMPLED: 02/09/06 @ :		
Volatile - TCL VOLATILES					
cis-1,3-dichloropropene	93	PERCENT	02/21/06	EPA 8260B	MNE
cyclohexane	118	PERCENT	02/21/06	EPA 8260B	MNE
dibromochloromethane	100	PERCENT	02/21/06	EPA 8260B	MNE
dichlorodifluoromethane	90	PERCENT	02/21/06	EPA 8260B	MNE
ethylbenzene	112	PERCENT	02/21/06	EPA 8260B	MNE
isopropyl benzene (cumene)	115	PERCENT	02/21/06	EPA 8260B	MNE
methyl acetate	109	PERCENT	02/21/06	EPA 8260B	MNE
methylcyclohexane	109	PERCENT	02/21/06	EPA 8260B	MNE
methylene chloride	106	PERCENT	02/21/06	EPA 8260B	MNE
mtbe	101	PERCENT	02/21/06	EPA 8260B	MNE
styrene	102	PERCENT	02/21/06	EPA 8260B	MNE
tetrachloroethene	108	PERCENT	02/21/06	EPA 8260B	MNE
toluene	107	PERCENT	02/21/06	EPA 8260B	MNE
trans-1,2-dichloroethene	114	PERCENT	02/21/06	EPA 8260B	MNE
trans-1,3-dichloropropene	93	PERCENT	02/21/06	EPA 8260B	MNE
trichloroethene	110	PERCENT	02/21/06	EPA 8260B	MNE
trichlorofluoromethane	119	PERCENT	02/21/06	EPA 8260B	MNE
vinyl chloride	123	PERCENT	02/21/06	EPA 8260B	MNE
xylene, m+p	114	PERCENT	02/21/06	EPA 8260B	MNE
xylene, o	110	PERCENT	02/21/06	EPA 8260B	MNE

Surrogate (dibromofluoromethane): 106 % recovery, (toluene-d8): 100 % recovery, (bromofluorobenzene): 103 % recovery, (1,2-dichlorobenzene-d4): 101 % recovery,
Surrogate recovery acceptance limits are 80-120%.


Sample Receipt Temperature: 5 Degrees C


David R. Hill
Laboratory Director

02/22/2006
Print Date

All tests performed under NYS ELAP Laboratory Certification # 11375 unless otherwise stated.
Report relates only to the samples as received by the laboratory and shall not be reproduced
except in full, without written approval from Environmental Laboratory Services.





Environmental

LABORATORY SERVICES

7280 Caswell Street, Hancock Air Park North Syracuse, NY 13212
(315) 458-8033 FAX (315) 458-0526 (866) LAB TIME

21614

CHAIN OF CUSTODY RECORD
and Authorization for Analysis
www.els-lab.com

Billing Information: **David Chynard** Quote No. _____
Company: **NYSDEC** Job No. _____
Address: **625 Broadway, 12th Floor** P.O. No. _____
City, State, Zip: **Albany, NY 12233-3017** Telephone No. **(518) 402-6814**

E-mail Address: **dchynard@els-lab.com** Site Address: _____
Fax: _____ Station: **NY**

Standard Turn Around Time is end of day, 10 Work Days after lab receipt. Surcharges may apply for Express Service.

Matrix Codes: AR - Air DW - Drinking Water FT - Filter GW - Ground Water OL - Oil PC - Paint Chips PR - Product SL - Sludge SD - Solid/Soil SW - Surface Water SB - Swab TP - Tape WP - Wipe WW - Waste Water

Sample(s) State of Origin: CT ☐ DE ☐ MA ☐ MD ☐ NH ☐ NJ ☐ NY ☒ PA ☐ RI ☐ VT ☐

Time Required: _____
☐ Same Day
☐ 1 Work Day
☐ 2 Work Days
☐ 3 Work Days
☐ 4 Work Days
☐ 5 Work Days
☒ Normal
☐ Other _____

ELS Use Only Date Time Comp/Grab Matrix Sampling Location/Sample ID Number of Containers

4184554/B 6/26/06 8:32 GRAB GW RW-2 / 9151-02 2

4184561/B 8:45 GRAB GW RW-3 / 9151-03 2

4184581/B 8:45 GRAB GW RW-5 / 9151-05 2

4184584/B 8:47 GRAB GW RW-6 / 9151-06 2

4184594/B 8:40 GRAB GW RW-7 / 9151-07 2

4184604/B 8:43 GRAB GW RW-8 / 9151-08 2

4184614/B 8:55 GRAB GW RW-TNF / 9151-TN 2

4184624/B 9:00 GRAB GW RW-EFF / 9151-EF 2

4184634/B N/A N/A TRAP BLANK 2

4184644/B 6/26/06 GRAB GW MATRIX SPIKE 2

4184654/B 6/26/06 GRAB GW MATRIX SPIKE DUPE 2

Relinquished by: **David Chynard** Date: **6/26/06** Time: **12:34 PM** Received by: _____ Date: _____ Time: _____

Relinquished by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____

Relinquished by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____

Sampler Signature: **David Chynard** White - LABORATORY Please return completed form and all sample containers to Environmental Laboratory Services.

Remarks/Special Instructions: **MASTRIE TUNING H42. WASTES STATE FARE BUD GEDDS, NY (#734-025)**

XYLENE PRIMARY CONTAMINANT OF CONCERN IN GW

Analyses Required: **TCL VOA**

Date of expiration: **APR 2006**