

Upstate Laboratories, Inc.

Shipping: 6034 Corporate Dr. * E. Syracuse, NY 13057-1017 * (315) 437-0255 * Fax (315) 437-1209

Mailing: Box 169 * Syracuse, NY 13206

Albany (518) 459-3134 * Binghamton (607) 724-0478 * Buffalo (716) 649-2533

Rochester (585) 436-9070 * New Jersey (201) 343-5353 * South Carolina (864) 878-3280

APR 27 2007

Mr. David J. Chiusano
NYSDEC-Region 8
625 Broadway, 12th Floor
Albany, NY 12233

Monday, April 09, 2007

RE: Maestri Site #734025

Order No.: U0704031

Dear Mr. David J. Chiusano:

Upstate Laboratories, Inc. received 7 sample(s) on 4/3/2007 for the analyses presented in the following report.

All analytical results relate to the samples as received by the laboratory.

All analytical data conforms with standard approved methodologies and quality control. Our quality control narrative will be included should any anomalies occur.

We have included the Chain of Custody Record as part of your report. You may need to reference this form for a more detailed explanation of your samples. Samples will be disposed of approximately one month from final report date.

Should you have any questions regarding these tests, please feel free to give us a call.

Thank you for your patronage.

Sincerely,

UPSTATE LABORATORIES, INC.


Anthony J. Scala
President/CEO

Confidentiality Statement: This report is meant for the use of the intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you have received this report in error, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the information.

Upstate Laboratories, Inc.

Date: 09-Apr-07

CLIENT: NYSDEC-Region 8
 Lab Order: U0704031
 Project: Maestri Site #734025
 Lab ID: U0704031-001

Client Sample ID: 9151-RW3
 Collection Date: 4/3/2007 11:00:00 AM
 Matrix: AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL VOLATILE ORGANICS		SW8260B		Analyst: AT		
1,1,1-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
1,1,2,2-Tetrachloroethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
1,1,2-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
1,1-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
1,1-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
1,2-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
1,2-Dichloropropane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
2-Butanone	ND	10		µg/L	1	4/4/2007 8:13:00 PM
2-Hexanone	ND	10		µg/L	1	4/4/2007 8:13:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/4/2007 8:13:00 PM
Acetone	ND	10		µg/L	1	4/4/2007 8:13:00 PM
Benzene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Bromodichloromethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Bromoform	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Bromomethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Carbon disulfide	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Carbon tetrachloride	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Chlorobenzene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Chloroethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Chloroform	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Chloromethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
cis-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
cis-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Dibromochloromethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Ethylbenzene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
m,p-Xylene	17	3.0		µg/L	1	4/4/2007 8:13:00 PM
Methylene chloride	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
o-Xylene	24	3.0		µg/L	1	4/4/2007 8:13:00 PM
Styrene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Tetrachloroethene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Toluene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
trans-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
trans-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Trichloroethene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/4/2007 8:13:00 PM

Approved By: PFF

Date: 4-9-07

Page 1 of 7

Qualifiers: * Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 09-Apr-07

CLIENT: NYSDEC-Region 8
Lab Order: U0704031
Project: Maestri Site #734025
Lab ID: U0704031-002

Client Sample ID: 9151-RW5
Collection Date: 4/3/2007 10:46:00 AM
Matrix: AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL VOLATILE ORGANICS		SW8260B		Analyst: AT		
1,1,1-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
1,1,2,2-Tetrachloroethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
1,1,2-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
1,1-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
1,1-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
1,2-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
1,2-Dichloropropane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
2-Butanone	ND	10		µg/L	1	4/4/2007 3:06:00 PM
2-Hexanone	ND	10		µg/L	1	4/4/2007 3:06:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/4/2007 3:06:00 PM
Acetone	ND	10		µg/L	1	4/4/2007 3:06:00 PM
Benzene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Bromodichloromethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Bromoform	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Bromomethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Carbon disulfide	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Carbon tetrachloride	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Chlorobenzene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Chloroethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Chloroform	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Chloromethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
cis-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
cis-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Dibromochloromethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Ethylbenzene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
m,p-Xylene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Methylene chloride	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
o-Xylene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Styrene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Tetrachloroethene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Toluene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
trans-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
trans-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Trichloroethene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/4/2007 3:06:00 PM

Approved By: PFF

Date: 4-9-07

Page 2 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 09-Apr-07

CLIENT: NYSDEC-Region 8
Lab Order: U0704031
Project: Maestri Site #734025
Lab ID: U0704031-003

Client Sample ID: 9151-RW7
Collection Date: 4/3/2007 10:50:00 AM
Matrix: AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL VOLATILE ORGANICS		SW8260B		Analyst: AT		
1,1,1-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
1,1,2,2-Tetrachloroethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
1,1,2-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
1,1-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
1,1-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
1,2-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
1,2-Dichloropropane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
2-Butanone	ND	10		µg/L	1	4/4/2007 3:44:00 PM
2-Hexanone	ND	10		µg/L	1	4/4/2007 3:44:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/4/2007 3:44:00 PM
Acetone	ND	10		µg/L	1	4/4/2007 3:44:00 PM
Benzene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Bromodichloromethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Bromoform	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Bromomethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Carbon disulfide	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Carbon tetrachloride	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Chlorobenzene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Chloroethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Chloroform	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Chloromethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
cis-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
cis-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Dibromochloromethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Ethylbenzene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
m,p-Xylene	6.8	3.0		µg/L	1	4/4/2007 3:44:00 PM
Methylene chloride	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
o-Xylene	4.4	3.0		µg/L	1	4/4/2007 3:44:00 PM
Styrene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Tetrachloroethene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Toluene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
trans-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
trans-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Trichloroethene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/4/2007 3:44:00 PM

Approved By: PFF

Date: 4-9-07

Page 3 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 09-Apr-07

CLIENT: NYSDEC-Region 8
Lab Order: U0704031
Project: Maestri Site #734025
Lab ID: U0704031-004

Client Sample ID: 9151-MW2A
Collection Date: 4/3/2007 12:13:00 PM
Matrix: AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL VOLATILE ORGANICS		SW8260B		Analyst: AT		
1,1,1-Trichloroethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
1,1,2,2-Tetrachloroethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
1,1,2-Trichloroethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
1,1-Dichloroethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
1,1-Dichloroethene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
1,2-Dichloroethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
1,2-Dichloropropane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
2-Butanone	ND	10		µg/L	1	4/5/2007 5:58:00 PM
2-Hexanone	ND	10		µg/L	1	4/5/2007 5:58:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/5/2007 5:58:00 PM
Acetone	ND	10		µg/L	1	4/5/2007 5:58:00 PM
Benzene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Bromodichloromethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Bromoform	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Bromomethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Carbon disulfide	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Carbon tetrachloride	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Chlorobenzene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Chloroethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Chloroform	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Chloromethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
cis-1,2-Dichloroethene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
cis-1,3-Dichloropropene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Dibromochloromethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Ethylbenzene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
m,p-Xylene	4.8	3.0		µg/L	1	4/5/2007 5:58:00 PM
Methylene chloride	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
o-Xylene	3	3.0	J	µg/L	1	4/5/2007 5:58:00 PM
Styrene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Tetrachloroethene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Toluene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
trans-1,2-Dichloroethene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
trans-1,3-Dichloropropene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Trichloroethene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/5/2007 5:58:00 PM

Approved By: PFF

Date: 4-9-07

Page 4 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 09-Apr-07

CLIENT: NYSDEC-Region 8
Lab Order: U0704031
Project: Maestri Site #734025
Lab ID: U0704031-005

Client Sample ID: 9151-MW9
Collection Date: 4/3/2007 12:05:00 PM
Matrix: AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL VOLATILE ORGANICS		SW8260B		Analyst: AT		
1,1,1-Trichloroethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
1,1,2,2-Tetrachloroethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
1,1,2-Trichloroethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
1,1-Dichloroethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
1,1-Dichloroethene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
1,2-Dichloroethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
1,2-Dichloropropane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
2-Butanone	ND	20		µg/L	2	4/5/2007 4:04:00 PM
2-Hexanone	ND	20		µg/L	2	4/5/2007 4:04:00 PM
4-Methyl-2-pentanone	ND	20		µg/L	2	4/5/2007 4:04:00 PM
Acetone	ND	20		µg/L	2	4/5/2007 4:04:00 PM
Benzene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Bromodichloromethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Bromoform	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Bromomethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Carbon disulfide	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Carbon tetrachloride	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Chlorobenzene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Chloroethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Chloroform	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Chloromethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
cis-1,2-Dichloroethene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
cis-1,3-Dichloropropene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Dibromochloromethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Ethylbenzene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
m,p-Xylene	390	6.0		µg/L	2	4/5/2007 4:04:00 PM
Methylene chloride	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
o-Xylene	250	6.0		µg/L	2	4/5/2007 4:04:00 PM
Styrene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Tetrachloroethene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Toluene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
trans-1,2-Dichloroethene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
trans-1,3-Dichloropropene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Trichloroethene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Vinyl chloride	ND	4.0		µg/L	2	4/5/2007 4:04:00 PM

Approved By: PFF

Date: 4-9-07

Page 5 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 09-Apr-07

CLIENT: NYSDEC-Region 8
Lab Order: U0704031
Project: Maestri Site #734025
Lab ID: U0704031-006

Client Sample ID: 9151-RW6
Collection Date: 4/3/2007 10:41:00 AM
Matrix: AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL VOLATILE ORGANICS		SW8260B		Analyst: AT		
1,1,1-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
1,1,2,2-Tetrachloroethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
1,1,2-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
1,1-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
1,1-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
1,2-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
1,2-Dichloropropane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
2-Butanone	ND	10		µg/L	1	4/4/2007 6:56:00 PM
2-Hexanone	ND	10		µg/L	1	4/4/2007 6:56:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/4/2007 6:56:00 PM
Acetone	ND	10		µg/L	1	4/4/2007 6:56:00 PM
Benzene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Bromodichloromethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Bromoform	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Bromomethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Carbon disulfide	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Carbon tetrachloride	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Chlorobenzene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Chloroethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Chloroform	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Chloromethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
cis-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
cis-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Dibromochloromethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Ethylbenzene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
m,p-Xylene	140	3.0		µg/L	1	4/4/2007 6:56:00 PM
Methylene chloride	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
o-Xylene	100	3.0		µg/L	1	4/4/2007 6:56:00 PM
Styrene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Tetrachloroethene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Toluene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
trans-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
trans-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Trichloroethene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/4/2007 6:56:00 PM

Approved By: PFF

Date: 4-9-07

Page 6 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Date: 09-Apr-07

CLIENT: NYSDEC-Region 8
Lab Order: U0704031
Project: Maestri Site #734025
Lab ID: U0704031-007

Client Sample ID: Trip Blank
Collection Date: 4/3/2007
Matrix: AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
TCL VOLATILE ORGANICS		SW8260B		Analyst: AT		
1,1,1-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
1,1,2,2-Tetrachloroethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
1,1,2-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
1,1-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
1,1-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
1,2-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
1,2-Dichloropropane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
2-Butanone	ND	10		µg/L	1	4/4/2007 7:34:00 PM
2-Hexanone	ND	10		µg/L	1	4/4/2007 7:34:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/4/2007 7:34:00 PM
Acetone	ND	10		µg/L	1	4/4/2007 7:34:00 PM
Benzene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Bromodichloromethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Bromoform	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Bromomethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Carbon disulfide	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Carbon tetrachloride	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Chlorobenzene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Chloroethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Chloroform	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Chloromethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
cis-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
cis-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Dibromochloromethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Ethylbenzene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
m,p-Xylene	1	3.0	J	µg/L	1	4/4/2007 7:34:00 PM
Methylene chloride	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
o-Xylene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Styrene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Tetrachloroethene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Toluene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
trans-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
trans-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Trichloroethene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/4/2007 7:34:00 PM

Approved By: PFF

Date: 4-9-07

Page 7 of 7

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Chain of Custody Record

Office use only

6034 Corporate Drive E. Syracuse New York 13057
(315) 437 0255 Fax 437 1209

QC Format
Team 8

Approved date:

Client: NYS DEC

Project # Project Name

MAESTRO SITE

CANON ID 116183

Remarks

Client Contact: David J. Chiusano

Phone # (518) 402-6814

Location (city/state) Address (T) Geddes, New York

Sample ID

Date

Time

Matrix

GRAB or COMP

U/L Internal Use Only

4151 - RW3

04/03/07

11:00

Aqueous

GRAB

11704031

No. of 228 1 2 3 4 5 6 7 8 9 10

72 HQ. TAT

4151 - RW5

04/03/07

10:46

GRAB

GRAB

-2 (2) 2

72 HQ. TAT

4151 - RW7

04/03/07

10:50

GRAB

GRAB

-3 (2) 2

72 HQ. TAT

4151 - MW24

04/03/07

12:13

GRAB

GRAB

-4 (2) 2

72 HQ. TAT

4151 - MW9

04/03/07

12:05

GRAB

GRAB

-5 (2) 2

72 HQ. TAT

4151 - RW6

04/03/07

10:41

GRAB

GRAB

-6 (2) 2

72 HQ. TAT

MS

04/03/07

10:50

GRAB

GRAB

-7 (2) 2

72 HQ. TAT

MSD

04/03/07

10:50

GRAB

GRAB

-7 (2) 2

72 HQ. TAT

TRIP BLANK

-

-

-

-

-7 (2) 1

72 HQ. TAT

Parameter and Method

Sample bottle:

Type

Size

Preservative

Sampled by (Print) David J. Chiusano

Date

Name of Courier David J. Chiusano

Vol. 8260 (72 HQ. TAT)

40 ml Glass (2)

(see sample)

HCL

Relinquished by (sign)

Relinquished by (sign)

Date

Received by (sign)

Relinquished by (sign)

Relinquished by (sign)

Date

Time

Received by (sign)

Relinquished by (sign)

Relinquished by (sign)

Date

Time

Rec'd for Lab by:

Syracuse

Rochester

Buffalo

Albany

Binghamton

Fair Lawn (NJ)