

**David Chiusano - Maestri Site #734025**

---

**From:** "Peter F. Fricano" <PFricano@UpstateLabs.com>  
**To:** "David Chiusano" <djchiusa@gw.dec.state.ny.us>  
**Date:** 4/9/2007 4:24 PM  
**Subject:** Maestri Site #734025

---

David,

Please find attached complete/final test results for the above project.

Samples collected on April 3rd, 2007.

Should you have any questions, please feel free to call me.

Sincerely,

Pete Fricano  
Upstate Laboratories, Inc.

6034 Corporate Drive, East Syracuse, NY 13057  
(315) 437-0255

[www.UpstateLabs.com](http://www.UpstateLabs.com)

This email is meant for the use of intended recipient. It may contain confidential information, which is legally privileged or otherwise protected by law. If you receive this email in error or from someone who was not authorized to send it to you, you are strictly prohibited from reviewing, using, disseminating, distributing or copying the email. PLEASE NOTIFY US IMMEDIATELY OF THE ERROR BY RETURN EMAIL AND DELETE THIS EMAIL FROM YOUR SYSTEM. Thank you for your cooperation.

**Upstate Laboratories, Inc.**

Date: 09-Apr-07

**CLIENT:** NYSDEC-Region 8  
**Lab Order:** U0704031  
**Project:** Maestri Site #734025  
**Lab ID:** U0704031-001

**Client Sample ID:** 9151-RW3  
**Collection Date:** 4/3/2007 11:00:00 AM  
**Matrix:** AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
<b>TCL VOLATILE ORGANICS</b>		<b>SW8260B</b>			Analyst: <b>AT</b>	
1,1,1-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
1,1,2,2-Tetrachloroethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
1,1,2-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
1,1-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
1,1-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
1,2-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
1,2-Dichloropropane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
2-Butanone	ND	10		µg/L	1	4/4/2007 8:13:00 PM
2-Hexanone	ND	10		µg/L	1	4/4/2007 8:13:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/4/2007 8:13:00 PM
Acetone	ND	10		µg/L	1	4/4/2007 8:13:00 PM
Benzene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Bromodichloromethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Bromoform	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Bromomethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Carbon disulfide	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Carbon tetrachloride	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Chlorobenzene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Chloroethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Chloroform	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Chloromethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
cis-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
cis-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Dibromochloromethane	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Ethylbenzene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
m,p-Xylene	17	3.0		µg/L	1	4/4/2007 8:13:00 PM
Methylene chloride	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
o-Xylene	24	3.0		µg/L	1	4/4/2007 8:13:00 PM
Styrene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Tetrachloroethene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Toluene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
trans-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
trans-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Trichloroethene	ND	3.0		µg/L	1	4/4/2007 8:13:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/4/2007 8:13:00 PM

**Approved By:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Qualifiers:**

- \* Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

- \*\* Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

**Upstate Laboratories, Inc.**

Date: 09-Apr-07

**CLIENT:** NYSDEC-Region 8  
**Lab Order:** U0704031  
**Project:** Maestri Site #734025  
**Lab ID:** U0704031-002

**Client Sample ID:** 9151-RW5  
**Collection Date:** 4/3/2007 10:46:00 AM  
**Matrix:** AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
<b>TCL VOLATILE ORGANICS</b>		<b>SW8260B</b>			Analyst: <b>AT</b>	
1,1,1-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
1,1,2,2-Tetrachloroethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
1,1,2-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
1,1-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
1,1-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
1,2-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
1,2-Dichloropropane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
2-Butanone	ND	10		µg/L	1	4/4/2007 3:06:00 PM
2-Hexanone	ND	10		µg/L	1	4/4/2007 3:06:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/4/2007 3:06:00 PM
Acetone	ND	10		µg/L	1	4/4/2007 3:06:00 PM
Benzene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Bromodichloromethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Bromoform	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Bromomethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Carbon disulfide	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Carbon tetrachloride	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Chlorobenzene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Chloroethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Chloroform	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Chloromethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
cis-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
cis-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Dibromochloromethane	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Ethylbenzene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
m,p-Xylene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Methylene chloride	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
o-Xylene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Styrene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Tetrachloroethene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Toluene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
trans-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
trans-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Trichloroethene	ND	3.0		µg/L	1	4/4/2007 3:06:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/4/2007 3:06:00 PM

**Approved By:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Qualifiers:**

- \* Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

- \*\* Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

**Upstate Laboratories, Inc.**

Date: 09-Apr-07

**CLIENT:** NYSDEC-Region 8  
**Lab Order:** U0704031  
**Project:** Maestri Site #734025  
**Lab ID:** U0704031-003

**Client Sample ID:** 9151-RW7  
**Collection Date:** 4/3/2007 10:50:00 AM  
**Matrix:** AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
<b>TCL VOLATILE ORGANICS</b>		<b>SW8260B</b>			Analyst: <b>AT</b>	
1,1,1-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
1,1,2,2-Tetrachloroethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
1,1,2-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
1,1-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
1,1-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
1,2-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
1,2-Dichloropropane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
2-Butanone	ND	10		µg/L	1	4/4/2007 3:44:00 PM
2-Hexanone	ND	10		µg/L	1	4/4/2007 3:44:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/4/2007 3:44:00 PM
Acetone	ND	10		µg/L	1	4/4/2007 3:44:00 PM
Benzene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Bromodichloromethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Bromoform	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Bromomethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Carbon disulfide	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Carbon tetrachloride	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Chlorobenzene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Chloroethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Chloroform	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Chloromethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
cis-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
cis-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Dibromochloromethane	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Ethylbenzene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
m,p-Xylene	6.8	3.0		µg/L	1	4/4/2007 3:44:00 PM
Methylene chloride	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
o-Xylene	4.4	3.0		µg/L	1	4/4/2007 3:44:00 PM
Styrene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Tetrachloroethene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Toluene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
trans-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
trans-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Trichloroethene	ND	3.0		µg/L	1	4/4/2007 3:44:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/4/2007 3:44:00 PM

**Approved By:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Qualifiers:**

- \* Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

- \*\* Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

**Upstate Laboratories, Inc.**

Date: 09-Apr-07

**CLIENT:** NYSDEC-Region 8  
**Lab Order:** U0704031  
**Project:** Maestri Site #734025  
**Lab ID:** U0704031-004

**Client Sample ID:** 9151-MW2A  
**Collection Date:** 4/3/2007 12:13:00 PM  
**Matrix:** AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
<b>TCL VOLATILE ORGANICS</b>		<b>SW8260B</b>			Analyst: <b>AT</b>	
1,1,1-Trichloroethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
1,1,2,2-Tetrachloroethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
1,1,2-Trichloroethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
1,1-Dichloroethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
1,1-Dichloroethene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
1,2-Dichloroethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
1,2-Dichloropropane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
2-Butanone	ND	10		µg/L	1	4/5/2007 5:58:00 PM
2-Hexanone	ND	10		µg/L	1	4/5/2007 5:58:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/5/2007 5:58:00 PM
Acetone	ND	10		µg/L	1	4/5/2007 5:58:00 PM
Benzene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Bromodichloromethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Bromoform	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Bromomethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Carbon disulfide	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Carbon tetrachloride	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Chlorobenzene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Chloroethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Chloroform	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Chloromethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
cis-1,2-Dichloroethene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
cis-1,3-Dichloropropene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Dibromochloromethane	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Ethylbenzene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
m,p-Xylene	4.8	3.0		µg/L	1	4/5/2007 5:58:00 PM
Methylene chloride	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
o-Xylene	3	3.0	J	µg/L	1	4/5/2007 5:58:00 PM
Styrene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Tetrachloroethene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Toluene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
trans-1,2-Dichloroethene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
trans-1,3-Dichloropropene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Trichloroethene	ND	3.0		µg/L	1	4/5/2007 5:58:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/5/2007 5:58:00 PM

**Approved By:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Qualifiers:**

- \* Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

- \*\* Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

**Upstate Laboratories, Inc.**

Date: 09-Apr-07

**CLIENT:** NYSDEC-Region 8  
**Lab Order:** U0704031  
**Project:** Maestri Site #734025  
**Lab ID:** U0704031-005

**Client Sample ID:** 9151-MW9  
**Collection Date:** 4/3/2007 12:05:00 PM  
**Matrix:** AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
<b>TCL VOLATILE ORGANICS</b>		<b>SW8260B</b>			Analyst: <b>AT</b>	
1,1,1-Trichloroethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
1,1,2,2-Tetrachloroethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
1,1,2-Trichloroethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
1,1-Dichloroethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
1,1-Dichloroethene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
1,2-Dichloroethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
1,2-Dichloropropane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
2-Butanone	ND	20		µg/L	2	4/5/2007 4:04:00 PM
2-Hexanone	ND	20		µg/L	2	4/5/2007 4:04:00 PM
4-Methyl-2-pentanone	ND	20		µg/L	2	4/5/2007 4:04:00 PM
Acetone	ND	20		µg/L	2	4/5/2007 4:04:00 PM
Benzene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Bromodichloromethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Bromoform	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Bromomethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Carbon disulfide	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Carbon tetrachloride	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Chlorobenzene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Chloroethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Chloroform	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Chloromethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
cis-1,2-Dichloroethene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
cis-1,3-Dichloropropene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Dibromochloromethane	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Ethylbenzene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
m,p-Xylene	390	6.0		µg/L	2	4/5/2007 4:04:00 PM
Methylene chloride	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
o-Xylene	250	6.0		µg/L	2	4/5/2007 4:04:00 PM
Styrene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Tetrachloroethene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Toluene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
trans-1,2-Dichloroethene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
trans-1,3-Dichloropropene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Trichloroethene	ND	6.0		µg/L	2	4/5/2007 4:04:00 PM
Vinyl chloride	ND	4.0		µg/L	2	4/5/2007 4:04:00 PM

**Approved By:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Qualifiers:**

- \* Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

- \*\* Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

**Upstate Laboratories, Inc.**

Date: 09-Apr-07

**CLIENT:** NYSDEC-Region 8  
**Lab Order:** U0704031  
**Project:** Maestri Site #734025  
**Lab ID:** U0704031-006

**Client Sample ID:** 9151-RW6  
**Collection Date:** 4/3/2007 10:41:00 AM  
**Matrix:** AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
<b>TCL VOLATILE ORGANICS</b>		<b>SW8260B</b>			Analyst: <b>AT</b>	
1,1,1-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
1,1,2,2-Tetrachloroethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
1,1,2-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
1,1-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
1,1-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
1,2-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
1,2-Dichloropropane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
2-Butanone	ND	10		µg/L	1	4/4/2007 6:56:00 PM
2-Hexanone	ND	10		µg/L	1	4/4/2007 6:56:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/4/2007 6:56:00 PM
Acetone	ND	10		µg/L	1	4/4/2007 6:56:00 PM
Benzene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Bromodichloromethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Bromoform	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Bromomethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Carbon disulfide	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Carbon tetrachloride	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Chlorobenzene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Chloroethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Chloroform	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Chloromethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
cis-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
cis-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Dibromochloromethane	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Ethylbenzene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
m,p-Xylene	140	3.0		µg/L	1	4/4/2007 6:56:00 PM
Methylene chloride	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
o-Xylene	100	3.0		µg/L	1	4/4/2007 6:56:00 PM
Styrene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Tetrachloroethene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Toluene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
trans-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
trans-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Trichloroethene	ND	3.0		µg/L	1	4/4/2007 6:56:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/4/2007 6:56:00 PM

**Approved By:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Qualifiers:**

- \* Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

- \*\* Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

**Upstate Laboratories, Inc.**

Date: 09-Apr-07

**CLIENT:** NYSDEC-Region 8  
**Lab Order:** U0704031  
**Project:** Maestri Site #734025  
**Lab ID:** U0704031-007

**Client Sample ID:** Trip Blank  
**Collection Date:** 4/3/2007  
**Matrix:** AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
<b>TCL VOLATILE ORGANICS</b>		<b>SW8260B</b>			Analyst: <b>AT</b>	
1,1,1-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
1,1,2,2-Tetrachloroethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
1,1,2-Trichloroethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
1,1-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
1,1-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
1,2-Dichloroethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
1,2-Dichloropropane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
2-Butanone	ND	10		µg/L	1	4/4/2007 7:34:00 PM
2-Hexanone	ND	10		µg/L	1	4/4/2007 7:34:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	4/4/2007 7:34:00 PM
Acetone	ND	10		µg/L	1	4/4/2007 7:34:00 PM
Benzene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Bromodichloromethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Bromoform	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Bromomethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Carbon disulfide	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Carbon tetrachloride	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Chlorobenzene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Chloroethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Chloroform	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Chloromethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
cis-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
cis-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Dibromochloromethane	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Ethylbenzene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
m,p-Xylene	1	3.0	J	µg/L	1	4/4/2007 7:34:00 PM
Methylene chloride	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
o-Xylene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Styrene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Tetrachloroethene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Toluene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
trans-1,2-Dichloroethene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
trans-1,3-Dichloropropene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Trichloroethene	ND	3.0		µg/L	1	4/4/2007 7:34:00 PM
Vinyl chloride	ND	2.0		µg/L	1	4/4/2007 7:34:00 PM

**Approved By:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Qualifiers:**

- \* Low Level
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

- \*\* Value exceeds Maximum Contaminant Value
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits