



18 Computer Drive West
Albany, NY 12205
Phone: 518.438.6809
Fax: 518.438.8527

May 24, 2007

Mr. David Chiusano
Remedial Bureau E, Section A
Division Environmental Remediation
NYS Department of Environmental Conservation
625 Broadway 12th Floor
Albany, NY 12233-7017

Subject: **SMC- Maestri Site**
Site #7-34-025, Onondaga County

Dear Mr. Chiusano:

On behalf of Stauffer Management Company, SPEC Consulting, LLC has prepared the enclosed Quarterly Report detailing the operations of the groundwater recovery system during the period January through March 2007 at the Maestri Site.

Should you have any questions regarding this submittal please contact me at (518) 438-6809.


Sincerely,

A handwritten signature in cursive script that reads "Gianna Aiezza".

Gianna Aiezza, PE
Environmental Manager

Enc.

cc: R. Shay- SMC
P. Ekoniak- SMC
J. Abraham- SMC



**STAUFFER MANAGEMENT COMPANY
MAESTRI SITE
GEDDES, NEW YORK
GROUNDWATER COLLECTION
SYSTEM OPERATIONS REPORT
January–March 2007**

Prepared for:

**Stauffer Management Co.
1800 Concord Pike
Wilmington, DE 19850-5437**

Prepared by:

**SPEC
CONSULTING, LLC**

**18 Computer Drive West
Albany, NY 12205**

SPEC Consulting Project 98-066c




TABLE OF CONTENTS

INTRODUCTION	1
GROUNDWATER CAPTURE	1
HYDRAULIC EFFECTIVENESS	2
GROUNDWATER QUALITY	2
DISCHARGE MONITORING REPORTS	3

TABLES

TABLE 1A, 1B, 1C	GROUNDWATER ELEVATIONS
TABLE 2	GROUNDWATER TREATMENT SYSTEM FLOW RATES
TABLE 3	TOTAL XYLENE CONCENTRATIONS IN RECOVERY WELLS

FIGURES

FIGURE 1	SITE MAP
FIGURE 2A, 2B, 2C	CONTOUR MAPS OF GROUNDWATER ELEVATIONS
FIGURE 3	AQUIFER THICKNESS
FIGURE 4	GROUNDWATER TREATMENT SYSTEM FLOW RATES
FIGURES 5-10	TOTAL XYLENE CONCENTRATIONS IN RECOVERY WELLS
FIGURE 11	MW-2A (RW-2) XYLENE CONC. VERSUS GROUNDWATER ELEVATION

ATTACHMENTS

ATTACHMENT 1	LABORATORY ANALYTICAL DATA
ATTACHMENT 2	DISCHARGE MONITORING REPORTS

Introduction

The following is a report on the operation of the groundwater collection system at the Maestri Site for the period of January-March 2007, which includes a discussion on the following areas:

- Groundwater Capture
- Hydraulic Effectiveness
- Groundwater Quality
- Discharge Monitoring Reports

A site map showing the location of monitoring wells, recovery wells, and piezometers is provided as Figure 1.

Groundwater Capture

Monthly groundwater level measurements are taken at 5 recovery wells, 5 shallow monitoring wells, and 14 piezometers at the site. Groundwater elevation data is presented in the attached Tables 1A, 1B and 1C for January, February and March 2007.

Representative piezometer data from January, February and March were analyzed by the SURFER computer model and plotted on attached Figures 2A and 2B to show the equipotential contours of the piezometric surface. These indicate that the recovery well system is effectively capturing groundwater across the site. The shapes of the groundwater contours are similar from month to month, but the piezometric surface level shifts due to seasonal conditions. Due to the removal of the off-site shallow monitoring wells, contours do not extend past RW-6. The elevations around the recovery well line remains relatively constant indicating that flow through the site is being captured.

Hydraulic Effectiveness

The changes in aquifer thickness with time for various portions of the site are shown on attached Figure 3 for the purpose of evaluating aquifer dewatering. Data is plotted for the current quarter and the previous eight quarters to show longer-term trends. The aquifer thickness was calculated by subtracting the elevation of the top of the till at several representative boreholes from the groundwater surface elevation. Monitoring well MW-10 was used as being representative of upgradient conditions and how groundwater level would change due to natural (i.e. seasonal) fluctuations. In the same manner MW-20 was representative of downgradient conditions. Though MW-20 has been removed, aquifer thickness variation at this location was minimal. The past MW-20 elevations will be left on the graph for reference and will not be extrapolated. Four piezometers, PZ-9, PZ-12, PZ-14 and PZ-18, were chosen to show the aquifer thickness along the intercept well line across the property. These piezometers are located between each of the five recovery wells on the site. (Traveling the intercept well line from southeast to northwest PZ-9 is between RW-5 and MW-2A (RW-2); PZ-12 is between MW-2A (RW-2) and RW-4; PZ-14 is between RW-4 and RW-1; and PZ-18 is between RW-1 and RW-3). RW-1 and RW-4 were removed during remedial activities at the site and are shown on Figure 1 of the site map for reference purposes. RW-2 was converted to a monitoring well (MW-2A) in April 2006.

The aquifer thickness at the on-site wells continues to reflect seasonal trends. The groundwater recovery system operated at typical flow rates for the first quarter. Discharge rates are presented in Table 2 and Figure 4.

Groundwater Quality

In order to observe long-term trends, quarterly groundwater samples are taken from wells MW-2A, RW-3, RW-5, RW-6, and RW-7 and analyzed for total xylene. The sampling event for this quarter was conducted on January 3, 2007. The next quarterly sampling event was in April 2007.

Results from the January sampling event indicate that groundwater xylene concentrations have substantially decreased at the site. Most significantly, xylene was not detected in MW-2A for the second consecutive quarter. RW-5 and RW-3 also exhibited non-detect xylene concentrations. RW-6 and RW-7 had xylene concentrations of 29 and 40 µg/L, respectively. These two were the only wells to indicate xylene concentrations above the NYS Groundwater Standard of 5 µg/L. Analytical data for this sampling event is provided as Attachment 1.

Figure 11 displays groundwater elevations of MW-9 and xylene concentrations in MW-2A (RW-2) over time. Variations in xylene concentrations of MW-2A (RW-2) seem to correlate with variations in seasonal groundwater elevations at MW-9 before April 28, 2006, when RW-2 was converted to MW-2A. Generally, when groundwater elevations were higher, concentrations of xylene were greater. Since the conversion of RW-2 to MW-2A, ground water elevation seems to have no effect on xylene concentration.

Quarterly sampling results currently serve as the basis for evaluating the effectiveness of the groundwater remedial activities. Based on the January sampling event, the recovery wells indicate that the groundwater treatment system has effectively reduced groundwater contaminant levels. As stipulated in the ROD, the onsite groundwater treatment system is to be operated and evaluated annually until “concentrations of site contaminants can no longer be effectively removed or cleanup objectives are met.”

Discharge Monitoring Reports

The discharge monitoring reports for the treated groundwater for this quarter are presented as Attachment 2. The modified equivalent SPDES permit (effective September 1, 2000) reduced sampling frequency to once per month, in addition to reducing the number of parameters requiring analysis. All SPDES parameters were within the permit limits for this monitoring period.

TABLES

Table 1A - Depth to Groundwater (ft) - January 2007

Well No	1/3/2007
MW-9	10.5
MW-10	4.7
MW-12	6.7
MW-14	13.4
PZ-2	9.1
PZ-3	12.0
PZ-4	4.8
PZ-5	5.2
PZ-6	11.1
PZ-7	12.0
PZ-9	11.6
PZ-10	10.5
PZ-12	12.4
PZ-13	11.8
PZ-14	9.4
PZ-15	14.8
PZ-18	14.6
PZ-19	14.3
MW-2A (formerly RW-2)	12.3
RW-3	18.7
RW-5	19.0
RW-6	12.0
RW-7	22.1
RW-8	21.7

Table 1B - Depth to Groundwater (ft) - February 2007

Well No	2/6/2007
MW-9	11.3
MW-10	7.1
MW-12	8.0
MW-14	14.5
PZ-2	11.1
PZ-3	12.3
PZ-4	6.9
PZ-5	6.0
PZ-6	11.6
PZ-7	12.3
PZ-9	12.8
PZ-10	10.9
PZ-12	13.6
PZ-13	12.5
PZ-14	10.8
PZ-15	16.3
PZ-18	16.5
PZ-19	16.2
MW-2A (formerly RW-2)	12.8
RW-3	20.5
RW-5	21.6
RW-6	13.0
RW-7	15.7
RW-8	14.4

Table 1C - Depth to Groundwater (ft) - March 2007

Well No	3/6/2007
MW-9	9.20
MW-10	5.60
MW-12	7.05
MW-14	12.40
PZ-2	8.10
PZ-3	11.70
PZ-4	5.10
PZ-5	4.50
PZ-6	11.10
PZ-7	11.50
PZ-9	11.10
PZ-10	9.90
PZ-12	10.80
PZ-13	9.10
PZ-14	9.00
PZ-15	14.10
PZ-18	13.60
PZ-19	13.10
MW-2A (formerly RW-2)	11.80
RW-3	15.90
RW-5	20.90
RW-6	13.60
RW-7	19.80
RW-8	13.50

TABLE 2
Groundwater Treatment System Flowrates

Month	Average Daily Flowrate (gpd)	Maximum Daily Flowrate (gpd)
Oct-98	1645	2192
Nov-98	1424	2053
Dec-98	1968	2305
Jan-99	2104	4846
Feb-99	2431	3354
Mar-99	3241	5652
Apr-99	2733	3619
May-99	1729	2126
Jun-99	1435	1671
Jul-99	1959	3052
Aug-99	1359	1556
Sep-99	1546	3785
Oct-99	1884	3577
Nov-99	1499	3561
Dec-99	2621	4605
Jan-00	2197	4068
Feb-00	2138	4682
Mar-00	3024	5316
Apr-00	3462	6486
May-00	2636	3955
Jun-00	2096	2932
Jul-00	1843	2790
Aug-00	1611	1847
Sep-00	1264	1595
Oct-00	1040	1383
Nov-00	1051	1841
Dec-00	1073	1774
Jan-01	1132	1677
Feb-01	1806	3788
Mar-01	3309	4596
Apr-01	2788	4287
May-01	1416	2143
Jun-01	1151	1588
Jul-01	1078	1393
Aug-01	936	1129
Sep-01	1177	2350
Oct-01	726	1221
Nov-01	620	1080
Dec-01	1793	3256
Jan-02	1580	1897
Feb-02	1582	2174
Mar-02	1838	2556
Apr-02	2048	2561
May-02	2564	3767
Jun-02	2299	3174
Jul-02	1746	2171
Aug-02	1240	1628
Sep-02	233	960
Oct-02	842	2490

Nov-02	1866	2729
Dec-02	1239	2093
Jan-03	1010	2486
Feb-03	2067	2587
Mar-03	2585	3823
Apr-03	2242	2765
May-03	1631	2487
Jun-03	1445	2921
Jul-03	855	1551
Aug-03	857	1597
Sep-03	626	771
Oct-03	588	1678
Nov-03	1251	2531
Dec-03	1476	3217
Jan-04	2177	3170
Feb-04	1552	1829
Mar-04	2888	3835
Apr-04	2543	3489
May-04	1943	3432
Jun-04	1757	3299
Jul-04	1241	4329
Aug-04	1502	4556
Sep-04	1989	3072
Oct-04	822	1129
Nov-04	1050	1750
Dec-04	2070	3638
Jan-05	1825	4232
Feb-05	1186	2972
Mar-05	1974	7370
Apr-05	2743	6535
May-05	1161	3045
Jun-05	849	1294
Jul-05	518	648
Aug-05	301	445
Sep-05	284	471
Oct-05	977	2715
Nov-05	1242	2114
Dec-05	1687	2243
Jan-06	2479	3785
Feb-06	2364	4454
Mar-06	2055	3905
Apr-06	1688	3366
May-06	1116	1770
Jun-06	752	1065
Jul-06	1035	4004
Aug-06	920	1717
Sep-06	531	599
Oct-06	620	2778
Nov-06	523	2020
Dec-06	2036	2982
Jan-07	1895	2722
Feb-07	1063	1366
Mar-07	2644	4687

RW-2 replaced w/ MW-2A

TABLE 3
Total Xylene Concentrations (µg/L) for Recovery Wells

Sample Date	RW-1	MW-2A (RW-2)	RW-3	RW-4	RW-5	RW-6	RW-7	RW-8
2-Aug-94	2538	12205	<3	7805	9438	886		
6-Sep-94	1463	7213	<3	4874	19066	2047		
4-Oct-94	1440	5211	<3	12573	15800	638		
1-Nov-94	1401	4907	<3	16334	29474	797		
6-Dec-94	1982	1092	<3	7600	4200	172		
3-Jan-95	1400	2020	12	13000	26000	523		
7-Feb-95	2400	2500	<3	8500	19700	695		
7-Mar-95	3174	1675	<3	7764	16890	339		
4-Apr-95	3710	4750	<3	11000	12400	990		
2-May-95	2700	5800	<3	10700	10300	1140		
6-Jun-95	2300	5900	<3	9700	12200	1300		
11-Jul-95	3425	2620	<3	9370	13900	1625		
1-Aug-95	2500	3500	<3	11900	9150	1200		
5-Sep-95	2340	2340	<3	11100	8200	1330		
6-Oct-95	5600	2880	<3	16100	8100	1400		
7-Nov-95	3200	3750	<3	6750	13330	590		
5-Dec-95	3795	2850	<3	7410	37400	466		
2-Jan-96	3035	3380	<3	3700	13870	740		
6-Feb-96	4270	6270	4.7	10160	11750	720		
5-Mar-96	6075	4380	6.7	12765	10986	1090		
2-Apr-96	4000	16900	1060	14400	8100	1270		
7-May-96	5700	17000	280	16640	9940	1620		
4-Jun-96	5300	17500	860	18400	8075	2330		
2-Jul-96	2460	15290	270	10000	5950	2400		
6-Aug-96	3800	16200	25	14630	6810	3300		
3-Sep-96	2130	12840	<3	8340	4350	1150		
1-Oct-96	11170	11950	<3	1600	2580	1275		
5-Nov-96	2050	11055	<3	2600	920	1040		
3-Dec-96	13300	2340	<3	**	1350	1170		
7-Jan-97	580		<3	**		66		
5-Feb-97	**	105	<3	**	990	760		
4-Mar-97	**	1010	<3	**	930	1110		
1-Apr-97	**	915	37	**	591	830		
6-May-97	**	8000	33	**	1010	680		
3-Jun-97	**	16400	42	**	710	1000		
1-Jul-97	**	11600	36	**	490	117		
5-Aug-97	**	5400	24	**	220	470		
2-Sep-97	**	3000	6.5	**	53	220		
7-Oct-97	**	2700	240	**	190	200		
4-Nov-97	**	214	<3	**	133	169		

Sample Date	RW-1	MW-2A (RW-2)	RW-3	RW-4	RW-5	RW-6	RW-7	RW-8
2-Dec-97	**	3790	16	**	***	340	220	<3
6-Jan-98	**	2100	<5	**	***	117	117	<3
3-Feb-98	**	6700	<3.0	**	***	26	119	<3
3-Mar-98	**	7500	<3.0	**	***	3	70	<3
7-Apr-98	**	3700	<3.0	**	***	90	98	<3
5-May-98	**	5900	<3.0	**	***	230	260	<3
2-Jun-98	**	6750	<3.0	**	***	254	214	<3
7-Jul-98	**	8300	<3.0	**	***	156	230	<3
4-Aug-98	**	6600	<3.0	**	***	329	245	<3
1-Sep-98	**	5500	<3.0	**	***	173	358	<3
6-Oct-98	**	7750	<3.0	**	***	23	300	<3
3-Nov-98	**	13500	<3.0	**	***	<3	280	<3
1-Dec-98	**	5500	<3.0	**	***	<5	121	<3
5-Jan-99	**	9450	<3.0	**	***	<3	114	<3
2-Feb-99	**	14000	<3.0	**	***	22	643	<3
2-Mar-99	**	8300	<3.0	**	***	<3	112	<3
6-Apr-99	**	5700	<3.0	**	***	32	91	<3
4-May-99	**	5200	<3.0	**	***	101	196	<3
1-Jun-99	**	5000	<3.0	**	***	65	205	<3
6-Jul-99	**	8500	<3.0	**	***	88	97	<3
3-Aug-99	**	5450	<3.0	**	<3	<3	104	<3
7-Sep-99	**	7600	<3.0	**	<5	3.5	68	<3
5-Oct-99	**	10400	<3.0	**	<3	14	98	<3
1-Nov-99	**	3500	<3.0	**	3	89	260	<3
7-Dec-99	**	12280	<3.0	**	<3	29	230	<3
4-Jan-00	**	11140	<3.0	**	4.6	<3	25	<3
1-Feb-00	**	7800	<3.0	**	3	18	117	<3
7-Mar-00	**	2650	<3.0	**	3.3	<3	37	<3
4-Apr-00	**	2350	<3.0	**	18	<3	41	<3
2-May-00	**	3560	<3.0	**	43	<3	138	<3
6-Jun-00	**	1080	<3.0	**	<3	<3	138	<3
3-Jul-00	**	271	<3.0	**	<3	<3	209	<3
1-Aug-00	**	6260	<3.0	**	12	9.8	168	<3
5-Sep-00	**	6900	<3.0	**	<3	<3	299	7.7
3-Oct-00	**	7200	<3.0	**	<3	<3	160	<3
7-Nov-00	**	4200	<3.0	**	<3	8	174	<3
5-Dec-00	**	4750	<3.0	**	3.9	26	374	52
2-Jan-01	**	8100	<3.0	**	7.9	48	156	<3
6-Feb-01	**	8050	<3.0	**	92	30	960	<3
6-Mar-01	**	9200	<3.0	**	156	42	335	4.2
3-Apr-01	**	9350	<3.0	**	120	57	116	<3
1-May-01	**	3260	<3.0	**	58	<3	168	<3
4-Jun-01	**	8300	<3.0	**	<3	4.8	236	9
3-Jul-01	**	8900	<3.0	**	<3	6.4	252	<3
7-Aug-01	**	6900	<3.0	**	<3	<3	82	11 ¹

Sample Date	RW-1	MW-2A (RW-2)	RW-3	RW-4	RW-5	RW-6	RW-7	RW-8
4-Sep-01	**	5420	<3.0	**	<3	<3	178	<3
2-Oct-01	**	5675	<3.0	**	<3	20	138	77
6-Nov-01	**	435	<3.0	**	<3	11	170	<3
4-Dec-01	**	675	<3.0	**	4.2	8.8	255	19
2-Jan-02	**	1605	<3.0	**	4	7.5	237	<3
12-Feb-02	**	3086	<3.0	**	27	13	146	<3
5-Mar-02	**	4573	<3.0	**	97	80	281	<3
2-Apr-02	**	7284	<3.0	**	97	61	318	<3
7-May-02	**	7600	<3.0	**	170	32	216	<3
4-Jun-02	**	9639	<3.0	**	147	23	305	17
3-Jul-02	**	3918	<3.0	**	82	8.7	351	180
6-Aug-02	**	8299	<3.0	**	<3.0	<3.0	328	<3.0
2-Sep-02	**	9072	<3.0	**	<3.0	<3.0	295	<3.0
1-Oct-02	**	3961	<3.0	**	<3.0	<3.0	353	<3.0
5-Nov-02	**	2115	<3.0	**	14	<3.0	150	<3.0
3-Dec-02	**	1994	<3.0	**	<3.0	8.1	8.5	11
7-Jan-03	**	1575	6.5	**	33	14	266	<3.0
5-Feb-03	**	702	9.7	**	4	<3.0	54	<3.0
4-Mar-03	**	2552	18	**	59	17	94	<3.0
1-Apr-03	**	4111	<3.0	**	128	22	NS	14
7-May-03	**	1563	<3.0	**	198	19	71	7.6
3-Jun-03	**	5995	<3.0	**	3.5	<3.0	<15	<3.0
1-Jul-03	**	4200	<6.0	**	22	43	289	<3.0
5-Aug-03	**	4191	<3.0	**	5.2	8.5	50	<3.0
2-Sep-03	**	3315	<3.0	**	<3.0	165	106	<3.0
7-Oct-03	**	3104	<3.0	**	<3.0	13	106	<3.0
4-Nov-03	**	3600	<3.0	**	<16	38	<38	<3.0
2-Dec-03	**	1871	<3.0	**	<3.0	<3.0	<3.0	<3.0
13-Jan-04	**	880	47	**	56	42	<75	<3.0
3-Feb-04	**	3530	17	**	17	50	162	<15
2-Mar-04	**	1973	4.5	**	9.8	87	<3.0	<3.0
6-Apr-04	**	9209	<7.5	**	80	170	1016	<3.0
4-May-04	**	7191	<15	**	7.9	<3.0	<15	<3.0
1-Jun-04	**	7053	<3.0	**	23	44	13	<3.0
13-Jul-04	**	2418	<3.0	**	<3.0	24	30	<3.0
3-Aug-04	**	2930	<15	**	<3.0	48	73	<3.0
7-Sep-04	**	3920	<15	**	144	<3.0	123	<3.0
5-Oct-04	**	2925	<15	**	<3.0	15	86	<3.0
2-Nov-04	**	4800	<3.0	**	<15	<3.0	197	<3.0
7-Dec-04	**	6305	<3.0	**	<3.0	49	76	<3.0
4-Jan-05	**	3400	<3.0	**	7.9	147	7.8	<3.0
1-Feb-05	**	3844	<3.0	**	5.8	25	175	<3.0
1-Mar-05	**	4190	<3.0	**	7.9	<3.0	39	<3.0
4-Apr-05	**	4160	<3.0	**	10	25	<3.0	<3.0
3-May-05	**	4647	<3.0	**	6.5	20	<3.0	<3.0

Sample Date	RW-1	MW-2A (RW-2)	RW-3	RW-4	RW-5	RW-6	RW-7	RW-8
7-Jun-05	**	902	<7.5	**	<3.0	<3.0	110	<3.0
5-Jul-05	**	460	<3.0	**	<3.0	<3.0	146	<3.0
2-Aug-05	**	2222	<3.0	**	<3.0	<3.0	110	<3.0
5-Sep-05	**	2055	<3.0	**	<3.0	35	<15	<3.0
4-Oct-05	**	750	<3.0	**	<3.0	5.5	180	<3.0
1-Nov-05	**	2850	3.1	**	<3.0	<3.0	38	<3.0
6-Dec-05	**	4757	79	**	7.8	25	<15	<3.0
3-Jan-06	**	4640	<3.0	**	<3.0	45	<3.0	<3.0
9-Feb-06	**	3890	<3.0	**	8.4	70	INC	<3.0
7-Mar-06	**	6250	<3.0	**	<3.0	3.2	129	<3.0
4-Apr-06	**	2070	<3.0	**	<3.0	142	<30	<3.0
2-May-06	**	2400	<3.0	**	<3.0	58	<30	<3.0
6-Jun-06	**		<3.0	**	<3.0	9	102	<3.0
4-Jul-06	**	665	<3.0	**	<3.0	34	130	
1-Aug-06	**		5	**	<3.0	63	90	<3.0
3-Oct-06	**	<3.0	3.3	**	<3.0	3	55	**
2-Jan-07	**	<3.0	<3.0	**	<3.0	29	40	**

All results in ppb

NS - Not Sampled

** - Wells No. 1 and 4 were removed as part of the excavation.


*** - Pump in Well 5 was moved to Well 8.

RW-8 sample on 8/7/2001 was resampled on 8/25/2001 due to original sample being cross contaminated

RW-7 not sampled on 4/1/03 due to a pump failure.

RW-2 replaced with MW-2A on April 24-28 2006

FIGURES



- LEGEND
- MONITORING WELL
 - PROBING WELL
 - PROBATION
 - MASTERS SITE PROPERTY
 - 8' HIGH SECURITY FENCE
 - 0' 8" ELECTRIC POLE


NOTE: MW-1 WAS REMOVED BY MW-2A IN APRIL 2008




STAUFFER
MANAGEMENT COMPANY
BASE MAP PROVIDED BY IT CORPORATION

FIGURE 1
SITE MAP

MAESTRI SITE
904 STATE FAIR BLVD.
GEDDES, NEW YORK





NOTE: PG-3 WAS REPLACED BY W9-3A IN APRIL, 2008




STAUFFER
MANAGEMENT COMPANY
BASE MAP PROVIDED BY IT CORPORATION

FIGURE 2A
CONTOUR MAP OF
GROUNDWATER ELEVATIONS

MAESTRI SITE
904 STATE FAIR BLVD.
GEDDES, NEW YORK

FEBRUARY 6, 2007




LEGEND
 MONITORING WELL
 SECURITY FENCE
 SECURITY POLE
 BUILDING
 PROPERTY
 O.P.
 CLUSTER POLE

NOTE: MW-1 WAS REPLACED BY MW-2A IN APRIL 2006



STAUFFER
 MANAGEMENT COMPANY
 BASE MAP PROVIDED BY IT CORPORATION
 FIGURE 2B OF
 CONTOUR MAP OF
 GROUNDWATER ELEVATIONS
 MAESTRI SITE
 904 STATE PARK BLVD.
 GEDDES, NEW YORK

NOTE:
 APPROXIMATE LOCATION OF MW 1, 4 & 8 (MAESTRI DATED 04/04/06)

[illegible]

SCALE

0 30 60 90 FEET

STAUFFER
MANAGEMENT COMPANY
BASE MAP PROVIDED BY IT CORPORATION
FIGURE 2C
CONTOUR MAP OF
GROUNDWATER ELEVATIONS
MAESTRI SITE
904 STATE FAIR BLVD.
GEDDIES, NEW YORK

Figure 3
Aquifer Thickness




Figure 4
Groundwater Treatment System Flowrates




Figure 5
MW-2A (RW-2)




Figure 6
RW-3




Figure 7
RW-5




Figure 8
RW-6




Figure 9
RW-7






Figure 10
RW-8





ATTACHMENTS

ATTACHMENT 1

Laboratory Analytical Data



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Stauffer Management Company
4512 Jordan Road
Skaneateles Falls, NY 13153-
Attn: Mr. John M. Abraham

PROJECT NAME: Maestri
DATE: 01/08/2007

SAMPLE NUMBER- 470924 SAMPLE ID- E-2
DATE SAMPLED- 01/02/07
DATE RECEIVED- 01/03/07 SAMPLER- John Abraham
TIME RECEIVED- 1445 DELIVERED BY- Tom Barry

SAMPLE MATRIX- WA
RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		01/03/07		TB	2.0 Degrees C
EPA 624 Volatiles	EPA 624	01/05/07		LRE	
Dichlorodifluoromethane	EPA 624	01/05/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	01/05/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	01/05/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	01/05/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	01/05/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	01/05/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	01/05/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	01/05/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	01/05/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	01/05/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	01/05/07		LRE	< 1.0 ug/L
Benzene	EPA 624	01/05/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,2-Dichloropropane	EPA 624	01/05/07		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	01/05/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 470924

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
2-Chloroethylvinyl Ether	EPA 624	01/05/07		LRE	< 5.0 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	01/05/07		LRE	< 5.0 ug/L
cis-1,3-Dichloropropene	EPA 624	01/05/07		LRE	< 1.0 ug/L
Toluene	EPA 624	01/05/07		LRE	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 624	01/05/07		LRE	< 1.0 ug/L
Tetrachloroethene	EPA 624	01/05/07		LRE	< 1.0 ug/L
Dibromochloromethane	EPA 624	01/05/07		LRE	< 1.0 ug/L
Chlorobenzene	EPA 624	01/05/07		LRE	< 1.0 ug/L
Ethylbenzene	EPA 624	01/05/07		LRE	< 1.0 ug/L
m & p-Xylene	EPA 624	01/05/07		LRE	< 1.0 ug/L
o-Xylene	EPA 624	01/05/07		LRE	< 1.0 ug/L
Bromoform	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,3-Dichlorobenzene	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 624	01/05/07		LRE	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Stauffer Management Company
4512 Jordan Road
Skaneateles Falls, NY 13153-
Attn: Mr. John M. Abraham

PROJECT NAME: Maestri
DATE: 01/08/2007

SAMPLE NUMBER- 470925 SAMPLE ID- E-3
DATE SAMPLED- 01/02/07
DATE RECEIVED- 01/03/07 SAMPLER- John Abraham
TIME RECEIVED- 1445 DELIVERED BY- Tom Barry

SAMPLE MATRIX- WA

RECEIVED BY- BLD
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		01/03/07		TB	2.0 Degrees C
EPA 624 Volatiles	EPA 624	01/05/07		LRE	
Dichlorodifluoromethane	EPA 624	01/05/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	01/05/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	01/05/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	01/05/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	01/05/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	01/05/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	01/05/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	01/05/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	01/05/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	01/05/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	01/05/07		LRE	< 1.0 ug/L
Benzene	EPA 624	01/05/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	01/05/07		LRE	< 1.0 ug/L
1,2-Dichloropropane	EPA 624	01/05/07		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	01/05/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 470925

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	01/05/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	01/05/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	01/05/07		LRE	< 1.0	ug/L
Toluene	EPA 624	01/05/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	01/05/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	01/05/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	01/05/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	01/05/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	01/05/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	01/05/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	01/05/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	01/05/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	01/05/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	01/05/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	01/05/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	01/05/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	01/05/07		LRE	< 1.0	ug/L


NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Phone: 315-478-2374

Fax: 315-478-2107

Fax: 315-478-2107

[illegible]

SAMPLES RELINQUISHED BY:		SAMPLES RECEIVED BY:		Samples Received in Good Condition: ☐ Yes ☐ No Temperature _____ °C
NAME: SIGNATURE:	DATE: TIME:	NAME: SIGNATURE:	DATE: TIME:	
NAME: _____ SIGNATURE: _____	DATE: _____ TIME: _____	NAME: _____ SIGNATURE: _____	DATE: _____ TIME: _____	

White - CES's Copy • Canary - Return to Client With Report • Pink - Clients Initial Copy



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Stauffer Management Company
4512 Jordan Road
Skaneateles Falls, NY 13153-
Attn: Mr. John M. Abraham

PROJECT NAME: Maestri/Xylenes
DATE: 01/09/2007

(Page 1 of 1)

LAB No.	SAMPLE		SAMPLER	DELIVERY TO LAB		
	DATE	TIME		DATE	TIME	MATRIX
470926	01/02/07		John Abraham	01/03/07	1445	WA
470927	01/02/07		John Abraham	01/03/07	1445	WA
470928	01/02/07		John Abraham	01/03/07	1445	WA
470929	01/02/07		John Abraham	01/03/07	1445	WA
470930	01/02/07		John Abraham	01/03/07	1445	WA

CLIENT STATION ID	LAB NUMBER	Sample Receipt Temperature Degrees C	TOTAL XYLENES ug/L
RW-3	470926	2.0	< 3.0
RW-5	470927	2.0	< 3.0
RW-6	470928	2.0	29
RW-7	470929	2.0	40
MW-2A	470930	2.0	< 3.0

Note: Samples analyzed by Method EPA 602

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.

CHAIN OF CUSTODY RECORD



Certified Environmental Services, Inc.
1401 Erie Blvd. East
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

BATCH NO: 90251/90252

Page 1 of 1

Turn-Around Time:

- ☒ Standard
☐ 1 Week
☐ 72 Hours
☐ 48 Hours
☐ 24 Hours

PARAMETERS FOR ANALYSIS

CLIENT NAME: <u>SAC</u>	PROJECT NUMBER/NAME: <u>Quant. Analysis</u>
ADDRESS:	
PHONE:	
FAX:	
CONTACT NAME: <u>Tina</u>	PURCHASE ORDER NO:
Sampler's Name: <u>Tina</u> Signature: <u>John Cole</u>	

LAB USE ONLY	Collected		TYPE		MATRIX			CLIENT ID/SAMPLE LOCATION	TOTAL NUMBER OF CONTAINERS										
			Comp.	Grab	Aqueous	Soil	Other												
CES Sample Numbers	Date	Time																	
470924	1-20-07			X	X			E-2	2	X									
470925	↓			X	X			E-3	2	X									
470926				X	X			Pw 3, 5, 6, 7, MW-2A	10		X								
470927																			
470928																			
470929																			
470930																			

SPECIAL REMARKS: 14 TOTAL NUMBER OF CONTAINERS

SAMPLES RELINQUISHED BY: NAME: <u>Tina</u> DATE: <u>1-20-07</u> SIGNATURE: <u>John Cole</u> TIME:		SAMPLES RECEIVED BY: NAME: <u>Tom Barry</u> DATE: <u>1-3-07</u> SIGNATURE: <u>Thomas M. Barry</u> TIME: <u>1340</u>		Samples Received in Good Condition: ☐ Yes ☐ No Temperature <u>2.0</u> °C
NAME: <u>Tom Barry</u> DATE: <u>1-3-07</u> SIGNATURE: TIME: <u>1445</u>		NAME: SIGNATURE: DATE: TIME:		



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Stauffer Management Company
4512 Jordan Road
Skaneateles Falls, NY 13153-
Attn: Mr. John M. Abraham

PROJECT NAME: Maestri
DATE: 02/12/2007

SAMPLE NUMBER- 474586 SAMPLE ID- E-2
DATE SAMPLED- 02/06/07
DATE RECEIVED- 02/07/07 SAMPLER- John Abraham
TIME RECEIVED- 1545 DELIVERED BY- Ryan Sheehan

SAMPLE MATRIX- WW

RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		02/07/07		RS	2.6 Degrees C
EPA 624 Volatiles	EPA 624	02/08/07		LRE	
Dichlorodifluoromethane	EPA 624	02/08/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	02/08/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	02/08/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	02/08/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	02/08/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	02/08/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	02/08/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	02/08/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	02/08/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	02/08/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	02/08/07		LRE	< 1.0 ug/L
Benzene	EPA 624	02/08/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,2-Dichloropropane	EPA 624	02/08/07		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	02/08/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 474586

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
2-Chloroethylvinyl Ether	EPA 624	02/08/07		LRE	< 5.0 ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	02/08/07		LRE	< 5.0 ug/L
cis-1,3-Dichloropropene	EPA 624	02/08/07		LRE	< 1.0 ug/L
Toluene	EPA 624	02/08/07		LRE	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 624	02/08/07		LRE	< 1.0 ug/L
Tetrachloroethene	EPA 624	02/08/07		LRE	< 1.0 ug/L
Dibromochloromethane	EPA 624	02/08/07		LRE	< 1.0 ug/L
Chlorobenzene	EPA 624	02/08/07		LRE	< 1.0 ug/L
Ethylbenzene	EPA 624	02/08/07		LRE	< 1.0 ug/L
m & p-Xylene	EPA 624	02/08/07		LRE	< 1.0 ug/L
o-Xylene	EPA 624	02/08/07		LRE	< 1.0 ug/L
Bromoform	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,3-Dichlorobenzene	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 624	02/08/07		LRE	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Stauffer Management Company
4512 Jordan Road
Skaneateles Falls, NY 13153-
Attn: Mr. John M. Abraham

PROJECT NAME: Maestri
DATE: 02/12/2007

SAMPLE NUMBER- 474587 SAMPLE ID- E-3
DATE SAMPLED- 02/06/07
DATE RECEIVED- 02/07/07 SAMPLER- John Abraham
TIME RECEIVED- 1545 DELIVERED BY- Ryan Sheehan

SAMPLE MATRIX- WW

RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		02/07/07		RS	2.6 Degrees C
EPA 624 Volatiles	EPA 624	02/08/07		LRE	
Dichlorodifluoromethane	EPA 624	02/08/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	02/08/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	02/08/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	02/08/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	02/08/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	02/08/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	02/08/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	02/08/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	02/08/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	02/08/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	02/08/07		LRE	< 1.0 ug/L
Benzene	EPA 624	02/08/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	02/08/07		LRE	< 1.0 ug/L
1,2-Dichloropropane	EPA 624	02/08/07		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	02/08/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 474587

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	02/08/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	02/08/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	02/08/07		LRE	< 1.0	ug/L
Toluene	EPA 624	02/08/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	02/08/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	02/08/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	02/08/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	02/08/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	02/08/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	02/08/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	02/08/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	02/08/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	02/08/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	02/08/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	02/08/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	02/08/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	02/08/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.

CHAIN OF CUSTODY RECORD



Certified Environmental Services, Inc.
1401 Erie Blvd. East
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

BATCH NO:

Turn-Around Time:

- ☐ Standard
☐ 1 Week
☐ 72 Hours
☐ 48 Hours
☐ 24 Hours

Page ____ of ____

PARAMETERS FOR ANALYSIS

CLIENT NAME:

ADDRESS:

PHONE:

FAX:

CONTACT NAME:

PROJECT NUMBER/NAME:

PURCHASE ORDER NO:

Sampler's Name:

Signature:

LAB USE ONLY

Collected

TYPE

MATRIX

CES Sample Numbers

Date Time

Comp.

Grab

Aqueous

Soil

Other

CLIENT ID/SAMPLE LOCATION

TOTAL NUMBER OF CONTAINERS

SPECIAL REMARKS:

TOTAL NUMBER OF CONTAINERS

SAMPLES RELINQUISHED BY:

SAMPLES RECEIVED BY:

NAME:

DATE:

SIGNATURE:

TIME:

NAME:

DATE:

SIGNATURE:

TIME:

Samples Received in Good Condition:

☐ Yes ☐ No

Temperature _____ °C

NAME:

DATE:

SIGNATURE:

TIME:

NAME:

DATE:

SIGNATURE:

TIME:



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Stauffer Management Company
4512 Jordan Road
Skaneateles Falls, NY 13153-
Attn: Mr. John M. Abraham

PROJECT NAME: Maestri
DATE: 02/27/2007

SAMPLE NUMBER- 475823 SAMPLE ID- E-2
DATE SAMPLED- 02/20/07
DATE RECEIVED- 02/21/07 SAMPLER- John Abraham
TIME RECEIVED- 1400 DELIVERED BY- Ryan Sheehan

SAMPLE MATRIX- WW

RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		02/21/07		RS	4.7 Degrees C
EPA 624 Volatiles	EPA 624	02/23/07		LRE	
Dichlorodifluoromethane	EPA 624	02/23/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	02/23/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	02/23/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	02/23/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	02/23/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	02/23/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	02/23/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	02/23/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	02/23/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	02/23/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	02/23/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	02/23/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	02/23/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	02/23/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	02/23/07		LRE	< 1.0 ug/L
Benzene	EPA 624	02/23/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	02/23/07		LRE	< 1.0 ug/L
1,2-Dichloropropane	EPA 624	02/23/07		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	02/23/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 475823

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	02/23/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	02/23/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	02/23/07		LRE	< 1.0	ug/L
Toluene	EPA 624	02/23/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	02/23/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	02/23/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	02/23/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	02/23/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	02/23/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	02/23/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	02/23/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	02/23/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	02/23/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	02/23/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	02/23/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	02/23/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	02/23/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

The analytical results on this sample are representative of the sample as received by the Laboratory.

CES

Phone: 315-478-2374

Fax: 315-478-2107

☐ 24 Hours

PARAMETERS FOR ANALYSIS

Signature:

TOTAL NUMBER OF CONTAINERS

CLIENT ID/SAMPLE LOCATION

CES Sample Numbers

Date _____

Time

er

TOTAL NUMBER OF CONTAINERS

Temperature _____ °C

TIME:



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Stauffer Management Company
4512 Jordan Road
Skaneateles Falls, NY 13153-
Attn: Mr. John M. Abraham

PROJECT NAME: Maestri
DATE: 03/12/2007

SAMPLE NUMBER- 477317 SAMPLE ID- E-2
DATE SAMPLED- 03/06/07
DATE RECEIVED- 03/07/07 SAMPLER- John Abraham
TIME RECEIVED- 1510 DELIVERED BY- Ryan Sheehan

SAMPLE MATRIX- WW

RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		03/07/07		RS	3.5 Degrees C
EPA 624 Volatiles	EPA 624	03/08/07		LRE	
Dichlorodifluoromethane	EPA 624	03/08/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	03/08/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	03/08/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	03/08/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	03/08/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	03/08/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	03/08/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	03/08/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	03/08/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	03/08/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	03/08/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	03/08/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	03/08/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	03/08/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	03/08/07		LRE	< 1.0 ug/L
Benzene	EPA 624	03/08/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	03/08/07		LRE	< 1.0 ug/L
1,2-Dichloropropane	EPA 624	03/08/07		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	03/08/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 477317

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	03/08/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	03/08/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	03/08/07		LRE	< 1.0	ug/L
Toluene	EPA 624	03/08/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	03/08/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	03/08/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	03/08/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	03/08/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	03/08/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	03/08/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	03/08/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	03/08/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	03/08/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	03/08/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	03/08/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	03/08/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	03/08/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Stauffer Management Company
4512 Jordan Road
Skaneateles Falls, NY 13153-
Attn: Mr. John M. Abraham

PROJECT NAME: Maestri
DATE: 03/12/2007

SAMPLE NUMBER- 477318 SAMPLE ID- E-3
DATE SAMPLED- 03/06/07
DATE RECEIVED- 03/07/07 SAMPLER- John Abraham
TIME RECEIVED- 1510 DELIVERED BY- Ryan Sheehan

SAMPLE MATRIX- WW

RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		03/07/07		RS	3.5 Degrees C
EPA 624 Volatiles	EPA 624	03/08/07		LRE	
Dichlorodifluoromethane	EPA 624	03/08/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	03/08/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	03/08/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	03/08/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	03/08/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	03/08/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	03/08/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	03/08/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	03/08/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	03/08/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	03/08/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	03/08/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	03/08/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	03/08/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	03/08/07		LRE	< 1.0 ug/L
Benzene	EPA 624	03/08/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	03/08/07		LRE	< 1.0 ug/L
1,2-Dichloropropane	EPA 624	03/08/07		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	03/08/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 477318

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	03/08/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	03/08/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	03/08/07		LRE	< 1.0	ug/L
Toluene	EPA 624	03/08/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	03/08/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	03/08/07		LRE	< 1.0	ug/L
Tetrachloroethene	EPA 624	03/08/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	03/08/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	03/08/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	03/08/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	03/08/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	03/08/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	03/08/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	03/08/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	03/08/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	03/08/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	03/08/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Stauffer Management Company
4512 Jordan Road
Skaneateles Falls, NY 13153-
Attn: Mr. John M. Abraham

PROJECT NAME: Maestri
DATE: 03/23/2007

SAMPLE NUMBER- 478829 SAMPLE ID- E-2
DATE SAMPLED- 03/20/07
DATE RECEIVED- 03/21/07 SAMPLER- John Abraham
TIME RECEIVED- 1320 DELIVERED BY- Matt DuChene

SAMPLE MATRIX- WW

RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		03/21/07		RS	5.6 Degrees C
EPA 624 Volatiles	EPA 624	03/21/07		LRE	
Dichlorodifluoromethane	EPA 624	03/21/07		LRE	< 2.0 ug/L
Chloromethane	EPA 624	03/21/07		LRE	< 5.0 ug/L
Vinyl Chloride	EPA 624	03/21/07		LRE	< 1.0 ug/L
Bromomethane	EPA 624	03/21/07		LRE	< 5.0 ug/L
Chloroethane	EPA 624	03/21/07		LRE	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	03/21/07		LRE	< 1.0 ug/L
1,1-Dichloroethene	EPA 624	03/21/07		LRE	< 1.0 ug/L
Methylene Chloride	EPA 624	03/21/07		LRE	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 624	03/21/07		LRE	< 1.0 ug/L
1,1-Dichloroethane	EPA 624	03/21/07		LRE	< 1.0 ug/L
2-Butanone (MEK)	EPA 624	03/21/07		LRE	< 5.0 ug/L
Chloroform	EPA 624	03/21/07		LRE	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 624	03/21/07		LRE	< 1.0 ug/L
Carbon Tetrachloride	EPA 624	03/21/07		LRE	< 1.0 ug/L
1,2-Dichloroethane	EPA 624	03/21/07		LRE	< 1.0 ug/L
Benzene	EPA 624	03/21/07		LRE	< 1.0 ug/L
Trichloroethene	EPA 624	03/21/07		LRE	< 1.0 ug/L
1,2-Dichloropropane	EPA 624	03/21/07		LRE	< 1.0 ug/L
Bromodichloromethane	EPA 624	03/21/07		LRE	< 1.0 ug/L

The analytical results on this sample are representative of the sample as received by the Laboratory.



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 478829

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	03/21/07		LRE	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	03/21/07		LRE	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	03/21/07		LRE	< 1.0	ug/L
Toluene	EPA 624	03/21/07		LRE	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 624	03/21/07		LRE	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 624	03/21/07		LRE	< 1.0	ug/L
Tetrachloroethane	EPA 624	03/21/07		LRE	< 1.0	ug/L
Dibromochloromethane	EPA 624	03/21/07		LRE	< 1.0	ug/L
Chlorobenzene	EPA 624	03/21/07		LRE	< 1.0	ug/L
Ethylbenzene	EPA 624	03/21/07		LRE	< 1.0	ug/L
m & p-Xylene	EPA 624	03/21/07		LRE	< 1.0	ug/L
o-Xylene	EPA 624	03/21/07		LRE	< 1.0	ug/L
Bromoform	EPA 624	03/21/07		LRE	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	03/21/07		LRE	< 1.0	ug/L
1,3-Dichlorobenzene	EPA 624	03/21/07		LRE	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 624	03/21/07		LRE	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 624	03/21/07		LRE	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

Barbara L. DuChene
Laboratory Manager

The analytical results on this sample are representative of the sample as received by the Laboratory.

ATTACHMENT 2

Discharge Monitoring Report

MAESTRI EFFLUENT MONITORING REPORT - January 2007

DATE	BENZENE ug/l	VINYL CHLORIDE ug/l	o-XYLENE ug/l	m-XYLENE ug/l	p-XYLENE ug/l	pH
1/2/2007	<1.0	<1.0	<1.0	<1.0	<1.0	7.2
LIMIT	1.0	5.0	5.0	5.0	5.0	6.5-8.5

MONTHLY DAILY AVERAGE FLOW (GPD) = 1895 gpd
MONTHLY MAXIMUM DAILY FLOW (GPD) = 2722 gpd

MAESTRI EFFLUENT MONITORING REPORT - February 2007

DATE	BENZENE ug/l	VINYL CHLORIDE ug/l	o-XYLENE ug/l	m-XYLENE ug/l	p-XYLENE ug/l	pH
2/6/2007	<1.0	<1.0	<1.0	<1.0	<1.0	7.1
LIMIT	1.0	5.0	5.0	5.0	5.0	6.5-8.5

MONTHLY DAILY AVERAGE FLOW (GPD) = 1063 gpd
MONTHLY MAXIMUM DAILY FLOW (GPD) = 1366 gpd

MAESTRI EFFLUENT MONITORING REPORT - March 2007

DATE	BENZENE ug/l	VINYL CHLORIDE ug/l	o-XYLENE ug/l	m- XYLENE ug/l	p- XYLENE ug/l	pH
3/6/2007	<1.0	<1.0	<1.0	<1.0	<1.0	7.5
LIMIT	1.0	5.0	5.0	5.0	5.0	6.5-8.5

MONTHLY DAILY AVERAGE FLOW (GPD) = 2644 gpd
MONTHLY MAXIMUM DAILY FLOW (GPD) = 4687 gpd