

2017 ANNUAL POST-CLOSURE MONITORING REPORT

**TOWN OF CLAY LANDFILL
OAK ORCHARD ROAD
TOWN OF CLAY, ONONDAGA COUNTY, NEW YORK
SITE #734034**

Prepared for:

TOWN OF CLAY
4401 ROUTE 31
CLAY, NEW YORK 13041

Prepared by:



C&S ENGINEERS, INC.
499 COL. EILEEN COLLINS BLVD.
SYRACUSE, NEW YORK 13212

JANUARY 2018

TOWN OF CLAY LANDFILL

2017 Annual Post-Closure Monitoring Report

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION/BACKGROUND	1
1.1 Site Description	1
1.2 Site History/Background	1
1.3 2017 Post-Closure Monitoring Program Reporting.....	2
2.0 METHODOLOGY.....	3
2.1 Sample Collection	3
2.2 Analytical Data Interpretive Methods	3
2.3 Landfill Reconnaissance and Combustible Gas Field Survey	4
3.0 RESULTS AND DISCUSSION	5
3.1 Groundwater Quality Monitoring.....	5
3.2 Surface Water Analytical Results.....	6
3.3 Drainage Ditch Analytical Results	7
3.4 QA/QC	7
3.5 Landfill Reconnaissance.....	8
3.6 Recommendations/Conclusions	8

List of Figures

Figure 1	Site Location Map
Figure 2	Environmental Monitoring Site Plan

List of Tables

Table 1	Monitoring Well Construction Data
Table 2	Historical Water Elevations
Table 3	Groundwater Monitoring Well Analytical Results
Table 4	Surface Water Analytical Results
Table 5	Drainage Ditch Analytical Results
Table 6	Historical Groundwater Analytical Data – Inorganic & Metal Parameters
Table 7	Historical Surface Water Analytical Data – Inorganic & Metal Parameters
Table 8	Historical Groundwater Analytical Data – Organic Parameters
Table 9	Quarterly Landfill Gas Vent Monitoring

List of Appendices

Appendix A.....	Laboratory Analytical Data, Chain-Of-Custody Documentation, And Sample Characterization Forms
Appendix B	Landfill Inspection/Gas Monitoring Reports

SECTION 1

INTRODUCTION/BACKGROUND

1.1 SITE DESCRIPTION

The Town of Clay Landfill is located along Oak Orchard Road, in the northern section of the Town of Clay, New York, approximately 1,300 feet east of the intersection of Oak Orchard Road and Henry Clay Boulevard. Residential properties exist to the immediate north and northwest of the landfill and near the intersection of Oak Orchard Road and Henry Clay Boulevard to the west. The landfill site is almost entirely surrounded by New York State Department of Environmental Conservation (NYSDEC) wetland BRE-9 with a number of surface water streams which flow in the vicinity of the landfill. The Oneida River, which flows in a westerly direction past the landfill, is listed as a NYSDEC Class B water body. Shaver Creek is a small stream, which flows northerly along the western site property boundary and discharges to the Oneida River. A site location map is shown in Figure 1, and a site plan is included in Figure 2.

1.2 SITE HISTORY/BACKGROUND

The Town of Clay Landfill site was operated by the Town as a municipal landfill from approximately 1956 until 1975 when the Onondaga County Solid Waste Disposal Authority (SWDA) began leasing the landfill from the Town of Clay and began accepting both residential and industrial waste. Prior to SWDA's operation of the landfill, the Town of Clay accepted only residential waste. The landfill was ordered closed by the NYSDEC in 1976 and ceased accepting waste in September 1977. The landfill closure was reportedly completed in 1978 at which time the landfill was returned to the Town of Clay. It was discovered in 1986 that industrial wastes containing polychlorinated biphenyls (PCBs) were disposed of in the Town of Clay Landfill during the period that the landfill was operated by SWDA. For this reason, the landfill was then classified by NYSDEC as a Class 2 Hazardous Waste Site (Site No. 734034). In 1990, a Consent Order between the Town of Clay and the NYSDEC was issued committing the Town of Clay to enter into a Remedial Program. Following completion of environmental investigations, a low permeability synthetic cap was constructed over the Town of Clay Landfill in 1996 as approved by NYSDEC. Funding for the remediation program was provided through State grants and cost recovery from the County.

Consistent with the NYSDEC Record of Decision (December 1994), The Town of Clay began quarterly post closure landfill monitoring in 1997. Post-closure landfill monitoring is required for a minimum of 30 years. From 1997 until 2001, the Town of Clay completed quarterly monitoring at the landfill. In 2001, the NYSDEC approved the Town's request to reduce monitoring of the landfill from quarterly to semiannually. In February 2007, the NYSDEC again approved the Town of Clay's request to reduce monitoring at the landfill; this time from semiannual to a fifth quarter monitoring frequency. In addition to fifth quarter monitoring, the Town of Clay continues to complete quarterly landfill inspections and gas monitoring at the site.

1.3 2017 POST-CLOSURE MONITORING PROGRAM REPORTING

This Monitoring Report was prepared for the Town of Clay by C&S Engineers, Inc. and documents the activities and results of Post-Closure monitoring for the Town of Clay Landfill. This report is based upon the analytical results of groundwater and surface water samples collected from the landfill site during the week of September 26, 2017. Certified Environmental Services, Inc. (CES) under contract to C&S Engineers, Inc., performed the actual collection and analysis of site groundwater and surface water samples. C&S personnel completed landfill inspections and combustible gas monitoring at the landfill gas vents on April 13, 2017, July 13, 2017, October 2, 2017, and January 12, 2018. An interpretation and discussion of the 2017 annual monitoring event results is presented in Section 3.

SECTION 2

METHODOLOGY

This report is based upon the analytical results of groundwater samples collected from groundwater monitoring wells MW-2SR, DGC-3S, MW-4SR, DGC-5, MW-6SR, MW-7S, MW-8S, MW-9S, MW-10SR, MW-11SR, DGC-2D, DGC-3D, and DGC-6D, and surface water samples collected from surface water sampling locations SW-1 and SW-2 located within nearby Shaver Creek. Figure 2 shows the locations of the monitoring wells and surface water sampling locations.

2.1 SAMPLE COLLECTION

Samples were collected on September 26, 2017. Prior to groundwater sample collection, the monitoring wells were purged of at least three well volumes to replace the stagnant groundwater within each monitoring well with fresh formation water. The static water level of each monitoring well was determined prior to purging activities. The amount of water removed from each well was recorded on the sampling data sheets included in Appendix A. Each of the site monitoring wells was purged and sampled using dedicated polyvinyl chloride (PVC) bailers with polypropylene rope. The surface water samples were collected using dedicated intermediate sampling containers. The collected groundwater and surface water samples were analyzed for baseline parameters as listed within 6 NYCRR Part 360-2.11(c)(6).

2.2 ANALYTICAL DATA INTERPRETIVE METHODS

The analytical data generated from the analysis of the groundwater samples collected were compared to applicable NYSDEC Groundwater Quality Standards and Guidance Values (as given in NYSDEC TOGS 1.1.1, June 2004). Consistent with the results of previous investigations and the general topography of the area, monitoring wells MW-2SR, DGC-3S, MW-4SR, DGC-5, MW-6SR, MW-7S, MW-8S, MW-9S, MW-10SR, MW-11SR, DGC-2D, DGC-3D, and DGC-6D are located at peripheral locations immediately outside the landfill waste mass, and as such exist as downgradient shallow and deep groundwater monitoring locations. A limited comparison of the recent monitoring results with data from previous studies was completed in an effort to assess landfill leachate influences.

2.3 LANDFILL RECONNAISSANCE AND COMBUSTIBLE GAS FIELD SURVEY

A landfill reconnaissance and combustible gas survey (landfill gas vents as well as perimeter monitoring) was completed at the site on a quarterly basis. A total of 22 gas vents are incorporated into the gas venting trench system across the landfill. Perimeter monitoring was completed at four locations along the access road surrounding the landfill. The gases released from each gas vent as well as perimeter gas monitoring were field screened utilizing a multi-gas monitor and a MiniRAE Photo Ionization Detector (PID) with 3-D sensor. Combustible gas measurements were completed for parameters including percent lower explosive limit (%LEL), carbon monoxide (CO), and hydrogen sulfide (H₂S), while total volatile organic vapor concentrations were measured at each vent using the PID. The locations of the landfill gas vents are shown on Figure 2.

SECTION 3

RESULTS AND DISCUSSION

3.1 GROUNDWATER QUALITY MONITORING

The environmental monitoring program for the Town of Clay Landfill utilizes a series of groundwater monitoring wells installed near the perimeter of the landfill waste limits. The wells were previously installed to monitor two different geologic units: the first saturated unit (shallow groundwater) and deeper groundwater existing below a semi-impermeable silty clay layer. A summary of the monitoring well construction details is presented in Table 1.

Water depths in each of the monitoring wells were measured prior to the completion of well evacuation. The depths were determined by measuring the distance from the top of the PVC riser pipe to the water in the pipe. The groundwater elevations were then determined by subtracting the initial water depths from the surveyed elevation of the top of the corresponding PVC riser pipe and entered into the historical water level database presented in Table 2. Piezometer PZ-1 is used to monitor the water level within the waste mass. Based on historical water elevations taken at piezometer PZ-1, it appears that the water level elevations within the waste mass have stabilized. This is most likely the result of landfill capping which has limited the volume of infiltrating precipitation and runoff waters to the waste mass.

The analytical results of samples collected from the groundwater monitoring wells are summarized in Table 3. The analytical reports, chain-of-custody documentation, and sample characterization sheets submitted by the contracted laboratory for each groundwater sample are included in Appendix A. The results of groundwater sample analyses were compared to NYSDEC Class GA groundwater standards and guidance values. Parameters that were detected at concentrations above standards or guidance values are shown in Table 3 with a shaded box around the value.

Consistent with the results of previous post-closure monitoring, the results indicate that the groundwater near the landfill is characterized by elevated concentrations of total dissolved solids (TDS), iron, magnesium, manganese, and sodium and occasional exceedances of ammonia, chloride, sulfate, bromide, arsenic, and barium. Inorganic and metal parameters that were not detected above method detection limits within any of the monitoring wells sampled include: cyanide, hexavalent chromium, phenolics, mercury, antimony, beryllium, cadmium, chromium, cobalt, copper, lead, selenium, silver, thallium and vanadium.

As shown in Table 3, volatile organic compounds (VOCs) were not detected above method detection limits (MDLs) in the majority of the collected groundwater samples. As shown in Table

3 and summarized below, only two (MW-4SR, MW-9S) of the thirteen wells sampled showed VOCs above MDLs.

VOCs Detected above MDLs

Parameter	Class GA Standard	Monitoring Wells	
		MW-4SR	MW-9S
Benzene	1	7.8	14
Chlorobenzene	5	54	48
1,1-Dichloroethane	5		
cis-1,2-Dichloroethene	5		
1,4-Dichlorobenzene	3	7	3.5
1,2-Dichlorobenzene	3		

Note: Shading denotes parameters detected above standards or guidance values. All units are ppb.

Overall, the greatest number of Class GA exceedances were in down gradient shallow wells MW-4SR and MW-9S.

Historical groundwater analytical results are included in Tables 6 (inorganic and metal parameters) and 8 (volatile organic compounds).

3.2 SURFACE WATER ANALYTICAL RESULTS

Surface water sample SW-1 was collected from an upstream location within Shaver Creek. Surface water sample SW-2, a downstream location within Shaver Creek, was dry at the time of sample. The analytical report, sample characterization sheets, and chain-of-custody documentation submitted by the contract laboratory for the surface water sample collected are included in Appendix A. The analytical results for the surface water sample collected was compared to NYSDEC Class C ambient surface water quality standards and are summarized within Table 4. As shown in Table 4, the surface water sample collected from surface monitoring locations SW-1 exceeded the 0.3 mg/l Class C surface water standard for iron (1.23 mg/l). Parameters that were not detected above method detection limits in samples collected from surface water sampling locations during this monitoring event include: volatile organic compounds, biochemical oxygen demand (BOD), nitrate, phenols, sulfate, cyanide, hexavalent chromium, antimony, arsenic, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, nickel, selenium, silver, thallium, vanadium, and zinc.

Historical surface water analytical results are included in Table 7 and indicate that surface water near the landfill is characterized by elevated concentrations of iron and occasional to rare exceedances of phenols, aluminum, barium, selenium, and thallium.

3.3 DRAINAGE DITCH ANALYTICAL RESULTS

In an effort to monitor a discolored liquid that was observed flowing within the drainage ditch (located near the western landfill gate) during the 1997 Third Quarter monitoring event, samples have periodically been collected from the ditch, when water is present and flowing. Samples were not collected during the September 2017 monitoring event as the drainage ditch location was dry at the time of sampling.

3.4 QA/QC

The primary purpose of laboratory blanks is to trace sources of artificially introduced contamination. An equipment blank consists of a sample of analyte-free media which has been used to rinse the sampling equipment. It is collected after completion of decontamination and prior to sampling. This blank is useful in documenting adequate decontamination of sampling equipment. Since each of the site monitoring wells was purged and sampled by means of dedicated sampling equipment, an equipment blank was not prepared as part of this monitoring event.

A trip blank consists of a sample of analyte-free media taken from the laboratory to the sampling site and returned to the laboratory unopened. A trip blank is used to document contamination attributable to shipping and field handling procedures. This type of blank is useful in documenting contamination of volatile organics samples.

A matrix spike (MS) and matrix spike duplicate (MSD) are two separate aliquots of sample spiked with a known concentration of target analytes in order to establish the applicability of the overall analytical approach (e.g., preparative, cleanup, and determinative methods) to the specific sample matrix from the site of interest (i.e. the landfill). The spiking occurs prior to sampling and analysis. As part of this annual monitoring event, one MS and one MSD was prepared for the water matrix (DGC-2D MS and DGC-2D MSD). Matrix precision is evaluated from comparison of the found concentrations of the MS and MSD. Based on review of attached laboratory report, matrix spike recoveries and duplicate sample results were generally within acceptable limits.

3.5 LANDFILL RECONNAISSANCE


The landfill inspection and combustible gas monitoring reports that were previously submitted to the Town and the NYSDEC are attached as Appendix B. A summary of the quarterly landfill gas monitoring results is included in Table 9.

3.6 RECOMMENDATIONS/CONCLUSIONS

Vector holes noted on landfill inspection reports should be filled with the appropriate fill and cover material and sumac growing over the landfill and in the berms should be removed to protect the integrity of the landfill liner. In addition, all vines and trees growing on and around the fence need to be removed to protect the integrity of the fence.

In general, the results of the 2017 monitoring event were consistent with historical conditions at the landfill.

FIGURES



C&S Engineers, Inc.
499 Col. Eileen Collins Blvd.
Syracuse, New York 13212
Phone: 315-455-2000
Fax: 315-455-9667
www.cscos.com



0 2,040 Feet


Town of Clay Landfill
Town of Clay, Onondaga County, New York

PROJECT NO:	195.767.008
DATE:	September 9, 2015
SCALE:	AS SHOWN
DRAWN BY:	WNR
DESIGNED BY:	WNR
CHECKED BY:	CC

F:\Project195 - TOWN OF CLAY\195767008 Post Closure Landfill Monitoring\GIS\ProjectFigure_1.mxd

Site Location
Map

FIGURE 1



C&S Engineers, Inc.
499 Col. Eileen Collins Blvd.
Syracuse, New York 13212
Phone: 315-455-2000
Fax: 315-455-9667
www.cscos.com



0 200
Feet

Town of Clay Landfill
Town of Clay, Onondaga County, New York

PROJECT NO:	195.767.008
DATE:	September 9, 2015
SCALE:	AS SHOWN
DRAWN BY:	WNR
DESIGNED BY:	WNR
CHECKED BY:	CC

F:\Project195 - TOWN OF CLAY\195767008 Post Closure Landfill Monitoring\GIS\Project\Figure_2.mxd

**Environmental
Monitoring
Site Plan**

FIGURE 2

TABLES

TABLE 1. MONITORING WELL CONSTRUCTION DATA

Monitoring Well	Top of PVC Elevation	Depth To Well Bottom	Screen Interval
<i>Shallow Monitoring Wells</i>	(feet)	(feet)	(feet)
MW-1SR	367.42	17	6.0-16.0
MW-2SR*	375.9	15	5.0-15.0
DGC-3S	369.42	15	5.0-15.0
MW-4SR*	380.8	16	5.0-15.0
DGC-5*	378.6	15	5.0-15.0
MW-6SR*	372.7	16	5.0-15.0
MW-7S*	375.5	16	5.0-15.0
MW-8S	370.51	16	5.0-15.0
MW-9S*	382.7	16	10.0-15.0
MW-10SR*	374.5	16	5.0-15.0
MW-11SR*	374.2	11	5.0-15.0
<i>Deep Monitoring Wells</i>			
DGC-2D*	384.4	52	42.0-52.0
DGC-3D	369.98	43	33.0-43.0
DGC-6D*	373.7	37	27.0-37.0

Notes: (*) Replacement Wells; Elevations based on existing wells.

TABLE 2 HISTORICAL WATER ELEVATIONS

Date Sampled	MW 1SR	MW 2SR *	DGC 3S	MW 4SR**	DGC 5**	MW 6SR**	MW 7S**	MW 8S	MW 9S**	MW 10SR*	MW 11SR*	DGC 2D**	DGC 3D	DGC 6D**	PZ-1
Top of PVC	367.42	377.9	369.42	377.63	376.28	371.15	373.2	370.51	377.45	381.03	374.32	377.37	369.98	372.9	419.17
5/5/1992	372.54	374.23	366.69	371.32	372.97	367.96	369.64	366.8	370.99	378.13	372.51	371.91	367.52	368.69	
12/12/1992	372.52	373.8	366.22	370.93	372.68	367.55	369.3	366.41	370.05	377.13	372.42				

Date Sampled	MW 1SR	MW 2SR *	DGC 3S	MW 4SR**	DGC 5**	MW 6SR**	MW 7S**	MW 8S	MW 9S**	MW 10SR*	MW 11SR*	DGC 2D**	DGC 3D	DGC 6D**	PZ-1
Top of PVC	367.42	375.9	369.42	380.8	378.6	372.7	375.5	370.51	382.7	374.5	374.2	384.4	369.98	373.7	417.9
06/97	363.0	373.1	364.5	373.0	370.6	364.6	367.9	365.8	369.9	371.8	370.9	371.6	367.7	368.2	379.49
08/97	358.5	--	360.4	371.5	369.8	364.3	364.6	365.4	--	368.7	365.6	366.5	364.4	367.1	378.90
11/97	362.6	373.2	366.3	371.9	370.2	367.4	368.2	366.4	--	370.4	372.1	368.8	366.2	366.4	379.15
4/98	363.4	373.3	365.8	370.9	370.5	367.3	368.8	365.9	--	371.9	372.0	371.8	367.8	368.3	377.95
6/98	362.6	373.1	364.2	370.4	371.5	366.4	367.0	365.4	--	371.1	370.9	370.5	366.7	367.4	378.60
11/98	362.7	372.7	365.4	370.3	371.8	367.0	367.1	366.1	--	370.2	372.1	369.0	366.2	366.3	377.87
2/99	363.6	374.0	366.6	370.8	372.6	367.7	369.8	366.2	--	371.7	372.1	371.9	--	368.3	377.55
3/99	364.0	373.7	367.2	371.2	372.7	366.9	370.1	366.6	--	371.7	372.2	369.9	367.7	366.8	379.35
6/99	360.2	372.5	361.0	367.8	369.3	364.4	365.1	364.1	--	368.5	365.9	368.4	365.3	365.4	***
9/99	357.4	372.5	360.2	368.5	368.6	364.5	366.0	365.5	--	367.2	367.9	364.1	363.2	362.3	377.56
12/99	364.4	373.3	365.8	370.5	372.0	367.7	369.0	366.5	--	370.9	371.9	370.5	367.0	367.6	376.86
3/00	363.4	373.8	366.9	370.5	372.4	368.1	369.8	366.6	--	371.6	372.2	371.6	367.5	368.2	378.19
6/00	363.0	373.2	364.8	369.8	372.3	367.2	368.7	365.9	--	371.6	371.9	371.4	367.4	368.0	377.70
9/00	362.3	372.6	363.9	369.6	371.7	366.4	367.1	366.1	--	370.6	371.9	370.0	366.2	366.5	376.50
12/00	363.2	375.72	366.18	366.99	369.88	365.91	367.05	366.11	--	378.29	372.52	364.54	367.58	367.39	375.20
03/01	363.6	374.15	363.99	370.61	373.01	368.19	370.4	366.88	--	371.72	372.19	371.67	365.96	368.1	---
06/01	363.04	373.25	366.67	369.97	371.94	367.44	367.5	366.36	--	371.54	370.8	371.4	367.08	367.93	377.78
09/01	357.57	371.5	359.85	366.39	367.92	362.27	363.03	362.86	--	364.63	369.93	365.59	363.88	363.09	377.3
12/01	363.04	373.47	366.15	370.27	371.84	367.53	368.64	366.46	--	371.6	372.15	369.59	366.48	366.7	377.46
09/02	356.77	372.26	358.82	362.89	364.97	360.46	360.49	361.88	Dry	370.82	Dry	363.96	363.28	361.61	377.01
06/03	363.15	373.29	365.12	370.1	372.14	367.59	368.74	366.08	367.98	372.09	371.88	371.6	367.78	368.11	377.39
04/04	363.4	373.89	366.46	370.47	372.64	367.84	369.69	366.19	369.77	371.72	372.16	371.7	367.77	368.2	376.8
12/04	363.55	373.85	366.75	370.1	372.31	367.8	367.65	366.35	369.64	371.79	372.18	371.76	367.89	368.06	Plugged
09/05	--	372.48	359.97	365.04	366.99	361.92	362.52	362.81	366.18	366.23	364.02	365.12	363.73	362.69	--
06/06	--	372.54	364.01	369.05	371.29	366.65	366.52	365.3	369.21	371.25	370.66	371.05	367.08	367.55	377.04
09/07	--	370.07	358.07	364.14	365.23	360.62	361.85	357.83	366.18	362.89	361.00	365.15	364.03	361.82	--
12/08	--	373.86	366.96	370.25	372.16	368.19	369.88	366.6	368.92	361.09	362.99	371.62	367.75	368.24	--
6/10	--	373.26	365.83	369.63	371.96	367.48	367.36	365.95	369.27	371.36	371.78	371.09	367.12	367.71	377.48
6/11	--	372.74	363.67	368.15	370.77	365.91	366.76	364.47	369.21	369.98	370.59	370.08	365.25	366.29	376.4
9/12	--	371.29	362.67	364.56	365.24	359.83	361.12	357.48	dry	362.38	361.17	363.26	360.7	360.24	376.85
11/13	--	374.08	366.24	370.61	372.16	367.58	369.03	366.27	369.47	371.75	371.95	371.67	348.43	----	376.5
4/15	--	374.44	366.27	371.04	373.39	368.38	370.3	366.51	370.34	372.15	372.39	372.29	368.08	368.91	376.65
6/16	--	373.02	361.97	369.19	370.54	364.91	365.86	364.14	369.02	371.24	369.22	370.98	366.97	367.54	376.31
9/17	--	372.72	361.64	369.38	370.51	366.12	363.33	364.11	368.42	370.34	368.88	370.53	351.83	366.17	376.54

Notes: * Monitoring well abandoned and replaced at nearby location as part of final cap construction.

**Top of monitoring well PVC (and casing) raised to accommodate final cap construction.

Monitoring wells were re-surveyed on 09/11/97.

TABLE 3 - TOWN OF CLAY LANDFILL: GROUNDWATER ANALYTICAL DATA SEPTEMBER 2017

	UNITS	Class GA Standard	Class GA Guidance	MW-2SR	DGC-3S	MW-4SR	DGC-5	MW-6SR	MW-7S	MW-8S	MW-9S	MW-10SR	MW-11SR	DGC-2D	DGC-3D	DGC-6D
Date Sampled				9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017
Specific Conductivity	mS/cm			0.822	0.216	2.27	0.575	0.217	0.598	1.51	2.60	0.577	0.724	0.237	0.192	1.97
Eh	MV			63	-69	-116	-145	30	11	-134	-104	-28	-7	-60	12	-71
Field pH	S.U.	6.5-8.5		7.06	7.31	6.78	7.20	7.86	7.60	7.40	7.10	7.18	7.33	7.60	7.15	7.10
Temperature	deg. C			17.8	16.0	15.8	17.4	16.5	16.3	17.1	15.4	16.3	17.2	16.2	13.1	18.3
Turbidity	NTU			1.9	30.2	32.1	22.9	33.4	6.0	7.5	14.8	13.7	8.0	8.6	0.6	22.6
TOC	mg/l			5.57	1.08	48.4	10.2	< 1.0	4.16	8.90	76.4	1.78	11.4	1.39	1.20	52.7
Alkalinity as CaCo3	mg/l			428	155	1040	396	139	507	523	818	330	380	158	139	851
Ammonia as N	mg/l	2		0.20	0.29	110	4.99	0.14	1.02	0.37	117	0.15	0.14	1.53	0.55	38.5
Biological Oxygen Demand	mg/l			<4.0	<4.0	9.4	7.3	<4.0	<4.0	4.7	18	<4.0	<4.0	<4.0	<4.0	24
Chloride	mg/l	250		106	<5	164	<10	2.9	8.3	430	430	61	94	3.9	< 2.5	313
Chemical Oxygen Demand	mg/l			15	5	128	41	<5	10	15	154	10	36	<5	<5	185
Color	units	15		<5	<5	45	15	<5	<5	5	50	<5	7	<5	<5	40
Cyanide	mg/l	0.2		<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Hexachrome	mg/l	0.05		< 0.004	< 0.004	0.007	< 0.004	< 0.004	<0.004	<0.004	<0.004	<0.004	< 0.004	< 0.004	< 0.004	0.009
Nitrate as N	mg/l	10		<0.05	0.12	0.07	0.05	0.06	0.09	<0.05	0.07	0.08	0.07	<0.05	0.06	0.43
Total Hardness as CaCo3	mg/l			456	199	467	386	159	425	492	477	391	358	147	109	666
Kjeldahl Nitrogen as N	mg/l			0.51	<0.5	121	5.33	<0.5	1.18	1.00	131	<0.5	0.62	1.58	0.56	43.2
Phenolics, Total	mg/l	0.001		< 0.010	< 0.010	0.012	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010	< 0.010
Solids, Total Dissolved	mg/l	500		587	192	940	406	205	1430	926	1220	482	537	168	158	1280
Sulfate as SO4	mg/l	250		11.9	13.9	<10.0	<10.0	13.5	31.3	<10.0	<10.0	26.5	12.2	12.6	<10.0	<10.0
Bromide	mg/l		2000	0.627	<0.10	2.16	<0.10	<0.10	<0.10	1.23	5.16	0.614	0.852	0.111	<0.10	2.73
Mercury	mg/l	700		<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007
Aluminum	mg/l			<0.20	4.69	0.59	0.30	1.55	<0.20	0.36	1.18	0.92	0.49	0.24	0.26	1.33
Antimony	mg/l	3000		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	mg/l	25000		<0.02	0.037	<0.02	<0.02	<0.02	<0.02	0.042	0.10	<0.02	0.034	<0.02	<0.02	0.038
Barium	mg/l	1000000		0.24	0.12	0.72	0.31	0.14	0.24	0.30	1.20	0.16	0.23	0.17	0.21	1.92
Beryllium	mg/l		3000	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Boron	mg/l	1000000		0.15	0.17	0.92	0.20	0.042	0.044	0.31	0.78	0.15	0.27	0.076	0.096	0.92
Cadmium	mg/l	5000		<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Calcium	mg/l			89.8	44.8	112	125	36.1	131	92.7	92.5	63.4	75.9	35.8	22.5	126
Chromium	mg/l	50000		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Cobalt	mg/l			<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Copper	mg/l	200000		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Iron	mg/l	300000		0.64	7.98	13.0	33.4	2.27	1.27	3.81	7.32	1.43	1.09	1.89	0.54	8.00
Lead	mg/l	25000		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Magnesium	mg/l		35000000	56.3	21.1	45.3	17.8	16.7	23.6	63.3	59.8	56.6	40.9	14.0	12.9	85.1
Manganese	mg/l	300000		0.085	0.23	0.54	1.36	0.059	0.58	0.29	0.098	0.071	0.16	0.077	0.046	0.24
Nickel	mg/l	100000		<0.02	<0.02	0.025	<0.02	<0.02	0.029	<0.02	0.038	<0.02	0.023	<0.02	<0.02	0.031
Potassium	mg/l			1.24	2.22	83.5	4.60	2.29	2.92	1.78	69.5	2.85	1.36	3.19	2.97	29.9
Selenium	mg/l	10000		<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Silver	mg/l	50000		<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Sodium	mg/l	20000000		66.1	20.8	162	5.21	6.69	10.2	158	207	30.8	79.5	11.0	14.6	195
Thallium	mg/l		500	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
Vanadium	mg/l			<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.04
Zinc	mg/l		2000000	<0.02	0.026	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02

TABLE 3 - TOWN OF CLAY LANDFILL: GROUNDWATER ANALYTICAL DATA SEPTEMBER 2017

	UNITS	Class GA Standard	Class GA Guidance	MW-2SR	DGC-3S	MW-4SR	DGC-5	MW-6SR	MW-7S	MW-8S	MW-9S	MW-10SR	MW-11SR	DGC-2D	DGC-3D	DGC-6D
Date Sampled				9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017	9/26/2017
Acetone	ug/l		50	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10
1,2-Dichloroethane	ug/l			<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	1.6
1,1,1,2-Tetrachloroethane	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,1-Trichloroethane	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2,2-Tetrachloroethane	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1-Dichloroethene	ug/l	0.6		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2,3-Trichloropropane	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dibromo-3-chloropropane	ug/l			<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dibromoethane	ug/l			<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dichlorobenzene	ug/l	3		<1	<1	1.8	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	ug/l	1		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,4-Dichlorobenzene	ug/l	3		<1	<1	7.0	<1	<1	<1	<1	3.5	<1	<1	<1	<1	<1
2-Hexanone	ug/l	5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Acrylonitrile	ug/l	5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Benzene	ug/l	1		<1	<1	7.8	<1	<1	<1	<1	14	<1	<1	<1	<1	<1
Bromochloromethane	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromodichloromethane	ug/l		50	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromoform	ug/l		50	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromomethane	ug/l	5		<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3
Carbon Disulfide	ug/l			<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Carbon Tetrachloride	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chlorobenzene	ug/l	5		<1	<1	54	<1	<1	<1	<1	48	<1	<1	<1	<1	1.5
Chloroethane	ug/l			<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3
Chloroform	ug/l	7		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloromethane	ug/l	5		<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3
cis-1,2-Dichloroethene	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
cis-1,3-Dichloropropene	ug/l	1		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dibromochloromethane	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dibromomethane	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Ethylbenzene	ug/l	0.4		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Iodomethane	ug/l	5		<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
MEK (2-Butanone)	ug/l		50	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Methyl isobutyl ketone (MIBK)	ug/l	5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Methylene Chloride	ug/l	5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Xylenes, total	ug/l	2		<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3
Styrene	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Tetrachloroethene	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Toluene	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
trans-1,2-Dichloroethene	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
trans-1,3-Dichloropropene	ug/l	0.4		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
trans-1,4-Dichloro-2-butene	ug/l	5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Trichloroethene	ug/l	5		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	ug/l	5		<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3
Vinyl Acetate	ug/l	0.04		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Vinyl Chloride	ug/l	2		<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2

TABLE 4 - SURFACE WATER ANALYTICAL RESULTS

Parameters	Units	Class C Standard	SW-1	SW-2
Sample Collection Date			9/26/2017	9/26/2017
Specific Conductivity	ms/cm		0.399	
Eh (mV)	mV		68	
Field pH	SU	6.5 - 8.5	7.63	
Temperature (deg. C)	deg C		22.4	
Turbidity (NTU)	NTU		1	
Dissolved Oxygen	mg/l		30.34	
TOC	mg/l		13.4	
Alkalinity as CaCo3	mg/l		178	
Ammonia as N	mg/l	2	0.21	
Biological Oxygen Demand	mg/l		<4.0	
Chloride	mg/l		59	
Color	Units		40	
Chemical Oxygen Demand	mg/l		31	
Nitrate as N	mg/l		0.06	
Total Hardness as CaCo3	mg/l		185	
Kjeldahl Nitrogen as N	mg/l		0.9	
Total Phenols	mg/l	0.005	< 0.010	
Solids, Dissolved	mg/l		298	
Sulfate as SO4	mg/l		<10.0	
Bromide	mg/l	2	0.115	
Cyanide, Total	mg/l	9	<0.01	
Hexavalent Chromium	mg/l	0.011	<0.004	
Boron	mg/l	10	0.021	
Aluminum	mg/l	0.1	<0.2	
Antimony	mg/l	0.003	<0.02	
Arsenic	mg/l		<0.02	
Barium	mg/l	1	<0.053	
Beryllium	mg/l	1100	<0.002	
Cadmium	mg/l	2.7	<0.0025	
Calcium	mg/l		41.9	
Chromium	mg/l	97	<0.02	
Cobalt	mg/l	0.005	<0.02	
Copper	mg/l	11.9	<0.02	
Iron	mg/l	0.3	1.23	
Lead	mg/l	5.4	<0.02	
Magnesium	mg/l		13.9	
Manganese	mg/l		1.46	
Mercury	mg/l	0.0007	<0.0007	
Nickel	mg/l	69	<0.02	
Potassium	mg/l		2.23	
Selenium	mg/l	0.0046	<0.02	
Silver	mg/l	0.0001	<0.005	
Sodium	mg/l		35.2	
Thallium	mg/l	0.008	<0.03	
Vanadium	mg/l	0.014	<0.02	
Zinc	mg/l	109	<0.02	

Location Dry

TABLE 4 - SURFACE WATER ANALYTICAL RESULTS

Parameters	Units	Class C Standard	SW-1	SW-2
Sample Collection Date			9/26/2017	9/26/2017
Acrylonitrile	ug/l		<5	Location Dry
Acetone	ug/l		<10	
Benzene	ug/l	1	<1.0	
Bromodichloromethane	ug/l	5	<1	
Bromoform	ug/l		<1	
Bromomethane	ug/l		<3	
2-Butanone	ug/l		<5	
Carbon Disulfide	ug/l		<2	
Carbon Tetrachloride	ug/l		<1	
Chlorobenzene	ug/l	5	<1	
Chloroethane	ug/l	5	<3	
Chloroform	ug/l	5	<1	
Chloromethane	ug/l		<3	
2-Chloroethylvinylether	ug/l		<5	
Dibromochloromethane	ug/l	7	<1	
Dichlorodifluoromethane	ug/l		<3	
1,1 Dichloroethane	ug/l	5	<1	
1,2-Dichloroethane	ug/l	5	<1	
1,1-Dichloroethene	ug/l	0.6	<1	
cis-1,2-Dichloroethene	ug/l	5	<1	
trans-1,2-Dichloroethene	ug/l	5	<1	
1,2 Dichloropropane	ug/l	5	<1	
cis-1,3-Dichloropropene	ug/l	1	<1	
trans-1,3-Dichloropropene	ug/l	0.4	<1.0	
Ethylbenzene	ug/l	0.4	<1.0	
2-Hexanone	ug/l	5	<5.0	
Methylene Chloride	ug/l	5	<5.0	
MIBK (4 methyl-2-pentanone)	ug/l		<5	
Styrene	ug/l		<1.0	
1,1,2,2-Tetrachloroethane	ug/l	5	<1.0	
Tetrachloroethene	ug/l	5	<1.0	
Toluene	ug/l	5	<1.0	
1,1,1-Trichloroethane	ug/l	5	<1.0	
1,1,2-Trichloroethane	ug/l	5	<1.0	
Trichlorofluoromethane	ug/l	5	<3.0	
Trichloroethene	ug/l	1	<1.0	
Vinyl Acetate	ug/l	0.04	<5.0	
Vinyl Chloride	ug/l	2	<2.0	
Xylenes	ug/l	2	<3.0	
1,3-Dichlorobenzene	ug/l	5	<1.0	
1,4-Dichlorobenzene	ug/l	3	<1.0	
1,2-Dichlorobenzene	ug/l	5	<1.0	
1,2-Dibromo-3-chloropropane	ug/l		<1.0	
1,2-Dibromoethane	ug/l		<1.0	
Trans-1,4-Dichloro-2-butene	ug/l	5	<5.0	
1,1,1,2-Tetrachloroethane	ug/l	5	<1.0	
1,2,3-Trichloropropane	ug/l	5	<1.0	
Bromochloromethane	ug/l	5	<1	
Dibromomethane	ug/l		<1	
Iodomethane	ug/l		<2	
Methyl ethyl ketone	ug/l	5	<5	

* Cadmium $(0.85)\exp(0.7852 \{\ln(\text{hardness})\})-2.715$
 * Chromium $(0.86)\exp(0.819 \{\ln(\text{hardness})\})+0.6848$
 * Copper $(0.96)\exp(0.8545 \{\ln(\text{hardness})\})-1.702$
 * Lead $\{1.46203-[\ln(\text{hardness}) (0.145712)]\}\exp(1.273 [\ln(\text{hardness})])-4.297$
 * Nickel $(0.997)\exp(0.846 [\ln(\text{hardness})])+0.0584$
 * Beryllium - Class GA Standard is 11 ug/l when hardness <75 ppm, 1100 ug/l when hardness >75 ppm.
 * Zinc $\exp(0.85 \{\ln(\text{ppm hardness})\})+0.5$

TABLE 5 - DRAINAGE DITCH ANALYTICAL RESULTS

Parameter	Units	Drainage Ditch SW-3
<i>Sample Collection Date</i>		9/26/2017
Specific Conductivity	UmHos/cm	Location Dry
Eh	mV	
Field pH	SU	
Temperature	deg C	
Turbidity	NTU	
TOC	mg/l	
Alkalinity as CaCo3	mg/l	
Ammonia as N	mg/l	
Biological Oxygen Demand	mg/l	
Chloride	mg/l	
Chemical Oxygen Demand	mg/l	
Color	mg/l	
Nitrate as N	mg/l	
Total Hardness as CaCo3	mg/l	
Kjeldahl Nitrogen as N	mg/l	
Phenolics, Total	mg/l	
Solids, Dissolved	mg/l	
Sulfate as SO4	mg/l	
Bromide	mg/l	
Aluminum	mg/l	
Antimony	mg/l	
Arsenic	mg/l	
Barium	mg/l	
Beryllium	mg/l	
Boron	mg/l	
Cadmium	mg/l	
Calcium	mg/l	
Chromium	mg/l	
Cobalt	mg/l	
Copper	mg/l	
Cyanide, Total	mg/l	
Hexachromium	mg/l	
Iron	mg/l	
Lead	mg/l	

TABLE 5 - DRAINAGE DITCH ANALYTICAL RESULTS

Parameter	Units	Drainage Ditch SW-3
<i>Sample Collection Date</i>		9/26/2017
Magnesium	mg/l	Location Dry
Manganese	mg/l	
Mercury	mg/l	
Nickel	mg/l	
Potassium	mg/l	
Selenium	mg/l	
Silver	mg/l	
Sodium	mg/l	
Thallium	mg/l	
Vanadium	mg/l	
Zinc	mg/l	
Acetone	ug/l	
Acrylonitrile	ug/l	
Benzene	ug/l	
Bromochloromethane	ug/l	
Bromodichloromethane	ug/l	
Bromoform	ug/l	
Bromomethane	ug/l	
2-Butanone	ug/l	
Carbon Disulfide	ug/l	
Carbon Tetrachloride	ug/l	
Chlorobenzene	ug/l	
Chloroethane	ug/l	
Chloromethane	ug/l	
Chloroform	ug/l	
Dibromochloromethane	ug/l	
1,2-Dibromo-3-chloropropane	ug/l	
1,2-Dibromoethane	ug/l	
Dibromomethane	ug/l	
1,2-Dichlorobenzene	ug/l	
1,4-Dichlorobenzene	ug/l	
Trans-1,4-Dichloro-2-butene	ug/l	

TABLE 5 - DRAINAGE DITCH ANALYTICAL RESULTS

Parameter	Units	Drainage Ditch SW-3
<i>Sample Collection Date</i>		9/26/2017
1,1 Dichloroethane	ug/l	Location Dry
1,2-Dichloroethane	ug/l	
1,1-Dichloroethene	ug/l	
cis-1,2-Dichloroethene	ug/l	
trans-1,2-Dichloroethene	ug/l	
1,2 Dichloropropane	ug/l	
cis-1,3-Dichloropropene	ug/l	
trans-1,3-Dichloropropene	ug/l	
Ethylbenzene	ug/l	
2-Hexanone	ug/l	
Methylene Chloride	ug/l	
MIBK (4 methyl-2-pentanone)	ug/l	
Methyl ethyl ketone	ug/l	
Iodomethane	ug/l	
Styrene	ug/l	
1,1,1,2-Tetrachloroethane	ug/l	
1,1,2,2-Tetrachloroethane	ug/l	
Tetrachloroethene	ug/l	
Toluene	ug/l	
1,1,1-Trichloroethane	ug/l	
1,1,2-Trichloroethane	ug/l	
Trichloroethene	ug/l	
Trichlorofluoromethane	ug/l	
1,2,3-Trichloropropane	ug/l	
Vinyl Acetate	ug/l	
Vinyl Chloride	ug/l	
Xylenes	ug/l	

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Eh mV	Cond(fld) mS/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Bromide mg/L	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/lCaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/lCaCO3
Class GA Standard or Guidance Value					6.5-8.5			2	15	0.05	10		250		2	250	1	0.2	500			0.001	
MW-2SR	06/12/97	185	1810	>999	7.75	13.1	<4		10	<0.01	<0.02	200	530	32	<0.03	35	<1	<0.01	1200	0.93	1.6	<0.002	560
MW-2SR	11/18/97	65	1820	26	7.56	7.6	10				<0.02	320	380	14	0.12	31			990	0.44	2.2	<0.002	450
MW-2SR	04/28/98	45	1560	30	6.87	9.3	<4				<0.02	350	270	2.2	0.12	14			800	0.45	1.6	<0.002	470
MW-2SR	06/23/98	35	1550	20	7.03	16.4	<4		1	<0.01	<0.1	430	290	3	<0.03	17	<1	<0.01	860	0.72	2.3	<0.002	510
MW-2SR	11/25/98	260	1.51	43	7.24	9.6	7.8				<0.1	340	420	11	<0.03	36			830	0.39	2.6	<0.002	440
MW-2SR	02/17/99		1660	25	8.6	3.9	4.7				<0.1	380	350	18	<0.1	18			780	0.65	3.3	<0.002	460
MW-2SR	03/30/99	51	1650	7.4	7.62	7.8	<3				<0.050	347	323	<10.0	0.178	22			878	<1.00	2.7	<0.001	486
MW-2SR	06/29/99	-148	1410	7.74	7.85	15.8	<3				<0.050	334	302	<10.0	0.237	16			766	<1.00	2.4	<0.001	520
MW-2SR	09/30/99	-55	1325	10	7.93	14.6	<3		40	<0.010	0.211	324	376	<10.0	0.243	18	0.127	<0.010	617	<1.00	3.1	0.002	456
MW-2SR	12/29/99	-134	1600	11.8	6.94	5.9	3				<0.5	352	317	38.1	<1	20			900	<1	5.8	<0.005	529
MW-2SR	03/30/00	-130	1450	31	7.44	6.8	<3				<0.05	370	301	14.2	0.2	18			859	<1	<5	0.0146	545
MW-2SR	06/22/00	-213	1175	3.4	7.88	15.1	4				<0.05	360	301	22.9	0.171	15			832	<1	6.9	<0.004	487
MW-2SR	09/21/00	-131	1377	5.8	7.24	14.6	16				<0.05	335	276	17.5	<0.1	<5			728	<1	8	0.0082	494
MW-2SR	12/06/00	-104	1617	4.6	7.74	8.2	<3		23.4	<0.01	<0.05	359	300	23.4	<0.1	17	0.143	<0.01	818	2.17	6.4	0.0046	504
MW-2SR	03/22/01	-79	1675	14.3	7.51	5.8	6		100	<0.01	0.056	372	290	19.3	<0.1	12	0.133	<0.01	741	1.99	6.4	<0.004	495
MW-2SR	06/05/01	66	1452	7.9	7.6	14.3	6				<0.1	330	239	17.2	<0.1	6.4			728	1.35	7.7	<0.004	497
MW-2SR	09/25/01	50	1510	6.9	7.56	56	10				0.335	324	262	28.9	0.145	<5			719	<1	7.4	0.0043	481
MW-2SR	12/04/01	41	1223	8.11	7.5	10.5	<3				<0.1	354	368	<10	0.151	18.6			808	3.94	6	0.0094	521
MW-2SR	09/11/02	63	1550	6.9	7.65	15.6	<3		30	<0.01	<0.1	358	190	18.7	0.261	16.8	0.131	<0.005	755	1.17	6.9	<0.004	473
MW-2SR	06/24/03	45.7	1270	6.47	7.89	14.3	5		10	<0.01	<0.1	363	421	18.5	0.283	6.43	0.165	<0.005	734	1.82	5.8	<0.004	472
MW-2SR	03/31/04	-25	1500	234	7.09	9.5	<4		175	<0.01	<0.1	390	230	86	0.21	15	<0.5	<0.01	810	0.78	7.5	<0.002	560
MW-2SR	12/10/04	70	1300	65	7.17	9	<4		900	<0.01	0.048	360	210	43	0.14	20	<0.5	<0.01	680	0.47	5	<0.002	470
MW-2SR	09/27/05	240	1450	146	6.97	15.3	<4		26	<0.01	<0.1	410	220	23	0.15	19	<0.5	<0.01	760	0.56	5.7	<0.002	530
MW-2SR	06/27/06	130	1470	10	7.19	15.8	<4		10	<0.01	<0.02	380	210	24	0.091	18	<0.5	<0.01	830	0.68	3.4	<0.002	480
MW-2SR	09/25/07	205	1260	12	7.82	15.4	<4		80	<0.01	<0.1	490	190	16	0.05	18	<0.5	<0.01	720	0.76	4.9	<0.003	510
MW-2SR	12/16/08	43	1080	14	7.87	5.4	<4		<5	<0.01	<0.1	440	170	23	0.11	16	<0.5	<0.01	700	0.51	5.1	<0.003	480
MW-2SR	06/09/10	159.3	2000	6.29	7.34	14.8	63		2	<0.004	<0.5	350	175	36	0.2	15.7	0.16	<0.005	764	0.85	5.2	<0.010	474
MW-2SR	06/14/11	125.6	960	76	7.93	16.6	<24		2	<0.004	<0.05	400	175	18	0.19	15.3	0.14	<0.005	660	<0.5	5.8	<0.010	508
MW-2SR	09/20/12	28	1110	22	7.19	18.5	<24	<80	2	<0.004	0.06	440	130	21	0.11	11.3	0.19	<0.005	644	0.5	6.6	<0.010	458
MW-2SR	11/26/13	253	0.91	23	7.81	7.3	< 6.0	<1.0	5	<0.004	< 0.05	400	130	22	0.2	12.7	0.17	<0.01	669	0.72	7.67	<0.010	443
MW-2SR	04/21/15	50	1.06	0	7.74	7.72	<4.0	0.757	<5	<0.004	<0.05	420	120	9	0.16	11	0.14	<0.01	644	0.71	6.21	<0.010	451
MW-2SR	06/28/16	122	0.983	29	7.53	18.1	<4.0	0.623	<5	<0.004	<0.05	446	110	15	0.17	12.9	0.13	<0.01	652	0.73	5.2	<0.010	447
MW-2SR	09/26/17	63	0.822	1.9	7.06	17.8	<4.0	0.627	<5	<0.004	<0.05	428	106	15	0.2	11.9	0.15	<0.01	587	0.51	5.57	<0.010	456

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Eh mV	Cond(fld) mS/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Bromide mg/L	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/lCaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/lCaCO3
Class GA Standard or Guidance Value					6.5-8.5			2	15	0.05	10		250		2	250	1	0.2	500			0.01	
DGC-3S	05/06/92	119	550	28	7.75		<3		<10		0.2	384	17	8	<0.05	46	0.226	<0.01	449	0.25	2.3	0.08	468
DGC-3S	12/15/92																						
DGC-3S	06/12/97	15	247	>999	8.2	10.2	<4		100	<0.01	0.073	210	2.8	55	0.33	52	<1	<0.01	190	0.93	1.5	<0.002	1300
DGC-3S	08/27/97	90	256	>999	7.53	12.3	<4				<0.02	170	3	20	0.24	16			190	1.8	1.5	<0.002	1900
DGC-3S	11/18/97	180	680	80	7.07	8	5				<0.02	320	4.5	27	<0.03	98			440	0.54	5.2	<0.002	550
DGC-3S	04/28/98	50	421	140	7.46	7.8	<4				0.076	220	1.9	2.2	0.074	13			220	<0.04	2	<0.002	680
DGC-3S	06/23/98	70	306	436	7.35	13	<4		40	<0.01	0.15	190	1.7	<3	<0.03	16	<1	<0.01	220	0.36	1.5	<0.002	550
DGC-3S	11/25/98	195	660	195	6.84	9.9	<4				<0.1	410	2.6	33	<0.03	10			440	0.32	2.7	<0.002	480
DGC-3S	02/17/99	350	599	109	7.62	6.8	<4				<0.1	300	7.6	9.7	<0.03	22			270	0.3	3.6	<0.002	320
DGC-3S	03/30/99	122	600	20.1	7.67	4.6	<3				0.067	316	2.02	<10.0	<0.100	<5.0			318	<1.00	2.6	<0.001	286
DGC-3S	06/29/99	-53	290	60.9	7.59	12.9	<3				<0.050	142	1.66	<10.0	0.213	14			184	<1.00	1.3	<0.001	115
DGC-3S	09/30/99	-19	525	158	8.07	12.3	<3		100	<0.010	<0.050	162	<1.00	<10.0	0.309	13	0.153	<0.010	202	2.2	1.4	<0.001	206
DGC-3S	12/29/99	-56	900	11.7	7.26	5.2	<3				<0.050	352	5.81	<10	<1	36			376	1.11	7.1	<0.005	359
DGC-3S	03/30/00	-53	525	11	3.4	6.7	<3				<0.05	281	4.71	<10	<0.1	26			320	<1	3.1	0.0053	294
DGC-3S	06/22/00	-144	420	28	7.74	14	<3				<0.05	181	2.01	<10	<0.1	17			218	<1	1.3	<0.004	189
DGC-3S	09/21/00	44	455	24.6	7.78	13.7	<3				<0.05	221	3.15	<10	<0.1	19			246	<1	1.4	0.0105	211
DGC-3S	12/06/00	-45	541	31	8.01	7.4	<3		75	<0.01	<0.05	283	4.1	11	<0.1	29	<0.048	<0.01	351	<1	4.5	<0.004	326
DGC-3S	03/22/01	-75.2	410	36.3	7.3	5.3	<3		75	<0.01	<0.05	231	2.25	<10	<0.1	15	0.063	<0.01	1220	<1	2.6	<0.004	443
DGC-3S	06/05/01	12	318	90	7.59	9.9	<3				<0.1	145	2.19	<10	0.243	12.8			179	<1	1.1	<0.004	189
DGC-3S	09/25/01	42	274	28.1	8.12	13.3	<3				<0.1	255	1.39	<10	0.254	12			162	1.01	<1	<0.004	259
DGC-3S	12/04/01	92	6340	37.5	7.25	6.9	<3				<0.1	241	7.59	<10	<0.1	39.5			341	1.69	6.8	<0.004	355
DGC-3S	09/11/02	62.5	264	49.4	7.68	13.1	<3		15	<0.01	<0.1	143	1.15	<10	0.218	11.8	0.108	<0.005	180	<1	1.2	<0.004	208
DGC-3S	06/24/03	55	356	21	8.31	14.4	<3		<5	<0.01	<0.1	160	15.5	16.1	0.35	15.5	0.094	<0.005	179	2.06	<1	<0.004	169
DGC-3S	03/31/04	145	403	663	6.68	5.8	<4		117	<0.01	<0.1	210	5.3	9.9	0.042	10	<0.5	<0.01	250	0.32	4.1	<0.002	340
DGC-3S	12/10/04	175	471	130	6.85	8.9	<4		400	<0.01	0.088	300	4.6	28	<0.03	19	<0.5	<0.01	310	0.22	4.5	<0.002	400
DGC-3S	09/27/05	320	290	>999	7.4	12.5	<4		430	<0.01	0.36	190	4.1	98	0.1	14	<0.5	<0.01	290	0.24	1.3	<0.002	580
DGC-3S	06/27/06	250	382	242	7.28	11.9	<4		750	<0.01	0.06	180	4.6	43	0.075	14	<0.5	<0.01	270	0.18	1.4	<0.002	510
DGC-3S	09/25/07	285	230	508	8.41	13.1	<4		400	<0.01	0.12	150	4.2	9.2	0.13	12	<0.5	0.043	150	0.49	1.1	<0.003	1100
DGC-3S	12/16/08	269	483	284	7.59	7.1	<4		<5	<0.01	<0.1	330	7.7	11	<0.03	15	<0.5	<0.01	380	0.34	<1	<0.003	500
DGC-3S	06/10/10	242.3	3000	0.97	7.2	14.8	<12		5	<0.004	<0.5	389	3	36	0.08	10.5	0.1	<0.005	268	<0.5	1.9	<0.010	207
DGC-3S	06/14/11	16.73	260	22.14	8.16	14.8	<12		5	<0.004	0.11	240	<2	<5	0.08	10.5	0.12	<0.005	158	<0.5	1.1	<0.010	171
DGC-3S	09/20/12	101	265	600	7.62	17.1	<12	<80	2	<0.004	0.25	190	<2	36	0.19	11.7	0.11	<0.005	180	0.65	<3.0	<0.010	533
DGC-3S	11/26/13	284	0.594	23	7.47	4.4	< 6.0	<1.0	< 5	< 0.004	0.06	368	5.5	22	<0.1	16.6	0.045	<0.01	451	<0.5	4.03	<0.010	109
DGC-3S	04/21/15	54	0.638	0	7.22	7.77	<4.0	<0.10	<5	<0.004	<0.05	347	12	<5	0.1	<10.0	0.034	<0.01	375	<0.5	2.62	<0.010	353
DGC-3S	06/28/16	160	0.318	118	7.56	14.6	<4.0	<0.10	10	<0.004	0.13	166	<5	<5	0.19	14.9	0.11	<0.01	178	0.95	<1.0	<0.010	152
DGS-3S	09/26/17	-69	0.216	30.2	7.31	16	<4.0	<0.10	<5	<0.004	0.12	155	<5	5	0.29	13.9	0.17	<0.01	192	<0.5	1.08	<0.010	199

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Eh mV	Cond(fld) mS/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Bromide mg/L	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/lCaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/lCaCO3
Class GA Standard or Guidance Value					6.5-8.5			2	15	0.05	10		250		2	250	1	0.2	500			0.001	
MW-4SR	05/05/92	157	260	85	7.48		7		50		0.04	934	96	196	81	18	0.6836	0.01	880	75.6	33.8	0.48	538
MW-4SR	12/15/92								330	<0.01	0.036	1300	160	200	74	30	<1	<0.01	1200	77	43	0.0088	650
MW-4SR	06/12/97	-25	2430	161	6.49	13.4	15				0.053	1300	190	190	82	8.3			1200	92	55	0.017	660
MW-4SR	08/27/97	5	6500	254	6.5	12.8	15				<0.02	950	190	180	86	29			1200	78	47	0.0053	600
MW-4SR	11/18/97	-80	2500	199	6.37	11.4	19				<0.02	1100	180	120	77	<5			1100	78	41	<0.002	740
MW-4SR	04/28/98	5	2380	414	6.37	8.1	17		250	<0.01	0.14	420	220	150	96	5.5	<1	<0.01	1200	92	51	0.0052	700
MW-4SR	06/23/98	-40	2490	472	6.13	13.1	11				<0.1	1100	170	150	92	<1			1100	110	47	0.0078	730
MW-4SR	11/25/98	25	2.26	365	5.74	12.4	21				0.25	940	150	130	85	<1			950	90	41	0.0055	590
MW-4SR	02/17/99	90	2280	245	6.91	9.3	25				1.2	1010	139	98.3	60.3	<5.0			957	72.7	35	0.012	617
MW-4SR	03/30/99	109	2400	281	6.81	7.5	13				<0.050	1280	184	137	77.7	511			1010	25.1	51	0.014	599
MW-4SR	06/29/99	-81	2500	47.8	6.72	14.7	12				<0.050	1000	197	326	90.4	<5.0	0.771	<0.010	1065	88.7	58	0.026	569
MW-4SR	09/30/99	-8	2400	96	6.58	14.2	15	1000		<0.010	<0.050	1000	197	326	90.4	<5.0			1065	88.7	58	0.026	569
MW-4SR	12/29/99	-77	2500	40.5	6.35	9.8	16				<.05	963	153	203	55.1	<5			1020	92.9	63	0.00768	617
MW-4SR	03/30/00	-104	2400	65	6.74	7.4	28				<0.05	1050	117	111	71.5	<5			991	74	39	0.0289	638
MW-4SR	06/22/00	-155	1825	16	6.77	12.3	12				<0.05	954	149	166	55.7	<5			985	78.8	43	0.01	550
MW-4SR	09/21/00	-62	2500	40	6.7	14	19				<0.05	1020	205	136	74.7	<5			1060	77.5	49	0.0209	581
MW-4SR	12/06/00	-35	2420	155	6.91	10.3	8		450	<0.01	<0.05	884	196	13.4	62.3	30	0.706	<0.01	981	92.5	41	0.0127	575
MW-4SR	03/22/01	-71.2	3470	51.5	6.86	7.4	8	1250		<0.002	<0.05	595	140	108	63.1	17	0.548	<0.01	813	92.8	48	0.0097	604
MW-4SR	06/05/01	125	1987	65	6.81	11	5				0.15	1780	157	118	71.3	<5			968	91.5	38	0.0188	631
MW-4SR	09/25/01	45	2200	110	7.62	59	8				<0.1	783	241	141	102	<5			1070	107	45	0.0201	584
MW-4SR	12/04/01	110	2450	79	6.81	12	15				<0.1	1660	171	261	77.7	<5			1050	84.4	34	0.0267	554
MW-4SR	09/11/02	6.77	2400	38.2	6.77	15.2	5		60	<0.01	<0.1	1030	216	138	77.1	<5	0.8	<0.005	1110	108	43	0.0158	591
MW-4SR	06/24/03	45.7	2300	47.5	7.1	15.3	7		625	<0.002	<0.1	1040	86	94	53	<5	0.454	<0.005	797	61.7	30	0.0084	476
MW-4SR	03/31/04	60	2190	488	6.26	7.5	12		375	<0.01	<0.1	900	130	55	86	3.1	0.61	<0.01	850	84	36	0.0045	520
MW-4SR	12/10/04	100	2190	564	6.33	10.9	5.5		1750	<0.01	0.074	790	150	140	82	5.5	0.67	0.016	720	74	42	0.0052	510
MW-4SR	09/27/05	95	2730	>999	6.03	13.8	23		700	0.012	<0.1	1100	250	190	110	3.3	<5	<0.01	1200	96	57	0.0032	8400
MW-4SR	06/27/06	130	2380	793	6.31	12.6	<4		1000	<0.01	<0.02	860	150	580	83	3.9	0.61	<0.01	1000	89	52	0.0061	2100
MW-4SR	09/25/07	Monitoring Location Dry																					
MW-4SR	12/16/08	16	1940	325	6.7	10.3	30		30	<0.01	<0.1	1000	170	230	85	2.1	0.8	<0.01	1000	84	59	0.0032	670
MW-4SR	06/09/10	-25.7	2000	123	6.55	10.08	120		45	<0.004	<0.5	924	230	182	103	<5	0.53	<0.005	1092	112	57	0.013	542
MW-4SR	06/14/11	-26.9	1990	71	6.94	12.4	<24		40	<0.004	<0.05	867	215	226	76.1		0.62	<0.005	1015	106	51.7	0.015	568
MW-4SR	09/20/12	4	3000	5	6.64	17.5	<24	<80	45	<0.004	<0.05	1130	270	233	136	8.48	0.93	0.007	1060	147	52.5	<0.010	1108
MW-4SR	11/26/13	-48	2.32	256	7.14	4.4	15	<1.0	45	<0.004	<0.05	996	185	250	126	<5.0	0.85	<0.01	1072	109	61.2	0.014	604
MW-4SR	04/21/15	-36	2.01	0	6.9	8.94	22	2.36	50	<0.004	<0.05	913	160	136	92.2	<10.0	0.67	<0.01	985	97	45.7	<0.010	562
MW-4SR	06/28/16	13	2.39	64	6.89	16.3	8.3	2.29	40	<0.004	<0.05	1030	190	164	114	<10.0	0.79	<0.01	1050	127	44	<0.010	551
MW-4SR	09/26/17	-116	2.27	32.1	6.78	15.8	9.4	2.16	45	0.007	0.07	1040	164	128	110	<10	0.92	<0.01	940	121	48.4	0.012	467

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Eh mV	Cond(fld) mS/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Bromide mg/L	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/lCaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/lCaCO3
Class GA Standard or Guidance Value					6.5-8.5			2	15	0.05	10		250		2	250	1	0.2	500			0.001	
DGC-5	05/06/92	14	>2000	330	6.94		11		40		<0.04	1250	508	225	74.9	8	1,494	<0.01	1840	82	80	0.18	768
DGC-5	12/15/92																						
DGC-5	06/12/97	-275	1820	333	6.69	13.7	13		200	<0.01	<0.02	860	150	180	47	6.5	<1	<0.01	1200	47	48	0.0059	1800
DGC-5	08/27/97	35	3930	>999	6.55	14	24				<0.02	1300	370	300	98	5.2			1800	110	79	<0.002	1900
DGC-5	11/18/97	-80	1780	>999	6.55	11.2	18				<0.02	830	67	130	25	15			980	22	32	<0.002	2800
DGC-5	04/28/98	-70	1030	>999	6.4	7.9	14				<0.02	660	37	45	4.9	<5			570	6.5	17	<0.002	2000
DGC-5	06/23/98	-85	2350	>999	6.31	12.1	16		200	<0.01	0.13	1600	210	210	65	2.8	<1	<0.01	1300	64	43	<0.002	6100
DGC-5	11/25/98	-20	2.26	905	6.07	10.9	31				<0.1	2200	240	180	75	<1			1500	82	51	0.008	3700
DGC-5	02/17/99	15	2020	411	8.14	8	23				0.13	780	70	110	25	<1			760	27	31	0.0037	2300
DGC-5	03/30/99	40	1340	35.6	6.89	6.9	16				<0.050	744	44.7	37.6	11.4	35			634	17.3	5.1	0.011	756
DGC-5	06/29/99	-106	3400	36.4	6.82	14.3	17				<0.050	1350	307	411	59.9	<5.0			1460	14.2	66	0.032	871
DGC-5	09/30/99	-71	4900	120	6.69	13.9	24		500	0.021	<0.050	1770	581	1290	125	<5.0	2.2	<0.010	2160	163	78	0.064	845
DGC-5	12/29/99	-65	1500	91	6.38	7.4	29				<0.5	814	55.9	22.9	16.9	<5			851	25.4	40	<0.005	838
DGC-5	03/30/00	-83	900	35	6.67	6.9	10				<0.05	576	3.42	73.2	5.53	<10			479	5.38	25	0.0081	481
DGC-5	06/22/00	-110	600	8	6.85	14.7	14				<0.05	400	3.97	57.1	2.63	<5			460	3.46	25	<0.004	367
DGC-5	09/21/00	-59	1200	19	6.57	14.7	11				0.095	615	31.3	80.3	15.1	<5			621	24.8	40	0.0154	606
DGC-5	12/06/00	-66	1205	950	7.05	10	6		1250	<0.01	<0.05	476	2.45	50.9	13.2	19	0.533	<0.01	766	20.7	27	0.008	7800
DGC-5	03/22/01	-56	2770	62	6.87	5.6	10		2500	<0.002	<0.05	265	<1	52.8	2.74	11	0.107	<0.01	321	20.7	29	<0.004	1720
DGC-5	06/05/01	52	950	28.3	7.03	11.8	9				<0.1	484	90.2	52.1	<5	<5			339	5.04	16	0.0053	3140
DGC-5	09/25/01	37	1195	42.6	7.21	57	10				<0.1	942	212	132	<5	<5			1200	59.4	170	0.0098	1050
DGC-5	12/04/01	45	1255	41.3	7.1	12.3	5				<0.1	5100	91.9	69.8	0.86	<5			833	24.1	17	0.0052	647
DGC-5	09/11/02	45	2870	37.7	6.81	17.1	5		150	<0.002	<0.1	1010	243	210	52.2	<5	1.33	<0.005	1280	68.5	84	0.0101	1230
DGC-5	06/24/03	19.8	2700	45.5	7.15	15.1	8		175	<0.002	<0.1	395	2.66	38.1	2.63	<5	0.205	<0.005	434	4.7	13	0.0118	484
DGC-5	03/31/04	110	0.835	>999	6.48	6.7	8.3		300	<0.001	<0.1	530	35	240	15	1.5	<0.5	<0.01	540	15	17	<0.002	7900
DGC-5	12/10/04	85	990	>999	6.3	9.9	4.6		3000	<0.01	0.046	420	20	130	7.8	3	<0.5	<0.01	340	5.9	15	<0.002	1300
DGC-5	09/27/05	0	3270	>999	6.07	14.5	15		450	0.012	<0.1	1100	360	200	67	2.2	<5	<0.01	1600	60	75	<0.002	19000
DGC-5	06/27/06	40	1660	>999	6.62	12.4	16		1500	<0.01	<0.02	530	63	160	23	3.3	<0.5	<0.01	640	26	25	<0.002	2500
DGC-5	09/25/07	10	2970	>999	7.08	14.3	11		4000	<0.01	<0.1	1100	350	210	83	2.9	2.8	<0.01	1600	93	71	0.006	7100
DGC-5	12/16/08	-17	1020	>999	6.82	9	7.8		30	<0.01	<0.1	390	48	80	15	3	0.68	<0.01	640	17	18	<0.003	4400
DGC-5	06/09/10	33.2	3000	385	6.62	11.1	<24		20	<0.004	<0.5	830	35	109	18	<5	<0.1	<0.005	504	28.2	15	0.019	1539
DGC-5	06/14/11	-116.4	560	221	7.24	12.9	<12		15	<0.004	<0.05	380	25	43	7.58	<5	<0.1	<0.005	348	8.45	10.6	<0.010	869
DGC-5	09/20/12	-100	2470	>800	6.56	16.5	13	<80	30	<0.004	<0.05	850	245	233	41	7.59	0.76	<0.005	1091	45.3	39.3	0.022	1973
DGC-5	11/26/13	-71	0.872	202	7.13	4.4	< 6.0	<1.0	15	<0.004	< 0.05	484	30	65	15.1	6.38	0.15	<0.01	532	18.1	18.1	0.014	645
DGC-5	04/21/15	-50	0.002	0	7.14	9.25	<4.0	<0.10	<5	<0.004	<0.05	247	<4	18	2.56	<10.0	<0.02	<0.01	264	3.13	3.77	<0.010	294
DGC-5	06/28/16	-50	0.667	22	6.96	16.7	<4.0	0.172	8	<0.004	<0.05	415	<10	26	8.03	<10.0	<0.02	<0.01	384	9.08	6.4	<0.010	731
DGC-5	09/26/17	-145	0.575	22.9	7.2	17.4	7.3	<0.10	15	<0.004	0.05	396	<10	41	4.99	<10	0.2	<0.01	406	5.33	10.2	<0.010	386

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well	Date Sampled	Eh mV	Cond(fld) mS/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Bromide mg/L	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/lCaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/lCaCO3
Class GA Standard or Guidance Value					6.5-8.5			2	15	0.05	10		250		2	250	1	0.2	500			0.01	
MW-6SR	05/05/92	-19	>2000	70	8.01		8		25		<0.04	878	554	249	0.07	6	1.122	<0.01	1920	1.05	86.4	0.02	686
MW-6SR	12/15/92																						
MW-6SR	06/12/97	-75	3400	>999	6.6	11.4	35		200	<0.01	<0.02	1500	520	290	0.88	6.9	1.8	<0.01	2300	7.6	84	0.011	1600
MW-6SR	08/27/97	45	3480	320	6.57	15.3	27				<0.02	1400	510	330	0.74	12			2100	6.1	94	0.01	1000
MW-6SR	11/18/97	-50	3270	530	6.58	10.8	22				<0.02	1100	440	230	0.26	18			1900	4.6	66	0.0042	800
MW-6SR	04/28/98	-30	3260	295	6.57	8.4	37				<0.02	1200	370	190	1.7	<5			2100	7.5	85	<0.002	1200
MW-6SR	06/23/98	-80	3210	238	6.22	13.7	23		130	<0.01	<0.1	1600	500	260	1.3	4.8	<1	<0.01	2100	7.9	82	0.0083	1100
MW-6SR	11/25/98	65	2950	208	5.73	11.3	31				<0.1	1300	440	140	1	<1			2000	6.2	70	0.008	1000
MW-6SR	02/17/99	45	3230	102	7.2	8.4	>45				<0.1	1100	520	190	2.7	13			1900	7.8	78	0.0053	1000
MW-6SR	03/30/99	81	3400	86.4	6.92	5.9	19				<0.050	1130	451	285	1.07	31			1820	3.65	69	0.032	978
MW-6SR	06/29/99	-103	3500	21	6.92	14.5	19				<0.050	1300	513	383	0.507	7.6			1980	8.47	100	0.05	1060
MW-6SR	09/30/99	4	3400	40	6.65	14.6	12		250	<0.010	<0.050	1160	278	265	0.759	24	1.05	<0.010	1661	4.44	124	0.034	861
MW-6SR	12/29/99	-51	2900	12.8	6.67	7.2	<3				<.05	1350	379	241	1.02	16			1570	7.35	79	0.0132	834
MW-6SR	03/30/00	-75	2500	33	7.67	6.4	17				<0.05	1050	273	217	0.457	9			1370	1.39	51	0.0144	760
MW-6SR	06/22/00	-147	1875	6.3	7.14	14.9	8				<0.05	1028	378	196	1	<5			1670	4.18	53	0.026	728
MW-6SR	09/21/00	-33	2530	16	6.82	14.7	11				<0.05	1090	373	270	0.616	10			1510	2.39	69	0.0252	796
MW-6SR	12/06/00	-28	2860	164	7.16	9.3	6		225	<0.01	<0.05	972	383	121	0.301	7.4	0.812	<0.01	1520	5.08	59	0.0177	844
MW-6SR	03/22/01	-27.3	2710	23.5	6.93	5.3	15		450	<0.01	<0.05	968	275	108	0.306	<5	0.597	<0.01	1280	5.52	69	0.0163	738
MW-6SR	06/05/01	7.02	1150	46	7.08	10.8	17				<0.1	1260	462	341	10.4	<5			1990	14.8	1.4	0.0386	1000
MW-6SR	09/25/01	65.7	2800	15.2	6.9	58	18				<0.1	1160	470	315	10.2	<5			1960	13.4	130	0.0344	1050
MW-6SR	12/04/01	61	3492	33	6.85	11	13				<0.1	1180	494	287	4.17	<5			1760	6.73	52	0.028	956
MW-6SR	09/11/02	56	2830	75	6.95	15.5	12		40	<0.01	<0.1	1250	261	290	12.8	<5	1.49	<0.005	2050	16.4	199	0.0226	1570
MW-6SR	06/24/03	36.3	410	45.5	7.87	14.2	3		30	<0.01	<0.1	668	348	94	0.137	<5	0.793	<0.005	825	2.06	27	0.0165	731
MW-6SR	03/31/04	35	2990	>999	6.13	7.9	18		150	<0.01	<0.1	920	340	380	13	1.8	1.1	<0.01	1600	17	60	0.0035	2300
MW-6SR	12/10/04	120	2210	265	6.46	9.9	13		2750	<0.01	0.058	750	290	130	9.2	5.1	0.68	0.027	1000	5.2	37	<0.002	600
MW-6SR	09/27/05	65	3430	>999	6.04	14	24		330	0.015	0.27	1200	380	140	27	2.9	<5	<0.01	1900	31	88	<0.002	2400
MW-6SR	06/27/06	135	2240	>999	6.64	14.1	64		1000	<0.01	<0.02	800	250	200	19	3.7	1.1	<0.01	1400	23	68	<0.002	1200
MW-6SR	09/25/07	50	3220	>999	6.38	13.3	38		4000	<0.01	<0.1	1200	460	210	33	4.8	2.4	0.016	1900	39	97	<0.003	3800
MW-6SR	12/16/08	92	1690	>999	6.97	8.7	15		12	<0.01	<0.1	1200	190	100	27	3.4	1.1	<0.01	1200	30	39	<0.003	1400
MW-6SR	06/09/10	139.7	2000	22.19	6.64	12.1	120		40	<0.004	<0.5	890	340	218	37.3	<5	1	<0.005	1460	45	68	0.012	665
MW-6SR	06/14/11	-19.9	1760	113	7.04	14.1	<24		25	0.014	0.05	1000	330	189	29.7	<5	0.98	<0.005	1332	32.4	69.8	<0.010	757
MW-6SR	09/20/12	-23	3540	288	6.57	17	35	<80	45	<0.004	0.07	1290	5250	326	45.8	8.18	1.3	<0.005	1672	49.7	86.2	0.011	1732
MW-6SR	11/26/13	71	1.72	352	7.25	4.4	19	<1.0	25	0.008	0.16	728	180	250	34.1	6.79	0.78	<0.01	961	40	47.5	<0.010	593
MW-6SR	04/21/15	8	1.46	0	7.12	8.1	14	1.41	15	<0.004	0.08	667	155	93	28.4	<10.0	0.53	<0.01	859	30.9	30.9	<0.010	653
MW-6SR	06/28/16	56	0.263	91	8.28	18.3	<4.0	<0.10	5	<0.004	<0.05	166	<5	10	0.17	15.6	0.026	<0.01	148	<0.5	<1.0	<0.010	149
MW-6SR	09/26/17	30	0.217	33.4	7.86	16.5	<4.0	<0.10	<5	<0.004	0.06	139	2.9	<5	0.14	13.5	0.042	<0.01	205	<0.5	<1	<0.010	159

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Eh mV	Cond(fld) mS/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Bromide mg/L	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/lCaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/lCaCO3
Class GA Standard or Guidance Value					6.5-8.5			2	15	0.05	10		250		2	250	1	0.2	500			0.01	
MW-7S	05/05/92	36	880	72	7.97		5		50		<0.04	554	26	20	5.78	51	0.211	<0.01	618	6.58	13.4	0.02	542
MW-7S	12/15/92								330	<0.01	<0.02	960	23	85	2.4	16	<1	<0.01	920	5.5	18	<0.002	830
MW-7S	06/12/97	195	1490	640	7.1	12.1	18				<0.02	480	18	29	1	32			570	4	6.8	<0.002	900
MW-7S	08/27/97	75	930	806	7.18	12.2	13				<0.02	790	15	89	1.3	28			920	4.8	21	<0.002	660
MW-7S	11/18/97	-70	1560	148	6.7	9.8	25				<0.02	790	5.6	120	1.8	7.2			750	4.8	17	<0.002	900
MW-7S	04/28/98	-90	1320	216	6.15	7.8	12				<0.1	720	13	59	2	11	<1	<0.01	750	5.9	17	<0.002	860
MW-7S	06/23/98	-20	1200	109	6.3	12.9	6.6		250	<0.01	0.14	740	14	91	3.8	<1			770	6.5	22	<0.002	610
MW-7S	11/25/98	-55	1.14	88	6.03	10.4	25				0.14	680	17	55	4.4	7.9			710	6.6	19	<0.002	700
MW-7S	02/17/99	-25	1300	199	7.08	7.3	23				<0.050	740	7.37	37.6	2.94	<5.0			697	4.34	19	0.006	664
MW-7S	06/29/99	-156	1225	17.7	7.29	24.1	12				<0.050	502	20	32.5	3.14	<5.0			677	<1.00	25	<0.001	615
MW-7S	09/30/99	-45	990	16	6.68	12.7	6		250	0.156	<0.050	540	1.14	55	1.37	14	0.051	<0.010	568	9.35	20	0.004	480
MW-7S	12/29/99	-84	6.7	17.8	6.53	5.9	10				<.05	99.6	6.76	43.9	2.95	<5			608	9	23	<.005	541
MW-7S	03/30/00	-98	1100	18	6.6	7	14				<0.05	598	7.06	59.4	4.08	<5			640	4.03	25	0.0062	583
MW-7S	06/22/00	-152	900	5.5	6.97	15.3	12				<0.05	637	7.82	57.8	2.52	<5			709	3.37	27	<0.004	576
MW-7S	09/21/00	-89	1107	7.5	6.75	12.9	14				<0.05	608	10.4	35.8	3.51	<5			598	5.28	30	0.0047	539
MW-7S	12/06/00	-74	1108	4.5	7.18	9	10		625	<0.01	<0.05	331	7.5	27.1	4.48	43	0.07	<0.01	604	4.51	33	<0.004	537
MW-7S	03/22/01	-25	410	17.6	7.13	5.2	12		500	<0.002	<0.1	541	7.22	58	10.1	<5	0.098	<0.01	300	4.6	38	<0.004	573
MW-7S	06/05/01	45.6	715	13.3	7.05	11.5	5				<0.1	580	21.9	22	2.49	<5			609	5.72	17	0.0049	472
MW-7S	09/25/01	69	1330	12.2	7.21	57	3				<0.1	515	7.51	45	4.19	<5			456	3.03	11	<0.004	365
MW-7S	12/04/01	80	1245	17.2	7.15	11.1	7				<0.1	436	19.6	15.6	2.64	<5	0.107	<0.005	530	1.15	11	<0.004	440
MW-7S	09/11/02	70	1110	16.3	6.71	16	<3		150	<0.01	<0.1	353	2.91	28.5	0.214	<5	0.079	<0.005	497	3.42	8.3	<0.004	376
MW-7S	06/24/03	72.1	1290	11.5	7.15	14.5	6		200	<0.002	<0.1	420	9.1	40	3.6	2.3	<0.5	<0.01	419	4.2	12	<0.004	353
MW-7S	03/31/04	-25	797	118	7.28	8.5	18		150	<0.01	0.046	360	5.7	39	4.9	5.8	<0.5	<0.01	410	4.9	11	<0.002	350
MW-7S	12/10/04	55	635	110	6.43	9	<4		2500	<0.01	<0.1	350	20	21	2	6.7	<0.5	<0.01	220	3.9	13	<0.002	300
MW-7S	09/27/05	25	729	189	6.82	12.3	7.5		280	<0.01	<0.02	420	25	44	3.3	3.8	<0.5	<0.01	410	2.9	6.1	<0.002	480
MW-7S	06/27/06	95	1080	73	6.84	11.5	<4		1500	<0.01	<0.1	350	19	20	1.5	7.2	<0.5	<0.01	540	11	12	<0.002	410
MW-7S	09/25/07	30	563	35	7.16	12.4	<4		240	<0.01	<0.1	500	4.5	24	1.2	12	<0.5	<0.01	360	2.5	6.3	<0.003	380
MW-7S	12/16/08	55	624	7	7.12	8.1	<4		<5	<0.01	<0.1	310	6	73	2.9	<5	<0.1	<0.005	490	1.9	6.1	<0.003	480
MW-7S	06/09/10	-11.9	3000	49.1	6.73	11.5	138		15	<0.004	<0.5	310	6	73	2.9	<5	<0.1	<0.005	404	3.98	7.5	<0.010	325
MW-7S	06/14/11	29.9	480	36.38	7.18	13.2	24		5	<0.004	<0.05	313	6.5	40	2.38	<5	<0.1	<0.005	368	3.42	8.4	<0.010	309
MW-7S	11/26/13	7	0.644	12.4	7.11	4.4	< 6.0	<1.0	10	< 0.004	0.26	432	4	38	1.44	12.6	0.045	<0.01	486	2.18	8.58	<0.010	425
MW-7S	04/21/15	-27	0.639	0	7.3	8.6	<4.0	<0.10	15	<0.004	0.06	380	<2	14	1.65	<10.0	<0.02	<0.01	397	2.13	6.31	<0.010	361
MW-7S	06/28/16	29	0.67	15	7.21	15.9	<4.0	0.131	8	<0.004	<0.05	440	14	10	1.48	17.6	0.029	<0.01	460	1.82	4	<0.010	445
MW-7S	09/26/17	11	0.598	6	7.6	16.3	<4.0	<0.10	<5	<0.004	0.09	507	8.3	10	1.02	31.3	0.044	<0.01	1430	1.18	4.16	<0.010	425

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Eh mV	Cond(fld) mS/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Bromide mg/L	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/lCaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/lCaCO3
Class GA Standard or Guidance Value					6.5-8.5			2	15	0.05	10		250		2	250	1	0.2	500			0.01	
MW-8S	05/05/92	110	1930	2.9	7.96		4		<10		<0.04	478	713	147	0.15	4	0.355	<0.01	1610	0.59	25.2	0.02	734
MW-8S	12/15/92																						
MW-8S	06/12/97	85	1400	169	7.89	12.5	<4		15	<0.01	<0.02	270	240	45	0.053	12	<1	<0.01	810	1.1	7.3	<0.002	450
MW-8S	08/27/97	160	2470	144	7.16	16.1	7.6				<0.02	400	520	79	0.2	8.9			1200	3.6	15	<0.002	590
MW-8S	11/18/97	110	3670	107	6.76	8.7	12				<0.02	540	32	95	0.095	10			2100	1.8	24	<0.002	720
MW-8S	04/28/98	35	2210	133	7.3	9.3	5.6				<0.02	380	480	36	0.069	7			1200	1.6	15	<0.002	610
MW-8S	06/23/98	60	2220	696	7.02	12.9	4.4		7	<0.01	<0.1	400	490	35	0.093	13	<1	<0.01	1300	1.2	15	<0.002	540
MW-8S	11/25/98	150	3.44	216	6.63	9.8	18				<0.1	520	1100	100	0.062	<10			2000	2.1	23	0.0039	660
MW-8S	02/17/99	230	2790	280	8.15	6.8	14				<0.1	380	700	57	0.091	8			1400	1.9	18	<0.002	590
MW-8S	03/30/99	103	3200	48.2	7.35	5.8	10				<0.050	406	717	48.4	0.167	15			1490	<1.00	23	0.008	645
MW-8S	06/29/99	-141	1100	13.7	7.65	16	<3				<0.050	229	221	<10.0	0.3	6			561	1.08	11	0.002	346
MW-8S	09/30/99	-48	5500	100	6.83	13.7	14		200	<0.010	<0.050	690	1540	338	0.196	8.9	0.599	<0.010	3020	<1.00	54	0.02	1120
MW-8S	12/29/99	-74	4750	14.24	6.85	5.9	14				<.05	908	1220	286	0.299	<5			2400	2.49	47	<.005	1010
MW-8S	03/30/00	-116	2050	21	7.42	5.6	12				<0.05	376	520	65.5	0.397	<5			1150	1.39	26	0.007	496
MW-8S	06/22/00	-165	1525	7.3	7.47	15.7	5				<0.05	145	391	28.6	0.299	7.5			896	<1	16	<0.004	359
MW-8S	09/21/00	-96	3370	8.9	7.17	14.3	8				<0.05	481	878	93.9	0.397	<5			2000	2.1	30	0.0127	656
MW-8S	12/06/00	-102	954	60	7.87	8.5	3		75	<0.01	<0.05	175	167	<10	0.279	6	0.123	<0.01	465	<1	4.1	<0.004	258
MW-8S	03/22/01	-67.2	1077	16.2	7.39	5.7	6		150	<0.01	0.139	307	228	17.4	0.262	6.7	0.125	<0.01	527	<1	25	0.0145	278
MW-8S	06/05/01	-75.3	1260	14.6	7.4	11.3	<3				<0.1	210	274	19.8	0.421	6.74			438	<1	5.2	<0.004	293
MW-8S	09/25/01	15.2	2700	14.1	7.31	5.8	5				<0.1	420	943	64.9	0.357	<5			1750	2.02	19	0.0151	652
MW-8S	12/04/01	87	1410	56	7.4	11.3	8				<0.1	632	1370	132	0.236	<5			2270	3.38	33	0.0089	854
MW-8S	09/11/02	130	1190	12.9	7.41	17	5		25	<0.01	<0.1	609	640	103	0.384	<5	0.62	<0.005	2360	2.74	34	0.0109	802
MW-8S	06/24/03	24.2	1240	25.5	7.51	14.2	<3		10	<0.01	<0.1	224	285	19.1	0.434	<5	0.427	<0.005	707	1.53	8.1	<0.004	517
MW-8S	03/31/04	-50	1280	259	7.3	7.5	15		100	<0.01	<0.1	220	240	81	0.33	4.9	<0.5	<0.01	620	1.1	7	<0.002	440
MW-8S	12/10/04	10	1820	87	7.07	8	9.5		3000	<0.01	0.035	430	380	96	0.27	7.2	<0.5	<0.01	990	1.9	19	<0.002	470
MW-8S	09/27/05	25	4810	309	6.58	14.4	15		330	<0.01	<0.1	880	1100	150	0.25	7.3	0.87	<0.01	2500	3.1	57	<0.002	800
MW-8S	06/27/06	75	2670	542	7.24	11.8	10		1500	<0.01	<0.02	460	450	130	0.22	7.9	0.56	<0.01	1300	2.7	21	<0.002	74
MW-8S	09/25/07	55	1130	>999	7.47	12.3	14		2000	<0.01	<0.1	250	200	18	0.3	18	<0.5	<0.01	560	0.95	1.8	<0.003	660
MW-8S	12/16/08	-42	2240	372	7.54	8.2	9.6		10	<0.01	<0.1	650	490	85	0.19	8.9	0.78	<0.01	1500	2.2	27	<0.003	540
MW-8S	06/10/10	-72.8	3000	19.44	7.32	17	<24		15	<0.004	<0.5	409	360	36	0.33	11.4	0.38	<0.005	916	2.92	13	<0.010	350
MW-8S	06/14/11	-116.1	1210	65	7.52	15.5	8		10	<0.004	<0.05	340	340	58	0.33	9.35	0.39	<0.005	875	1.76	14.2	<0.010	377
MW-8S	09/20/12	-125	958	82	6.97	18.4	<24	<80	<2	<0.004	<0.05	210	230	36	0.61	39.3	<0.1	<0.005	635	1	<3.0	0.03	775
MW-8S	11/26/13	-101	1.87	26.2	7.72	4.4	7.2	1.16	15	<0.004	0.06	440	400	76	0.59	8.86	0.62	<0.01	478	2.47	23.9	0.015	412
MW-8S	04/21/15	-99	1.49	0	7.34	7.76	5.6	1.1	10	<0.004	<0.05	353	310	41	0.34	14.1	0.38	<0.01	935	1.58	13.3	<0.010	371
MW-8S	06/28/16	-92	1.47	83	7.71	16.3	<4.0	0.959	20	<0.004	0.07	305	330	26	0.27	14.8	0.33	<0.01	940	0.93	7.9	<0.010	398
MW-8S	09/26/17	-134	1.51	7.5	7.4	17.1	4.7	1.23	5	<0.004	<0.05	523	430	15	0.37	926	0.31	<0.01	926	1	8.9	<0.010	492

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Eh mV	Cond(fld) mS/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Bromide mg/L	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/lCaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/lCaCO3
Class GA Standard or Guidance Value					6.5-8.5			2	15	0.05	10		250		2	250	1	0.2	500			0.001	
MW-9S	05/05/92	55	>2000	32	7.95		12		50		<0.04	1120	210	219	175	6	1.029	<0.01	979	176	595	0.63	360
MW-9S	06/24/03	60.5	1400	36.6	7.95	15.4	20		45	<0.01	<0.1	937	250	233	122	<5	0.723	<0.005	1040	125	47	0.0187	380
MW-9S	03/31/04	35	2.7	92	7.35	8.8	36		117	<0.01	<0.1	920	240	190	150	1.6	0.9	<0.01	950	130	34	0.006	380
MW-9S	12/10/04	95	2.45	55	6.78	11.5	32		3250	<0.01	0.13	940	240	210	130	2	0.86	<0.01	680	140	62	0.0095	380
MW-9S	06/09/10	13.6	3000	25.99	7.05	10.9	36		45	<0.004	<0.5	800	330	328	133	<5	0.77	<0.005	1080	153	80	0.034	431
MW-9S	06/14/11	-22.9	2090	65	7.29	13.1	32		40	<0.004	0.33	873	335	264	109	5.05	0.8	<0.005	1035	135	67	0.012	410
MW-9S	11/26/13	-44	2.76	128	7.42	4.4	24	<1.0	45	<0.004	0.4	864	420	326	128	< 5.0	0.88	<0.01	1179	128	91.6	0.014	479
MW-9S	04/21/15	66	2.54	0	7.23	9.43	22	5.02	45	<0.004	<0.05	804	320	215	120	<10.0	0.85	<0.01	1186	122	73.2	<0.010	417
MW-9S	06/28/16	16	2.58	73	7.19	17.3	21	4.86	40	<0.004	0.07	799	400	236	117	<10.0	0.74	<0.01	1240	142	70	<0.010	603
MW-9S	09/26/17	-104	2.6	14.8	7.1	15.4	18	5.16	50	<0.004	0.07	117	430	154	0.07	<10	0.78	<0.01	1220	131	76.4	<0.010	477

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Eh mV	Cond(fld) mS/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Bromide mg/L	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/lCaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/lCaCO3
Class GA Standard or Guidance Value					6.5-8.5			2	15	0.05	10		250		2	250	1	0.2	500			0.001	
MW-10S	05/05/92	-83	1490	134	7.25		12		340		<0.04	826	85	136	41.3	5	0.505	<0.01	1020	43	41.5	0.06	624
MW-10S	12/15/92																						
MW-10SR	06/12/97	290	699	127	6.39	11.4	<4		10	<0.01	<0.02	380	21	40	0.089	30	<1	<0.01	360	1	1.5	<0.002	1500
MW-10SR	08/27/97	155	721	>999	6.74	13.3	5.7				<0.02	400	29	34	0.23	33			440	2.7	2.4	<0.002	2100
MW-10SR	11/18/97	145	718	458	7.3	8.8	4				0.11	420	31	11	0.039	38			410	0.32	1.9	<0.002	400
MW-10SR	04/28/98	135	696	169	7.52	8.4	<4				0.056	460	26	<1	0.097	24			370	0.41	1.4	<0.002	1300
MW-10SR	06/23/98	155	628	213	7.05	14.8	<4		14	<0.01	0.11	320	22	7	0.056	33	<1	<0.01	390	0.33	1.7	<0.002	330
MW-10SR	11/25/98	210	0.665		6.58	10	<4				<0.1	340	30	54	<0.03	48			390	0.27	1.6	<0.002	430
MW-10SR	02/17/99	2.85	672	3.4	7.48	8	<4				<0.1	300	35	12	0.041	31			260	0.32	1.4	<0.002	600
MW-10SR	03/30/99	243	650	18.4	7.76	7.1	<3				<0.050	312	23.3	<10.0	0.101	43			344	<1.00	<1.0	<0.001	292
MW-10SR	06/29/99	-74	1150	120	7.6	15.5	<3				0.099	340	31.5	<10.0	0.173	30			393	<1.00	1.5	<0.001	341
MW-10SR	09/30/99	130	775	45.3	7.73	13.5	<3		10	<0.010	0.121	336	30.6	<10.0	0.218	30	0.133	<0.010	395	<1.00	1.3	<0.001	747
MW-10SR	12/29/99	11	740	39.3	6.89	7.2	<3				<0.5	347	53.2	<10	<1	30			409	2.1	1.4	<0.005	462
MW-10SR	03/30/00	-102	725	45	6.74	6	<3				<0.05	336	37.8	<10	0.251	26			421	<1	1.2	<0.004	402
MW-10SR	06/22/00	-193	675	16	7.99	16.1	<3				<0.05	321	34.9	22.2	0.142	29			387	<1	1.1	<0.004	375
MW-10SR	09/21/00	-29	998	90	7.47	12.7	<3				<0.05	318	38.9	<10	0.169	20			663	1.41	<1	0.0051	347
MW-10SR	12/06/00	-72	717	153	8.1	8.6	<3		50	<0.01	<0.05	317	38	<10	<0.1	33	0.134	<0.01	404	<1	1.2	<0.004	393
MW-10SR	03/22/01	-7.7	660	38.1	6.96	6.4	<3		750	<0.01	<0.05	326	38.6	<1	0.123	31	0.166	<0.01	387	<1	1.2	<0.004	384
MW-10SR	06/05/01	17.6	775	22.3	7.71	12.6	<3				<0.1	318	36.7	12.5	0.181	28.1			394	<1	1.1	0.0041	393
MW-10SR	09/25/01	115	715	25.7	7.52	60	<3				<0.1	312	34.8	<10	0.2	28.9			378	<1	1.3	<0.004	454
MW-10SR	12/04/01	140	627	13.3	7.57	11.5	<3				0.183	329	44.3	<10	0.1	27			404	<1	<1	<0.004	458
MW-10SR	09/11/02	197	910	22.3	7.39	16.6	<3		10	<0.01	0.118	325	34.9	<10	0.172	25.1	0.131	<0.005	423	1.49	<1	<0.004	437
MW-10SR	06/24/03	15.6	1095	45.1	7.42	15.1	<3		<5	<0.01	<0.1	576	29.9	<10	<0.1	28.5	0.062	<0.005	618	1.32	1.4	<0.004	572
MW-10SR	03/31/04	130	670	>999	6.62	8.3	18		88	<0.01	<0.1	310	37	120	0.66	26	<0.5	<0.01	530	0.79	2.6	<0.002	1500
MW-10SR	12/10/04	290	563	224	7.14	8	<4		500	<0.01	0.19	290	30	31	<0.03	23	<0.5	<0.01	290	0.2	1.3	<0.002	360
MW-10SR	09/27/05	305	811	490	6.29	14.2	<4		300	<0.01	0.25	310	48	5.3	0.11	27	<0.5	<0.01	530	0.19	1.4	<0.002	700
MW-10SR	06/27/06	290	703	274	6.78	13.6	13		1300	<0.01	0.026	340	47	78	0.083	23	<0.5	<0.01	480	0.22	1.3	<0.002	690
MW-10SR	09/25/07	205	621	>999	5.76	12	<4		2000	<0.01	0.17	310	28	13	0.13	22	0.59	<0.01	350	0.46	1.9	<0.003	2500
MW-10SR	12/16/08	535	594	229	6.27	7.2	<4		<5	<0.01	<0.1	360	48	9.1	0.041	26	<0.5	<0.01	550	0.24	1.7	<0.003	590
MW-10SR	06/10/10	201.6	4000	17.16	7.42	13.6	4		5	<0.004	<0.5	809	60	73	0.08	25.5	0.14	<0.005	472	<0.5	1.1	<0.010	350
MW-10SR	06/14/11	102.7	580	43.4	7.86	15	<4		5	<0.004	0.07	293	38	9	0.32	24.3	0.14	<0.005	377	<0.5	1.6	<0.010	461
MW-10SR	09/20/12	80	530	520	7.5	16.1	<2	<80	<2	<0.004	0.12	290	30	15	0.18	19.7	0.14	<0.005	325	0.57	<3.0	<0.010	459
MW-10SR	11/26/13	126	0.602	66.3	7.95	4.4	<4.0	<1.0	<5	<0.004	0.11	300	52	79	0.22	26.3	0.21	<0.01	517	<0.5	<1.1	<0.010	370
MW-10SR	04/21/15	13	0.692	0	7.89	9.49	<4.0	0.566	<5	<0.004	0.05	327	30	<5	0.21	17.6	0.15	<0.01	357	<0.5	1.69	<0.010	334
MW-10SR	06/28/16	164	0.572	32	7.53	16.2	<4.0	0.39	<5	<0.004	0.05	280	37	<5	0.24	21.6	0.14	<0.01	372	0.62	1.5	<0.010	317
MW-10SR	09/26/17	-28	0.577	13.7	7.18	16.3	<4.0	0.614	<5	<0.004	0.08	330	61	10	0.15	26.5	0.15	<0.01	482	<0.5	1.78	<0.010	391

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Eh mV	Cond(fld) mS/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Bromide mg/L	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/lCaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/lCaCO3
Class GA Standard or Guidance Value					6.5-8.5			2	15	0.05	10		250		2	250	1	0.2	500			0.001	
MW-11S	05/05/92	84	>2000	255	7.36		14		50		<0.04	714	653	317	0.06	7	1.586	<0.01	1850	1.03	84.8	0.04	664
MW-11S	12/15/92																						
MW-11SR	06/12/97	190	980	100	7.57	10.2	19		15	<0.01	<0.02	460	95	19	<0.03	21	<1	<0.01	550	0.72	2.5	<0.002	600
MW-11SR	08/27/97	150	728	694	7.41	12.5	7.8				<0.02	310	39	15	0.087	21			270	3.2	2.6	<0.002	740
MW-11SR	11/18/97	135	1770	61	6.51	7.8	16				<0.02	570	240	36	<0.03	37			1000	0.98	9.2	<0.002	630
MW-11SR	04/28/98	-5	1580	128	7.64	7.6	7.2				<0.02	530	220	15	0.044	17			820	1	7.6	<0.002	800
MW-11SR	06/23/98	30	1670	397	6.85	11.1	9.5		2	<0.01	0.16	550	200	18	0.071	25	<1	<0.01	920	1.2	8.1	<0.002	1400
MW-11SR	11/25/98	-15	1.86	294	6.85	8.7	11				<0.1	830	380	160	0.074	8.7			1100	1.4	11	<0.002	1100
MW-11SR	02/17/99	230	1860	415	8.25	4.6	13				0.16	580	260	39	0.067	12			860	1.2	12	0.0046	1200
MW-11SR	03/30/99	56	1800	52.6	7.39	5.7	8				<0.050	608	248	22.4	0.108	27			1010	<1.00	12	0.002	702
MW-11SR	06/29/99	-143	1750	279	7.4	11.3	6				<0.050	569	230	70	0.412	27			952	<1.00	16	<0.001	1180
MW-11SR	09/30/99	-54	2100	68	7.27	12.9	83		500	<0.010	<0.050	814	268	475	0.452	22	0.739	<0.010	1230	<1.00	101	0.029	1050
MW-11SR	12/29/99	-184	1800	44.4	7.3	7.2	73				<.05	748	316	121	0.252	<5			1250	1.83	58	0.00957	786
MW-11SR	03/30/00	7.08	1800	12	7.08	6.2	32				<0.05	662	248	88	0.375	<5			1030	1.33	31	0.0128	659
MW-11SR	06/22/00	-141	1225	28	7.07	15.3	22				<1	575	215	110	0.249	<5			879	<1	24	0.008	535
MW-11SR	09/21/00	-111	1583	22	7.02	13.8	5				0.108	543	200	36.8	0.2	83			871	1.01	12	0.0042	478
MW-11SR	12/06/00	-21	1620	71.5	7.87	7.7	<1		600	<0.01	<0.05	250	192	28.2	<0.1	60	0.426	<0.01	874	<1	13	<0.004	716
MW-11SR	03/22/01	-49.2	1760	24.3	7.33	4	3		200	<0.01	<0.05	285	180	16.8	<0.1	18	0.416	<0.01	848	<1	20	0.0047	539
MW-11SR	06/05/01	-98	1540	24	7.2	10.6	<3				<0.1	549	182	31.7	0.187	7.21			1840	1.01	8.9	<0.004	549
MW-11SR	09/25/01	5	1355	49.8	7.42	13.5	11				<0.1	364	213	57.7	<0.1	151			816	1.85	26	0.0135	358
MW-11SR	12/04/01	60	1386	48.7	7.45	11.3	<3				<0.1	571	209	31	<0.1	11.4			914	5.09	7.5	<0.004	635
MW-11SR	09/11/02	Sampling Location Dry																	Sampling Location Dry				
MW-11SR	06/24/03	27.7	1645	27.6	7.41	14.2	4		40	<0.01	<0.1	509	141	19.8	0.137	6.88	0.299	<0.005	709	3.09	9.6	<0.004	452
MW-11SR	03/31/04	5	1470	175	6.34	6.4	<4		70	<0.01	<0.1	480	140	29	0.06	33	<0.5	<0.01	700	0.97	9	<0.002	450
MW-11SR	12/10/04	85	1220	35	6.72	6.3	<4		700	<0.01	0.049	550	75	30	0.045	21	0.51	<0.01	400	0.52	8	<0.002	460
MW-11SR	09/27/05	80	1350	603	6.49	12.7	4.8		34	<0.01	0.15	410	110	28	0.06	45	0.19	<0.01	800	0.87	10	<0.002	550
MW-11SR	06/27/06	-5	1650	273	6.93	11.8	<4		1000	<0.01	<0.02	590	150	73	0.056	9.3	0.57	<0.01	870	1.5	11	<0.002	690
MW-11SR	09/25/07	Monitoring Location Dry																					
MW-11SR	12/16/08	15	1010	359	7.39	6.8	<10		<5	<0.01	<0.1	530	89	29	<0.03	24	<0.5	0.024	690	0.8	8.7	<0.003	740
MW-11SR	06/10/10	41.3	3000	31.19	6.85	15.2	25		10	<0.004	<0.5	789	100	73	0.03	13.9	0.45	<0.005	704	1.02	8.5	<0.010	441
MW-11SR	06/14/11	-24.6	930	64	7.37	13.9	<12		5	<0.004	<0.05	533	97	30	0.04	8.13	0.54	<0.005	735	0.78	8.8	<0.010	476
MW-11SR	11/26/13	50	0.784	37.9	7.46	4.4	<6.0	<1.0	5	<0.004	0.15	508	35	26	0.12	17	0.34	<0.01	655	0.76	8.69	<0.010	532
MW-11SR	04/21/15	-19	0.878	0	6.88	8.68	<4.0	0.501	15	<0.004	<0.05	467	34	14	<0.1	13.8	0.32	<0.01	542	<0.5	5.69	<0.010	436
MW-11SR	06/28/16	223	0.885	18	7.52	17.1	<4.0	0.892	8	<0.004	0.23	435	98	51	0.15	11.4	0.29	<0.01	648	0.83	11	<0.010	397
MW-11SR	09/26/17	-7	0.724	8	7.33	17.2	<4.0	0.852	7	<0.004	0.07	380	94	36	0.14	12.2	0.27	<0.01	537	0.62	11.4	<0.010	358

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Eh mV	Cond(fld) mS/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Bromide mg/L	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/lCaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/lCaCO3
Class GA Standard or Guidance Value					6.5-8.5			2	15	0.05	10		250		2	250	1	0.2	500			0.001	
DGC-2D	05/06/92	33	250	3.2	8.33		<3		<10		<0.04	140	3	<3	1.43	13	0.1659	<0.01	118	1.27	1	0.32	240
DGC-2D	06/12/97	-270	257	135	8.29	13.2	<4		15	<0.01	0.024	200	6.5	<1	0.96	13	<1	<0.01	160	1.7	<1	<0.002	110
DGC-2D	08/27/97	-70	249	162	8.05	12.4	<4				<0.02	140	5	32	0.71	13			54	3.8	<1	<0.002	110
DGC-2D	11/18/97	65	281	354	7.95	10.4	<4				<0.02	220	1.8	27	0.71	31			180	1.1	1.3	<0.002	140
DGC-2D	04/28/98	>-100	267	672	7.14	9.4	<4				<0.02	310	1.9	<1	0.72	13			190	1	<1	<0.002	180
DGC-2D	06/23/98	35	268	647	8.01	12	<4		10	<0.01	<0.1	110	1.6	<3	0.54	13	<1	<0.01	180	0.97	<1	<0.002	180
DGC-2D	11/25/98	265	0.258	379	7.66	11.1	<4				<0.1	140	2	39	0.36	3.8			190	0.85	<1	<0.002	160
DGC-2D	02/17/99	275	2620	645	8.06	8.7	14				<0.1	130	3.2	6.7	0.65	12			66	0.73	<1	<0.002	180
DGC-2D	03/30/99	54	300	42.2	8.08	9.5	<3				<0.050	171	2.55	<10.0	0.595	23			156	<1.00	<1.0	<0.001	110
DGC-2D	06/29/99	-185	480	45.5	8.97	11.5	<3				0.227	93.5	27.5	<10.0	0.162	11			154	<1.00	1.8	0.01	108
DGC-2D	09/30/99	-151	625	40	8.6	10.8	<3		55	<0.010	<0.050	28.6	49.2	<10.0	0.582	14	0.067	<0.010	133	<1.00	2.7	0.019	64
DGC-2D	12/29/99	-190	290	27.5	7.15	9.2	<3				<0.05	51.2	42.4	<10	0.534	15			130	<1	2.5	0.0073	60.1
DGC-2D	03/30/00	-175	300	35	8.25	8.3	<3				0.53	30.8	40.8	<10	<0.1	17			146	<1	1.8	<0.004	76.6
DGC-2D	06/22/00	-176	225	11	9.04	12.3	<3				0.53	44.1	38	11.8	<0.1	13			147	<1	1.3	<0.004	70.7
DGC-2D	09/21/00	-81	650	45	7.23	11.7	8				<0.05	276	15.7	<10	2.63	9.8			286	3.58	7.5	0.0049	262
DGC-2D	12/06/00	-80	872	36	7.55	8.6	7		300	<0.01	<0.05	409	22.5	10.3	5.29	28	0.086	<0.01	463	7.18	8.5	<0.004	358
DGC-2D	03/22/01	-69.6	970	26.1	7.3	9.1	5		500	<0.01	<0.05	398	<1	22.1	4.48	9.5	0.085	<0.01	427	7.21	3.8	0.0067	314
DGC-2D	06/05/01	48	420	13.3	8.1	12	<3				<0.1	313	10.3	10.9	3.81	10.5			298	6.22	3.2	<0.004	253
DGC-2D	09/25/01	40	310	16.8	8.15	55	<3				<0.1	144	13.2	<10	1.34	12.3			182	<1	2.2	0.0128	147
DGC-2D	12/4/01	47	305	16.8	8.1	13.1	<3				<0.1	134	11.2	<10	1.5	12.6			155	1.13	1	0.0097	132
DGC-2D	09/11/02	62	810	37.9	7.85	15.1	<3		25	<0.01	<0.1	499	50.8	41.9	7.69	5.32	0.108	<0.005	605	8.49	14	<0.004	378
DGC-2D	06/24/03	24.8	540	38.6	8.06	15.2	7		20	<0.01	<0.1	422	6.78	<10	1.17	10.1	0.061	<0.005	422	3.18	4.5	<0.004	303
DGC-2D	03/31/04	-50	351	75	7.45	10.5	<4		75	<0.01	<0.1	180	4.4	<2	0.86	12	<0.5	<0.01	210	0.99	1.7	<0.002	170
DGC-2D	12/10/04	15	250	82	7.45	9	<4		800	<0.01	0.072	140	4.3	8.8	0.85	13	<0.5	<0.01	140	0.57	1.4	<0.002	130
DGC-2D	09/27/05	195	303	26	7.6	11.1	<4		32	<0.01	0.13	170	4.2	<5	0.65	13	<0.5	<0.01	180	0.52	<1	<0.002	130
DGC-2D	06/27/06	280	273	18	7.84	12.4	<4		15	<0.01	0.08	120	4.8	140	0.29	13	<0.5	<0.01	180	0.35	<1	<0.002	120
DGC-2D	09/25/07	250	257	0	7.86	12.4	<4		10	<0.01	<0.1	150	3.7	<5	0.26	13	<0.5	0.019	170	0.74	<1	<0.003	130
DGC-2D	12/16/08	59	198	24	8.17	8	<4		<5	<0.01	<0.1	140	3.8	<5	0.39	14	<0.5	<0.01	150	0.42	<1	<0.003	110
DGC-2D	06/09/10	-10.4	3000	8.37	7.46	11.5	<24		2	<0.004	<0.5	220	1	36	0.43	11.9	0.1	<0.005	224	0.89	<1	<0.010	166
DGC-2D	06/14/11	128.7	270	65	8.45	15.3	<12		2	<0.004	<0.05	120	<2	<5	0.41	13.1	<0.1	<0.005	168	0.56	1.2	<0.010	105
DGC-2D	09/20/12	159	230	19	7.76	16.5	<24	<80	<2	<0.004	<0.05	130	<2	<5	0.34	12.6	<0.10	<0.005	142	<0.5	<3.0	<0.010	106
DGC-2D	11/26/13	214	0.211	11.6	8.52	3.8	<6.0	<1.0	<5	<0.004	<0.05	128	<1.0	5	0.29	13.4	0.12	<0.01	151	<0.5	<1.1	<0.010	111
DGC-2D	04/21/15	-61	0.44	0	7.39	9.27	<4.0	0.149	<5	<0.004	<0.05	216	<2	<5	1.25	<10.0	0.066	<0.01	245	1.37	1.89	<0.010	212
DGC-2D	06/28/16	119	0.282	104	8.39	15.3	<4.0	<0.100	5	<0.004	0.2	164	<5	<5	0.48	17.3	0.05	<0.01	192	0.95	1.6	<0.010	151
DGC-2D	09/26/17	-60	0.237	8.6	7.6	16.2	<4.0	0.111	<5	<0.004	<0.05	158	3.9	<5	1.53	12.6	0.076	<0.01	168	1.58	1.39	<0.010	147

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well	Date Sampled	Eh mV	Cond(fld) mS/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Bromide mg/L	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/lCaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/lCaCO3
Class GA Standard or Guidance Value					6.5-8.5			2	15	0.05	10		250		2	250	1	0.2	500			0.001	
DGC-3D	05/06/92	157	260	12.3	7.39		6		10		<0.04	204	<1	22	0.71	4	0.1188	0.01	172	0.94	4.6	0.34	234
DGC-3D	06/12/97	75	429	340	7.99	11.9	4.3		20	<0.01	<0.02	260	3.7	4.3	0.72	<5	<1	<0.01	230	1.8	2.3	<0.002	210
DGC-3D	08/27/97	125	372	>999	7.53	11.1	<4				<0.02	250	3.5	25	1.5	11			140	6.4	3.9	<0.002	3000
DGC-3D	11/18/97	75	319	60	7.5	8.8	12				<0.02	180	1.8	25	0.69	<5			190	1.2	1.8	<0.002	190
DGC-3D	04/28/98	35	312	64	7.05	9.7	6				<0.02	200	<1	<1	0.53	6.5			210	0.86	2.1	<0.002	170
DGC-3D	06/23/98	60	310	143	7.82	11.5	<4		3	<0.01	<0.1	170	1.3	<3	0.41	3		<0.01	190	0.91	2.3	<0.002	680
DGC-3D	11/25/98	105	0.291	102	7.17	9.1	9.6				<0.1	230	<1	65	0.46	4.9			180	1	1.8	<0.002	230
DGC-3D	02/17/99	Location Not Sampled																Location Not Sampled					
DGC-3D	03/30/99	117	300	14.2	7.9	9.1	3				<0.050	191	<1.00	<10.0	0.691	12			169	<1.00	2	<0.001	111
DGC-3D	06/29/99	-179	310	28.1	7.74	12.4	<3				<0.050	171	1.11	12	0.705	6			170	<1.00	2.4	0.007	121
DGC-3D	09/30/99	-12	325	13	7.8	11.2	<3		20	<0.010	<0.050	170	<1.00	<10.0	0.638	<5.0	0.104	<0.010	171	<1.00	1.7	<0.001	108
DGC-3D	12/29/99	-66	390	11.8	7.09	7.8	<3				<.05	212	<1	<10	0.563	<5			168	2.07	2.8	<.005	118
DGC-3D	03/30/00	-71	300	11	7.56	9	<3				<0.05	168	<1	<10	0.678	<5			170	<1	1.8	<0.004	119
DGC-3D	06/22/00	-173	275	12	7.89	13.7	<3				<0.05	159	<1	23.9	0.643	<5			179	<1	2.5	<0.004	120
DGC-3D	09/21/00	-29	340	20	8.13	12.1	<3				0.252	158	<1	<10	0.719	<5			155	<1	1.7	<0.004	114
DGC-3D	12/06/00	-52	307	21	8.09	8.1	<3		15	<0.01	<0.05	151	<1	<10	0.566	<5	0.096	<0.01	169	1.34	1.5	<0.004	112
DGC-3D	03/22/01	-95	375	12.6	7.53	7	<3		25	<0.01	<0.05	84.5	<1	<10	0.562	<5	0.096	<0.01	182	1.07	1.9	0.0053	127
DGC-3D	06/05/01	-53	301	37	7.44	9.7	<3				0.18	25.4	1.07	<10	0.591	<5			172	1.01	2	<0.004	134
DGC-3D	09/25/01	44	306	18.9	8.1	13.5	<3				<0.1	153	<1	<10	<0.1	<5			167	1.01	1.5	<0.004	126
DGC-3D	12/04/01	130	270	18.2	7.7	10	<3				<0.1	151	<1	<10	0.71	<5			143	<1	1.1	0.0063	117
DGC-3D	09/11/02	144.1	247	120	7.45	14.1	<3		10	<0.01	0.195	149	<1	<10	0.419	<5	0.097	<0.005	177	<1	1.1	<0.004	115
DGC-3D	06/24/03	113	284	14	8.52	14.4	<3		<5	<0.01	0.22	155	5.94	<10	0.39	<5	0.089	<0.005	159	<1	<1	<0.004	106
DGC-3D	04/01/04	85	266	212	7.82	9.9	12		88	<0.01	0.14	150	3	32	0.49	3.7	<0.5	<0.01	170	0.78	1.8	<0.002	140
DGC-3D	12/10/04	70	257	98	7.72	8.9	<4		1500	<0.01	0.052	150	2.7	60	0.6	3.9	<0.5	<0.01	220	0.52	2	<0.002	460
DGC-3D	09/27/05	305	274	60	7.46	10.3	<4		22	<0.01	0.16	150	3	19	0.62	2.9	<0.5	<0.01	170	0.51	1.2	<0.002	200
DGC-3D	06/27/06	260	269	5	7.6	12.1	<4		15	<0.01	<0.02	130	2.6	110	0.39	3.6	<0.5	<0.01	210	0.69	1.4	<0.002	900
DGC-3D	09/25/07	290	239	51	8.39	11.5	5		400	<0.01	<0.1	150	3.7	26	0.29	4.2	<0.5	<0.01	180	0.77	1.6	<0.003	450
DGC-3D	12/16/08	150	205	61	8.16	8.7	<4		<5	<0.01	<0.1	180	2.9	15	0.63	4.2	<0.5	<0.01	160	1.5	1.3	<0.003	210
DGC-3D	06/10/10	220.3	3000	5.45	7.82	13.5	<4		5	<0.004	<0.5	619	<1	36	0.15	<5	0.1	<0.005	168	<0.5	1.2	<0.010	106
DGC-3D	06/14/11	163.9	220	16.69	8.27	11.6	<4		10	<0.004	<0.05	187	<2	21	0.39	<5	<0.1	<0.005	173	1	1.9	<0.010	254
DGC-3D	09/20/12	143	238	93	7.66	15.3	<4	<80	2	<0.004	<0.05	140	<2	10	0.46	5.61	<0.1	<0.005	165	0.5	<3.0	<0.010	118
DGC-3D	11/26/13	251	0.217	132	8.41	3.8	6.9	<1.0	<5	<0.004	0.06	144	<1.0	5	0.59	5.85	0.14	<0.01	300	0.81	1.7	<0.010	220
DGC-3D	04/22/15	76	0.264	0	8.06	9.75	<4.0	<0.10	<5	<0.004	<0.05	148	<2	<5	0.55	<10	0.086	<0.01	140	0.76	1.68	<0.010	203
DGC-3D	06/28/16	117	0.237	52	7.83	15.1	<4.0	<0.10	<5	<0.004	<0.05	176	<5	10	0.63	10.3	0.091	<0.01	148	0.94	1.6	<0.010	119
DGC-3D	09/26/17	12	0.192	0.6	7.15	13.1	<4.0	<0.10	<5	<0.004	0.06	139	<2.5	<5	0.55	<10	0.096	<0.01	158	0.56	1.2	<0.010	109

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Eh mV	Cond(fld) mS/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Bromide mg/L	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/lCaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/lCaCO3
Class GA Standard or Guidance Value					6.5-8.5			2	15	0.05	10		250		2	250	1	0.2	500			0.001	
DGC-6D	05/06/92	163	300	360	7.39		6		40		<0.04	166	<1	36	0.22	19	<0.100	<0.01	179	<0.05	2.7	0.1	228
DGC-6D	06/12/97	-30	299	268	8.05	12.6	<4		10	<0.01	<0.02	160	1.9	2.2	<0.03	<5	<1	<0.01	180	0.33	<1	<0.002	260
DGC-6D	08/27/97	485	280	>999	7.81	15.4	<4				<0.02	160	5.5	1	0.067	19			120	0.9	1.1	<0.002	210
DGC-6D	11/18/97	145	310	>999	7.75	11.1	<4				<0.02	190	1.4	20	0.055	<5			200	0.32	0.97	<0.002	220
DGC-6D	04/28/98	30	295	690	7.43	9.6	<4				<0.02	160	<1	<1	0.063	11			180	0.52	<1	<0.002	250
DGC-6D	06/23/98	-20	290	428	7.45	15.2	<4		20	<0.01	<0.1	130	1.5	<3	<0.03	28	<1	<0.01	180	0.28	<1	<0.002	330
DGC-6D	11/25/98	315	0.292	>999	7.03	11.1	<4				<0.1	80	<1	21	<0.03	8.3			150	0.42	<1	<0.002	240
DGC-6D	02/17/99	300	299	98	7.55	8.7	4.1				7.3	160	1.8	22	0.065	14			56	0.31	1.4	<0.002	160
DGC-6D	03/30/99	98	300	122	7.77	6.5	<3				<0.050	184	<1.00	<10.0	0.156	17			173	<1.00	<1.0	0.019	180
DGC-6D	06/29/99	-95	325	79	8.33	13.5	<3				<0.050	173	<1.00	<10.0	0.139	12			174	1.71	<1.0	0.017	143
DGC-6D	09/30/99	25	390	100	7.14	13.8	<3		10	<0.010	<0.050	150	1.41	<10.0	0.136	14	<0.048	<0.010	186	<1.00	<1	0.005	173
DGC-6D	12/29/99	-98	440	39.2	7.32	7.7	<3				<0.05	189	<1	<10	<1	19			153	<1	<1	<0.005	145
DGC-6D	03/30/00	-100	300	50	7.87	7.4	<3				<0.05	144	1.14	<10	<0.1	14			182	<1	<1	<0.004	152
DGC-6D	06/22/00	-171	290	14	8.15	14.8	<3				<0.05	138	<1	<10	0.135	14			166	<1	<1	<0.004	130
DGC-6D	09/21/00	-63	413	18	8.06	15.3	<3				<0.05	137	<1	<10	<0.1	17			155	<1	4.2	0.0066	143
DGC-6D	12/06/00	-87	298	22.2	8.27	9.8	<3				0.136	132	<1	<10	<0.1	16	<0.048	<0.01	140	<1	<1	<0.004	151
DGC-6D	03/22/01	7.2	955	27.5	7.49	7.1	<3		75	<0.01	0.173	138	<1	<10	<0.1	14	0.072	<0.01	125	<1	1.3	<0.004	481
DGC-6D	06/05/01	-27.8	1290	56	8.3	11.3	<3		100	<0.01	<0.1	126	<1	<10	0.239	14.4			182	2.69	1.6	0.0216	194
DGC-6D	09/25/01	27.3	497	27.3	7.55	54	<3				<0.1	143	1.03	<10	0.188	14			185	1.35	1.3	<0.004	576
DGC-6D	12/04/01	110	407	66	7.77	12.1	<3				<0.1	124	<1	<10	0.1	14.5			152	<1	<1	<0.004	408
DGC-6D	09/11/02	85	405	17.6	7.85	13.9	<3		10	<0.01	<0.1	131	1.7	<10	<0.1	12.9	<0.048	<0.005	168	1.76	<1	0.0053	191
DGC-6D	06/24/03	14.5	415	27.3	7.95	15	<3		<5	<0.01	0.11	144	<1	<10	0.185	13.2	0.065	<0.005	158	<1	<1	<0.004	148
DGC-6D	03/31/04	75	262	614	7.66	9.7	<4		88	<0.01	<0.1	140	3.2	61	0.13	14	<0.5	<0.01	250	0.26	<1	<0.002	630
DGC-6D	12/10/04	65	252	124	7.54	9.5	<4		450	<0.01	0.067	140	2.9	18	0.11	14	<0.5	<0.01	64	0.17	<1	<0.002	160
DGC-6D	09/27/05	275	284	391	7.25	15	<4		55	<0.01	0.16	130	3.2	<5	0.067	13	<0.5	<0.01	190	0.19	<1	<0.002	210
DGC-6D	06/27/06	205	310	183	7.32	14.5	14		20	<0.01	<0.02	120	2.8	210	0.11	13	<0.5	<0.01	180	0.16	<1	<0.002	210
DGC-6D	09/25/07	170	280	20	8.32	14.4	<4		40	<0.01	<0.1	160	2.3	20	<0.03	14	<0.5	<0.01	210	0.3	1.2	<0.003	180
DGC-6D	12/16/08	85	234	165	7.93	7.6	<4		<5	<0.01	<0.1	250	3.2	5.9	0.11	14	<0.5	<0.01	190	0.25	1.2	<0.003	180
DGC-6D	06/09/10	172	2000	46.43	7.82	14.6	<4		5	<0.004	<0.5	110	1.5	36	0.21	13.6	0.07	<0.005	180	<0.5	<1	<0.010	156
DGC-6D	06/14/11	72.3	310	74	8.32	16.4	<4		<2	<0.004	<0.05	113	<2	<5	0.23	13.6	<0.1	<0.005	167	<0.5	<1	<0.010	153
DGC-6D	09/20/12	18	273	52	7.52	18.6	<4	<80	<2	<0.004	<0.05	130	<2	10	0.32	13.2	<0.1	<0.005	192	<0.5	<3.0	<0.010	138
DGC-6D	11/26/13	-11	0.245	43.1	8.48	4.4	<4.0	<1.0	<5	<0.004	0.06	140	<1.0	16	0.46	14.8	0.071	<0.01	182	<0.5	<1.1	<0.010	162
DGC-6D	04/21/15	76	0.264	0	8.06	9.75	<4.0	<0.10	<5	<0.004	0.05	136	<2	<5	0.15	12.1	0.034	<0.01	170	0.7	<1.00	<0.010	172
DGC-6D	06/28/16	-25	2.28	346	6.81	17.2	13	3.87	40	<0.004	0.15	1060	410	256	41.8	<10.0	1.12	<0.01	1620	46.2	70	<0.010	834
DGC-6D	09/26/17	-71	1.97	22.6	7.1	18.3	24	2.73	40	0.009	0.43	851	313	185	38.5	<10	0.92	<0.01	1280	43.2	52.7	<0.010	666

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	V mg/l	Zn mg/l
Class GA Standard or Guidance Value		0.003	0.025	1	0.003	0.005	0.05	0.2	0.3	0.025	35	0.3	0.0007	0.1	0.01	0.05	20	0.0005	2				
MW-2SR	06/12/97	4	<0.06	<0.01	0.33	<0.01	<0.01	110	0.086	0.036	7.5	<0.01	66	0.53	0.0003	0.2	3.8	<0.05	<0.01	91	<0.03		0.12
MW-2SR	11/18/97					<0.01	90			0.6	<0.01	56		0.19			1.6			140			
MW-2SR	04/28/98					<0.01	94			1.1	<0.01	58		0.16			1.1			140			
MW-2SR	06/23/98	0.14	<0.06	<0.01	0.25	<0.01	<0.01	97	0.023	<0.02	0.85	<0.01	66	0.22	<0.0002	0.051	1.5	<0.05	<0.01	130	<0.03		0.14
MW-2SR	11/25/98					<0.01	91			0.83	0.029	52		0.13			<1			110			
MW-2SR	02/17/99					<0.01	92			0.88	0.1	57		0.2			1.1			130			
MW-2SR	03/30/99					<0.005	98.1		1.94		<0.001	58.6	0.181				0.886			109			
MW-2SR	06/29/99					<0.005	104		2.83		<0.001	63.3	0.149				1.25			96.3			
MW-2SR	09/30/99	0.081	0.055	0.018	0.248	<0.002	<0.005	93.3	0.01	<0.017	2.7	<0.001	54.3	0.08	<0.0002	<0.012	1.67	<0.002	<0.010	62.2	<0.001		0.024
MW-2SR	12/29/99						0.012	107		6.76	0.001	63.6	0.198				1.16			120			
MW-2SR	03/30/00						<0.0050	109		6.93	0.007	66.3	0.208				1.09			124			
MW-2SR	06/22/00					<0.005	96.6		1.23	0.003	59.7	0.161				0.946			99.9				
MW-2SR	09/21/00					<0.005	99.2		0.685	0.009	59.8	0.157				1.56			88.3				
MW-2SR	12/06/00	<0.075	<0.050	0.013	0.306	<0.002	<0.005	101	<0.10	<0.017	1.79	0.001	61.2	0.195	<0.0002	<0.012	1.27	<0.002	<0.010	124	<0.001		<0.020
MW-2SR	03/22/01	<0.075	<0.050	0.013	0.285	<0.002	<0.005	99.8	0.015	<0.017	3.22	0.003	59.7	0.175	<0.0002	<0.012	0.95	<0.002	<0.010	102	<0.001		<0.020
MW-2SR	06/05/01					<0.005	98.4		1.04	0.002	61.1	0.169				1.33			98.6				
MW-2SR	09/25/01					<0.005	95.8		1.98	0.006	58.8	0.14				0.703			81.3				
MW-2SR	12/04/01					<0.005	105		8.84	0.002	62.9	0.201				1.34			121				
MW-2SR	09/11/02	0.333	<0.050	0.019	0.264	<0.002	<0.005	95.6	0.061	<0.017	3.9	0.001	57	0.136	<0.0002	0.014	1.37	<0.001	<0.010	78.4	<0.001	<0.010	0.02
MW-2SR	06/24/03	<0.075	<0.050	0.005	0.239	<0.002	0.004	94.5	<0.002	<0.017	0.578	0.001	57.4	0.129	<0.0002	<0.012	0.857	<0.001	<0.001	80.6	<0.001	<0.010	<0.020
MW-2SR	03/31/04	5	<0.01	0.055	0.34	<0.01	<0.01	110	0.042	0.029	14	0.016	68	0.43	<0.0002	0.06	3.4	<0.01	<0.01	130	<0.01	0.016	0.087
MW-2SR	12/10/04	<0.1	<0.01	0.014	0.26	<0.01	<0.01	94	0.01	<0.01	2.8	<0.01	58	0.12	<0.0002	0.041	1.6	<0.01	<0.01	96	<0.01	<0.01	0.08
MW-2SR	09/27/05	2	<0.01	0.024	0.3	<0.01	<0.01	100	0.094	0.063	7.2	<0.01	66	0.22	<0.0002	0.063	2.9	<0.01	<0.01	120	<0.01	<0.01	0.12
MW-2SR	06/27/06	0.48	<0.01	<0.01	0.26	<0.01	<0.01	94	0.033	0.013	2.5	0.016	59	0.12	<0.0002	0.072	1.7	0.049	<0.01	90	<0.01	<0.01	0.11
MW-2SR	09/25/07	1.7	<0.01	0.026	<0.2	<0.01	<0.01	100	0.052	0.02	4.9	<0.01	63	0.18	<0.0002	0.086	2.4	<0.01	<0.01	87	<0.01	<0.01	0.09
MW-2SR	12/16/08	0.56	<0.01	<0.01	0.31	<0.01	<0.01	104	0.021	<0.01	2.3	0.014	60	0.11	<0.0002	0.068	1.8	<0.01	<0.01	87	<0.01	<0.01	0.12
MW-2SR	06/09/10	<0.20	<0.02	<0.02	0.26	<0.02	<0.02	94	<0.02	<0.02	0.92	0.05	58	0.09	<0.001	<0.02	0.94	<0.02	<0.02	75	<0.02	<0.02	<0.02
MW-2SR	06/14/11	0.16	<0.02	<0.02	0.24	<0.02	<0.02	96	<0.02	<0.02	2.6	0.04	65	0.09	<0.001	0.03	1.3	<0.02	<0.02	71	<0.01	<0.02	0.04
MW-2SR	09/20/12	0.19	<0.02	<0.02	0.27	<0.02	<0.02	87	<0.02	<0.02	1.1	<0.02	59	0.22	<0.0008	0.02	1.4	<0.02	<0.02	75	<0.01	<0.02	0.03
MW-2SR	11/26/13	0.22	<0.02	<0.02	0.25	<0.02	<0.02	87	<0.02	<0.02	0.83	<0.02	55	0.12	<0.0008	0.048	1	<0.02	<0.02	68	<0.01	<0.02	<0.048
MW-2SR	04/21/15	0.31	0.012	<0.02	0.24	<0.02	<0.02	87.7	<0.02	<0.02	1.01	<0.02	56.3	0.12	<0.0002	<0.02	16.2	<0.02	<0.02	71.6	<0.010	<0.02	0.028
MW-2SR	06/28/16	<0.2	<0.006	<0.02	0.23	<0.002	<0.0025	88.8	<0.02	<0.02	0.86	<0.02	54.8	0.096	<0.0007	<0.02	1.13	<0.015	<0.005	67	<0.005	<0.02	<0.02
MW-2SR	09/26/17	<0.20	<0.02	<0.02	0.24	<0.005	<0.005	89.8	<0.02	<0.02	0.64	<0.02	56.3	0.085	<0.0007	<0.02	1.24	<0.02	<0.005	66.1	<0.03	<0.02	<0.02

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	V mg/l	Zn mg/l	
Class GA Standard or Guidance Value		0.003	0.025	1	0.003	0.005	0.05	0.2	0.3	0.025	35	0.3	0.0007	0.1	0.01	0.05	20	0.0005	2					
DGC-3S	05/06/92	1.57	<0.0357	0.0071	0.175	<0.0013	<0.0038	77.3	0.0093	<0.0039	1.86	<0.003	34.9	0.0657	<0.0002	<0.0306	1.59	<0.005	<0.0099	27.9	<0.005			0.0068
DGC-3S	12/15/92	0.251	<0.039	<0.025	0.1	<0.001	<0.003	40.7	<0.005	0.0079	1.65	0.004	17.2	0.178		<0.019	0.767		<0.004	21.5			<0.005	
DGC-3S	06/12/97	46	0.14	<0.01	0.45	<0.01	<0.01	310	0.056	0.1	80	0.047	120	2.2	<0.0002	0.076	16	<0.05	<0.01	24	<0.03		0.32	
DGC-3S	08/27/97						<0.01	480			98	0.07	180	3.6			11			21				
DGC-3S	11/18/97						0.014	140			15	<0.01	48	0.54			3.4			11				
DGC-3S	04/28/98					<0.01	<0.01	160			32	0.017	69	1.3			6.1			29				
DGC-3S	06/23/98	15	<0.06	0.089	<0.2	<0.01	<0.01	120	0.027	0.022	29	0.023	58	1.1	<0.0002	0.026	7	<0.05	<0.01	26	<0.03		0.1	
DGC-3S	11/25/98					<0.01	<0.01	120			12	0.042	42	0.32			<1			20				
DGC-3S	02/17/99					<0.01	<0.01	87			5.2	<0.01	26	0.27			1.3			8				
DGC-3S	03/30/99					<0.005	<0.005	79			0.236	0.002	21.5	0.191			<0.500			8.52				
DGC-3S	06/29/99					<0.005	<0.005	25.1			2.79	0.002	12.6	0.138			1.54			21.4				
DGC-3S	09/30/99	5.51	<0.050	0.047	0.102	<0.002	<0.005	48.4	0.013	<0.017	8.6	0.005	20.6	0.365	<0.0002	<0.012	2.39	<0.002	<0.010	20.1	<0.001		0.028	
DGC-3S	12/29/99						0.008	100			1.61	0.001	26.5	0.061			0.774			6.69				
DGC-3S	03/30/00					<0.0050	<0.0050	79.6			0.8	0.01	23.1	0.212			0.564			9.85				
DGC-3S	06/22/00					<0.005	<0.005	43.2			4.64	0.007	19.6	0.27			1.4			20.2				
DGC-3S	09/21/00						0.006	53			2.67	0.008	19.2	0.128			1.15			21				
DGC-3S	12/06/00	0.502	<0.050	0.052	0.147	<0.002	<0.005	90.8	<0.010	<0.017	2.92	0.001	24.1	0.212	<0.002	<0.012	<0.500	<0.002	<0.010	9.46	<0.001		0.37	
DGC-3S	03/22/01	7.97	<0.050	0.028	0.185	<0.002	<0.005	113	0.012	0.021	13.3	0.009	39.1	0.959	<0.0002	0.019	2.62	<0.002	<0.010	7.82	<0.001		0.052	
DGC-3S	06/05/01					<0.005	<0.005	42.4			6.57	0.004	20.1	0.314			1.92			20.8				
DGC-3S	09/25/01					<0.005	<0.005	57.9			16.5	0.014	27.9	0.522			2.47			22.1				
DGC-3S	12/04/01					<0.005	<0.005	97.8			4.18	0.004	26.8	0.228			0.9			8.78				
DGC-3S	09/11/02	2.35	<0.050	0.053	0.099	<0.002	<0.005	52.7	0.004	<0.017	4.88	0.003	18.6	0.354	<0.0002	<0.012	1.26	<0.001	<0.010	16.9	<0.001	<0.010	0.029	
DGC-3S	06/24/03	2.75	<0.050	0.028	0.074	<0.002	<0.001	40.8	0.003	<0.017	4.34	0.006	16.3	0.211	<0.0002	<0.012	1.27	<0.001	<0.001	15.9	<0.001	<0.010	<0.020	
DGC-3S	03/31/04	7.4	<0.01	0.027	<0.2	<0.01	<0.01	88	0.012	0.017	13	0.014	29	0.46	<0.0002	0.013	2.4	0.012	<0.01	8.4	<0.01	0.016	0.13	
DGC-3S	12/10/04	0.63	<0.01	0.026	0.19	<0.01	<0.01	110	<0.01	0.011	2.1	<0.01	31	0.24	<0.0002	<0.01	<1	<0.01	<0.01	12	<0.01	<0.01	0.12	
DGC-3S	09/27/05	25	<0.01	0.083	0.32	<0.01	<0.01	130	0.038	0.046	43	<0.01	60	1.1	<0.0002	0.036	7.6	<0.01	<0.01	24	<0.01	0.044	0.14	
DGC-3S	06/27/06	14	<0.01	0.01	0.23	<0.01	<0.01	110	0.019	0.026	25	0.02	56	0.79	<0.0002	0.025	4.5	0.072	<0.01	22	<0.01	0.022	0.1	
DGC-3S	09/25/07	58	<0.01	0.12	0.64	<0.01	<0.01	240	0.079	0.089	110	0.013	120	2.6	0.00021	0.093	11	<0.01	<0.01	23	<0.01	0.047	0.33	
DGC-3S	12/16/08	8.8	<0.01	<0.01	0.24	<0.01	<0.01	140	0.012	0.01	13	0.014	43	0.47	<0.0002	0.021	3.1	0.027	<0.01	7.7	<0.01	0.014	0.11	
DGC-3S	06/10/10	<0.20	<0.02	<0.02	0.11	<0.02	<0.02	58	<0.02	<0.02	0.18	0.04	15	0.05	<0.001	<0.02	<0.050	<0.02	<0.02	16	<0.02	<0.02	<0.02	
DGC-3S	06/14/11	1.9	<0.02	<0.02	0.09	<0.02	<0.02	42	<0.02	<0.02	2	0.03	16	0.08	<0.001	<0.02	1.4	<0.02	<0.02	18	<0.01	<0.02	<0.02	
DGC-3S	09/20/12	3.1	<0.02	<0.02	0.28	<0.02	<0.02	146	<0.02	0.03	8	0.02	41	1	<0.0008	<0.02	1.7	<0.02	<0.02	22	<0.01	<0.02	0.04	
DGC-3S	11/26/13	1.3	<0.02	<0.02	0.17	<0.02	<0.02	116	<0.02	<0.02	2.1	<0.02	29	0.091	<0.0008	<0.02	<1.0	<0.02	<0.02	6.9	<0.01	<0.02	<0.02	
DGC-3S	04/21/15	0.95	<0.012	<0.02	0.13	<0.02	<0.02	102	<0.02	<0.02	1.93	<0.02	23.8	0.17	<0.0002	<0.02	17	<0.02	<0.02	10.4	<0.010	<0.02	<0.02	
DGC-3S	06/28/16	2.26	<0.006	<0.02	0.079	<0.002	<0.0025	35.9	<0.02	<0.02	2.86	<0.02	15	0.086	<0.0007	<0.02	1.44	<0.015	<0.005	20.1	<0.005	<0.02	<0.02	
DGS-3S	09/26/17	4.69	<0.02	0.037	0.12	<0.005	<0.005	44.8	<0.02	<0.02	7.98	<0.02	21.1	0.23	<0.0007	<0.02	2.22	<0.02	<0.005	20.8	<0.03	<0.02	0.026	

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	V mg/l	Zn mg/l
Class GA Standard or Guidance Value		0.003	0.025	1	0.003	0.005	0.05	0.2	0.3	0.025	35	0.3	0.0007	0.1	0.01	0.05	20	0.0005	2				
MW-4SR	05/05/92	0.912	<0.0357	0.007	0.732	<0.0013	<0.0038	137	0.0068	<0.0039	12.7	<0.015	50.3	0.838	<0.002	<0.0306	56.5	<0.005	<0.0099	63.9	<0.005		0.0198
MW-4SR	12/15/92	0.172	<0.039	0.007	0.672	<0.001	<0.003	125	<0.005	<0.004	5.94	0.0098	45.7	1.2		0.0586	59.9		<0.004	63.9			0.0052
MW-4SR	06/12/97	2.7	<0.06	<0.01	0.54	<0.01	<0.01	180	0.015	<0.02	45	0.017	47	6.1	<0.0002	0.075	67	<0.05	<0.01	61	<0.03		0.25
MW-4SR	08/27/97						<0.01	190			45	0.022	48	5.1			63			84			
MW-4SR	11/18/97						<0.01	170			42	0.025	44	5			72			120			
MW-4SR	04/28/98						<0.01	200			60	0.047	60	6.4			74			150			
MW-4SR	06/23/98	7.1	<0.06	0.039	0.61	<0.01	<0.01	190	0.027	0.022	50	0.028	57	4.7	0.00037	0.07	84	<0.05	<0.01	150	<0.03		0.18
MW-4SR	11/25/98						<0.01	190			82	0.095	61	3.2			20			140			
MW-4SR	02/17/99						<0.01	160			57	0.016	49	2.9			64			100			
MW-4SR	03/30/99						<0.005	166			25.8	0.006	49.2	2.79			58.6			103			
MW-4SR	06/29/99						<0.005	156			36	0.003	50.9	0.987			70.9			107			
MW-4SR	09/30/99	0.743	0.054	0.033	0.772	<0.002	<0.005	152	<0.010	<0.017	38.3	0.01	46.1	1.11	<0.0002	0.025	69.3	<0.002	<0.010	102	<0.001		0.027
MW-4SR	12/29/99						<0.005	163			51.9	0.043	51	1.91			65.3			98.9			
MW-4SR	03/30/00						<0.0050	167			57.1	<0.001	53.6	2.23			61.1			94.1			
MW-4SR	06/22/00						<0.005	142			42	0.003	47.5	1.59			59.9			90			
MW-4SR	09/21/00						<0.005	149			41.1	<0.001	50.7	1.19			71.8			104			
MW-4SR	12/06/00	0.907	<0.050	0.02	0.659	<0.002	0.005	148	<0.010	<0.017	30.8	0.007	50	1.21	<0.0002	0.02	68.5	<0.002	<0.010	102	<0.001		0.024
MW-4SR	03/22/01	1.93	<0.050	0.015	0.542	<0.002	<0.005	155	<0.010	<0.017	46.4	0.007	52.7	2.02	<0.0002	0.027	58	<0.002	<0.010	87.8	<0.001		0.021
MW-4SR	06/05/01						<0.005	160			43.4	0.004	56.1	1.82			64			99			
MW-4SR	09/25/01						<0.005	144			32.5	0.013	54.5	0.787			82			124			
MW-4SR	12/04/01						<0.005	141			35.9	0.005	49.1	1.66			67.5			104			
MW-4SR	09/11/02	5.55	<0.050	0.04	0.966	<0.002	<0.005	137	0.008	0.0108	27.2	0.006	53.2	0.636	<0.0002	0.036	81.1	0.002	<0.010	128	<0.001	0.015	0.052
MW-4SR	06/24/03	0.415	<0.050	0.024	0.472	<0.002	<0.001	121	0.003	<0.017	30.7	0.002	42.3	1.36	<0.0002	<0.012	49.2	0.001	<0.001	69.8	<0.001	<0.010	<0.020
MW-4SR	03/31/04	2	<0.01	0.039	0.52	<0.01	<0.01	130	<0.01	<0.01	26	0.017	49	2.1	<0.0002	<0.01	66	<0.01	<0.01	120	<0.01	<0.01	0.074
MW-4SR	12/10/04	0.76	<0.01	0.032	0.58	<0.01	<0.01	130	<0.01	<0.01	21	<0.01	46	1.8	<0.0002	0.02	81	<0.01	<0.01	120	<0.01	<0.01	0.048
MW-4SR	09/27/05	420	<0.1	<0.1	4.3	<0.1	<0.1	3600	0.82	0.99	990	0.32	1200	57	<0.015	1.1	160	<0.1	<0.1	200	<0.1	0.7	3.2
MW-4SR	06/27/06	42	<0.01	0.013	0.89	<0.01	<0.01	590	0.072	0.092	110	0.063	160	8.6	0.00024	0.12	90	0.078	<0.01	140	<0.01	0.062	0.29
MW-4SR	09/25/07																						
MW-4SR	12/16/08	6.5	<0.01	<0.01	0.72	<0.01	<0.01	180	0.018	0.011	35	0.063	56	2	<0.0002	0.054	77	0.029	<0.01	140	<0.01	0.011	0.23
MW-4SR	06/09/10	0.48	<0.02	<0.02	0.71	<0.02	<0.02	133	<0.02	<0.02	19	0.07	51	1.4	<0.001	0.03	66	<0.02	0.02	131	<0.02	<0.02	<0.02
MW-4SR	06/14/11	0.71	<0.02	<0.02	0.71	<0.02	<0.02	145	<0.02	<0.02	17	0.05	50	1.2	<0.001	0.03	69	<0.02	<0.02	143	<0.01	<0.02	<0.02
MW-4SR	09/20/12	5.6	<0.02	<0.02	1.2	<0.02	<0.02	296	<0.02	0.02	27	0.03	89	3.3	<0.0008	0.06	98	0.02	<0.02	179	<0.01	0.03	0.07
MW-4SR	11/26/13	4.3	<0.04	<0.02	0.61	<0.02	<0.02	156	<0.02	<0.02	22	0.027	52	1.6	<0.0008	0.041	71	<0.02	<0.02	145	<0.01	0.022	0.055
MW-4SR	04/21/15	3.11	<0.012	<0.02	0.63	<0.02	<0.02	140	<0.02	<0.02	18.3	<0.02	51.5	1.65	<0.0002	0.026	76.4	<0.02	<0.02	135	<0.010	<0.02	0.022
MW-4SR	06/28/16	1.56	<0.006	<0.02	0.75	<0.002	<0.0025	137	<0.02	<0.02	9.81	<0.02	51	0.8	<0.0007	0.035	75.1	<0.015	<0.005	162	<0.005	<0.02	0.027
MW-4SR	09/26/17	0.59	<0.02	<0.02	0.72	<0.005	<0.005	112	<0.02	<0.02	13	<0.02	45.3	0.54	<0.0007	0.025	83.5	<0.02	<0.005	162	<0.03	<0.02	<0.02

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	V mg/l	Zn mg/l	
Class GA Standard or Guidance Value		0.003	0.025	1	0.003	0.005	0.05	0.2	0.3	0.025	35	0.3	0.0007	0.1	0.01	0.05	20	0.0005	2					
DGC-5	05/06/92	10.9	0.0647	0.11	5.81	<0.0013	<0.0038	210	0.0194	0.0423	27.2	0.0271	121	1.03	<0.0002	0.0991	63.3	<0.010	<0.0099	361	<0.050			0.0817
DGC-5	12/15/92	0.215	<0.039	0.117	8.09	<0.001	<0.003	164	<0.005	0.0068	7.58	0.0044	115	0.732			91.2	<0.004		459				0.0097
DGC-5	06/12/97	24	0.083	0.045	1.8	<0.01	<0.01	470	0.032	0.068	73	0.033	150	6.3	<0.0002	0.11	39	<0.05	<0.01	61	<0.03			0.22
DGC-5	08/27/97						<0.01	490			70	0.041	180	3.6			62			110				
DGC-5	11/18/97						<0.01	700			130	0.07	250	8.4			49			82				
DGC-5	04/28/98						<0.01	540			98	0.047	160	6.7			18			35				
DGC-5	06/23/98	210	<0.06	0.77	3.9	0.01	0.016	840	0.38	0.64	330	0.26	980	23	<0.0002	0.64	140	<0.05	<0.01	210	<0.03			1.4
DGC-5	11/25/98						<0.01	990			230	0.28	310	7			23			210				
DGC-5	02/17/99						<0.01	610			150	0.037	200	6.7			32			60				
DGC-5	03/30/99						0.006	211			23	0.006	55.6	3.05			14.5			41.1				
DGC-5	06/29/99						<0.005	197			29	0.004	92	1.28			90.9			324				
DGC-5	09/30/99	2.07	<0.050	0.37	8.15	<0.002	<0.005	184	<0.010	0.029	16.7	0.001	93.7	0.609	<0.0002	0.083	136	<0.002	<0.010	457	<0.001			0.036
DGC-5	12/29/99						<0.005	235			51.9	0.006	61.1	4.18			16.9			40.5				
DGC-5	03/30/00						0.008	145			53.1	0.002	28.8	3.68			4.28			7.56				
DGC-5	06/22/00						<0.005	115			38.7	0.003	19.5	3.1			3.1			5.92				
DGC-5	09/21/00						<0.005	178			48.6	0.003	39.3	3.39			9.96			24.6				
DGC-5	12/06/00	140	<0.003	0.3	3.2	0.006	0.008	2040	0.168	0.565	441	0.5	657	20.9	0.0003	0.463	45.9	<0.002	<0.010	69.7	<0.001			0.829
DGC-5	03/22/01	6.86	<0.050	0.038	0.874	<0.002	<0.005	538	<0.010	0.05	89.5	0.012	91.9	6.52	0.0003	0.06	4.46	<0.002	<0.010	4.26	<0.001			0.081
DGC-5	06/05/01						0.006	845			155	0.04	251	7.77			30.1			72.2				
DGC-5	09/25/01						<0.005	262			49.3	0.02	95	1.8			57.9			190				
DGC-5	12/04/01						<0.005	185			50.4	0.006	45	3			13.3			35.8				
DGC-5	09/11/02	23.6	<0.050	0.201	5.16	<0.002	<0.005	313	0.027	0.085	68.2	0.025	110	2.48	<0.0002	0.113	83	0.003	<0.010	266	<0.005	0.059	0.132	
DGC-5	06/24/03	3.88	<0.050	0.045	0.818	<0.002	<0.001	142	0.005	<0.017	51.5	0.004	31.4	2.43	<0.0002	0.021	6.63	<0.001	<0.001	23.7	<0.001	<0.010	<0.020	
DGC-5	03/31/04	87	0.012	0.48	2.1	<0.01	0.01	2100	0.13	0.35	240	0.14	630	15	0.00025	0.26	34	<0.01	0.032	54	<0.1	0.22	0.66	
DGC-5	12/10/04	1.3	<0.01	0.037	0.8	<0.01	<0.01	400	<0.01	<0.01	44	0.016	73	4.1	<0.0002	0.01	10	<0.01	<0.01	17	<0.01	0.016	0.052	
DGC-5	09/27/05	270	<0.1	<0.1	6.9	<0.1	<0.1	4700	0.49	0.96	730	<0.1	1600	40	0.00086	0.89	110	<0.1	0.1	320	<0.1	0.56	2	
DGC-5	06/27/06	37	<0.01	<0.01	1.7	<0.01	<0.01	670	0.057	0.15	110	0.061	200	6.7	0.00024	0.13	37	0.11	<0.01	72	<0.01	0.062	0.29	
DGC-5	09/25/07	210	<0.01	0.53	6.1	<0.01	0.01	1900	0.31	0.75	500	0.089	600	19	0.0012	0.68	110	<0.01	<0.01		<0.01	0.22	1.3	
DGC-5	12/16/08	97	<0.01	<0.01	2.1	<0.01	<0.01	1300	0.12	0.23	230	0.017	360	9.4	<0.0002	0.25	33	<0.01	0.012	36	<0.01	0.14	0.58	
DGC-5	06/09/10	5.2	<0.02	<0.02	1.4	<0.02	<0.02	473	<0.02	<0.02	45	0.09	87	3.9	<0.001	<0.02	16	<0.02	<0.02	32	<0.02	0.03	<0.02	
DGC-5	06/14/11	12	<0.02	<0.02	0.72	<0.02	<0.02	254	<0.02	0.04	46	0.07	57	0.44	<0.001	0.03	13	<0.02	<0.02	16	<0.01	0.03	0.05	
DGC-5	09/20/12	10	<0.02	0.05	2.4	<0.02	<0.02	695	<0.02	0.03	42	0.03	58	4.1	<0.0008	0.08	35	<0.02	<0.02	149	<0.01	0.04	0.06	
DGC-5	11/26/13	8.7	<0.02	<0.02	0.92	<0.02	<0.02	189	<0.02	0.026	44	<0.02	42	2.2	<0.0008	0.027	13	<0.02	<0.02	23	<0.01	0.029	0.058	
DGC-5	04/21/15	1.45	<0.012	<0.02	0.25	<0.02	<0.02	90.5	<0.02	<0.02	5.46	<0.02	16.6	0.87	<0.0002	<0.02	18.3	<0.02	<0.02	<5.0	<0.010	<0.02	<0.02	
DGC-5	06/28/16	11.2	<0.006	0.04	0.72	<0.002	<0.0025	206	<0.02	<0.02	31.8	<0.02	52.7	1.74	<0.0007	0.024	13.1	<0.015	<0.005	16.9	<0.005	<0.02	0.039	
DGC-5	09/26/17	0.3	<0.02	<0.02	0.31	<0.005	<0.005	125	<0.02	<0.02	33.4	<0.02	17.8	1.36	<0.0007	<0.02	4.6	<0.02	<0.005	5.21	<0.03	<0.02	<0.02	

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	V mg/l	Zn mg/l
Class GA Standard or Guidance Value		0.003	0.025	1	0.003	0.005	0.05	0.2	0.3	0.025	35	0.3	0.0007	0.1	0.01	0.05	20	0.0005	2				
MW-6SR	05/05/92	0.863	0.0415	0.0409	0.407	<0.0013	<0.0038	172	<0.0039	<0.0039	5.6	<0.003	120	0.39	<0.0002	0.0335	1.19	<0.005	<0.0099	304	<0.005		0.0127
MW-6SR	12/15/92	0.644	0.115	0.0529	0.677	<0.001	<0.003	204	<0.005	0.0102	14.3	0.007	136	0.539		0.057	0.863		<0.004	399			<0.005
MW-6SR	06/12/97	24	0.15	0.063	1.4	<0.01	<0.01	370	0.063	0.059	94	0.048	160	1.3	<0.0002	0.12	13	<0.05	0.016	160	<0.03		0.48
MW-6SR	08/27/97						<0.01	210			26	<0.01	120	0.52			6.1			200			
MW-6SR	11/18/97						<0.01	150			13	<0.01	110	0.36			2.1			250			
MW-6SR	04/28/98						<0.01	230			37	0.016	150	0.51			5.2			400			
MW-6SR	06/23/98	3.4	<0.06	0.068	0.94	<0.01	<0.01	200	0.021	<0.02	26	0.013	140	0.33	<0.0002	0.058	5.9	<0.05	<0.01	320	<0.03		0.099
MW-6SR	11/25/98						<0.01	200			36	0.071	120	0.76			1.2			390			
MW-6SR	02/17/99						<0.01	210			42	0.01	130	0.52			3.3			350			
MW-6SR	03/30/99						<0.005	184			10.1	0.002	126	0.353			1.18			330			
MW-6SR	06/29/99						<0.005	202			26.9	0.002	134	0.093			3.23			403			
MW-6SR	09/30/99	0.562	0.06	0.085	0.762	<0.002	<0.005	170	<0.010	<0.017	17.4	<0.001	106	0.504	<0.0002	0.045	2.13	<0.002	<0.010	316	<0.001		<0.020
MW-6SR	12/29/99						0.021	164			15.2	0.002	103	0.661			0.959			296			
MW-6SR	03/30/00						<0.0050	160			26.3	0.003	87.5	0.963			0.571			199			
MW-6SR	06/22/00						<0.005	147			19.3	0.004	87.7	0.664			0.507			224			
MW-6SR	09/21/00						<0.005	160			10.4	0.004	96.3	0.817			1.22			280			
MW-6SR	12/06/00	0.811	<0.050	0.063	0.518	<0.002	<0.005	165	<0.010	<0.017	17.9	0.005	105	0.46	<0.0002	0.047	0.616	<0.002	<0.010	311	<0.001		<0.020
MW-6SR	03/22/01	2.25	<0.050	0.059	0.592	<0.002	<0.005	156	0.018	<0.017	26.5	0.004	84.7	1.1	<0.0002	0.039	1.56	<0.002	<0.010	187	<0.001		0.021
MW-6SR	06/05/01						<0.005	193			22.5	0.002	126	0.183			4.81			337			
MW-6SR	09/25/01						<0.005	202			28	0.012	132	0.164			6.19			356			
MW-6SR	12/04/01						<0.005	180			17.3	0.006	123	0.439			4.06			313			
MW-6SR	09/11/02	14	<0.050	0.103	1.77	<0.002	<0.005	351	0.021	0.049	49.1	0.019	169	1.34	<0.0002	0.076	9.6	0.003	<0.010	335	<0.005	0.033	0.087
MW-6SR	06/24/03	1.54	<0.050	0.04	1.17	<0.002	<0.001	150	0.004	<0.017	18.9	0.002	86.6	1.18	<0.0002	0.029	5.22	0.002	<0.001	183	<0.001	<0.010	<0.020
MW-6SR	03/31/04	48	<0.01	<0.1	1.7	<0.01	<0.01	530	0.082	0.12	110	0.061	200	3.4	<0.0002	0.21	24	<0.01	<0.01	300	<0.1	0.1	0.28
MW-6SR	12/10/04	0.32	<0.01	0.035	0.86	<0.01	<0.01	130	<0.01	<0.01	9.4	<0.01	67	0.85	<0.0002	0.029	8.6	<0.01	<0.01	190	<0.01	<0.01	0.05
MW-6SR	09/27/05	42	<0.1	0.19	2.7	<0.1	<0.1	540	<0.1	0.12	100	<0.1	250	3.1	<0.0002	0.27	30	<0.1	<0.1	360	<0.1	<0.1	0.34
MW-6SR	06/27/06	13	<0.01	0.027	1.6	<0.01	0.016	240	0.023	0.036	35	0.024	140	1.3	<0.0002	0.084	18	0.089	<0.01	230	<0.01	0.024	0.09
MW-6SR	09/25/07	110	<0.01	0.31	3.6	<0.01	<0.01	960	0.17	0.22	250	0.024	330	6	0.0002	0.7	53	<0.01	<0.01	440	<0.01	0.098	0.6
MW-6SR	12/16/08	39	<0.01	<0.01	2.2	<0.01	<0.01	360	<0.01	0.06	66	0.017	110	1.9	<0.0002	0.18	30	0.095	<0.01	200	0.037	0.053	0.21
MW-6SR	06/09/10	<0.20	<0.02	<0.02	1.9	<0.02	<0.02	118	<0.02	<0.02	6.9	0.06	90	0.24	<0.001	0.04	20	<0.02	<0.02	202	<0.02	<0.02	<0.02
MW-6SR	06/14/11	2.9	<0.02	<0.02	1.8	<0.02	<0.02	153	<0.02	<0.02	20	0.05	91	0.31	<0.001	0.04	22	<0.02	<0.02	215	<0.01	<0.02	0.03
MW-6SR	09/20/12	25	<0.02	0.06	0.31	<0.02	<0.02	457	0.04	0.05	66	0.03	144	2.5	<0.0008	0.23	33	<0.02	<0.02	302	<0.01	0.07	0.12
MW-6SR	11/26/13	6.6	<0.02	<0.02	1.5	<0.02	<0.02	122	<0.02	<0.02	15	<0.02	70	0.47	<0.0008	0.041	27	<0.02	<0.02	133	<0.01	0.026	0.052
MW-6SR	04/21/15	9.7	<0.012	0.12	1.47	<0.02	<0.02	144	<0.02	<0.02	25.8	<0.02	71.3	0.7	<0.0002	0.044	26.4	<0.02	<0.02	117	<0.010	<0.02	0.044
MW-6SR	06/28/16	0.74	<0.006	<0.02	0.15	<0.002	<0.0025	34.9	<0.02	<0.02	0.97	<0.02	15	0.031	<0.0007	<0.02	2.05	<0.015	<0.005	6.86	<0.005	<0.02	<0.02
MW-6SR	09/26/17	1.55	<0.02	<0.02	0.14	<0.005	<0.005	36.1	<0.02	<0.02	2.27	<0.02	16.7	0.059	<0.0007	<0.02	2.29	<0.02	<0.005	6.69	<0.03	<0.02	<0.02

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	V mg/l	Zn mg/l
Class GA Standard or Guidance Value		0.003	0.025	1	0.003	0.005	0.05	0.2	0.3	0.025	35	0.3	0.0007	0.1	0.01	0.05	20	0.0005	2				
MW-7S	05/05/92	0.569	<0.0357	0.0063	0.235	<0.0013	<0.0038	149	0.0089	<0.0039	13.9	<0.003	22.2	2.17	<0.0002	<0.0306	4.96	<0.005	<0.0099	11.1	<0.005		0.0093
MW-7S	12/15/92	0.136	0.0892	0.0132	0.529	<0.001	<0.003	179	<0.005	<0.004	10.5	<0.003	28.4	1.65		0.0222	10.4		<0.004	26.6			<0.005
MW-7S	06/12/97	1.2	0.068	<0.01	0.39	<0.01	<0.01	270	<0.01	<0.02	60	<0.01	37	4.5	<0.0002	0.028	4.5	<0.05	<0.01	16	<0.03		0.22
MW-7S	08/27/97						<0.01	240			65	0.048	76	2.2			11			42			
MW-7S	11/18/97						<0.01	210			39	<0.01	31	3			3.8			18			
MW-7S	04/28/98						<0.01	300			51	0.012	38	3.2			3.9			20			
MW-7S	06/23/98	8.7	<0.06	0.076	0.43	<0.01	<0.01	240	0.026	0.028	54	0.02	61	2.8	<0.0002	0.029	7.6	<0.05	<0.01	32	<0.03		0.087
MW-7S	11/25/98						<0.01	190			39	0.064	33	2			1.3			23			
MW-7S	02/17/99						<0.010	220			60	<0.01	36	2.7			4.9			13			
MW-7S	03/30/99						<0.005	214			38.7	<0.001	31.4	3.05			2.88			6.92			
MW-7S	06/29/99						<0.005	182			38.7	0.002	39	1.74			3.72			27.7			
MW-7S	09/30/99	0.215	<0.050	0.034	0.264	<0.002	<0.005	154	<0.010	<0.017	23.1	<0.001	23.2	2.12	<0.0002	<0.012	2.45	<0.002	<0.010	11.1	<0.001		<0.020
MW-7S	12/29/99						<0.005	170			52	<0.001	28.2	2.54			3.32			8.48			
MW-7S	03/30/00						<0.0050	183			67.9	0.001	30.7	2.89			3.19			9.1			
MW-7S	06/22/00						<0.005	181			53.5	0.003	30.2	2.74			2.93			8.77			
MW-7S	09/21/00						<0.005	166			49	0.001	30.3	2.42			3.77			14.7			
MW-7S	12/06/00	0.141	<0.050	0.051	0.431	<0.002	<0.005	168	<0.010	<0.017	62.5	0.002	28.5	2.44	<0.0002	<0.012	3.26	<0.002	<0.010	11.4	<0.001		0.027
MW-7S	03/22/01	0.812	0.052	0.021	0.376	<0.002	<0.005	178	0.033	<0.017	60.1	0.003	31.2	2.86	<0.0002	0.026	3.54	<0.002	<0.010	9.23	<0.001		<0.020
MW-7S	06/05/01						<0.005	145			42.8	0.003	26.8	1.92			2.77			9.27			
MW-7S	09/25/01						<0.005	98.9			17.4	0.011	28.6	0.764			2.76			38.5			
MW-7S	12/04/01						<0.005	140			49.6	0.003	22	2.55			3.26			8.75			
MW-7S	09/11/02	1.36	<0.050	0.024	0.323	<0.002	<0.005	102	0.003	<0.017	21.1	0.003	29.4	0.92	<0.0002	<0.012	3.12	<0.001	<0.010	29.7	<0.001	<0.010	0.029
MW-7S	06/24/03	0.438	<0.050	0.013	0.248	<0.002	<0.001	108	<0.002	<0.017	34.5	0.002	20.3	1.68	<0.002	<0.012	2.27	<0.001	<0.001	7.61	<0.001	<0.010	<0.020
MW-7S	03/31/04	0.14	<0.01	0.056	0.3	<0.01	<0.01	100	<0.01	<0.01	14	<0.01	20	2.1	<0.0002	0.016	4.1	<0.01	<0.01	8.2	<0.01	<0.01	0.056
MW-7S	12/10/04	<0.1	<0.01	0.015	0.19	<0.01	<0.01	94	<0.01	<0.01	12	<0.01	15	2.1	<0.0002	<0.01	3.3	<0.01	<0.01	4.1	<0.01	<0.01	0.021
MW-7S	09/27/05	16	<0.01	0.039	0.38	<0.01	<0.01	120	0.025	0.024	33	0.014	44	1.3	<0.0002	0.022	8.2	<0.01	<0.01	39	<0.01	0.028	0.076
MW-7S	06/27/06	0.54	<0.01	0.019	0.33	<0.01	<0.01	120	<0.01	<0.01	15	0.014	25	1.9	<0.0002	0.015	6.7	0.039	<0.01	14	<0.01	<0.01	0.054
MW-7S	09/25/07	5.6	<0.01	0.048	0.34	<0.01	<0.01	97	<0.01	0.012	19	<0.01	33	0.97	<0.0002	0.013	4.7	<0.01	<0.01	37	<0.01	<0.01	0.05
MW-7S	12/16/08	0.29	<0.01	<0.01	0.26	<0.01	<0.01	160	<0.01	<0.01	6.2	0.015	19	1.6	<0.0002	0.019	3.1	0.039	<0.01	4.8	<0.01	<0.01	0.057
MW-7S	06/09/10	<0.20	<0.02	<0.02	0.26	<0.02	<0.02	102	<0.02	<0.02	19	0.05	17	1.5	<0.001	<0.02	2.8	<0.02	<0.02	6	<0.02	<0.02	<0.02
MW-7S	06/14/11	<0.20	0.03	<0.02	0.19	<0.02	<0.02	99	<0.02	<0.02	5.7	0.04	15	0.52	<0.001	<0.02	2.8	<0.02	<0.02	5.2	<0.01	<0.02	<0.02
MW-7S	11/26/13	<0.20	<0.02	<0.02	0.25	<0.02	<0.02	139	<0.02	<0.02	7.6	<0.02	19	1.5	<0.0008	<0.02	3.3	<0.02	<0.02	4	<0.01	<0.02	0.039
MW-7S	04/21/15	<0.20	<0.012	<0.02	0.2	<0.02	<0.02	120	<0.02	<0.02	10.6	<0.02	15	1.32	<0.0002	<0.02	11.1	<0.02	<0.02	<5.0	<0.010	<0.02	<0.02
MW-7S	06/28/16	<0.2	<0.006	<0.02	0.25	<0.002	<0.0025	142	<0.02	<0.02	3.23	<0.02	22	0.88	<0.0007	<0.02	3.18	<0.015	<0.005	9.45	<0.005	<0.02	<0.02
MW-7S	09/26/17	507	<0.02	<0.02	0.24	<0.005	<0.005	131	<0.02	<0.02	1.27	<0.02	23.6	0.58	<0.0007	0.029	2.92	<0.02	<0.005	10.2	<0.03	<0.02	<0.02

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	V mg/l	Zn mg/l
Class GA Standard or Guidance Value		0.003	0.025	1	0.003	0.005	0.05	0.2	0.3	0.025	35	0.3	0.0007	0.1	0.01	0.05	20	0.0005	2				
MW-8S	05/05/92	0.177	<0.0357	0.0086	0.24	<0.0013	<0.0038	104	0.0049	<0.0039	0.383	<0.003	67.6	0.882	<0.0002	0.0377	<1.190	<0.005	<0.0099	211	<0.005		<0.0045
MW-8S	12/15/92	0.137	0.0619	<0.005	0.18	<0.001	<0.003	61.9	0.0069	<0.004	0.36	0.0045	38.8	0.287		0.019	1		<0.004	79.9			<0.005
MW-8S	06/12/97	3.9	<0.06	<0.01	0.25	<0.01	<0.01	110	0.011	<0.02	11	0.011	43	0.83	<0.0002	0.032	2.8	<0.05	<0.01	69	<0.03		0.22
MW-8S	08/27/97						<0.01	130			11	0.018	66	0.88			4.2			160			
MW-8S	11/18/97						<0.01	140			7.2	<0.01	88	0.65			3.1			300			
MW-8S	04/28/98						<0.01	120			12	0.018	72	0.73			3.6			270			
MW-8S	06/23/98	3.1	<0.06	0.02	0.26	<0.01	<0.01	100	0.016	<0.02	8.1	<0.01	68	0.61	<0.0002	0.04	2.9	<0.05	<0.01	240	<0.03		0.063
MW-8S	11/25/98						<0.01	120			8.8	0.04	86	0.74			<1			490			
MW-8S	02/17/99						<0.01	110			8.2	<0.01	76	0.66			1.6			310			
MW-8S	03/30/99						<0.005	124			4.38	<0.001	81.5	0.692			0.917			332			
MW-8S	06/29/99						<0.005	70.6			4.86	0.002	41.3	0.35			1.58			102			
MW-8S	09/30/99	0.615	0.057	0.038	0.581	<0.002	<0.005	220	<0.010	0.025	13.6	0.002	138	1.39	<0.0002	0.081	1.48	<0.002	<0.010	707	<0.001		<0.020
MW-8S	12/29/99						0.019	188			16	<0.01	132	0.625			1.68			648			
MW-8S	03/30/00						<0.0050	93.6			5.78	<0.001	63.7	0.276			1.18			233			
MW-8S	06/22/00						<0.005	69.2			3.55	0.003	45.3	0.223			1.09			160			
MW-8S	09/21/00						<0.005	124			9.75	<0.001	84.2	0.494			1.52			445			
MW-8S	12/06/00	0.832	<0.050	0.1	0.169	<0.002	<0.005	52.3	<0.010	<0.017	6.76	0.002	30.9	0.184	<0.0002	<0.012	1.25	<0.002	<0.010	64.3	<0.001		0.021
MW-8S	03/22/01	0.737	<0.050	0.057	0.155	<0.002	<0.005	56.1	<0.010	<0.017	4.51	0.001	33.5	0.18	<0.0002	<0.012	1.06	<0.002	<0.010	64.9	<0.001		<0.020
MW-8S	06/05/01						<0.005	62.7			7.41	0.005	33.2	0.273			1.73			42.4			
MW-8S	09/25/01						<0.005	123			9.03	0.01	83.7	0.52			1.31			383			
MW-8S	12/04/01						<0.005	154			15.8	0.001	114	0.488			1.16			604			
MW-8S	09/11/02	2.09	<0.050	0.058	0.531	<0.002	<0.005	148	0.004	<0.017	12.7	0.002	105	0.604	<0.0002	0.063	2.16	0.002	<0.010	603	<0.001	<0.010	0.029
MW-8S	06/24/03	0.75	<0.050	0.042	0.302	<0.002	<0.001	91.1	<0.002	<0.017	7.98	<0.001	70.3	0.207	<0.0002	0.039	1.2	0.001	<0.001	337	0.002	<0.010	<0.020
MW-8S	03/31/04	8.7	<0.01	0.075	0.24	<0.01	<0.01	94	0.02	0.019	31	0.016	51	0.64	<0.0002	0.032	4.1	<0.01	<0.01	150	<0.01	0.023	0.06
MW-8S	12/10/04	0.61	<0.01	0.071	0.3	<0.01	<0.01	90	<0.01	<0.01	8.1	<0.01	60	0.39	<0.0002	0.026	1.7	<0.01	<0.01	370	<0.01	<0.01	0.02
MW-8S	09/27/05	7	<0.01	0.028	0.45	<0.01	<0.01	140	0.019	0.016	19	<0.01	110	0.88	<0.0002	0.075	6.8	<0.01	<0.01	770	<0.01	0.017	0.053
MW-8S	06/27/06	10	<0.01	0.062	0.38	<0.01	<0.01	120	0.019	0.02	27	0.018	74	0.76	<0.0002	0.051	7.2	0.083	<0.01	310	<0.01	0.018	0.065
MW-8S	09/25/07	19	<0.01	0.051	0.43	<0.01	<0.01	150	0.027	0.027	35	<0.01	68	1.2	<0.0002	0.037	8.4	<0.01	<0.01	57	<0.01	<0.01	0.088
MW-8S	12/16/08	6	<0.01	0.06	0.42	<0.01	<0.01	103	0.017	0.017	19	0.013	69	0.47	<0.0002	0.066	4.3	0.016	<0.01	470	<0.01	0.012	0.073
MW-8S	06/10/10	<0.20	<0.02	0.03	0.25	<0.02	<0.02	66	<0.02	<0.02	5	0.04	45	0.21	<0.001	<0.02	0.99	<0.02	<0.02	199	<0.02	<0.02	<0.02
MW-8S	06/14/11	1.2	<0.02	<0.02	0.25	<0.02	<0.02	70	<0.02	<0.02	6.8	0.03	49	0.22	<0.001	<0.02	1.8	<0.02	<0.02	199	<0.01	<0.02	<0.02
MW-8S	09/20/12	13	<0.02	<0.02	0.44	<0.02	<0.02	182	<0.02	0.03	35	0.03	78	1.2	<0.0008	0.03	5.2	<0.02	<0.02	61	<0.01	0.04	0.06
MW-8S	11/26/13	1.1	<0.02	0.095	0.27	<0.02	<0.02	76	<0.02	<0.02	9.3	<0.02	54	0.24	<0.0008	0.027	1.6	<0.02	<0.02	272	<0.01	<0.02	0.035
MW-8S	04/21/15	1.21	<0.012	0.11	0.27	<0.02	<0.02	68.2	<0.02	<0.02	7.47	<0.02	48.7	0.24	<0.0002	<0.02	10.3	<0.02	<0.02	184	<0.010	<0.02	<0.02
MW-8S	06/28/16	0.64	<0.006	0.096	0.27	<0.002	<0.0025	74.6	<0.02	<0.02	4.9	<0.02	51.3	0.14	<0.0007	<0.02	1.65	<0.015	<0.005	166	<0.005	<0.02	<0.02
MW-8S	09/26/17	0.36	<0.02	0.042	0.3	<0.005	<0.005	92.7	<0.02	<0.02	3.81	<0.005	63.3	0.29	<0.0007	<0.02	1.78	<0.02	<0.005	158	<0.03	<0.02	<0.02

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	V mg/l	Zn mg/l
Class GA Standard or Guidance Value		0.003	0.025	1	0.003	0.005	0.05	0.2	0.3	0.025	35	0.3	0.0007	0.1	0.01	0.05	20	0.0005	2				
MW-9S	05/05/92	0.344	<0.0357	0.0149	0.649	<0.0013	<0.0038	52.1	<0.0039	<0.0039	1.82	<0.003	57.7	0.11	<0.0002	0.0368	89.3	<0.005	<0.0099	148	<0.005		0.0056
MW-9S	06/24/03	0.098	<0.050	0.178	1.23	<0.002	<0.001	70.2	0.006	<0.017	11.8	0.002	49.8	0.022	<0.0002	0.029	69.2	0.002	<0.001	134	<0.001	<0.010	<0.020
MW-9S	03/31/04	0.14	<0.01	0.14	1.1	<0.01	<0.01	70	0.019	<0.01	9.6	<0.01	51	0.039	<0.0002	0.033	9.6	<0.01	<0.01	200	<0.01	<0.01	0.076
MW-9S	12/10/04	<0.1	<0.01	0.11	1.2	<0.01	<0.01	71	<0.01	<0.01	7.4	<0.01	49	0.042	<0.0002	0.032	110	<0.01	<0.01	190	<0.01	<0.01	0.082
MW-9S	06/09/10	<0.2	<0.02	0.08	1.3	<0.02	<0.02	82	<0.02	<0.02	7.3	0.04	55	0.02	<0.001	0.03	68	<0.02	<0.02	173	<0.02	<0.02	<0.02
MW-9S	06/14/11	<0.20	<0.02	0.05	1.1	<0.02	<0.02	77	<0.02	<0.02	8	0.03	53	0.03	<0.001	0.03	65	<0.02	<0.02	176	0.011	<0.02	<0.02
MW-9S	11/26/13	0.84	<0.04	0.06	1.1	<0.02	<0.02	96	<0.02	<0.02	6.6	<0.02	59	0.21	<0.0008	0.043	75	<0.02	<0.02	192	<0.01	<0.02	0.05
MW-9S	04/21/15	1.24	<0.012	0.052	1.11	<0.02	<0.02	78.8	<0.02	<0.02	5.08	<0.02	53.6	0.092	<0.0002	0.034	72.8	<0.02	<0.02	201	<0.010	<0.02	<0.02
MW-9S	06/28/16	9.14	<0.006	0.11	1.28	<0.002	<0.0025	129	<0.02	<0.02	16.7	<0.02	68.2	0.44	<0.0007	0.053	63	<0.015	<0.005	200	<0.005	<0.02	0.043
MW-9S	09/26/17	1.18	<0.02	0.1	1.2	<0.005	<0.005	92.5	<0.02	<0.02	7.32	<0.02	59.8	0.098	<0.0007	0.038	69.5	<0.02	<0.005	207	<0.03	<0.02	<0.02

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	V mg/l	Zn mg/l
Class GA Standard or Guidance Value		0.003	0.025	1	0.003	0.005	0.05	0.2	0.3	0.025	35	0.3	0.0007	0.1	0.01	0.05	20	0.0005	2				
MW-10S	05/05/92	0.274	0.0379	<0.005	0.132	<0.0013	<0.0038	168	<0.0039	<0.0039	39.9	0.0037	42.1	0.48	<0.0002	<0.0306	18	<0.005	<0.0099	48.9	<0.005		0.0277
MW-10S	12/15/92	0.0843	<0.039	<0.005	0.173	<0.001	<0.003	154	<0.005	<0.004	58.8	<0.003	38.6	0.383		<0.019	15.6		<0.004	47.8			0.0112
MW-10SR	06/12/97	43	0.15	<0.01	0.58	<0.01	<0.01	360	0.092	0.11	71	0.055	140	2.6	0.0002	0.16	8.8	<0.05	<0.01	26	<0.03		0.34
MW-10SR	08/27/97						<0.01	540			110	0.086	190	4.3			17			30			
MW-10SR	11/18/97						<0.01	79			10	<0.01	50	0.32			4.4			29			
MW-10SR	04/28/98						<0.01	310			74	0.044	130	2.3			13			38			
MW-10SR	06/23/98	2.5	<0.06	0.016	<0.2	<0.01	<0.01	55	0.019	<0.02	4.6	<0.01	47	0.2	<0.0002	0.022	2.9	<0.05	<0.01	27	<0.03		0.13
MW-10SR	11/25/98						<0.01	86			12	0.03	51	0.32			<1			24			
MW-10SR	02/17/99						<0.01	130			39	0.017	65	0.97			7			21			
MW-10SR	03/30/99						<0.005	47.4			0.368	0.001	42.2	0.0034			1.71			22.3			
MW-10SR	06/29/99						<0.005	56.6			2.54	0.002	48.5	0.111			2.56			24			
MW-10SR	09/30/99	0.742	<0.050	0.022	0.153	<0.002	<0.005	99.2	<0.010	0.02	2.94	0.005	54.9	0.362	<0.0002	<0.012	2.24	<0.002	<0.010	23.1	<0.001		<0.020
MW-10SR	12/29/99						0.007	86.6			9.35	0.008	59.7	0.258			3.56			26			
MW-10SR	03/30/00						0.006	70.8			7.25	0.003	54.7	0.169			2.74			24.4			
MW-10SR	06/22/00						<0.005	63			5.8	0.004	52.9	0.153			2.36			24.7			
MW-10SR	09/21/00						<0.005	57.3			3.34	0.002	49.4	0.107			2.46			23.6			
MW-10SR	12/06/00	2.96	<0.050	0.034	0.174	<0.002	<0.005	70.4	<0.010	<0.017	5.77	0.008	52.8	0.187	<0.0002	<0.012	2.62	<0.002	<0.010	27	<0.001		0.023
MW-10SR	03/22/01	4.78	<0.050	0.013	0.159	<0.002	0.005	68	0.017	<0.017	5.46	0.005	52.1	0.203	<0.0002	<0.012	3.18	<0.002	<0.010	22.8	<0.001		<0.020
MW-10SR	06/05/01						0.017	68.4			6.31	0.004	54	0.173			3.08			24.5			
MW-10SR	09/25/01						<0.005	85.1			10.6	0.014	58.6	0.324			3.45			24.6			
MW-10SR	12/04/01						<0.005	86.9			9.37	0.004	58.5	0.247			2.7			26.4			
MW-10SR	09/11/02	4.76	<0.050	0.092	0.183	<0.002	<0.005	81.3	0.005	<0.017	12.1	0.003	56.8	0.297	<0.0002	<0.012	3.04	<0.001	<0.010	23.3	<0.001	<0.010	0.033
MW-10SR	06/24/03	2.69	<0.050	0.001	0.155	<0.002	<0.001	114	0.003	<0.017	3.06	0.002	69.7	0.167	<0.0002	<0.012	1.97	<0.001	<0.001	16.3	<0.001	<0.010	<0.020
MW-10SR	03/31/04	36	<0.01	0.18	0.5	<0.01	<0.01	350	0.061	0.067	2.9	0.06	150	2.9	<0.0002	<0.01	12	<0.01	<0.01	34	<0.01	0.074	0.19
MW-10SR	12/10/04	0.79	<0.01	0.017	0.14	<0.01	<0.01	67	<0.01	<0.01	2.8	<0.01	47	0.22	<0.0002	<0.01	2.7	<0.01	<0.01	25	<0.01	<0.01	0.033
MW-10SR	09/27/05	17	<0.01	0.042	0.28	<0.01	<0.01	140	0.031	0.028	27	<0.01	83	0.93	<0.0002	0.023	9.6	<0.01	<0.01	33	<0.01	0.029	0.13
MW-10SR	06/27/06	10	<0.01	<0.01	0.24	<0.01	<0.01	140	0.017	0.021	18	0.018	84	0.81	0.00026	0.019	6.3	0.05	<0.01	33	<0.01	0.016	0.12
MW-10SR	09/25/07	64	<0.01	0.13	0.84	<0.01	<0.01	610	0.10	0.14	140	0.024	230	4.7	<0.0002	0.12	14	<0.01	<0.01	37	<0.01	0.035	0.3
MW-10SR	12/16/08	8.2	<0.01	<0.01	0.25	<0.01	<0.01	120	0.016	0.018	14	0.014	70	0.49	<0.0002	0.022	5.9	0.025	<0.01	36	<0.01	0.014	0.082
MW-10SR	06/10/10	<0.20	<0.02	<0.02	0.14	<0.02	<0.02	56	<0.02	<0.02	0.52	0.04	51	0.06	<0.001	<0.02	1.7	<0.02	<0.02	28	<0.02	<0.02	<0.02
MW-10SR	06/14/11	3.9	<0.02	<0.02	0.16	<0.02	<0.02	81	<0.02	<0.02	4.8	0.04	63	0.2	<0.001	<0.02	3.5	<0.02	<0.02	29	<0.01	<0.02	<0.02
MW-10SR	09/20/12	1.5	<0.02	<0.02	0.16	<0.02	<0.02	91	<0.02	<0.02	5.2	0.02	56	0.41	<0.0008	<0.02	2.9	<0.02	<0.02	26	<0.01	<0.02	0.02
MW-10SR	11/26/13	0.94	<0.02	<0.02	0.017	<0.02	<0.02	59	<0.02	<0.02	1.4	<0.02	54	0.076	<0.0008	<0.02	<10	<0.02	<0.02	29	<0.01	<0.02	<0.02
MW-10SR	04/21/15	1.69	<0.012	<0.02	0.14	<0.02	<0.02	52.5	<0.02	<0.02	2.07	<0.02	49.4	0.093	<0.0002	<0.02	18.4	<0.02	<0.02	29.1	<0.010	<0.02	<0.02
MW-10SR	06/28/16	0.59	<0.006	<0.02	0.14	<0.002	<0.0025	48.6	<0.02	<0.02	0.88	<0.02	47.5	<0.043	<0.0007	<0.02	2.49	<0.015	<0.005	27	<0.005	<0.02	<0.02
MW-10SR	09/26/17	0.92	<0.02	<0.02	0.16	<0.005	<0.005	63.4	<0.02	<0.02	1.43	<0.02	56.6	0.071	<0.0007	<0.02	2.85	<0.02	<0.005	30.8	<0.03	<0.02	<0.02

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	V mg/l	Zn mg/l
Class GA Standard or Guidance Value		0.003	0.025	1	0.003	0.003	0.005	0.05	0.2	0.3	0.025	35	0.3	0.0007	0.1	0.01	0.05	20	0.0005	2			
MW-11S	05/05/92	0.96	<0.0357	0.0098	0.374	<0.0013	<0.0038	109	0.0073	<0.0039	1.63	<0.015	95.9	1.85	<0.0002	0.131	1.76	<0.005	0.0159	391	<0.005		0.0157
MW-11S	12/15/92	0.458	<0.039	0.0182	0.471	<0.001	<0.0052	120	<0.005	0.0057	4.59	0.0071	69.4	1.39		0.154	2.81		<0.004	270			0.006
MW-11SR	06/12/97	8.9	<0.06	<0.01	0.32	<0.01	<0.01	140	0.033	0.044	16	0.015	62	1.2	0.0003	0.13	4.3	<0.05	<0.01	24	<0.03		0.3
MW-11SR	08/27/97					<0.01	<0.01	190			41	0.032	67	1.6			8.3			21			
MW-11SR	11/18/97					<0.01	<0.01	140			7	<0.01	66	1.3			2.2			87			
MW-11SR	04/28/98					<0.01	<0.01	180			12	<0.01	86	1.4			3.1			94			
MW-11SR	06/23/98	26	<0.06	0.065	0.48	<0.01	<0.01	320	0.093	0.08	50	0.033	140	2.9	<0.0002	0.13	12	<0.05	<0.01	94	<0.03		0.21
MW-11SR	11/25/98					<0.01	<0.01	280			72	0.1	110	2.4			2.1			150			
MW-11SR	02/17/99					<0.01	<0.01	300			53	0.016	120	2.2			6.6			120			
MW-11SR	03/30/99					<0.005	<0.005	155			4.4	0.002	76.5	1.03			0.803			104			
MW-11SR	06/29/99					<0.005	<0.005	312			18.7	0.007	96.4	2.03			1.52			94.3			
MW-11SR	09/30/99	1.29	0.054	0.014	0.37	<0.002	<0.005	258	0.02	0.036	20.6	0.015	98.5	2.63	<0.0002	0.076	1.91	<0.002	<0.010	165	<0.001		0.032
MW-11SR	12/29/99					<0.005	<0.005	177			30.1	0.001	83.5	0.912			1.77			187			
MW-11SR	03/30/00					<0.0050	<0.0050	142			24.9	0.001	73.9	0.554			1.12			148			
MW-11SR	06/22/00					<0.005	<0.005	110			15.2	0.005	63.2	0.383			1.18			119			
MW-11SR	09/21/00					<0.005	<0.005	108			6.25	0.003	50.6	0.413			1.63			93.2			
MW-11SR	12/06/00	3.46	<0.050	0.012	0.296	<0.002	<0.005	168	<0.010	0.019	10.7	0.004	72	0.888	<0.0002	0.035	2.34	<0.002	<0.010	131	<0.001		0.043
MW-11SR	03/22/01	1.37	<0.050	0.01	0.28	<0.002	<0.005	119	<0.010	<0.017	9.94	0.002	58.8	0.491	<0.0002	0.028	1.35	<0.002	<0.010	111	<0.001		<0.020
MW-11SR	06/05/01					<0.005	<0.005	97.2			9.49	0.002	61.2	0.478			1.29			112			
MW-11SR	09/25/01					<0.005	<0.005	97.2			1.74	0.01	28	0.316			3.26			142			
MW-11SR	12/04/01					<0.005	<0.005	149			8.56	0.004	63.8	0.67			2.18			171			
MW-11SR	09/11/02										Sampling Location Dry												
MW-11SR	06/24/03	0.268	<0.050	0.011	0.22	<0.002	<0.001	101	0.002	<0.017	8.79	0.003	48.6	0.382	<0.0002	<0.012	1.06	<0.001	<0.001	88.1	<0.001	<0.010	<0.020
MW-11SR	03/31/04	0.82	<0.01	0.028	0.21	<0.01	<0.01	100	<0.01	<0.01	7.8	<0.01	47	0.69	<0.0002	0.027	2.1	<0.01	<0.01	140	<0.01	<0.01	0.068
MW-11SR	12/10/04	0.15	<0.01	0.018	0.24	<0.01	<0.01	110	<0.01	<0.01	5.5	<0.01	44	0.69	<0.0002	0.013	2.6	<0.01	<0.01	120	<0.01	<0.01	0.018
MW-11SR	09/27/05	4.5	<0.01	<0.01	0.29	<0.01	<0.01	120	0.017	0.012	9.4	<0.01	59	0.78	<0.0002	0.074	4.5	<0.01	<0.01	76	<0.01	<0.01	0.2
MW-11SR	06/27/06	4.9	<0.01	<0.01	0.36	<0.01	<0.01	150	0.09	0.017	18	0.015	77	1.1	<0.0002	0.042	3.8	0.06	<0.01	170	<0.01	0.01	0.069
MW-11SR	09/25/07																						
MW-11SR	12/16/08	8	<0.01	<0.01	0.35	<0.01	<0.01	180	0.019	0.025	15	0.014	71	1	<0.0002	0.05	5	0.037	<0.01	120	<0.01	0.016	0.072
MW-11SR	06/10/10	<0.20	<0.02	<0.02	0.3	<0.02	<0.02	94	<0.02	<0.02	3.9	0.06	50	0.53	<0.001	<0.02	0.96	<0.02	<0.02	99	<0.02	<0.02	<0.02
MW-11SR	06/14/11	1.2	0.03	<0.02	0.28	<0.02	<0.02	105	<0.02	<0.02	5.1	0.05	52	0.6	<0.001	0.02	1.6	<0.02	<0.02	107	<0.01	<0.02	<0.02
MW-11SR	11/26/13	0.14	<0.02	<0.02	0.2	<0.02	<0.02	134	<0.02	<0.02	1.2	<0.02	48	0.48	<0.0008	<0.02	<10	<0.02	<0.02	57	<0.01	<0.02	<0.02
MW-11SR	04/21/15	0.66	<0.012	<0.02	0.23	<0.02	<0.02	96.5	<0.02	<0.02	2.8	<0.02	47.5	0.47	<0.0002	<0.02	16.7	<0.02	<0.02	76.7	<0.010	<0.02	<0.02
MW-11SR	06/28/16	0.58	<0.006	0.036	0.28	<0.002	<0.0025	84.8	<0.02	<0.02	1.04	<0.02	45	0.22	<0.0007	0.025	1.68	<0.015	<0.005	80.7	<0.005	<0.02	<0.02
MW-11SR	09/26/17	0.49	<0.02	0.034	0.23	<0.005	<0.005	75.9	<0.02	<0.02	1.09	<0.02	40.9	0.16	<0.0007	0.023	1.36	<0.02	<0.05	79.5	<0.03	<0.02	<0.02

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	V mg/l	Zn mg/l
Class GA Standard or Guidance Value		0.003	0.025	1	0.003	0.003	0.005	0.05	0.2	0.3	0.025	35	0.3	0.0007	0.1	0.01	0.05	0.01	0.05	20	0.0005	2	
DGC-2D	05/06/92	0.1	<0.0357	<0.005	0.199	<0.0013	<0.0038	21	0.0077	<0.0039	0.191	0.0034	11.1	0.0163	<0.0002	<0.0306	3.62	<0.005	<0.0099	11.1	<0.005		0.0061
DGC-2D	06/12/97	0.49	<0.06	<0.01	<0.2	<0.01	<0.01	24	<0.01	<0.02	0.65	<0.01	13	0.029	<0.0002	<0.01	3.6	<0.05	<0.01	11	<0.03		0.18
DGC-2D	08/27/97						<0.01	24			2	<0.01	11	0.072			2.9			7.7			
DGC-2D	11/18/97						<0.01	32			7.8	<0.01	15	0.18			4.8			11			
DGC-2D	04/28/98					<0.01	<0.01	40			11	<0.01	19	0.27			5.1			13			
DGC-2D	06/23/98	5.7	<0.06	0.022	0.23	<0.01	<0.01	39	0.011	<0.02	12	0.011	19	0.26	<0.0002	0.015	5.2	<0.05	<0.01	11	<0.03		0.067
DGC-2D	11/25/98					<0.01	<0.01	39			8.5	0.013	16	0.17			1.1			11			
DGC-2D	02/17/99					<0.01	<0.01	41			11	<0.01	19	0.27			4.3			9.7			
DGC-2D	03/30/99					<0.005	<0.005	24.2			0.446	0.001	12.1	0.036			2.69			9.59			
DGC-2D	06/29/99					<0.005	<0.005	24.1			1.14	<0.001	11.7	0.024			3.63			18.1			
DGC-2D	09/30/99	0.606	<0.050	0.004	0.092	<0.002	<0.005	17.7	<0.010	<0.017	0.743	<0.001	4.8	0.013	<0.0002	<0.012	3.33	<0.002	<0.010	19.6	<0.001		<0.020
DGC-2D	12/29/99					<0.005	<0.005	16.3			0.94	<0.001	4.72	0.02			3.18			20.6			
DGC-2D	03/30/00					<0.0050	<0.0050	19.4			1.27	0.001	6.84	0.023			3.54			21.3			
DGC-2D	06/22/00					<0.005	<0.005	16.3			0.635	0.002	7.29	0.011			3.17			20			
DGC-2D	09/21/00					<0.005	<0.005	64.5			10.2	0.004	24.5	0.351			7.74			19.5			
DGC-2D	12/06/00	0.242	<0.050	0.007	0.638	<0.002	<0.005	90.3	<0.010	<0.017	24	0.001	32.3	0.581	<0.0002	<0.012	10.2	<0.002	<0.010	28.7	<0.001		<0.020
DGC-2D	03/22/01	0.367	<0.050	0.008	0.772	<0.002	<0.005	77.8	<0.010	<0.017	26.2	0.002	29.1	0.448	<0.0002	<0.012	7.04	<0.002	<0.010	29.5	<0.001		<0.020
DGC-2D	06/05/01					<0.005	<0.005	60.8			4.89	0.003	24.5	0.257			5.78			26			
DGC-2D	09/25/01					<0.005	<0.005	34.6			4.19	0.006	14.6	0.078			3.37			16.6			
DGC-2D	12/4/01					<0.005	<0.005	32.1			5.72	0.002	12.5	0.101			3.21			15.2			
DGC-2D	09/11/02	<0.075	<0.050	0.005	1.29	<0.002	<0.005	89	<0.002	<0.017	5.7	<0.001	37.8	0.334	<0.0002	<0.012	8.6	0.001	<0.010	58.5	<0.001	<0.010	<0.020
DGC-2D	06/24/03	0.164	<0.050	0.006	0.298	<0.002	0.001	66.3	<0.002	<0.017	11.7	<0.001	33.4	0.21	<0.0002	<0.012	2.35	<0.001	<0.001	14.9	0.001	<0.010	<0.020
DGC-2D	03/31/04	0.2	<0.01	0.013	0.27	<0.01	<0.01	38	<0.01	<0.01	3.2	<0.01	18	0.12	<0.0002	<0.01	3.4	<0.01	<0.01	13	<0.01	<0.01	0.043
DGC-2D	12/10/04	<0.1	<0.01	<0.01	0.18	<0.01	<0.01	29	<0.01	<0.01	3.1	<0.01	13	0.1	<0.0002	<0.01	2.6	<0.01	<0.01	11	<0.01	<0.01	0.016
DGC-2D	09/27/05	0.16	<0.01	<0.01	0.15	<0.01	<0.01	30	<0.01	<0.01	2.2	<0.01	14	0.084	<0.0002	<0.01	2.5	<0.01	<0.01	9.9	<0.01	<0.01	0.025
DGC-2D	06/27/06	0.2	<0.01	<0.01	<0.2	<0.01	<0.01	28	<0.01	0.01	2.2	<0.01	12	0.086	<0.0002	<0.01	2.5	0.029	<0.01	11	0.01	<0.01	0.02
DGC-2D	09/25/07	0.23	<0.01	<0.01	<0.2	<0.01	<0.01	29	<0.01	<0.01	1.2	<0.01	0.079	<0.01	<0.0002	<0.01	2.5	<0.01	<0.01	12	<0.01	<0.01	<0.01
DGC-2D	12/16/08	0.23	<0.01	<0.01	<0.2	<0.01	<0.01	26	<0.01	<0.01	1.4	<0.01	11	0.052	<0.0002	<0.01	2.2	<0.01	<0.01	11	<0.01	<0.01	0.028
DGC-2D	06/09/10	<0.20	<0.02	<0.02	0.19	<0.02	<0.02	37	<0.02	<0.02	1.2	0.03	18	0.1	<0.001	<0.02	2.4	<0.02	0.02	11	<0.02	<0.02	<0.02
DGC-2D	06/14/11	<0.20	<0.02	<0.02	0.11	<0.02	<0.02	24	<0.02	<0.02	0.4	0.02	11	0.05	<0.001	<0.02	2.4	<0.02	<0.02	8.7	<0.01	<0.02	<0.02
DGC-2D	09/20/12	<0.20	<0.02	<0.02	0.12	<0.02	<0.02	23	<0.02	<0.02	0.52	<0.02	11	0.06	<0.0008	<0.02	2.3	<0.02	<0.02	9.7	<0.01	<0.02	<0.02
DGC-2D	11/26/13	<0.20	<0.02	<0.02	0.11	<0.02	<0.02	25	<0.02	<0.02	0.46	<0.02	11	0.038	<0.0008	<0.02	2.2	<0.02	<0.02	9.3	<0.01	<0.02	0.054
DGC-2D	04/21/15	<0.20	<0.012	<0.02	0.27	<0.02	<0.02	48.5	<0.02	<0.02	2.14	<0.02	22.2	0.12	<0.0002	<0.02	19	<0.02	<0.02	12.3	<0.010	<0.02	<0.02
DGC-2D	06/28/16	2.49	<0.006	<0.02	0.2	<0.002	<0.0025	36.9	<0.02	<0.02	3.15	<0.02	14.3	0.05	<0.0007	<0.02	3.54	<0.015	<0.005	11.8	<0.005	<0.02	<0.02
DGC-2D	09/26/17	0.24	<0.02	<0.02	0.17	<0.005	<0.005	35.8	<0.02	<0.02	1.89	<0.02	14	0.077	<0.0007	<0.02	3.19	<0.02	<0.005	11	<0.03	<0.02	<0.02

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	V mg/l	Zn mg/l
Class GA Standard or Guidance Value		0.003	0.025	1	0.003	0.003	0.005		0.05	0.2	0.3	0.025	35	0.3	0.0007	0.1		0.01	0.05	20	0.0005		2
DGC-3D	05/06/92	0.265	<0.0357	<0.005	0.2	<0.0013	<0.0038	27.9	0.0053	<0.0039	0.607	0.0089	14.7	0.0815	<0.0002	<0.0306	2.98	<0.005	<0.0099	20.9	<0.005		0.0054
DGC-3D	06/12/97	2.8	<0.06	<0.01	0.37	<0.01	<0.01	47	<0.01	<0.02	5	0.01	22	0.22	<0.0002	<0.01	4.6	<0.05	<0.01	19	<0.03		0.16
DGC-3D	08/27/97						0.026	730			200	0.25	280	8.1			38			38			
DGC-3D	11/18/97						<0.01	46			7.8	<0.01	19	0.27			5.1			25			
DGC-3D	04/28/98						<0.01	39			3.8	<0.01	18	0.19			2.3			25			
DGC-3D	06/23/98	25	<0.06	0.052	0.53	<0.01	<0.01	170	0.043	0.047	49	0.037	63	1.6	<0.0002	0.047	12	<0.05	<0.01	29	<0.03		0.14
DGC-3D	11/25/98						<0.01	57			14	0.021	22	0.36			1.6			22			
DGC-3D	02/17/99										Location Not Sampled												
DGC-3D	03/30/99						<0.005	22.8			0.203	0.001	13.2	0.051			2.64			18			
DGC-3D	06/29/99						<0.005	25.4			0.898	<0.001	13.9	0.067			3.52			20.7			
DGC-3D	09/30/99	0.102	<0.050	0.004	0.219	<0.002	<0.005	22.7	<0.010	<0.017	0.469	<0.001	12.5	0.05	<0.0002	<0.012	2.89	<0.002	<0.010	18.2	<0.001		<0.020
DGC-3D	12/29/99						0.007	25.4			0.488	<0.001	13.2	0.056			2.9			18			
DGC-3D	03/30/00						0.01	25.2			0.74	0.001	13.7	0.054			2.97			18.7			
DGC-3D	06/22/00						<0.005	25.7			1.51	0.003	13.6	0.084			2.96			18.7			
DGC-3D	09/21/00						<0.005	23.8			0.673	0.002	13.2	0.066			3.41			19.1			
DGC-3D	12/06/00	0.22	<0.050	0.005	0.24	<0.002	<0.005	24	<0.010	<0.017	0.654	<0.001	12.7	0.062	<0.002	<0.012	3	<0.002	<0.010	18.7	<0.001		0.029
DGC-3D	03/22/01	1.76	<0.050	0.004	0.234	<0.002	<0.005	27.8	<0.010	<0.017	2.97	0.003	14	0.122	<0.0002	<0.012	3.08	<0.002	<0.010	16.3	<0.001		<0.020
DGC-3D	06/05/01						<0.005	29			1.58	0.002	14.9	0.086			3.22			18.8			
DGC-3D	09/25/01						<0.005	27.1			1.61	0.013	14.1	0.09			2.86			18.3			
DGC-3D	12/04/01						<0.005	25.3			0.852	0.008	13.1	0.07			2.78			17.6			
DGC-3D	09/11/02	0.555	<0.050	0.004	0.219	<0.002	<0.005	24.6	<0.002	<0.017	1.07	0.001	13	0.062	<0.0002	<0.012	2.82	<0.001	<0.010	16.7	<0.001	<0.010	<0.020
DGC-3D	06/24/03	0.283	<0.050	0.007	0.204	<0.002	<0.001	22.7	<0.002	<0.017	1.02	<0.001	12	0.057	<0.0002	<0.012	2.42	<0.001	<0.001	15	<0.001	<0.010	<0.020
DGC-3D	04/01/04	1.1	<0.01	0.011	0.27	<0.01	<0.01	30	<0.01	<0.01	1.9	<0.01	15	0.1	<0.0002	<0.01	4	<0.01	<0.01	19	<0.01	<0.01	0.049
DGC-3D	12/10/04	2.2	<0.01	0.011	0.37	<0.01	<0.01	120	<0.01	<0.01	8.2	0.012	38	0.93	<0.0002	<0.01	4.1	<0.01	<0.01	17	<0.01	<0.01	0.045
DGC-3D	09/27/05	4	<0.01	<0.01	0.33	<0.01	<0.01	47	<0.01	0.011	6.6	<0.01	20	0.25	<0.0002	<0.01	5.1	<0.01	<0.01	18	<0.01	<0.01	0.085
DGC-3D	06/27/06	28	<0.01	<0.01	0.62	<0.01	<0.01	220	0.037	0.054	52	0.043	82	2	<0.0002	0.054	12	0.068	<0.01	22	<0.01	0.039	0.17
DGC-3D	09/25/07	16	<0.01	0.012	0.47	<0.01	<0.01	110	0.019	0.024	30	<0.01	41	0.96	<0.0002	0.025	8.3	<0.01	<0.01	19	<0.01	<0.01	0.13
DGC-3D	12/16/08	5.5	<0.01	<0.01	0.36	<0.01	<0.01	54	<0.01	<0.01	8.2	0.011	20	0.3	<0.0002	0.014	5.1	<0.01	<0.01	19	<0.01	<0.01	0.13
DGC-3D	06/10/10	0.23	<0.02	<0.02	0.24	<0.02	<0.02	23	<0.02	<0.02	0.53	0.02	12	0.05	<0.001	<0.02	2.7	<0.02	0.02	15	<0.02	<0.02	0.03
DGC-3D	06/14/11	6.1	<0.02	<0.02	0.32	<0.02	<0.02	62	<0.02	<0.02	8.5	0.03	24	0.44	<0.001	<0.02	5.5	<0.02	<0.02	15	<0.01	0.02	0.03
DGC-3D	09/20/12	0.67	<0.02	<0.02	0.24	<0.02	<0.02	25	<0.02	<0.02	1.3	<0.02	14	0.09	<0.0008	<0.02	3.1	<0.02	<0.02	15	<0.01	<0.02	<0.02
DGC-3D	11/26/13	8.6	<0.02	<0.02	0.36	<0.02	<0.02	52	<0.02	<0.02	12	<0.02	22	0.36	<0.0008	<0.02	5.8	<0.02	<0.02	15	<0.01	0.023	0.034
DGC-3D	04/22/15	7.62	<0.012	<0.02	0.32	<0.02	<0.02	46.9	<0.02	<0.02	10.3	<0.02	20.8	0.31	<0.0002	<0.02	7.95	<0.02	<0.02	15.8	<0.010	<0.02	0.045
DGC-3D	06/28/16	1.03	<0.006	<0.02	0.24	<0.002	<0.0025	25.8	<0.02	<0.02	1.44	<0.02	13.3	<0.075	<0.0007	<0.02	3.45	<0.015	<0.005	15.2	<0.005	<0.02	<0.02
DGC-3D	09/26/17	0.26	<0.02	<0.02	0.21	<0.005	<0.005	22.5	<0.02	<0.02	0.54	<0.02	12.9	0.046	<0.0007	<0.02	2.97	<0.02	<0.005	14.6	<0.03	<0.02	<0.02

TABLE 6 - HISTORICAL GROUNDWATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	V mg/l	Zn mg/l
Class GA Standard or Guidance Value		0.003	0.025	1	0.003	0.005	0.05	0.2	0.3	0.025	35	0.3	0.0007	0.1	0.01	0.05	20	0.0005	2				
DGC-6D	05/06/92	8.27	<0.0357	0.0084	0.212	<0.0013	<0.0038	59.3	0.0113	<0.0039	9.72	0.017	24.9	0.275	<0.0002	<0.0306	4.65	<0.005	<0.0099	7.05	<0.005		0.0245
DGC-6D	06/12/97	3.1	<0.06	0.012	<0.2	<0.01	<0.01	59	<0.01	<0.02	5	0.011	26	0.25	<0.0002	<0.01	2.7	<0.05	<0.01	5.6	<0.03		0.21
DGC-6D	08/27/97						<0.01	51			6.1	<0.01	20	0.09			2			5			
DGC-6D	11/18/97						<0.01	51			5.8	0.012	22	0.23			3			7.6			
DGC-6D	04/28/98						<0.01	58			6.9	0.013	26	0.26			3.1			8			
DGC-6D	06/23/98	5.7	<0.06	0.019	<0.2	<0.01	<0.01	76	0.012	<0.02	11	0.018	34	0.47	<0.0002	0.014	3.9	<0.05	<0.01	7.5	<0.03		0.074
DGC-6D	11/25/98						<0.01	58			5.3	0.026	22	0.21			<1			6.9			
DGC-6D	02/17/99						<0.01	37			3.7	0.013	17	0.12			2.5			6.1			
DGC-6D	03/30/99						<0.005	42.4			1.28	0.007	18.2	0.096			1.77			6.54			
DGC-6D	06/29/99						<0.005	32.4			1.23	0.003	15.2	0.029			2.2			6.43			
DGC-6D	09/30/99	1.28	<0.050	0.011	0.157	<0.002	<0.005	40	<0.010	<0.017	1.94	0.005	17.8	0.113	<0.0002	<0.012	2.23	<0.002	<0.010	6.52	<0.001		<0.020
DGC-6D	12/29/99						<0.005	32.6			1.35	0.002	15.5	0.047			1.93			6.79			
DGC-6D	03/30/00						<0.0050	34.3			1.67	0.001	16.1	0.026			2.18			6.23			
DGC-6D	06/22/00						<0.005	29.1			0.79	0.004	14	0.03			1.72			6.08			
DGC-6D	09/21/00						<0.005	32.5			1.46	0.003	14.9	0.045			2.23			7.22			
DGC-6D	12/06/00	0.401	<0.050	0.008	0.142	<0.002	<0.005	34.4	<0.010	<0.017	0.773	0.004	15.8	0.037	<0.0002	<0.012	1.75	<0.002	<0.010	6.94	<0.001		<0.020
DGC-6D	03/22/01	8.88	<0.050	0.008	0.194	<0.002	<0.005	115	0.012	0.021	14.3	0.011	47	0.695	<0.0002	<0.012	4.26	<0.002	<0.010	6.21	<0.001		0.041
DGC-6D	06/05/01						<0.005	45.2			7.69	0.01	19.7	0.172			4.14			6.82			
DGC-6D	09/25/01						<0.005	141			24	0.046	54.4	0.922			5.81			7.96			
DGC-6D	12/04/01						<0.005	98.2			11.2	0.022	39.6	0.556			3.59			7.06			
DGC-6D	09/11/02	3.01	<0.050	0.008	0.147	<0.002	<0.005	44.2	0.003	<0.017	4.06	0.007	19.6	0.154	<0.0002	<0.012	2.73	<0.001	<0.010	6.62	<0.001	<0.010	0.025
DGC-6D	06/24/03	1.47	<0.050	0.008	0.124	<0.002	<0.001	33.7	<0.002	<0.017	1.82	0.002	15.4	0.062	<0.0002	<0.012	1.84	<0.001	<0.001	5.8	<0.001	<0.010	<0.020
DGC-6D	03/31/04	10	<0.01	0.037	0.25	<0.01	<0.01	140	0.017	0.025	20	0.029	64	1.1	<0.0002	0.017	5.3	<0.01	<0.01	8.4	<0.01	0.022	0.069
DGC-6D	12/10/04	0.94	<0.01	<0.01	0.14	<0.01	<0.01	36	<0.01	<0.01	1.5	<0.01	16	0.11	<0.0002	<0.01	1.9	<0.01	<0.01	7	<0.01	<0.01	0.032
DGC-6D	09/27/05	2.5	<0.01	<0.01	0.17	<0.01	<0.01	49	<0.01	<0.01	3.9	<0.01	22	0.17	<0.0002	<0.01	2.7	<0.01	<0.01	7.7	<0.01	<0.01	0.07
DGC-6D	06/27/06	2.7	<0.01	<0.01	<0.2	<0.01	<0.01	49	<0.01	<0.01	3.5	0.012	22	0.18	<0.0002	<0.01	2.8	0.048	<0.01	7	<0.01	<0.01	0.048
DGC-6D	09/25/07	1	<0.01	0.014	<0.2	<0.01	<0.01	41	<0.01	<0.01	1.8	<0.01	19	0.12	<0.0002	<0.01	2	<0.01	<0.01	6.5	<0.01	<0.01	0.02
DGC-6D	12/16/08	1.5	<0.01	<0.01	<0.2	<0.01	<0.01	44	<0.01	<0.01	2.3	0.012	19	0.12	<0.0002	<0.01	2.6	0.014	<0.01	7.3	<0.01	<0.01	0.043
DGC-6D	06/09/10	<0.20	<0.02	<0.02	0.15	<0.02	<0.02	36	<0.02	<0.02	0.54	0.03	16	0.07	<0.001	<0.02	1.5	<0.02	<0.02	5.6	<0.02	<0.02	<0.02
DGC-6D	06/14/11	1.1	<0.02	<0.02	0.14	<0.02	<0.02	35	<0.02	<0.02	1.4	0.02	16	0.05	<0.001	0.02	1.6	<0.02	<0.02	5.9	<0.01	<0.02	<0.02
DGC-6D	09/20/12	0.54	<0.02	<0.02	0.15	<0.02	<0.02	30	<0.02	<0.02	0.79	<0.02	15	0.03	<0.0008	<0.02	1.9	<0.02	<0.02	6.7	<0.01	<0.02	0.03
DGC-6D	11/26/13	1.6	<0.02	<0.02	0.16	<0.02	<0.02	37	<0.02	<0.02	2.3	<0.02	17	0.068	<0.0008	<0.02	3.1	<0.02	<0.02	7.1	<0.01	<0.02	0.049
DGC-6D	04/21/15	1.08	<0.012	<0.02	0.15	<0.02	<0.02	39.7	<0.02	<0.02	1.31	<0.02	17.6	0.089	<0.0002	<0.02	18.2	<0.02	<0.02	7.65	<0.010	<0.02	<0.02
DGC-6D	06/28/16	2.04	<0.006	0.072	2.47	<0.002	<0.0025	157	<0.02	<0.02	13.3	<0.02	107	0.2	<0.0007	0.052	31.1	<0.015	<0.005	255	<0.005	<0.04	<0.02
DGC-6D	09/26/17	1.33	<0.02	0.038	1.92	<0.005	<0.005	126	<0.02	<0.02	8	<0.02	85.1	0.24	<0.0007	0.031	29.9	<0.02	<0.005	195	<0.03	<0.04	<0.02

TABLE 7 - HISTORICAL SURFACE WATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well Units	Date Sampled	Eh mV	Cond(fld) umhos/cm	Turb(fld) NTU	pH SU	Temp degC	BOD-5 mg/l	Color PCCU	Hex-Cr mg/l	NO3 mg/l	Alk mg/CaCO3	Cl- mg/l	COD mg/l	NH3 mg/l	SO4 mg/l	B mg/l	Br mg/l	CN- mg/l	TDS mg/l	TKN mg/l	TOC mg/l	Phenols mg/l	Hard mg/CaCO3
Class GA Standard or Guidance Value					6.5-8.5				0.011							10		9				0.005	
SW-1	05/13/92	163	330	1.1	6.42	20	<3	80		<0.04	150	35	33	0.08	7	<0.1		<0.010	247	0.55	14.4	0.06	216
SW-1	06/12/97	-300	616	7	7.71	24.8	<4	200	<0.01	0.026	340	71	43	<0.03	<5	<1		<0.01	400	3.2	16	<0.002	300
SW-1	08/27/97	145	665	26	7.52	21	18			0.091	170	85	39	<0.03	68				310	3.5	10.4	0.0055	200
SW-1	11/18/97	130	585	4	7.79	0.9	<4			<0.02	100	67	<1	<0.03	87				350	0.73	10	<0.002	160
SW-1	4/28/98	10	632	18	8.31	15.3	<4			<0.02	170	62	19	<0.03	<5				300	1.1	11	<0.002	180
SW-1	06/23/98	65	509	0	7.41	23.1	<4	100	<0.01	<0.1	170	46	29	<0.03	13	<1		<0.01	330	1.2	16	<0.002	160
SW-1	11/25/98	290	0.61	17	7.55	4.4	11			<0.1	150	120	38	<0.03	22				370	0.97	13	<0.002	190
SW-1	02/17/99		835	66	8.68	0.9	51			<0.1	95	230	94	<0.03	12				390	28	14	<0.002	210
SW-1	03/29/99	100	255	3.8	8.04	7.3	<3			<0.050	64.5	21.1	<10.0	<0.100	13				113	2.58	6.3	<0.001	65.5
SW-1	06/29/99	-115	550	10.12	8.25	24.5	9			<0.050	156	55.3	45.7	<0.100	28				312	<1.00	17	0.007	182
SW-1	09/30/99	-12	950	8.2	7.71	15	3	70	<0.010	0.492	121	138	25.2	0.123	83	0.048		<0.010	535	<1.00	16	0.031	199
SW-1	12/29/99	-24	610	4.58	7.42	1.8	<3			<0.05	97.5	77.1	14.2	<1	48				338	<1	11	<0.005	184
SW-1	03/30/00	-62	490	1.5	7.88	5.7	<3			0.291	116	66	19.9	0.125	20				270	<1	9.2	0.0055	137
SW-1	06/22/00	-123	425	1.66	7.89	21.8	<3			<0.05	172	39.1	35.6	<0.1	<5				281	<1	14	<0.004	165
SW-1	09/21/00	-58	574	7	7.66	16.4	<3			<0.05	150	59.4	22.2	<0.1	<5				261	2.26	16	0.0121	166
SW-1	12/06/00	-14	539	5.3	8.13	0	<3	45	<0.01	<0.05	150	61.3	16.5	<0.1	24	<0.048		<0.01	304	<1	11	<0.004	180
SW-1	03/22/01	15.3	460	7.7	7.46	5.1	<3	45	<0.01	0.375	61.6	32.8	30.1	<0.1	18	<0.048		<0.01	140	<1	31	<0.004	77.2
SW-1	06/05/01	15	668	17.4	8.26	17.3	<3			<0.1	170	68.1	36.6	<0.1	<5				321	<1	11	0.0393	185
SW-1	09/25/01	80	1024	17.3	7.75	18.5	4			0.298	101	227	32.6	<0.1	69				670	1.19	12	0.0056	173
SW-1	12/04/01	267	637	1.25	7.7	9.1	<3			<0.1	115	89.6	<10	<0.1	37.1				326	2.03	7.1	<0.004	168
SW-1	09/11/02	47	480	13.3	7.65	20	<3	50	<0.01	0.101	166	105	14.9	<0.1	71.6	0.065		<0.005	458	1.05	9.2	0.0065	147
SW-1	06/24/03	90	510	8.6	7.85	21.2	<3	70	<0.01	<0.1	181	41.3	17.5	<0.1	<5	<0.048		<0.005	269	<1	11	<0.004	190
SW-1	03/31/04	125	376	10	7.5	11.3	9.4	100	<0.01	<0.1	100	57	29	<0.03	9.3	<0.5		<0.01	240	0.58	8	<0.002	110
SW-1	12/10/04	135	280	21	7.45	3.8	<4	400	<0.01	0.043	110	44	20	0.11	11	<0.5		<0.01	59	0.34	7.1	<0.002	120
SW-1	09/27/05	315	834	5	7.14	17.2	<4	120	<0.01	0.10	160	160	28	<0.03	38	<0.5		<0.01	550	0.67	12	<0.002	160
SW-1	06/27/06	285	677	10	7.21	21	9.8	450	<0.01	<0.02	200	94	34	<0.03	2.1			<0.01	460	0.84	15	<0.002	220
SW-1	09/25/07	265	711	0	8.52	21.4	4.9	40	<0.01	<0.1	120	120	31	<0.03	95	<0.5		<0.01	510	1.8	13	<0.003	200
SW-1	12/16/08	160	274	0	8.33	0.1	<4	30	<0.01	<0.1	100	52	20	<0.03	9.2	<0.5		<0.01	230	0.35	7.2	<0.003	110
SW-1	06/10/10	230.2	200	0	7.19	15.7	<4	70	<0.004	<0.5	197	90	109	0.07	<5	<0.1		<0.005	576	1.58	12	<0.010	156
SW-1	06/14/11	171.1	460	69	8.13	19.6	<4	45	<0.004	0.08	193	62	38	0.35	6.4	<0.1		<0.005	320	1.54	13.6	<0.010	174
SW-1	09/20/12	Sampling Location Dry									Sampling Location Dry												
SW-1	11/26/13	164	0.447	1.8	8.28	3.8	<4.0	35	<0.004	0.05	156	73	16	0.14	9.22	0.034	<1.0	<0.01	316	<0.5	10.4	<0.010	170
SW-1	04/21/15	40	0.513	0	7.47	14.33	<4.0	50	<0.004	<0.05	124	85	27	0.16	<10.0	<0.02	0.131	<0.01	284	0.68	9.69	<0.010	139
SW-1	06/28/16	217	0.563	29	7.9	27.9	<4.0	60	<0.004	<0.05	172	92	36	0.18	<10.0	<0.02	0.117	<0.01	320	0.87	15	<0.010	161
SW-1	09/26/17	68	0.399	1	7.63	22.4	<4.0	40	<0.004	0.06	178	59	31	0.21	<10.0	0.021	0.115	<0.01	298	0.9	13.4	<0.010	185
SW-2	05/13/92	145	430	1.6	6.15	18	<3	80		<0.04	155	46	28	<0.05	7	<0.1		<0.01	260	0.56	13.6	<0.01	230
SW-2	06/12/97	80	291	7	8.09	22.5	<4	25	<0.01	0.081	150	24	8.6	<0.03	34	<1		<0.01	200	1.1	5.8	<0.002	130
SW-2	08/27/97	150	287	12	7.52	19.2	7.4			0.1	79	23	180	<0.03	28				160	1.5	6.8	<0.002	120
SW-2	11/18/97	155	481	33	7.42	0.1	12			0.064	100	72	<1	0.072	78				390	1.2	11	<0.002	150
SW-2	4/28/98	80	533	31	7.01	9.1	14			<0.02	200	50	30	<0.03	<5				300	2.4	14	0.011	240
SW-2	06/23/98	65	322	5	7.32	24.1	<4	40	<0.01	<0.1	120	22	10	<0.03	41	<1		<0.01	230	1.2	9	<0.002	140
SW-2	11/25/98	130	0.613	13	7.1	4.7	4.1			<0.1	160	120	31	<0.03	18				350	1.1	13	<0.002	180
SW-2	03/29/99	212	225	3.8	8.02	5.8	<3			<0.050	69.2	21.7	<10.0	0.111	13				133	<1.00	6.4	<0.001	73.2
SW-2	06/29/99	-101	410	96.5	7.27	24.5	16			<0.050	73	28.8	102	0.185	54				204	<1.00	11	0.024	199
SW-2	09/30/99	0	390	10	7.64	14.7	<3	35	<0.010	<0.050	82.1	32.8	15.6	0.11	45	<0.048		<0.010	217	<1.00	6.6	0.001	126
SW-2	12/29/99	-14	590	1.39	7.1	1.8	<3			<0.05	129	79.9	17.6	<1	44				326	2.4	11	0.00729	186
SW-2	03/30/00	-62	720	5.3	7.56	5.6	<3			<0.05	116	59.9	<10	0.134	17				278	<1	9	<0.004	136
SW-2	06/22/00	-142	300	1.9	7.75	22.4	<3			<0.05	<1	26.5	25.6	0.151	15				208	<1	13	<0.004	126
SW-2	09/21/00	17	473	5	7.75	18.3	<3			<0.05	91.7	22.4	<10	<0.1	39				190	<1	6.1	<0.004	134
SW-2	12/06/00	-42	329	4	8.33	0.2	<3	30	<0.01	<0.05	90	20.7	<10	<0.1	42	<0.048		<0.01	183	<1	6.1	<0.004	136
SW-2	03/22/01	16.6	400	16.3	7.16	5	<3	45	<0.01	0.262	72.6	98.4	13.9	<0.1	6.2	<0.048		<0.01	246	<1	6.8	<0.004	104
SW-2	06/05/01	-20	389	7.9	7.4	17.5	<3			0.26	101	27.9	22.4	0.126	48				239	1.18	5.7	<0.004	154
SW-2	09/25/01	129	427	6.2	7.84	18.5	<3			<0.1	76.6	26.9	<10	<0.1	46.8				194	1.78	4.4	<0.004	130
SW-2	12/04/01	80	390	14.1	7.14	8	<3			0.212	80.3	24.9	<10	<0.1	49.7				216	<1	3.5	<0.004	152
SW-2	09/11/02	73.2	309	10.04	7.7	21	<3	20	<0.01	<0.1	84.6	18.4	<10	<0.1	35.6	<0.048		<0.005	216	<1	4.4	<0.004	124
SW-2	06/24/03	65	357	11	8.27	22	<3	25	<0.01	0.22	95.3	25.9	<10	0.595	35.4	0.066		<0.005	205	2.35	6.1	<0.004	122
SW-2	03/31/04	190	433	24	6.86	9.5	10	88	<0.01	<0.1	110	55	23	<0.03	9.4	<0.5		<0.01	230	0.47	8	0.0059	100
SW-2	12/10/04	130	339	8	7.11	3.9	<4	500	<0.01	0.043	120	39	22	0.032	11	<0.5		<0.01	150	0.28	6.9	<0.002	120
SW-2	9/27/2005	-60	323	34	6.76	15.2	23	280	<0.01	&													

TABLE 7 - HISTORICAL SURFACE WATER ANALYTICAL DATA - INORGANIC AND METAL PARAMETERS

Monitoring Well	Date Sampled	Al mg/l	Sb mg/l	As mg/l	Ba mg/l	Be mg/l	Cd mg/l	Ca mg/l	Cr mg/l	Cu mg/l	Fe mg/l	Pb mg/l	Mg mg/l	Mn mg/l	Hg mg/l	Ni mg/l	K mg/l	Se mg/l	Ag mg/l	Na mg/l	Tl mg/l	Zn mg/l
Units																						
Class GA Standard or Guidance Value		0.1			1	*	*		*	*	0.3	*			0.007	*		0.0046	0.0001		0.008	
SW-1	05/13/92	0.059	<0.0357	<0.005	0.0578	<0.0013	<0.0038	38.1	<0.0039	<0.0039	0.472	<0.003	10.6	0.287	<0.0002	<0.0306	1.19	<0.005	<0.0099	21.8	<0.005	0.0118
SW-1	06/12/97	1.8	<0.06	<0.01	<0.2	<0.01	<0.01	89	<0.01	<0.02	5.2	0.012	19	2	<0.0002	<0.01	1.9	<0.05	<0.01	28	<0.03	0.2
SW-1	08/27/97							56			2.3	<0.01	14	0.35			2.1			40		
SW-1	11/18/97							42			0.39	<0.01	12	0.024			3.4			39		
SW-1	4/28/98							49			1.3	<0.01	14	0.45			1.8			47		
SW-1	06/23/98	0.42	<0.06	<0.01	<0.2	<0.01	<0.01	45	<0.01	<0.02	1.3	<0.01	13	0.25	<0.0002	<0.01	1.2	<0.05	<0.01	38	<0.03	0.098
SW-1	11/25/98							52			0.61	0.016	14	0.12			<1			50		
SW-1	02/19/99							70			60	0.073	8.6	7.8			4.2			120		
SW-1	03/29/99							18.3			0.138	<0.001	4.81	<0.005			0.871			11.9		
SW-1	06/29/99							50.1			1.14	0.002	13.7	0.576			2			37.4		
SW-1	09/30/99	0.242	<0.050	0.002	0.09	<0.002	<0.005	56.5	<0.010	<0.017	0.507	<0.001	14	0.259	<0.0002	<0.012	4.14	<0.002	<0.010	58.1	<0.001	<0.020
SW-1	12/29/99							49.9			0.24	<0.01	14.5	0.062			2.23			40.7		
SW-1	03/30/00							37.3			0.17	0.002	10.6	0.008			1.56			38		
SW-1	06/22/00							45.4			0.416	0.003	12.5	0.158			1.16			29		
SW-1	09/21/00							45.3			0.553	0.002	12.8	0.316			3.36			31.3		
SW-1	12/06/00	0.208	<0.050	<0.002	0.059	<0.002	<0.005	48.2	<0.010	<0.017	0.421	0.003	14.6	0.067	<0.0002	<0.012	2.4	<0.002	<0.010	39.4	<0.001	0.029
SW-1	03/22/01	0.426	<0.050	<0.002	0.029	<0.002	<0.005	21.4	<0.010	<0.017	0.904	0.006	5.77	0.065	<0.0002	<0.012	1.42	<0.002	<0.010	18.8	<0.001	0.037
SW-1	06/05/01							50.8			0.372	0.002	14.2	0.088			1.17			38.8		
SW-1	09/25/01							49.3			0.561	0.007	12.2	0.368			1.91			77.2		
SW-1	12/04/01							45.8			0.136	0.002	13.1	0.028			3.07			48.3		
SW-1	09/11/02	0.412	<0.050	0.006	0.104	<0.002	<0.005	52.6	<0.002	<0.017	0.701	<0.001	14.2	0.258	<0.0002	<0.012	2.85	<0.001	<0.010	70.5	<0.001	<0.020
SW-1	06/24/03	<0.075	<0.050	0.001	0.035	<0.002	<0.001	40.6	<0.002	<0.017	0.52	<0.001	11.1	0.064	<0.0002	<0.012	0.705	<0.001	<0.001	28.7	<0.001	<0.020
SW-1	03/31/04	<0.1	<0.01	<0.01	<0.01	<0.01	<0.01	30	<0.01	<0.01	0.16	<0.01	8.3	0.021	<0.0002	<0.01	2.1	<0.01	<0.01	35	<0.01	0.032
SW-1	12/10/04	<0.1	<0.01	<0.01	0.037	<0.01	<0.01	33	<0.01	<0.01	0.27	<0.01	10	0.02	<0.0002	<0.01	2.1	<0.01	<0.01	32	<0.01	0.015
SW-1	09/27/05	0.16	<0.01	<0.01	<0.2	<0.01	<0.01	46	<0.01	<0.01	0.4	<0.01	12	0.5	<0.0002	<0.01	5.2	<0.01	<0.01	140	<0.01	0.022
SW-1	06/27/06	<0.1	<0.01	<0.01	<0.2	<0.01	<0.01	60	<0.01	<0.01	0.42	<0.01	17	0.38	<0.0002	<0.01	1.1	0.048	<0.01	57	<0.01	0.011
SW-1	09/25/07	0.77	<0.01	0.01	<0.2	<0.01	<0.01	49	<0.01	<0.01	1.4	<0.01	18	0.25	<0.0002	<0.01	4.2	<0.01	<0.01	83	<0.01	0.016
SW-1	12/16/08	0.3	<0.01	<0.01	<0.2	<0.01	<0.01	30	<0.01	<0.01	0.34	<0.01	8.3	0.02	<0.0002	<0.01	1.6	<0.01	<0.01	33	<0.01	<0.01
SW-1	06/10/10	<0.20	<0.02	<0.02	0.06	<0.02	<0.02	43	<0.02	<0.02	1	0.03	12	0.18	<0.001	<0.02	1	<0.02	<0.02	48	<0.02	<0.02
SW-1	06/14/11	<0.20	<0.02	<0.02	0.07	<0.02	<0.02	48	<0.02	<0.02	1.9	0.02	13	0.73	<0.001	<0.02	1.7	<0.02	<0.02	39	<0.01	<0.02
SW-1	09/20/12	Sampling Location Dry											Sampling Location Dry									
SW-1	11/26/13	<0.20	<0.02	<0.02	0.041	<0.02	<0.02	46	<0.02	<0.02	0.3	<0.02	13	0.07	<0.0008	<0.02	2.7	<0.02	<0.02	44	<0.01	<0.02
SW-1	04/21/15	0.3	<0.012	<0.02	0.056	<0.02	<0.02	38.5	<0.02	<0.02	0.94	<0.02	10.4	0.13	<0.0002	<0.02	7.16	<0.02	<0.02	51	<0.010	<0.02
SW-1	06/28/16	<0.2	<0.006	<0.02	0.053	<0.002	<0.0025	41.9	<0.02	<0.02	1.22	<0.02	13.6	0.51	<0.0007	<0.02	1.72	<0.015	<0.005	51.3	<0.005	<0.02
SW-1	09/26/17	<0.20	<0.02	<0.02	0.082	<0.005	<0.005	51.1	<0.02	<0.02	1.23	<0.02	13.9	1.46	<0.0007	<0.02	2.23	<0.02	<0.005	35.2	<0.03	<0.02
SW-2	05/13/92	0.0789	0.0456	<0.005	<0.0601	<0.0013	<0.0038	44	0.0052	0.0052	0.409	<0.003	11.8	0.146	<0.0002	<0.0306	1.52	<0.005	<0.00099	26.8	<0.005	0.0051
SW-2	06/12/97	<0.1	<0.06	<0.01	<0.2	<0.01	<0.01	38	<0.01	<0.02	0.33	<0.01	9.2	0.18	<0.0002	<0.01	1.2	<0.05	<0.01	10	<0.03	0.5
SW-2	08/27/97							33			0.35	<0.01	7.9	0.18			1.4			8.7		
SW-2	11/18/97							41			0.46	<0.01	12	0.045			3.5			41		
SW-2	4/28/98							71			6.9	0.016	16	2.7			3.7			51		
SW-2	06/23/98	3.8	<0.06	<0.01	<0.2	<0.01	<0.01	39	<0.01	<0.02	7.3	0.013	11	1.5	<0.0002	<0.01	2.1	<0.05	<0.01	15	<0.03	0.15
SW-2	11/25/98							51			0.62	0.022	14	0.3			<1			49		
SW-2	03/29/99							20.3			0.411	<0.001	5.46	0.006			0.992			13.3		
SW-2	06/29/99							54.3			5.42	0.007	15.5	0.826			5.35			15.4		
SW-2	09/30/99	0.347	<0.050	<0.002	0.046	<0.002	<0.005	35	<0.010	<0.017	0.527	<0.001	9.32	0.083	<0.0002	<0.012	2.25	<0.002	<0.010	19.9	<0.001	<0.020
SW-2	12/29/99							50.5			0.188	<0.01	14.6	0.04			2.15			42.5		
SW-2	03/30/00							37.1			0.189	<0.001	10.5	0.007			1.51			36.4		
SW-2	06/22/00							36			0.522	0.004	8.7	0.276			1.71			18.9		
SW-2	09/21/00							38.3			0.179	<0.001	9.32	0.074			1.79			13.3		
SW-2	12/06/00	0.105	<0.050	<0.002	0.03	<0.002	<0.005	39.6	<0.010	<0.017	0.159	0.001	9.13	0.038	<0.0002	<0.012	1.28	<0.002	<0.010	11.7	<0.001	0.029
SW-2	03/22/01	0.585	<0.050	<0.002	0.064	<0.002	<0.005	31.7	0.014	<0.017	1.42	0.006	5.99	0.455	<0.0002	<0.012	1.99	<0.002	<0.010	63	<0.001	0.052
SW-2	06/05/01							45.2			0.182	0.002	10.1	0.179			1.32			16		
SW-2	09/25/01							37.5			0.235	0.006	8.95	0.105			1.08			12.2		
SW-2	12/04/01							44.5			0.124	0.002	9.94	0.023			1.39			13.4		
SW-2	09/11/02	0.12	<0.050	0.001	0.043	<0.002	<0.005	35.1	<0.002	<0.017	0.231	0.001	8.89	0.143	<0.0002	<0.012	1.21	<0.001	<0.010	12	<0.001	<0.020
SW-2	06/24/03	0.15	<0.050	<0.001	0.019	<0.002	<0.001	35.5	<0.002	<0.017	0.213	0.001	8.16	0.097	<0.0002	<0.012	1.05	<0.001	<0.001	13.2	<0.001	<0.020
SW-2	03/31/04	<0.1	<0.01	<0.01	<0.01	<0.01	<0.01	29	<0.01	<0.01	0.14	<0.01	8	0.019	<0.0002	<0.01	1.9	0.014	<0.01	32	<0.01	0.015
SW-2	12/10/04	0.16	<0.01	<0.01	0.04	<0.01	<0.01	33	<0.01	<0.01	0.28	<0.01	10	0.022	<0.0002	<0.01	2	<0.01	<0.01	28	<0.01	<0.01
SW-2	09/27/005	0.1	<0.01	<0.01	<0.2	<0.01	<0.01	33	<0.01	<0.01	0.34	<0.01	9.1	1.9	<0.0002	<0.01	6.2	<0.01	<0.01	15	<0.01	0.022
SW-2	6/27/2006	0.28	<0.01	<0.01	<0.2																	

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

		MW-1S										
Sample Collection Date		5/5/1992	12/15/1992	6/12/1997	6/23/1998	9/30/1999	12/6/2000	3/22/2001	9/11/2002	6/24/2003	3/31/2004	12/10/2004
EPA 8260												
Acetone	ug/l	<10	<10	<10	<10	<25	<25	<25	<25	<25	<10	<10
Acrylonitrile	ug/l	NA	NA	NA	NA	<20	<5	<5	<20	<20	<5	<5
Benzene	ug/l	<10	<10	<5	<5	<0.7	<0.7	<0.7	<0.7	<0.7	<5	<1
Bromochloromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1
Bromodichloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
Bromoform (Tribromomethane)	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
Bromomethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
2-Butanone (MEK)	ug/l	<10	<10	<10	<10	<25	<25	<25	<25	<25	<10	<10
Carbon Disulfide	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
Carbon Tetrachloride	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
Chlorobenzene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
Chloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
Chloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
2-chloroethylvinylether	ug/l											
Chloroform (Trichloromethane)	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
Dibromochloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
Dichlorodifluoromethane	ug/l											
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<20	<5	<1
1,2-Dibromoethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1
Dibromomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1
1,3 -Dichlorobenzene	ug/l											
1,2-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1
1,4-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<5	<5	<5
1,1-Dichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
1,2-Dichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
1,1-Dichloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1
1,2-Dichloropropane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
cis-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
trans-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
Ethylbenzene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
2-Hexanone	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Iodomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1
Methylene Chloride	ug/l	<10	6	<10	<10	<5	<5	<5	<5	<5	<10	<2
4-Methyl-2-pentanone (MIBK)	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Styrene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	NA	NA	<5	NA	NA	<5	<5	<5	<1
1,1,2,2-Tetrachloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
Tetrachloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	--	<5	<1
Toluene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
1,1,1-Trichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
1,1,2-Trichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
Trichloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1
Trichlorofluoromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1
1,2,3-Trichloropropane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	--	<5	<1
Vinyl Acetate	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<10	<5
Vinyl Chloride	ug/l	<10	<10	<5	<5	<2	<2	<2	<2	<2	<5	<1
Total Xylene	ug/l	<10	<10	NA	<5	NA	<5	<5	<5	<5	<5	<1

NA - Not Analyzed

Bold & Italics - Substances detected above method detection limits

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

		MW-2SR																		
Sample Collection Date		6/12/1997	6/23/1998	9/30/1999	12/6/2000	3/22/2001	9/11/2002	6/24/2003	3/31/2004	12/10/2004	9/27/2005	6/27/2006	12/16/2008	6/9/2010	6/14/2011	9/20/2012	11/26/2013	4/21/2015	6/28/2016	9/26/2017
EPA 8260																				
Acetone	ug/l	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Acrylonitrile	ug/l	NA	NA	<20	<5	<5	<20	<20	<5	<5	<20	<20	<20	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Benzene	ug/l	<5	<5	<0.7	<0.7	<0.7	<0.7	<0.7	<5	<1	<1	<1	<1	<0.7	<0.7	<0.7	<1	<1.0	<1.0	<1
Bromochloromethane	ug/l	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromodichloromethane	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromoform (Tribromomethane)	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromomethane	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-Butanone (MEK)	ug/l	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5
Carbon Disulfide	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Carbon Tetrachloride	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<2.0	<1	<1.0	<1.0	<1
Chlorobenzene	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Chloroethane	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<4	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
Chloromethane	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-chloroethylvinylether	ug/l													<5.0	<5.0	<5.0	NA	<5.0	<5.0	
Chloroform (Trichloromethane)	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromochloromethane	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dichlorodifluoromethane	ug/l													<2.0	<2.0	<2.0	NA	<3.0	<3.0	
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	NA	NA	NA	<5	<20	<5	<1	<1	<1	<10	<1.0	<1.0	<1.0	<5	<1.0	<1.0	<1
1,2-Dibromomethane	ug/l	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromomethane	ug/l	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,3-Dichlorobenzene	ug/l													<1.0	<1.0	<1.0	NA	<1.0	<1.0	
1,2-Dichlorobenzene	ug/l	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,4-Dichlorobenzene	ug/l	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
1,1-Dichloroethane	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloroethane	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1-Dichloroethene	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloropropane	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,3-Dichloropropene	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,3-Dichloropropene	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Ethylbenzene	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
2-Hexanone	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Iodomethane	ug/l	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<5	<5	<1.0	<1.0	<1.0	<2	<4.0	<2.0	<2
Methylene Chloride	ug/l	<10	<10	<5	<5	<5	<5	<5	<10	<2	<5	<1	<1	<5.0	<5.0	<5.0	<2	<5.0	<5.0	<5
4-Methyl-2-pentanone (MIBK)	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Styrene	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	<5	NA	NA	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2,2-Tetrachloroethane	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Tetrachloroethene	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Toluene	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1-Trichloroethane	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2-Trichloroethane	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichloroethene	ug/l	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichlorofluoromethane	ug/l	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<3.0	<3.0	<3
1,2,3-Trichloropropane	ug/l	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Vinyl Acetate	ug/l	NA	NA	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5.0	<5.0	<5.0	<2	<5.0	<5.0	<5
Vinyl Chloride	ug/l	<5	<5	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Total Xylene	ug/l	NA	<5	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<3.0	<3.0	<3.0	<1	<3.0	<3.0	<3

NA - Not Analyzed

Bold & Italics - Substances detected above method

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

		DGC-3S																				
Sample Collection Date		5/6/1992	12/15/1992	6/12/1997	6/23/1998	9/30/1999	12/6/2000	3/22/2001	9/11/2002	6/24/2003	3/31/2004	12/10/2004	9/27/2005	6/27/2006	12/16/2008	6/10/2010	6/14/2011	9/20/2012	11/26/2013	4/21/2015	6/28/2016	9/26/2017
EPA 8260																						
Acetone	ug/l	<10	<10	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	
Acrylonitrile	ug/l	NA	NA	NA	NA	<20	<5	<5	<20	<20	<5	<5	<20	<20	<20	<5.0	<5.0	<5.0	<5	<5.0	<5.0	
Benzene	ug/l	<10	<10	<5	<5	<0.7	<0.7	<0.7	<0.7	<0.7	<5	<1	<1	<1	<1	<0.7	<0.7	<0.7	<1	<1.0	<1.0	
Bromochloromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Bromodichloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Bromoform (Tribromomethane)	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Bromomethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<2.0	<2.0	<2.0	<1	<3.0	<3.0	
2-Butanone (MEK)	ug/l	<10	<10	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<10	<5.0	<5.0	
Carbon Disulfide	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	
Carbon Tetrachloride	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<2.0	<1	<1.0	<1.0	
Chlorobenzene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Chloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<4	<2.0	<2.0	<2.0	<1	<3.0	<3.0	
Chloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<2.0	<2.0	<2.0	<1	<3.0	<3.0	
2-chloroethylvinylether	ug/l															<5.0	<5.0	<5.0	NA	<5.0	<5.0	
Chloroform (Trichloromethane)	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Dibromochloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Dichlorodifluoromethane	ug/l															<2.0	<2.0	<2.0	NA	<3.0	<3.0	
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<20	<5	<1	<1	<1	<10	<1.0	<1.0	<1.0	<5	<1.0	<1.0	
1,2-Dibromoethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Dibromomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,3-Dichlorobenzene	ug/l															<1.0	<1.0	<1.0	NA	<1.0	<1.0	
1,2-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,4-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5.0	<5	<5.0	<5.0	
1,1-Dichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,2-Dichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,1-Dichloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,2-Dichloropropane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
cis-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
trans-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Ethylbenzene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
2-Hexanone	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	
Iodomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<5	<5	<1.0	<1.0	<1.0	<2	<4.0	<2.0	
Methylene Chloride	ug/l	2	12	<10	<10	<5	<5	<5	<5	<5	<10	<2	<5	<1	<1	<5.0	<5.0	<5.0	<2	<5.0	<5.0	
4-Methyl-2-pentanone (MIBK)	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	
Styrene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	NA	NA	<5	NA	NA	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,1,2,2-Tetrachloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Tetrachloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	-	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Toluene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,1,1-Trichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,1,2-Trichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Trichloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Trichlorofluoromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<3.0	<3.0	
1,2,3-Trichloropropane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	-	<5	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Vinyl Acetate	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5.0	<5.0	<5.0	<2	<5.0	<5.0	
Vinyl Chloride	ug/l	<10	<10	<5	<5	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	
Total Xylene	ug/l	<10	<10	NA	<5	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<3.0	<3.0	<3.0	<1	<3.0	<3.0	

NA - Not Analyzed

Bold & Italics - Substances detected above method L

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

		MW-4SR																				
Sample Collection Date		5/5/1992	12/15/1992	6/12/1997	6/23/1998	9/30/1999	12/6/2000	3/22/2001	9/11/2002	6/24/2003	3/31/2004	12/10/2004	9/27/2005	6/27/2006	12/16/2008	6/9/2010	6/14/2011	9/20/2012	11/26/2013	4/21/2015	6/28/2016	9/26/2017
EPA 8260																						
Acetone	ug/l	<10	<10	<40	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	21	<10	<50	<10	<10	<10	<10	<10
Acrylonitrile	ug/l	NA	NA	NA	NA	<20	<5	<5	<20	<20	NA	<5	<20	<20	<20	<5.0	<25	<5.0	<5	<5.0	<5.0	<5
Benzene	ug/l	4	6	<20	5.4	6	6	4	<0.7	6	5.8	6	8.6	<1	7.2	7.4	12	9.7	6.3	6.1	6.3	7.8
Bromochloromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
Bromodichloromethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
Bromoform (Tribromomethane)	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
Bromomethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<2.0	<10	<2.0	<1	<3.0	<3.0	<3
2-Butanone (MEK)	ug/l	<10	<10	<40	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<5.0	<25	<5.0	<10	<5.0	<5.0	<5
Carbon Disulfide	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<2.0	<2.0	<2
Carbon Tetrachloride	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<2.0	<1	<1.0	<1.0	<1
Chlorobenzene	ug/l	14	23	42	38	68	92	39	<5	48	45	47	66	47	64	61	79	88	45	34	37	54
Chloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<4	<2.0	<10	<2.0	<1	<3.0	<3.0	<3
Chloromethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<2.0	<10	<2.0	<1	<3.0	<3.0	<3
2-chloroethylvinylether	ug/l															<5.0	<25	<5.0	NA	<5.0	<5.0	
Chloroform (Trichloromethane)	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
Dibromochloromethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
Dichlorodifluoromethane	ug/l															<2.0	<10	<2.0	NA	<3.0	<3.0	
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<20	<5	<1	<1	<1	<10	<1.0	<5.0	<1.0	<5	<1.0	<1.0	<1
1,2-Dibromomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
Dibromomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
1,3-Dichlorobenzene	ug/l															<1.0	<5.0	<1.0	NA	<1.0	<1.0	
1,2-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	1.4	2.3	1.4	1.8	1.3	<5.0	2.9	1.3	1.3	1.3	1.8
1,4-Dichlorobenzene	ug/l	NA	NA	NA	NA	7	7	3	<2	6	<5	5.2	6.8	4.8	5.5	2.4	79	9.1	6.1	4.8	5	7
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5	<5.0	<25	<5.0	<5	<5.0	<5.0	<5
1,1-Dichloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
1,1-Dichloroethene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloropropane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
cis-1,3-Dichloropropene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
trans-1,3-Dichloropropene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
Ethylbenzene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
2-Hexanone	ug/l	<10	<10	<40	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<25	<5.0	<5	<5.0	<5.0	<5
Iodomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<5	<5	<1.0	<5.0	<1.0	<2	<4.0	<2.0	<2
Methylene Chloride	ug/l	<10	1	<40	<10	<5	<5	<5	<5	<5	<10	<2	<5	<1	<1	<5.0	<25	<5.0	<2	<5.0	<5.0	<5
4-Methyl-2-pentanone (MIBK)	ug/l	<10	<10	<40	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<25	<5.0	<5	<5.0	<5.0	<5
Styrene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	NA	NA	<5	NA	NA	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
1,1,2,2-Tetrachloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
Tetrachloroethene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
Toluene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
1,1,1-Trichloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
1,1,2-Trichloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
Trichloroethene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
Trichlorofluoromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<3.0	<3.0	<3
1,2,3-Trichloropropane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<1.0	<1.0	<1
Vinyl Acetate	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5.0	<25	<5.0	<2	<5.0	<5.0	<5
Vinyl Chloride	ug/l	<10	<10	<20	<5	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<5.0	<1.0	<1	<2.0	<2.0	<2
Total Xylene	ug/l	<10	<10	NA	<5	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<3.0	<15	<3.0	<1	<3.0	<3.0	<3

NA - Not Analyzed

Bold & Italics - Substances detected above method L

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

		DGC-5																				
Sample Collection Date		5/5/1992	12/15/1992	6/12/1997	6/23/1998	9/30/1999	12/6/2000	3/22/2001	9/11/2002	6/24/2003	3/31/2004	12/10/2004	9/27/2005	6/27/2006	12/16/2008	6/9/2010	6/14/2011	9/20/2012	11/26/2013	4/21/2015	6/28/2016	9/26/2017
EPA 8260																						
Acetone	ug/l	<10	<10	<40	<10	39	<25	<25	<25	<25	15	24	<10	<10	25	13	<10	16	<10	<10	18	<10
Acrylonitrile	ug/l	NA	NA	NA	NA	<20	<5	<5	<20	<20	<5	<5	<20	<20	<20	<5.0	<5.0	<5.0	<5	<5.0	<5	<5
Benzene	ug/l	2	4	<20	<5	4	<0.7	<0.7	3	<0.7	<5	<1	3.6	1.3	<1	<0.7	<0.7	1.8	<1	<1.0	<1	<1
Bromochloromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromodichloromethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromoform (Tribromomethane)	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromomethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-Butanone (MEK)	ug/l	<10	<10	<40	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5
Carbon Disulfide	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Carbon Tetrachloride	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<2.0	<1	<1.0	<1.0	<1
Chlorobenzene	ug/l	4	8	<20	6.7	12	<5	<5	7	<5	<5	<1	6.6	2.9	<1	<1.0	<1.0	2.9	1.2	<1.0	<1.0	<1
Chloroethane	ug/l	55	240	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<4	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
Chloromethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-chloroethylvinylether	ug/l															<5.0	<5.0	<5.0	NA	<5.0	<5.0	
Chloroform (Trichloromethane)	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromochloromethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dichlorodifluoromethane	ug/l															<2.0	<2.0	<2.0	NA	<3.0	<3.0	
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<5	<5	<1	<1	<1	<10	<1.0	<1.0	<1.0	<5	<1.0	<1.0	<1
1,2-Dibromoethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,3-Dichlorobenzene	ug/l															<1.0	<1.0	<1.0	NA	<1.0	<1.0	
1,2-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,4-Dichlorobenzene	ug/l	NA	NA	NA	NA	4	<2	<2	2	<2	<5	<1	1.5	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
1,1-Dichloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1-Dichloroethene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloropropane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,3-Dichloropropene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,3-Dichloropropene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Ethylbenzene	ug/l	<10	1	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
2-Hexanone	ug/l	<10	<10	<40	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Iodomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<5	<5	<1.0	<1.0	<1.0	<2	<4.0	<2.0	<2
Methylene Chloride	ug/l	2	8	<40	<10	<5	<5	<5	<5	<5	<10	<2	<5	<1	<1	<5.0	<5.0	<5.0	<2	<5.0	<5.0	<5
4-Methyl-2-pentanone (MIBK)	ug/l	<10	<10	<40	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Styrene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	NA	NA	<5	NA	NA	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2,2-Tetrachloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Tetrachloroethene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	-	<5	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Toluene	ug/l	<10	1	<20	12	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1-Trichloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2-Trichloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichloroethene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichlorofluoromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<3.0	<3.0	<3
1,2,3-Trichloropropane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	-	<5	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Vinyl Acetate	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5.0	<5.0	<5.0	<2	<5.0	<5.0	<5
Vinyl Chloride	ug/l	<10	<10	<20	<5	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Total Xylene	ug/l	10	19	NA	<5	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<3.0	<3.0	<3.0	<1	<3.0	<3.0	<3

NA - Not Analyzed

Bold & Italics - Substances detected above method

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

		MW-6SR																				
Sample Collection Date		5/5/1992	12/15/1992	6/12/1997	6/23/1998	9/30/1999	12/6/2000	3/22/2001	9/11/2002	6/24/2003	3/31/2004	12/10/2004	9/27/2005	6/27/2006	12/16/2008	6/9/2010	6/14/2011	9/20/2012	11/26/2013	4/21/2015	6/28/2016	9/26/2017
EPA 8260																						
Acetone	ug/l	12	<10	<40	<10	30	<25	27	<25	<25	<10	<10	<10	<10	<10	<10	<10	15	<10	<10	<10	
Acrylonitrile	ug/l	NA	NA	NA	NA	<20	<5	<5	<20	<20	<5	<5	<20	<20	<20	<5.0	<5.0	<5.0	<5	<5.0	<5.0	
Benzene	ug/l	<10	3	<20	<5	4	2	3	2	3	<5	1.5	1.4	1.8	2	1.9	1.7	1.1	<1	1.2	<1.0	
Bromochloromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1	
Bromodichloromethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1	
Bromoform (Tribromomethane)	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1	
Bromomethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<2.0	<2.0	<2.0	<1	<3.0	<3.0	
2-Butanone (MEK)	ug/l	<10	<10	<40	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<10	<5.0	<5.0	
Carbon Disulfide	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	
Carbon Tetrachloride	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<2.0	<1	<1.0	<1	
Chlorobenzene	ug/l	<10	2	<20	<5	8	<5	5	5	5	<5	1.9	<1	3.2	3.8	2.8	3.1	<1.0	<1	1.5	<1.0	
Chloroethane	ug/l	<10	4	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<4	<2.0	<2.0	<2.0	<1	<3.0	<3.0	
Chloromethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<2.0	<2.0	<2.0	<1	<3.0	<3.0	
2-chloroethylvinylether	ug/l															<5.0	<5.0	<5.0	NA	<5.0	<5.0	
Chloroform (Trichloromethane)	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Dibromochloromethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Dichlorodifluoromethane	ug/l															<2.0	4.5	<2.0	NA	<3.0	<3.0	
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<20	<5	<1	<1	<1	<10	<1.0	<1.0	<1.0	<5	<1.0	<1.0	
1,2-Dibromoethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Dibromomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,3 -Dichlorobenzene	ug/l															<1.0	<1.0	<1.0	NA	<1.0	<1.0	
1,2-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,4-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5.0	<5	<5.0	<5.0	
1,1-Dichloroethane	ug/l	<10	3	<20	<5	<5	<5	<5	<5	<5	<5	1.1	4	1.8	<1	2.5	2	4.6	1.0	1.3	<1.0	
1,2-Dichloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	1.6	<1	<1.0	<1.0	
1,1-Dichloroethene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1.9	8.4	3.2	1.3	2.8	1.6	4	<1	1.1	<1.0	
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,2-Dichloropropane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
cis-1,3-Dichloropropene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
trans-1,3-Dichloropropene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Ethylbenzene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
2-Hexanone	ug/l	<10	4	<40	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	
Iodomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<5	<5.0	<5.0	<5.0	<2	<4.0	<2.0	
Methylene Chloride	ug/l	2	3	<40	<10	<5	<5	<5	<5	<5	<10	<2	<5	<1	<1	<5.0	<5.0	<5.0	<2	<5.0	<5.0	
4-Methyl-2-pentanone (MIBK)	ug/l	<10	3	<40	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	
Styrene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	NA	NA	<5	NA	NA	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,1,2,2-Tetrachloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Tetrachloroethene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	-	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Toluene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	1.4	<1	<1.0	<1.0	
1,1,1-Trichloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
1,1,2-Trichloroethane	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Trichloroethene	ug/l	<10	<10	<20	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Trichlorofluoromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<3.0	<3.0	
1,2,3-Trichloropropane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	-	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	
Vinyl Acetate	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5.0	<5.0	<5.0	<2	<5.0	<5.0	
Vinyl Chloride	ug/l	<10	<10	<20	<5	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	
Total Xylene	ug/l	<10	3	NA	<5	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<3.0	<3.0	<3.0	<1	<3.0	<3.0	

NA - Not Analyzed

Bold & Italics - Substances detected above method L

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

		MW-7S																			
Sample Collection Date		5/5/1992	12/15/1992	6/12/1997	6/23/1998	9/30/1999	12/6/2000	3/22/2001	9/11/2002	6/24/2003	3/31/2004	12/10/2004	9/27/2005	6/27/2006	12/16/2008	6/9/2010	6/14/2011	11/26/2013	4/21/2015	6/28/2016	9/26/2017
EPA 8260																					
Acetone	ug/l	<10	29	19	<10	33	<25	<25	<25	<25	<10	20	<10	13	<10	<10	<10	<10	<10	<10	<10
Acrylonitrile	ug/l	NA	NA	NA	NA	<20	<5	<5	<20	<20	<5	<5	<20	<20	<20	<5.0	<5.0	<5	<5.0	<5.0	<5
Benzene	ug/l	<10	3	<5	<5	<0.7	<0.7	<0.7	<0.7	<0.7	<5	<1	<1	<1	<1	<0.7	<0.7	<1	<1.0	<1.0	<1
Bromochloromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromodichloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromofom (Tribromomethane)	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromomethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<2.0	<2.0	<1	<3.0	<3.0	<3
2-Butanone (MEK)	ug/l	<10	<10	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<5.0	<5.0	<10	<5.0	<5.0	<5
Carbon Disulfide	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<2.0	<2.0	<2
Carbon Tetrachloride	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Chlorobenzene	ug/l	<10	5	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Chloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<4	<2.0	<2.0	<1	<3.0	<3.0	<3
Chloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<2.0	<2.0	<1	<3.0	<3.0	<3
2-chloroethylvinylether	ug/l															<5.0	<5.0	NA	<5.0	<5.0	
Chloroform (Trichloromethane)	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromochloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Dichlorodifluoromethane	ug/l															<2.0	<2.0	NA	<3.0	<3.0	
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<20	<5	<1	<1	<1	<10	<1.0	<1.0	<5	<1.0	<1.0	<1
1,2-Dibromomethane	ug/l	NA	NA	NA	NA	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,3 -Dichlorobenzene	ug/l															<1.0	<1.0	NA	<1.0	<1.0	
1,2-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,4-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5	<5.0	<5.0	<5
1,1-Dichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1-Dichloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloropropane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Ethylbenzene	ug/l	<10	19	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
2-Hexanone	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5	<5.0	<5.0	<5
Iodomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<5	<5	<1.0	<1.0	<2	<4.0	<2.0	<2
Methylene Chloride	ug/l	<10	<10	<10	<10	<5	<5	<5	<5	<5	<10	<2	<5	<1	<1	<5.0	<5.0	<2	<5.0	<5.0	<5
4-Methyl-2-pentanone (MIBK)	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5	<5.0	<5.0	<5
Styrene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	NA	NA	<5	NA	NA	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2,2-Tetrachloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Tetrachloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Toluene	ug/l	<10	1	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1-Trichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2-Trichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichlorofluoromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<3.0	<3.0	<3
1,2,3-Trichloropropane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Vinyl Acetate	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5.0	<5.0	<2	<5.0	<5.0	<5
Vinyl Chloride	ug/l	<10	<10	<5	<5	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<2.0	<2.0	<2
Total Xylene	ug/l	<10	63	NA	<5	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<3.0	<3.0	<1	<3.0	<3.0	<3

NA - Not Analyzed

Bold & Italics - Substances detected above method.

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

Sample Collection Date		MW-8S																				
		5/5/1992	12/15/1992	6/12/1997	6/23/1998	9/30/1999	12/6/2000	3/22/2001	9/11/2002	6/24/2003	3/31/2004	12/10/2004	9/27/2005	6/27/2006	12/16/2008	6/10/2010	6/14/2011	9/20/2012	11/26/2013	4/21/2015	6/28/2016	9/26/2017
EPA 8260																						
Acetone	ug/l	<10	<10	<10	<10	62	<25	<25	<25	<25	<10	120	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Acrylonitrile	ug/l	NA	NA	NA	NA	<20	<5	<5	<20	<20	<5	<5	<20	<20	<20	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Benzene	ug/l	<10	<10	<5	<5	1	<0.7	<0.7	<0.7	<0.7	<5	<1	1.6	<1	<1	<0.7	<0.7	<0.7	<1	<1.0	<1.0	<1
Bromochloromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromodichloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromoform (Tribromomethane)	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromomethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-Butanone (MEK)	ug/l	<10	<10	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5
Carbon Disulfide	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Carbon Tetrachloride	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<2.0	<1	<1.0	<1.0	<1
Chlorobenzene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Chloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<4	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
Chloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-chloroethylvinylether	ug/l															<5.0	<5.0	<5.0	NA	<5.0	<5.0	<5
Chloroform (Trichloromethane)	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromochloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dichlorodifluoromethane	ug/l															<2.0	<2.0	<2.0	NA	<3.0	<3.0	<3
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<20	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<5	<1.0	<1.0	<1
1,2-Dibromoethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,3-Dichlorobenzene	ug/l															<1.0	<1.0	<1.0	NA	<1.0	<1.0	<1
1,2-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,4-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
1,1-Dichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1-Dichloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloropropane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Ethylbenzene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
2-Hexanone	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Iodomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<5	<5	<1.0	<1.0	<1.0	<2	<4.0	<2.0	<2
Methylene Chloride	ug/l	<10	5	<10	<10	<5	<5	<5	<5	<5	<10	<2	<5	<1	<1	<5.0	<5.0	<5.0	<2	<5.0	<5.0	<5
4-Methyl-2-pentanone (MIBK)	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Styrene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	NA	NA	<5	NA	NA	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2,2-Tetrachloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Tetrachloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Toluene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1-Trichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2-Trichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichlorofluoromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<3.0	<3.0	<3
1,2,3-Trichloropropane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Vinyl Acetate	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5.0	<5.0	<5.0	<2	<5.0	<5.0	<5
Vinyl Chloride	ug/l	<10	<10	<5	<5	<2	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Total Xylene	ug/l	<10	<10	NA	<5	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<3.0	<3.0	<3.0	<1	<3.0	<3.0	<1

NA - Not Analyzed

Bold & Italics - Substances detected above method

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

		MW-9S											
Sample Collection Date		5/5/1992	12/15/1992	6/24/2003	3/31/2004	12/10/2004	6/27/2006	6/9/2010	6/14/2011	11/26/2013	4/21/2015	6/28/2016	9/26/2017
EPA 8260													
Acetone	ug/l	<10	<10	<25	<10	<10	<10	<10	<50	<10	<10	<10	<10
Acrylonitrile	ug/l	NA	NA	<20	<5	<5	<20	<5.0	<25	<5	<5.0	<5.0	<5
Benzene	ug/l	13	13	6	10	9.7	<1	14	18	14	8.7	15	14
Bromochloromethane	ug/l	NA	NA	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
Bromodichloromethane	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
Bromoform (Tribromomethane)	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
Bromomethane	ug/l	<10	<10	<5	<5	<1	<1	<2.0	<10	<1	<3.0	<3.0	<3
2-Butanone (MEK)	ug/l	<10	<10	<25	<10	<10	<10	<5.0	<25	<10	<5.0	<5.0	<5
Carbon Disulfide	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<2.0	<2.0	<2
Carbon Tetrachloride	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
Chlorobenzene	ug/l	130	89	15	32	33	<1	50	57	66	32	54	48
Chloroethane	ug/l	<10	<10	<5	<5	<1	<1	<2.0	<10	<1	<3.0	<3.0	<3
Chloromethane	ug/l	<10	<10	<5	<5	<1	<1	<2.0	<10	<1	<3.0	<3.0	<3
2-chloroethylvinylether	ug/l							<5.0	<25	NA	<5.0	<5.0	
Chloroform (Trichloromethane)	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
Dibromochloromethane	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
Dichlorodifluoromethane	ug/l							<2.0	<10	NA	<3.0	<3.0	
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	<20	<5	<1	<1	<1.0	<5.0	<5	<1.0	<1.0	<1
1,2-Dibromomethane	ug/l	NA	NA	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
Dibromomethane	ug/l	NA	NA	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
1,3-Dichlorobenzene	ug/l							<1.0	<5.0	NA	<1.0	<1.0	
1,2-Dichlorobenzene	ug/l	NA	NA	<2	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
1,4-Dichlorobenzene	ug/l	NA	NA	<2	<5	1.5	<1	1.5	<5.0	3.6	3.5	3.2	3.5
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	<5	<5	<5	<5	<5.0	<25	<5	<5.0	<5.0	<5
1,1-Dichloroethane	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
1,2-Dichloroethane	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
1,1-Dichloroethene	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
1,2-Dichloropropane	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
cis-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
trans-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
Ethylbenzene	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
2-Hexanone	ug/l	<10	<10	<10	<10	<10	<10	<5.0	<25	<5	<5.0	<5.0	<5
Iodomethane	ug/l	NA	NA	<5	<5	<1	<5	<1.0	<5.0	<2	<4.0	<2.0	<2
Methylene Chloride	ug/l	<10	1	<5	<10	<2	<1	<5.0	<25	<2	<5.0	<5.0	<5
4-Methyl-2-pentanone (MIBK)	ug/l	<10	<10	<10	<10	<10	<10	<5.0	<25	<5	<5.0	<5.0	<5
Styrene	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
1,1,2,2-Tetrachloroethane	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
Tetrachloroethene	ug/l	<10	<10	--	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
Toluene	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
1,1,1-Trichloroethane	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
1,1,2-Trichloroethane	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
Trichloroethene	ug/l	<10	<10	<5	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
Trichlorofluoromethane	ug/l	NA	NA	<5	<5	<1	<1	<1.0	<5.0	<1	<3.0	<3.0	<3
1,2,3-Trichloropropane	ug/l	NA	NA	--	<5	<1	<1	<1.0	<5.0	<1	<1.0	<1.0	<1
Vinyl Acetate	ug/l	NA	NA	<5	<10	<5	<5	<5.0	<25	<2	<5.0	<5.0	<5
Vinyl Chloride	ug/l	<10	<10	<2	<5	<1	<1	<1.0	<5.0	<1	<2.0	<2.0	<2
Total Xylene	ug/l	6	7	<5	8.4	5.6	<1	<3.0	<15	1.5	<3.0	<3.0	<3

NA - Not Analyzed

Bold & Italics - Substances detected above method

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

		MW-10S																				
Sample Collection Date		5/5/1992	12/15/1992	6/12/1997	6/23/1998	9/30/1999	12/6/2000	3/22/2001	9/11/2002	6/24/2003	3/31/2004	12/10/2004	9/27/2005	6/27/2006	12/16/2008	6/10/2010	6/14/2011	9/20/2012	11/26/2013	4/21/2015	6/28/2016	9/26/2017
EPA 8260																						
Acetone	ug/l	28	<10	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Acrylonitrile	ug/l	NA	NA	NA	NA	<20	<5	<5	<20	<20	<5	<5	<20	<20	<20	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Benzene	ug/l	6	9	<5	<5	<0.7	<0.7	<0.7	<0.7	<0.7	<5	<1	<1	<1	<1	<0.7	<0.7	<0.7	<1	<1.0	<1.0	<1
Bromochloromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromodichloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromoform (Tribromomethane)	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromomethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-Butanone (MEK)	ug/l	<10	<10	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5
Carbon Disulfide	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Carbon Tetrachloride	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<2.0	<1	<1.0	<1.0	<1
Chlorobenzene	ug/l	100	110	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Chloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<4	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
Chloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-chloroethylvinylether	ug/l															<5.0	<5.0	<5.0	NA	<5.0	<5.0	
Chloroform (Trichloromethane)	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromochloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dichlorodifluoromethane	ug/l															<2.0	<2.0	<2.0	NA	<3.0	<3.0	
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<20	<5	<1	<1	<1	<10	<1.0	<1.0	<1.0	<5	<1.0	<1.0	<1
1,2-Dibromoethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,3-Dichlorobenzene	ug/l															<1.0	<1.0	<1.0	NA	<1.0	<1.0	
1,2-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,4-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
1,1-Dichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<2
1,2-Dichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1-Dichloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloropropane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Ethylbenzene	ug/l	7	12	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
2-Hexanone	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Iodomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<5	<5	<1.0	<1.0	<1.0	<2	<4.0	<2.0	<2
Methylene Chloride	ug/l	<10	6	<10	<10	<5	<5	<5	<5	<5	<10	<2	<5	<1	<1	<5.0	<5.0	<5.0	<2	<5.0	<5.0	<5
4-Methyl-2-pentanone (MIBK)	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Styrene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	NA	NA	<5	NA	NA	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2,2-Tetrachloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Tetrachloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	-	<5	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Toluene	ug/l	<10	2	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1-Trichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2-Trichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichlorofluoromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<3.0	<3.0	<3
1,2,3-Trichloropropane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	-	<5	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Vinyl Acetate	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5.0	<5.0	<5.0	<2	<5.0	<5.0	<5
Vinyl Chloride	ug/l	<10	<10	<5	<5	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Total Xylene	ug/l	1200	1100	NA	<5	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<3.0	<3.0	<3.0	<1	<3.0	<3.0	<1

NA = Not Analyzed

Bold & Italics - Substances detected above method L

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

		MW-11S																		
Sample Collection Date		5/5/1992	12/15/1992	6/12/1997	6/23/1998	9/30/1999	12/6/2000	3/22/2001	6/24/2003	3/31/2004	12/10/2004	9/27/2005	6/27/2006	12/16/2008	6/10/2010	6/14/2011	11/26/2013	4/21/2015	6/28/2016	9/26/2017
EPA 8260																				
Acetone	ug/l	<10	<10	<10	<10	<25	<25	<25	<25	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10.0	<10
Acrylonitrile	ug/l	NA	NA	NA	NA	<20	<5	<5	<20	<5	<5	<20	<20	<20	<5.0	<5.0	<5	<5.0	<5.0	<5
Benzene	ug/l	3	<10	<5	<5	1	<0.7	<0.7	<0.7	<5	<1	<1	<1	<1	<0.7	<0.7	<1	<1.0	<1.0	<1
Bromochloromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromodichloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromoform (Tribromomethane)	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromomethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<2.0	<2.0	<1	<3.0	<3.0	<3
2-Butanone (MEK)	ug/l	<10	<10	<10	<10	<25	<25	<25	<25	<10	<10	<10	<10	<10	<5.0	<5.0	<10	<5.0	<5.0	<5
Carbon Disulfide	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<2.0	<2.0	<2
Carbon Tetrachloride	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Chlorobenzene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Chloroethane	ug/l	21	14	<5	<5	9	<5	<5	<5	<5	<1	<1	<1	<4	<2.0	<2.0	<1	<3.0	<3.0	<3
Chloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<2.0	<2.0	<1	<3.0	<3.0	<3
2-chloroethylvinylether	ug/l														<5.0	<5.0	NA	<5.0	<5.0	
Chloroform (Trichloromethane)	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromochloromethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Dichlorodifluoromethane	ug/l														<2.0	<2.0	NA	<3.0	<3.0	
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	NA	NA	NA	NA	NA	<20	<5	<1	<1	<1	<10	<1.0	<1.0	<5	<1.0	<1.0	<1
1,2-Dibromomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,3 -Dichlorobenzene	ug/l														<1.0	<1.0	NA	<1.0	<1.0	
1,2-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,4-Dichlorobenzene	ug/l	NA	NA	NA	NA	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	NA	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5	<5.0	<5.0	<5
1,1-Dichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1-Dichloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloropropane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,3-Dichloropropene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Ethylbenzene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
2-Hexanone	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5	<5.0	<5.0	<5
Iodomethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<1	<1	<5	<5	<1.0	<1.0	<2	<4.0	<2.0	<2
Methylene Chloride	ug/l	2	2	<10	<10	<5	<5	<5	<5	<10	<2	<5	<1	<1	<5.0	<5.0	<2	<5.0	<5.0	<5
4-Methyl-2-pentanone (MIBK)	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5	<5.0	<5.0	<5
Styrene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	NA	NA	<5	NA	NA	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2,2-Tetrachloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Tetrachloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	--	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Toluene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	2.5	<1	<1.0	<1.0	<1
1,1,1-Trichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2-Trichloroethane	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichloroethene	ug/l	<10	<10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichlorofluoromethane	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<3.0	<3.0	<3
1,2,3-Trichloropropane	ug/l	NA	NA	NA	NA	<5	<5	<5	--	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<1.0	<1.0	<1
Vinyl Acetate	ug/l	NA	NA	NA	NA	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5.0	<5.0	<2	<5.0	<5.0	<5
Vinyl Chloride	ug/l	<10	<10	<5	<5	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1	<2.0	<2.0	<2
Total Xylene	ug/l	<10	<10	NA	<5	NA	<5	<5	<5	<5	<1	<1	<1	<1	<3.0	<3.0	<1	<3.0	<3.0	<3

NA - Not Analyzed

Bold & Italics - Substances detected above method

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

		DGC-2D																			
Sample Collection Date		5/6/1992	6/12/1997	6/23/1998	9/30/1999	12/6/2000	3/22/2001	9/11/2002	6/24/2003	3/31/2004	12/10/2004	9/27/2005	6/27/2006	12/16/2008	6/9/2010	6/14/2011	9/20/2012	11/26/2013	4/21/2015	6/28/2016	9/26/2017
EPA 8260																					
Acetone	ug/l	<10	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Acrylonitrile	ug/l	NA	NA	NA	<20	<5	<5	<20	<20	<5	<5	<20	<20	<20	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Benzene	ug/l	<10	<5	<5	<0.7	4	<0.7	<0.7	<0.7	<5	<1	<1	<1	<1	<0.7	<0.7	<0.7	<1	<1.0	<1.0	<1
Bromochloromethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromodichloromethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromofom (Tribromomethane)	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromomethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-Butanone (MEK)	ug/l	<10	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5
Carbon Disulfide	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Carbon Tetrachloride	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<2.0	<1	<1.0	<1.0	<1
Chlorobenzene	ug/l	2	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Chloroethane	ug/l	<10	<5	<5	<5	<5	<5	8	<5	<5	<1	<1	<1	<4	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
Chloromethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-chloroethylvinylether	ug/l														<5.0	<5.0	<5.0	NA	<5.0	<5.0	
Chloroform (Trichloromethane)	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromochloromethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dichlorodifluoromethane	ug/l														<2.0	<2.0	<2.0	NA	<3.0	<3.0	
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	NA	NA	NA	NA	<5	<5	<5	<1	<1	<1	<10	<1.0	<1.0	<1.0	<5	<1.0	<1.0	<1
1,2-Dibromomethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromomethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,3 -Dichlorobenzene	ug/l														<1.0	<1.0	<1.0	NA	<1.0	<1.0	
1,2-Dichlorobenzene	ug/l	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,4-Dichlorobenzene	ug/l	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
1,1-Dichloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1-Dichloroethene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloropropane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,3-Dichloropropene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,3-Dichloropropene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Ethylbenzene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
2-Hexanone	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Iodomethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<5	<5	<1.0	<1.0	<1.0	<2	<4.0	<2.0	<2
Methylene Chloride	ug/l	1	<10	<10	<5	<5	<5	<5	<5	<10	<2	<5	<1	<1	<5.0	<5.0	<5.0	<2	<5.0	<5.0	<5
4-Methyl-2-pentanone (MIBK)	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Styrene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	NA	<5	NA	NA	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2,2-Tetrachloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Tetrachloroethene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Toluene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1-Trichloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2-Trichloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichloroethene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichlorofluoromethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<3.0	<3.0	<3
1,2,3-Trichloropropane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Vinyl Acetate	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5.0	<5.0	<5.0	<2	<5.0	<5.0	<5
Vinyl Chloride	ug/l	<10	<5	<5	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Total Xylene	ug/l	<10	NA	<5	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<3.0	<3.0	<3.0	<1	<3.0	<3.0	<3

NA - Not Analyzed

Bold & Italics - Substances detected above method.

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

		DGC-3D																			
Sample Collection Date		5/6/1992	6/12/1997	6/23/1998	9/30/1999	12/6/2000	3/22/2001	9/11/2002	6/24/2003	4/1/2004	12/10/2004	9/27/2005	6/27/2006	12/16/2008	6/10/2010	6/14/2011	9/20/2012	11/26/2013	4/22/2015	6/28/2016	9/26/2017
EPA 8260																					
Acetone	ug/l	12	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Acrylonitrile	ug/l	NA	NA	NA	<20	<5	<5	<20	<20	<5	<5	<20	<20	<20	<5.0	<5.0	<5.0	<5	<5.0	<5	<5
Benzene	ug/l	<10	<5	<5	<0.7	<0.7	<0.7	<0.7	<0.7	<5	<1	<1	<1	<1	<0.7	<0.7	<0.7	<1	<1.0	<1.0	<1
Bromochloromethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromodichloromethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromofom (Tribromomethane)	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromomethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-Butanone (MEK)	ug/l	<10	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5
Carbon Disulfide	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Carbon Tetrachloride	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<2.0	<1	<1.0	<1.0	<1
Chlorobenzene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Chloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<4	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
Chloromethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-chloroethylvinylether	ug/l														<5.0	<5.0	<5.0	NA	<5.0	<5.0	
Chloroform (Trichloromethane)	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromochloromethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dichlorodifluoromethane	ug/l														<2.0	<2.0	<2.0	NA	<3.0	<3.0	
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	NA	NA	NA	NA	<5	<20	<5	<1	<1	<1	<10	<1.0	<1.0	<1.0	<5	<1.0	<1.0	<1
1,2-Dibromomethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromomethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,3 -Dichlorobenzene	ug/l														<1.0	<1.0	<1.0	NA	<1.0	<1.0	
1,2-Dichlorobenzene	ug/l	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,4-Dichlorobenzene	ug/l	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
1,1-Dichloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1-Dichloroethene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloropropane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,3-Dichloropropene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,3-Dichloropropene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Ethylbenzene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
2-Hexanone	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Iodomethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<5	<5	<1.0	<1.0	<1.0	<2	<4.0	<2.0	<2
Methylene Chloride	ug/l	<10	<10	<10	<5	<5	<5	<5	<5	<10	<2	<5	<1	<1	<5.0	<5.0	<5.0	<2	<5.0	<5.0	<5
4-Methyl-2-pentanone (MIBK)	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Styrene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	NA	<5	NA	NA	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2,2-Tetrachloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Tetrachloroethene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Toluene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1-Trichloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2-Trichloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichloroethene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichlorofluoromethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<3.0	<3.0	<3
1,2,3-Trichloropropane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Vinyl Acetate	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5.0	<5.0	<5.0	<1	<5.0	<5.0	<5
Vinyl Chloride	ug/l	<10	<5	<5	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Total Xylene	ug/l	<10	NA	<5	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<3.0	<3.0	<3.0	<1	<3.0	<3.0	<3

NA - Not Analyzed

Bold & Italics - Substances detected above method.

TABLE 8 - HISTORICAL GROUNDWATER ANALYTICAL DATA - ORGANIC PARAMETERS

		DGC-6D																			
Sample Collection Date		5/6/1992	6/12/1997	6/23/1998	9/30/1999	12/6/2000	3/22/2001	9/11/2002	6/24/2003	3/31/2004	12/10/2004	9/27/2005	6/27/2006	12/16/2008	6/9/2010	6/14/2011	9/20/2012	11/26/2013	4/21/2015	6/28/2016	9/26/2017
EPA 8260																					
Acetone	ug/l	21	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Acrylonitrile	ug/l	NA	NA	NA	<20	<5	<5	<20	<20	<5	<5	<20	<20	<20	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Benzene	ug/l	<10	<5	<5	<0.7	<0.7	<0.7	<0.7	<0.7	<5	<1	<1	<1	<1	<0.7	<0.7	<0.7	<1	<1.0	<1.0	<1
Bromochloromethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromodichloromethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromoform (Tribromomethane)	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Bromomethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-Butanone (MEK)	ug/l	<10	<10	<10	<25	<25	<25	<25	<25	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5
Carbon Disulfide	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Carbon Tetrachloride	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<2.0	<1	<1.0	<1.0	<1
Chlorobenzene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	1.5
Chloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<4	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
Chloromethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<2.0	<2.0	<2.0	<1	<3.0	<3.0	<3
2-chloroethylvinylether	ug/l														<5.0	<5.0	<5.0	NA	<5.0	<5.0	
Chloroform (Trichloromethane)	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromochloromethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dichlorodifluoromethane	ug/l														<2.0	<2.0	<2.0	NA	<3.0	<3.0	
1,2-Dibromo-3-chloropropane	ug/l	NA	NA	NA	NA	NA	NA	<5	<20	<5	<1	<1	<1	<10	<1.0	<1.0	<1.0	<5	<1.0	<1.0	<1
1,2-Dibromomethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Dibromomethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,3 -Dichlorobenzene	ug/l														<1.0	<1.0	<1.0	NA	<1.0	<1.0	
1,2-Dichlorobenzene	ug/l	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,4-Dichlorobenzene	ug/l	NA	NA	NA	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,4-Dichloro-2-butene	ug/l	NA	NA	NA	NA	NA	NA	<5	<5	<5	<5	<5	<5	<5	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
1,1-Dichloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	2.5	1.6
1,2-Dichloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1-Dichloroethene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	1.4	<1
trans-1,2-Dichloroethene	ug/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,2-Dichloropropane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
cis-1,3-Dichloropropene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<2	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
trans-1,3-Dichloropropene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Ethylbenzene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
2-Hexanone	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Iodomethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<5	<5	<1.0	<1.0	<1.0	<2	<4.0	<2.0	<2
Methylene Chloride	ug/l	2	<10	<10	<5	<5	<5	<5	<5	<10	<2	<5	<1	<1	<5.0	<5.0	<5.0	<2	<5.0	<5.0	<5
4-Methyl-2-pentanone (MIBK)	ug/l	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<5.0	<5.0	<5.0	<5	<5.0	<5.0	<5
Styrene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1,2-Tetrachloroethane	ug/l	NA	NA	NA	<5	NA	NA	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2,2-Tetrachloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Tetrachloroethene	ug/l	<10	<5	<5	<5	<5	<5	<5	-	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Toluene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,1-Trichloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
1,1,2-Trichloroethane	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichloroethene	ug/l	<10	<5	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Trichlorofluoromethane	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<3.0	<3.0	<3
1,2,3-Trichloropropane	ug/l	NA	NA	NA	<5	<5	<5	<5	-	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<1.0	<1.0	<1
Vinyl Acetate	ug/l	NA	NA	NA	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5.0	<5.0	<5.0	<1	<5.0	<5.0	<5
Vinyl Chloride	ug/l	<10	<5	<5	<2	<2	<2	<2	<2	<5	<1	<1	<1	<1	<1.0	<1.0	<1.0	<1	<2.0	<2.0	<2
Total Xylene	ug/l	<10	NA	<5	NA	<5	<5	<5	<5	<5	<1	<1	<1	<1	<3.0	<3.0	<3.0	<1	<3.0	<3.0	<3

NA - Not Analyzed

Bold & Italics - Substances detected above method.

TABLE 9 - 2015 QUARTERLY LANDFILL GAS VENT MONITORING

[illegible]

APPENDIX A

**LABORATORY ANALYTICAL DATA, CHAIN-OF-CUSTODY
DOCUMENTATION, AND SAMPLE CHARACTERIZATION SHEETS**



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748060 SAMPLE ID- MW-2SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1248
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	15. mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	09/28/17		MPB	0.20 mg/L
Total Kjeldahl Nit. (SM)-97,-11	4500NH3D/E	10/05/17		JDC	0.51 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748061 SAMPLE ID- DGC-3S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0855
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	5. mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	09/28/17		MPB	0.29 mg/L
Total Kjeldahl Nit. (SM)-97,-11	4500NH3D/E	10/05/17		JDC	< 0.5 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748062 SAMPLE ID- MW-4SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1000
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	128. mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	10/04/17		MPB	110. mg/L
Total Kjeldahl Nit. (SM)-97,-11	4500NH3D/E	10/05/17		JDC	121. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748063 SAMPLE ID- DGC-5
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1154
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	41. mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	10/04/17		MPB	4.99 mg/L
Total Kjeldahl Nit. (SM)-97,-11	4500NH3D/E	10/05/17		JDC	5.33 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748064 SAMPLE ID- DGC-6D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1100
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	185. mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	10/04/17		MPB	38.5 mg/L
Total Kjeldahl Nit.(SM)-97,-11	4500NH3D/E	10/08/17		JDC	43.2 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748065 SAMPLE ID- MW-7S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1136
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	10. mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	10/04/17		MPB	1.02 mg/L
Total Kjeldahl Nit.(SM)-97,-11	4500NH3D/E	10/08/17		JDC	1.18 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748066 SAMPLE ID- MW-8S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1118
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	15. mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	10/04/17		MPB	0.37 mg/L
Total Kjeldahl Nit. (SM)-97,-11	4500NH3D/E	10/08/17		JDC	1.00 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748067 SAMPLE ID- MW-9S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1015
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97, -11	SM 5220C	10/10/17		RRB	154. mg/L
Ammonia as N (SM)-97, -11 PrepB	4500NH3D/E	10/04/17		MPB	117. mg/L
Total Kjeldahl Nit. (SM)-97, -11	4500NH3D/E	10/08/17		JDC	131. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748068 SAMPLE ID- MW-10SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0941
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	10. mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	10/04/17		MPB	0.15 mg/L
Total Kjeldahl Nit. (SM)-97,-11	4500NH3D/E	10/08/17		JDC	< 0.5 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748069 SAMPLE ID- MW-11SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1213
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	36. mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	10/04/17		MPB	0.14 mg/L
Total Kjeldahl Nit. (SM)-97,-11	4500NH3D/E	10/08/17		JDC	0.62 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748070 SAMPLE ID- DGC-2D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1234
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	< 5. mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	10/04/17		MPB	1.53 mg/L
Total Kjeldahl Nit. (SM)-97,-11	4500NH3D/E	10/08/17		JDC	1.58 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748071 SAMPLE ID- DGC-3D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0918
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	< 5. mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	10/04/17		MPB	0.55 mg/L
Total Kjeldahl Nit. (SM)-97,-11	4500NH3D/E	10/08/17		JDC	0.56 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748072 SAMPLE ID- MW-6SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	< 5. mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	10/05/17		MPB	0.14 mg/L
Total Kjeldahl Nit.(SM)-97,-11	4500NH3D/E	10/08/17		JDC	< 0.5 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748073 SAMPLE ID- QC MS
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	92% mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	10/04/17		MPB	96% mg/L
Total Kjeldahl Nit. (SM)-97,-11	4500NH3D/E	10/08/17		JDC	102% mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748074 SAMPLE ID- QC MSD
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs


SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	102% mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	10/04/17		MPB	98% mg/L
Total Kjeldahl Nit. (SM)-97,-11	4500NH3D/E	10/08/17		JDC	96% mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748075 SAMPLE ID- SW-1
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personell
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1315
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Chemical Oxygen Demand-97,-11	SM 5220C	10/10/17		RRB	31. mg/L
Ammonia as N (SM)-97,-11 PrepB	4500NH3D/E	10/04/17		MPB	0.21 mg/L
Total Kjeldahl Nit. (SM)-97,-11	4500NH3D/E	10/08/17		JDC	0.90 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

CLIENT NAME:	C & S Engineers, Inc.	CLIENT PHONE:	455-2000	Remarks
ADDRESS:	499 Col. E. Collins Blvd. North Syracuse, NY 13212	Project Name: Clay Landfill		
CONTACT NAME:			Ms. Christen Craig	

[illegible]

Parameter and Method:	Sample bottle:		Preservative Code:	Preservative Codes: A= Unpreserved B=H ₂ SO ₄ C=HCl D=NaOH E=Ascorbic Acid F=HNO ₃ G=Na ₂ S ₂ O ₃ H= H ₃ PO ₄ I=
	Type	Size		

1	TKN, NH ₃ , COD	Plastic	500 ml	B	Samples Collected By: Name (Print): Jason Parks Dugan-Gee Signature: <i>[Signature]</i> Company: CES, Inc.
2	BOD, NO ₃ , TDS, SO ₄ , Cl, Color, Hex-Cr	Plastic	2 L	A	
3	TOC	Vial	2-40 ml	H	
4	Bromide	Plastic	500 ml	A	

5	Alkalinity	Plastic	250 ml	RELINQUISHED BY:		Date	Time	RECEIVED BY:
				A	B			
6	Phenols	Glass	500 ml					
7	Hardness, B, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu							
8	Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn	Plastic	2-500 ml					
9	Cyanide	Plastic	250 ml					

10	VOCs	Glass	2-40 ml	C/A	Samples Received in Good Condition: ☐ Yes ☐ No		Receipt Temperature: <u>3.6</u> °C



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748076 SAMPLE ID- MW-2SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1248
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1158	JLA	< 4.0 mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	106. mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T < 5 units
Hexavalent Chromium	EPA 7196A	09/27/17	0850	SR	< 0.004 mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	< 0.05 mg/L
Sulfate-97, -11	SM4500SO4E	10/05/17		RRB	11.9 mg/L
Total Dissolved Solids-97, -11	SM 2540C	09/28/17		SR	587. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748077 SAMPLE ID- DGC-3S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0855
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1158	JLA	< 4.0 mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	< 5.0 mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T < 5 units
Hexavalent Chromium	EPA 7196A	09/27/17	0850	SR	< 0.004 mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	0.12 mg/L
Sulfate-97, -11	SM4500SO4E	10/05/17		RRB	13.9 mg/L
Total Dissolved Solids-97, -11	SM 2540C	09/28/17		SR	192. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748078 SAMPLE ID- MW-4SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1000
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1158	JLA	9.4 mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	164. mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T 45 units
Hexavalent Chromium	EPA 7196A	09/27/17	0850	SR	0.007 mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	0.07 mg/L
Sulfate-97, -11	SM4500SO4E	10/05/17		RRB	< 10.0 mg/L
Total Dissolved Solids-97, -11	SM 2540C	09/28/17		SR	940. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748079 SAMPLE ID- DGC-5
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1154
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1158	JLA	7.3 mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	< 10. mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T 15 units
Hexavalent Chromium	EPA 7196A	09/27/17	0850	SR	< 0.004 mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	0.05 mg/L
Sulfate-97, -11	SM4500SO4E	10/05/17		RRB	< 10.0 mg/L
Total Dissolved Solids-97, -11	SM 2540C	09/28/17		SR	406. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748080 SAMPLE ID- DGC-6D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1100
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1158	JLA	24. mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	313. mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T 40 units
Hexavalent Chromium	EPA 7196A	09/27/17	0850	SR	0.009 mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	0.43 mg/L
Sulfate-97, -11	SM4500SO4E	10/06/17		RRB	< 10.0 mg/L
Total Dissolved Solids-97, -11	SM 2540C	09/28/17		SR	1280. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748081 SAMPLE ID- MW-7S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1136
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1347	JLA	< 4.0 mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	8.3 mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T < 5 units
Hexavalent Chromium	EPA 7196A	09/27/17	0930	SR	< 0.004 mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	0.09 mg/L
Sulfate-97, -11	SM4500SO4E	10/05/17		RRB	31.3 mg/L
Total Dissolved Solids-97, -11	SM 2540C	09/28/17		SR	1430. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748082 SAMPLE ID- MW-8S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1118
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1347	JLA	4.7 mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	430. mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T 5 units
Hexavalent Chromium	EPA 7196A	09/27/17	0930	SR	< 0.004 mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	< 0.05 mg/L
Sulfate-97, -11	SM4500SO4E	10/05/17		RRB	< 10.0 mg/L
Total Dissolved Solids-97, -11	SM 2540C	09/28/17		SR	926. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748083 SAMPLE ID- MW-9S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1015
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1347	JLA	18. mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	430. mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T 50 units
Hexavalent Chromium	EPA 7196A	09/27/17	0930	SR	< 0.004 mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	0.07 mg/L
Sulfate-97, -11	SM4500SO4E	10/05/17		RRB	< 10.0 mg/L
Total Dissolved Solids-97, -11	SM 2540C	10/02/17		SR	1220. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748084 SAMPLE ID- MW-10SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs


SAMPLE MATRIX- WW
TIME SAMPLED- 0941
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1347	JLA	< 4.0 mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	61. mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T < 5 units
Hexavalent Chromium	EPA 7196A	09/27/17	0930	SR	< 0.004 mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	0.08 mg/L
Sulfate-97, -11	SM4500SO4E	10/06/17		RRB	26.5 mg/L
Total Dissolved Solids-97, -11	SM 2540C	10/02/17		SR	482. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748085 SAMPLE ID- MW-11SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1213
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1347	JLA	< 4.0 mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	94. mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T 7 units
Hexavalent Chromium	EPA 7196A	09/27/17	0930	SR	< 0.004 mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	0.07 mg/L
Sulfate-97, -11	SM4500SO4E	10/06/17		RRB	12.2 mg/L
Total Dissolved Solids-97, -11	SM 2540C	10/02/17		SR	537. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748086 SAMPLE ID- DGC-2D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1234
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1347	JLA	< 4.0 mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	3.9 mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T < 5 units
Hexavalent Chromium	EPA 7196A	09/27/17	0930	SR	< 0.004 mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	< 0.05 mg/L
Sulfate-97, -11	SM4500SO4E	10/06/17		RRB	12.6 mg/L
Total Dissolved Solids-97, -11	SM 2540C	10/02/17		SR	168. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748087 SAMPLE ID- DGC-3D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0918
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1347	JLA	< 4.0 mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	< 2.5 mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T < 5 units
Hexavalent Chromium	EPA 7196A	09/27/17	0930	SR	< 0.004 mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	0.06 mg/L
Sulfate-97, -11	SM4500SO4E	10/06/17		RRB	< 10.0 mg/L
Total Dissolved Solids-97, -11	SM 2540C	10/02/17		SR	158. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk

(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748088 SAMPLE ID- MW-6SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01,-11	SM 5210B	09/27/17	1347	JLA	< 4.0 mg/L
Chloride-97,-11	SM4500Cl-B	10/02/17		MPB	2.9 mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T < 5 units
Hexavalent Chromium	EPA 7196A	09/27/17	0930	SR	< 0.004 mg/L
Nitrate as N (SM)-00,-11	4500-NO3 E	09/27/17	1603	JDC	0.06 mg/L
Sulfate-97,-11	SM4500SO4E	10/06/17		RRB	13.5 mg/L
Total Dissolved Solids-97,-11	SM 2540C	10/02/17		SR	205. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748089 SAMPLE ID- QC MS
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs


SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1347	JLA	89% mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	94% mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	100% units
Hexavalent Chromium	EPA 7196A	09/27/17	0930	SR	96% mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	102% mg/L
Sulfate-97, -11	SM4500SO4E	10/06/17		RRB	110% mg/L
Total Dissolved Solids-97, -11	SM 2540C	10/02/17		SR	175.Dup mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748090 SAMPLE ID- QC MSD
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1347	JLA	87% mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	96% mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	96% units
Hexavalent Chromium	EPA 7196A	09/27/17	0930	SR	100% mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	104% mg/L
Sulfate-97, -11	SM4500SO4E	10/06/17		RRB	116% mg/L
Total Dissolved Solids-97, -11	SM 2540C	10/02/17		SR	185.Trip mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748091 SAMPLE ID- SW-1
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1315
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Biochemical Oxygen Dem-01, -11	SM 5210B	09/27/17	1347	JLA	< 4.0 mg/L
Chloride-97, -11	SM4500Cl-B	10/02/17		MPB	59. mg/L
COLOR (A=Apparent T=True)	SM22 2120B	09/27/17	1155	JDC	T 40 units
Hexavalent Chromium	EPA 7196A	09/27/17	0930	SR	< 0.004 mg/L
Nitrate as N (SM)-00, -11	4500-NO3 E	09/27/17	1603	JDC	0.06 mg/L
Sulfate-97, -11	SM4500SO4E	10/06/17		RRB	< 10.0 mg/L
Total Dissolved Solids-97, -11	SM 2540C	10/02/17		SR	298. mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk

(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



Certified
Environmental
Services, Inc.

7280 Caswell St. (Hancock Air Park)
North Syracuse, New York 13212
Phone 315-478-2374
Fax 315-478-2107

CES BATCH NO: 61760

PAGE 1 OF 1

Standard TAT is end of day, 10 working days after lab receipt. Samples received after 2 pm are considered next day business. Rush TAT subject to laboratory approval and surcharges.

Turn-Around Time
☐ Standard ☐ 5 Working Days ☐ 3 Working Days
☐ 2 Working Days ☐ 1 Working Days

CLIENT NAME: C & S Engineers, Inc.		CLIENT PHONE: 455-2000		Number of Containers											Remarks			
ADDRESS: 499 Col. E. Collins Blvd.		Project Name: Clay Landfill																
CONTACT NAME: Ms. Christen Craig		North Syracuse, NY 13212																
CES LOG NUMBERS (INTERNAL USE ONLY - DO NOT WRITE)		Collected		Matrix		Grab or Comp.		CLIENT ID/SAMPLE LOCATION										
Date		Time																
9-26-17		12:48		NPW		Grab		MW-1SR JK 9-25-17										
748060 748076				NPW		Grab		MW-2SR										
748061 748077		8:55		NPW		Grab		DGC-3S										
748062 748078		10:00		NPW		Grab		MW-4SR										
748063 748079		11:54		NPW		Grab		DGC-5										
748064 748080		11:00		NPW		Grab		MW-6SR										
748065 748081		11:36		NPW		Grab		MW-7S										
748066 748082		11:18		NPW		Grab		MW-8S										
748067 748083		10:15		NPW		Grab		MW-9S										
748068 748084		9:41		NPW		Grab		MW-10SR										
Parameter and Method:		Sample bottle:		Preservative Code:		Preservative Codes: A= Unpreserved B=H ₂ SO ₄ C=HCl D=NaOH E=Ascorbic Acid F=HNO ₃ G=Na ₂ S ₂ O ₃ H= H ₃ PO ₄ I=												
Type		Size																
Plastic		500 ml		B		Samples Collected By:												
Plastic		2 L		A		Name (Print): Jason R. Hughes												
Vial		2-40 ml		H		Signature: [Signature]												
Plastic		500 ml		A		Company: CES, Inc.												
Plastic		250 ml		A		RELINQUISHED BY:												
Glass		500 ml		B		Name: Jason R. Hughes												
						Date: 9/26/17												
						Time: 1836												
						Name: [Signature]												
						Signature: [Signature]												
						Name: [Signature]												
						Signature: [Signature]												
7 Hardness, B, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu		2-500 ml		F														
8 Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn		250 ml		D&E														
9 Cyanide		2-40 ml		C/A														
10 VOCs		2-40 ml		C/A														
						Receipt Temperature: 3.6 °C												



61760 PAGE OF

Standard TAT is end of day, 10 working days after lab receipt. Samples received after 2 pm are considered next day business. Rush TAT subject to laboratory approval and surcharges.

Standard ☐ 5 Working Days ☐ 3 Working Days
 Rush ☐ 3 Working Days ☐ 1 Working Days

CLIENT PHONE: 455-2000

Project Name: Clay Landfill

499 Col. E. Collins Blvd.

North Syracuse, NY 13212

CONTACT NAME: Ms. Christen Craig

[illegible]

Parameter and Method:		Sample bottle:		Preservative Code:
		Type	Size	
1	TKN, NH3, COD	Plastic	500 ml	B
2	BOD, NO3, TDS, SO4, Cl, Color, Hex-Cr	Plastic	2 L	A
3	TOC	Vial	2-40 ml	H
4	Bromide	Plastic	500 ml	A
5	Alkalinity	Plastic	250 ml	A
6	Phenols	Glass	500 ml	B
7	Hardness, B, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu			
8	Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn	Plastic	2-500 ml	F
9	Cyanide	Plastic	250 ml	D&E
10	VOCs	Glass	2-40 ml	C/A

Preservative Codes: A= Unpreserved B=H ₂ SO ₄ C=HCl D=NaOH E=Ascorbic Acid F=HNO ₃ G=Na ₂ S ₂ O ₃ H= H ₃ PC4 I=		Samples Collected By:		RELINQUISHED BY:		RECEIVED BY:	
Name (Print):	Signature:	Company:	Date:	Time	Name:	Signature:	Name:
Jason R. Hs	[Signature]	CES, INC.	9/26/17	1536	Jason R. Hs	[Signature]	[Signature]

Samples Received in Good Condition:		Receipt Temperature: 31.6 °C	
Yes	No		
☐	☐		

Receipt Temperature: 3,6 °C



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748092 SAMPLE ID- MW-2SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1248
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00, -11	SM-5310B	10/05/17		ESA	5.57 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748093 SAMPLE ID- DGC-3S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0855
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00, -11	SM-5310B	10/05/17		ESA	1.08 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748094 SAMPLE ID- MW-4SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1000
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00, -11	SM-5310B	10/05/17		ESA	48.4 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748095 SAMPLE ID- DGC-5
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1154
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00, -11	SM-5310B	10/05/17		ESA	10.2 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748096 SAMPLE ID- DGC-6D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1100
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00,-11	SM-5310B	10/05/17		ESA	52.7 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk

(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748097 SAMPLE ID- MW-7S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1136
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00, -11	SM-5310B	10/05/17		ESA	4.16 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748098 SAMPLE ID- MW-8S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1118
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00, -11	SM-5310B	10/05/17		ESA	8.90 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748099 SAMPLE ID- MW-9S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs


SAMPLE MATRIX- WW
TIME SAMPLED- 1015
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00, -11	SM-5310B	10/05/17		ESA	76.4 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748100 SAMPLE ID- MW-10SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0941
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00, -11	SM-5310B	10/05/17		ESA	1.78 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748101 SAMPLE ID- MW-11SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1213
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00,-11	SM-5310B	10/05/17		ESA	11.4 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748102 SAMPLE ID- DGC-2D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs


SAMPLE MATRIX- WW
TIME SAMPLED- 1234
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00,-11	SM-5310B	10/05/17		ESA	1.39 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748103 SAMPLE ID- DGC-3D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0918
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00, -11	SM-5310B	10/05/17		ESA	1.20 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748104 SAMPLE ID- MW-6SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00,-11	SM-5310B	10/05/17		ESA	< 1.00 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748105 SAMPLE ID- QC MS
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00,-11	SM-5310B	10/05/17		ESA	97% mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748106 SAMPLE ID- QC MSD
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00, -11	SM-5310B	10/05/17		ESA	95% mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/13/2017

SAMPLE NUMBER- 748107 SAMPLE ID- SW-1
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1315
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Total Organic Carbon -00, -11	SM-5310B	10/05/17		ESA	13.4 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.

7280 Caswell St. (Hancock Air Park)
North Syracuse, New York 13212
Phone 315-478-2374
Fax 315-478-2107

CES BATCH NO:

PAGE OF

FO

Standard TAT is end of day, 10 working days after lab receipt. Samples received after 2 pm are considered next day business. Rush TAT subject to laboratory approval and surcharges.

☐ Standard ☐ 5 Working Days ☐ 3 Working Days

☐ Standard ☐ 5 Working Days

☐ 3 Working Days☐ 2 Working Days ☐ 1 Working Days

Days

CLIENT NAME:	C & S Engineers, Inc.	CLIENT PHONE:	455-2000
ADDRESS:	499 Col. E. Collins Blvd. North Syracuse, NY 13212	Project Name:	Clay Landfill
CONTACT NAME:	Ms. Christen Craig		

CES LOG NUMBERS (INTERNAL USE/DO NOT WRITE)	Collected		Matrix	Grab or Comp.	CLIENT ID/SAMPLE LOCATION
	Date	Time			
11-2-2020					
748060 / 748092	9-26-17	12:48	NPW	Grab	MW-1SR JR 9-25-17
748061 748093		8:55	NPW	Grab	MW-2SR
748062 748094		10:00	NPW	Grab	DGC-3S
748063 748095		11:54	NPW	Grab	MW-4SR
748064 748096		11:00	NPW	Grab	DGC-5
748065 748097		11:36	NPW	Grab	MW-6SR
748098		11:18	NPW	Grab	MW-7S
748099		10:15	NPW	Grab	MW-8S
748100		9:41	NPW	Grab	MW-9S
					MW-10SR

Parameter and Method:		Sample bottle:		Preservative Code:
		Type	Size	
1	TKN, NH3, COD	Plastic	500 ml	B
2	BOD, NO3, TDS, SO4, Cl, Color, Hex-Cr	Plastic	2 L	A
3	TOC	Vial	2-40 ml	H
4	Bromide	Plastic	500 ml	A
5	Alkalinity	Plastic	250 ml	A
6	Phenols	Glass	500 ml	B
7	Hardness, B, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu			
8	Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn	Plastic	2-500 ml	F
9	Cyanide	Plastic	250 ml	D&E
10	VOCs	Glass	2-40 ml	C/A

Preservative Codes: A= Unpreserved B=H2SO4 C=HCl D=NaOH E=Ascorbic Acid F=HNO3 G=Na2S2O3 H=___ H3PO4 I=___	
Samples Collected By:	
Name (Print): Jason Ruhs	
Signature: [Signature]	
Company: CES, Inc.	

RELINQUISHED BY:		Date	Time	RECEIVED BY:	
Name: Jason Ruhs		9/26/17	1836	Name: [Signature]	
Signature: [Signature]				Signature: [Signature]	
Name:				Name:	
Signature:				Signature:	

Samples Received in Good Condition:		Receipt Temperature: 36 ° C	
☐ Yes	☐ No		

CLIENT NAME: C & S Engineers, Inc.

ADDRESS: 499 Col. E. Collins Blvd.
North Syracuse, NY 13212

CONTACT NAME: Ms. Christen Craig

CLIENT PHONE: 455-2000

Project Name: Clay Landfill

CES LOG NUMBERS (INTERNAL USE/DO NOT WRITE)		Collected		Matrix	Grab or Comp.	CLIENT ID/SAMPLE LOCATION	Number of Containers										Remarks
Date	Time						1	2	3	4	5	6	7	8	9	10	
748101	9-26-17	12:13		NPW	Grab	MW-11SR	12	X	X	X	X	X	X	X	X	X	
748102		12:34		NPW	Grab	DGC-2D	12	X	X	X	X	X	X	X	X	X	
748103		9:18		NPW	Grab	DGC-3D	12	X	X	X	X	X	X	X	X	X	
748104		10:34		NPW	Grab	DGC-6D	12	X	X	X	X	X	X	X	X	X	
748105-106		10:34		NPW	Grab	QC	12	X	X	X	X	X	X	X	X	X	
748106-107		13:15		NPW	Grab	SW-1	12	X	X	X	X	X	X	X	X	X	
7				NPW	Grab	JP 9-26-17 SW-2	12	X	X	X	X	X	X	X	X	X	
				DI	Grab	Trip Blank	2									X	

Preservative Codes: A= Unpreserved B=H₂SO₄ C=HCl D=NaOH E=Ascorbic Acid F=HNO₃
G=Na₂S₂O₃ H= H₃PO₄ I=

Parameter and Method:

1	TKN, NH ₃ , COD	Sample bottle:	Preservative Code:	Samples Collected By:
		Type	Size	
2	BOD, NO ₃ , TDS, SO ₄ , Cl, Color, Hex-Cr	Plastic	500 ml	Name (Print): Jason R. Hughes
3	TOC	Plastic	2 L	Signature: <i>Jason R. Hughes</i>
		Vial	2-40 ml	Company: CES, Inc.
4	Bromide	Plastic	500 ml	
5	Alkalinity	Plastic	250 ml	
6	Phenols	Glass	500 ml	
7	Hardness, B, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu			
8	Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn	Plastic	2-500 ml	
9	Cyanide	Plastic	250 ml	
10	VOCs	Glass	2-40 ml	

RELINQUISHED BY: Name: Jason R. Hughes Date: 9/26/17 Time: 1536
Signature: *Jason R. Hughes*
Name: Signature: *Jason R. Hughes*
Name: Signature: *Jason R. Hughes*

RECEIVED BY: Name: Signature: *Jason R. Hughes*
Name: Signature: *Jason R. Hughes*

Samples Received in Good Condition: ☐ Yes ☐ No
Receipt Temperature: 36.6 °C



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748108 SAMPLE ID- MW-2SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1248
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	0.627 mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748109 SAMPLE ID- DGC-3S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0855
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	< 0.10 mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748110 SAMPLE ID- MW-4SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1000
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	2.16 mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748111 SAMPLE ID- DGC-5
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1154
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	< 0.10 mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748112 SAMPLE ID- DGC-6D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1100
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	2.73 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748113 SAMPLE ID- MW-7S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1136
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	< 0.10 mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748114 SAMPLE ID- MW-8S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1118
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	1.23 mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748115 SAMPLE ID- MW-9S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1015
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	5.16 mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748116 SAMPLE ID- MW-10SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0941
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	0.614 mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748117 SAMPLE ID- MW-11SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1213
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	0.852 mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748118 SAMPLE ID- DGC-2D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1234
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	0.111 mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748119 SAMPLE ID- DGC-3D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0918
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	< 0.10 mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748120 SAMPLE ID- DGC-6D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	< 0.10 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Note: Analysis performed by ELAP #11393.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748121 SAMPLE ID- QC MS
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	95% mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748122 SAMPLE ID- QC MSD
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	94% mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748123 SAMPLE ID- SW-1
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1315
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
BROMIDE	SM15 p.44	09/28/17		ESA	0.115 mg/L

Note: Analysis performed by ELAP #11393.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



Certified
Environmental
Services, Inc.

7280 Caswell St. (Hancock Air Park)
North Syracuse, New York 13212
Phone 315-478-2374
Fax 315-478-2107

CES BATCH NO: 61762
Turn-Around Time
☐ Standard ☐ 5 Working Days ☐ 3 Working Days
☐ 2 Working Days ☐ 1 Working Days

PAGE 1 OF 1

Standard TAT is end of day, 10 working days after lab receipt. Samples received after 2 pm are considered next day business. Rush TAT subject to laboratory approval and surcharges.

CLIENT NAME: C & S Engineers, Inc.	CLIENT PHONE: 455-2000	Remarks
ADDRESS: 499 Col. E. Collins Blvd.	Project Name: Clay Landfill	
CONTACT NAME: Ms. Christen Craig		

CES LOG NUMBERS (INTERNAL USE/DO NOT WRITE)	Collected		Matrix	Grab or Comp.	CLIENT ID/SAMPLE LOCATION	Number of Containers									
	Date	Time				1	2	3	4	5	6	7	8	9	10
748060 748108	9-26-17	12:48	NPW	Grab	MW-1SR	12	X	X	X	X	X	X	X	X	X
748061 748109		8:55	NPW	Grab	MW-2SR	12	X	X	X	X	X	X	X	X	X
748062 748110		10:00	NPW	Grab	DGC-3S	12	X	X	X	X	X	X	X	X	X
748063 748111		11:54	NPW	Grab	MW-4SR	12	X	X	X	X	X	X	X	X	X
748064 748112		11:00	NPW	Grab	DGC-5	12	X	X	X	X	X	X	X	X	X
748065 748113		11:36	NPW	Grab	MW-6SR	12	X	X	X	X	X	X	X	X	X
748114		11:18	NPW	Grab	MW-7S	12	X	X	X	X	X	X	X	X	X
748115		10:15	NPW	Grab	MW-8S	12	X	X	X	X	X	X	X	X	X
748116	✓	9:41	NPW	Grab	MW-9S	12	X	X	X	X	X	X	X	X	X
					MW-10SR	12	X	X	X	X	X	X	X	X	X

Parameter and Method:	Sample bottle:	Preservative Code:	Preservative Codes: A=Unpreserved B=H ₂ SO ₄ C=HCl D=NaOH E=Ascorbic Acid F=HNO ₃ G=Na ₂ S ₂ O ₃ H=H ₃ PO ₄ I=
1 TKN, NH ₃ , COD	Type: Plastic Size: 500 ml	B	
2 BOD, NO ₃ , TDS, SO ₄ , Cl, Color, Hex-Cr	Type: Plastic Size: 2 L	A	
3 TOC	Type: Vial Size: 2-40 ml	H	
4 Bromide	Type: Plastic Size: 500 ml	A	
5 Alkalinity	Type: Plastic Size: 250 ml	A	
6 Phenols	Type: Glass Size: 500 ml	B	
7 Hardness, B, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu	Type: Plastic Size: 2-500 ml	F	
8 Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn	Type: Plastic Size: 250 ml	D&E	
9 Cyanide	Type: Glass Size: 2-40 ml	C/A	
10 VOCs			

Relinquished By: Jason Ruhs Date: 9/26/17 Time: 1836
Signature: [Signature] Company: CES, Inc.
Name (Print): Jason Ruhs Date: 9/26/17 Time: 1836
Signature: [Signature] Company: CES, Inc.
Name: [Blank] Date: [Blank] Time: [Blank]
Signature: [Blank] Company: CES, Inc.
Name: [Blank] Date: [Blank] Time: [Blank]
Signature: [Blank] Company: CES, Inc.

Samples Received in Good Condition: ☐ Yes ☐ No
Receipt Temperature: 3.6 °C



Certified
Environmental
Services, Inc.

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748124 SAMPLE ID- MW-2SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1248
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	10/06/17		JLA	428. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748125 SAMPLE ID- DGC-3S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0855
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	10/06/17		JLA	155. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)
Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748126 SAMPLE ID- MW-4SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1005
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	10/06/17		JLA	1040. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748127 SAMPLE ID- DGC-5
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1154
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	10/06/17		JLA	396. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748128 SAMPLE ID- DGC-6D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1100
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	09/29/17		JLA	851. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748129 SAMPLE ID- MW-7S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1136
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	10/06/17		JLA	507. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748130 SAMPLE ID- MW-8S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1118
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	10/06/17		JLA	523. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



Certified
Environmental
Services, Inc.

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748131 SAMPLE ID- MW-9S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1015
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	10/06/17		JLA	818. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748132 SAMPLE ID- MW-10SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0941
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	10/06/17		JLA	330. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748133 SAMPLE ID- MW-11SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1213
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	09/29/17		JLA	380. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748134 SAMPLE ID- DGC-2D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1234
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	10/06/17		JLA	158. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748135 SAMPLE ID- DGC-3D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0918
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	10/06/17		JLA	139. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748136 SAMPLE ID- MW-6SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	10/06/17		JLA	139. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748137 SAMPLE ID- QC MS
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	10/06/17		JLA	145.Dup mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748138 SAMPLE ID- QC MSD
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	10/06/17		JLA	145.Trip mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748139 SAMPLE ID- SW-1
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1315
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Alkalinity as CaCO ₃ -97,-11	SM 2320B	09/29/17		JLA	178. mg/L CaCO ₃

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



Parameter and Method:	Sample bottle:		Preservative Code:	Samples Collected By:	RELINQUISHED BY:	Date	Time	RECEIVED BY:
	Type	Size						
1 TKN, NH ₃ , COD	Plastic	500 ml	B	Name (Print): <u>Jason P. Hsiao</u> Signature: <u>[Signature]</u> Company: <u>CES, Inc.</u>	Name: <u>[Signature]</u> Signature: <u>[Signature]</u> Name: _____ Signature: _____	9/26/17 1536	Name: <u>[Signature]</u> Signature: _____	
2 BOD, NO ₃ , TDS, SO ₄ , Cl, Color, Hex-Cr	Plastic	2 L	A					
3 TOC	Vial	2-40 ml	H					
4 Bromide	Plastic	500 ml	A					
5 Alkalinity	Plastic	250 ml	A					
6 Phenols	Glass	500 ml	B					
7 Hardness, B, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu								
8 Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn	Plastic	2-500 ml	F					
9 Cyanide	Plastic	250 ml	D&E					
10 VOCs	Glass	2-40 ml	C/A					

Receipt Temperature: 3,6 °C
 Samples Received in Good Condition: ☐ Yes ☐ No



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748140 SAMPLE ID- MW-2SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1248
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	09/29/17		MPB	< 0.010 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748141 SAMPLE ID- DGC-3S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0855
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	09/29/17		MPB	< 0.010 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748142 SAMPLE ID- MW-4SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1000
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	09/29/17		MPB	0.012 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748143 SAMPLE ID- DGC-5
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1154
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	09/29/17		MPB	< 0.010 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748144 SAMPLE ID- DGC-6D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1100
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	09/29/17		MPB	< 0.010 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748145 SAMPLE ID- MW-7S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1136
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	09/29/17		MPB	< 0.010 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748146 SAMPLE ID- MW-8S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1118
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	09/29/17		MPB	< 0.010 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



Certified
Environmental
Services, Inc.

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748147 SAMPLE ID- MW-9S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1015
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	10/09/17		MPB	< 0.010 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



Certified
Environmental
Services, Inc.

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748148 SAMPLE ID- MW-10SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0941
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	10/09/17		MPB	< 0.010 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748149 SAMPLE ID- MW-11SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1213
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	10/09/17		MPB	< 0.010 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



Certified
Environmental
Services, Inc.

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748150 SAMPLE ID- DGC-2D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1234
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	10/09/17		MPB	< 0.010 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



Certified
Environmental
Services, Inc.

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748151 SAMPLE ID- DGC-3D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0918
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	10/09/17		MPB	< 0.010 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748152 SAMPLE ID- MW-6SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	10/09/17		MPB	< 0.010 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748153 SAMPLE ID- QC MS
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	10/09/17		MPB	92% mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748154 SAMPLE ID- QC MSD
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	10/09/17		MPB	90% mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748155 SAMPLE ID- SW-1
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1315
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
TOTAL PHENOLS	EPA 420.1	10/09/17		MPB	< 0.010 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

CLIENT NAME: C & S Engineers, Inc.		CLIENT PHONE: 455-2000		Project Name: Clay Landfill		Remarks											
ADDRESS 499 Col. E. Collins Blvd. North Syracuse, NY 13212		CONTACT NAME: Ms. Christen Craig															
CES LOG NUMBERS (INTERNAL USE DO NOT WRITE)		Collected Date	Time	Matrix	Grab or Comp.	CLIENT ID/SAMPLE LOCATION		Number of Containers									
								1	2	3	4	5	6	7	8	9	10
159-27-7				NPW	Grab	MW-1SR JR 9-25-17		12	X	X	X	X	X	X	X	X	X
748060 748140		9-26-17	12:48	NPW	Grab	MW-2SR		12	X	X	X	X	X	X	X	X	X
748061 748141			8:55	NPW	Grab	DGC-3S		12	X	X	X	X	X	X	X	X	X
748062 748142			10:00	NPW	Grab	MW-4SR		12	X	X	X	X	X	X	X	X	X
748063 748143			11:54	NPW	Grab	DGC-5		12	X	X	X	X	X	X	X	X	X
748064 748144			11:00	NPW	Grab	MW-6SR		12	X	X	X	X	X	X	X	X	X
748065 748145			11:36	NPW	Grab	MW-7S		12	X	X	X	X	X	X	X	X	X
748146			11:18	NPW	Grab	MW-8S		12	X	X	X	X	X	X	X	X	X
748147			10:15	NPW	Grab	MW-9S		12	X	X	X	X	X	X	X	X	X
748148			9:41	NPW	Grab	MW-10SR		12	X	X	X	X	X	X	X	X	X
Parameter and Method:		Sample bottle:		Preservative Code:		Preservative Codes: A= Unpreserved B=H ₂ SO ₄ C=HCl D=NaOH E=Ascorbic Acid F=HNO ₃ G=Na ₂ S ₂ O ₃ H= H ₃ PO ₄ I=											
1 TKN, NH ₃ , COD		Plastic		500 ml		B		Samples Collected By:									
2 BOD, NO ₃ , TDS, SO ₄ , Cl, Color, Hex-Cr		Plastic		2 L		A		Name (Print): Jason Robs Dougherty									
3 TOC		Vial		2-40 ml		H		Signature: [Signature]									
4 Bromide		Plastic		500 ml		A		Company: CES, Inc.									
5 Alkalinity		Plastic		250 ml		A		RELINQUISHED BY:		Date		Time		RECEIVED BY:			
6 Phenols		Glass		500 ml		B		Name: Jason Robs		9/26/17		1536		Name: [Signature]			
7 Hardness, B, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu								Signature: [Signature]						Signature: [Signature]			
8 Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn		Plastic		2-500 ml		F		Name:						Name:			
9 Cyanide		Plastic		250 ml		D&E		Signature:						Signature:			
10 VOCs		Glass		2-40 ml		C/A		Samples Received in Good Condition: ☐ Yes ☐ No									
								Receipt Temperature: 3.6 °C									



2 pm are considered

Project Name: Clay Landfill

Parameter and Method:		Sample bottle:		Preservative Code:	Samples Collected By:	Name (Print):	Signature:	Company:	RECEIVED BY:	
		Type	Size							
1	TKN, NH3, COD	Plastic	500 ml	B	Jason R. Hester Signature: <i>[Signature]</i> CES, Inc.				Name: <i>[Signature]</i> Signature: <i>[Signature]</i>	
2	BOD, NO3, TDS, SO4, Cl, Color, Hex-Cr	Plastic	2 L	A						
3	TOC	Vial	2-40 ml	H						
4	Bromide	Plastic	500 ml	A						
5	Alkalinity	Plastic	250 ml	A	RELINQUISHED BY:	Date	Time			
6	Phenols	Glass	500 ml	B						
7	Hardness, B, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu				Name: Jason R. Hester	9/26/17	1536			
8	Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn	Plastic	2-500 ml	F	Signature: <i>[Signature]</i>				Name: Signature:	
9	Cyanide	Plastic	250 ml	D&E	Name: Signature:				Name: Signature:	
10	VOCs	Glass	2-40 ml	C/A	Samples Received in Good Condition:				Receipt Temperature: 3, 6 °C	
					☐ Yes	☐ No				



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748172 SAMPLE ID- MW-2SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1248
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	09/28/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	09/28/17		RRB	
Acetone	EPA 8260C	09/28/17		RRB	< 10 ug/L
Benzene	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Bromodichloromethane	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	09/28/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	09/28/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	09/28/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Chloroethane	EPA 8260C	09/28/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	09/28/17		RRB	< 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	09/28/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	09/28/17		RRB	< 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
1,2-Dichloroethane	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	09/28/17		RRB	L-< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748172

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
cis-1,2-Dichloroethene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,2-Dichloropropane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
cis-1,3-Dichloropropene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Ethylbenzene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
2-Hexanone	EPA 8260C	09/28/17		RRB	< 5.0	ug/L
Methylene Chloride	EPA 8260C	09/28/17		RRB	L- < 5.0	ug/L
4-Methyl-2-Pentanone	EPA 8260C	09/28/17		RRB	< 5.0	ug/L
Styrene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Tetrachloroethene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Toluene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Trichlorofluoromethane	EPA 8260C	09/28/17		RRB	< 3.0	ug/L
Trichloroethene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Vinyl Acetate	EPA 8260C	09/28/17		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 8260C	09/28/17		RRB	< 2.0	ug/L
Total Xylenes	EPA 8260C	09/28/17		RRB	< 3.0	ug/L
1,3-Dichlorobenzene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
EPA 8260C Scan	EPA 8260C	09/28/17		RRB		
1,2-Dibromo-3-Chloropropane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,2-Dibromoethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	09/28/17		RRB	< 5.0	ug/L
EPA 8260C Scan	EPA 8260C	09/28/17		RRB		
1,1,1,2-Tetrachloroethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,2,3-Trichloropropane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Bromochloromethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748172

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Dibromomethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Idomethane	EPA 8260C	09/28/17		RRB	< 2.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 105 % REC
Toluene-d8 (75-125) - 84 % REC
4-Bromofluorobenzene (75-125) - 98 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748173 SAMPLE ID- DGC-3S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0855
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	09/28/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	09/28/17		RRB	
Acetone	EPA 8260C	09/28/17		RRB	< 10 ug/L
Benzene	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Bromodichloromethane	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	09/28/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	09/28/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	09/28/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Chloroethane	EPA 8260C	09/28/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	09/28/17		RRB	< 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	09/28/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	09/28/17		RRB	< 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
1,2-Dichloroethane	EPA 8260C	09/28/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	09/28/17		RRB	L- < 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748173

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
cis-1,2-Dichloroethene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,2-Dichloropropane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
cis-1,3-Dichloropropene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Ethylbenzene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
2-Hexanone	EPA 8260C	09/28/17		RRB	< 5.0	ug/L
Methylene Chloride	EPA 8260C	09/28/17		RRB	L- < 5.0	ug/L
4-Methyl-2-Pentanone	EPA 8260C	09/28/17		RRB	< 5.0	ug/L
Styrene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Tetrachloroethene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Toluene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Trichlorofluoromethane	EPA 8260C	09/28/17		RRB	< 3.0	ug/L
Trichloroethene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Vinyl Acetate	EPA 8260C	09/28/17		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 8260C	09/28/17		RRB	< 2.0	ug/L
Total Xylenes	EPA 8260C	09/28/17		RRB	< 3.0	ug/L
1,3-Dichlorobenzene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
EPA 8260C Scan	EPA 8260C	09/28/17		RRB		
1,2-Dibromo-3-Chloropropane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,2-Dibromoethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	09/28/17		RRB	< 5.0	ug/L
EPA 8260C Scan	EPA 8260C	09/28/17		RRB		
1,1,1,2-Tetrachloroethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
1,2,3-Trichloropropane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Bromochloromethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748173

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Dibromomethane	EPA 8260C	09/28/17		RRB	< 1.0	ug/L
Idomethane	EPA 8260C	09/28/17		RRB	< 2.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 118 % REC
Toluene-d8 (75-125) - 82 % REC
4-Bromofluorobenzene (75-125) - 94 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748174 SAMPLE ID- MW-4SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1000
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	09/29/17		RRB	
Acetone	EPA 8260C	09/29/17		RRB	< 10 ug/L
Benzene	EPA 8260C	09/29/17		RRB	7.8 ug/L
Bromodichloromethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	09/29/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	09/29/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	09/29/17		RRB	E 54 ug/L
Chloroethane	EPA 8260C	09/29/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	09/29/17		RRB	L-< 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	09/29/17		RRB	L-< 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,2-Dichloroethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	09/29/17		RRB	L-< 1.0 ug/L



Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748174

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
cis-1,2-Dichloroethene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 8260C	09/29/17		RRB	L- < 1.0	ug/L
1,2-Dichloropropane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
cis-1,3-Dichloropropene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Ethylbenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
2-Hexanone	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
Methylene Chloride	EPA 8260C	09/29/17		RRB	L- < 5.0	ug/L
4-Methyl-2-Pentanone	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
Styrene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Tetrachloroethene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Toluene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Trichlorofluoromethane	EPA 8260C	09/29/17		RRB	< 3.0	ug/L
Trichloroethene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Vinyl Acetate	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 8260C	09/29/17		RRB	< 2.0	ug/L
Total Xylenes	EPA 8260C	09/29/17		RRB	< 3.0	ug/L
1,3-Dichlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 8260C	09/29/17		RRB	7.0	ug/L
1,2-Dichlorobenzene	EPA 8260C	09/29/17		RRB	1.8	ug/L
EPA 8260C Scan	EPA 8260C	09/29/17		RRB		
1,2-Dibromo-3-Chloropropane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,2-Dibromoethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
EPA 8260C Scan	EPA 8260C	09/29/17		RRB		
1,1,1,2-Tetrachloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,2,3-Trichloropropane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Bromochloromethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748174

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Dibromomethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Idomethane	EPA 8260C	09/29/17		RRB	< 2.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 96 % REC
Toluene-d8 (75-125) - 99 % REC
4-Bromofluorobenzene (75-125) - 104 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748175 SAMPLE ID- DGC-5
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1154
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	09/29/17		RRB	
Acetone	EPA 8260C	09/29/17		RRB	< 10 ug/L
Benzene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromodichloromethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	09/29/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	09/29/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Chloroethane	EPA 8260C	09/29/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	09/29/17		RRB	L-< 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	09/29/17		RRB	L-< 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,2-Dichloroethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	09/29/17		RRB	L-< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748175

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
cis-1,2-Dichloroethene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 8260C	09/29/17		RRB	L-< 1.0 ug/L
1,2-Dichloropropane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
cis-1,3-Dichloropropene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Ethylbenzene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
2-Hexanone	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
Methylene Chloride	EPA 8260C	09/29/17		RRB	L-< 5.0 ug/L
4-Methyl-2-Pentanone	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
Styrene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Tetrachloroethene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Toluene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Trichlorofluoromethane	EPA 8260C	09/29/17		RRB	< 3.0 ug/L
Trichloroethene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Vinyl Acetate	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
Vinyl Chloride	EPA 8260C	09/29/17		RRB	< 2.0 ug/L
Total Xylenes	EPA 8260C	09/29/17		RRB	< 3.0 ug/L
1,3-Dichlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
EPA 8260C Scan	EPA 8260C	09/29/17		RRB	
1,2-Dibromo-3-Chloropropane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,2-Dibromoethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
EPA 8260C Scan	EPA 8260C	09/29/17		RRB	
1,1,1,2-Tetrachloroethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,2,3-Trichloropropane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromochloromethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748175

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Dibromomethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Idomethane	EPA 8260C	09/29/17		RRB	< 2.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 109 % REC
Toluene-d8 (75-125) - 96 % REC
4-Bromofluorobenzene (75-125) - 97 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748176 SAMPLE ID- DGC-6D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1100
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	09/29/17		RRB	
Acetone	EPA 8260C	09/29/17		RRB	< 10 ug/L
Benzene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromodichloromethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	09/29/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	09/29/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	09/29/17		RRB	1.5 ug/L
Chloroethane	EPA 8260C	09/29/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	09/29/17		RRB	L-< 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	09/29/17		RRB	L-< 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	09/29/17		RRB	1.6 ug/L
1,2-Dichloroethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	09/29/17		RRB	L-< 1.0 ug/L



Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748176

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
cis-1,2-Dichloroethene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 8260C	09/29/17		RRB	L- < 1.0	ug/L
1,2-Dichloropropane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
cis-1,3-Dichloropropene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Ethylbenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
2-Hexanone	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
Methylene Chloride	EPA 8260C	09/29/17		RRB	L- < 5.0	ug/L
4-Methyl-2-Pentanone	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
Styrene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Tetrachloroethene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Toluene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Trichlorofluoromethane	EPA 8260C	09/29/17		RRB	< 3.0	ug/L
Trichloroethene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Vinyl Acetate	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 8260C	09/29/17		RRB	< 2.0	ug/L
Total Xylenes	EPA 8260C	09/29/17		RRB	< 3.0	ug/L
1,3-Dichlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
EPA 8260C Scan	EPA 8260C	09/29/17		RRB		
1,2-Dibromo-3-Chloropropane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,2-Dibromoethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
EPA 8260C Scan	EPA 8260C	09/29/17		RRB		
1,1,1,2-Tetrachloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,2,3-Trichloropropane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Bromochloromethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748176

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Dibromomethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Idomethane	EPA 8260C	09/29/17		RRB	< 2.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 123 % REC
Toluene-d8 (75-125) - 94% REC
4-Bromofluorobenzene (75-125) - 92 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748177 SAMPLE ID- MW-7S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1136
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	09/29/17		RRB	
Acetone	EPA 8260C	09/29/17		RRB	< 10 ug/L
Benzene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromodichloromethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	09/29/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	09/29/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Chloroethane	EPA 8260C	09/29/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	09/29/17		RRB	L- < 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	09/29/17		RRB	L- < 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,2-Dichloroethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	09/29/17		RRB	LS- < 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748177

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
cis-1,2-Dichloroethene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 8260C	09/29/17		RRB	L- < 1.0	ug/L
1,2-Dichloropropane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
cis-1,3-Dichloropropene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Ethylbenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
2-Hexanone	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
Methylene Chloride	EPA 8260C	09/29/17		RRB	LS- < 5.0	ug/L
4-Methyl-2-Pentanone	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
Styrene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Tetrachloroethene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Toluene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Trichlorofluoromethane	EPA 8260C	09/29/17		RRB	< 3.0	ug/L
Trichloroethene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Vinyl Acetate	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 8260C	09/29/17		RRB	< 2.0	ug/L
Total Xylenes	EPA 8260C	09/29/17		RRB	< 3.0	ug/L
1,3-Dichlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
EPA 8260C Scan	EPA 8260C	09/29/17		RRB		
1,2-Dibromo-3-Chloropropane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,2-Dibromoethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
EPA 8260C Scan	EPA 8260C	09/29/17		RRB		
1,1,1,2-Tetrachloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,2,3-Trichloropropane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Bromochloromethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748177

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Dibromomethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Idomethane	EPA 8260C	09/29/17		RRB	< 2.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 109 % REC
Toluene-d8 (75-125) - 94% REC
4-Bromofluorobenzene (75-125) - 96 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748178 SAMPLE ID- MW-8S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1118
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	09/29/17		RRB	
Acetone	EPA 8260C	09/29/17		RRB	< 10 ug/L
Benzene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromodichloromethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	09/29/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	09/29/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Chloroethane	EPA 8260C	09/29/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	09/29/17		RRB	L- < 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	09/29/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	09/29/17		RRB	L- < 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,2-Dichloroethane	EPA 8260C	09/29/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	09/29/17		RRB	< 1.0 ug/L



Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748178

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
cis-1,2-Dichloroethene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 8260C	09/29/17		RRB	L-< 1.0	ug/L
1,2-Dichloropropane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
cis-1,3-Dichloropropene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Ethylbenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
2-Hexanone	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
Methylene Chloride	EPA 8260C	09/29/17		RRB	L-< 5.0	ug/L
4-Methyl-2-Pentanone	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
Styrene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Tetrachloroethene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Toluene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Trichlorofluoromethane	EPA 8260C	09/29/17		RRB	< 3.0	ug/L
Trichloroethene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Vinyl Acetate	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 8260C	09/29/17		RRB	< 2.0	ug/L
Total Xylenes	EPA 8260C	09/29/17		RRB	< 3.0	ug/L
1,3-Dichlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
EPA 8260C Scan	EPA 8260C	09/29/17		RRB		
1,2-Dibromo-3-Chloropropane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,2-Dibromoethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	09/29/17		RRB	< 5.0	ug/L
EPA 8260C Scan	EPA 8260C	09/29/17		RRB		
1,1,1,2-Tetrachloroethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
1,2,3-Trichloropropane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Bromochloromethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748178

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Dibromomethane	EPA 8260C	09/29/17		RRB	< 1.0	ug/L
Idomethane	EPA 8260C	09/29/17		RRB	< 2.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk

(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 124 % REC
Toluene-d8 (75-125) - 90 % REC
4-Bromofluorobenzene (75-125) - 87 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748179 SAMPLE ID- MW-9S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1015
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	10/02/17		RRB	
Acetone	EPA 8260C	10/02/17		RRB	< 10 ug/L
Benzene	EPA 8260C	10/02/17		RRB	14 ug/L
Bromodichloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	10/02/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	10/02/17		RRB	E 48 ug/L
Chloroethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	10/02/17		RRB	L- < 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	10/02/17		RRB	LS- < 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2-Dichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	10/02/17		RRB	LS- < 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748179

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
cis-1,2-Dichloroethene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 8260C	10/02/17		RRB	L- < 1.0	ug/L
1,2-Dichloropropane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
cis-1,3-Dichloropropene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Ethylbenzene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
2-Hexanone	EPA 8260C	10/02/17		RRB	< 5.0	ug/L
Methylene Chloride	EPA 8260C	10/02/17		RRB	L- < 5.0	ug/L
4-Methyl-2-Pentanone	EPA 8260C	10/02/17		RRB	< 5.0	ug/L
Styrene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Tetrachloroethene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Toluene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Trichlorofluoromethane	EPA 8260C	10/02/17		RRB	< 3.0	ug/L
Trichloroethene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Vinyl Acetate	EPA 8260C	10/02/17		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 8260C	10/02/17		RRB	< 2.0	ug/L
Total Xylenes	EPA 8260C	10/02/17		RRB	< 3.0	ug/L
1,3-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 8260C	10/02/17		RRB	3.5	ug/L
1,2-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
EPA 8260C Scan	EPA 8260C	10/02/17		RRB		
1,2-Dibromo-3-Chloropropane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,2-Dibromoethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	10/02/17		RRB	< 5.0	ug/L
EPA 8260C Scan	EPA 8260C	10/02/17		RRB		
1,1,1,2-Tetrachloroethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,2,3-Trichloropropane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Bromochloromethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748179

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Dibromomethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Idomethane	EPA 8260C	10/02/17		RRB	< 2.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 90 % REC
Toluene-d8 (75-125) - 98 % REC
4-Bromofluorobenzene (75-125) - 103 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748180 SAMPLE ID- MW-10SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0941
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	10/02/17		RRB	
Acetone	EPA 8260C	10/02/17		RRB	< 10 ug/L
Benzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromodichloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	10/02/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chloroethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	10/02/17		RRB	L-< 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	10/02/17		RRB	L-< 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2-Dichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	10/02/17		RRB	L-< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748180

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
cis-1,2-Dichloroethene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 8260C	10/02/17		RRB	L-< 1.0 ug/L
1,2-Dichloropropane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
cis-1,3-Dichloropropene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Ethylbenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
2-Hexanone	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Methylene Chloride	EPA 8260C	10/02/17		RRB	L-< 5.0 ug/L
4-Methyl-2-Pentanone	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Styrene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Tetrachloroethene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Toluene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Trichlorofluoromethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
Trichloroethene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Vinyl Acetate	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Vinyl Chloride	EPA 8260C	10/02/17		RRB	< 2.0 ug/L
Total Xylenes	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
1,3-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
EPA 8260C Scan	EPA 8260C	10/02/17		RRB	
1,2-Dibromo-3-Chloropropane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2-Dibromoethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
EPA 8260C Scan	EPA 8260C	10/02/17		RRB	
1,1,1,2-Tetrachloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2,3-Trichloropropane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromochloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748180

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Dibromomethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Idomethane	EPA 8260C	10/02/17		RRB	< 2.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 98 % REC
Toluene-d8 (75-125) - 96 % REC
4-Bromofluorobenzene (75-125) - 100 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748181 SAMPLE ID- MW-11SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1213
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	10/02/17		RRB	
Acetone	EPA 8260C	10/02/17		RRB	< 10 ug/L
Benzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromodichloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	10/02/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chloroethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	10/02/17		RRB	L- < 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	10/02/17		RRB	L- < 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2-Dichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	10/02/17		RRB	L- < 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748181

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
cis-1,2-Dichloroethene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 8260C	10/02/17		RRB	L- < 1.0	ug/L
1,2-Dichloropropane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
cis-1,3-Dichloropropene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Ethylbenzene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
2-Hexanone	EPA 8260C	10/02/17		RRB	< 5.0	ug/L
Methylene Chloride	EPA 8260C	10/02/17		RRB	L- < 5.0	ug/L
4-Methyl-2-Pentanone	EPA 8260C	10/02/17		RRB	< 5.0	ug/L
Styrene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Tetrachloroethene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Toluene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Trichlorofluoromethane	EPA 8260C	10/02/17		RRB	< 3.0	ug/L
Trichloroethene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Vinyl Acetate	EPA 8260C	10/02/17		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 8260C	10/02/17		RRB	< 2.0	ug/L
Total Xylenes	EPA 8260C	10/02/17		RRB	< 3.0	ug/L
1,3-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
EPA 8260C Scan	EPA 8260C	10/02/17		RRB		
1,2-Dibromo-3-Chloropropane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,2-Dibromoethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	10/02/17		RRB	< 5.0	ug/L
EPA 8260C Scan	EPA 8260C	10/02/17		RRB		
1,1,1,2-Tetrachloroethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,2,3-Trichloropropane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Bromochloromethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748181

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Dibromomethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Idomethane	EPA 8260C	10/02/17		RRB	< 2.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 90 % REC
Toluene-d8 (75-125) - 96 % REC
4-Bromofluorobenzene (75-125) - 106 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748182 SAMPLE ID- DGC-2D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1234
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	10/02/17		RRB	
Acetone	EPA 8260C	10/02/17		RRB	< 10 ug/L
Benzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromodichloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	10/02/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chloroethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	10/02/17		RRB	L- < 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	10/02/17		RRB	L- < 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2-Dichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	10/02/17		RRB	L- < 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748182

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
cis-1,2-Dichloroethene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 8260C	10/02/17		RRB	L- < 1.0	ug/L
1,2-Dichloropropane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
cis-1,3-Dichloropropene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Ethylbenzene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
2-Hexanone	EPA 8260C	10/02/17		RRB	< 5.0	ug/L
Methylene Chloride	EPA 8260C	10/02/17		RRB	L- < 5.0	ug/L
4-Methyl-2-Pentanone	EPA 8260C	10/02/17		RRB	< 5.0	ug/L
Styrene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Tetrachloroethene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Toluene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Trichlorofluoromethane	EPA 8260C	10/02/17		RRB	< 3.0	ug/L
Trichloroethene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Vinyl Acetate	EPA 8260C	10/02/17		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 8260C	10/02/17		RRB	< 2.0	ug/L
Total Xylenes	EPA 8260C	10/02/17		RRB	< 3.0	ug/L
1,3-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
EPA 8260C Scan	EPA 8260C	10/02/17		RRB		
1,2-Dibromo-3-Chloropropane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,2-Dibromoethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	10/02/17		RRB	< 5.0	ug/L
EPA 8260C Scan	EPA 8260C	10/02/17		RRB		
1,1,1,2-Tetrachloroethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
1,2,3-Trichloropropane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L
Bromochloromethane	EPA 8260C	10/02/17		RRB	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748182

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Dibromomethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Idomethane	EPA 8260C	10/02/17		RRB	< 2.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 101 % REC
Toluene-d8 (75-125) - 94 % REC
4-Bromofluorobenzene (75-125) - 100 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748183 SAMPLE ID- DGC-3D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0918
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	10/02/17		RRB	
Acetone	EPA 8260C	10/02/17		RRB	< 10 ug/L
Benzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromodichloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	10/02/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chloroethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	10/02/17		RRB	L-< 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	10/02/17		RRB	L-< 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2-Dichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	10/02/17		RRB	L-< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748183

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
cis-1,2-Dichloroethene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 8260C	10/02/17		RRB	L-< 1.0 ug/L
1,2-Dichloropropane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
cis-1,3-Dichloropropene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Ethylbenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
2-Hexanone	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Methylene Chloride	EPA 8260C	10/02/17		RRB	L-< 5.0 ug/L
4-Methyl-2-Pentanone	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Styrene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Tetrachloroethene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Toluene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Trichlorofluoromethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
Trichloroethene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Vinyl Acetate	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Vinyl Chloride	EPA 8260C	10/02/17		RRB	< 2.0 ug/L
Total Xylenes	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
1,3-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
EPA 8260C Scan	EPA 8260C	10/02/17		RRB	
1,2-Dibromo-3-Chloropropane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2-Dibromoethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
EPA 8260C Scan	EPA 8260C	10/02/17		RRB	
1,1,1,2-Tetrachloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2,3-Trichloropropane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromochloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748183

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Dibromomethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Idomethane	EPA 8260C	10/02/17		RRB	< 2.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 91 % REC
Toluene-d8 (75-125) - 95 % REC
4-Bromofluorobenzene (75-125) - 101 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748184 SAMPLE ID- MW-6SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		09/26/17		RS	3.6	Degrees C
Acrylonitrile	EPA 8260C	10/03/17		RRB	< 5.0	ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	10/03/17		RRB		
Acetone	EPA 8260C	10/03/17		RRB	< 10	ug/L
Benzene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Bromodichloromethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Bromoform	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Bromomethane	EPA 8260C	10/03/17		RRB	< 3.0	ug/L
2-Butanone	EPA 8260C	10/03/17		RRB	< 5.0	ug/L
Carbon Disulfide	EPA 8260C	10/03/17		RRB	< 2.0	ug/L
Carbon Tetrachloride	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Chlorobenzene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Chloroethane	EPA 8260C	10/03/17		RRB	< 3.0	ug/L
Chloroform	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Chloromethane	EPA 8260C	10/03/17		RRB	L- < 3.0	ug/L
2-Chloroethylvinylether	EPA 8260C	10/03/17		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Dichlorodifluoromethane	EPA 8260C	10/03/17		RRB	L- < 3.0	ug/L
1,1-Dichloroethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,2-Dichloroethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,1-Dichloroethene	EPA 8260C	10/03/17		RRB	LS- < 1.0	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748184

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
cis-1,2-Dichloroethene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,2-Dichloropropane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
cis-1,3-Dichloropropene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Ethylbenzene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
2-Hexanone	EPA 8260C	10/03/17		RRB	< 5.0	ug/L
Methylene Chloride	EPA 8260C	10/03/17		RRB	L- < 5.0	ug/L
4-Methyl-2-Pentanone	EPA 8260C	10/03/17		RRB	< 5.0	ug/L
Styrene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Tetrachloroethene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Toluene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Trichlorofluoromethane	EPA 8260C	10/03/17		RRB	< 3.0	ug/L
Trichloroethene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Vinyl Acetate	EPA 8260C	10/03/17		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 8260C	10/03/17		RRB	< 2.0	ug/L
Total Xylenes	EPA 8260C	10/03/17		RRB	< 3.0	ug/L
1,3-Dichlorobenzene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
EPA 8260C Scan	EPA 8260C	10/03/17		RRB		
1,2-Dibromo-3-Chloropropane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,2-Dibromoethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	10/03/17		RRB	< 5.0	ug/L
EPA 8260C Scan	EPA 8260C	10/03/17		RRB		
1,1,1,2-Tetrachloroethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,2,3-Trichloropropane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Bromochloromethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748184

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Dibromomethane	EPA 8260C	10/03/17		RRB	< 1.0 ug/L
Idomethane	EPA 8260C	10/03/17		RRB	< 2.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 97 % REC
Toluene-d8 (75-125) - 95 % REC
4-Bromofluorobenzene (75-125) - 105 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748185 SAMPLE ID- QC MS
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	10/03/17		RRB	105% ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	10/03/17		RRB	
Acetone	EPA 8260C	10/03/17		RRB	97% ug/L
Benzene	EPA 8260C	10/03/17		RRB	101% ug/L
Bromodichloromethane	EPA 8260C	10/03/17		RRB	119% ug/L
Bromoform	EPA 8260C	10/03/17		RRB	109% ug/L
Bromomethane	EPA 8260C	10/03/17		RRB	177% ug/L
2-Butanone	EPA 8260C	10/03/17		RRB	113% ug/L
Carbon Disulfide	EPA 8260C	10/03/17		RRB	156% ug/L
Carbon Tetrachloride	EPA 8260C	10/03/17		RRB	123% ug/L
Chlorobenzene	EPA 8260C	10/03/17		RRB	125% ug/L
Chloroethane	EPA 8260C	10/03/17		RRB	112% ug/L
Chloroform	EPA 8260C	10/03/17		RRB	107% ug/L
Chloromethane	EPA 8260C	10/03/17		RRB	L- 56% ug/L
2-Chloroethylvinylether	EPA 8260C	10/03/17		RRB	108% ug/L
Dibromochloromethane	EPA 8260C	10/03/17		RRB	121% ug/L
Dichlorodifluoromethane	EPA 8260C	10/03/17		RRB	L- 79% ug/L
1,1-Dichloroethane	EPA 8260C	10/03/17		RRB	102% ug/L
1,2-Dichloroethane	EPA 8260C	10/03/17		RRB	114% ug/L
1,1-Dichloroethene	EPA 8260C	10/03/17		RRB	L- 38% ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748185

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
cis-1,2-Dichloroethene	EPA 8260C	10/03/17		RRB	121%	ug/L
trans-1,2-Dichloroethene	EPA 8260C	10/03/17		RRB	81%	ug/L
1,2-Dichloropropane	EPA 8260C	10/03/17		RRB	126%	ug/L
cis-1,3-Dichloropropene	EPA 8260C	10/03/17		RRB	113%	ug/L
trans-1,3-Dichloropropene	EPA 8260C	10/03/17		RRB	99%	ug/L
Ethylbenzene	EPA 8260C	10/03/17		RRB	116%	ug/L
2-Hexanone	EPA 8260C	10/03/17		RRB	96%	ug/L
Methylene Chloride	EPA 8260C	10/03/17		RRB	L- 59%	ug/L
4-Methyl-2-Pentanone	EPA 8260C	10/03/17		RRB	113%	ug/L
Styrene	EPA 8260C	10/03/17		RRB	129%	ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	10/03/17		RRB	99%	ug/L
Tetrachloroethene	EPA 8260C	10/03/17		RRB	118%	ug/L
Toluene	EPA 8260C	10/03/17		RRB	110%	ug/L
1,1,1-Trichloroethane	EPA 8260C	10/03/17		RRB	114%	ug/L
1,1,2-Trichloroethane	EPA 8260C	10/03/17		RRB	110%	ug/L
Trichlorofluoromethane	EPA 8260C	10/03/17		RRB	122%	ug/L
Trichloroethene	EPA 8260C	10/03/17		RRB	128%	ug/L
Vinyl Acetate	EPA 8260C	10/03/17		RRB	92%	ug/L
Vinyl Chloride	EPA 8260C	10/03/17		RRB	109%	ug/L
Total Xylenes	EPA 8260C	10/03/17		RRB	117%	ug/L
1,3-Dichlorobenzene	EPA 8260C	10/03/17		RRB	125%	ug/L
1,4-Dichlorobenzene	EPA 8260C	10/03/17		RRB	120%	ug/L
1,2-Dichlorobenzene	EPA 8260C	10/03/17		RRB	120%	ug/L
EPA 8260C Scan	EPA 8260C	10/03/17		RRB		
1,2-Dibromo-3-Chloropropane	EPA 8260C	10/03/17		RRB	94%	ug/L
1,2-Dibromoethane	EPA 8260C	10/03/17		RRB	111%	ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	10/03/17		RRB	102%	ug/L
EPA 8260C Scan	EPA 8260C	10/03/17		RRB		
1,1,1,2-Tetrachloroethane	EPA 8260C	10/03/17		RRB	127%	ug/L
1,2,3-Trichloropropane	EPA 8260C	10/03/17		RRB	94%	ug/L
Bromochloromethane	EPA 8260C	10/03/17		RRB	136%	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748185

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Dibromomethane	EPA 8260C	10/03/17		RRB	114%	ug/L
Idomethane	EPA 8260C	10/03/17		RRB	125%	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 103 % REC
Toluene-d8 (75-125) - 94 % REC
4-Bromofluorobenzene (75-125) - 91 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748186 SAMPLE ID- QC MSD
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	10/03/17		RRB	114% ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	10/03/17		RRB	
Acetone	EPA 8260C	10/03/17		RRB	54% ug/L
Benzene	EPA 8260C	10/03/17		RRB	103% ug/L
Bromodichloromethane	EPA 8260C	10/03/17		RRB	129% ug/L
Bromoform	EPA 8260C	10/03/17		RRB	137% ug/L
Bromomethane	EPA 8260C	10/03/17		RRB	137% ug/L
2-Butanone	EPA 8260C	10/03/17		RRB	120% ug/L
Carbon Disulfide	EPA 8260C	10/03/17		RRB	161% ug/L
Carbon Tetrachloride	EPA 8260C	10/03/17		RRB	114% ug/L
Chlorobenzene	EPA 8260C	10/03/17		RRB	118% ug/L
Chloroethane	EPA 8260C	10/03/17		RRB	121% ug/L
Chloroform	EPA 8260C	10/03/17		RRB	107% ug/L
Chloromethane	EPA 8260C	10/03/17		RRB	L- 75% ug/L
2-Chloroethylvinylether	EPA 8260C	10/03/17		RRB	128% ug/L
Dibromochloromethane	EPA 8260C	10/03/17		RRB	133% ug/L
Dichlorodifluoromethane	EPA 8260C	10/03/17		RRB	L- 101% ug/L
1,1-Dichloroethane	EPA 8260C	10/03/17		RRB	94% ug/L
1,2-Dichloroethane	EPA 8260C	10/03/17		RRB	121% ug/L
1,1-Dichloroethene	EPA 8260C	10/03/17		RRB	L- 31% ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748186

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
cis-1,2-Dichloroethene	EPA 8260C	10/03/17		RRB	115%	ug/L
trans-1,2-Dichloroethene	EPA 8260C	10/03/17		RRB	72%	ug/L
1,2-Dichloropropane	EPA 8260C	10/03/17		RRB	127%	ug/L
cis-1,3-Dichloropropene	EPA 8260C	10/03/17		RRB	132%	ug/L
trans-1,3-Dichloropropene	EPA 8260C	10/03/17		RRB	119%	ug/L
Ethylbenzene	EPA 8260C	10/03/17		RRB	121%	ug/L
2-Hexanone	EPA 8260C	10/03/17		RRB	108%	ug/L
Methylene Chloride	EPA 8260C	10/03/17		RRB	L- 46%	ug/L
4-Methyl-2-Pentanone	EPA 8260C	10/03/17		RRB	115%	ug/L
Styrene	EPA 8260C	10/03/17		RRB	127%	ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	10/03/17		RRB	114%	ug/L
Tetrachloroethene	EPA 8260C	10/03/17		RRB	121%	ug/L
Toluene	EPA 8260C	10/03/17		RRB	110%	ug/L
1,1,1-Trichloroethane	EPA 8260C	10/03/17		RRB	105%	ug/L
1,1,2-Trichloroethane	EPA 8260C	10/03/17		RRB	122%	ug/L
Trichlorofluoromethane	EPA 8260C	10/03/17		RRB	107%	ug/L
Trichloroethene	EPA 8260C	10/03/17		RRB	123%	ug/L
Vinyl Acetate	EPA 8260C	10/03/17		RRB	86%	ug/L
Vinyl Chloride	EPA 8260C	10/03/17		RRB	131%	ug/L
Total Xylenes	EPA 8260C	10/03/17		RRB	122%	ug/L
1,3-Dichlorobenzene	EPA 8260C	10/03/17		RRB	119%	ug/L
1,4-Dichlorobenzene	EPA 8260C	10/03/17		RRB	115%	ug/L
1,2-Dichlorobenzene	EPA 8260C	10/03/17		RRB	118%	ug/L
EPA 8260C Scan	EPA 8260C	10/03/17		RRB		
1,2-Dibromo-3-Chloropropane	EPA 8260C	10/03/17		RRB	122%	ug/L
1,2-Dibromoethane	EPA 8260C	10/03/17		RRB	119%	ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	10/03/17		RRB	114%	ug/L
EPA 8260C Scan	EPA 8260C	10/03/17		RRB		
1,1,1,2-Tetrachloroethane	EPA 8260C	10/03/17		RRB	131%	ug/L
1,2,3-Trichloropropane	EPA 8260C	10/03/17		RRB	108%	ug/L
Bromochloromethane	EPA 8260C	10/03/17		RRB	122%	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748186

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Dibromomethane	EPA 8260C	10/03/17		RRB	131%	ug/L
Idomethane	EPA 8260C	10/03/17		RRB	117%	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 114 % REC
Toluene-d8 (75-125) - 95 % REC
4-Bromofluorobenzene (75-125) - 91 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748187 SAMPLE ID- SW-1
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1315
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	10/02/17		RRB	
Acetone	EPA 8260C	10/02/17		RRB	< 10 ug/L
Benzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromodichloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	10/02/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chloroethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	10/02/17		RRB	L-< 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	10/02/17		RRB	L-< 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2-Dichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	10/02/17		RRB	L-< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748187

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
cis-1,2-Dichloroethene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
trans-1,2-Dichloroethene	EPA 8260C	10/02/17		RRB	L- < 1.0 ug/L
1,2-Dichloropropane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
cis-1,3-Dichloropropene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
trans-1,3-Dichloropropene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Ethylbenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
2-Hexanone	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Methylene Chloride	EPA 8260C	10/02/17		RRB	L- < 5.0 ug/L
4-Methyl-2-Pentanone	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Styrene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Tetrachloroethene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Toluene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1,1-Trichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,1,2-Trichloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Trichlorofluoromethane	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
Trichloroethene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Vinyl Acetate	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
Vinyl Chloride	EPA 8260C	10/02/17		RRB	< 2.0 ug/L
Total Xylenes	EPA 8260C	10/02/17		RRB	< 3.0 ug/L
1,3-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,4-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2-Dichlorobenzene	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
EPA 8260C Scan	EPA 8260C	10/02/17		RRB	
1,2-Dibromo-3-Chloropropane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2-Dibromoethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	10/02/17		RRB	< 5.0 ug/L
EPA 8260C Scan	EPA 8260C	10/02/17		RRB	
1,1,1,2-Tetrachloroethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
1,2,3-Trichloropropane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Bromochloromethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748187

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Dibromomethane	EPA 8260C	10/02/17		RRB	< 1.0 ug/L
Idomethane	EPA 8260C	10/02/17		RRB	< 2.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 105 % REC
Toluene-d8 (75-125) - 94 % REC
4-Bromofluorobenzene (75-125) - 97 % REC



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/24/2017

SAMPLE NUMBER- 748188 SAMPLE ID- Trip Blank
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WA
TIME SAMPLED- 0817
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 3

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Acrylonitrile	EPA 8260C	10/03/17		RRB	< 5.0 ug/L
EPA 8260 Scan 5030B/8260B	EPA 8260C	10/03/17		RRB	
Acetone	EPA 8260C	10/03/17		RRB	< 10 ug/L
Benzene	EPA 8260C	10/03/17		RRB	< 1.0 ug/L
Bromodichloromethane	EPA 8260C	10/03/17		RRB	< 1.0 ug/L
Bromoform	EPA 8260C	10/03/17		RRB	< 1.0 ug/L
Bromomethane	EPA 8260C	10/03/17		RRB	< 3.0 ug/L
2-Butanone	EPA 8260C	10/03/17		RRB	< 5.0 ug/L
Carbon Disulfide	EPA 8260C	10/03/17		RRB	< 2.0 ug/L
Carbon Tetrachloride	EPA 8260C	10/03/17		RRB	< 1.0 ug/L
Chlorobenzene	EPA 8260C	10/03/17		RRB	< 1.0 ug/L
Chloroethane	EPA 8260C	10/03/17		RRB	< 3.0 ug/L
Chloroform	EPA 8260C	10/03/17		RRB	< 1.0 ug/L
Chloromethane	EPA 8260C	10/03/17		RRB	L-< 3.0 ug/L
2-Chloroethylvinylether	EPA 8260C	10/03/17		RRB	< 5.0 ug/L
Dibromochloromethane	EPA 8260C	10/03/17		RRB	< 1.0 ug/L
Dichlorodifluoromethane	EPA 8260C	10/03/17		RRB	L-< 3.0 ug/L
1,1-Dichloroethane	EPA 8260C	10/03/17		RRB	< 1.0 ug/L
1,2-Dichloroethane	EPA 8260C	10/03/17		RRB	< 1.0 ug/L
1,1-Dichloroethene	EPA 8260C	10/03/17		RRB	L-< 1.0 ug/L



Page 2 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748188

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
cis-1,2-Dichloroethene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
trans-1,2-Dichloroethene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,2-Dichloropropane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
cis-1,3-Dichloropropene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
trans-1,3-Dichloropropene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Ethylbenzene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
2-Hexanone	EPA 8260C	10/03/17		RRB	< 5.0	ug/L
Methylene Chloride	EPA 8260C	10/03/17		RRB	L- < 5.0	ug/L
4-Methyl-2-Pentanone	EPA 8260C	10/03/17		RRB	< 5.0	ug/L
Styrene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Tetrachloroethene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Toluene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,1,1-Trichloroethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,1,2-Trichloroethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Trichlorofluoromethane	EPA 8260C	10/03/17		RRB	< 3.0	ug/L
Trichloroethene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Vinyl Acetate	EPA 8260C	10/03/17		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 8260C	10/03/17		RRB	< 2.0	ug/L
Total Xylenes	EPA 8260C	10/03/17		RRB	< 3.0	ug/L
1,3-Dichlorobenzene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,4-Dichlorobenzene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,2-Dichlorobenzene	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
EPA 8260C Scan	EPA 8260C	10/03/17		RRB		
1,2-Dibromo-3-Chloropropane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,2-Dibromoethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Trans-1,4-Dichloro-2-butene	EPA 8260C	10/03/17		RRB	< 5.0	ug/L
EPA 8260C Scan	EPA 8260C	10/03/17		RRB		
1,1,1,2-Tetrachloroethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
1,2,3-Trichloropropane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Bromochloromethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

Page 3 of 3

CONTINUATION OF DATA FOR SAMPLE NUMBER 748188

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Dibromomethane	EPA 8260C	10/03/17		RRB	< 1.0	ug/L
Idomethane	EPA 8260C	10/03/17		RRB	< 2.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Surrogate Recovery:

1,2-Dichloroethane-d4 (70-130) - 107 % REC
Toluene-d8 (75-125) - 92 % REC
4-Bromofluorobenzene (75-125) - 94 % REC



Certified
Environmental
Services, Inc.

7280 Caswell St. (Hancock Air Park)
North Syracuse, New York 13212
Phone 315-478-2374
Fax 315-478-2107

CLIENT NAME: C & S Engineers, Inc.

ADDRESS 499 Col. E. Collins Blvd.

North Syracuse, NY 13212

CONTACT NAME: Ms. Christen Craig

CLIENT PHONE: 455-2000

Project Name: Clay Landfill

CES BATCH NO: 6766

PAGE 1 OF 1

Turn-Around Time Standard ☐ 5 Working Days ☐ 3 Working Days

Standard ☐ 2 Working Days ☐ 1 Working Days

Standard TAT is end of day, 10 working days after lab receipt. Samples received after 2 pm are considered next day business. Rush TAT subject to laboratory approval and surcharges.

Remarks

Number of Containers

CES LOG NUMBERS

(INTERNAL USE DO NOT WRITE)

Collected
Date Time

Matrix

Grab or
Comp.

CLIENT ID/SAMPLE LOCATION

MW-1SR JK 9-25-17

1 2 3 4 5 6 7 8 9 10

95-9-27-17

748060 748172

9-26-17

12:48

NPW

Grab

MW-2SR

12 X X X X X X X X X X

12 X X X X X X X X X X

748061 748173

8:55

NPW

Grab

DGC-3S

12 X X X X X X X X X X

12 X X X X X X X X X X

748062 748174

10:00

NPW

Grab

MW-4SR

12 X X X X X X X X X X

12 X X X X X X X X X X

748063 748175

11:54

NPW

Grab

DGC-5

12 X X X X X X X X X X

12 X X X X X X X X X X

748064 748176

11:00

NPW

Grab

MW-6SR

12 X X X X X X X X X X

12 X X X X X X X X X X

748065 748177

11:36

NPW

Grab

MW-7S

12 X X X X X X X X X X

12 X X X X X X X X X X

748178

11:18

NPW

Grab

MW-8S

12 X X X X X X X X X X

12 X X X X X X X X X X

748179

10:15

NPW

Grab

MW-9S

12 X X X X X X X X X X

12 X X X X X X X X X X

748180

9:41

NPW

Grab

MW-10SR

12 X X X X X X X X X X

12 X X X X X X X X X X

Parameter and Method:

Sample bottle:

Type Size

Preservative Code:

B

1 TKN, NH3, COD

Plastic 500 ml

2 BOD, NO3, TDS, SO4, Cl, Color, Hex-Cr

Plastic 2 L

A

3 TOC

Vial 2-40 ml

H

4 Bromide

Plastic 500 ml

A

5 Alkalinity

Plastic 250 ml

A

6 Phenols

Glass 500 ml

B

7 Hardness B, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu

Plastic 2-500 ml

F

8 Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn

Plastic 250 ml

D&E

9 Cyanide

Glass 2-40 ml

C/A

10 VOCs

Preservative Codes: A= Unpreserved B=H2SO4 C=HCl D=NaOH E=Ascorbic Acid F=HNO3
G=Na2S2O3 H= H3PO4 I=

Samples Collected By:

Name (Print): Jason Ruhs

Signature:

Company: CES, Inc.

RELINQUISHED BY: Name: Jason Ruhs Date: 9/26/17 Time: 1836 RECEIVED BY: Name: Ryan Smith Signature: Signature: Name: Signature:

Samples Received in Good Condition: ☐ Yes ☐ No

Receipt Temperature: 3.6 °C



Certified
Environmental
Services, Inc.

7280 Caswell St. (Hancock Air Park)
North Syracuse, New York 13212
Phone 315-478-2374
Fax 315-478-2107

CLIENT NAME: C & S Engineers, Inc.

ADDRESS: 499 Col. E. Collins Blvd.

North Syracuse, NY 13212

CONTACT NAME: Ms. Christen Craig

CLIENT PHONE: 455-2000

Project Name: Clay Landfill

61766 PAGE OF

CES BATCH NO:

Turn-Around Time

☐ Standard

☐ 5 Working Days

☐ 3 Working Days

☐ 2 Working Days

☐ 1 Working Days

CES LOG NUMBERS
(INTERNAL USE/DO NOT WRITE)

Collected
Date Time

Matrix

Grab or
Comp.

CLIENT ID/SAMPLE LOCATION

Number of Containers

Remarks

748181

9-26-17 12:13

NPW

Grab

MW-11SR

12

X

X

X

X

X

748182

12:34

NPW

Grab

DGC-2D

12

X

X

X

X

X

748183

9:18

NPW

Grab

DGC-3D

12

X

X

X

X

X

748184

10:34

NPW

Grab

DGC-6D

12

X

X

X

X

X

748185-186

10:34

NPW

Grab

QC

12

X

X

X

X

X

748187

13:15

NPW

Grab

SW-1

12

X

X

X

X

X

748188

8:17

DI

Grab

Trip Blank

2

X

X

X

X

X

Parameter and Method:

Sample bottle:
Type Size

Preservative
Code:

Preservative Codes: A= Unpreserved B=H₂SO₄ C=HCl D=NaOH E=Ascorbic Acid F=HNO₃
G=Na₂S₂O₃ H= H₃PO₄ I=

1 TKN, NH₃, COD

Plastic 500 ml

B

Samples Collected By:

Name (Print): Jason R. Hughes

Signature: *Jason R. Hughes*

Company: CES, Inc.

2 BOD, NO₃, TDS, SO₄, Cl, Color, Hex-Cr

Plastic 2 L

A

Name (Print):

Signature:

Company:

3 TOC

Vial 2-40 ml

H

4 Bromide

Plastic 500 ml

A

RELINQUISHED BY:

Name: Jason R. Hughes

Signature: *Jason R. Hughes*

Company: CES, Inc.

5 Alkalinity

Plastic 250 ml

A

RECEIVED BY:

Name: *Jason R. Hughes*

Signature: *Jason R. Hughes*

Company: CES, Inc.

6 Phenols

Glass 500 ml

B

Date

Time

9/26/17

1536

Name: *Jason R. Hughes*

Signature: *Jason R. Hughes*

Company: CES, Inc.

7 Hardness, B, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu

Plastic 2-500 ml

F

Name:

Signature:

Company:

8 Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn

Plastic 250 ml

D&E

Name:

Signature:

Company:

9 Cyanide

Glass 2-40 ml

C/A

Samples Received in Good Condition:

☐ Yes ☐ No

Receipt Temperature: 3.6 °C

10 VOCs



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748189 SAMPLE ID- MW-2SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1248
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99, -11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99, -11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748190 SAMPLE ID- DGC-3S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0855
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99, -11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99, -11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748191 SAMPLE ID- MW-4SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1000
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99, -11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99, -11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748192 SAMPLE ID- DGC-5
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1154
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99, -11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99, -11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748193 SAMPLE ID- DGC-6D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1100
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99,-11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99,-11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748194 SAMPLE ID- MW-7S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1136
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99, -11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99, -11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748195 SAMPLE ID- MW-8S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1118
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99,-11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99,-11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748196 SAMPLE ID- MW-9S
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1015
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99,-11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99,-11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748197 SAMPLE ID- MW-10SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0941
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99,-11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99,-11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748198 SAMPLE ID- MW-11SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1213
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99, -11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99, -11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748199 SAMPLE ID- DGC-2D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1234
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99,-11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99,-11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748200 SAMPLE ID- DGC-3D
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0918
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99, -11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99, -11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



Certified
Environmental
Services, Inc.

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748201 SAMPLE ID- MW-6SR
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99, -11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99, -11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748202 SAMPLE ID- QC MS
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99, -11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99, -11	4500-CN E	10/04/17		JDC	92% mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748203 SAMPLE ID- QC MSD
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99, -11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99, -11	4500-CN E	10/04/17		JDC	97% mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 10/11/2017

SAMPLE NUMBER- 748204 SAMPLE ID- SW-1
DATE SAMPLED- 09/26/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1315
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/26/17		RS	3.6 Degrees C
Cyanide, Prep (SM -99,-11)	4500-CN C	10/03/17		JDC	Prep Complete
Total Cyanide (SM) -99,-11	4500-CN E	10/04/17		JDC	< 0.01 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

CLIENT NAME: C & S Engineers, Inc.

ADDRESS: 499 Col. E. Collins Blvd.
North Syracuse, NY 13212

CONTACT NAME: Ms. Christen Craig

CLIENT PHONE: 455-2000

Project Name: Clay Landfill

CES LOG NUMBERS (INTERNAL USE/DO NOT WRITE)		Collected		Matrix	Grab or Comp.	CLIENT ID/SAMPLE LOCATION	N																	
Date	Time	1	2					3	4	5	6	7	8	9	10									
05922-17				NPW	Grab	MW-1SR JP 9-25-17	12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
748060 748189	9-26-17	12:48		NPW	Grab	MW-2SR	12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
748061 748190		8:55		NPW	Grab	DGC-3S	12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
748062 748191		10:00		NPW	Grab	MW-4SR	12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
748063 748192		11:54		NPW	Grab	DGC-5	12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
748064 748193		11:00		NPW	Grab	MW-6SR	12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
748065 748194		11:36		NPW	Grab	MW-7S	12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
748195		11:18		NPW	Grab	MW-8S	12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
748196		10:15		NPW	Grab	MW-9S	12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
748197	✓	9:41		NPW	Grab	MW-10SR	12	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Preservative Codes: A= Unpreserved B=H₂SO₄ C=HCl D=NaOH E=Ascorbic Acid F=HNO₃
G=Na₂S₂O₃ H= H₃PO₄ I=

Samples Collected By:
Name (Print): Jason R. Roberts
Signature: [Signature]
Company: CES, Inc.

Parameter and Method:		Sample bottle:		Preservative Code:	
		Type	Size		
1	TKN, NH ₃ , COD	Plastic	500 ml	B	
2	BOD, NO ₃ , TDS, SO ₄ , Cl, Color, Hex-Cr	Plastic	2 L	A	
3	TOC	Vial	2-40 ml	H	
4	Bromide	Plastic	500 ml	A	
5	Alkalinity	Plastic	250 ml	A	
6	Phenols	Glass	500 ml	B	
7	Hardness, B, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu				
8	Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn	Plastic	2-500 ml	F	
9	Cyanide	Plastic	250 ml	D&E	
10	VOCs	Glass	2-40 ml	C/A	

RELINQUISHED BY:
Name: Jason R. Roberts
Signature: [Signature]
Name:
Signature:

RECEIVED BY:
Name: [Signature]
Signature: [Signature]
Name:
Signature:

Date: 9/26/17
Time: 1:56 PM

Samples Received in Good Condition:
☐ Yes ☐ No

Receipt Temperature: 3.6 °C



7280 Caswell St. (Hancock Air Park)
North Syracuse, New York 13212
Phone 315-478-2374
Fax 315-478-2107

CLIENT NAME: C & S Engineers, Inc.

ADDRESS: 499 Col. E. Collins Blvd.

North Syracuse, NY 13212

CONTACT NAME: Ms. Christen Craig

CLIENT PHONE: 455-2000

Project Name: Clay Landfill

6767 PAGE OF

CES BATCH NO:

Turn-Around Time

☐ Standard

☐ 5 Working Days

☐ 3 Working Days

☐ 2 Working Days

☐ 1 Working Days

Standard TAT is end of day, 10 working days after lab receipt. Samples received after 2 pm are considered next day business. Rush TAT subject to laboratory approval and surcharges

Remarks

CLIENT NAME:	C & S Engineers, Inc.	CLIENT PHONE:	455-2000
ADDRESS:	499 Col. E. Collins Blvd. North Syracuse, NY 13212	Project Name:	Clay Landfill
CONTACT NAME:	Ms. Christen Craig		

74844	9-26-17	12:13	NPW	Grab	MW-11SR	12	X	X	X	X	X	X	X	X	X	X	X		
74849		12:34	NPW	Grab	DGC-2D	12	X	X	X	X	X	X	X	X	X	X	X		
74850		9:18	NPW	Grab	DGC-3D	12	X	X	X	X	X	X	X	X	X	X	X		
74851		10:34	NPW	Grab	DGC-6D	12	X	X	X	X	X	X	X	X	X	X	X		
74852-703		10:34	NPW	Grab	QC	12	X	X	X	X	X	X	X	X	X	X	X		
74854		13:15	NPW	Grab	SW-1	12	X	X	X	X	X	X	X	X	X	X	X		
			NPW	Grab	JP 9-26-17 SW-2	12	X	X	X	X	X	X	X	X	X	X	X		
		8:17	DI	Grab	Trip Blank	2													X

Parameter and Method:		Sample bottle:		Preservative Code:	Preservative Codes: A= Unpreserved B=H ₂ SO ₄ C=HCl D=NaOH E=Ascorbic Acid F=HNO ₃ G=Na ₂ S ₂ O ₃ H=H ₃ PO ₄ I=										Samples Collected By:	
Type	Size	Type	Size												Name (Print):	Signature:
1	TKN, NH ₃ , COD	Plastic	500 ml	B											CES, Inc.	
2	BOD, NO ₃ , TDS, SO ₄ , Cl, Color, Hex-Cr	Plastic	2 L	A												
3	TOC	Vial	2-40 ml	H												
4	Bromide	Plastic	500 ml	A												
5	Alkalinity	Plastic	250 ml	A												
6	Phenols	Glass	500 ml	B												
7	Hardness, B, Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu															
8	Fe, Pb, Mg, Mn, Hg, Ni, K, Se, Ag, Na, Ti, V, Zn	Plastic	2-500 ml	F												
9	Cyanide	Plastic	250 ml	D&E												
10	VOCs	Glass	2-40 ml	C/A												

Samples Received in Good Condition:

☐ Yes ☐ No

Receipt Temperature: 36.6 °C

RECEIVED BY:

Name: [Signature]

Signature: [Signature]

Name: [Signature]

Signature: [Signature]

RELINQUISHED BY:

Name: Jason [Signature]

Signature: [Signature]

Name: [Signature]

Signature: [Signature]

Date

9/26/17

Time

1536



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748156 SAMPLE ID- MW-2SR
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1248
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA	*	
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.15	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	456.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.20	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/05/17		AG	Q- < 0.02	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.24	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	89.8	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.64	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	56.3	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.085	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/20/17		AG	1.24	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	66.1	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Sample Identification

748156

SC39739-01

Client Project #

35932

Matrix

Ground Water

Collection Date/Time

26-Sep-17 12:48

Received

28-Sep-17

CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses*Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670*

7440-36-0	Antimony	< 0.0200	mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	26-Oct-17 21:48	10670	28205716
7440-43-9	Cadmium	< 0.0050	mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200	mg/l	0.0200	0.0093	1	"	"	"	"	"
7440-22-4	Silver	< 0.0050	mg/l	0.0050	0.0024	1	"	"	"	"	"
7440-41-7	Beryllium	< 0.0050	mg/l	0.0050	0.0020	1	"	"	27-Oct-17 09:23	"	"
7440-28-0	Thallium	< 0.0300	mg/l	0.0300	0.0137	1	"	"	"	"	"



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748157 SAMPLE ID- DGC-3S
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0855
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA	*	
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.17	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	199.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	4.69	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/05/17		AG	Q- 0.037	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.12	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	44.8	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	7.98	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	21.1	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.23	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/20/17		AG	2.22	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	20.8	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.026	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Page 3 of 31 Technical Director

The analytical results on this sample are representative of the sample received by the Laboratory.

Sample Identification748157
SC39739-02Client Project #

35932

Matrix

Ground Water

Collection Date/Time

26-Sep-17 08:55

Received

28-Sep-17

CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses*Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670*

7440-36-0	Antimony	< 0.0200		mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	26-Oct-17 22:06	10670	28205716
7440-43-9	Cadmium	< 0.0050		mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200		mg/l	0.0200	0.0093	1	"	"	"	"	"
7440-77-4	Silver	< 0.0050		mg/l	0.0050	0.0024	1	"	"	"	"	"
7440-41-7	Beryllium	< 0.0050		mg/l	0.0050	0.0020	1	"	"	27-Oct-17 09:39	"	"
7440-28-0	Thallium	< 0.0300		mg/l	0.0300	0.0137	1	"	"	"	"	"



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748158 SAMPLE ID- MW-4SR
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1000
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA		*
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.92	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	467.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.59	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/05/17		AG	Q- < 0.02	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	0.72	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	112.	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	13.0	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	45.3	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	E 0.54	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.025	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	83.5	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	162.	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Sample Identification

748158

SC39739-03

Client Project #

35932

Matrix

Ground Water

Collection Date/Time

26-Sep-17 10:00

Received

28-Sep-17

<i>CAS No.</i>	<i>Analyte(s)</i>	<i>Result</i>	<i>Flag</i>	<i>Units</i>	<i>*RDL</i>	<i>MDL</i>	<i>Dilution</i>	<i>Method Ref.</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Analyst</i>	<i>Batch</i>	<i>Cert.</i>

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses*Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670*

7440-36-0	Antimony	< 0.0200	mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	26-Oct-17 22:10	10670	28205716
7440-43-9	Cadmium	< 0.0050	mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200	mg/l	0.0200	0.0093	1	"	"	"	"	"
7440-22-4	Silver	< 0.0050	mg/l	0.0050	0.0024	1	"	"	"	"	"
7440-41-7	Beryllium	< 0.0050	mg/l	0.0050	0.0020	1	"	"	27-Oct-17 09:42	"	"
7440-28-0	Thallium	< 0.0300	mg/l	0.0300	0.0137	1	"	"	"	"	"



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748159 SAMPLE ID- DGC-5
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1154
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA		*
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.20	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	386.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.30	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/05/17		AG	Q- < 0.02	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.31	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	125.	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	33.4	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	17.8	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	1.36	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/20/17		AG	4.60	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/20/17		AG	5.21	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Sample Identification

748159

SC39739-04

Client Project #

35932

Matrix

Ground Water

Collection Date/Time

26-Sep-17 11:54

Received

28-Sep-17

CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses*Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670*

7440-36-0	Antimony	< 0.0200		mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	26-Oct-17 22:14	10670	28205716
7440-43-9	Cadmium	< 0.0050		mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200		mg/l	0.0200	0.0093	1	"	"	"	"	"
7440-22-4	Silver	< 0.0050		mg/l	0.0050	0.0024	1	"	"	"	"	"
7440-41-7	Beryllium	< 0.0050		mg/l	0.0050	0.0020	1	"	"	27-Oct-17 09:45	"	"
7440-28-0	Thallium	< 0.0300		mg/l	0.0300	0.0137	1	"	"	"	"	"



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748160 SAMPLE ID- DGC-6D
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1100
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA	*	
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.92	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	666.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	1.33	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/05/17		AG	Q- 0.038	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	1.92	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	126.	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	8.00	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	85.1	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.24	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.031	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	29.9	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	195.	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L

*See Attached Report.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Page 9 of 31

Rachel R. Bonczyk
Technical Director

The analytical results on this sample are representative of the sample received by the Laboratory.

Sample Identification

748160

SC39739-05

Client Project #

35932

Matrix

Ground Water

Collection Date/Time

26-Sep-17 11:00

Received

28-Sep-17

<u>CAS No.</u>	<u>Analyte(s)</u>	<u>Result</u>	<u>Flag</u>	<u>Units</u>	<u>*RDL</u>	<u>MDL</u>	<u>Dilution</u>	<u>Method Ref.</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>	<u>Batch</u>	<u>Cert.</u>

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses

Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670

7440-36-0	Antimony	< 0.0200	mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	26-Oct-17 22:25	10670	28205716
7440-43-9	Cadmium	< 0.0050	mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200	mg/l	0.0200	0.0093	1	"	"	"	"	"
7440-22-4	Silver	< 0.0050	mg/l	0.0050	0.0024	1	"	"	"	"	"
7440-41-7	Beryllium	< 0.0050	mg/l	0.0050	0.0020	1	"	"	27-Oct-17 09:54	"	"
7440-28-0	Thallium	< 0.0300	mg/l	0.0300	0.0137	1	"	"	"	"	"



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748161 SAMPLE ID- MW-7S
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1136
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA		*
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.044	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	425.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.20	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	< 0.02	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.24	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	131.	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	1.27	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	23.6	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	E 0.58	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.029	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	2.92	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	10.2	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Sample Identification748161
SC39739-06Client Project #

35932

Matrix

Ground Water

Collection Date/Time

26-Sep-17 11:36

Received

28-Sep-17

CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses

Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670

7440-36-0	Antimony	< 0.0200	mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	26-Oct-17 22:28	10670	28205716
7440-43-9	Cadmium	< 0.0050	mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200	mg/l	0.0200	0.0093	1	"	"	"	"	"
7440-22-4	Silver	< 0.0050	mg/l	0.0050	0.0024	1	"	"	"	"	"
7440-41-7	Beryllium	< 0.0050	mg/l	0.0050	0.0020	1	"	"	27-Oct-17 09:57	"	"
7440-28-0	Thallium	< 0.0300	mg/l	0.0300	0.0137	1	"	"	"	"	"



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748162 SAMPLE ID- MW-8S
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1118
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA	*	
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.31	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	492.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.36	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/20/17		AG	Q+ 0.042	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.30	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	92.7	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	3.81	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	63.3	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.29	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	1.78	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	158.	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Sample Identification

748162

SC39739-07

Client Project #

35932

Matrix

Ground Water

Collection Date/Time

26-Sep-17 11:18

Received

28-Sep-17

CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses*Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670*

7440-36-0	Antimony	< 0.0200	mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	26-Oct-17 22:32	10670	28205716
7440-43-9	Cadmium	< 0.0050	mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200	mg/l	0.0200	0.0093	1	"	"	"	"	"
7440-22-4	Silver	< 0.0050	mg/l	0.0050	0.0024	1	"	"	"	"	"
7440-41-7	Beryllium	< 0.0050	mg/l	0.0050	0.0020	1	"	"	27-Oct-17 10:00	"	"
7440-28-0	Thallium	< 0.0300	mg/l	0.0300	0.0137	1	"	"	"	"	"



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748163 SAMPLE ID- MW-9S
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1015
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA		*
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.78	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	477.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	1.18	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/05/17		AG	Q- 0.10	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	1.20	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	92.5	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	7.32	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	59.8	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.098	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.038	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	69.5	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	207.	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Sample Identification748163
SC39739-08Client Project #

35932

Matrix

Ground Water

Collection Date/Time

26-Sep-17 10:15

Received

28-Sep-17

CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses*Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670*

7440-36-0	Antimony	< 0.0200	mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	26-Oct-17 22:36	10670	28205716
7440-43-9	Cadmium	< 0.0050	mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200	mg/l	0.0200	0.0093	1	"	"	"	"	"
7440-22-4	Silver	< 0.0050	mg/l	0.0050	0.0024	1	"	"	"	"	"
7440-41-7	Beryllium	< 0.0050	mg/l	0.0050	0.0020	1	"	"	27-Oct-17 10:04	"	"
7440-28-0	Thallium	< 0.0300	mg/l	0.0300	0.0137	1	"	"	"	"	"



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748164 SAMPLE ID- MW-10SR
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 0941
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA		*
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.15	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	391.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.92	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	< 0.02	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.16	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	63.4	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	1.43	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	56.6	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.071	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	2.85	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	30.8	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Sample Identification

748164

SC39739-09

Client Project #

35932

Matrix

Ground Water

Collection Date/Time

26-Sep-17 09:41

Received

28-Sep-17

CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses*Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670*

7440-36-0	Antimony	< 0.0200		mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	26-Oct-17 22:40	10670	28205716
7440-43-9	Cadmium	< 0.0050		mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200		mg/l	0.0200	0.0093	1	"	"	"	"	"
7440-22-4	Silver	< 0.0050		mg/l	0.0050	0.0024	1	"	"	"	"	"
7440-41-7	Beryllium	< 0.0050		mg/l	0.0050	0.0020	1	"	"	27-Oct-17 10:07	"	"
7440-28-0	Thallium	< 0.0300		mg/l	0.0300	0.0137	1	"	"	"	"	"



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748165 SAMPLE ID- MW-11SR
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1213
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA	*	
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.27	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	358.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.49	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/20/17		AG	Q+ 0.034	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.23	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	75.9	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	1.09	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	40.9	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.16	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.023	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	1.36	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	79.5	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Sample Identification

748165

SC39739-10

Client Project #

35932

Matrix

Ground Water

Collection Date/Time

26-Sep-17 12:13

Received

28-Sep-17

CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses*Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670*

7440-36-0	Antimony	< 0.0200	mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	26-Oct-17 22:43	10670	28205716
7440-43-9	Cadmium	< 0.0050	mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200	mg/l	0.0200	0.0093	1	"	"	"	"	"
7440-22-4	Silver	< 0.0050	mg/l	0.0050	0.0024	1	"	"	"	"	"
7440-41-7	Beryllium	< 0.0050	mg/l	0.0050	0.0020	1	"	"	27-Oct-17 10:10	"	"
7440-28-0	Thallium	< 0.0300	mg/l	0.0300	0.0137	1	"	"	"	"	"



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748166 SAMPLE ID- DGC-2D
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1234
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA	*	
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.076	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	147.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.24	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	< 0.02	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.17	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	35.8	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	1.89	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	14.0	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.077	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	3.19	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	11.0	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Sample Identification

748166

SC39739-11

Client Project #

35932

Matrix

Ground Water

Collection Date/Time

26-Sep-17 12:34

Received

28-Sep-17

CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses*Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670*

7440-36-0	Antimony	< 0.0200	mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	24-Oct-17 06:48	10670	28205716
7440-41-7	Beryllium	< 0.0050	mg/l	0.0050	0.0020	1	"	"	"	"	"
7440-43-9	Cadmium	< 0.0050	mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200	mg/l	0.0200	0.0093	1	"	"	27-Oct-17 10:29	"	"
7440-22-4	Silver	< 0.0050	mg/l	0.0050	0.0024	1	"	"	"	"	"
7440-28-0	Thallium	< 0.0300	mg/l	0.0300	0.0137	1	"	"	"	"	"



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748167 SAMPLE ID- DGC-3D
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1234
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA		*
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.096	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	109.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.26	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	< 0.02	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.21	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	22.5	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	0.54	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	12.9	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.046	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	2.97	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	14.6	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Sample Identification748167
SC39739-12Client Project #

35932

Matrix

Ground Water

Collection Date/Time

26-Sep-17 09:18

Received

28-Sep-17

CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses*Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670*

7440-36-0	Antimony	< 0.0200	mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	24-Oct-17 06:52	10670	28205716
7440-41-7	Beryllium	< 0.0050	mg/l	0.0050	0.0020	1	"	"	"	"	"
7440-43-9	Cadmium	< 0.0050	mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200	mg/l	0.0200	0.0093	1	"	"	"	"	"
7440-22-4	Silver	< 0.0050	mg/l	0.0050	0.0024	1	"	"	27-Oct-17 10:33	"	"
7440-28-0	Thallium	< 0.0300	mg/l	0.0300	0.0137	1	"	"	"	"	"



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

DATE: 11/02/2017

SAMPLE NUMBER- 748168 SAMPLE ID- MW-6SR
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab


Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA	*	
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.042	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	159.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/25/17		AG	1.55	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.14	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	36.1	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	2.27	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	16.7	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.059	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/20/17		AG	2.29	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/20/17		AG	6.69	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L

*See Attached Report.

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)

Page 25 of 31

Rachel R. Bonczyk
Technical Director

The analytical results on this sample are representative of the sample received by the Laboratory.



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748169 SAMPLE ID- QC MS
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA	*	
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	89%	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	*NA	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/25/17		AG	120%	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	93%	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	86%	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	*NA	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	93%	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	84%	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	88%	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	73%	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	82%	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	70%	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	88%	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	103%	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	87%	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/20/17		AG	93%	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/20/17		AG	93%	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	95%	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	86%	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk
(Terms and Conditions on Reverse Side)



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748170 SAMPLE ID- QC MSD
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1034
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA	*	
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	94%	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	*NA	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/25/17		AG	178%	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	97%	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	88%	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	*NA	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	99%	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	86%	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	92%	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	132%	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	85%	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	120%	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	93%	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	103%	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	90%	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/20/17		AG	106%	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/20/17		AG	107%	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	99%	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	89%	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Sample Identification

748168/748169/748170

SC39739-13

Client Project #

35932 -

Matrix

Ground Water

Collection Date/Time

26-Sep-17 10:34

Received

28-Sep-17

<u>CAS No.</u>	<u>Analyte(s)</u>	<u>Result</u>	<u>Flag</u>	<u>Units</u>	<u>*RDL</u>	<u>MDL</u>	<u>Dilution</u>	<u>Method Ref.</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Analyst</u>	<u>Batch</u>	<u>Cert.</u>

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses*Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670*

7440-36-0	Antimony	< 0.0200		mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	24-Oct-17 06:56	10670	28205716
7440-41-7	Beryllium	< 0.0050		mg/l	0.0050	0.0020	1	"	"	"	"	"
7440-43-9	Cadmium	< 0.0050		mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200		mg/l	0.0200	0.0093	1	"	"	"	"	"
7440-22-4	Silver	< 0.0050		mg/l	0.0050	0.0024	1	"	"	27-Oct-17 10:43	"	"
7440-28-0	Thallium	< 0.0300		mg/l	0.0300	0.0137	1	"	"	"	"	"

Subcontracted Analyses - Quality Control

Analyte(s)	Result	Flag	Units	*RDL	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
EPA 200.7										
Batch 172820571604 - METHOD										
<u>Laboratory Dup (P252125D)</u>					<u>Prepared: 11-Oct-17 Analyzed: 26-Oct-17</u>					
Cadmium	< 0.0050		mg/l	0.0050		0.00033	-	0		20
Selenium	< 0.0200		mg/l	0.0200		0.00037	-	0		20
Silver	< 0.0050		mg/l	0.0050		0.000020	-	0		20
Antimony	< 0.0200		mg/l	0.0200		0	-	0		20
Thallium	< 0.0300		mg/l	0.0300		0.0012	-	0		20
Beryllium	< 0.0050		mg/l	0.0050		0.00014	-	0		20
<u>Matrix Spike (P252125R)</u>					<u>Prepared: 11-Oct-17 Analyzed: 27-Oct-17</u>					
Thallium	0.179		mg/l	0.0300	0.150	0.0012	119	70-130		
Beryllium	0.0512		mg/l	0.0050	0.0500	0.00014	102	70-130		
Silver	0.0478		mg/l	0.0050	0.0500	0.000020	96	70-130		
Selenium	0.138		mg/l	0.0200	0.150	0.00037	92	70-130		
Cadmium	0.0486		mg/l	0.0050	0.0500	0.00033	97	70-130		
Antimony	0.525		mg/l	0.0200	0.500	0	105	70-130		
<u>Blank (P28271DB)</u>					<u>Prepared: 11-Oct-17 Analyzed: 26-Oct-17</u>					
Cadmium	< 0.0050		mg/l	0.0050			-			
Thallium	< 0.0300		mg/l	0.0300			-			
Beryllium	< 0.0050		mg/l	0.0050			-			
Selenium	< 0.0200		mg/l	0.0200			-			
Antimony	< 0.0200		mg/l	0.0200			-			
Silver	< 0.0050		mg/l	0.0050			-			
<u>LCS (P28271DQ)</u>					<u>Prepared: 11-Oct-17 Analyzed: 27-Oct-17</u>					
Thallium	0.170		mg/l	0.0300	0.150		114	85-115		
Antimony	0.521		mg/l	0.0200	0.500		104	85-115		
Cadmium	0.0491		mg/l	0.0050	0.0500		98	85-115		
Selenium	0.139		mg/l	0.0200	0.150		92	85-115		
Silver	0.0475		mg/l	0.0050	0.0500		95	85-115		
Beryllium	0.0501		mg/l	0.0050	0.0500		100	85-115		
Batch 172820571606 - METHOD										
<u>Laboratory Dup (P254006D)</u>					<u>Prepared: 11-Oct-17 Analyzed: 24-Oct-17</u>					
Beryllium	< 0.0050		mg/l	0.0050		0.000050	-	0		20
Cadmium	< 0.0050		mg/l	0.0050		0.00026	-	0		20
Selenium	< 0.0200		mg/l	0.0200		0.0034	-	0		20
Thallium	< 0.0300		mg/l	0.0300		0.0082	-	0		20
Antimony	< 0.0200		mg/l	0.0200		0.0072	-	0		20
Silver	< 0.0050		mg/l	0.0050		0.00076	-	0		20
<u>Matrix Spike (P254006R)</u>					<u>Prepared: 11-Oct-17 Analyzed: 24-Oct-17</u>					
Antimony	0.533		mg/l	0.0200	0.500	0.0072	107	70-130		
Selenium	0.146		mg/l	0.0200	0.150	0.0034	98	70-130		
Thallium	0.160		mg/l	0.0300	0.150	0.0082	107	70-130		
Silver	0.0546		mg/l	0.0050	0.0500	0.00076	109	70-130		
Cadmium	0.0483		mg/l	0.0050	0.0500	0.00026	97	70-130		
Beryllium	0.0465		mg/l	0.0050	0.0500	0.000050	93	70-130		
<u>Blank (P28271FB)</u>					<u>Prepared: 11-Oct-17 Analyzed: 24-Oct-17</u>					
Beryllium	< 0.0050		mg/l	0.0050			-			
Cadmium	< 0.0050		mg/l	0.0050			-			
Selenium	< 0.0200		mg/l	0.0200			-			
Silver	< 0.0050		mg/l	0.0050			-			
Antimony	< 0.0200		mg/l	0.0200			-			
Thallium	0.0159		mg/l	0.0300			-			



**Certified
Environmental
Services, Inc.**

7280 Caswell Street
North Syracuse, NY 13212
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

C & S Engineers, Inc.
499 Col. E. Collins Blvd.
North Syracuse, NY 13212-
Attn: Ms. Christen Craig

PROJECT NAME: Clay Landfill
DATE: 11/02/2017

SAMPLE NUMBER- 748171 SAMPLE ID- SW-1
DATE SAMPLED- 09/27/17
DATE RECEIVED- 09/26/17 SAMPLER- CES Personnel
TIME RECEIVED- 1536 DELIVERED BY- Jason Ruhs

SAMPLE MATRIX- WW
TIME SAMPLED- 1315
RECEIVED BY- RS
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Subcontracted Analysis				10/10/17		ESA	*	
Boron, Total (Prep: SW3010A)	EPA 200.7			10/24/17		AG	Q- 0.021	mg/L
Hardness	EPA 200.7	09/27/17	AG	10/23/17		AG	185.	mg/L
Aluminum, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.20	mg/L
Arsenic, Total	EPA 200.7	09/27/17	AG	10/05/17		AG	Q- < 0.02	mg/L
Barium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	0.082	mg/L
Calcium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	51.1	mg/L
Chromium, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Cobalt, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Copper, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Iron, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	1.23	mg/L
Lead, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Magnesium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	13.9	mg/L
Manganese, Total	EPA 200.7	09/27/17	AG	10/06/17		AG	1.46	mg/L
Mercury, Total (Hg)	EPA 245.1			09/29/17		AG	< 0.0007	mg/L
Nickel, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L
Potassium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	2.23	mg/L
Sodium, Total	EPA 200.7	09/27/17	AG	10/23/17		AG	35.2	mg/L
Vanadium, Total	EPA 200.7	09/27/17	AG	10/24/17		AG	< 0.02	mg/L
Zinc, Total	EPA 200.7	09/27/17	AG	10/04/17		AG	< 0.02	mg/L

*See Attached Report

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R Bonczyk
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk
Technical Director

Sample Identification

748171

SC39739-14

Client Project #

35932

Matrix

Ground Water

Collection Date/Time

26-Sep-17 13:15

Received

28-Sep-17

CAS No.	Analyte(s)	Result	Flag	Units	*RDL	MDL	Dilution	Method Ref.	Prepared	Analyzed	Analyst	Batch	Cert.

Total Metals by EPA 200/6000 Series MethodsPrepared by method General Prep-Metal

Preservation

Field
Preserved;
pH<2
confirmed

N/A

1

EPA 200/6000
methods

30-Sep-17

JS

1716724

Subcontracted AnalysesSubcontracted Analyses*Analysis performed by Eurofins Lancaster Laboratories Environmental - 10670*

7440-36-0	Antimony	< 0.0200	mg/l	0.0200	0.0087	1	EPA 200.7	11-Oct-17 17:25	24-Oct-17 07:08	10670	28205716
7440-41-7	Beryllium	< 0.0050	mg/l	0.0050	0.0020	1	"	"	"	"	"
7440-43-9	Cadmium	< 0.0050	mg/l	0.0050	0.0018	1	"	"	"	"	"
7782-49-2	Selenium	< 0.0200	mg/l	0.0200	0.0093	1	"	"	"	"	"
7440-22-4	Silver	< 0.0050	mg/l	0.0050	0.0024	1	"	"	27-Oct-17 10:47	"	"
7440-28-0	Thallium	< 0.0300	mg/l	0.0300	0.0137	1	"	"	"	"	"



Certified
Environmental
Services, Inc.

MONITORING WELL SAMPLING FIELD LOG

Field Parameters

7280 Caswell Street
North Syracuse, New York 13212
Ph (315) 478-2374 Fax (315) 478-2107

CLIENT: C & S Engineers

PERSONNEL: Jessy Doug

DATE: 9-26-17

PROJECT: Town of Clay Landfill - Post Closure Monitoring Event

WEATHER: Partly Sunny 81°F

WELL NUMBER	TIME	FINAL DEPTH TO WATER	pH	TEMPERATURE (°C)	CONDUCTIVITY (ms/cm)	TURBIDITY (NTU)	EH/Redox (mV)	DISSOLVED OXYGEN (ppm)
~~MW-1SR~~	~~Not~~	~~on~~	~~7.2~~	~~9-26-17~~				
			map	# No	Longer	Sampling		
MW-2SR	12:48	3.18	7.06	17.75	.822	1.9	63	20.16
DGC-3S	8:55	7.78	7.31	16.04	.216	30.2	-69	3.25
MW-4SR	10:00	11.42	6.78	15.82	2.27	32.1	-116	2.07
DGC-5	11:54	8.09	7.20	17.42	.575	22.9	-145	31.36
~~MW-6SR~~ 6D 700	~~10:20~~ 11:00	~~7.53~~	7.10	18.31	1.97	22.6	-71	27.05
MW-7S	11:36	12.17	7.60	16.32	.598	6.0	11	19.78
MW-8S	11:18	6.40	7.40	17.13	1.51	7.5	-134	21.36
MW-9S	10:15	14.28	7.10	15.45	2.60	14.8	-104	6.34
MW-10SR	9:41	4.16	7.18	16.28	1.577	13.7	-28	2.33

Nearby
Drydock



Certified
Environmental
Services, Inc.

MONITORING WELL SAMPLING FIELD LOG Field Parameters

7280 Caswell Street
North Syracuse, New York 13212
Ph (315) 478-2374 Fax (315) 478-2107

CLIENT: C & S Engineers

PERSONNEL: Tasouy, Doug

DATE: 9-26-17

PROJECT: Town of Clay Landfill - Post Closure Monitoring Event

WEATHER: _____

WELL NUMBER	TIME	FINAL DEPTH TO WATER	pH	TEMPERATURE (°C)	CONDUCTIVITY (ms/cm)	TURBIDITY (NTU)	EH/Redox (mV)	DISSOLVED OXYGEN (ppm)
MW-11SR	12:13	5.32	7.33	17.23	.724	8.0	-7	23.00
DGC-2D	12:34	13.87	7.60	16.21	.237	8.6	-60	16.82
DGC-3D	12:19:18	18.15	7.15	13.14	.192	0.6	12	9.93
DGC-6D	10:34	6.58	7.86	16.54	.217	33.4	30	10.90
QC:	DGC-6D							
SW-1	13:15	SW	7.63	22.43	.399	1.0	68	30.34
SW-2	NO	Water		*Dry *				

APPENDIX B

LANDFILL INSPECTION/GAS MONITORING REPORTS



C&S Companies
499 Col. Eileen Collins Blvd.
Syracuse, NY 13212
p: (315) 455-2000
f: (315) 455-9667
www.cscos.com

November 13, 2017

Mr. Damian Ulatowski
Town Supervisor
Town of Clay
4401 Route 31
Clay, NY 13041-8707

Re: Town of Clay Landfill: 2017 First Quarter Landfill Inspection

File: 195.767.016

Dear Mr. Ulatowski:

In accordance with our 2017 Post-Closure Environmental Monitoring Program Agreement, the 2017 First Quarter landfill inspection and combustible gas vent monitoring was completed on April 13, 2017. Quarterly landfill inspection is required by the NYSDEC. The landfill inspection included the inspection of the groundwater monitoring network and the landfill cap system, including the landfill gas vent system, vegetative cover, drainage swales, perimeter fence and gate, and surface water retention ponds. Items observed during the inspection are detailed on the attached Town of Clay Landfill – April 13, 2017 Post-Closure Field Inspection Report and photographs taken during the inspection are attached.

A combustible gas survey was also completed at the site on April 13, 2017. A total of 22 gas vents are incorporated into the gas venting trench system across the landfill. The combustible gases released from each gas vent were field screened utilizing a multi-gas monitor and a MiniRAE Photo Ionization Detector (PID) with 3-D sensor. The results of the combustible gas survey are included on the attached Clay Landfill Gas Vent Monitoring Summary Table.

In addition to landfill gas vent monitoring, perimeter gas monitoring was also completed at the landfill. Perimeter monitoring was completed at each corner (at 90 degree intervals) of the landfill in the center of the access road. The results of the perimeter monitoring are as follows: %LEL readings were 0%; carbon monoxide and hydrogen sulfide readings were nondetectable; and the presence of total VOC concentrations was not detected. The results of perimeter monitoring indicate that landfill gases are not migrating away from the landfill at detectable concentrations.

Mr. Damian Ulatowski
November 13, 2017
Page 2

As recommended on the attached Post-Closure Field Inspection Report, tree limbs should be removed from the perimeter fence in order to prevent damage to the fence and vector holes should be filled with the appropriate fill and cover material in order to prevent damage to the landfill cap. In general, the landfill gas vents and drainage culverts appeared to be in good condition.

Very truly yours,

C&S ENGINEERS, INC.

A handwritten signature in black ink, appearing to read 'Wayne Randall', written in a cursive style.

Wayne Randall
Geologist

cc: Ms. Stephanie M. Fitzgerald, NYSDEC

Town of Clay Landfill – April 13, 2017 - Post-Closure Field Inspection Report

Inspector: Wayne Randall

- The landfill cap system appears to be in good condition with the exception of small vector holes observed across the entire landfill. Vector holes should be filled with the appropriate fill and cover material.
- The landfill gas vents appear to be in good condition with no repairs needed.
- The drainage culverts appear to be in good condition with no obstructions observed.
- Surrounding perimeter fence should be kept free of debris such as limbs and tall brush.

4/13/2017					
CLAY LANDFILL GAS VENT MONITORING					
VENT	%LEL	CO (ppm)	H ₂ S (ppm)	PID (ppm)	Comments
GV-1	0.0	0.0	0.0	0.0	
GV-2	0.0	0.0	0.0	0.0	
GV-3	>100	0.0	0.0	1.0	
GV-4	0.0	0.0	0.0	0.0	
GV-5	0.0	0.0	0.0	1.0	
GV-6	>100	0.0	0.0	1.0	
GV-7	>100	0.0	0.0	0.0	
GV-8	0.0	0.0	0.0	0.0	
GV-9	0.0	0.0	0.0	0.0	
GV-10	>100	0.0	0.0	0.0	
GV-11	>100	0.0	0.0	0.0	
GV-12	>100	0.0	0.0	0.0	
GV-13	>100	0.0	0.0	0.0	
GV-14	0.0	0.0	0.0	0.0	
GV-15	0.0	0.0	0.0	1.0	
GV-16	>100	0.0	0.0	0.0	
GV-17	>100	0.0	0.0	0.0	
GV-18	> 100	0.0	0.0	1.0	
GV-19	0.0	0.0	0.0	1.0	
GV-20	0.0	0.0	0.0	0.0	
GV-21	> 100	0.0	0.0	0.0	
GV-22	>100	0.0	0.0	1.0	
North Boundary	0.0	0.0	0.0	0.0	
East Boundary	0.0	0.0	0.0	0.0	
South Boundary	0.0	0.0	0.0	0.0	
West Boundary	0.0	0.0	0.0	0.0	
PZ-1 Water Level	feet	41.63			

Town of Clay Landfill

Post-Closure Monitoring – 1st Quarter April 2017



Town of Clay Landfill

Post-Closure Monitoring – 1st Quarter April 2017



Town of Clay Landfill

Post-Closure Monitoring – 1st Quarter April 2017



Town of Clay Landfill

Post-Closure Monitoring – 1st Quarter April 2017



Town of Clay Landfill

Post-Closure Monitoring – 1st Quarter April 2017



Town of Clay Landfill

Post-Closure Monitoring – 1st Quarter April 2017





C&S Companies
499 Col. Eileen Collins Blvd.
Syracuse, NY 13212
p: (315) 455-2000
f: (315) 455-9667
www.cscos.com

November 13, 2017

Mr. Damian Ulatowski
Town Supervisor
Town of Clay
4401 Route 31
Clay, NY 13041-8707

Re: Town of Clay Landfill: 2017 Second Quarter Landfill Inspection

File: 195.767.016

Dear Mr. Ulatowski:

In accordance with our 2017 Post-Closure Environmental Monitoring Program Agreement, the 2017 Second Quarter landfill inspection and combustible gas vent monitoring was completed on July 13, 2017. Quarterly landfill inspection is required by the NYSDEC. The landfill inspection included the inspection of the groundwater monitoring network and the landfill cap system, including the landfill gas vent system, vegetative cover, drainage swales, perimeter fence and gate, and surface water retention ponds. Items observed during the inspection are detailed on the attached Town of Clay Landfill – July 13, 2017 Post-Closure Field Inspection Report and photographs taken during the inspection are attached.

A combustible gas survey was also completed at the site on July 13, 2017. A total of 22 gas vents are incorporated into the gas venting trench system across the landfill. The combustible gases released from each gas vent were field screened utilizing a multi-gas monitor and a MiniRAE Photo Ionization Detector (PID) with 3-D sensor. The results of the combustible gas survey are included on the attached Clay Landfill Gas Vent Monitoring Summary Table.

In addition to landfill gas vent monitoring, perimeter gas monitoring was also completed at the landfill. Perimeter monitoring was completed at each corner (at 90 degree intervals) of the landfill in the center of the access road. The results of the perimeter monitoring are as follows: %LEL readings were 0%; carbon monoxide and hydrogen sulfide readings were nondetectable; and the presence of total VOC concentrations was not detected. The results of perimeter monitoring indicate that landfill gases are not migrating away from the landfill at detectable concentrations.

Mr. Damian Ulatowski
November 13, 2017
Page 2

As recommended on the attached Post-Closure Field Inspection Report, tree limbs should be removed from the perimeter fence in order to prevent damage to the fence and vector holes should be filled with the appropriate fill and cover material in order to prevent damage to the landfill cap. In general, the landfill gas vents and drainage culverts appeared to be in good condition.

Very truly yours,

C&S ENGINEERS, INC.

A handwritten signature in black ink, appearing to read 'Wayne Randall', written in a cursive style.

Wayne Randall
Geologist

cc: Ms. Stephanie M. Fitzgerald, NYSDEC

Town of Clay Landfill – July 13, 2017 - Post-Closure Field Inspection Report

Inspector: Wayne Randall

- The landfill cap system appears to be in good condition with the exception of small vector holes observed across the entire landfill. Vector holes should be filled with the appropriate fill and cover material.
- The landfill gas vents appear to be in good condition with no repairs needed.
- The drainage culverts appear to be in good condition with no obstructions observed.
- Surrounding perimeter fence should be kept free of debris such as limbs and tall brush. There were a few areas where limbs were resting on the fence as shown in the photos.

7/13/2017					
CLAY LANDFILL GAS VENT MONITORING					
VENT	%LEL	CO (ppm)	H ₂ S (ppm)	PID (ppm)	Comments
GV-1	0.0	0.0	0.0	0.0	
GV-2	0.0	0.0	0.0	0.0	
GV-3	>100	0.0	0.0	1.0	
GV-4	0.0	0.0	0.0	0.0	
GV-5	0.0	0.0	0.0	1.0	
GV-6	>100	0.0	0.0	1.0	
GV-7	>100	0.0	0.0	0.0	
GV-8	0.0	0.0	0.0	0.0	
GV-9	0.0	0.0	0.0	0.0	
GV-10	>100	0.0	0.0	0.0	
GV-11	>100	0.0	0.0	0.0	
GV-12	>100	0.0	0.0	0.0	
GV-13	>100	0.0	0.0	0.0	
GV-14	0.0	0.0	0.0	0.0	
GV-15	0.0	0.0	0.0	1.0	
GV-16	>100	0.0	0.0	0.0	
GV-17	>100	0.0	0.0	0.0	
GV-18	> 100	0.0	0.0	1.0	
GV-19	0.0	0.0	0.0	1.0	
GV-20	0.0	0.0	0.0	0.0	
GV-21	> 100	0.0	0.0	0.0	
GV-22	>100	0.0	0.0	1.0	
North Boundary	0.0	0.0	0.0	0.0	
East Boundary	0.0	0.0	0.0	0.0	
South Boundary	0.0	0.0	0.0	0.0	
West Boundary	0.0	0.0	0.0	0.0	
PZ-1 Water Level	feet	41.65			

Town of Clay Landfill

Post-Closure Monitoring – 2nd Quarter July 2017



Town of Clay Landfill

Post-Closure Monitoring – 2nd Quarter July 2017



Town of Clay Landfill

Post-Closure Monitoring – 2nd Quarter July 2017



Town of Clay Landfill

Post-Closure Monitoring – 2nd Quarter July 2017



Town of Clay Landfill

Post-Closure Monitoring – 2nd Quarter July 2017



Town of Clay Landfill

Post-Closure Monitoring – 2nd Quarter July 2017





C&S Companies
499 Col. Eileen Collins Blvd.
Syracuse, NY 13212
p: (315) 455-2000
f: (315) 455-9667
www.cscos.com

November 13, 2017

Mr. Damian Ulatowski
Town Supervisor
Town of Clay
4401 Route 31
Clay, NY 13041-8707

Re: Town of Clay Landfill: 2017 Third Quarter Landfill Inspection

File: 195.767.016

Dear Mr. Ulatowski:

In accordance with our 2017 Post-Closure Environmental Monitoring Program Agreement, the 2017 Third Quarter landfill inspection and combustible gas vent monitoring was completed on October 2, 2017. Quarterly landfill inspection is required by the NYSDEC. The landfill inspection included the inspection of the groundwater monitoring network and the landfill cap system, including the landfill gas vent system, vegetative cover, drainage swales, perimeter fence and gate, and surface water retention ponds. Items observed during the inspection are detailed on the attached Town of Clay Landfill – October 2, 2017 Post-Closure Field Inspection Report and photographs taken during the inspection are attached.

A combustible gas survey was also completed at the site on October 2, 2017. A total of 22 gas vents are incorporated into the gas venting trench system across the landfill. The combustible gases released from each gas vent were field screened utilizing a multi-gas monitor and a MiniRAE Photo Ionization Detector (PID) with 3-D sensor. The results of the combustible gas survey are included on the attached Clay Landfill Gas Vent Monitoring Summary Table.

In addition to landfill gas vent monitoring, perimeter gas monitoring was also completed at the landfill. Perimeter monitoring was completed at each corner (at 90 degree intervals) of the landfill in the center of the access road. The results of the perimeter monitoring are as follows: %LEL readings were 0%; carbon monoxide and hydrogen sulfide readings were nondetectable; and the presence of total VOC concentrations was not detected. The results of perimeter monitoring indicate that landfill gases are not migrating away from the landfill at detectable concentrations.

Mr. Damian Ulatowski
November 13, 2017
Page 2

As recommended on the attached Post-Closure Field Inspection Report, tree limbs should be removed from the perimeter fence in order to prevent damage to the fence and vector holes should be filled with the appropriate fill and cover material in order to prevent damage to the landfill cap. In general, the landfill gas vents and drainage culverts appeared to be in good condition.

Very truly yours,

C&S ENGINEERS, INC.

A handwritten signature in black ink, appearing to read 'Wayne Randall', written in a cursive style.

Wayne Randall
Geologist

cc: Ms. Stephanie M. Fitzgerald, NYSDEC

Town of Clay Landfill – October 2, 2017 - Post-Closure Field Inspection Report

Inspector: Wayne Randall

- The landfill cap system appears to be in good condition with the exception of small vector holes observed across the entire landfill. Vector holes should be filled with the appropriate fill and cover material.
- The landfill gas vents appear to be in good condition with no repairs needed.
- The drainage culverts appear to be in good condition with no obstructions observed.
- Surrounding perimeter fence should be kept free of debris such as limbs and tall brush. There were a few areas where limbs were resting on the fence as shown in the photographs.

10/2/2017					
CLAY LANDFILL GAS VENT MONITORING					
VENT	%LEL	CO (ppm)	H ₂ S (ppm)	PID (ppm)	Comments
GV-1	0.0	0.0	0.0	0.0	
GV-2	0.0	0.0	0.0	0.0	
GV-3	0.0	0.0	0.0	1.0	
GV-4	>100	0.0	0.0	0.0	
GV-5	0.0	0.0	0.0	1.0	
GV-6	>100	0.0	0.0	1.0	
GV-7	0.0	0.0	0.0	0.0	
GV-8	0.0	0.0	0.0	0.0	
GV-9	0.0	0.0	0.0	0.0	
GV-10	>100	0.0	0.0	0.0	
GV-11	>100	0.0	0.0	0.0	
GV-12	0.0	0.0	0.0	0.0	
GV-13	>100	0.0	0.0	0.0	
GV-14	>100	0.0	0.0	0.0	
GV-15	0.0	0.0	0.0	1.0	
GV-16	>100	0.0	0.0	0.0	
GV-17	0.0	0.0	0.0	0.0	
GV-18	0.0	0.0	0.0	1.0	
GV-19	0.0	0.0	0.0	1.0	
GV-20	0.0	0.0	0.0	0.0	
GV-21	> 100	0.0	0.0	0.0	
GV-22	0.0	0.0	0.0	1.0	
North Boundary	0.0	0.0	0.0	0.0	
East Boundary	0.0	0.0	0.0	0.0	
South Boundary	0.0	0.0	0.0	0.0	
West Boundary	0.0	0.0	0.0	0.0	
PZ-1 Water Level	feet	41.36			

Town of Clay Landfill

Post-Closure Monitoring – 3rd Quarter October 2017



Town of Clay Landfill

Post-Closure Monitoring – 3rd Quarter October 2017



Town of Clay Landfill

Post-Closure Monitoring – 3rd Quarter October 2017



Town of Clay Landfill

Post-Closure Monitoring – 3rd Quarter October 2017





C&S Companies
499 Col. Eileen Collins Blvd.
Syracuse, NY 13212
p: (315) 455-2000
f: (315) 455-9667
www.cscos.com

January 12, 2018

Mr. Damian Ulatowski
Town Supervisor
Town of Clay
4401 Route 31
Clay, NY 13041-8707

Re: Town of Clay Landfill: 2017 Fourth Quarter Landfill Inspection

File: 195.767.016

Dear Mr. Ulatowski:

In accordance with our 2017 Post-Closure Environmental Monitoring Program Agreement, the 2017 Third Quarter landfill inspection and combustible gas vent monitoring was completed on January 12, 2018. Quarterly landfill inspection is required by the NYSDEC. The landfill inspection included the inspection of the groundwater monitoring network and the landfill cap system, including the landfill gas vent system, vegetative cover, drainage swales, perimeter fence and gate, and surface water retention ponds. Items observed during the inspection are detailed on the attached Town of Clay Landfill – January 12, 2018 Post-Closure Field Inspection Report and photographs taken during the inspection are attached.

A combustible gas survey was also completed at the site on January 12, 2018. A total of 22 gas vents are incorporated into the gas venting trench system across the landfill. The combustible gases released from each gas vent were field screened utilizing a multi-gas monitor and a MiniRAE Photo Ionization Detector (PID) with 3-D sensor. The results of the combustible gas survey are included on the attached Clay Landfill Gas Vent Monitoring Summary Table.

In addition to landfill gas vent monitoring, perimeter gas monitoring was also completed at the landfill. Perimeter monitoring was completed at each corner (at 90 degree intervals) of the landfill in the center of the access road. The results of the perimeter monitoring are as follows: %LEL readings were 0%; carbon monoxide and hydrogen sulfide readings were nondetectable; and the presence of total VOC concentrations was not detected. The results of perimeter monitoring indicate that landfill gases are not migrating away from the landfill at detectable concentrations.

Mr. Damian Ulatowski
January 12, 2018
Page 2

As recommended on the attached Post-Closure Field Inspection Report, tree limbs should be removed from the perimeter fence in order to prevent damage to the fence and vector holes should be filled with the appropriate fill and cover material in order to prevent damage to the landfill cap. In general, the landfill gas vents and drainage culverts appeared to be in good condition.

Very truly yours,

C&S ENGINEERS, INC.

A handwritten signature in black ink, appearing to read 'Wayne Randall', written in a cursive style.

Wayne Randall
Geologist

cc: Ms. Stephanie M. Fitzgerald, NYSDEC

Town of Clay Landfill – January 12, 2018 - Post-Closure Field Inspection Report

Inspector: Wayne Randall

- The landfill cap system appears to be in good condition with the exception of small vector holes observed across the entire landfill. At the time of the inspection, there was snow cover that prevented a full inspection. Vector holes should be filled with the appropriate fill and cover material.
- The landfill gas vents appear to be in good condition with no repairs needed.
- The drainage culverts were flowing at the time of the inspection but due to the snow cover, the culverts could not be inspected fully.
- Surrounding perimeter fence should be kept free of debris such as limbs and tall brush.

1/12/2018					
CLAY LANDFILL GAS VENT MONITORING					
VENT	%LEL	CO (ppm)	H ₂ S (ppm)	PID (ppm)	Comments
GV-1	0.0	0.0	0.0	0.0	
GV-2	0.0	0.0	0.0	0.0	
GV-3	0.0	0.0	0.0	1.0	
GV-4	0.0	0.0	0.0	0.0	
GV-5	0.0	0.0	0.0	1.0	
GV-6	0.0	0.0	0.0	1.0	
GV-7	0.0	0.0	0.0	0.0	
GV-8	0.0	0.0	0.0	0.0	
GV-9	0.0	0.0	0.0	0.0	
GV-10	>100	0.0	0.0	0.0	
GV-11	>100	0.0	0.0	0.0	
GV-12	0.0	0.0	0.0	0.0	
GV-13	>100	0.0	0.0	0.0	
GV-14	>100	0.0	0.0	0.0	
GV-15	0.0	0.0	0.0	1.0	
GV-16	0.0	0.0	0.0	0.0	
GV-17	0.0	0.0	0.0	0.0	
GV-18	0.0	0.0	0.0	1.0	
GV-19	0.0	0.0	0.0	1.0	
GV-20	0.0	0.0	0.0	0.0	
GV-21	> 100	0.0	0.0	0.0	
GV-22	0.0	0.0	0.0	1.0	
North Boundary	0.0	0.0	0.0	0.0	
East Boundary	0.0	0.0	0.0	0.0	
South Boundary	0.0	0.0	0.0	0.0	
West Boundary	0.0	0.0	0.0	0.0	
PZ-1 Water Level	feet	42.01			

Town of Clay Landfill

Post-Closure Monitoring – 4th Quarter 2017



Town of Clay Landfill

Post-Closure Monitoring – 4th Quarter 2017



Town of Clay Landfill

Post-Closure Monitoring – 4th Quarter 2017

