

ANALYTICAL REPORT

Job Number: 240-30346-1

Job Description: Former TR-1 Sub-Slab Investigation


For:

EnSafe, Inc.

220 Athens Way, Plaza 1, Suite 410

Nashville, TN 37228

Attention: Ms. May Heflin



Approved for release.
Amy L. McCormick
Project Manager II
11/25/2013 9:37 AM

Amy L. McCormick, Project Manager II
4101 Shuffel Street NW, North Canton, OH, 44720
(330)966-9787
amy.mccormick@testamericainc.com
11/25/2013

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of TestAmerica and its client. All questions regarding this report should be directed to the TestAmerica Project Manager who has signed this report.

CASE NARRATIVE

Client: EnSafe, Inc.

Project: Former TR-1 Sub-Slab Investigation

Report Number: 240-30346-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Aroclor-1262 and Aroclor-1268 are not included in our New York certification.

TestAmerica Canton attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 10/17/2013; the samples arrived in good condition, properly preserved and on ice. The temperature of the cooler at receipt was 3.4 C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIVMW23S10 (240-30346-1), TRIVSB02S6 (240-30346-2) and TRIVMW24S10 (240-30346-3) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260C. The samples were prepared on 10/21/2013 and analyzed on 10/24/2013.

Samples TRIVMW23S10 (240-30346-1) and TRIVSB02S6 (240-30346-2) were diluted due to the abundance of non-target analytes. Elevated reporting limits (RLs) are provided.

m-Xylene & p-Xylene was detected in method blank MB 240-106363/1-A at a level exceeding the reporting limit. If the associated sample reported a result above the MDL and/or RL, the result has been flagged.

Xylenes, Total was detected in method blank MB 240-106363/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged.

No other difficulties were encountered during the VOCs analysis.

All other quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TRIVMW23S10 (240-30346-1), TRIVSB02S6 (240-30346-2) and TRIVMW24S10 (240-30346-3) were analyzed for semivolatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8270D. The samples were prepared on 10/18/2013 and 10/25/2013 and analyzed on 10/23/2013 and 10/29/2013.

Di-n-butyl phthalate was detected in method blank MB 240-106130/19-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged.

No other difficulties were encountered during the SVOCs analysis.

All other quality control parameters were within the acceptance limits.

CHLORINATED PESTICIDES

Samples TRIVMW23S10 (240-30346-1), TRIVSB02S6 (240-30346-2) and TRIVMW24S10 (240-30346-3) were analyzed for chlorinated pesticides in accordance with EPA SW-846 Method 8081B. The samples were prepared on 10/18/2013 and 11/01/2013 and analyzed on 11/04/2013, 11/05/2013, 11/09/2013, 11/18/2013 and 11/21/2013.

Samples TRIVMW23S10 (240-30346-1)[5X] and TRIVMW23S10 (240-30346-1)[50X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

Decachlorobiphenyl and Tetrachloro-m-xylene failed the surrogate recovery criteria low for TRIVMW23S10 (240-30346-1).

Sample TRIVSB02S6 (240-30346-2) was prepared outside of preparation holding time. The sample was prepared in hold time in batch 106122 but the laboratory control sample (LCS) did not meet criteria. The LCS associated with the re-extract batch passed QC criteria; both sets of data have been reported.

Decachlorobiphenyl failed the surrogate recovery criteria low for LCS 240-106122/15-A. Tetrachloro-m-xylene failed the surrogate recovery criteria high.

Several analytes failed the recovery criteria low for LCS 240-106122/15-A.

The opening and closing continuing calibration verifications (CCVs) associated with batch 108338 recovered above the upper control limit. Sample TRIVMW24S10 (240-30346-3) associated with these CCVs were non-detects for the affected analytes; therefore, the data have been reported.

The opening continuing calibration verification (CCV) associated with batch 109089 recovered DDT and Methoxychlor above the upper control limits. Sample TRIVMW23S10 (240-30346-1) associated with this CCV was non-detect for the affected analytes; therefore, the data have been reported.

The closing continuing calibration verification (CCV) associated with batch 109089 recovered DDT, Methoxychlor, delta-BHC, and Heptachlor above the upper control limits. Sample TRIVMW23S10 (240-30346-1) associated with this CCV was non-detect for the affected analytes; therefore, the data have been reported.

The opening continuing calibration verification (CCV) associated with batch 108129 recovered DDD, DDT, Endosulfan II, Endosulfan Sulfate, Endrin, Endrin Aldehyde, Endrin Ketone, Heptachlor, and Methoxychlor above the upper control limits. Samples TRIVMW24S10 (240-30346-3) and TRIVSB02S6 (240-30346-2) associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

The closing continuing calibration verification (CCV) associated with batch 108129 recovered DDT, Endosulfan Sulfate, Endrin, Heptachlor, and Methoxychlor above the upper control limits. Samples TRIVMW24S10 (240-30346-3) and TRIVSB02S6 (240-30346-2) associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

The closing Toxaphene continuing calibration verification (CCV) associated with batch 108129 recovered above the upper control limit. Samples TRIVMW24S10 (240-30346-3) and TRIVSB02S6 (240-30346-2) associated with this CCV were non-detects for the affected analyte; therefore, the data have been reported.

The closing continuing calibration verification (CCV) associated with batch 110320 recovered above the upper control limits. Sample TRIVSB02S6 (240-30346-2) associated with this CCV was analyzed in a previous bracket in which the opening CCV passed method 8081B criteria and the closing CCV recovered above the upper control limits demonstrating probable matrix effect; therefore, the data have been reported.

The closing continuing calibration verification (CCV) associated with batch 110320 recovered above the upper control limits. Sample TRIVSB02S6 (240-30346-2) associated with this CCV was non-detect for the affected analytes; therefore, the data have been reported.

The opening Toxaphene continuing calibration verification (CCV) for analytical batch 110788 was not spiked. The closing CCV passed all criteria. A low level standard (MRL) was analyzed in the sequence and met quality criteria, indicating the laboratory's ability to detect the analyte at the reporting limit. Samples were evaluated for the Toxaphene pattern and all were non-detect. The data have been qualified and reported.

The capping continuing calibration verification (CCV) for beta-BHC, delta-BHC, DDD, DDE, and Methoxychlor associated with batch 110788 recovered above the upper control limit. Sample TRIVMW23S10 (240-30346-1) associated with this CCV was non-detects for the affected analytes; therefore, the data have been reported.

No other difficulties were encountered during the pesticides analysis.

All other quality control parameters were within the acceptance limits.

POLYCHLORINATED BIPHENYLS (PCBS)

Samples TRIVMW23S10 (240-30346-1), TRIVSB02S6 (240-30346-2) and TRIVMW24S10 (240-30346-3) were analyzed for polychlorinated biphenyls (PCBs) in accordance with EPA SW-846 Method 8082A. The samples were prepared on 10/18/2013 and analyzed on 10/22/2013.

Samples TRIVMW23S10 (240-30346-1) and TRIVSB02S6 (240-30346-2) required a tetrabutylammonium sulfite (TBA) clean-up to reduce matrix interferences caused by sulfur.

No difficulties were encountered during the PCBs analysis.

All quality control parameters were within the acceptance limits.

TOTAL METALS (ICP)

Samples TRIVMW23S10 (240-30346-1), TRIVSB02S6 (240-30346-2) and TRIVMW24S10 (240-30346-3) were analyzed for total metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 10/18/2013 and analyzed on 10/30/2013.

Barium was detected in method blank MB 240-106168/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged.

No other difficulties were encountered during the metals analysis.

All other quality control parameters were within the acceptance limits.

MERCURY

Samples TRIVMW23S10 (240-30346-1), TRIVSB02S6 (240-30346-2) and TRIVMW24S10 (240-30346-3) were analyzed for mercury in accordance with EPA SW-846 Method 7471B. The samples were prepared on 10/18/2013 and analyzed on 10/24/2013.

No difficulties were encountered during the mercury analysis.

All quality control parameters were within the acceptance limits.

PERCENT SOLIDS

Samples TRIVMW23S10 (240-30346-1), TRIVSB02S6 (240-30346-2) and TRIVMW24S10 (240-30346-3) were analyzed for percent solids in accordance with EPA Method 160.3 MOD. The samples were analyzed on 10/18/2013.

No difficulties were encountered during the % solids analysis.

All quality control parameters were within the acceptance limits.

EXECUTIVE SUMMARY - Detections

Client: EnSafe, Inc.

Job Number: 240-30346-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
240-30346-1	TRIVMW23S10					
1,1,1-Trichloroethane		170	J	230	ug/Kg	8260C
1,1-Dichloroethane		120	J	230	ug/Kg	8260C
2-Butanone (MEK)		100	J	910	ug/Kg	8260C
Ethylbenzene		47	J	230	ug/Kg	8260C
Isopropylbenzene		10	J	230	ug/Kg	8260C
Tetrachloroethene		19	J	230	ug/Kg	8260C
Toluene		200	J	230	ug/Kg	8260C
trans-1,2-Dichloroethene		25	J	230	ug/Kg	8260C
Vinyl chloride		74	J	230	ug/Kg	8260C
Xylenes, Total		170	J B	450	ug/Kg	8260C
Di-n-butyl phthalate		94	B	78	ug/Kg	8270D
Fluoranthene		27		7.5	ug/Kg	8270D
Fluorene		17		7.5	ug/Kg	8270D
2-Methylnaphthalene		50		7.5	ug/Kg	8270D
Naphthalene		62		7.5	ug/Kg	8270D
Phenanthrene		45		7.5	ug/Kg	8270D
Pyrene		22		7.5	ug/Kg	8270D
Aroclor-1254		47		38	ug/Kg	8082A
Arsenic		6.4		1.2	mg/Kg	6010C
Barium		27	B	17	mg/Kg	6010C
Chromium		5.2		0.83	mg/Kg	6010C
Lead		3.0		0.83	mg/Kg	6010C
Percent Solids		89		0.10	%	Moisture
Percent Moisture		11		0.10	%	Moisture

EXECUTIVE SUMMARY - Detections

Client: EnSafe, Inc.

Job Number: 240-30346-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
240-30346-2	TRIVSB02S6					
1,1,1-Trichloroethane		56	J	250	ug/Kg	8260C
cis-1,2-Dichloroethene		18	J	250	ug/Kg	8260C
Ethylbenzene		130	J	250	ug/Kg	8260C
Isopropylbenzene		15	J	250	ug/Kg	8260C
Tetrachloroethene		14	J	250	ug/Kg	8260C
Toluene		28	J	250	ug/Kg	8260C
trans-1,2-Dichloroethene		29	J	250	ug/Kg	8260C
Trichloroethene		110	J	250	ug/Kg	8260C
Xylenes, Total		160	J B	500	ug/Kg	8260C
Acenaphthylene		9.4		8.0	ug/Kg	8270D
Benzo[a]pyrene		20		8.0	ug/Kg	8270D
Benzo[b]fluoranthene		36		8.0	ug/Kg	8270D
Bis(2-ethylhexyl) phthalate		200		83	ug/Kg	8270D
Di-n-butyl phthalate		46	J B	83	ug/Kg	8270D
Fluoranthene		38		8.0	ug/Kg	8270D
Indeno[1,2,3-cd]pyrene		13		8.0	ug/Kg	8270D
2-Methylnaphthalene		50		8.0	ug/Kg	8270D
Naphthalene		68		8.0	ug/Kg	8270D
Phenanthrene		41		8.0	ug/Kg	8270D
Pyrene		48		8.0	ug/Kg	8270D
beta-BHC		4.5	H	2.1	ug/Kg	8081B
4,4'-DDE		1.2	J H	2.1	ug/Kg	8081B
Endosulfan sulfate		2.9	H	2.1	ug/Kg	8081B
Aroclor-1254		83		39	ug/Kg	8082A
Arsenic		5.5		1.6	mg/Kg	6010C
Barium		87	B	22	mg/Kg	6010C
Chromium		17		1.1	mg/Kg	6010C
Lead		9.6		1.1	mg/Kg	6010C
Mercury		0.023	J	0.11	mg/Kg	7471B
Percent Solids		83		0.10	%	Moisture
Percent Moisture		17		0.10	%	Moisture

EXECUTIVE SUMMARY - Detections

Client: EnSafe, Inc.

Job Number: 240-30346-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
240-30346-3	TRIVMW24S10					
1,1,1-Trichloroethane		24	J	190	ug/Kg	8260C
1,1-Dichloroethane		32	J	190	ug/Kg	8260C
cis-1,2-Dichloroethene		530		190	ug/Kg	8260C
trans-1,2-Dichloroethene		19	J	190	ug/Kg	8260C
Trichloroethene		140	J	190	ug/Kg	8260C
Vinyl chloride		16	J	190	ug/Kg	8260C
Xylenes, Total		25	J B	380	ug/Kg	8260C
Bis(2-ethylhexyl) phthalate		130		76	ug/Kg	8270D
Di-n-butyl phthalate		69	J	76	ug/Kg	8270D
2-Methylnaphthalene		8.1		7.2	ug/Kg	8270D
Naphthalene		28		7.2	ug/Kg	8270D
Arsenic		3.0		1.5	mg/Kg	6010C
Barium		43	B	21	mg/Kg	6010C
Cadmium		0.067	J	0.51	mg/Kg	6010C
Chromium		6.8		1.0	mg/Kg	6010C
Lead		3.1		1.0	mg/Kg	6010C
Percent Solids		91		0.10	%	Moisture
Percent Moisture		9.0		0.10	%	Moisture

METHOD SUMMARY

Client: EnSafe, Inc.

Job Number: 240-30346-1

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Volatile Organic Compounds by GC/MS	TAL CAN	SW846 8260C	
Closed System Purge and Trap	TAL CAN		SW846 5035
Semivolatile Organic Compounds (GC/MS)	TAL CAN	SW846 8270D	
Soxhlet Extraction	TAL CAN		SW846 3540C
Organochlorine Pesticides (GC)	TAL CAN	SW846 8081B	
Soxhlet Extraction	TAL CAN		SW846 3540C
Polychlorinated Biphenyls (PCBs) by Gas Chromatography	TAL CAN	SW846 8082A	
Soxhlet Extraction	TAL CAN		SW846 3540C
Metals (ICP)	TAL CAN	SW846 6010C	
Preparation, Metals	TAL CAN		SW846 3050B
Mercury in Solid or Semisolid Waste (Manual Cold Vapor Technique)	TAL CAN	SW846 7471B	
Preparation, Mercury	TAL CAN		SW846 7471B
Percent Moisture	TAL CAN	EPA Moisture	

Lab References:

TAL CAN = TestAmerica Canton

Method References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: EnSafe, Inc.

Job Number: 240-30346-1

Method	Analyst	Analyst ID
SW846 8260C	Lavey, Tim	TJL1
SW846 8270D	Gruber, John	JMG
SW846 8081B	Shock, Ray	RES
SW846 8081B	Van Doren, Carolyn	CVD
SW846 8082A	Bosworth, Heather M	HMB
SW846 6010C	Counts, Karen	KLC
SW846 7471B	Martin, Aaron	AMM2
EPA Moisture	Burns, Jill	JMB

SAMPLE SUMMARY

Client: EnSafe, Inc.

Job Number: 240-30346-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
240-30346-1	TRIVMW23S10	Solid	10/16/2013 1345	10/17/2013 0930
240-30346-2	TRIVSB02S6	Solid	10/16/2013 1521	10/17/2013 0930
240-30346-3	TRIVMW24S10	Solid	10/16/2013 1628	10/17/2013 0930

SAMPLE RESULTS

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW23S10

Lab Sample ID: 240-30346-1

Date Sampled: 10/16/2013 1345

Client Matrix: Solid

% Moisture: 11.3

Date Received: 10/17/2013 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-107027

Instrument ID: A3UX12

Prep Method: 5035

Prep Batch: 240-106363

Lab File ID: U1233267.D

Dilution: 1.0

Initial Weight/Volume: 6.193 g

Analysis Date: 10/24/2013 2143

Final Weight/Volume: 5 mL

Prep Date: 10/21/2013 1013

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
1,1,1-Trichloroethane		170	J	19	230
1,1,2,2-Tetrachloroethane		ND		8.1	230
1,1,2-Trichloroethane		ND		11	230
1,1-Dichloroethane		120	J	15	230
1,1-Dichloroethene		ND		16	230
1,2,4-Trichlorobenzene		ND		6.6	230
1,2-Dibromo-3-Chloropropane		ND		45	450
1,2-Dichlorobenzene		ND		7.8	230
1,2-Dichloroethane		ND		9.1	230
1,2-Dichloropropane		ND		7.5	230
1,3-Dichlorobenzene		ND		4.4	230
1,4-Dichlorobenzene		ND		7.3	230
2-Butanone (MEK)		100	J	39	910
2-Hexanone		ND		18	910
4-Methyl-2-pentanone (MIBK)		ND		44	910
Acetone		ND		150	910
Benzene		ND		11	230
Bromoform		ND		17	230
Bromomethane		ND		26	230
Carbon disulfide		ND		11	230
Carbon tetrachloride		ND		5.8	230
Chlorobenzene		ND		5.8	230
Chlorodibromomethane		ND		11	230
Chloroethane		ND		56	230
Chloroform		ND		8.0	230
Chloromethane		ND		13	230
cis-1,2-Dichloroethene		ND		6.3	230
cis-1,3-Dichloropropene		ND		7.2	230
Dichlorodifluoromethane		ND		15	230
Dichlorobromomethane		ND		9.0	230
Ethylbenzene		47	J	4.9	230
Isopropylbenzene		10	J	5.9	230
Methyl tert-butyl ether		ND		6.5	230
Methylene Chloride		ND		70	230
Styrene		ND		5.1	230
Tetrachloroethene		19	J	11	230
Toluene		200	J	15	230
trans-1,2-Dichloroethene		25	J	8.4	230
trans-1,3-Dichloropropene		ND		18	230
Trichloroethene		ND		8.8	230
Trichlorofluoromethane		ND		15	230
Vinyl chloride		74	J	16	230
Xylenes, Total		170	J B	5.6	450
Ethylene Dibromide		ND		9.1	230

Surrogate	%Rec	Qualifier	Acceptance Limits
-----------	------	-----------	-------------------

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW23S10

Lab Sample ID: 240-30346-1

Date Sampled: 10/16/2013 1345

Client Matrix: Solid

% Moisture: 11.3

Date Received: 10/17/2013 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-107027

Instrument ID: A3UX12

Prep Method: 5035

Prep Batch: 240-106363

Lab File ID: U1233267.D

Dilution: 1.0

Initial Weight/Volume: 6.193 g

Analysis Date: 10/24/2013 2143

Final Weight/Volume: 5 mL

Prep Date: 10/21/2013 1013

Surrogate	%Rec	Qualifier	Acceptance Limits
Toluene-d8 (Surr)	104		33 - 134
Dibromofluoromethane (Surr)	99		30 - 122
4-Bromofluorobenzene (Surr)	104		26 - 141
1,2-Dichloroethane-d4 (Surr)	89		39 - 128

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW23S10

Lab Sample ID: 240-30346-1

Date Sampled: 10/16/2013 1345

Client Matrix: Solid

% Moisture: 11.3

Date Received: 10/17/2013 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-107027

Instrument ID: A3UX12

Prep Method: 5035

Prep Batch: 240-106363

Lab File ID: U1233267.D

Dilution: 1.0

Initial Weight/Volume: 6.193 g

Analysis Date: 10/24/2013 2143

Final Weight/Volume: 5 mL

Prep Date: 10/21/2013 1013

Tentatively Identified Compounds**Number TIC's Found: 10**

Cas Number	Analyte	RT	Est. Result (ug/Kg)	Qualifier
124-18-5	Decane	9.84	420	T J N
1678-93-9	Cyclohexane, butyl-	10.48	360	T J N
934-74-7	Benzene, 1-ethyl-3,5-dimethyl-	10.99	430	T J N
1120-21-4	Undecane	11.10	980	T J N
	Unknown	11.18	370	T J
	Unknown	11.31	450	T J
	Unknown	12.11	410	T J
134261-85-1	3-(2-Methyl-propenyl)-1H-indene	12.62	450	T J N
829-26-5	Naphthalene, 2,3,6-trimethyl-	13.29	490	T J N
2131-42-2	Naphthalene, 1,4,6-trimethyl-	13.42	610	T J N

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVSB02S6

Lab Sample ID: 240-30346-2

Date Sampled: 10/16/2013 1521

Client Matrix: Solid

% Moisture: 16.5

Date Received: 10/17/2013 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-107027

Instrument ID: A3UX12

Prep Method: 5035

Prep Batch: 240-106363

Lab File ID: U1233268.D

Dilution: 1.0

Initial Weight/Volume: 5.969 g

Analysis Date: 10/24/2013 2206

Final Weight/Volume: 5 mL

Prep Date: 10/21/2013 1013

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
1,1,1-Trichloroethane		56	J	21	250
1,1,2,2-Tetrachloroethane		ND		8.9	250
1,1,2-Trichloroethane		ND		12	250
1,1-Dichloroethane		ND		17	250
1,1-Dichloroethene		ND		18	250
1,2,4-Trichlorobenzene		ND		7.3	250
1,2-Dibromo-3-Chloropropane		ND		50	500
1,2-Dichlorobenzene		ND		8.6	250
1,2-Dichloroethane		ND		10	250
1,2-Dichloropropane		ND		8.2	250
1,3-Dichlorobenzene		ND		4.8	250
1,4-Dichlorobenzene		ND		8.0	250
2-Butanone (MEK)		ND		43	1000
2-Hexanone		ND		20	1000
4-Methyl-2-pentanone (MIBK)		ND		48	1000
Acetone		ND		170	1000
Benzene		ND		12	250
Bromoform		ND		19	250
Bromomethane		ND		29	250
Carbon disulfide		ND		12	250
Carbon tetrachloride		ND		6.4	250
Chlorobenzene		ND		6.4	250
Chlorodibromomethane		ND		12	250
Chloroethane		ND		61	250
Chloroform		ND		8.8	250
Chloromethane		ND		14	250
cis-1,2-Dichloroethene		18	J	6.9	250
cis-1,3-Dichloropropene		ND		7.9	250
Dichlorodifluoromethane		ND		16	250
Dichlorobromomethane		ND		9.9	250
Ethylbenzene		130	J	5.4	250
Isopropylbenzene		15	J	6.5	250
Methyl tert-butyl ether		ND		7.1	250
Methylene Chloride		ND		77	250
Styrene		ND		5.6	250
Tetrachloroethene		14	J	12	250
Toluene		28	J	17	250
trans-1,2-Dichloroethene		29	J	9.2	250
trans-1,3-Dichloropropene		ND		20	250
Trichloroethene		110	J	9.7	250
Trichlorofluoromethane		ND		16	250
Vinyl chloride		ND		18	250
Xylenes, Total		160	J B	6.2	500
Ethylene Dibromide		ND		10	250

Surrogate	%Rec	Qualifier	Acceptance Limits
-----------	------	-----------	-------------------

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVSB02S6

Lab Sample ID: 240-30346-2

Date Sampled: 10/16/2013 1521

Client Matrix: Solid

% Moisture: 16.5

Date Received: 10/17/2013 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-107027

Instrument ID: A3UX12

Prep Method: 5035

Prep Batch: 240-106363

Lab File ID: U1233268.D

Dilution: 1.0

Initial Weight/Volume: 5.969 g

Analysis Date: 10/24/2013 2206

Final Weight/Volume: 5 mL

Prep Date: 10/21/2013 1013

Surrogate	%Rec	Qualifier	Acceptance Limits
Toluene-d8 (Surr)	107		33 - 134
Dibromofluoromethane (Surr)	103		30 - 122
4-Bromofluorobenzene (Surr)	104		26 - 141
1,2-Dichloroethane-d4 (Surr)	90		39 - 128

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVSB02S6

Lab Sample ID: 240-30346-2

Date Sampled: 10/16/2013 1521

Client Matrix: Solid

% Moisture: 16.5

Date Received: 10/17/2013 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-107027

Instrument ID: A3UX12

Prep Method: 5035

Prep Batch: 240-106363

Lab File ID: U1233268.D

Dilution: 1.0

Initial Weight/Volume: 5.969 g

Analysis Date: 10/24/2013 2206

Final Weight/Volume: 5 mL

Prep Date: 10/21/2013 1013

Tentatively Identified Compounds**Number TIC's Found: 10**

Cas Number	Analyte	RT	Est. Result (ug/Kg)	Qualifier
1678-92-8	Cyclohexane, propyl-	9.11	890	T J N
1678-93-9	Cyclohexane, butyl-	10.48	830	T J N
13151-34-3	Decane, 3-methyl-	10.75	850	T J N
493-02-7	Naphthalene, decahydro-, trans-	10.99	1500	T J N
54411-02-8	Cyclohexane, 1-methyl-3-pentyl-	11.11	1100	T J N
61141-80-8	Cyclohexane, 1,2-diethyl-3-methyl-	11.19	1100	T J N
933-98-2	Benzene, 1-ethyl-2,3-dimethyl-	11.30	1600	T J N
1595-16-0	Benzene, 1-methyl-4-(1-methylpropyl)-	11.52	600	T J N
1000152-47-3	trans-Decalin, 2-methyl-	11.68	850	T J N
2958-76-1	Naphthalene, decahydro-2-methyl-	11.90	930	T J N

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW24S10

Lab Sample ID: 240-30346-3

Date Sampled: 10/16/2013 1628

Client Matrix: Solid

% Moisture: 9.0

Date Received: 10/17/2013 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-107027

Instrument ID: A3UX12

Prep Method: 5035

Prep Batch: 240-106363

Lab File ID: U1233269.D

Dilution: 1.0

Initial Weight/Volume: 7.306 g

Analysis Date: 10/24/2013 2228

Final Weight/Volume: 5 mL

Prep Date: 10/21/2013 1013

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
1,1,1-Trichloroethane		24	J	16	190
1,1,2,2-Tetrachloroethane		ND		6.7	190
1,1,2-Trichloroethane		ND		9.0	190
1,1-Dichloroethane		32	J	13	190
1,1-Dichloroethene		ND		14	190
1,2,4-Trichlorobenzene		ND		5.5	190
1,2-Dibromo-3-Chloropropane		ND		38	380
1,2-Dichlorobenzene		ND		6.5	190
1,2-Dichloroethane		ND		7.5	190
1,2-Dichloropropane		ND		6.2	190
1,3-Dichlorobenzene		ND		3.6	190
1,4-Dichlorobenzene		ND		6.0	190
2-Butanone (MEK)		ND		32	750
2-Hexanone		ND		15	750
4-Methyl-2-pentanone (MIBK)		ND		36	750
Acetone		ND		130	750
Benzene		ND		9.0	190
Bromoform		ND		14	190
Bromomethane		ND		22	190
Carbon disulfide		ND		9.0	190
Carbon tetrachloride		ND		4.8	190
Chlorobenzene		ND		4.8	190
Chlorodibromomethane		ND		9.0	190
Chloroethane		ND		46	190
Chloroform		ND		6.6	190
Chloromethane		ND		11	190
cis-1,2-Dichloroethene		530		5.2	190
cis-1,3-Dichloropropene		ND		5.9	190
Dichlorodifluoromethane		ND		12	190
Dichlorobromomethane		ND		7.4	190
Ethylbenzene		ND		4.1	190
Isopropylbenzene		ND		4.9	190
Methyl tert-butyl ether		ND		5.3	190
Methylene Chloride		ND		58	190
Styrene		ND		4.2	190
Tetrachloroethene		ND		9.0	190
Toluene		ND		13	190
trans-1,2-Dichloroethene		19	J	6.9	190
trans-1,3-Dichloropropene		ND		15	190
Trichloroethene		140	J	7.3	190
Trichlorofluoromethane		ND		12	190
Vinyl chloride		16	J	14	190
Xylenes, Total		25	J B	4.7	380
Ethylene Dibromide		ND		7.5	190

Surrogate	%Rec	Qualifier	Acceptance Limits
-----------	------	-----------	-------------------

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW24S10

Lab Sample ID: 240-30346-3

Date Sampled: 10/16/2013 1628

Client Matrix: Solid

% Moisture: 9.0

Date Received: 10/17/2013 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-107027

Instrument ID: A3UX12

Prep Method: 5035

Prep Batch: 240-106363

Lab File ID: U1233269.D

Dilution: 1.0

Initial Weight/Volume: 7.306 g

Analysis Date: 10/24/2013 2228

Final Weight/Volume: 5 mL

Prep Date: 10/21/2013 1013

Surrogate	%Rec	Qualifier	Acceptance Limits
Toluene-d8 (Surr)	110		33 - 134
Dibromofluoromethane (Surr)	107		30 - 122
4-Bromofluorobenzene (Surr)	110		26 - 141
1,2-Dichloroethane-d4 (Surr)	91		39 - 128

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW24S10

Lab Sample ID: 240-30346-3

Date Sampled: 10/16/2013 1628

Client Matrix: Solid

% Moisture: 9.0

Date Received: 10/17/2013 0930

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-107027

Instrument ID: A3UX12

Prep Method: 5035

Prep Batch: 240-106363

Lab File ID: U1233269.D

Dilution: 1.0

Initial Weight/Volume: 7.306 g

Analysis Date: 10/24/2013 2228

Final Weight/Volume: 5 mL

Prep Date: 10/21/2013 1013

Tentatively Identified Compounds**Number TIC's Found: 9**

Cas Number	Analyte	RT	Est. Result (ug/Kg)	Qualifier
13151-34-3	Decane, 3-methyl-	10.75	190	T J N
2808-75-5	1-Methyl-2-methylenecyclohexane	11.00	250	T J N
1120-21-4	Undecane	11.10	430	T J N
63830-68-2	4-Nonene, 2,3,3-trimethyl-, (Z)-	11.19	260	T J N
74764-55-9	Propanedinitrile, cyclohexyl(2-methylcyc	11.30	340	T J N
4292-92-6	Cyclohexane, pentyl-	11.75	280	T J N
2245-38-7	Naphthalene, 1,6,7-trimethyl-	13.29	230	T J N
829-26-5	Naphthalene, 2,3,6-trimethyl-	13.43	350	T J N
2131-42-2	Naphthalene, 1,4,6-trimethyl-	13.91	270	T J N

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW23S10

Lab Sample ID: 240-30346-1

Date Sampled: 10/16/2013 1345

Client Matrix: Solid

% Moisture: 11.3

Date Received: 10/17/2013 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-106711	Instrument ID:	A4HP10
Prep Method:	3540C	Prep Batch:	240-106130	Lab File ID:	31023015.D
Dilution:	1.0			Initial Weight/Volume:	30.20 g
Analysis Date:	10/23/2013 1637			Final Weight/Volume:	2 mL
Prep Date:	10/18/2013 0854			Injection Volume:	1 uL

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Acenaphthene		ND		0.85	7.5
Acenaphthylene		ND		0.39	7.5
Acetophenone		ND		10	110
Anthracene		ND		0.87	7.5
Benzo[a]anthracene		ND		0.71	7.5
Benzo[a]pyrene		ND		0.72	7.5
Benzo[b]fluoranthene		ND		0.66	7.5
Benzo[g,h,i]perylene		ND		0.39	7.5
Benzo[k]fluoranthene		ND		0.76	7.5
Bis(2-chloroethoxy)methane		ND		25	110
Bis(2-chloroethyl)ether		ND		2.2	110
bis (2-chloroisopropyl) ether		ND		11	110
Bis(2-ethylhexyl) phthalate		ND		21	78
4-Bromophenyl phenyl ether		ND		15	56
Butyl benzyl phthalate		ND		11	78
Carbazole		ND		30	56
4-Chloroaniline		ND		19	170
4-Chloro-3-methylphenol		ND		24	170
2-Chlorophenol		ND		9.2	56
4-Chlorophenyl phenyl ether		ND		15	56
Chrysene		ND		1.2	7.5
Dibenz(a,h)anthracene		ND		0.74	7.5
Dibenzofuran		ND		0.74	56
3,3'-Dichlorobenzidine		ND		20	110
2,4-Dichlorophenol		ND		22	170
Diethyl phthalate		ND		18	78
2,4-Dimethylphenol		ND		22	170
Dimethyl phthalate		ND		19	78
Di-n-butyl phthalate		94	B	17	78
4,6-Dinitro-2-methylphenol		ND		10	170
2,4-Dinitrophenol		ND		24	370
2,4-Dinitrotoluene		ND		19	220
2,6-Dinitrotoluene		ND		24	220
Di-n-octyl phthalate		ND		8.8	78
Fluoranthene		27		0.62	7.5
Fluorene		17		0.59	7.5
Hexachlorobenzene		ND		2.4	7.5
Hexachlorobutadiene		ND		6.3	56
Hexachlorocyclopentadiene		ND		9.1	370
Hexachloroethane		ND		10	56
Indeno[1,2,3-cd]pyrene		ND		0.39	7.5
Isophorone		ND		15	56
2-Methylnaphthalene		50		0.56	7.5
2-Methylphenol		ND		12	220
3 & 4 Methylphenol		ND		22	450
Naphthalene		62		0.92	7.5

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW23S10

Lab Sample ID: 240-30346-1

Date Sampled: 10/16/2013 1345

Client Matrix: Solid

% Moisture: 11.3

Date Received: 10/17/2013 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-106711	Instrument ID:	A4HP10
Prep Method:	3540C	Prep Batch:	240-106130	Lab File ID:	31023015.D
Dilution:	1.0			Initial Weight/Volume:	30.20 g
Analysis Date:	10/23/2013 1637			Final Weight/Volume:	2 mL
Prep Date:	10/18/2013 0854			Injection Volume:	1 uL

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
2-Nitroaniline		ND		10	220
3-Nitroaniline		ND		18	220
4-Nitroaniline		ND		29	220
Nitrobenzene		ND		2.5	110
2-Nitrophenol		ND		9.3	56
4-Nitrophenol		ND		19	370
N-Nitrosodi-n-propylamine		ND		7.1	56
N-Nitrosodiphenylamine		ND		24	56
Pentachlorophenol		ND		10	170
Phenanthrene		45		0.82	7.5
Phenol		ND		8.2	56
Pyrene		22		0.49	7.5
2,4,5-Trichlorophenol		ND		28	170
2,4,6-Trichlorophenol		ND		10	170

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl (Surr)	66		24 - 110
2-Fluorophenol (Surr)	63		24 - 110
Nitrobenzene-d5 (Surr)	63		20 - 110
Phenol-d5 (Surr)	63		26 - 110
Terphenyl-d14 (Surr)	88		36 - 110
2,4,6-Tribromophenol (Surr)	68		10 - 110

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVSB02S6

Lab Sample ID: 240-30346-2

Date Sampled: 10/16/2013 1521

Client Matrix: Solid

% Moisture: 16.5

Date Received: 10/17/2013 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-106711	Instrument ID:	A4HP10
Prep Method:	3540C	Prep Batch:	240-106130	Lab File ID:	31023021.D
Dilution:	1.0			Initial Weight/Volume:	30.14 g
Analysis Date:	10/23/2013 1859			Final Weight/Volume:	2 mL
Prep Date:	10/18/2013 0854			Injection Volume:	1 uL

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Acenaphthene		ND		0.91	8.0
Acenaphthylene		9.4		0.42	8.0
Acetophenone		ND		11	120
Anthracene		ND		0.93	8.0
Benzo[a]anthracene		ND		0.75	8.0
Benzo[a]pyrene		20		0.76	8.0
Benzo[b]fluoranthene		36		0.70	8.0
Benzo[g,h,i]perylene		ND		0.42	8.0
Benzo[k]fluoranthene		ND		0.81	8.0
Bis(2-chloroethoxy)methane		ND		26	120
Bis(2-chloroethyl)ether		ND		2.4	120
bis (2-chloroisopropyl) ether		ND		11	120
Bis(2-ethylhexyl) phthalate		200		23	83
4-Bromophenyl phenyl ether		ND		15	60
Butyl benzyl phthalate		ND		12	83
Carbazole		ND		32	60
4-Chloroaniline		ND		20	180
4-Chloro-3-methylphenol		ND		25	180
2-Chlorophenol		ND		9.8	60
4-Chlorophenyl phenyl ether		ND		15	60
Chrysene		ND		1.3	8.0
Dibenz(a,h)anthracene		ND		0.79	8.0
Dibenzofuran		ND		0.79	60
3,3'-Dichlorobenzidine		ND		21	120
2,4-Dichlorophenol		ND		24	180
Diethyl phthalate		ND		19	83
2,4-Dimethylphenol		ND		24	180
Dimethyl phthalate		ND		20	83
Di-n-butyl phthalate		46	J B	18	83
4,6-Dinitro-2-methylphenol		ND		11	180
2,4-Dinitrophenol		ND		25	390
2,4-Dinitrotoluene		ND		20	240
2,6-Dinitrotoluene		ND		25	240
Di-n-octyl phthalate		ND		9.4	83
Fluoranthene		38		0.66	8.0
Fluorene		ND		0.63	8.0
Hexachlorobenzene		ND		2.5	8.0
Hexachlorobutadiene		ND		6.7	60
Hexachlorocyclopentadiene		ND		9.7	390
Hexachloroethane		ND		11	60
Indeno[1,2,3-cd]pyrene		13		0.42	8.0
Isophorone		ND		15	60
2-Methylnaphthalene		50		0.60	8.0
2-Methylphenol		ND		13	240
3 & 4 Methylphenol		ND		24	480
Naphthalene		68		0.98	8.0

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVSB02S6

Lab Sample ID: 240-30346-2

Date Sampled: 10/16/2013 1521

Client Matrix: Solid

% Moisture: 16.5

Date Received: 10/17/2013 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-106711	Instrument ID:	A4HP10
Prep Method:	3540C	Prep Batch:	240-106130	Lab File ID:	31023021.D
Dilution:	1.0			Initial Weight/Volume:	30.14 g
Analysis Date:	10/23/2013 1859			Final Weight/Volume:	2 mL
Prep Date:	10/18/2013 0854			Injection Volume:	1 uL

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
2-Nitroaniline		ND		11	240
3-Nitroaniline		ND		19	240
4-Nitroaniline		ND		31	240
Nitrobenzene		ND		2.6	120
2-Nitrophenol		ND		9.9	60
4-Nitrophenol		ND		20	390
N-Nitrosodi-n-propylamine		ND		7.5	60
N-Nitrosodiphenylamine		ND		25	60
Pentachlorophenol		ND		11	180
Phenanthrene		41		0.87	8.0
Phenol		ND		8.7	60
Pyrene		48		0.52	8.0
2,4,5-Trichlorophenol		ND		30	180
2,4,6-Trichlorophenol		ND		11	180

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl (Surr)	70		24 - 110
2-Fluorophenol (Surr)	60		24 - 110
Nitrobenzene-d5 (Surr)	70		20 - 110
Phenol-d5 (Surr)	63		26 - 110
Terphenyl-d14 (Surr)	86		36 - 110
2,4,6-Tribromophenol (Surr)	54		10 - 110

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW24S10

Lab Sample ID: 240-30346-3

Date Sampled: 10/16/2013 1628

Client Matrix: Solid

% Moisture: 9.0

Date Received: 10/17/2013 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-107525	Instrument ID:	A4HP10
Prep Method:	3540C	Prep Batch:	240-107074	Lab File ID:	31029012.D
Dilution:	1.0			Initial Weight/Volume:	30.45 g
Analysis Date:	10/29/2013 1321			Final Weight/Volume:	2 mL
Prep Date:	10/25/2013 0815			Injection Volume:	1 uL

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Acenaphthene		ND		0.82	7.2
Acenaphthylene		ND		0.38	7.2
Acetophenone		ND		10	110
Anthracene		ND		0.84	7.2
Benzo[a]anthracene		ND		0.68	7.2
Benzo[a]pyrene		ND		0.69	7.2
Benzo[b]fluoranthene		ND		0.64	7.2
Benzo[g,h,i]perylene		ND		0.38	7.2
Benzo[k]fluoranthene		ND		0.74	7.2
Bis(2-chloroethoxy)methane		ND		24	110
Bis(2-chloroethyl)ether		ND		2.2	110
bis (2-chloroisopropyl) ether		ND		10	110
Bis(2-ethylhexyl) phthalate		130		21	76
4-Bromophenyl phenyl ether		ND		14	54
Butyl benzyl phthalate		ND		11	76
Carbazole		ND		29	54
4-Chloroaniline		ND		18	160
4-Chloro-3-methylphenol		ND		23	160
2-Chlorophenol		ND		8.9	54
4-Chlorophenyl phenyl ether		ND		14	54
Chrysene		ND		1.2	7.2
Dibenz(a,h)anthracene		ND		0.71	7.2
Dibenzofuran		ND		0.71	54
3,3'-Dichlorobenzidine		ND		19	110
2,4-Dichlorophenol		ND		22	160
Diethyl phthalate		ND		17	76
2,4-Dimethylphenol		ND		22	160
Dimethyl phthalate		ND		18	76
Di-n-butyl phthalate		69	J	16	76
4,6-Dinitro-2-methylphenol		ND		10	160
2,4-Dinitrophenol		ND		23	360
2,4-Dinitrotoluene		ND		18	220
2,6-Dinitrotoluene		ND		23	220
Di-n-octyl phthalate		ND		8.6	76
Fluoranthene		ND		0.60	7.2
Fluorene		ND		0.57	7.2
Hexachlorobenzene		ND		2.3	7.2
Hexachlorobutadiene		ND		6.1	54
Hexachlorocyclopentadiene		ND		8.8	360
Hexachloroethane		ND		9.7	54
Indeno[1,2,3-cd]pyrene		ND		0.38	7.2
Isophorone		ND		14	54
2-Methylnaphthalene		8.1		0.54	7.2
2-Methylphenol		ND		12	220
3 & 4 Methylphenol		ND		22	430
Naphthalene		28		0.89	7.2

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW24S10

Lab Sample ID: 240-30346-3

Date Sampled: 10/16/2013 1628

Client Matrix: Solid

% Moisture: 9.0

Date Received: 10/17/2013 0930

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-107525	Instrument ID:	A4HP10
Prep Method:	3540C	Prep Batch:	240-107074	Lab File ID:	31029012.D
Dilution:	1.0			Initial Weight/Volume:	30.45 g
Analysis Date:	10/29/2013 1321			Final Weight/Volume:	2 mL
Prep Date:	10/25/2013 0815			Injection Volume:	1 uL

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
2-Nitroaniline		ND		9.9	220
3-Nitroaniline		ND		17	220
4-Nitroaniline		ND		28	220
Nitrobenzene		ND		2.4	110
2-Nitrophenol		ND		9.0	54
4-Nitrophenol		ND		18	360
N-Nitrosodi-n-propylamine		ND		6.8	54
N-Nitrosodiphenylamine		ND		23	54
Pentachlorophenol		ND		9.9	160
Phenanthrene		ND		0.79	7.2
Phenol		ND		7.9	54
Pyrene		ND		0.48	7.2
2,4,5-Trichlorophenol		ND		27	160
2,4,6-Trichlorophenol		ND		9.6	160

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl (Surr)	69		24 - 110
2-Fluorophenol (Surr)	75		24 - 110
Nitrobenzene-d5 (Surr)	72		20 - 110
Phenol-d5 (Surr)	73		26 - 110
Terphenyl-d14 (Surr)	89		36 - 110
2,4,6-Tribromophenol (Surr)	54		10 - 110

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW23S10

Lab Sample ID: 240-30346-1

Date Sampled: 10/16/2013 1345

Client Matrix: Solid

% Moisture: 11.3

Date Received: 10/17/2013 0930

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-109089

Instrument ID: A2HP3

Prep Method: 3540C

Prep Batch: 240-106122

Initial Weight/Volume: 29.62 g

Dilution: 5.0

Final Weight/Volume: 10 mL

Analysis Date: 11/09/2013 1934

Injection Volume: 1 uL

Prep Date: 10/18/2013 0837

Result Type: SECONDARY

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Aldrin		ND	*	6.8	9.7
alpha-BHC		ND	*	4.2	9.7
alpha-Chlordane		ND	*	5.4	9.7
beta-BHC		ND	*	6.3	9.7
4,4'-DDD		ND	*	3.5	9.7
4,4'-DDE		ND	*	2.2	9.7
4,4'-DDT		ND	*	3.6	9.7
delta-BHC		ND	*	6.8	9.7
Dieldrin		ND	*	2.7	9.7
Endosulfan I		ND	*	3.0	9.7
Endosulfan II		ND	*	4.7	9.7
Endosulfan sulfate		ND	*	5.0	9.7
Endrin		ND	*	2.9	9.7
Endrin aldehyde		ND	*	5.7	9.7
Endrin ketone		ND	*	3.6	9.7
gamma-BHC (Lindane)		ND	*	4.2	9.7
gamma-Chlordane		ND	*	2.4	9.7
Heptachlor		ND	*	6.3	9.7
Heptachlor epoxide		ND	*	4.6	9.7
Methoxychlor		ND	*	8.6	19
Toxaphene		ND		110	380

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	83		41 - 157
DCB Decachlorobiphenyl	75		41 - 157
Tetrachloro-m-xylene	237	X	40 - 149
Tetrachloro-m-xylene	91		40 - 149

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW23S10

Lab Sample ID: 240-30346-1

Date Sampled: 10/16/2013 1345

Client Matrix: Solid

% Moisture: 11.3

Date Received: 10/17/2013 0930

8081B Organochlorine Pesticides (GC)

Analysis Method:	8081B	Analysis Batch:	240-110788	Instrument ID:	A2HP3
Prep Method:	3540C	Prep Batch:	240-108059	Initial Weight/Volume:	29.70 g
Dilution:	50			Final Weight/Volume:	10 mL
Analysis Date:	11/21/2013 0231	Run Type:	RE	Injection Volume:	1 uL
Prep Date:	11/01/2013 0957			Result Type:	PRIMARY

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Aldrin		ND	H	68	97
alpha-BHC		ND	H	42	97
alpha-Chlordane		ND	H	54	97
beta-BHC		ND	H	63	97
4,4'-DDD		ND	H	35	97
4,4'-DDE		ND	H	22	97
4,4'-DDT		ND	H	36	97
delta-BHC		ND	H	68	97
Dieldrin		ND	H	27	97
Endosulfan I		ND	H	30	97
Endosulfan II		ND	H	47	97
Endosulfan sulfate		ND	H	50	97
Endrin		ND	H	28	97
Endrin aldehyde		ND	H	57	97
Endrin ketone		ND	H	36	97
gamma-BHC (Lindane)		ND	H	42	97
gamma-Chlordane		ND	H	24	97
Heptachlor		ND	H	63	97
Heptachlor epoxide		ND	H	46	97
Methoxychlor		ND	H	85	190
Toxaphene		ND	H	1100	3800
Surrogate		%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl		0	X	41 - 157	
Tetrachloro-m-xylene		0	X	40 - 149	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW23S10

Lab Sample ID: 240-30346-1

Date Sampled: 10/16/2013 1345

Client Matrix: Solid

% Moisture: 11.3

Date Received: 10/17/2013 0930

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-110788

Instrument ID: A2HP3

Prep Method: 3540C

Prep Batch: 240-108059

Initial Weight/Volume: 29.70 g

Dilution: 50

Final Weight/Volume: 10 mL

Analysis Date: 11/21/2013 0231

Run Type: RE

Injection Volume: 1 uL

Prep Date: 11/01/2013 0957

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	0	X	41 - 157
Tetrachloro-m-xylene	0	X	40 - 149

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVSB02S6

Lab Sample ID: 240-30346-2

Date Sampled: 10/16/2013 1521

Client Matrix: Solid

% Moisture: 16.5

Date Received: 10/17/2013 0930

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-108129

Instrument ID: A2HP3

Prep Method: 3540C

Prep Batch: 240-106122

Initial Weight/Volume: 30.48 g

Dilution: 1.0

Final Weight/Volume: 10 mL

Analysis Date: 11/04/2013 0324

Injection Volume: 1 uL

Prep Date: 10/18/2013 0837

Result Type: SECONDARY

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Aldrin		ND	*	1.4	2.0
alpha-BHC		ND	*	0.86	2.0
alpha-Chlordane		ND	*	1.1	2.0
beta-BHC		ND	*	1.3	2.0
4,4'-DDD		ND	*	0.73	2.0
4,4'-DDE		0.55	J *	0.46	2.0
4,4'-DDT		ND	*	0.74	2.0
delta-BHC		ND	*	1.4	2.0
Dieldrin		ND	*	0.55	2.0
Endosulfan I		ND	*	0.61	2.0
Endosulfan II		ND	*	0.97	2.0
Endosulfan sulfate		ND	*	1.0	2.0
Endrin		ND	*	0.59	2.0
Endrin aldehyde		ND	*	1.2	2.0
Endrin ketone		ND	*	0.74	2.0
gamma-BHC (Lindane)		ND	*	0.87	2.0
gamma-Chlordane		ND	*	0.50	2.0
Heptachlor		ND	*	1.3	2.0
Heptachlor epoxide		ND	*	0.94	2.0
Methoxychlor		ND	*	1.8	3.9
Toxaphene		ND		22	79

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	41		41 - 157
DCB Decachlorobiphenyl	70		41 - 157
Tetrachloro-m-xylene	42		40 - 149
Tetrachloro-m-xylene	43		40 - 149

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVSB02S6

Lab Sample ID: 240-30346-2

Date Sampled: 10/16/2013 1521

Client Matrix: Solid

% Moisture: 16.5

Date Received: 10/17/2013 0930

8081B Organochlorine Pesticides (GC)

Analysis Method:	8081B	Analysis Batch:	240-110320	Instrument ID:	A2HP3
Prep Method:	3540C	Prep Batch:	240-108059	Initial Weight/Volume:	29.78 g
Dilution:	1.0			Final Weight/Volume:	10 mL
Analysis Date:	11/18/2013 2209	Run Type:	RE	Injection Volume:	1 uL
Prep Date:	11/01/2013 0957			Result Type:	PRIMARY

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Aldrin		ND	H	1.4	2.1
alpha-BHC		ND	H	0.88	2.1
alpha-Chlordane		ND	H	1.1	2.1
beta-BHC		4.5	H	1.3	2.1
4,4'-DDD		ND	H	0.75	2.1
4,4'-DDE		1.2	J H	0.47	2.1
4,4'-DDT		ND	H	0.76	2.1
delta-BHC		ND	H	1.4	2.1
Dieldrin		ND	H	0.57	2.1
Endosulfan I		ND	H	0.63	2.1
Endosulfan II		ND	H	0.99	2.1
Endosulfan sulfate		2.9	H	1.0	2.1
Endrin		ND	H	0.60	2.1
Endrin aldehyde		ND	H	1.2	2.1
Endrin ketone		ND	H	0.76	2.1
gamma-BHC (Lindane)		ND	H	0.89	2.1
gamma-Chlordane		ND	H	0.51	2.1
Heptachlor		ND	H	1.3	2.1
Heptachlor epoxide		ND	H	0.97	2.1
Methoxychlor		ND	H	1.8	4.0
Toxaphene		ND	H	23	81
Surrogate		%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl		77		41 - 157	
Tetrachloro-m-xylene		94		40 - 149	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVSB02S6

Lab Sample ID: 240-30346-2

Date Sampled: 10/16/2013 1521

Client Matrix: Solid

% Moisture: 16.5

Date Received: 10/17/2013 0930

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-110320

Instrument ID: A2HP3

Prep Method: 3540C

Prep Batch: 240-108059

Initial Weight/Volume: 29.78 g

Dilution: 1.0

Final Weight/Volume: 10 mL

Analysis Date: 11/18/2013 2209

Run Type: RE

Injection Volume: 1 uL

Prep Date: 11/01/2013 0957

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	80		41 - 157
Tetrachloro-m-xylene	94		40 - 149

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW24S10

Lab Sample ID: 240-30346-3

Date Sampled: 10/16/2013 1628

Client Matrix: Solid

% Moisture: 9.0

Date Received: 10/17/2013 0930

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-108129

Instrument ID: A2HP3

Prep Method: 3540C

Prep Batch: 240-106122

Initial Weight/Volume: 30.09 g

Dilution: 1.0

Final Weight/Volume: 10 mL

Analysis Date: 11/04/2013 0345

Injection Volume: 1 uL

Prep Date: 10/18/2013 0837

Result Type: SECONDARY

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Aldrin		ND	*	1.3	1.9
alpha-BHC		ND	*	0.80	1.9
alpha-Chlordane		ND	*	1.0	1.9
beta-BHC		ND	*	1.2	1.9
4,4'-DDD		ND	*	0.68	1.9
4,4'-DDE		ND	*	0.43	1.9
4,4'-DDT		ND	*	0.69	1.9
delta-BHC		ND	*	1.3	1.9
Dieldrin		ND	*	0.52	1.9
Endosulfan I		ND	*	0.57	1.9
Endosulfan II		ND	*	0.90	1.9
Endosulfan sulfate		ND	*	0.95	1.9
Endrin		ND	*	0.55	1.9
Endrin aldehyde		ND	*	1.1	1.9
Endrin ketone		ND	*	0.69	1.9
gamma-BHC (Lindane)		ND	*	0.81	1.9
gamma-Chlordane		ND	*	0.46	1.9
Heptachlor		ND	*	1.2	1.9
Heptachlor epoxide		ND	*	0.88	1.9
Methoxychlor		ND	*	1.6	3.6
Toxaphene		ND		21	73

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	98		41 - 157
DCB Decachlorobiphenyl	96		41 - 157
Tetrachloro-m-xylene	102		40 - 149
Tetrachloro-m-xylene	136		40 - 149

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW24S10

Lab Sample ID: 240-30346-3

Date Sampled: 10/16/2013 1628

Client Matrix: Solid

% Moisture: 9.0

Date Received: 10/17/2013 0930

8081B Organochlorine Pesticides (GC)

Analysis Method:	8081B	Analysis Batch:	240-108338	Instrument ID:	A2HP3
Prep Method:	3540C	Prep Batch:	240-108059	Initial Weight/Volume:	30.19 g
Dilution:	1.0			Final Weight/Volume:	10 mL
Analysis Date:	11/05/2013 2225	Run Type:	RE	Injection Volume:	1 uL
Prep Date:	11/01/2013 0957			Result Type:	PRIMARY

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Aldrin		ND	H	1.3	1.9
alpha-BHC		ND	H	0.80	1.9
alpha-Chlordane		ND	H	1.0	1.9
beta-BHC		ND	H	1.2	1.9
4,4'-DDD		ND	H	0.68	1.9
4,4'-DDE		ND	H	0.43	1.9
4,4'-DDT		ND	H	0.69	1.9
delta-BHC		ND	H	1.3	1.9
Dieldrin		ND	H	0.51	1.9
Endosulfan I		ND	H	0.57	1.9
Endosulfan II		ND	H	0.90	1.9
Endosulfan sulfate		ND	H	0.95	1.9
Endrin		ND	H	0.55	1.9
Endrin aldehyde		ND	H	1.1	1.9
Endrin ketone		ND	H	0.69	1.9
gamma-BHC (Lindane)		ND	H	0.81	1.9
gamma-Chlordane		ND	H	0.46	1.9
Heptachlor		ND	H	1.2	1.9
Heptachlor epoxide		ND	H	0.87	1.9
Methoxychlor		ND	H	1.6	3.6
Toxaphene		ND	H	21	73
Surrogate		%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl		72		41 - 157	
Tetrachloro-m-xylene		86		40 - 149	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW24S10

Lab Sample ID: 240-30346-3

Date Sampled: 10/16/2013 1628

Client Matrix: Solid

% Moisture: 9.0

Date Received: 10/17/2013 0930

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-108338

Instrument ID: A2HP3

Prep Method: 3540C

Prep Batch: 240-108059

Initial Weight/Volume: 30.19 g

Dilution: 1.0

Final Weight/Volume: 10 mL

Analysis Date: 11/05/2013 2225

Run Type: RE

Injection Volume: 1 uL

Prep Date: 11/01/2013 0957

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	79		41 - 157
Tetrachloro-m-xylene	97		40 - 149

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW23S10

Lab Sample ID: 240-30346-1

Date Sampled: 10/16/2013 1345

Client Matrix: Solid

% Moisture: 11.3

Date Received: 10/17/2013 0930

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-106493	Instrument ID:	A2HP10
Prep Method:	3540C	Prep Batch:	240-106117	Initial Weight/Volume:	29.62 g
Dilution:	1.0			Final Weight/Volume:	10 mL
Analysis Date:	10/22/2013 0513			Injection Volume:	1 uL
Prep Date:	10/18/2013 0832			Result Type:	PRIMARY

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Aroclor-1016		ND		24	38
Aroclor-1221		ND		18	38
Aroclor-1232		ND		16	38
Aroclor-1242		ND		15	38
Aroclor-1248		ND		19	38
Aroclor-1254		47		19	38
Aroclor-1260		ND		19	38
Aroclor-1262		ND		31	38
Aroclor-1268		ND		16	38

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	36		14 - 163
Tetrachloro-m-xylene	58		29 - 151

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW23S10

Lab Sample ID: 240-30346-1

Date Sampled: 10/16/2013 1345

Client Matrix: Solid

% Moisture: 11.3

Date Received: 10/17/2013 0930

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method: 8082A

Analysis Batch: 240-106493

Instrument ID: A2HP10

Prep Method: 3540C

Prep Batch: 240-106117

Initial Weight/Volume: 29.62 g

Dilution: 1.0

Final Weight/Volume: 10 mL

Analysis Date: 10/22/2013 0513

Injection Volume: 1 uL

Prep Date: 10/18/2013 0832

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	40		14 - 163
Tetrachloro-m-xylene	93		29 - 151

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVSB02S6

Lab Sample ID: 240-30346-2

Date Sampled: 10/16/2013 1521

Client Matrix: Solid

% Moisture: 16.5

Date Received: 10/17/2013 0930

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-106493	Instrument ID:	A2HP10
Prep Method:	3540C	Prep Batch:	240-106117	Initial Weight/Volume:	30.48 g
Dilution:	1.0			Final Weight/Volume:	10 mL
Analysis Date:	10/22/2013 0528			Injection Volume:	1 uL
Prep Date:	10/18/2013 0832			Result Type:	PRIMARY

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Aroclor-1016		ND		25	39
Aroclor-1221		ND		19	39
Aroclor-1232		ND		17	39
Aroclor-1242		ND		15	39
Aroclor-1248		ND		20	39
Aroclor-1254		83		20	39
Aroclor-1260		ND		20	39
Aroclor-1262		ND		32	39
Aroclor-1268		ND		17	39

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	47		14 - 163
Tetrachloro-m-xylene	51		29 - 151

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVSB02S6

Lab Sample ID: 240-30346-2

Date Sampled: 10/16/2013 1521

Client Matrix: Solid

% Moisture: 16.5

Date Received: 10/17/2013 0930

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method: 8082A

Analysis Batch: 240-106493

Instrument ID: A2HP10

Prep Method: 3540C

Prep Batch: 240-106117

Initial Weight/Volume: 30.48 g

Dilution: 1.0

Final Weight/Volume: 10 mL

Analysis Date: 10/22/2013 0528

Injection Volume: 1 uL

Prep Date: 10/18/2013 0832

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	57		14 - 163
Tetrachloro-m-xylene	87		29 - 151

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW24S10

Lab Sample ID: 240-30346-3

Date Sampled: 10/16/2013 1628

Client Matrix: Solid

% Moisture: 9.0

Date Received: 10/17/2013 0930

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-106493	Instrument ID:	A2HP10
Prep Method:	3540C	Prep Batch:	240-106117	Initial Weight/Volume:	30.09 g
Dilution:	1.0			Final Weight/Volume:	10 mL
Analysis Date:	10/22/2013 0543			Injection Volume:	1 uL
Prep Date:	10/18/2013 0832			Result Type:	PRIMARY

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Aroclor-1016		ND		23	36
Aroclor-1221		ND		18	36
Aroclor-1232		ND		15	36
Aroclor-1242		ND		14	36
Aroclor-1248		ND		19	36
Aroclor-1254		ND		19	36
Aroclor-1260		ND		19	36
Aroclor-1262		ND		30	36
Aroclor-1268		ND		15	36

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	70		14 - 163
Tetrachloro-m-xylene	84		29 - 151

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW24S10

Lab Sample ID: 240-30346-3

Date Sampled: 10/16/2013 1628

Client Matrix: Solid

% Moisture: 9.0

Date Received: 10/17/2013 0930

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method: 8082A

Analysis Batch: 240-106493

Instrument ID: A2HP10

Prep Method: 3540C

Prep Batch: 240-106117

Initial Weight/Volume: 30.09 g

Dilution: 1.0

Final Weight/Volume: 10 mL

Analysis Date: 10/22/2013 0543

Injection Volume: 1 uL

Prep Date: 10/18/2013 0832

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	81		14 - 163
Tetrachloro-m-xylene	81		29 - 151

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW23S10

Lab Sample ID: 240-30346-1

Date Sampled: 10/16/2013 1345

Client Matrix: Solid

% Moisture: 11.3

Date Received: 10/17/2013 0930

6010C Metals (ICP)

Analysis Method: 6010C

Analysis Batch: 240-107816

Instrument ID: I9

Prep Method: 3050B

Prep Batch: 240-106168

Lab File ID: I9103013A.asc

Dilution: 1.0

Initial Weight/Volume: 1.36 g

Analysis Date: 10/30/2013 1414

Final Weight/Volume: 100 mL

Prep Date: 10/18/2013 1013

Analyte	DryWt Corrected: Y	Result (mg/Kg)	Qualifier	MDL	RL
Arsenic		6.4		0.25	1.2
Barium		27	B	0.059	17
Cadmium		ND		0.030	0.41
Chromium		5.2		0.17	0.83
Lead		3.0		0.16	0.83
Selenium		ND		0.37	1.7
Silver		ND		0.083	0.83

7471B Mercury in Solid or Semisolid Waste (Manual Cold Vapor Technique)

Analysis Method: 7471B

Analysis Batch: 240-107033

Instrument ID: H4

Prep Method: 7471B

Prep Batch: 240-106191

Lab File ID: 102413A-HG4.PRN

Dilution: 1.0

Initial Weight/Volume: 0.52 g

Analysis Date: 10/24/2013 1810

Final Weight/Volume: 100 mL

Prep Date: 10/18/2013 1405

Analyte	DryWt Corrected: Y	Result (mg/Kg)	Qualifier	MDL	RL
Mercury		ND		0.020	0.13

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVSB02S6

Lab Sample ID: 240-30346-2

Date Sampled: 10/16/2013 1521

Client Matrix: Solid

% Moisture: 16.5

Date Received: 10/17/2013 0930

6010C Metals (ICP)

Analysis Method:	6010C	Analysis Batch:	240-107816	Instrument ID:	I9
Prep Method:	3050B	Prep Batch:	240-106168	Lab File ID:	I9103013A.asc
Dilution:	1.0			Initial Weight/Volume:	1.09 g
Analysis Date:	10/30/2013 1418			Final Weight/Volume:	100 mL
Prep Date:	10/18/2013 1013				

Analyte	DryWt Corrected: Y	Result (mg/Kg)	Qualifier	MDL	RL
Arsenic		5.5		0.33	1.6
Barium		87	B	0.078	22
Cadmium		ND		0.040	0.55
Chromium		17		0.22	1.1
Lead		9.6		0.21	1.1
Selenium		ND		0.49	2.2
Silver		ND		0.11	1.1

7471B Mercury in Solid or Semisolid Waste (Manual Cold Vapor Technique)

Analysis Method:	7471B	Analysis Batch:	240-107033	Instrument ID:	H4
Prep Method:	7471B	Prep Batch:	240-106191	Lab File ID:	102413A-HG4.PRN
Dilution:	1.0			Initial Weight/Volume:	0.68 g
Analysis Date:	10/24/2013 1817			Final Weight/Volume:	100 mL
Prep Date:	10/18/2013 1405				

Analyte	DryWt Corrected: Y	Result (mg/Kg)	Qualifier	MDL	RL
Mercury		0.023	J	0.016	0.11

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

Client Sample ID: TRIVMW24S10

Lab Sample ID: 240-30346-3

Date Sampled: 10/16/2013 1628

Client Matrix: Solid

% Moisture: 9.0

Date Received: 10/17/2013 0930

6010C Metals (ICP)

Analysis Method: 6010C

Analysis Batch: 240-107816

Instrument ID: I9

Prep Method: 3050B

Prep Batch: 240-106168

Lab File ID: I9103013A.asc

Dilution: 1.0

Initial Weight/Volume: 1.07 g

Analysis Date: 10/30/2013 1422

Final Weight/Volume: 100 mL

Prep Date: 10/18/2013 1013

Analyte	DryWt Corrected: Y	Result (mg/Kg)	Qualifier	MDL	RL
Arsenic		3.0		0.31	1.5
Barium		43	B	0.073	21
Cadmium		0.067	J	0.037	0.51
Chromium		6.8		0.21	1.0
Lead		3.1		0.20	1.0
Selenium		ND		0.46	2.1
Silver		ND		0.10	1.0

7471B Mercury in Solid or Semisolid Waste (Manual Cold Vapor Technique)

Analysis Method: 7471B

Analysis Batch: 240-107033

Instrument ID: H4

Prep Method: 7471B

Prep Batch: 240-106191

Lab File ID: 102413A-HG4.PRN

Dilution: 1.0

Initial Weight/Volume: 0.52 g

Analysis Date: 10/24/2013 1819

Final Weight/Volume: 100 mL

Prep Date: 10/18/2013 1405

Analyte	DryWt Corrected: Y	Result (mg/Kg)	Qualifier	MDL	RL
Mercury		ND		0.019	0.13

Client: EnSafe, Inc.

Job Number: 240-30346-1

General Chemistry**Client Sample ID:** TRIVMW23S10

Lab Sample ID: 240-30346-1

Date Sampled: 10/16/2013 1345

Client Matrix: Solid

Date Received: 10/17/2013 0930

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
Percent Solids	89		%	0.10	0.10	1.0	Moisture
	Analysis Batch: 240-106259	Analysis Date: 10/18/2013 1716					DryWt Corrected: N
Percent Moisture	11		%	0.10	0.10	1.0	Moisture
	Analysis Batch: 240-106259	Analysis Date: 10/18/2013 1716					DryWt Corrected: N

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

General Chemistry**Client Sample ID:** TRIVSB02S6

Lab Sample ID: 240-30346-2

Date Sampled: 10/16/2013 1521

Client Matrix: Solid

Date Received: 10/17/2013 0930

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
Percent Solids	83		%	0.10	0.10	1.0	Moisture
	Analysis Batch: 240-106259	Analysis Date: 10/18/2013 1716					DryWt Corrected: N
Percent Moisture	17		%	0.10	0.10	1.0	Moisture
	Analysis Batch: 240-106259	Analysis Date: 10/18/2013 1716					DryWt Corrected: N

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30346-1

General Chemistry**Client Sample ID:** TRIVMW24S10

Lab Sample ID: 240-30346-3

Date Sampled: 10/16/2013 1628

Client Matrix: Solid

Date Received: 10/17/2013 0930

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
Percent Solids	91		%	0.10	0.10	1.0	Moisture
	Analysis Batch: 240-106259	Analysis Date: 10/18/2013 1716					DryWt Corrected: N
Percent Moisture	9.0		%	0.10	0.10	1.0	Moisture
	Analysis Batch: 240-106259	Analysis Date: 10/18/2013 1716					DryWt Corrected: N

DATA REPORTING QUALIFIERS

Client: EnSafe, Inc.

Job Number: 240-30346-1

Lab Section	Qualifier	Description
GC/MS VOA	B	Compound was found in the blank and sample.
	J	Indicates an Estimated Value for TICs
	N	Presumptive evidence of material.
	T	Result is a tentatively identified compound (TIC) and an estimated value.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
GC/MS Semi VOA	B	Compound was found in the blank and sample.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
GC Semi VOA	*	LCS or LCSD exceeds the control limits
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
	H	Sample was prepped or analyzed beyond the specified holding time
	X	Surrogate is outside control limits
Metals	B	Compound was found in the blank and sample.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

QUALITY CONTROL RESULTS

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Prep Batch: 240-106363					
LCS 240-106363/2-A	Lab Control Sample	T	Solid	5035	
MB 240-106363/1-A	Method Blank	T	Solid	5035	
240-30346-1	TRIVMW23S10	T	Solid	5035	
240-30346-2	TRIVSB02S6	T	Solid	5035	
240-30346-3	TRIVMW24S10	T	Solid	5035	
Analysis Batch:240-107027					
LCS 240-106363/2-A	Lab Control Sample	T	Solid	8260C	240-106363
MB 240-106363/1-A	Method Blank	T	Solid	8260C	240-106363
240-30346-1	TRIVMW23S10	T	Solid	8260C	240-106363
240-30346-2	TRIVSB02S6	T	Solid	8260C	240-106363
240-30346-3	TRIVMW24S10	T	Solid	8260C	240-106363
Report Basis					
T = Total					
GC/MS Semi VOA					
Prep Batch: 240-106130					
LCS 240-106130/20-A	Lab Control Sample	T	Solid	3540C	
MB 240-106130/19-A	Method Blank	T	Solid	3540C	
240-30346-1	TRIVMW23S10	T	Solid	3540C	
240-30346-2	TRIVSB02S6	T	Solid	3540C	
Analysis Batch:240-106711					
LCS 240-106130/20-A	Lab Control Sample	T	Solid	8270D	240-106130
MB 240-106130/19-A	Method Blank	T	Solid	8270D	240-106130
240-30346-1	TRIVMW23S10	T	Solid	8270D	240-106130
240-30346-2	TRIVSB02S6	T	Solid	8270D	240-106130
Prep Batch: 240-107074					
LCS 240-107074/21-A	Lab Control Sample	T	Solid	3540C	
MB 240-107074/20-A	Method Blank	T	Solid	3540C	
240-30346-3	TRIVMW24S10	T	Solid	3540C	
Analysis Batch:240-107525					
LCS 240-107074/21-A	Lab Control Sample	T	Solid	8270D	240-107074
MB 240-107074/20-A	Method Blank	T	Solid	8270D	240-107074
240-30346-3	TRIVMW24S10	T	Solid	8270D	240-107074
Report Basis					
T = Total					

TestAmerica Canton

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC Semi VOA					
Prep Batch: 240-106117					
LCS 240-106117/15-A	Lab Control Sample	T	Solid	3540C	
MB 240-106117/14-A	Method Blank	T	Solid	3540C	
240-30346-1	TRIVMW23S10	T	Solid	3540C	
240-30346-2	TRIVSB02S6	T	Solid	3540C	
240-30346-3	TRIVMW24S10	T	Solid	3540C	
Prep Batch: 240-106122					
LCS 240-106122/15-A	Lab Control Sample	T	Solid	3540C	
MB 240-106122/14-A	Method Blank	T	Solid	3540C	
240-30346-1	TRIVMW23S10	T	Solid	3540C	
240-30346-2	TRIVSB02S6	T	Solid	3540C	
240-30346-3	TRIVMW24S10	T	Solid	3540C	
Analysis Batch:240-106493					
PB 240-106493/2	Preparation / Extraction Blank	T	Solid	8082A	
LCS 240-106117/15-A	Lab Control Sample	T	Solid	8082A	240-106117
MB 240-106117/14-A	Method Blank	T	Solid	8082A	240-106117
240-30346-1	TRIVMW23S10	T	Solid	8082A	240-106117
240-30346-2	TRIVSB02S6	T	Solid	8082A	240-106117
240-30346-3	TRIVMW24S10	T	Solid	8082A	240-106117
Analysis Batch:240-107032					
MB 240-106122/14-A	Method Blank	T	Solid	8081B	240-106122
Analysis Batch:240-107445					
LCS 240-106122/15-A	Lab Control Sample	T	Solid	8081B	240-106122
Prep Batch: 240-108059					
LCS 240-108059/15-A	Lab Control Sample	T	Solid	3540C	
MB 240-108059/14-A	Method Blank	T	Solid	3540C	
240-30346-1RE	TRIVMW23S10	T	Solid	3540C	
240-30346-2RE	TRIVSB02S6	T	Solid	3540C	
240-30346-3RE	TRIVMW24S10	T	Solid	3540C	
Analysis Batch:240-108129					
PB 240-108129/3	Preparation / Extraction Blank	T	Solid	8081B	
240-30346-2	TRIVSB02S6	T	Solid	8081B	240-106122
240-30346-3	TRIVMW24S10	T	Solid	8081B	240-106122
Analysis Batch:240-108338					
PB 240-108338/3	Preparation / Extraction Blank	T	Solid	8081B	
LCS 240-108059/15-A	Lab Control Sample	T	Solid	8081B	240-108059
MB 240-108059/14-A	Method Blank	T	Solid	8081B	240-108059
240-30346-3RE	TRIVMW24S10	T	Solid	8081B	240-108059

TestAmerica Canton

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC Semi VOA					
Analysis Batch:240-109089					
PB 240-109089/3	Preparation / Extraction Blank	T	Solid	8081B	
240-30346-1	TRIVMW23S10	T	Solid	8081B	240-106122
Analysis Batch:240-110320					
PB 240-110320/7	Preparation / Extraction Blank	T	Solid	8081B	
240-30346-2RE	TRIVSB02S6	T	Solid	8081B	240-108059
Analysis Batch:240-110788					
PB 240-110788/6	Preparation / Extraction Blank	T	Solid	8081B	
240-30346-1RE	TRIVMW23S10	T	Solid	8081B	240-108059

Report Basis

T = Total

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
Metals					
Prep Batch: 240-106168					
LCS 240-106168/2-A	Lab Control Sample	T	Solid	3050B	
MB 240-106168/1-A	Method Blank	T	Solid	3050B	
240-30346-1	TRIVMW23S10	T	Solid	3050B	
240-30346-2	TRIVSB02S6	T	Solid	3050B	
240-30346-3	TRIVMW24S10	T	Solid	3050B	
Prep Batch: 240-106191					
LCS 240-106191/2-A	Lab Control Sample	T	Solid	7471B	
MB 240-106191/1-A	Method Blank	T	Solid	7471B	
240-30346-1	TRIVMW23S10	T	Solid	7471B	
240-30346-2	TRIVSB02S6	T	Solid	7471B	
240-30346-3	TRIVMW24S10	T	Solid	7471B	
Analysis Batch:240-107033					
LCS 240-106191/2-A	Lab Control Sample	T	Solid	7471B	240-106191
MB 240-106191/1-A	Method Blank	T	Solid	7471B	240-106191
240-30346-1	TRIVMW23S10	T	Solid	7471B	240-106191
240-30346-2	TRIVSB02S6	T	Solid	7471B	240-106191
240-30346-3	TRIVMW24S10	T	Solid	7471B	240-106191
Analysis Batch:240-107816					
LCS 240-106168/2-A	Lab Control Sample	T	Solid	6010C	240-106168
MB 240-106168/1-A	Method Blank	T	Solid	6010C	240-106168
240-30346-1	TRIVMW23S10	T	Solid	6010C	240-106168
240-30346-2	TRIVSB02S6	T	Solid	6010C	240-106168
240-30346-3	TRIVMW24S10	T	Solid	6010C	240-106168

Report Basis

T = Total

General Chemistry

Analysis Batch:240-106259					
240-30346-1	TRIVMW23S10	T	Solid	Moisture	
240-30346-2	TRIVSB02S6	T	Solid	Moisture	
240-30346-3	TRIVMW24S10	T	Solid	Moisture	

Report Basis

T = Total

TestAmerica Canton

Client: EnSafe, Inc.

Job Number: 240-30346-1

Surrogate Recovery Report**8260C Volatile Organic Compounds by GC/MS****Client Matrix: Solid**

Lab Sample ID	Client Sample ID	TOL %Rec	DBFM %Rec	BFB %Rec	DCA %Rec
240-30346-1	TRIVMW23S10	104	99	104	89
240-30346-2	TRIVSB02S6	107	103	104	90
240-30346-3	TRIVMW24S10	110	107	110	91
MB 240-106363/1-A		95	93	93	82
LCS 240-106363/2-A		101	103	103	94

Surrogate	Acceptance Limits
TOL = Toluene-d8 (Surr)	33-134
DBFM = Dibromofluoromethane (Surr)	30-122
BFB = 4-Bromofluorobenzene (Surr)	26-141
DCA = 1,2-Dichloroethane-d4 (Surr)	39-128

Client: EnSafe, Inc.

Job Number: 240-30346-1

Surrogate Recovery Report**8270D Semivolatile Organic Compounds (GC/MS)****Client Matrix: Solid**

Lab Sample ID	Client Sample ID	FBP %Rec	2FP %Rec	NBZ %Rec	PHL %Rec	TPH %Rec	TBP %Rec
240-30346-1	TRIVMW23S10	66	63	63	63	88	68
240-30346-2	TRIVSB02S6	70	60	70	63	86	54
240-30346-3	TRIVMW24S10	69	75	72	73	89	54
MB 240-106130/19-A		73	61	69	68	91	41
MB 240-107074/20-A		78	65	78	76	95	36
LCS 240-106130/20-A		79	77	75	80	100	85
LCS 240-107074/21-A		80	84	75	81	99	89

Surrogate	Acceptance Limits
FBP = 2-Fluorobiphenyl (Surr)	24-110
2FP = 2-Fluorophenol (Surr)	24-110
NBZ = Nitrobenzene-d5 (Surr)	20-110
PHL = Phenol-d5 (Surr)	26-110
TPH = Terphenyl-d14 (Surr)	36-110
TBP = 2,4,6-Tribromophenol (Surr)	10-110

Client: EnSafe, Inc.

Job Number: 240-30346-1

Surrogate Recovery Report**8081B Organochlorine Pesticides (GC)****Client Matrix: Solid**

Lab Sample ID	Client Sample ID	DCB1 %Rec	DCB2 %Rec	TCX1 %Rec	TCX2 %Rec
240-30346-1	TRIVMW23S10	83	75	237X	91
240-30346-1 RE	TRIVMW23S10 RE	0X	0X	0X	0X
240-30346-2	TRIVSB02S6	41	70	42	43
240-30346-2 RE	TRIVSB02S6 RE	77	80	94	94
240-30346-3	TRIVMW24S10	98	96	102	136
240-30346-3 RE	TRIVMW24S10 RE	72	79	86	97
MB 240-106122/14-A		76	96	65	105
MB 240-108059/14-A		68	76	91	141
LCS 240-106122/15-A		0X	0X	23X	153X
LCS 240-108059/15-A		89	89	99	97

Surrogate	Acceptance Limits
DCB = DCB Decachlorobiphenyl	41-157
TCX = Tetrachloro-m-xylene	40-149

Client: EnSafe, Inc.

Job Number: 240-30346-1

Surrogate Recovery Report**8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography****Client Matrix: Solid**

Lab Sample ID	Client Sample ID	DCB1 %Rec	DCB2 %Rec	TCX1 %Rec	TCX2 %Rec
240-30346-1	TRIVMW23S10	36	40	58	93
240-30346-2	TRIVSB02S6	47	57	51	87
240-30346-3	TRIVMW24S10	70	81	84	81
MB 240-106117/14-A		71	82	74	88
LCS 240-106117/15-A		76	90	124	87

Surrogate	Acceptance Limits
DCB = DCB Decachlorobiphenyl	14-163
TCX = Tetrachloro-m-xylene	29-151

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Method Blank - Batch: 240-106363

Method: 8260C Preparation: 5035

Lab Sample ID: MB 240-106363/1-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/24/2013 2119
Prep Date: 10/21/2013 1013
Leach Date: N/A

Analysis Batch: 240-107027
Prep Batch: 240-106363
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A3UX12
Lab File ID: U1233266.D
Initial Weight/Volume: 5.00 g
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
1,1,1-Trichloroethane	ND		21	250
1,1,2,2-Tetrachloroethane	ND		8.9	250
1,1,2-Trichloroethane	ND		12	250
1,1-Dichloroethane	ND		17	250
1,1-Dichloroethene	ND		18	250
1,2,4-Trichlorobenzene	ND		7.3	250
1,2-Dibromo-3-Chloropropane	ND		50	500
1,2-Dichlorobenzene	ND		8.6	250
1,2-Dichloroethane	ND		10	250
1,2-Dichloropropane	ND		8.2	250
1,3-Dichlorobenzene	ND		4.8	250
1,4-Dichlorobenzene	ND		8.0	250
2-Butanone (MEK)	ND		43	1000
2-Hexanone	ND		20	1000
4-Methyl-2-pentanone (MIBK)	ND		48	1000
Acetone	ND		170	1000
Benzene	ND		12	250
Bromoform	ND		19	250
Bromomethane	ND		29	250
Carbon disulfide	ND		12	250
Carbon tetrachloride	ND		6.4	250
Chlorobenzene	ND		6.4	250
Chlorodibromomethane	ND		12	250
Chloroethane	ND		61	250
Chloroform	ND		8.8	250
Chloromethane	ND		14	250
cis-1,2-Dichloroethene	ND		6.9	250
cis-1,3-Dichloropropene	ND		7.9	250
Dichlorodifluoromethane	ND		16	250
Dichlorobromomethane	ND		9.9	250
Ethylbenzene	ND		5.4	250
Isopropylbenzene	ND		6.5	250
Methyl tert-butyl ether	ND		7.1	250
Methylene Chloride	ND		77	250
m-Xylene & p-Xylene	6.72	J	6.2	250
o-Xylene	ND		8.5	250
Styrene	ND		5.6	250
Tetrachloroethene	ND		12	250
Toluene	ND		17	250
trans-1,2-Dichloroethene	ND		9.2	250
trans-1,3-Dichloropropene	ND		20	250
Trichloroethene	ND		9.7	250
Trichlorofluoromethane	ND		16	250
Vinyl chloride	ND		18	250
Xylenes, Total	6.72	J	6.2	500

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Method Blank - Batch: 240-106363

Method: 8260C
Preparation: 5035

Lab Sample ID:	MB 240-106363/1-A	Analysis Batch:	240-107027	Instrument ID:	A3UX12
Client Matrix:	Solid	Prep Batch:	240-106363	Lab File ID:	U1233266.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5.00 g
Analysis Date:	10/24/2013 2119	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	10/21/2013 1013				
Leach Date:	N/A				

Analyte	Result	Qual	MDL	RL
Ethylene Dibromide	ND		10	250
Surrogate	% Rec	Acceptance Limits		
Toluene-d8 (Surr)	95		33 - 134	
Dibromofluoromethane (Surr)	93		30 - 122	
4-Bromofluorobenzene (Surr)	93		26 - 141	
1,2-Dichloroethane-d4 (Surr)	82		39 - 128	

Method Blank TICs- Batch: 240-106363

Cas Number	Analyte	RT	Est. Result (ug/K)	Qual
1000132-52-0	1,3-Cyclohexanedione, 5-isopropyl-	11.31	486	T J N
75-65-0	2-Methyl-2-propanol	3.43	301	J
61141-80-8	Cyclohexane, 1,2-diethyl-3-methyl-	11.19	380	T J N
4292-92-6	Cyclohexane, pentyl-	11.75	496	T J N
2847-72-5	Decane, 4-methyl-	10.15	406	T J N
2131-42-2	Naphthalene, 1,4,6-trimethyl-	12.63	283	T J N
2245-38-7	Naphthalene, 1,6,7-trimethyl-	13.42	311	T J N
575-43-9	Naphthalene, 1,6-dimethyl-	8.93	1640	T J N
1120-21-4	Undecane	11.10	712	T J N
	Unknown	11.45	396	T J

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Lab Control Sample - Batch: 240-106363

Method: 8260C

Preparation: 5035

Lab Sample ID: LCS 240-106363/2-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 10/24/2013 2054
 Prep Date: 10/21/2013 1013
 Leach Date: N/A

Analysis Batch: 240-107027
 Prep Batch: 240-106363
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A3UX12
 Lab File ID: U1233265.D
 Initial Weight/Volume: 5.00 g
 Final Weight/Volume: 5 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
1,1,1-Trichloroethane	1000	1050	105	38 - 122	
1,1,2,2-Tetrachloroethane	1000	1010	101	54 - 121	
1,1,2-Trichloroethane	1000	1020	102	74 - 114	
1,1-Dichloroethane	1000	1040	104	63 - 117	
1,1-Dichloroethene	1000	902	90	44 - 143	
1,2,4-Trichlorobenzene	1000	1250	125	41 - 135	
1,2-Dibromo-3-Chloropropane	1000	1220	122	10 - 129	
1,2-Dichlorobenzene	1000	1180	118	68 - 118	
1,2-Dichloroethane	1000	1010	101	68 - 119	
1,2-Dichloropropane	1000	1130	113	73 - 113	
1,3-Dichlorobenzene	1000	1170	117	66 - 121	
1,4-Dichlorobenzene	1000	1130	113	65 - 119	
2-Butanone (MEK)	2000	1970	98	10 - 199	
2-Hexanone	2000	2150	108	43 - 130	
4-Methyl-2-pentanone (MIBK)	2000	2060	103	49 - 121	
Acetone	2000	1710	86	16 - 156	
Benzene	1000	1050	105	70 - 117	
Bromoform	1000	937	94	10 - 117	
Bromomethane	1000	1060	106	10 - 114	
Carbon disulfide	1000	1140	114	10 - 132	
Carbon tetrachloride	1000	1060	106	29 - 118	
Chlorobenzene	1000	1130	113	71 - 116	
Chlorodibromomethane	1000	1080	108	22 - 113	
Chloroethane	1000	1020	102	10 - 120	
Chloroform	1000	1010	101	63 - 116	
Chloromethane	1000	681	68	25 - 110	
cis-1,2-Dichloroethene	1000	1030	103	60 - 125	
cis-1,3-Dichloropropene	1000	1050	105	25 - 120	
Dichlorodifluoromethane	1000	403	40	10 - 110	
Dichlorobromomethane	1000	992	99	28 - 123	
Ethylbenzene	1000	1100	110	66 - 119	
Isopropylbenzene	1000	1130	113	61 - 123	
Methyl tert-butyl ether	1000	1110	111	34 - 157	
Methylene Chloride	1000	1000	100	27 - 172	
m-Xylene & p-Xylene	1000	1160	116	67 - 118	
o-Xylene	1000	1130	113	68 - 120	
Styrene	1000	1170	117	60 - 120	
Tetrachloroethene	1000	1130	113	58 - 131	
Toluene	1000	1120	112	66 - 123	
trans-1,2-Dichloroethene	1000	1150	115	58 - 121	
trans-1,3-Dichloropropene	1000	1120	112	22 - 122	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Lab Control Sample - Batch: 240-106363

Method: 8260C
Preparation: 5035

Lab Sample ID: LCS 240-106363/2-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/24/2013 2054
Prep Date: 10/21/2013 1013
Leach Date: N/A

Analysis Batch: 240-107027
Prep Batch: 240-106363
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A3UX12
Lab File ID: U1233265.D
Initial Weight/Volume: 5.00 g
Final Weight/Volume: 5 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Trichloroethene	1000	1100	110	59 - 124	
Trichlorofluoromethane	1000	1050	105	17 - 145	
Vinyl chloride	1000	766	77	33 - 110	
Xylenes, Total	2000	2290	115	68 - 119	
Ethylene Dibromide	1000	1090	109	47 - 123	
Surrogate	% Rec		Acceptance Limits		
Toluene-d8 (Surr)	101		33 - 134		
Dibromofluoromethane (Surr)	103		30 - 122		
4-Bromofluorobenzene (Surr)	103		26 - 141		
1,2-Dichloroethane-d4 (Surr)	94		39 - 128		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Method Blank - Batch: 240-106130

Method: 8270D Preparation: 3540C

Lab Sample ID: MB 240-106130/19-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/23/2013 1303
Prep Date: 10/18/2013 0854
Leach Date: N/A

Analysis Batch: 240-106711
Prep Batch: 240-106130
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A4HP10
Lab File ID: 31023006.D
Initial Weight/Volume: 30.00 g
Final Weight/Volume: 2 mL
Injection Volume: 1 uL

Analyte	Result	Qual	MDL	RL
Acenaphthene	ND		0.76	6.7
Acenaphthylene	ND		0.35	6.7
Acetophenone	ND		9.2	100
Anthracene	ND		0.78	6.7
Benzo[a]anthracene	ND		0.63	6.7
Benzo[a]pyrene	ND		0.64	6.7
Benzo[b]fluoranthene	ND		0.59	6.7
Benzo[g,h,i]perylene	ND		0.35	6.7
Benzo[k]fluoranthene	ND		0.68	6.7
Bis(2-chloroethoxy)methane	ND		22	100
Bis(2-chloroethyl)ether	ND		2.0	100
bis (2-chloroisopropyl) ether	ND		9.5	100
Bis(2-ethylhexyl) phthalate	ND		19	70
4-Bromophenyl phenyl ether	ND		13	50
Butyl benzyl phthalate	ND		10	70
Carbazole	ND		27	50
4-Chloroaniline	ND		17	150
4-Chloro-3-methylphenol	ND		21	150
2-Chlorophenol	ND		8.2	50
4-Chlorophenyl phenyl ether	ND		13	50
Chrysene	ND		1.1	6.7
Dibenz(a,h)anthracene	ND		0.66	6.7
Dibenzofuran	ND		0.66	50
3,3'-Dichlorobenzidine	ND		18	100
2,4-Dichlorophenol	ND		20	150
Diethyl phthalate	ND		16	70
2,4-Dimethylphenol	ND		20	150
Dimethyl phthalate	ND		17	70
Di-n-butyl phthalate	28.0	J	15	70
4,6-Dinitro-2-methylphenol	ND		9.2	150
2,4-Dinitrophenol	ND		21	330
2,4-Dinitrotoluene	ND		17	200
2,6-Dinitrotoluene	ND		21	200
Di-n-octyl phthalate	ND		7.9	70
Fluoranthene	ND		0.55	6.7
Fluorene	ND		0.53	6.7
Hexachlorobenzene	ND		2.1	6.7
Hexachlorobutadiene	ND		5.6	50
Hexachlorocyclopentadiene	ND		8.1	330
Hexachloroethane	ND		9.0	50
Indeno[1,2,3-cd]pyrene	ND		0.35	6.7
Isophorone	ND		13	50
2-Methylnaphthalene	ND		0.50	6.7
2-Methylphenol	ND		11	200
3 & 4 Methylphenol	ND		20	400

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Method Blank - Batch: 240-106130

Method: 8270D

Preparation: 3540C

Lab Sample ID: MB 240-106130/19-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 10/23/2013 1303
 Prep Date: 10/18/2013 0854
 Leach Date: N/A

Analysis Batch: 240-106711
 Prep Batch: 240-106130
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A4HP10
 Lab File ID: 31023006.D
 Initial Weight/Volume: 30.00 g
 Final Weight/Volume: 2 mL
 Injection Volume: 1 uL

Analyte	Result	Qual	MDL	RL
Naphthalene	ND		0.82	6.7
2-Nitroaniline	ND		9.1	200
3-Nitroaniline	ND		16	200
4-Nitroaniline	ND		26	200
Nitrobenzene	ND		2.2	100
2-Nitrophenol	ND		8.3	50
4-Nitrophenol	ND		17	330
N-Nitrosodi-n-propylamine	ND		6.3	50
N-Nitrosodiphenylamine	ND		21	50
Pentachlorophenol	ND		9.1	150
Phenanthrene	ND		0.73	6.7
Phenol	ND		7.3	50
Pyrene	ND		0.44	6.7
2,4,5-Trichlorophenol	ND		25	150
2,4,6-Trichlorophenol	ND		8.9	150

Surrogate	% Rec	Acceptance Limits
2-Fluorobiphenyl (Surr)	73	24 - 110
2-Fluorophenol (Surr)	61	24 - 110
Nitrobenzene-d5 (Surr)	69	20 - 110
Phenol-d5 (Surr)	68	26 - 110
Terphenyl-d14 (Surr)	91	36 - 110
2,4,6-Tribromophenol (Surr)	41	10 - 110

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Lab Control Sample - Batch: 240-106130

Method: 8270D

Preparation: 3540C

Lab Sample ID: LCS 240-106130/20-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/23/2013 1327
Prep Date: 10/18/2013 0854
Leach Date: N/A

Analysis Batch: 240-106711
Prep Batch: 240-106130
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A4HP10
Lab File ID: 31023007.D
Initial Weight/Volume: 30.00 g
Final Weight/Volume: 2 mL
Injection Volume: 1 uL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Acenaphthene	667	519	78	38 - 110	
Acenaphthylene	667	487	73	40 - 110	
Acetophenone	667	461	69	40 - 110	
Anthracene	667	565	85	48 - 110	
Benzo[a]anthracene	667	533	80	50 - 110	
Benzo[a]pyrene	667	543	82	44 - 110	
Benzo[b]fluoranthene	667	569	85	43 - 110	
Benzo[g,h,i]perylene	667	583	87	51 - 110	
Benzo[k]fluoranthene	667	585	88	38 - 105	
Bis(2-chloroethoxy)methane	667	506	76	32 - 110	
Bis(2-chloroethyl)ether	667	475	71	34 - 110	
bis (2-chloroisopropyl) ether	667	501	75	29 - 110	
Bis(2-ethylhexyl) phthalate	667	542	81	50 - 110	
4-Bromophenyl phenyl ether	667	555	83	39 - 110	
Butyl benzyl phthalate	667	536	80	51 - 110	
Carbazole	667	629	94	50 - 110	
4-Chloroaniline	667	426	64	30 - 110	
4-Chloro-3-methylphenol	667	538	81	48 - 110	
2-Chlorophenol	667	503	75	37 - 110	
4-Chlorophenyl phenyl ether	667	545	82	40 - 110	
Chrysene	667	536	80	50 - 110	
Dibenz(a,h)anthracene	667	593	89	51 - 110	
Dibenzofuran	667	532	80	43 - 110	
3,3'-Dichlorobenzidine	1330	1050	79	28 - 110	
2,4-Dichlorophenol	667	493	74	39 - 110	
Diethyl phthalate	667	546	82	52 - 110	
2,4-Dimethylphenol	667	448	67	29 - 110	
Dimethyl phthalate	667	533	80	50 - 110	
Di-n-butyl phthalate	667	632	95	51 - 110	
4,6-Dinitro-2-methylphenol	1330	718	54	10 - 110	
2,4-Dinitrophenol	1330	552	41	10 - 110	
2,4-Dinitrotoluene	667	541	81	48 - 110	
2,6-Dinitrotoluene	667	559	84	45 - 110	
Di-n-octyl phthalate	667	547	82	48 - 110	
Fluoranthene	667	576	86	51 - 110	
Fluorene	667	526	79	46 - 110	
Hexachlorobenzene	667	536	80	43 - 110	
Hexachlorobutadiene	667	479	72	29 - 110	
Hexachlorocyclopentadiene	667	389	58	12 - 110	
Hexachloroethane	667	470	70	30 - 110	
Indeno[1,2,3-cd]pyrene	667	581	87	50 - 110	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Lab Control Sample - Batch: 240-106130

Method: 8270D

Preparation: 3540C

Lab Sample ID: LCS 240-106130/20-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/23/2013 1327
Prep Date: 10/18/2013 0854
Leach Date: N/A

Analysis Batch: 240-106711
Prep Batch: 240-106130
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A4HP10
Lab File ID: 31023007.D
Initial Weight/Volume: 30.00 g
Final Weight/Volume: 2 mL
Injection Volume: 1 uL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Isophorone	667	464	70	36 - 110	
2-Methylnaphthalene	667	502	75	36 - 110	
2-Methylphenol	667	501	75	41 - 110	
3 & 4 Methylphenol	667	519	78	40 - 110	
Naphthalene	667	483	72	36 - 110	
2-Nitroaniline	667	555	83	45 - 110	
3-Nitroaniline	667	530	79	44 - 110	
4-Nitroaniline	667	586	88	48 - 110	
Nitrobenzene	667	501	75	32 - 110	
2-Nitrophenol	667	471	71	34 - 110	
4-Nitrophenol	1330	1100	83	28 - 110	
N-Nitrosodi-n-propylamine	667	489	73	38 - 110	
N-Nitrosodiphenylamine	1330	1120	84	46 - 110	
Pentachlorophenol	1330	924	69	10 - 110	
Phenanthrene	667	538	81	49 - 110	
Phenol	667	524	79	38 - 110	
Pyrene	667	525	79	49 - 110	
2,4,5-Trichlorophenol	667	546	82	25 - 110	
2,4,6-Trichlorophenol	667	524	79	12 - 110	
Surrogate	% Rec		Acceptance Limits		
2-Fluorobiphenyl (Surr)	79		24 - 110		
2-Fluorophenol (Surr)	77		24 - 110		
Nitrobenzene-d5 (Surr)	75		20 - 110		
Phenol-d5 (Surr)	80		26 - 110		
Terphenyl-d14 (Surr)	100		36 - 110		
2,4,6-Tribromophenol (Surr)	85		10 - 110		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Method Blank - Batch: 240-107074

Method: 8270D Preparation: 3540C

Lab Sample ID: MB 240-107074/20-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/29/2013 1050
Prep Date: 10/25/2013 0815
Leach Date: N/A

Analysis Batch: 240-107525
Prep Batch: 240-107074
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A4HP10
Lab File ID: 31029005.D
Initial Weight/Volume: 30.00 g
Final Weight/Volume: 2 mL
Injection Volume: 1 uL

Analyte	Result	Qual	MDL	RL
Acenaphthene	ND		0.76	6.7
Acenaphthylene	ND		0.35	6.7
Acetophenone	ND		9.2	100
Anthracene	ND		0.78	6.7
Benzo[a]anthracene	ND		0.63	6.7
Benzo[a]pyrene	ND		0.64	6.7
Benzo[b]fluoranthene	ND		0.59	6.7
Benzo[g,h,i]perylene	ND		0.35	6.7
Benzo[k]fluoranthene	ND		0.68	6.7
Bis(2-chloroethoxy)methane	ND		22	100
Bis(2-chloroethyl)ether	ND		2.0	100
bis (2-chloroisopropyl) ether	ND		9.5	100
Bis(2-ethylhexyl) phthalate	ND		19	70
4-Bromophenyl phenyl ether	ND		13	50
Butyl benzyl phthalate	ND		10	70
Carbazole	ND		27	50
4-Chloroaniline	ND		17	150
4-Chloro-3-methylphenol	ND		21	150
2-Chlorophenol	ND		8.2	50
4-Chlorophenyl phenyl ether	ND		13	50
Chrysene	ND		1.1	6.7
Dibenz(a,h)anthracene	ND		0.66	6.7
Dibenzofuran	ND		0.66	50
3,3'-Dichlorobenzidine	ND		18	100
2,4-Dichlorophenol	ND		20	150
Diethyl phthalate	ND		16	70
2,4-Dimethylphenol	ND		20	150
Dimethyl phthalate	ND		17	70
Di-n-butyl phthalate	ND		15	70
4,6-Dinitro-2-methylphenol	ND		9.2	150
2,4-Dinitrophenol	ND		21	330
2,4-Dinitrotoluene	ND		17	200
2,6-Dinitrotoluene	ND		21	200
Di-n-octyl phthalate	ND		7.9	70
Fluoranthene	ND		0.55	6.7
Fluorene	ND		0.53	6.7
Hexachlorobenzene	ND		2.1	6.7
Hexachlorobutadiene	ND		5.6	50
Hexachlorocyclopentadiene	ND		8.1	330
Hexachloroethane	ND		9.0	50
Indeno[1,2,3-cd]pyrene	ND		0.35	6.7
Isophorone	ND		13	50
2-Methylnaphthalene	ND		0.50	6.7
2-Methylphenol	ND		11	200
3 & 4 Methylphenol	ND		20	400

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Method Blank - Batch: 240-107074

Method: 8270D

Preparation: 3540C

Lab Sample ID: MB 240-107074/20-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 10/29/2013 1050
 Prep Date: 10/25/2013 0815
 Leach Date: N/A

Analysis Batch: 240-107525
 Prep Batch: 240-107074
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A4HP10
 Lab File ID: 31029005.D
 Initial Weight/Volume: 30.00 g
 Final Weight/Volume: 2 mL
 Injection Volume: 1 uL

Analyte	Result	Qual	MDL	RL
Naphthalene	ND		0.82	6.7
2-Nitroaniline	ND		9.1	200
3-Nitroaniline	ND		16	200
4-Nitroaniline	ND		26	200
Nitrobenzene	ND		2.2	100
2-Nitrophenol	ND		8.3	50
4-Nitrophenol	ND		17	330
N-Nitrosodi-n-propylamine	ND		6.3	50
N-Nitrosodiphenylamine	ND		21	50
Pentachlorophenol	ND		9.1	150
Phenanthrene	ND		0.73	6.7
Phenol	ND		7.3	50
Pyrene	ND		0.44	6.7
2,4,5-Trichlorophenol	ND		25	150
2,4,6-Trichlorophenol	ND		8.9	150

Surrogate	% Rec	Acceptance Limits
2-Fluorobiphenyl (Surr)	78	24 - 110
2-Fluorophenol (Surr)	65	24 - 110
Nitrobenzene-d5 (Surr)	78	20 - 110
Phenol-d5 (Surr)	76	26 - 110
Terphenyl-d14 (Surr)	95	36 - 110
2,4,6-Tribromophenol (Surr)	36	10 - 110

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Lab Control Sample - Batch: 240-107074

Method: 8270D

Preparation: 3540C

Lab Sample ID: LCS 240-107074/21-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/29/2013 1111
Prep Date: 10/25/2013 0815
Leach Date: N/A

Analysis Batch: 240-107525
Prep Batch: 240-107074
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A4HP10
Lab File ID: 31029006.D
Initial Weight/Volume: 30.00 g
Final Weight/Volume: 2 mL
Injection Volume: 1 uL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Acenaphthene	667	499	75	38 - 110	
Acenaphthylene	667	496	74	40 - 110	
Acetophenone	667	418	63	40 - 110	
Anthracene	667	541	81	48 - 110	
Benzo[a]anthracene	667	562	84	50 - 110	
Benzo[a]pyrene	667	576	86	44 - 110	
Benzo[b]fluoranthene	667	599	90	43 - 110	
Benzo[g,h,i]perylene	667	591	89	51 - 110	
Benzo[k]fluoranthene	667	607	91	38 - 105	
Bis(2-chloroethoxy)methane	667	501	75	32 - 110	
Bis(2-chloroethyl)ether	667	482	72	34 - 110	
bis (2-chloroisopropyl) ether	667	420	63	29 - 110	
Bis(2-ethylhexyl) phthalate	667	582	87	50 - 110	
4-Bromophenyl phenyl ether	667	568	85	39 - 110	
Butyl benzyl phthalate	667	596	89	51 - 110	
Carbazole	667	585	88	50 - 110	
4-Chloroaniline	667	437	66	30 - 110	
4-Chloro-3-methylphenol	667	555	83	48 - 110	
2-Chlorophenol	667	492	74	37 - 110	
4-Chlorophenyl phenyl ether	667	549	82	40 - 110	
Chrysene	667	570	85	50 - 110	
Dibenz(a,h)anthracene	667	609	91	51 - 110	
Dibenzofuran	667	523	78	43 - 110	
3,3'-Dichlorobenzidine	1330	1060	80	28 - 110	
2,4-Dichlorophenol	667	523	78	39 - 110	
Diethyl phthalate	667	557	83	52 - 110	
2,4-Dimethylphenol	667	458	69	29 - 110	
Dimethyl phthalate	667	555	83	50 - 110	
Di-n-butyl phthalate	667	622	93	51 - 110	
4,6-Dinitro-2-methylphenol	1330	865	65	10 - 110	
2,4-Dinitrophenol	1330	623	47	10 - 110	
2,4-Dinitrotoluene	667	627	94	48 - 110	
2,6-Dinitrotoluene	667	564	85	45 - 110	
Di-n-octyl phthalate	667	597	89	48 - 110	
Fluoranthene	667	578	87	51 - 110	
Fluorene	667	532	80	46 - 110	
Hexachlorobenzene	667	550	82	43 - 110	
Hexachlorobutadiene	667	498	75	29 - 110	
Hexachlorocyclopentadiene	667	404	61	12 - 110	
Hexachloroethane	667	457	69	30 - 110	
Indeno[1,2,3-cd]pyrene	667	599	90	50 - 110	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Lab Control Sample - Batch: 240-107074

Method: 8270D

Preparation: 3540C

Lab Sample ID: LCS 240-107074/21-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/29/2013 1111
Prep Date: 10/25/2013 0815
Leach Date: N/A

Analysis Batch: 240-107525
Prep Batch: 240-107074
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A4HP10
Lab File ID: 31029006.D
Initial Weight/Volume: 30.00 g
Final Weight/Volume: 2 mL
Injection Volume: 1 uL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Isophorone	667	451	68	36 - 110	
2-Methylnaphthalene	667	501	75	36 - 110	
2-Methylphenol	667	477	72	41 - 110	
3 & 4 Methylphenol	667	502	75	40 - 110	
Naphthalene	667	474	71	36 - 110	
2-Nitroaniline	667	549	82	45 - 110	
3-Nitroaniline	667	539	81	44 - 110	
4-Nitroaniline	667	618	93	48 - 110	
Nitrobenzene	667	472	71	32 - 110	
2-Nitrophenol	667	555	83	34 - 110	
4-Nitrophenol	1330	1140	85	28 - 110	
N-Nitrosodi-n-propylamine	667	462	69	38 - 110	
N-Nitrosodiphenylamine	1330	1110	84	46 - 110	
Pentachlorophenol	1330	975	73	10 - 110	
Phenanthrene	667	560	84	49 - 110	
Phenol	667	496	74	38 - 110	
Pyrene	667	554	83	49 - 110	
2,4,5-Trichlorophenol	667	543	81	25 - 110	
2,4,6-Trichlorophenol	667	517	78	12 - 110	
Surrogate	% Rec		Acceptance Limits		
2-Fluorobiphenyl (Surr)	80		24 - 110		
2-Fluorophenol (Surr)	84		24 - 110		
Nitrobenzene-d5 (Surr)	75		20 - 110		
Phenol-d5 (Surr)	81		26 - 110		
Terphenyl-d14 (Surr)	99		36 - 110		
2,4,6-Tribromophenol (Surr)	89		10 - 110		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Method Blank - Batch: 240-106122

Method: 8081B

Preparation: 3540C

Lab Sample ID: MB 240-106122/14-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 10/25/2013 0708
 Prep Date: 10/18/2013 0837
 Leach Date: N/A

Analysis Batch: 240-107032
 Prep Batch: 240-106122
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A2HP9
 Lab File ID: P9102459.D
 Initial Weight/Volume: 30.00 g
 Final Weight/Volume: 10 mL
 Injection Volume: 1 uL
 Column ID: PRIMARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		1.2	1.7
alpha-BHC	ND		0.73	1.7
alpha-Chlordane	ND		0.94	1.7
beta-BHC	ND		1.1	1.7
4,4'-DDD	ND		0.62	1.7
4,4'-DDE	ND		0.39	1.7
4,4'-DDT	ND		0.63	1.7
delta-BHC	ND		1.2	1.7
Dieldrin	ND		0.47	1.7
Endosulfan I	ND		0.52	1.7
Endosulfan II	ND		0.82	1.7
Endosulfan sulfate	ND		0.87	1.7
Endrin	ND		0.50	1.7
Endrin aldehyde	ND		1.0	1.7
Endrin ketone	ND		0.63	1.7
gamma-BHC (Lindane)	ND		0.74	1.7
gamma-Chlordane	ND		0.42	1.7
Heptachlor	ND		1.1	1.7
Heptachlor epoxide	ND		0.80	1.7
Methoxychlor	ND		1.5	3.3
Toxaphene	ND		19	67
Surrogate	% Rec	Acceptance Limits		
DCB Decachlorobiphenyl	96	41 - 157		
Tetrachloro-m-xylene	105	40 - 149		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Method Blank - Batch: 240-106122

Method: 8081B

Preparation: 3540C

Lab Sample ID: MB 240-106122/14-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 10/25/2013 0708
 Prep Date: 10/18/2013 0837
 Leach Date: N/A

Analysis Batch: 240-107032
 Prep Batch: 240-106122
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A2HP9
 Lab File ID: P9102459.D
 Initial Weight/Volume: 30.00 g
 Final Weight/Volume: 10 mL
 Injection Volume: 1 uL
 Column ID: SECONDARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		1.2	1.7
alpha-BHC	ND		0.73	1.7
alpha-Chlordane	ND		0.94	1.7
beta-BHC	ND		1.1	1.7
4,4'-DDD	ND		0.62	1.7
4,4'-DDE	ND		0.39	1.7
4,4'-DDT	ND		0.63	1.7
delta-BHC	ND		1.2	1.7
Dieldrin	ND		0.47	1.7
Endosulfan I	ND		0.52	1.7
Endosulfan II	ND		0.82	1.7
Endosulfan sulfate	ND		0.87	1.7
Endrin	ND		0.50	1.7
Endrin aldehyde	ND		1.0	1.7
Endrin ketone	ND		0.63	1.7
gamma-BHC (Lindane)	ND		0.74	1.7
gamma-Chlordane	ND		0.42	1.7
Heptachlor	ND		1.1	1.7
Heptachlor epoxide	ND		0.80	1.7
Methoxychlor	ND		1.5	3.3
Toxaphene	ND		19	67
Surrogate	% Rec		Acceptance Limits	
DCB Decachlorobiphenyl	76		41 - 157	
Tetrachloro-m-xylene	65		40 - 149	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Lab Control Sample - Batch: 240-106122

Method: 8081B

Preparation: 3540C

Lab Sample ID: LCS 240-106122/15-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 10/29/2013 0642
 Prep Date: 10/18/2013 0837
 Leach Date: N/A

Analysis Batch: 240-107445
 Prep Batch: 240-106122
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A2HP3
 Lab File ID: P3102911.D
 Initial Weight/Volume: 30.00 g
 Final Weight/Volume: 10 mL
 Injection Volume: 1 uL
 Column ID: PRIMARY

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Aldrin	33.3	ND	3	40 - 145	*
alpha-BHC	33.3	0.747	2	50 - 153	J *
alpha-Chlordane	33.3	ND	3	42 - 150	*
beta-BHC	33.3	ND	3	43 - 153	*
4,4'-DDD	33.3	0.973	3	53 - 160	J *
4,4'-DDE	33.3	0.936	3	46 - 143	J *
4,4'-DDT	33.3	1.23	4	40 - 157	J *
delta-BHC	33.3	ND	2	54 - 152	*
Dieldrin	33.3	0.905	3	51 - 154	J *
Endosulfan I	33.3	0.735	2	40 - 148	J *
Endosulfan II	33.3	0.973	3	42 - 137	J *
Endosulfan sulfate	33.3	1.07	3	50 - 153	J *
Endrin	33.3	0.989	3	55 - 147	J *
Endrin aldehyde	33.3	1.15	3	43 - 158	J *
Endrin ketone	33.3	1.01	3	41 - 142	J *
gamma-BHC (Lindane)	33.3	0.904	3	44 - 160	J *
gamma-Chlordane	33.3	ND	0	47 - 156	*
Heptachlor	33.3	ND	2	47 - 137	*
Heptachlor epoxide	33.3	0.877	3	53 - 153	J *
Methoxychlor	33.3	1.94	6	40 - 152	J *

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	0 X	41 - 157
Tetrachloro-m-xylene	153 X	40 - 149

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	0 X	41 - 157
Tetrachloro-m-xylene	23 X	40 - 149

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Method Blank - Batch: 240-108059

Method: 8081B

Preparation: 3540C

Lab Sample ID: MB 240-108059/14-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 11/05/2013 2102
 Prep Date: 11/01/2013 0957
 Leach Date: N/A

Analysis Batch: 240-108338
 Prep Batch: 240-108059
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A2HP3
 Lab File ID: P3110557.D
 Initial Weight/Volume: 30 g
 Final Weight/Volume: 10 mL
 Injection Volume: 1 uL
 Column ID: PRIMARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		1.2	1.7
alpha-BHC	ND		0.73	1.7
alpha-Chlordane	ND		0.94	1.7
beta-BHC	ND		1.1	1.7
4,4'-DDD	ND		0.62	1.7
4,4'-DDE	ND		0.39	1.7
4,4'-DDT	ND		0.63	1.7
delta-BHC	ND		1.2	1.7
Dieldrin	ND		0.47	1.7
Endosulfan I	ND		0.52	1.7
Endosulfan II	ND		0.82	1.7
Endosulfan sulfate	ND		0.87	1.7
Endrin	ND		0.50	1.7
Endrin aldehyde	ND		1.0	1.7
Endrin ketone	ND		0.63	1.7
gamma-BHC (Lindane)	ND		0.74	1.7
gamma-Chlordane	ND		0.42	1.7
Heptachlor	ND		1.1	1.7
Heptachlor epoxide	ND		0.80	1.7
Methoxychlor	ND		1.5	3.3
Toxaphene	ND		19	67

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	68	41 - 157
Tetrachloro-m-xylene	91	40 - 149

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	76	41 - 157
Tetrachloro-m-xylene	141	40 - 149

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Lab Control Sample - Batch: 240-108059

Method: 8081B

Preparation: 3540C

Lab Sample ID: LCS 240-108059/15-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 11/05/2013 1653
 Prep Date: 11/01/2013 0957
 Leach Date: N/A

Analysis Batch: 240-108338
 Prep Batch: 240-108059
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A2HP3
 Lab File ID: P3110545.D
 Initial Weight/Volume: 30 g
 Final Weight/Volume: 10 mL
 Injection Volume: 1 uL
 Column ID: PRIMARY

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Aldrin	33.3	24.6	74	40 - 145	
alpha-BHC	33.3	32.2	97	50 - 153	
alpha-Chlordane	33.3	30.7	92	42 - 150	
beta-BHC	33.3	31.5	94	43 - 153	
4,4'-DDD	33.3	45.4	136	53 - 160	
4,4'-DDE	33.3	30.0	90	46 - 143	
4,4'-DDT	33.3	42.4	127	40 - 157	
delta-BHC	33.3	34.1	102	54 - 152	
Dieldrin	33.3	31.7	95	51 - 154	
Endosulfan I	33.3	21.3	64	40 - 148	
Endosulfan II	33.3	25.1	75	42 - 137	
Endosulfan sulfate	33.3	35.3	106	50 - 153	
Endrin	33.3	36.0	108	55 - 147	
Endrin aldehyde	33.3	34.9	105	43 - 158	
Endrin ketone	33.3	33.6	101	41 - 142	
gamma-BHC (Lindane)	33.3	34.4	103	44 - 160	
gamma-Chlordane	33.3	32.8	99	47 - 156	
Heptachlor	33.3	37.1	111	47 - 137	
Heptachlor epoxide	33.3	33.6	101	53 - 153	
Methoxychlor	33.3	39.7	119	40 - 152	

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	89	41 - 157
Tetrachloro-m-xylene	99	40 - 149

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	89	41 - 157
Tetrachloro-m-xylene	97	40 - 149

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Preparation / Extraction Blank - Batch: 240-108129

Method: 8081B
Preparation: N/A

Lab Sample ID:	PB 240-108129/3	Analysis Batch:	240-108129	Instrument ID:	A2HP3
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	P3110303.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	11/03/2013 2059	Units:	ug/Kg	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	PRIMARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		3.6	5.1
alpha-BHC	ND		2.2	5.1
alpha-Chlordane	ND		2.8	5.1
beta-BHC	ND		3.3	5.1
4,4'-DDD	ND		1.9	5.1
4,4'-DDE	ND		1.2	5.1
4,4'-DDT	ND		1.9	5.1
delta-BHC	ND		3.6	5.1
Dieldrin	ND		1.4	5.1
Endosulfan I	ND		1.6	5.1
Endosulfan II	ND		2.5	5.1
Endosulfan sulfate	ND		2.6	5.1
Endrin	ND		1.5	5.1
Endrin aldehyde	ND		3.0	5.1
Endrin ketone	ND		1.9	5.1
gamma-BHC (Lindane)	ND		2.2	5.1
gamma-Chlordane	ND		1.3	5.1
Heptachlor	ND		3.3	5.1
Heptachlor epoxide	ND		2.4	5.1
Methoxychlor	ND		4.5	9.9
Toxaphene	ND		57	200

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl		
Tetrachloro-m-xylene		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Preparation / Extraction Blank - Batch: 240-108129

Method: 8081B

Preparation: N/A

Lab Sample ID:	PB 240-108129/3	Analysis Batch:	240-108129	Instrument ID:	A2HP3
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	P3110303.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	11/03/2013 2059	Units:	ug/Kg	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	SECONDARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		3.6	5.1
alpha-BHC	ND		2.2	5.1
alpha-Chlordane	ND		2.8	5.1
beta-BHC	ND		3.3	5.1
4,4'-DDD	ND		1.9	5.1
4,4'-DDE	ND		1.2	5.1
4,4'-DDT	ND		1.9	5.1
delta-BHC	ND		3.6	5.1
Dieldrin	ND		1.4	5.1
Endosulfan I	ND		1.6	5.1
Endosulfan II	ND		2.5	5.1
Endosulfan sulfate	ND		2.6	5.1
Endrin	ND		1.5	5.1
Endrin aldehyde	ND		3.0	5.1
Endrin ketone	ND		1.9	5.1
gamma-BHC (Lindane)	ND		2.2	5.1
gamma-Chlordane	ND		1.3	5.1
Heptachlor	ND		3.3	5.1
Heptachlor epoxide	ND		2.4	5.1
Methoxychlor	ND		4.5	9.9
Toxaphene	ND		57	200

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl		
Tetrachloro-m-xylene		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Preparation / Extraction Blank - Batch: 240-108338

Method: 8081B

Preparation: N/A

Lab Sample ID:	PB 240-108338/3	Analysis Batch:	240-108338	Instrument ID:	A2HP3
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	P3110503.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	11/05/2013 0028	Units:	ug/Kg	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	PRIMARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		3.6	5.1
alpha-BHC	ND		2.2	5.1
alpha-Chlordane	ND		2.8	5.1
beta-BHC	ND		3.3	5.1
4,4'-DDD	ND		1.9	5.1
4,4'-DDE	ND		1.2	5.1
4,4'-DDT	ND		1.9	5.1
delta-BHC	ND		3.6	5.1
Dieldrin	ND		1.4	5.1
Endosulfan I	ND		1.6	5.1
Endosulfan II	ND		2.5	5.1
Endosulfan sulfate	ND		2.6	5.1
Endrin	ND		1.5	5.1
Endrin aldehyde	ND		3.0	5.1
Endrin ketone	ND		1.9	5.1
gamma-BHC (Lindane)	ND		2.2	5.1
gamma-Chlordane	ND		1.3	5.1
Heptachlor	ND		3.3	5.1
Heptachlor epoxide	ND		2.4	5.1
Methoxychlor	ND		4.5	9.9
Toxaphene	ND		57	200

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl		
Tetrachloro-m-xylene		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Preparation / Extraction Blank - Batch: 240-108338

Method: 8081B

Preparation: N/A

Lab Sample ID:	PB 240-108338/3	Analysis Batch:	240-108338	Instrument ID:	A2HP3
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	P3110503.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	11/05/2013 0028	Units:	ug/Kg	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	SECONDARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		3.6	5.1
alpha-BHC	ND		2.2	5.1
alpha-Chlordane	ND		2.8	5.1
beta-BHC	ND		3.3	5.1
4,4'-DDD	ND		1.9	5.1
4,4'-DDE	ND		1.2	5.1
4,4'-DDT	ND		1.9	5.1
delta-BHC	ND		3.6	5.1
Dieldrin	ND		1.4	5.1
Endosulfan I	ND		1.6	5.1
Endosulfan II	ND		2.5	5.1
Endosulfan sulfate	ND		2.6	5.1
Endrin	ND		1.5	5.1
Endrin aldehyde	ND		3.0	5.1
Endrin ketone	ND		1.9	5.1
gamma-BHC (Lindane)	ND		2.2	5.1
gamma-Chlordane	ND		1.3	5.1
Heptachlor	ND		3.3	5.1
Heptachlor epoxide	ND		2.4	5.1
Methoxychlor	ND		4.5	9.9
Toxaphene	ND		57	200

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl		
Tetrachloro-m-xylene		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Preparation / Extraction Blank - Batch: 240-109089

Method: 8081B

Preparation: N/A

Lab Sample ID:	PB 240-109089/3	Analysis Batch:	240-109089	Instrument ID:	A2HP3
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	P3110903.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	11/09/2013 1025	Units:	ug/Kg	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	PRIMARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		3.6	5.1
alpha-BHC	ND		2.2	5.1
alpha-Chlordane	ND		2.8	5.1
beta-BHC	ND		3.3	5.1
4,4'-DDD	ND		1.9	5.1
4,4'-DDE	ND		1.2	5.1
4,4'-DDT	ND		1.9	5.1
delta-BHC	ND		3.6	5.1
Dieldrin	ND		1.4	5.1
Endosulfan I	ND		1.6	5.1
Endosulfan II	ND		2.5	5.1
Endosulfan sulfate	ND		2.6	5.1
Endrin	ND		1.5	5.1
Endrin aldehyde	ND		3.0	5.1
Endrin ketone	ND		1.9	5.1
gamma-BHC (Lindane)	ND		2.2	5.1
gamma-Chlordane	ND		1.3	5.1
Heptachlor	ND		3.3	5.1
Heptachlor epoxide	ND		2.4	5.1
Methoxychlor	ND		4.5	9.9
Toxaphene	ND		57	200
Surrogate	% Rec		Acceptance Limits	
DCB Decachlorobiphenyl				
Tetrachloro-m-xylene				

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Preparation / Extraction Blank - Batch: 240-109089

Method: 8081B

Preparation: N/A

Lab Sample ID:	PB 240-109089/3	Analysis Batch:	240-109089	Instrument ID:	A2HP3
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	P3110903.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	11/09/2013 1025	Units:	ug/Kg	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	SECONDARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		3.6	5.1
alpha-BHC	ND		2.2	5.1
alpha-Chlordane	ND		2.8	5.1
beta-BHC	ND		3.3	5.1
4,4'-DDD	ND		1.9	5.1
4,4'-DDE	ND		1.2	5.1
4,4'-DDT	ND		1.9	5.1
delta-BHC	ND		3.6	5.1
Dieldrin	ND		1.4	5.1
Endosulfan I	ND		1.6	5.1
Endosulfan II	ND		2.5	5.1
Endosulfan sulfate	ND		2.6	5.1
Endrin	ND		1.5	5.1
Endrin aldehyde	ND		3.0	5.1
Endrin ketone	ND		1.9	5.1
gamma-BHC (Lindane)	ND		2.2	5.1
gamma-Chlordane	ND		1.3	5.1
Heptachlor	ND		3.3	5.1
Heptachlor epoxide	ND		2.4	5.1
Methoxychlor	ND		4.5	9.9
Toxaphene	ND		57	200

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl		
Tetrachloro-m-xylene		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Preparation / Extraction Blank - Batch: 240-110320

Method: 8081B

Preparation: N/A

Lab Sample ID:	PB 240-110320/7	Analysis Batch:	240-110320	Instrument ID:	A2HP3
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	P3111807.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	11/18/2013 1544	Units:	ug/Kg	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	PRIMARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		3.6	5.1
alpha-BHC	ND		2.2	5.1
alpha-Chlordane	ND		2.8	5.1
beta-BHC	ND		3.3	5.1
4,4'-DDD	ND		1.9	5.1
4,4'-DDE	ND		1.2	5.1
4,4'-DDT	ND		1.9	5.1
delta-BHC	ND		3.6	5.1
Dieldrin	ND		1.4	5.1
Endosulfan I	ND		1.6	5.1
Endosulfan II	ND		2.5	5.1
Endosulfan sulfate	ND		2.6	5.1
Endrin	ND		1.5	5.1
Endrin aldehyde	ND		3.0	5.1
Endrin ketone	ND		1.9	5.1
gamma-BHC (Lindane)	ND		2.2	5.1
gamma-Chlordane	ND		1.3	5.1
Heptachlor	ND		3.3	5.1
Heptachlor epoxide	ND		2.4	5.1
Methoxychlor	ND		4.5	9.9
Toxaphene	ND		57	200

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl		
Tetrachloro-m-xylene		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Preparation / Extraction Blank - Batch: 240-110320

Method: 8081B

Preparation: N/A

Lab Sample ID:	PB 240-110320/7	Analysis Batch:	240-110320	Instrument ID:	A2HP3
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	P3111807.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	11/18/2013 1544	Units:	ug/Kg	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	SECONDARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		3.6	5.1
alpha-BHC	ND		2.2	5.1
alpha-Chlordane	ND		2.8	5.1
beta-BHC	ND		3.3	5.1
4,4'-DDD	ND		1.9	5.1
4,4'-DDE	ND		1.2	5.1
4,4'-DDT	ND		1.9	5.1
delta-BHC	ND		3.6	5.1
Dieldrin	ND		1.4	5.1
Endosulfan I	ND		1.6	5.1
Endosulfan II	ND		2.5	5.1
Endosulfan sulfate	ND		2.6	5.1
Endrin	ND		1.5	5.1
Endrin aldehyde	ND		3.0	5.1
Endrin ketone	ND		1.9	5.1
gamma-BHC (Lindane)	ND		2.2	5.1
gamma-Chlordane	ND		1.3	5.1
Heptachlor	ND		3.3	5.1
Heptachlor epoxide	ND		2.4	5.1
Methoxychlor	ND		4.5	9.9
Toxaphene	ND		57	200

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl		
Tetrachloro-m-xylene		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Preparation / Extraction Blank - Batch: 240-110788

Method: 8081B

Preparation: N/A

Lab Sample ID:	PB 240-110788/6	Analysis Batch:	240-110788	Instrument ID:	A2HP3
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	P3112006.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	11/20/2013 2329	Units:	ug/Kg	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	PRIMARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		3.6	5.1
alpha-BHC	ND		2.2	5.1
alpha-Chlordane	ND		2.8	5.1
beta-BHC	ND		3.3	5.1
4,4'-DDD	ND		1.9	5.1
4,4'-DDE	ND		1.2	5.1
4,4'-DDT	ND		1.9	5.1
delta-BHC	ND		3.6	5.1
Dieldrin	ND		1.4	5.1
Endosulfan I	ND		1.6	5.1
Endosulfan II	ND		2.5	5.1
Endosulfan sulfate	ND		2.6	5.1
Endrin	ND		1.5	5.1
Endrin aldehyde	ND		3.0	5.1
Endrin ketone	ND		1.9	5.1
gamma-BHC (Lindane)	ND		2.2	5.1
gamma-Chlordane	ND		1.3	5.1
Heptachlor	ND		3.3	5.1
Heptachlor epoxide	ND		2.4	5.1
Methoxychlor	ND		4.5	9.9
Toxaphene	ND		57	200

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl		
Tetrachloro-m-xylene		

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl		
Tetrachloro-m-xylene		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Method Blank - Batch: 240-106117

Method: 8082A Preparation: 3540C

Lab Sample ID: MB 240-106117/14-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/22/2013 0644
Prep Date: 10/18/2013 0832
Leach Date: N/A

Analysis Batch: 240-106493
Prep Batch: 240-106117
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A2HP10
Lab File ID: P1000020.D
Initial Weight/Volume: 30.00 g
Final Weight/Volume: 10 mL
Injection Volume: 1 uL
Column ID: PRIMARY

Analyte	Result	Qual	MDL	RL
Aroclor-1016	ND		21	33
Aroclor-1221	ND		16	33
Aroclor-1232	ND		14	33
Aroclor-1242	ND		13	33
Aroclor-1248	ND		17	33
Aroclor-1254	ND		17	33
Aroclor-1260	ND		17	33
Aroclor-1262	ND		27	33
Aroclor-1268	ND		14	33

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	71	14 - 163
Tetrachloro-m-xylene	74	29 - 151

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	82	14 - 163
Tetrachloro-m-xylene	88	29 - 151

Lab Control Sample - Batch: 240-106117

Method: 8082A Preparation: 3540C

Lab Sample ID: LCS 240-106117/15-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/22/2013 0815
Prep Date: 10/18/2013 0832
Leach Date: N/A

Analysis Batch: 240-106493
Prep Batch: 240-106117
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A2HP10
Lab File ID: P1000026.D
Initial Weight/Volume: 30.00 g
Final Weight/Volume: 10 mL
Injection Volume: 1 uL
Column ID: PRIMARY

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Aroclor-1016	333	251	75	62 - 120	
Aroclor-1260	333	249	75	56 - 122	

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	76	14 - 163
Tetrachloro-m-xylene	124	29 - 151

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	90	14 - 163
Tetrachloro-m-xylene	87	29 - 151

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Preparation / Extraction Blank - Batch: 240-106493

Method: 8082A
Preparation: N/A

Lab Sample ID:	PB 240-106493/2	Analysis Batch:	240-106493	Instrument ID:	A2HP10
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	P1000002.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	10/22/2013 0211	Units:	ug/Kg	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	PRIMARY

Analyte	Result	Qual	MDL	RL
Aroclor-1016	ND		63	99
Aroclor-1221	ND		48	99
Aroclor-1232	ND		42	99
Aroclor-1242	ND		39	99
Aroclor-1248	ND		51	99
Aroclor-1254	ND		51	99
Aroclor-1260	ND		51	99
Aroclor-1262	ND		81	99
Aroclor-1268	ND		42	99

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl		
Tetrachloro-m-xylene		

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl		
Tetrachloro-m-xylene		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Method Blank - Batch: 240-106168

Method: 6010C
Preparation: 3050B

Lab Sample ID: MB 240-106168/1-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/30/2013 1201
Prep Date: 10/18/2013 1013
Leach Date: N/A

Analysis Batch: 240-107816
Prep Batch: 240-106168
Leach Batch: N/A
Units: mg/Kg

Instrument ID: I9
Lab File ID: I9103013A.asc
Initial Weight/Volume: 1.00 g
Final Weight/Volume: 100 mL

Analyte	Result	Qual	MDL	RL
Arsenic	ND		0.30	1.5
Barium	0.146	J	0.071	20
Cadmium	ND		0.036	0.50
Chromium	ND		0.20	1.0
Lead	ND		0.19	1.0
Selenium	ND		0.45	2.0
Silver	ND		0.10	1.0

Lab Control Sample - Batch: 240-106168

Method: 6010C
Preparation: 3050B

Lab Sample ID: LCS 240-106168/2-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/30/2013 1205
Prep Date: 10/18/2013 1013
Leach Date: N/A

Analysis Batch: 240-107816
Prep Batch: 240-106168
Leach Batch: N/A
Units: mg/Kg

Instrument ID: I9
Lab File ID: I9103013A.asc
Initial Weight/Volume: 1.00 g
Final Weight/Volume: 100 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Arsenic	200	189	94	80 - 120	
Barium	200	188	94	80 - 120	
Cadmium	5.00	4.78	96	80 - 120	
Chromium	20.0	19.0	95	80 - 120	
Lead	50.0	46.3	93	80 - 120	
Selenium	200	188	94	80 - 120	
Silver	5.00	4.79	96	80 - 120	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30346-1

Method Blank - Batch: 240-106191

Method: 7471B

Preparation: 7471B

Lab Sample ID: MB 240-106191/1-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/24/2013 1715
Prep Date: 10/18/2013 1405
Leach Date: N/A

Analysis Batch: 240-107033
Prep Batch: 240-106191
Leach Batch: N/A
Units: mg/Kg

Instrument ID: H4
Lab File ID: 102413A-HG4.PRN
Initial Weight/Volume: 0.60 g
Final Weight/Volume: 100 mL

Analyte	Result	Qual	MDL	RL
Mercury	ND		0.015	0.10

Lab Control Sample - Batch: 240-106191

Method: 7471B

Preparation: 7471B


Lab Sample ID: LCS 240-106191/2-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/24/2013 1721
Prep Date: 10/18/2013 1405
Leach Date: N/A

Analysis Batch: 240-107033
Prep Batch: 240-106191
Leach Batch: N/A
Units: mg/Kg

Instrument ID: H4
Lab File ID: 102413A-HG4.PRN
Initial Weight/Volume: 0.60 g
Final Weight/Volume: 100 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Mercury	0.833	0.813	98	80 - 120	

**CHAIN OF CUSTODY
AND
RECEIVING DOCUMENTS**



240-30346 Chain of Custody

THE LEADER IN ENVIRONMENTAL TESTING

3.4

Comments

DISTRIBUTION: *WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy*

TestAmerica Canton Sample Receipt Form/Narrative

Login # : 30346

Canton Facility

Client Enso

Site Name _____

Cooler unpacked by _____

Cooler Received on 10-17-13Opened on 10-17-13Chuck W. HeenFedEx: 1st Grd Exp UPS FAS Stetson Client Drop Off TestAmerica Courier Other _____TestAmerica Cooler # 4496 Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt

IR GUN# A (CF +2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

IR GUN# 4 (CF +1 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C ☐ See Multiple

IR GUN# 5 (CF +2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C Cooler Form _____

IR GUN# 8 (CF -0 °C) Observed Cooler Temp. 3.4 °C Corrected Cooler Temp. 3.4 °C2. Were custody seals on the outside of the cooler(s)? If Yes Quantity 2 Yes No

-Were custody seals on the outside of the cooler(s) signed & dated? Yes No NA

-Were custody seals on the bottle(s)? Yes No

3. Shippers' packing slip attached to the cooler(s)? Yes No

4. Did custody papers accompany the sample(s)? Yes No

5. Were the custody papers relinquished & signed in the appropriate place? Yes No

6. Did all bottles arrive in good condition (Unbroken)? Yes No

7. Could all bottle labels be reconciled with the COC? Yes No

8. Were correct bottle(s) used for the test(s) indicated? Yes No

9. Sufficient quantity received to perform indicated analyses? Yes No

10. Were sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC37606211. Were VOAs on the COC? Yes No12. Were air bubbles >6 mm in any VOA vials? Yes No NA13. Was a trip blank present in the cooler(s)? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

14. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by _____

No test 3 marked on case will log everything separately

15. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

16. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

ANALYTICAL REPORT

Job Number: 240-30406-1

Job Description: Former TR-1 Vault Investigation

For:

EnSafe, Inc.

220 Athens Way, Plaza 1, Suite 410

Nashville, TN 37228

Attention: Ms. May Heflin



Approved for release.
Amy L. McCormick
Project Manager I
11/6/2013 6:44 PM

Amy L. McCormick, Project Manager I
4101 Shuffel Street NW, North Canton, OH, 44720
(330)966-9787
amy.mccormick@testamericainc.com
11/06/2013

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of TestAmerica and its client. All questions regarding this report should be directed to the TestAmerica Project Manager who has signed this report.

CASE NARRATIVE

Client: EnSafe, Inc.

Project: Former TR-1 Vault Investigation

Report Number: 240-30406-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Aroclor-1262 and Aroclor-1268 are not included in our New York certification.

TestAmerica Canton attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

All solid sample results are reported on an "as received" basis unless otherwise indicated by the presence of a % solids value in the method header.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 10/18/2013; the samples arrived in good condition, properly preserved and on ice. The temperature of the cooler at receipt was 3.2 C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Sample TRIVSB04S14 (240-30406-1) was analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260C. The samples were prepared on 10/18/2013 and analyzed on 10/25/2013.

Methylene Chloride was detected in method blank MB 240-106758/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged.

No other difficulties were encountered during the VOCs analysis.

All other quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GCMS)

Sample TRIVSB04S14 (240-30406-1) was analyzed for semivolatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8270D. The samples were prepared on 10/22/2013 and analyzed on 10/24/2013.

No difficulties were encountered during the SVOCs analysis.

All quality control parameters were within the acceptance limits.

CHLORINATED PESTICIDES

Sample TRIVSB04S14 (240-30406-1) was analyzed for chlorinated pesticides in accordance with EPA SW-846 Method 8081B. The samples were prepared on 10/21/2013 and analyzed on 10/23/2013.

The opening continuing calibration verification (CCV) associated with batch 106642 recovered DDE, DDT, Endosulfan Sulfate, and Methoxychlor above the upper control limits. Sample TRIVSB04S14 (240-30406-1) associated with this CCV was non-detect for the affected analytes; therefore, the data have been reported.

The closing continuing calibration verification (CCV) associated with batch 106642 recovered DDE and Endosulfan Sulfate above the upper control limits. Sample TRIVSB04S14 (240-30406-1) associated with this CCV was non-detect for the affected analytes; therefore, the data have been reported.

The initial calibration verification (ICV) for analytical batch 106642 was outside control criteria for some analytes on the confirmation column. Sample TRIVSB04S14 (240-30406-1) associated with this ICV was reported from the primary column for the affected analytes.

The peaks for Endosulfan II and DDD are merged on the rear column in the initial calibration curve (ICAL). Sample TRIVSB04S14 (240-30406-1) was non-detect for these analytes; therefore, the data have been reported. All QC data for these analytes have been reported from the front column.

No other difficulties were encountered during the pesticides analysis.

All other quality control parameters were within the acceptance limits.

POLYCHLORINATED BIPHENYLS (PCBS)

Sample TRIVSB04S14 (240-30406-1) was analyzed for polychlorinated biphenyls (PCBs) in accordance with EPA SW-846 Method 8082A. The samples were prepared on 10/21/2013 and analyzed on 10/23/2013.

Two surrogates are used for this analysis. The laboratory's SOP allows one of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. Sample LCS 240-106365/17-A contained an allowable number of surrogate compounds outside limits. These results have been reported and qualified.

No other difficulties were encountered during the PCBs analysis.

All other quality control parameters were within the acceptance limits.

TOTAL METALS (ICP)

Sample TRIVSB04S14 (240-30406-1) was analyzed for total metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 10/21/2013 and analyzed on 10/22/2013.

Barium was detected in method blank MB 240-106370/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged.

No other difficulties were encountered during the metals analysis.

All other quality control parameters were within the acceptance limits.

MERCURY

Sample TRIVSB04S14 (240-30406-1) was analyzed for mercury in accordance with EPA SW-846 Method 7471B. The samples were prepared on 10/24/2013 and analyzed on 10/25/2013.

No difficulties were encountered during the mercury analysis.

All quality control parameters were within the acceptance limits.

PERCENT SOLIDS

Sample TRIVSB04S14 (240-30406-1) was analyzed for percent solids in accordance with EPA Method 160.3 MOD. The samples were analyzed on 10/22/2013.

No difficulties were encountered during the % solids analysis.

All quality control parameters were within the acceptance limits.

EXECUTIVE SUMMARY - Detections

Client: EnSafe, Inc.

Job Number: 240-30406-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
240-30406-1	TRIVSB04S14					
cis-1,2-Dichloroethene		97		4.0	ug/Kg	8260C
1,1-Dichloroethane		6.4		4.0	ug/Kg	8260C
1,1-Dichloroethene		2.4	J	4.0	ug/Kg	8260C
Methylene Chloride		6.8	B	4.0	ug/Kg	8260C
trans-1,2-Dichloroethene		1.3	J	4.0	ug/Kg	8260C
1,1,1-Trichloroethane		1.8	J	4.0	ug/Kg	8260C
Trichloroethene		51		4.0	ug/Kg	8260C
Vinyl chloride		2.8	J	4.0	ug/Kg	8260C
Bis(2-ethylhexyl) phthalate		32	J	79	ug/Kg	8270D
Arsenic		2.7		1.7	mg/Kg	6010C
Barium		42	B	22	mg/Kg	6010C
Cadmium		0.052	J	0.55	mg/Kg	6010C
Chromium		6.0		1.1	mg/Kg	6010C
Lead		3.0		1.1	mg/Kg	6010C
Percent Solids		87		0.10	%	Moisture
Percent Moisture		13		0.10	%	Moisture

METHOD SUMMARY

Client: EnSafe, Inc.

Job Number: 240-30406-1

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Volatile Organic Compounds by GC/MS	TAL CAN	SW846 8260C	
Closed System Purge and Trap	TAL CAN		SW846 5035
Semivolatile Organic Compounds (GC/MS)	TAL CAN	SW846 8270D	
Soxhlet Extraction	TAL CAN		SW846 3540C
Organochlorine Pesticides (GC)	TAL CAN	SW846 8081B	
Soxhlet Extraction	TAL CAN		SW846 3540C
Polychlorinated Biphenyls (PCBs) by Gas Chromatography	TAL CAN	SW846 8082A	
Soxhlet Extraction	TAL CAN		SW846 3540C
Metals (ICP)	TAL CAN	SW846 6010C	
Preparation, Metals	TAL CAN		SW846 3050B
Mercury in Solid or Semisolid Waste (Manual Cold Vapor Technique)	TAL CAN	SW846 7471B	
Preparation, Mercury	TAL CAN		SW846 7471B
Percent Moisture	TAL CAN	EPA Moisture	

Lab References:

TAL CAN = TestAmerica Canton

Method References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: EnSafe, Inc.

Job Number: 240-30406-1

Method	Analyst	Analyst ID
SW846 8260C	Lata, Todd	TJL2
SW846 8270D	Hula, Tom	TMH
SW846 8081B	Van Doren, Carolyn	CVD
SW846 8082A	Bosworth, Heather M	HMB
SW846 6010C	Counts, Karen	KLC
SW846 7471B	Martin, Aaron	AMM2
EPA Moisture	Grant, Katie	KMG

SAMPLE SUMMARY

Client: EnSafe, Inc.

Job Number: 240-30406-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
240-30406-1	TRIVSB04S14	Solid	10/17/2013 1020	10/18/2013 0920

SAMPLE RESULTS

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30406-1

Client Sample ID: TRIVSB04S14

Lab Sample ID: 240-30406-1

Date Sampled: 10/17/2013 1020

Client Matrix: Solid

% Moisture: 12.6

Date Received: 10/18/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-107052

Instrument ID: A3UX8

Prep Method: 5035

Prep Batch: 240-106263

Lab File ID: UX88264.D

Dilution: 1.0

Initial Weight/Volume: 7.093 g

Analysis Date: 10/25/2013 0643

Final Weight/Volume: 5 mL

Prep Date: 10/18/2013 1700

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Acetone		ND		5.1	16
Benzene		ND		0.19	4.0
Bromoform		ND		0.27	4.0
Bromomethane		ND		0.44	4.0
2-Butanone (MEK)		ND		1.1	16
Carbon disulfide		ND		0.36	4.0
Carbon tetrachloride		ND		0.30	4.0
Chlorobenzene		ND		0.27	4.0
Chlorodibromomethane		ND		0.44	4.0
Chloroethane		ND		0.69	4.0
Chloroform		ND		0.23	4.0
Chloromethane		ND		0.33	4.0
cis-1,2-Dichloroethene		97		0.29	4.0
cis-1,3-Dichloropropene		ND		0.27	4.0
1,2-Dibromo-3-Chloropropane		ND		1.0	8.1
1,2-Dichlorobenzene		ND		0.29	4.0
1,3-Dichlorobenzene		ND		0.28	4.0
1,4-Dichlorobenzene		ND		0.53	4.0
Dichlorobromomethane		ND		0.23	4.0
Dichlorodifluoromethane		ND		0.40	4.0
1,1-Dichloroethane		6.4		0.29	4.0
1,2-Dichloroethane		ND		0.27	4.0
1,1-Dichloroethene		2.4	J	0.42	4.0
1,2-Dichloropropane		ND		0.56	4.0
Ethylbenzene		ND		0.21	4.0
Ethylene Dibromide		ND		0.40	4.0
2-Hexanone		ND		0.51	16
Isopropylbenzene		ND		0.13	4.0
Methylene Chloride		6.8	B	0.54	4.0
4-Methyl-2-pentanone (MIBK)		ND		0.44	16
Methyl tert-butyl ether		ND		0.35	4.0
Styrene		ND		0.12	4.0
1,1,2,2-Tetrachloroethane		ND		0.27	4.0
Tetrachloroethene		ND		0.42	4.0
Toluene		ND		0.22	4.0
trans-1,2-Dichloroethene		1.3	J	0.33	4.0
trans-1,3-Dichloropropene		ND		0.44	4.0
1,2,4-Trichlorobenzene		ND		0.22	4.0
1,1,1-Trichloroethane		1.8	J	0.45	4.0
1,1,2-Trichloroethane		ND		0.31	4.0
Trichloroethene		51		0.34	4.0
Trichlorofluoromethane		ND		0.27	4.0
Vinyl chloride		2.8	J	0.31	4.0
Xylenes, Total		ND		0.28	8.1

Surrogate	%Rec	Qualifier	Acceptance Limits
-----------	------	-----------	-------------------

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30406-1

Client Sample ID: TRIVSB04S14

Lab Sample ID: 240-30406-1

Date Sampled: 10/17/2013 1020

Client Matrix: Solid

% Moisture: 12.6

Date Received: 10/18/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-107052

Instrument ID: A3UX8

Prep Method: 5035

Prep Batch: 240-106263

Lab File ID: UX88264.D

Dilution: 1.0

Initial Weight/Volume: 7.093 g

Analysis Date: 10/25/2013 0643

Final Weight/Volume: 5 mL

Prep Date: 10/18/2013 1700

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene (Surr)	95		52 - 136
Dibromofluoromethane (Surr)	91		37 - 132
1,2-Dichloroethane-d4 (Surr)	96		58 - 123
Toluene-d8 (Surr)	90		67 - 125

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30406-1

Client Sample ID: TRIVSB04S14

Lab Sample ID: 240-30406-1

Date Sampled: 10/17/2013 1020

Client Matrix: Solid

% Moisture: 12.6

Date Received: 10/18/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-107052

Instrument ID: A3UX8

Prep Method: 5035

Prep Batch: 240-106263

Lab File ID: UX88264.D

Dilution: 1.0

Initial Weight/Volume: 7.093 g

Analysis Date: 10/25/2013 0643

Final Weight/Volume: 5 mL

Prep Date: 10/18/2013 1700

Tentatively Identified Compounds**Number TIC's Found: 0**

Cas Number	Analyte	RT	Est. Result (ug/Kg)	Qualifier
	Tentatively Identified Compound		None	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30406-1

Client Sample ID: TRIVSB04S14

Lab Sample ID: 240-30406-1

Date Sampled: 10/17/2013 1020

Client Matrix: Solid

% Moisture: 12.6

Date Received: 10/18/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-106952	Instrument ID:	A4HP9
Prep Method:	3540C	Prep Batch:	240-106510	Lab File ID:	31024014.D
Dilution:	1.0			Initial Weight/Volume:	30.30 g
Analysis Date:	10/24/2013 1558			Final Weight/Volume:	2 mL
Prep Date:	10/22/2013 0804			Injection Volume:	1 uL

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Acenaphthene		ND		0.86	7.6
Acenaphthylene		ND		0.40	7.6
Acetophenone		ND		10	110
Anthracene		ND		0.88	7.6
Benzo[a]anthracene		ND		0.71	7.6
Benzo[a]pyrene		ND		0.73	7.6
Benzo[b]fluoranthene		ND		0.67	7.6
Benzo[g,h,i]perylene		ND		0.40	7.6
Benzo[k]fluoranthene		ND		0.77	7.6
Bis(2-chloroethoxy)methane		ND		25	110
Bis(2-chloroethyl)ether		ND		2.3	110
bis (2-chloroisopropyl) ether		ND		11	110
Bis(2-ethylhexyl) phthalate		32	J	22	79
4-Bromophenyl phenyl ether		ND		15	57
Butyl benzyl phthalate		ND		11	79
Carbazole		ND		31	57
4-Chloroaniline		ND		19	170
4-Chloro-3-methylphenol		ND		24	170
2-Chlorophenol		ND		9.3	57
4-Chlorophenyl phenyl ether		ND		15	57
Chrysene		ND		1.2	7.6
Dibenz(a,h)anthracene		ND		0.75	7.6
Dibenzofuran		ND		0.75	57
3,3'-Dichlorobenzidine		ND		20	110
2,4-Dichlorophenol		ND		23	170
Diethyl phthalate		ND		18	79
2,4-Dimethylphenol		ND		23	170
Dimethyl phthalate		ND		19	79
Di-n-butyl phthalate		ND		17	79
4,6-Dinitro-2-methylphenol		ND		10	170
2,4-Dinitrophenol		ND		24	370
2,4-Dinitrotoluene		ND		19	230
2,6-Dinitrotoluene		ND		24	230
Di-n-octyl phthalate		ND		9.0	79
Fluoranthene		ND		0.62	7.6
Fluorene		ND		0.60	7.6
Hexachlorobenzene		ND		2.4	7.6
Hexachlorobutadiene		ND		6.3	57
Hexachlorocyclopentadiene		ND		9.2	370
Hexachloroethane		ND		10	57
Indeno[1,2,3-cd]pyrene		ND		0.40	7.6
Isophorone		ND		15	57
2-Methylnaphthalene		ND		0.57	7.6
2-Methylphenol		ND		12	230
3 & 4 Methylphenol		ND		23	450
Naphthalene		ND		0.93	7.6

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30406-1

Client Sample ID: TRIVSB04S14

Lab Sample ID: 240-30406-1

Date Sampled: 10/17/2013 1020

Client Matrix: Solid

% Moisture: 12.6

Date Received: 10/18/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-106952	Instrument ID:	A4HP9
Prep Method:	3540C	Prep Batch:	240-106510	Lab File ID:	31024014.D
Dilution:	1.0			Initial Weight/Volume:	30.30 g
Analysis Date:	10/24/2013 1558			Final Weight/Volume:	2 mL
Prep Date:	10/22/2013 0804			Injection Volume:	1 uL

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
2-Nitroaniline		ND		10	230
3-Nitroaniline		ND		18	230
4-Nitroaniline		ND		29	230
Nitrobenzene		ND		2.5	110
2-Nitrophenol		ND		9.4	57
4-Nitrophenol		ND		19	370
N-Nitrosodi-n-propylamine		ND		7.1	57
N-Nitrosodiphenylamine		ND		24	57
Pentachlorophenol		ND		10	170
Phenanthrene		ND		0.83	7.6
Phenol		ND		8.3	57
Pyrene		ND		0.50	7.6
2,4,5-Trichlorophenol		ND		28	170
2,4,6-Trichlorophenol		ND		10	170

Surrogate	%Rec	Qualifier	Acceptance Limits
2-Fluorobiphenyl (Surr)	58		24 - 110
2-Fluorophenol (Surr)	57		24 - 110
Nitrobenzene-d5 (Surr)	52		20 - 110
Phenol-d5 (Surr)	64		26 - 110
Terphenyl-d14 (Surr)	64		36 - 110
2,4,6-Tribromophenol (Surr)	44		10 - 110

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30406-1

Client Sample ID: TRIVSB04S14

Lab Sample ID: 240-30406-1

Date Sampled: 10/17/2013 1020

Client Matrix: Solid

% Moisture: 12.6

Date Received: 10/18/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B	Analysis Batch: 240-106642	Instrument ID: A2HP3
Prep Method: 3540C	Prep Batch: 240-106369	Initial Weight/Volume: 30.29 g
Dilution: 1.0		Final Weight/Volume: 10 mL
Analysis Date: 10/23/2013 1554		Injection Volume: 1 uL
Prep Date: 10/21/2013 1023		Result Type: PRIMARY

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Aldrin		ND		1.4	1.9
alpha-BHC		ND		0.83	1.9
alpha-Chlordane		ND		1.1	1.9
beta-BHC		ND		1.2	1.9
4,4'-DDD		ND		0.70	1.9
4,4'-DDE		ND		0.44	1.9
4,4'-DDT		ND		0.71	1.9
delta-BHC		ND		1.4	1.9
Dieldrin		ND		0.53	1.9
Endosulfan I		ND		0.59	1.9
Endosulfan II		ND		0.93	1.9
Endosulfan sulfate		ND		0.99	1.9
Endrin		ND		0.57	1.9
Endrin aldehyde		ND		1.1	1.9
Endrin ketone		ND		0.71	1.9
gamma-BHC (Lindane)		ND		0.84	1.9
gamma-Chlordane		ND		0.48	1.9
Heptachlor		ND		1.2	1.9
Heptachlor epoxide		ND		0.91	1.9
Methoxychlor		ND		1.7	3.7
Toxaphene		ND		22	76
Surrogate		%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl		111		41 - 157	
Tetrachloro-m-xylene		122		40 - 149	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30406-1

Client Sample ID: TRIVSB04S14

Lab Sample ID: 240-30406-1

Date Sampled: 10/17/2013 1020

Client Matrix: Solid

% Moisture: 12.6

Date Received: 10/18/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-106642

Instrument ID: A2HP3

Prep Method: 3540C

Prep Batch: 240-106369

Initial Weight/Volume: 30.29 g

Dilution: 1.0

Final Weight/Volume: 10 mL

Analysis Date: 10/23/2013 1554

Injection Volume: 1 uL

Prep Date: 10/21/2013 1023

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	109		41 - 157
Tetrachloro-m-xylene	100		40 - 149

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30406-1

Client Sample ID: TRIVSB04S14

Lab Sample ID: 240-30406-1

Date Sampled: 10/17/2013 1020

Client Matrix: Solid

% Moisture: 12.6

Date Received: 10/18/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-106678	Instrument ID:	A2HP10
Prep Method:	3540C	Prep Batch:	240-106365	Initial Weight/Volume:	30.29 g
Dilution:	1.0			Final Weight/Volume:	10 mL
Analysis Date:	10/23/2013 0757			Injection Volume:	1 uL
Prep Date:	10/21/2013 1018			Result Type:	PRIMARY

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Aroclor-1016		ND		24	37
Aroclor-1221		ND		18	37
Aroclor-1232		ND		16	37
Aroclor-1242		ND		15	37
Aroclor-1248		ND		19	37
Aroclor-1254		ND		19	37
Aroclor-1260		ND		19	37
Aroclor-1262		ND		31	37
Aroclor-1268		ND		16	37

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	85		14 - 163
Tetrachloro-m-xylene	92		29 - 151

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30406-1

Client Sample ID: TRIVSB04S14

Lab Sample ID: 240-30406-1

Date Sampled: 10/17/2013 1020

Client Matrix: Solid

% Moisture: 12.6

Date Received: 10/18/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method: 8082A

Analysis Batch: 240-106678

Instrument ID: A2HP10

Prep Method: 3540C

Prep Batch: 240-106365

Initial Weight/Volume: 30.29 g

Dilution: 1.0

Final Weight/Volume: 10 mL

Analysis Date: 10/23/2013 0757

Injection Volume: 1 uL

Prep Date: 10/21/2013 1018

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	99		14 - 163
Tetrachloro-m-xylene	100		29 - 151

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30406-1

Client Sample ID: TRIVSB04S14

Lab Sample ID: 240-30406-1

Date Sampled: 10/17/2013 1020

Client Matrix: Solid

% Moisture: 12.6

Date Received: 10/18/2013 0920

6010C Metals (ICP)

Analysis Method: 6010C

Analysis Batch: 240-106684

Instrument ID: I9

Prep Method: 3050B

Prep Batch: 240-106370

Lab File ID: I9102213A.asc

Dilution: 1.0

Initial Weight/Volume: 1.04 g

Analysis Date: 10/22/2013 1230

Final Weight/Volume: 100 mL

Prep Date: 10/21/2013 1027

Analyte	DryWt Corrected: Y	Result (mg/Kg)	Qualifier	MDL	RL
Arsenic		2.7		0.33	1.7
Barium		42	B	0.078	22
Cadmium		0.052	J	0.040	0.55
Chromium		6.0		0.22	1.1
Lead		3.0		0.21	1.1
Selenium		ND		0.50	2.2
Silver		ND		0.11	1.1

7471B Mercury in Solid or Semisolid Waste (Manual Cold Vapor Technique)

Analysis Method: 7471B

Analysis Batch: 240-107333

Instrument ID: H4

Prep Method: 7471B

Prep Batch: 240-106970

Lab File ID: 102513A-HG4.PRN

Dilution: 1.0

Initial Weight/Volume: 0.61 g

Analysis Date: 10/25/2013 1733

Final Weight/Volume: 100 mL

Prep Date: 10/24/2013 1440

Analyte	DryWt Corrected: Y	Result (mg/Kg)	Qualifier	MDL	RL
Mercury		ND		0.017	0.11

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30406-1

General Chemistry**Client Sample ID:** TRIVSB04S14

Lab Sample ID: 240-30406-1

Date Sampled: 10/17/2013 1020

Client Matrix: Solid

Date Received: 10/18/2013 0920

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
Percent Solids	87		%	0.10	0.10	1.0	Moisture
	Analysis Batch: 240-106625	Analysis Date: 10/22/2013 1435					DryWt Corrected: N
Percent Moisture	13		%	0.10	0.10	1.0	Moisture
	Analysis Batch: 240-106625	Analysis Date: 10/22/2013 1435					DryWt Corrected: N

DATA REPORTING QUALIFIERS

Client: EnSafe, Inc.

Job Number: 240-30406-1

Lab Section	Qualifier	Description
GC/MS VOA	B	Compound was found in the blank and sample.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
GC/MS Semi VOA	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
GC Semi VOA	X	Surrogate is outside control limits
Metals	B	Compound was found in the blank and sample.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

QUALITY CONTROL RESULTS

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Prep Batch: 240-106263					
240-30406-1	TRIVSB04S14	T	Solid	5035	
Prep Batch: 240-106758					
MB 240-106758/1-A	Method Blank	T	Solid	5035	
Analysis Batch:240-107052					
LCS 240-107052/5	Lab Control Sample	T	Solid	8260C	
MB 240-106758/1-A	Method Blank	T	Solid	8260C	240-106758
240-30406-1	TRIVSB04S14	T	Solid	8260C	240-106263

Report Basis

T = Total

GC/MS Semi VOA

Prep Batch: 240-106510					
LCS 240-106510/11-A	Lab Control Sample	T	Solid	3540C	
MB 240-106510/10-A	Method Blank	T	Solid	3540C	
240-30406-1	TRIVSB04S14	T	Solid	3540C	
Analysis Batch:240-106952					
LCS 240-106510/11-A	Lab Control Sample	T	Solid	8270D	240-106510
MB 240-106510/10-A	Method Blank	T	Solid	8270D	240-106510
240-30406-1	TRIVSB04S14	T	Solid	8270D	240-106510

Report Basis

T = Total

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC Semi VOA					
Prep Batch: 240-106365					
LCS 240-106365/17-A	Lab Control Sample	T	Solid	3540C	
LCSD 240-106365/18-A	Lab Control Sample Duplicate	T	Solid	3540C	
MB 240-106365/16-A	Method Blank	T	Solid	3540C	
240-30406-1	TRIVSB04S14	T	Solid	3540C	
Prep Batch: 240-106369					
LCS 240-106369/8-A	Lab Control Sample	T	Solid	3540C	
MB 240-106369/7-A	Method Blank	T	Solid	3540C	
240-30406-1	TRIVSB04S14	T	Solid	3540C	
Analysis Batch:240-106642					
PB 240-106642/3	Preparation / Extraction Blank	T	Solid	8081B	
LCS 240-106369/8-A	Lab Control Sample	T	Solid	8081B	240-106369
MB 240-106369/7-A	Method Blank	T	Solid	8081B	240-106369
240-30406-1	TRIVSB04S14	T	Solid	8081B	240-106369
Analysis Batch:240-106678					
PB 240-106678/2	Preparation / Extraction Blank	T	Solid	8082A	
LCS 240-106365/17-A	Lab Control Sample	T	Solid	8082A	240-106365
LCSD 240-106365/18-A	Lab Control Sample Duplicate	T	Solid	8082A	240-106365
MB 240-106365/16-A	Method Blank	T	Solid	8082A	240-106365
240-30406-1	TRIVSB04S14	T	Solid	8082A	240-106365

Report Basis

T = Total

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
Metals					
Prep Batch: 240-106370					
LCS 240-106370/2-A	Lab Control Sample	T	Solid	3050B	
MB 240-106370/1-A	Method Blank	T	Solid	3050B	
240-30406-1	TRIVSB04S14	T	Solid	3050B	
Analysis Batch:240-106684					
LCS 240-106370/2-A	Lab Control Sample	T	Solid	6010C	240-106370
MB 240-106370/1-A	Method Blank	T	Solid	6010C	240-106370
240-30406-1	TRIVSB04S14	T	Solid	6010C	240-106370
Prep Batch: 240-106970					
LCS 240-106970/2-A	Lab Control Sample	T	Solid	7471B	
MB 240-106970/1-A	Method Blank	T	Solid	7471B	
240-30406-1	TRIVSB04S14	T	Solid	7471B	
Analysis Batch:240-107333					
LCS 240-106970/2-A	Lab Control Sample	T	Solid	7471B	240-106970
MB 240-106970/1-A	Method Blank	T	Solid	7471B	240-106970
240-30406-1	TRIVSB04S14	T	Solid	7471B	240-106970
Report Basis					
T = Total					
General Chemistry					
Analysis Batch:240-106625					
240-30406-1	TRIVSB04S14	T	Solid	Moisture	
Report Basis					
T = Total					

Client: EnSafe, Inc.

Job Number: 240-30406-1

Surrogate Recovery Report**8260C Volatile Organic Compounds by GC/MS****Client Matrix: Solid**

Lab Sample ID	Client Sample ID	BFB %Rec	DBFM %Rec	DCA %Rec	TOL %Rec
240-30406-1	TRIVSB04S14	95	91	96	90
MB 240-106758/1-A		88	87	92	87
LCS 240-107052/5		94	91	94	89

Surrogate	Acceptance Limits
BFB = 4-Bromofluorobenzene (Surr)	52-136
DBFM = Dibromofluoromethane (Surr)	37-132
DCA = 1,2-Dichloroethane-d4 (Surr)	58-123
TOL = Toluene-d8 (Surr)	67-125

Client: EnSafe, Inc.

Job Number: 240-30406-1

Surrogate Recovery Report**8270D Semivolatile Organic Compounds (GC/MS)****Client Matrix: Solid**

Lab Sample ID	Client Sample ID	FBP %Rec	2FP %Rec	NBZ %Rec	PHL %Rec	TPH %Rec	TBP %Rec
240-30406-1	TRIVSB04S14	58	57	52	64	64	44
MB 240-106510/10-A		82	73	77	86	98	44
LCS 240-106510/11-A		81	81	80	85	91	70

Surrogate	Acceptance Limits
FBP = 2-Fluorobiphenyl (Surr)	24-110
2FP = 2-Fluorophenol (Surr)	24-110
NBZ = Nitrobenzene-d5 (Surr)	20-110
PHL = Phenol-d5 (Surr)	26-110
TPH = Terphenyl-d14 (Surr)	36-110
TBP = 2,4,6-Tribromophenol (Surr)	10-110

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Surrogate Recovery Report

8081B Organochlorine Pesticides (GC)

Client Matrix: Solid

Lab Sample ID	Client Sample ID	DCB1 %Rec	DCB2 %Rec	TCX1 %Rec	TCX2 %Rec
240-30406-1	TRIVSB04S14	109	111	100	122
MB 240-106369/7-A		106	105	126	260X
LCS 240-106369/8-A		107	111	97	99

Surrogate	Acceptance Limits
DCB = DCB Decachlorobiphenyl	41-157
TCX = Tetrachloro-m-xylene	40-149

Client: EnSafe, Inc.

Job Number: 240-30406-1

Surrogate Recovery Report

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Client Matrix: Solid

Lab Sample ID	Client Sample ID	DCB1 %Rec	DCB2 %Rec	TCX1 %Rec	TCX2 %Rec
240-30406-1	TRIVSB04S14	85	99	92	100
MB 240-106365/16-A		83	94	146	105
LCS 240-106365/17-A		94	106	180X	108
LCSD 240-106365/18-A		97	108	146	101

Surrogate	Acceptance Limits
DCB = DCB Decachlorobiphenyl	14-163
TCX = Tetrachloro-m-xylene	29-151

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Method Blank - Batch: 240-106758

Method: 8260C Preparation: 5035

Lab Sample ID: MB 240-106758/1-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/25/2013 0357
Prep Date: 10/23/2013 1023
Leach Date: N/A

Analysis Batch: 240-107052
Prep Batch: 240-106758
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A3UX8
Lab File ID: UX88257.D
Initial Weight/Volume: 5.00 g
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Acetone	ND		6.3	20
Benzene	ND		0.23	5.0
Bromoform	ND		0.33	5.0
Bromomethane	ND		0.54	5.0
2-Butanone (MEK)	ND		1.4	20
Carbon disulfide	ND		0.44	5.0
Carbon tetrachloride	ND		0.37	5.0
Chlorobenzene	ND		0.33	5.0
Chlorodibromomethane	ND		0.55	5.0
Chloroethane	ND		0.86	5.0
Chloroform	ND		0.29	5.0
Chloromethane	ND		0.41	5.0
cis-1,2-Dichloroethene	ND		0.36	5.0
cis-1,3-Dichloropropene	ND		0.34	5.0
1,2-Dibromo-3-Chloropropane	ND		1.3	10
1,2-Dichlorobenzene	ND		0.36	5.0
1,3-Dichlorobenzene	ND		0.35	5.0
1,4-Dichlorobenzene	ND		0.66	5.0
Dichlorobromomethane	ND		0.28	5.0
Dichlorodifluoromethane	ND		0.50	5.0
1,1-Dichloroethane	ND		0.36	5.0
1,2-Dichloroethane	ND		0.34	5.0
1,1-Dichloroethene	ND		0.52	5.0
1,2-Dichloropropane	ND		0.69	5.0
Ethylbenzene	ND		0.26	5.0
Ethylene Dibromide	ND		0.50	5.0
2-Hexanone	ND		0.63	20
Isopropylbenzene	ND		0.16	5.0
Methylene Chloride	2.86	J	0.67	5.0
4-Methyl-2-pentanone (MIBK)	ND		0.54	20
Methyl tert-butyl ether	ND		0.43	5.0
m-Xylene & p-Xylene	ND		1.2	10
o-Xylene	ND		0.35	5.0
Styrene	ND		0.15	5.0
1,1,2,2-Tetrachloroethane	ND		0.34	5.0
Tetrachloroethene	ND		0.52	5.0
Toluene	ND		0.27	5.0
trans-1,2-Dichloroethene	ND		0.41	5.0
trans-1,3-Dichloropropene	ND		0.54	5.0
1,2,4-Trichlorobenzene	ND		0.27	5.0
1,1,1-Trichloroethane	ND		0.56	5.0
1,1,2-Trichloroethane	ND		0.39	5.0
Trichloroethene	ND		0.42	5.0
Trichlorofluoromethane	ND		0.34	5.0
Vinyl chloride	ND		0.39	5.0

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Method Blank - Batch: 240-106758

Method: 8260C Preparation: 5035

Lab Sample ID: MB 240-106758/1-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/25/2013 0357
Prep Date: 10/23/2013 1023
Leach Date: N/A

Analysis Batch: 240-107052
Prep Batch: 240-106758
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A3UX8
Lab File ID: UX88257.D
Initial Weight/Volume: 5.00 g
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Xylenes, Total	ND		0.35	10
Surrogate	% Rec	Acceptance Limits		
4-Bromofluorobenzene (Surr)	88	52 - 136		
Dibromofluoromethane (Surr)	87	37 - 132		
1,2-Dichloroethane-d4 (Surr)	92	58 - 123		
Toluene-d8 (Surr)	87	67 - 125		

Method Blank TICs- Batch: 240-106758

Cas Number	Analyte	RT	Est. Result (ug/K)	Qual
	Tentatively Identified Compound		None	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Lab Control Sample - Batch: 240-107052

Method: 8260C
Preparation: N/A

Lab Sample ID:	LCS 240-107052/5	Analysis Batch:	240-107052	Instrument ID:	A3UX8
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	UX88255.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 g
Analysis Date:	10/25/2013 0311	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Acetone	100	115	115	41 - 137	
Benzene	50.0	48.9	98	79 - 112	
Bromoform	50.0	59.1	118	62 - 133	
Bromomethane	50.0	45.7	91	42 - 136	
2-Butanone (MEK)	100	112	112	52 - 131	
Carbon disulfide	50.0	49.3	99	62 - 146	
Carbon tetrachloride	50.0	51.1	102	71 - 129	
Chlorobenzene	50.0	47.7	95	78 - 110	
Chlorodibromomethane	50.0	55.2	110	72 - 127	
Chloroethane	50.0	42.9	86	58 - 117	
Chloroform	50.0	49.5	99	77 - 114	
Chloromethane	50.0	42.6	85	50 - 110	
cis-1,2-Dichloroethene	50.0	49.8	100	76 - 113	
cis-1,3-Dichloropropene	50.0	57.2	114	74 - 128	
1,2-Dibromo-3-Chloropropane	50.0	49.2	98	61 - 132	
1,2-Dichlorobenzene	50.0	48.2	96	76 - 110	
1,3-Dichlorobenzene	50.0	47.2	94	78 - 111	
1,4-Dichlorobenzene	50.0	46.7	93	75 - 110	
Dichlorobromomethane	50.0	53.8	108	84 - 122	
Dichlorodifluoromethane	50.0	41.7	83	26 - 113	
1,1-Dichloroethane	50.0	48.2	96	76 - 115	
1,2-Dichloroethane	50.0	50.8	102	72 - 120	
1,1-Dichloroethene	50.0	45.0	90	75 - 135	
1,2-Dichloropropane	50.0	51.1	102	87 - 113	
Ethylbenzene	50.0	48.5	97	79 - 117	
Ethylene Dibromide	50.0	52.8	106	83 - 117	
2-Hexanone	100	119	119	64 - 136	
Isopropylbenzene	50.0	48.9	98	76 - 122	
Methylene Chloride	50.0	48.4	97	75 - 118	
4-Methyl-2-pentanone (MIBK)	100	122	122	67 - 135	
Methyl tert-butyl ether	50.0	54.9	110	49 - 165	
m-Xylene & p-Xylene	50.0	49.2	98	80 - 117	
o-Xylene	50.0	51.7	103	80 - 120	
Styrene	50.0	52.1	104	87 - 117	
1,1,2,2-Tetrachloroethane	50.0	52.0	104	77 - 123	
Tetrachloroethene	50.0	47.3	95	79 - 114	
Toluene	50.0	47.7	95	75 - 111	
trans-1,2-Dichloroethene	50.0	48.7	97	78 - 117	
trans-1,3-Dichloropropene	50.0	61.4	123	73 - 131	
1,2,4-Trichlorobenzene	50.0	48.7	97	64 - 124	
1,1,1-Trichloroethane	50.0	47.8	96	77 - 126	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Lab Control Sample - Batch: 240-107052

Method: 8260C
Preparation: N/A

Lab Sample ID: LCS 240-107052/5
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/25/2013 0311
Prep Date: N/A
Leach Date: N/A

Analysis Batch: 240-107052
Prep Batch: N/A
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A3UX8
Lab File ID: UX88255.D
Initial Weight/Volume: 5 g
Final Weight/Volume: 5 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
1,1,2-Trichloroethane	50.0	49.9	100	83 - 112	
Trichloroethene	50.0	49.4	99	79 - 113	
Trichlorofluoromethane	50.0	44.3	89	57 - 146	
Vinyl chloride	50.0	43.5	87	57 - 114	
Xylenes, Total	100	101	101	80 - 118	
Surrogate	% Rec		Acceptance Limits		
4-Bromofluorobenzene (Surr)	94		52 - 136		
Dibromofluoromethane (Surr)	91		37 - 132		
1,2-Dichloroethane-d4 (Surr)	94		58 - 123		
Toluene-d8 (Surr)	89		67 - 125		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Method Blank - Batch: 240-106510

Method: 8270D Preparation: 3540C

Lab Sample ID: MB 240-106510/10-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/24/2013 1129
Prep Date: 10/22/2013 0804
Leach Date: N/A

Analysis Batch: 240-106952
Prep Batch: 240-106510
Leach Batch: N/A
Units: ug/Kg

Instrument ID: A4HP9
Lab File ID: 31024003.D
Initial Weight/Volume: 30.00 g
Final Weight/Volume: 2 mL
Injection Volume: 1 uL

Analyte	Result	Qual	MDL	RL
Acenaphthene	ND		0.76	6.7
Acenaphthylene	ND		0.35	6.7
Acetophenone	ND		9.2	100
Anthracene	ND		0.78	6.7
Benzo[a]anthracene	ND		0.63	6.7
Benzo[a]pyrene	ND		0.64	6.7
Benzo[b]fluoranthene	ND		0.59	6.7
Benzo[g,h,i]perylene	ND		0.35	6.7
Benzo[k]fluoranthene	ND		0.68	6.7
Bis(2-chloroethoxy)methane	ND		22	100
Bis(2-chloroethyl)ether	ND		2.0	100
bis (2-chloroisopropyl) ether	ND		9.5	100
Bis(2-ethylhexyl) phthalate	ND		19	70
4-Bromophenyl phenyl ether	ND		13	50
Butyl benzyl phthalate	ND		10	70
Carbazole	ND		27	50
4-Chloroaniline	ND		17	150
4-Chloro-3-methylphenol	ND		21	150
2-Chlorophenol	ND		8.2	50
4-Chlorophenyl phenyl ether	ND		13	50
Chrysene	ND		1.1	6.7
Dibenz(a,h)anthracene	ND		0.66	6.7
Dibenzofuran	ND		0.66	50
3,3'-Dichlorobenzidine	ND		18	100
2,4-Dichlorophenol	ND		20	150
Diethyl phthalate	ND		16	70
2,4-Dimethylphenol	ND		20	150
Dimethyl phthalate	ND		17	70
Di-n-butyl phthalate	ND		15	70
4,6-Dinitro-2-methylphenol	ND		9.2	150
2,4-Dinitrophenol	ND		21	330
2,4-Dinitrotoluene	ND		17	200
2,6-Dinitrotoluene	ND		21	200
Di-n-octyl phthalate	ND		7.9	70
Fluoranthene	ND		0.55	6.7
Fluorene	ND		0.53	6.7
Hexachlorobenzene	ND		2.1	6.7
Hexachlorobutadiene	ND		5.6	50
Hexachlorocyclopentadiene	ND		8.1	330
Hexachloroethane	ND		9.0	50
Indeno[1,2,3-cd]pyrene	ND		0.35	6.7
Isophorone	ND		13	50
2-Methylnaphthalene	ND		0.50	6.7
2-Methylphenol	ND		11	200
3 & 4 Methylphenol	ND		20	400

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Method Blank - Batch: 240-106510

Method: 8270D

Preparation: 3540C

Lab Sample ID: MB 240-106510/10-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 10/24/2013 1129
 Prep Date: 10/22/2013 0804
 Leach Date: N/A

Analysis Batch: 240-106952
 Prep Batch: 240-106510
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A4HP9
 Lab File ID: 31024003.D
 Initial Weight/Volume: 30.00 g
 Final Weight/Volume: 2 mL
 Injection Volume: 1 uL

Analyte	Result	Qual	MDL	RL
Naphthalene	ND		0.82	6.7
2-Nitroaniline	ND		9.1	200
3-Nitroaniline	ND		16	200
4-Nitroaniline	ND		26	200
Nitrobenzene	ND		2.2	100
2-Nitrophenol	ND		8.3	50
4-Nitrophenol	ND		17	330
N-Nitrosodi-n-propylamine	ND		6.3	50
N-Nitrosodiphenylamine	ND		21	50
Pentachlorophenol	ND		9.1	150
Phenanthrene	ND		0.73	6.7
Phenol	ND		7.3	50
Pyrene	ND		0.44	6.7
2,4,5-Trichlorophenol	ND		25	150
2,4,6-Trichlorophenol	ND		8.9	150

Surrogate	% Rec	Acceptance Limits
2-Fluorobiphenyl (Surr)	82	24 - 110
2-Fluorophenol (Surr)	73	24 - 110
Nitrobenzene-d5 (Surr)	77	20 - 110
Phenol-d5 (Surr)	86	26 - 110
Terphenyl-d14 (Surr)	98	36 - 110
2,4,6-Tribromophenol (Surr)	44	10 - 110

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Lab Control Sample - Batch: 240-106510

Method: 8270D

Preparation: 3540C

Lab Sample ID: LCS 240-106510/11-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 10/24/2013 1154
 Prep Date: 10/22/2013 0804
 Leach Date: N/A

Analysis Batch: 240-106952
 Prep Batch: 240-106510
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A4HP9
 Lab File ID: 31024004.D
 Initial Weight/Volume: 30.00 g
 Final Weight/Volume: 2 mL
 Injection Volume: 1 uL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Acenaphthene	667	501	75	38 - 110	
Acenaphthylene	667	468	70	40 - 110	
Acetophenone	667	455	68	40 - 110	
Anthracene	667	502	75	48 - 110	
Benzo[a]anthracene	667	510	76	50 - 110	
Benzo[a]pyrene	667	508	76	44 - 110	
Benzo[b]fluoranthene	667	521	78	43 - 110	
Benzo[g,h,i]perylene	667	523	78	51 - 110	
Benzo[k]fluoranthene	667	535	80	38 - 105	
Bis(2-chloroethoxy)methane	667	514	77	32 - 110	
Bis(2-chloroethyl)ether	667	529	79	34 - 110	
bis (2-chloroisopropyl) ether	667	538	81	29 - 110	
Bis(2-ethylhexyl) phthalate	667	565	85	50 - 110	
4-Bromophenyl phenyl ether	667	494	74	39 - 110	
Butyl benzyl phthalate	667	556	83	51 - 110	
Carbazole	667	568	85	50 - 110	
4-Chloroaniline	667	386	58	30 - 110	
4-Chloro-3-methylphenol	667	495	74	48 - 110	
2-Chlorophenol	667	505	76	37 - 110	
4-Chlorophenyl phenyl ether	667	494	74	40 - 110	
Chrysene	667	509	76	50 - 110	
Dibenz(a,h)anthracene	667	513	77	51 - 110	
Dibenzofuran	667	489	73	43 - 110	
3,3'-Dichlorobenzidine	1330	865	65	28 - 110	
2,4-Dichlorophenol	667	485	73	39 - 110	
Diethyl phthalate	667	510	77	52 - 110	
2,4-Dimethylphenol	667	358	54	29 - 110	
Dimethyl phthalate	667	509	76	50 - 110	
Di-n-butyl phthalate	667	598	90	51 - 110	
4,6-Dinitro-2-methylphenol	1330	875	66	10 - 110	
2,4-Dinitrophenol	1330	516	39	10 - 110	
2,4-Dinitrotoluene	667	535	80	48 - 110	
2,6-Dinitrotoluene	667	504	76	45 - 110	
Di-n-octyl phthalate	667	543	81	48 - 110	
Fluoranthene	667	555	83	51 - 110	
Fluorene	667	489	73	46 - 110	
Hexachlorobenzene	667	505	76	43 - 110	
Hexachlorobutadiene	667	440	66	29 - 110	
Hexachlorocyclopentadiene	667	362	54	12 - 110	
Hexachloroethane	667	490	73	30 - 110	
Indeno[1,2,3-cd]pyrene	667	525	79	50 - 110	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Lab Control Sample - Batch: 240-106510

Method: 8270D

Preparation: 3540C

Lab Sample ID: LCS 240-106510/11-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 10/24/2013 1154
 Prep Date: 10/22/2013 0804
 Leach Date: N/A

Analysis Batch: 240-106952
 Prep Batch: 240-106510
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A4HP9
 Lab File ID: 31024004.D
 Initial Weight/Volume: 30.00 g
 Final Weight/Volume: 2 mL
 Injection Volume: 1 uL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Isophorone	667	464	70	36 - 110	
2-Methylnaphthalene	667	476	71	36 - 110	
2-Methylphenol	667	479	72	41 - 110	
3 & 4 Methylphenol	667	500	75	40 - 110	
Naphthalene	667	476	71	36 - 110	
2-Nitroaniline	667	527	79	45 - 110	
3-Nitroaniline	667	472	71	44 - 110	
4-Nitroaniline	667	532	80	48 - 110	
Nitrobenzene	667	505	76	32 - 110	
2-Nitrophenol	667	511	77	34 - 110	
4-Nitrophenol	1330	1060	80	28 - 110	
N-Nitrosodi-n-propylamine	667	524	79	38 - 110	
N-Nitrosodiphenylamine	1330	1020	77	46 - 110	
Pentachlorophenol	1330	767	57	10 - 110	
Phenanthrene	667	499	75	49 - 110	
Phenol	667	541	81	38 - 110	
Pyrene	667	545	82	49 - 110	
2,4,5-Trichlorophenol	667	476	71	25 - 110	
2,4,6-Trichlorophenol	667	489	73	12 - 110	

Surrogate	% Rec	Acceptance Limits
2-Fluorobiphenyl (Surr)	81	24 - 110
2-Fluorophenol (Surr)	81	24 - 110
Nitrobenzene-d5 (Surr)	80	20 - 110
Phenol-d5 (Surr)	85	26 - 110
Terphenyl-d14 (Surr)	91	36 - 110
2,4,6-Tribromophenol (Surr)	70	10 - 110

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Method Blank - Batch: 240-106369

Method: 8081B

Preparation: 3540C

Lab Sample ID: MB 240-106369/7-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 10/23/2013 1757
 Prep Date: 10/21/2013 1023
 Leach Date: N/A

Analysis Batch: 240-106642
 Prep Batch: 240-106369
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A2HP3
 Lab File ID: P3102345.D
 Initial Weight/Volume: 30.00 g
 Final Weight/Volume: 10 mL
 Injection Volume: 1 uL
 Column ID: PRIMARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		1.2	1.7
alpha-BHC	ND		0.73	1.7
alpha-Chlordane	ND		0.94	1.7
beta-BHC	ND		1.1	1.7
4,4'-DDD	ND		0.62	1.7
4,4'-DDE	ND		0.39	1.7
4,4'-DDT	ND		0.63	1.7
delta-BHC	ND		1.2	1.7
Dieldrin	ND		0.47	1.7
Endosulfan I	ND		0.52	1.7
Endosulfan II	ND		0.82	1.7
Endosulfan sulfate	ND		0.87	1.7
Endrin	ND		0.50	1.7
Endrin aldehyde	ND		1.0	1.7
Endrin ketone	ND		0.63	1.7
gamma-BHC (Lindane)	ND		0.74	1.7
gamma-Chlordane	ND		0.42	1.7
Heptachlor	ND		1.1	1.7
Heptachlor epoxide	ND		0.80	1.7
Methoxychlor	ND		1.5	3.3
Toxaphene	ND		19	67

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	105	41 - 157
Tetrachloro-m-xylene	126	40 - 149

Surrogate	% Rec		Acceptance Limits
DCB Decachlorobiphenyl	106		41 - 157
Tetrachloro-m-xylene	260	X	40 - 149

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Lab Control Sample - Batch: 240-106369

Method: 8081B

Preparation: 3540C

Lab Sample ID: LCS 240-106369/8-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 10/23/2013 1534
 Prep Date: 10/21/2013 1023
 Leach Date: N/A

Analysis Batch: 240-106642
 Prep Batch: 240-106369
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A2HP3
 Lab File ID: P3102338.D
 Initial Weight/Volume: 30.00 g
 Final Weight/Volume: 10 mL
 Injection Volume: 1 uL
 Column ID: PRIMARY

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Aldrin	33.3	44.1	132	40 - 145	
alpha-BHC	33.3	47.0	141	50 - 153	
alpha-Chlordane	33.3	43.1	129	42 - 150	
beta-BHC	33.3	40.7	122	43 - 153	
4,4'-DDD	33.3	47.0	141	53 - 160	
4,4'-DDE	33.3	46.1	138	46 - 143	
4,4'-DDT	33.3	40.7	122	40 - 157	
delta-BHC	33.3	43.3	130	54 - 152	
Dieldrin	33.3	42.7	128	51 - 154	
Endosulfan I	33.3	30.2	91	40 - 148	
Endosulfan II	33.3	27.1	81	42 - 137	
Endosulfan sulfate	33.3	45.3	136	50 - 153	
Endrin	33.3	44.2	133	55 - 147	
Endrin aldehyde	33.3	38.6	116	43 - 158	
Endrin ketone	33.3	34.1	102	41 - 142	
gamma-BHC (Lindane)	33.3	43.7	131	44 - 160	
gamma-Chlordane	33.3	43.0	129	47 - 156	
Heptachlor	33.3	30.0	90	47 - 137	
Heptachlor epoxide	33.3	44.4	133	53 - 153	
Methoxychlor	33.3	37.8	113	40 - 152	

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	111	41 - 157
Tetrachloro-m-xylene	99	40 - 149

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	107	41 - 157
Tetrachloro-m-xylene	97	40 - 149

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Preparation / Extraction Blank - Batch: 240-106642

Method: 8081B

Preparation: N/A

Lab Sample ID:	PB 240-106642/3	Analysis Batch:	240-106642	Instrument ID:	A2HP3
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	P3102303.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	10/23/2013 0340	Units:	ug/Kg	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	PRIMARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		3.6	5.1
alpha-BHC	ND		2.2	5.1
alpha-Chlordane	ND		2.8	5.1
beta-BHC	ND		3.3	5.1
4,4'-DDD	ND		1.9	5.1
4,4'-DDE	ND		1.2	5.1
4,4'-DDT	ND		1.9	5.1
delta-BHC	ND		3.6	5.1
Dieldrin	ND		1.4	5.1
Endosulfan I	ND		1.6	5.1
Endosulfan II	ND		2.5	5.1
Endosulfan sulfate	ND		2.6	5.1
Endrin	ND		1.5	5.1
Endrin aldehyde	ND		3.0	5.1
Endrin ketone	ND		1.9	5.1
gamma-BHC (Lindane)	ND		2.2	5.1
gamma-Chlordane	ND		1.3	5.1
Heptachlor	ND		3.3	5.1
Heptachlor epoxide	ND		2.4	5.1
Methoxychlor	ND		4.5	9.9
Toxaphene	ND		57	200
Surrogate	% Rec		Acceptance Limits	
DCB Decachlorobiphenyl				
Tetrachloro-m-xylene				

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Preparation / Extraction Blank - Batch: 240-106642

Method: 8081B

Preparation: N/A

Lab Sample ID:	PB 240-106642/3	Analysis Batch:	240-106642	Instrument ID:	A2HP3
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	P3102303.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	10/23/2013 0340	Units:	ug/Kg	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	SECONDARY

Analyte	Result	Qual	MDL	RL
Aldrin	ND		3.6	5.1
alpha-BHC	ND		2.2	5.1
alpha-Chlordane	ND		2.8	5.1
beta-BHC	ND		3.3	5.1
4,4'-DDD	ND		1.9	5.1
4,4'-DDE	ND		1.2	5.1
4,4'-DDT	ND		1.9	5.1
delta-BHC	ND		3.6	5.1
Dieldrin	ND		1.4	5.1
Endosulfan I	ND		1.6	5.1
Endosulfan II	ND		2.5	5.1
Endosulfan sulfate	ND		2.6	5.1
Endrin	ND		1.5	5.1
Endrin aldehyde	ND		3.0	5.1
Endrin ketone	ND		1.9	5.1
gamma-BHC (Lindane)	ND		2.2	5.1
gamma-Chlordane	ND		1.3	5.1
Heptachlor	ND		3.3	5.1
Heptachlor epoxide	ND		2.4	5.1
Methoxychlor	ND		4.5	9.9
Toxaphene	ND		57	200
Surrogate	% Rec		Acceptance Limits	
DCB Decachlorobiphenyl				
Tetrachloro-m-xylene				

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Method Blank - Batch: 240-106365

Method: 8082A

Preparation: 3540C

Lab Sample ID: MB 240-106365/16-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 10/23/2013 0727
 Prep Date: 10/21/2013 1018
 Leach Date: N/A

Analysis Batch: 240-106678
 Prep Batch: 240-106365
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: A2HP10
 Lab File ID: P1000019.D
 Initial Weight/Volume: 30.00 g
 Final Weight/Volume: 10 mL
 Injection Volume: 1 uL
 Column ID: PRIMARY

Analyte	Result	Qual	MDL	RL
Aroclor-1016	ND		21	33
Aroclor-1221	ND		16	33
Aroclor-1232	ND		14	33
Aroclor-1242	ND		13	33
Aroclor-1248	ND		17	33
Aroclor-1254	ND		17	33
Aroclor-1260	ND		17	33
Aroclor-1262	ND		27	33
Aroclor-1268	ND		14	33

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	83	14 - 163
Tetrachloro-m-xylene	146	29 - 151

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	94	14 - 163
Tetrachloro-m-xylene	105	29 - 151

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 240-106365**

**Method: 8082A
Preparation: 3540C**

LCS Lab Sample ID:	LCS 240-106365/17-A	Analysis Batch:	240-106678	Instrument ID:	A2HP10
Client Matrix:	Solid	Prep Batch:	240-106365	Lab File ID:	P1000028.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	30.00 g
Analysis Date:	10/23/2013 0943	Units:	ug/Kg	Final Weight/Volume:	10 mL
Prep Date:	10/21/2013 1018			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	PRIMARY

LCSD Lab Sample ID:	LCSD 240-106365/18-A	Analysis Batch:	240-106678	Instrument ID:	A2HP10
Client Matrix:	Solid	Prep Batch:	240-106365	Lab File ID:	P1000029.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	30.00 g
Analysis Date:	10/23/2013 0958	Units:	ug/Kg	Final Weight/Volume:	10 mL
Prep Date:	10/21/2013 1018			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	PRIMARY

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Aroclor-1016	85	84	62 - 120	1	30		
Aroclor-1260	87	89	56 - 122	2	30		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
DCB Decachlorobiphenyl	94		97		14 - 163		
Tetrachloro-m-xylene	180	X	146		29 - 151		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
DCB Decachlorobiphenyl	106		108		14 - 163		
Tetrachloro-m-xylene	108		101		29 - 151		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Preparation / Extraction Blank - Batch: 240-106678

Method: 8082A
Preparation: N/A

Lab Sample ID:	PB 240-106678/2	Analysis Batch:	240-106678	Instrument ID:	A2HP10
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	P1000002.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	10/23/2013 0309	Units:	ug/Kg	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	PRIMARY

Analyte	Result	Qual	MDL	RL
Aroclor-1016	ND		63	99
Aroclor-1221	ND		48	99
Aroclor-1232	ND		42	99
Aroclor-1242	ND		39	99
Aroclor-1248	ND		51	99
Aroclor-1254	ND		51	99
Aroclor-1260	ND		51	99
Aroclor-1262	ND		81	99
Aroclor-1268	ND		42	99

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl		
Tetrachloro-m-xylene		

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl		
Tetrachloro-m-xylene		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Method Blank - Batch: 240-106370

Method: 6010C

Preparation: 3050B

Lab Sample ID: MB 240-106370/1-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/22/2013 1146
Prep Date: 10/21/2013 1027
Leach Date: N/A

Analysis Batch: 240-106684
Prep Batch: 240-106370
Leach Batch: N/A
Units: mg/Kg

Instrument ID: I9
Lab File ID: I9102213A.asc
Initial Weight/Volume: 1.00 g
Final Weight/Volume: 100 mL

Analyte	Result	Qual	MDL	RL
Arsenic	ND		0.30	1.5
Barium	0.122	J	0.071	20
Cadmium	ND		0.036	0.50
Chromium	ND		0.20	1.0
Lead	ND		0.19	1.0
Selenium	ND		0.45	2.0
Silver	ND		0.10	1.0

Lab Control Sample - Batch: 240-106370

Method: 6010C

Preparation: 3050B

Lab Sample ID: LCS 240-106370/2-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/22/2013 1150
Prep Date: 10/21/2013 1027
Leach Date: N/A

Analysis Batch: 240-106684
Prep Batch: 240-106370
Leach Batch: N/A
Units: mg/Kg

Instrument ID: I9
Lab File ID: I9102213A.asc
Initial Weight/Volume: 1.00 g
Final Weight/Volume: 100 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Arsenic	200	196	98	80 - 120	
Barium	200	191	95	80 - 120	
Cadmium	5.00	4.90	98	80 - 120	
Chromium	20.0	19.3	96	80 - 120	
Lead	50.0	47.2	94	80 - 120	
Selenium	200	192	96	80 - 120	
Silver	5.00	4.90	98	80 - 120	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30406-1

Method Blank - Batch: 240-106970

Method: 7471B

Preparation: 7471B

Lab Sample ID: MB 240-106970/1-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/25/2013 1645
Prep Date: 10/24/2013 1440
Leach Date: N/A

Analysis Batch: 240-107333
Prep Batch: 240-106970
Leach Batch: N/A
Units: mg/Kg

Instrument ID: H4
Lab File ID: 102513A-HG4.PRN
Initial Weight/Volume: 0.60 g
Final Weight/Volume: 100 mL

Analyte	Result	Qual	MDL	RL
Mercury	ND		0.015	0.10

Lab Control Sample - Batch: 240-106970

Method: 7471B

Preparation: 7471B

Lab Sample ID: LCS 240-106970/2-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 10/25/2013 1647
Prep Date: 10/24/2013 1440
Leach Date: N/A

Analysis Batch: 240-107333
Prep Batch: 240-106970
Leach Batch: N/A
Units: mg/Kg

Instrument ID: H4
Lab File ID: 102513A-HG4.PRN
Initial Weight/Volume: 0.60 g
Final Weight/Volume: 100 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Mercury	0.833	0.974	117	80 - 120	




TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

CHAIN OF CUSTODY AND RECEIVING DOCUMENTS



240-30406 Chain of Custody

TestAmerica Canton Sample Receipt Form/Narrative
Canton Facility

Login # : 30406

Client ENSAFE INC. Site Name CARDIFF Cooler unpacked by [Signature]
Cooler Received on 18OCT13 Opened on 18OCT13
FedEx: 1st Grd Exp LPS FAS Stetson Client Drop Off TestAmerica Courier Other _____
TestAmerica Cooler # CL1008 Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt

IR GUN# A (CF +2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN# 4 (CF +1 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN# 5 (CF +2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C
IR GUN# 8 (CF -0 °C) Observed Cooler Temp. 3.2 °C Corrected Cooler Temp. 3.2 °C

☐ See Multiple Cooler Form

2. Were custody seals on the outside of the cooler(s)? If Yes Quantity _____

-Were custody seals on the outside of the cooler(s) signed & dated? Yes No NA
-Were custody seals on the bottle(s)? Yes No

3. Shippers' packing slip attached to the cooler(s)?

Yes No

4. Did custody papers accompany the sample(s)?

Yes No

5. Were the custody papers relinquished & signed in the appropriate place?

Yes No

6. Did all bottles arrive in good condition (Unbroken)?

Yes No

7. Could all bottle labels be reconciled with the COC?

Yes No

8. Were correct bottle(s) used for the test(s) indicated?

Yes No

9. Sufficient quantity received to perform indicated analyses?

Yes No

10. Were sample(s) at the correct pH upon receipt?

Yes No

11. Were VOAs on the COC?

Yes No

12. Were air bubbles >6 mm in any VOA vials?

Yes No

13. Was a trip blank present in the cooler(s)?

Yes No

pH Strip Lot# HC376062

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
Concerning _____

14. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by: [Signature]

15. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

16. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

ANALYTICAL REPORT

Job Number: 240-30670-1

Job Description: Former TR-1 Sub-Slab Investigation


For:

EnSafe, Inc.

220 Athens Way, Plaza 1, Suite 410

Nashville, TN 37228

Attention: Ms. May Heflin



Approved for release.
Amy L. McCormick
Project Manager II
11/18/2013 2:29 PM

Amy L. McCormick, Project Manager II
4101 Shuffel Street NW, North Canton, OH, 44720
(330)966-9787
amy.mccormick@testamericainc.com
11/18/2013

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of TestAmerica and its client. All questions regarding this report should be directed to the TestAmerica Project Manager who has signed this report.

CASE NARRATIVE

Client: EnSafe, Inc.

Project: Former TR-1 Sub-Slab Investigation

Report Number: 240-30670-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Aroclor-1262 and Aroclor-1268 are not included in our New York certification.

TestAmerica Canton attests to the validity of the laboratory data generated by TestAmerica facilities reported herein. All analyses performed by TestAmerica facilities were done using established laboratory SOPs that incorporate QA/QC procedures described in the application methods. TestAmerica's operations groups have reviewed the data for compliance with the laboratory QA/QC plan, and data have been found to be compliant with laboratory protocols unless otherwise noted below.

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

This laboratory report is confidential and is intended for the sole use of TestAmerica and its client.

RECEIPT

The samples were received on 10/25/2013; the samples arrived in good condition, properly preserved and on ice. The temperatures of the coolers at receipt were 1.0, 1.8, 2.0, 2.1, 2.8 and 3.0 C.

VOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TR1VMW23G20131023 (240-30670-1), TR1VMW24G20131023 (240-30670-2), CARMW28G20131023 (240-30670-3), CARMW34G20131024 (240-30670-4), CARMW26G20131024 (240-30670-5), CARMW37G20131024 (240-30670-6), CARMW27G20131024 (240-30670-7), CARMW39G20131024 (240-30670-8) and CARSSIPZ04G20131024 (240-30670-9) were analyzed for volatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8260C. The samples were analyzed on 11/06/2013.

Samples TR1VMW23G20131023 (240-30670-1)[200X], TR1VMW24G20131023 (240-30670-2)[100X], CARMW37G20131024 (240-30670-6)[833.33X], CARMW27G20131024 (240-30670-7)[1.67X], CARMW39G20131024 (240-30670-8)[5X] and CARSSIPZ04G20131024 (240-30670-9)[8X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

Acetone was detected in method blank MB 240-108601/6 at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged.

The laboratory control sample for batch 108601 recovered outside control limits for multiple analytes. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

The laboratory control sample for batch 108601 recovered outside control limits for Acetone. This has been identified as a poor performing analyte when analyzed using this method; therefore, re-extraction/re-analysis was not performed.

The continuing calibration verification (CCV) for analytical batch 108601 exceeded control criteria for multiple compounds. The samples associated with this CCV were non-detects for the affected analytes. In accordance with the laboratory SOP, a low level CCV at the reporting limit (labeled as an MRL) was analyzed and the affected compounds were detected; therefore the data has been reported. No further corrective action was required.

No other difficulties were encountered during the VOCs analysis.

All other quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GCMS)

Samples TR1VMW23G20131023 (240-30670-1), TR1VMW24G20131023 (240-30670-2), CARMW28G20131023 (240-30670-3), CARMW34G20131024 (240-30670-4), CARMW26G20131024 (240-30670-5), CARMW37G20131024 (240-30670-6), CARMW27G20131024 (240-30670-7), CARMW39G20131024 (240-30670-8) and CARSSIPZ04G20131024 (240-30670-9) were analyzed for semivolatile organic compounds (GCMS) in accordance with EPA SW-846 Method 8270D. The samples were prepared on 10/29/2013 and 10/31/2013 and analyzed on 10/31/2013, 11/04/2013 and 11/09/2013.

Surrogates are added during the extraction process prior to dilution. When the sample is diluted, surrogate recoveries are diluted out and no corrective action is required.

Samples CARMW28G20131023 (240-30670-3)[4X], CARMW34G20131024 (240-30670-4)[5X] and CARSSIPZ04G20131024 (240-30670-9)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

Bis(2-ethylhexyl) phthalate was detected in method blanks MB 240-107496/23-A and MB 240-107842/23-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged.

Method(s) 8270D: The following sample(s) was diluted due to the nature of the sample matrix: CARMW34G20131024 (240-30670-4). Elevated reporting limits (RLs) are provided.

The limit of detection verification (LODV) present in analytical batch 108197 is necessary to confirm the non-detect in the prep blank 107496.

No other difficulties were encountered during the SVOCs analysis.

All other quality control parameters were within the acceptance limits.

CHLORINATED PESTICIDES

Samples TR1VMW23G20131023 (240-30670-1), TR1VMW24G20131023 (240-30670-2), CARMW28G20131023 (240-30670-3), CARMW34G20131024 (240-30670-4), CARMW26G20131024 (240-30670-5), CARMW37G20131024 (240-30670-6), CARMW27G20131024 (240-30670-7), CARMW39G20131024 (240-30670-8) and CARSSIPZ04G20131024 (240-30670-9) were analyzed for chlorinated pesticides in accordance with EPA SW-846 Method 8081B. The samples were prepared on 10/28/2013 and analyzed on 11/04/2013 and 11/09/2013.

Surrogates are added during the extraction process prior to dilution. When the sample dilution is 5X or greater, surrogate recoveries are diluted out and no corrective action is required.

Sample CARSSIPZ04G20131024 (240-30670-9)[5X] required dilution prior to analysis due to the color of the extract. The reporting limits have been adjusted accordingly.

Decachlorobiphenyl failed the surrogate recovery criteria low for CARMW34G20131024 (240-30670-4).

The laboratory control sample (LCS) for batch 107322 recovered outside control limits for Endrin, Methoxychlor, Heptachlor, and 4,4-DDT. These analytes were biased high in the LCS and were not detected in samples CARMW27G20131024 (240-30670-7), CARMW28G20131023 (240-30670-3), CARMW34G20131024 (240-30670-4), CARMW37G20131024 (240-30670-6), CARMW39G20131024 (240-30670-8), TR1VMW23G20131023 (240-30670-1), and TR1VMW24G20131023 (240-30670-2); therefore, the data have been reported.

The opening continuing calibration verification (CCV) associated with batch 109089 recovered DDT and Methoxychlor above the upper control limits. Sample CARMW26G20131024 (240-30670-5) associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

The closing continuing calibration verification (CCV) associated with batch 109089 recovered DDT, Methoxychlor, delta-BHC, and Heptachlor above the upper control limits. Sample CARMW26G20131024 (240-30670-5) associated with this CCV was non-detects for the affected analytes; therefore, the data have been reported.

The opening and closing continuing calibration verifications (CCV) associated with batch 108129 recovered DDD, DDT, Endosulfan II, Endosulfan Sulfate, Endrin, Endrin Aldehyde, Endrin Ketone, Heptachlor, and Methoxychlor above the upper control limit. Sample CARSSIPZ04G20131024 (240-30670-9) associated with these CCVs were non-detects for the affected analytes; therefore, the data have been reported.

The opening continuing calibration verification (CCV) associated with batch 108129 recovered DDT, Endosulfan Sulfate, Endrin, Heptachlor, and Methoxychlor above the upper control limits. Samples CARMW27G20131024 (240-30670-7), CARMW28G20131023 (240-30670-3), CARMW34G20131024 (240-30670-4), CARMW37G20131024 (240-30670-6), CARMW39G20131024 (240-30670-8), TR1VMW23G20131023 (240-30670-1), and TR1VMW24G20131023 (240-30670-2) associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

The closing continuing calibration verification (CCV) associated with batch 108129 recovered DDD, DDT, Endosulfan II, Endosulfan Sulfate, Endrin, Endrin Aldehyde, Endrin Ketone, Heptachlor, and Methoxychlor above the upper control limits. Samples

CARMW27G20131024 (240-30670-7), CARMW28G20131023 (240-30670-3), CARMW34G20131024 (240-30670-4), CARMW37G20131024 (240-30670-6), CARMW39G20131024 (240-30670-8), TR1VMW23G20131023 (240-30670-1), TR1VMW24G20131023 (240-30670-2) associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

The closing Toxaphene continuing calibration verification (CCV) associated with batch 108129 recovered above the upper control limit. Samples CARMW27G20131024 (240-30670-7), CARMW28G20131023 (240-30670-3), CARMW34G20131024 (240-30670-4), CARMW37G20131024 (240-30670-6), CARMW39G20131024 (240-30670-8), CARSSIPZ04G20131024 (240-30670-9), TR1VMW23G20131023 (240-30670-1), TR1VMW24G20131023 (240-30670-2) associated with this CCV were non-detects for the affected analyte; therefore, the data have been reported.

No other difficulties were encountered during the pesticides analysis.

All other quality control parameters were within the acceptance limits.

POLYCHLORINATED BIPHENYLS (PCBS)

Samples TR1VMW23G20131023 (240-30670-1), TR1VMW24G20131023 (240-30670-2), CARMW28G20131023 (240-30670-3), CARMW34G20131024 (240-30670-4), CARMW26G20131024 (240-30670-5), CARMW37G20131024 (240-30670-6), CARMW27G20131024 (240-30670-7), CARMW39G20131024 (240-30670-8) and CARSSIPZ04G20131024 (240-30670-9) were analyzed for polychlorinated biphenyls (PCBs) in accordance with EPA SW-846 Method 8082A. The samples were prepared on 10/28/2013 and analyzed on 10/30/2013.

Sample CARSSIPZ04G20131024 (240-30670-9) required a tetrabutylammonium sulfite (TBA) clean-up to reduce matrix interferences caused by sulfur.

No difficulties were encountered during the PCBs analysis.

All quality control parameters were within the acceptance limits.

TOTAL RECOVERABLE METALS (ICP)

Samples TR1VMW23G20131023 (240-30670-1), TR1VMW24G20131023 (240-30670-2), CARMW28G20131023 (240-30670-3), CARMW34G20131024 (240-30670-4), CARMW26G20131024 (240-30670-5), CARMW37G20131024 (240-30670-6), CARMW27G20131024 (240-30670-7), CARMW39G20131024 (240-30670-8) and CARSSIPZ04G20131024 (240-30670-9) were analyzed for total recoverable metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 10/31/2013 and analyzed on 11/05/2013.

Barium was detected in method blank MB 240-107845/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged.

No other difficulties were encountered during the metals analysis.

All other quality control parameters were within the acceptance limits.

TOTAL MERCURY

Samples TR1VMW23G20131023 (240-30670-1), TR1VMW24G20131023 (240-30670-2), CARMW28G20131023 (240-30670-3), CARMW34G20131024 (240-30670-4), CARMW26G20131024 (240-30670-5), CARMW37G20131024 (240-30670-6), CARMW27G20131024 (240-30670-7), CARMW39G20131024 (240-30670-8) and CARSSIPZ04G20131024 (240-30670-9) were analyzed for total mercury in accordance with EPA SW-846 Methods 7470A. The samples were prepared on 10/31/2013 and analyzed on 11/01/2013.

No difficulties were encountered during the mercury analysis.

All quality control parameters were within the acceptance limits.

EXECUTIVE SUMMARY - Detections

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
240-30670-1						
	TR1VMW23G20131023					
cis-1,2-Dichloroethene		9600		200	ug/L	8260C
1,1-Dichloroethane		280		200	ug/L	8260C
1,1-Dichloroethene		66	J	200	ug/L	8260C
Toluene		95	J	200	ug/L	8260C
1,1,1-Trichloroethane		110	J	200	ug/L	8260C
Trichloroethene		600		200	ug/L	8260C
Vinyl chloride		650		200	ug/L	8260C
2-Methylnaphthalene		2.4		0.19	ug/L	8270D
2-Methylphenol		1.7		0.95	ug/L	8270D
Bis(2-ethylhexyl) phthalate		0.42	J B	1.9	ug/L	8270D
Di-n-butyl phthalate		1.0	J	1.9	ug/L	8270D
Naphthalene		15		0.19	ug/L	8270D
delta-BHC		0.021	J	0.049	ug/L	8081B
Total Recoverable						
Arsenic		16		15	ug/L	6010C
Barium		200	B	200	ug/L	6010C
240-30670-2						
	TR1VMW24G20131023					
cis-1,2-Dichloroethene		4600		100	ug/L	8260C
1,1-Dichloroethane		130		100	ug/L	8260C
1,1-Dichloroethene		45	J	100	ug/L	8260C
Trichloroethene		81	J	100	ug/L	8260C
Bis(2-ethylhexyl) phthalate		0.38	J B	1.9	ug/L	8270D
Di-n-butyl phthalate		0.74	J	1.9	ug/L	8270D
Total Recoverable						
Barium		44	J B	200	ug/L	6010C

EXECUTIVE SUMMARY - Detections

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
240-30670-3						
	CARMW28G20131023					
Acetone		1.1	J B *	10	ug/L	8260C
Carbon disulfide		0.31	J	1.0	ug/L	8260C
Chloroform		0.37	J	1.0	ug/L	8260C
cis-1,2-Dichloroethene		20		1.0	ug/L	8260C
1,4-Dichlorobenzene		2.6		1.0	ug/L	8260C
1,1-Dichloroethane		9.8		1.0	ug/L	8260C
1,1-Dichloroethene		0.19	J	1.0	ug/L	8260C
Tetrachloroethene		0.76	J	1.0	ug/L	8260C
1,1,1-Trichloroethane		5.3		1.0	ug/L	8260C
Trichloroethene		41		1.0	ug/L	8260C
Vinyl chloride		0.44	J	1.0	ug/L	8260C
delta-BHC		0.031	J	0.048	ug/L	8081B
gamma-BHC (Lindane)		0.047	J	0.048	ug/L	8081B
Total Recoverable						
Barium		140	J B	200	ug/L	6010C
240-30670-4						
	CARMW34G20131024					
Acetone		3.3	J B *	10	ug/L	8260C
Carbon disulfide		2.6		1.0	ug/L	8260C
Chloroethane		1.9		1.0	ug/L	8260C
cis-1,2-Dichloroethene		2.9		1.0	ug/L	8260C
1,2-Dichlorobenzene		0.35	J	1.0	ug/L	8260C
1,1-Dichloroethane		17		1.0	ug/L	8260C
Tetrachloroethene		0.43	J	1.0	ug/L	8260C
trans-1,2-Dichloroethene		0.71	J	1.0	ug/L	8260C
Trichloroethene		1.7		1.0	ug/L	8260C
Vinyl chloride		3.8		1.0	ug/L	8260C
4-Chloro-3-methylphenol		13		9.8	ug/L	8270D
Carbazole		1.6	J	4.9	ug/L	8270D
Fluorene		0.71	J	0.98	ug/L	8270D
Phenanthrene		0.40	J	0.98	ug/L	8270D
delta-BHC		0.022	J	0.049	ug/L	8081B
Total Recoverable						
Arsenic		10	J	15	ug/L	6010C
Barium		520	B	200	ug/L	6010C
Chromium		8.9	J	10	ug/L	6010C
Lead		2.2	J	10	ug/L	6010C

EXECUTIVE SUMMARY - Detections

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
240-30670-5						
	CARMW26G20131024					
Acetone		3.5	J B *	10	ug/L	8260C
Carbon disulfide		0.23	J	1.0	ug/L	8260C
Chloroform		1.9		1.0	ug/L	8260C
cis-1,2-Dichloroethene		8.1		1.0	ug/L	8260C
1,4-Dichlorobenzene		2.3		1.0	ug/L	8260C
1,1-Dichloroethane		4.2		1.0	ug/L	8260C
1,1-Dichloroethene		1.3		1.0	ug/L	8260C
trans-1,2-Dichloroethene		0.27	J	1.0	ug/L	8260C
1,2,4-Trichlorobenzene		1.1		1.0	ug/L	8260C
Trichloroethene		22		1.0	ug/L	8260C
Vinyl chloride		3.7		1.0	ug/L	8260C
Carbazole		0.46	J	1.0	ug/L	8270D
Di-n-butyl phthalate		0.82	J	2.1	ug/L	8270D
4,4'-DDE		0.37		0.053	ug/L	8081B
Endrin		0.036	J *	0.053	ug/L	8081B
Heptachlor		0.019	J *	0.053	ug/L	8081B
Total Recoverable						
Barium		140	J B	200	ug/L	6010C
Chromium		3.2	J	10	ug/L	6010C
240-30670-6						
	CARMW37G20131024					
cis-1,2-Dichloroethene		880		830	ug/L	8260C
Trichloroethene		41000		830	ug/L	8260C
Naphthalene		0.12	J	0.19	ug/L	8270D
Total Recoverable						
Barium		56	J B	200	ug/L	6010C
Chromium		180		10	ug/L	6010C

EXECUTIVE SUMMARY - Detections

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
240-30670-7						
	CARMW27G20131024					
Carbon disulfide		1.8		1.7	ug/L	8260C
Chloroform		2.3		1.7	ug/L	8260C
cis-1,2-Dichloroethene		14		1.7	ug/L	8260C
1,1-Dichloroethane		23		1.7	ug/L	8260C
1,1-Dichloroethene		3.1		1.7	ug/L	8260C
trans-1,2-Dichloroethene		0.45	J	1.7	ug/L	8260C
1,1,1-Trichloroethane		3.3		1.7	ug/L	8260C
Trichloroethene		59		1.7	ug/L	8260C
Vinyl chloride		2.8		1.7	ug/L	8260C
Anthracene		0.57		0.19	ug/L	8270D
Di-n-butyl phthalate		0.98	J	1.9	ug/L	8270D
delta-BHC		0.026	J	0.048	ug/L	8081B
gamma-BHC (Lindane)		0.013	J	0.048	ug/L	8081B
Total Recoverable						
Barium		130	J B	200	ug/L	6010C
240-30670-8						
	CARMW39G20131024					
Acetone		10	J B *	50	ug/L	8260C
cis-1,2-Dichloroethene		63		5.0	ug/L	8260C
trans-1,2-Dichloroethene		2.6	J	5.0	ug/L	8260C
Trichloroethene		230		5.0	ug/L	8260C
Vinyl chloride		2.7	J	5.0	ug/L	8260C
Bis(2-ethylhexyl) phthalate		0.31	J B	1.9	ug/L	8270D
delta-BHC		0.021	J	0.050	ug/L	8081B
Total Recoverable						
Barium		96	J B	200	ug/L	6010C

EXECUTIVE SUMMARY - Detections

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
240-30670-9	CARSSIPZ04G20131024					
Carbon disulfide		39		8.0	ug/L	8260C
cis-1,2-Dichloroethene		340		8.0	ug/L	8260C
1,1-Dichloroethane		230		8.0	ug/L	8260C
1,1-Dichloroethene		20		8.0	ug/L	8260C
Toluene		5.5	J	8.0	ug/L	8260C
trans-1,2-Dichloroethene		4.9	J	8.0	ug/L	8260C
1,1,1-Trichloroethane		70		8.0	ug/L	8260C
Trichloroethene		11		8.0	ug/L	8260C
Vinyl chloride		34		8.0	ug/L	8260C
4-Chloro-3-methylphenol		9.0	J	19	ug/L	8270D
Naphthalene		1.0	J	1.9	ug/L	8270D
Aroclor-1260		0.22	J	0.48	ug/L	8082A
Total Recoverable						
Arsenic		3.2	J	15	ug/L	6010C
Barium		510	B	200	ug/L	6010C

METHOD SUMMARY

Client: EnSafe, Inc.

Job Number: 240-30670-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	TAL CAN	SW846 8260C	
Purge and Trap	TAL CAN		SW846 5030C
Semivolatile Organic Compounds (GC/MS)	TAL CAN	SW846 8270D	
Liquid-Liquid Extraction (Continuous)	TAL CAN		SW846 3520C
Organochlorine Pesticides (GC)	TAL CAN	SW846 8081B	
Liquid-Liquid Extraction (Separatory Funnel)	TAL CAN		SW846 3510C
Polychlorinated Biphenyls (PCBs) by Gas Chromatography	TAL CAN	SW846 8082A	
Liquid-Liquid Extraction (Separatory Funnel)	TAL CAN		SW846 3510C
Metals (ICP)	TAL CAN	SW846 6010C	
Preparation, Total Recoverable or Dissolved Metals	TAL CAN		SW846 3005A
Mercury (CVAA)	TAL CAN	SW846 7470A	
Preparation, Mercury	TAL CAN		SW846 7470A

Lab References:

TAL CAN = TestAmerica Canton

Method References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: EnSafe, Inc.

Job Number: 240-30670-1

Method	Analyst	Analyst ID
SW846 8260C	Quayle, Rick	RJQ
SW846 8270D	Gruber, John	JMG
SW846 8270D	Hula, Tom	TMH
SW846 8081B	Van Doren, Carolyn	CVD
SW846 8082A	Hass, Lori	LSH
SW846 6010C	Counts, Karen	KLC
SW846 7470A	Sutherland, Aaron	ADS

SAMPLE SUMMARY

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
240-30670-1	TR1VMW23G20131023	Water	10/23/2013 0907	10/25/2013 0920
240-30670-2	TR1VMW24G20131023	Water	10/23/2013 1029	10/25/2013 0920
240-30670-3	CARMW28G20131023	Water	10/23/2013 1715	10/25/2013 0920
240-30670-4	CARMW34G20131024	Water	10/24/2013 0815	10/25/2013 0920
240-30670-5	CARMW26G20131024	Water	10/24/2013 0953	10/25/2013 0920
240-30670-6	CARMW37G20131024	Water	10/24/2013 1140	10/25/2013 0920
240-30670-7	CARMW27G20131024	Water	10/24/2013 1215	10/25/2013 0920
240-30670-8	CARMW39G20131024	Water	10/24/2013 1430	10/25/2013 0920
240-30670-9	CARSSIPZ04G20131024	Water	10/24/2013 1448	10/25/2013 0920

SAMPLE RESULTS

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW23G20131023

Lab Sample ID: 240-30670-1

Date Sampled: 10/23/2013 0907

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1469.D
Dilution:	200			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1215			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1215				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	ND	*	220	2000
Benzene	ND		26	200
Bromoform	ND		130	200
Bromomethane	ND		82	200
2-Butanone (MEK)	ND	*	110	2000
Carbon disulfide	ND		26	200
Carbon tetrachloride	ND		26	200
Chlorobenzene	ND		30	200
Chlorodibromomethane	ND	*	36	200
Chloroethane	ND		58	200
Chloroform	ND		32	200
Chloromethane	ND		60	200
cis-1,2-Dichloroethene	9600		34	200
cis-1,3-Dichloropropene	ND	*	28	200
1,2-Dibromo-3-Chloropropane	ND		130	400
1,2-Dichlorobenzene	ND		26	200
1,3-Dichlorobenzene	ND		28	200
1,4-Dichlorobenzene	ND		26	200
Dichlorobromomethane	ND	*	30	200
Dichlorodifluoromethane	ND		62	200
1,1-Dichloroethane	280		30	200
1,2-Dichloroethane	ND		44	200
1,1-Dichloroethene	66	J	38	200
1,2-Dichloropropane	ND		36	200
Ethylbenzene	ND		34	200
Ethylene Dibromide	ND	*	48	200
2-Hexanone	ND		82	2000
Isopropylbenzene	ND		26	200
Methylene Chloride	ND		66	200
4-Methyl-2-pentanone (MIBK)	ND	*	64	2000
Methyl tert-butyl ether	ND		34	200
Styrene	ND		22	200
1,1,2,2-Tetrachloroethane	ND		36	200
Tetrachloroethene	ND		58	200
Toluene	95	J	26	200
trans-1,2-Dichloroethene	ND		38	200
trans-1,3-Dichloropropene	ND	*	38	200
1,2,4-Trichlorobenzene	ND		30	200
1,1,1-Trichloroethane	110	J	44	200
1,1,2-Trichloroethane	ND		54	200
Trichloroethene	600		34	200
Trichlorofluoromethane	ND		42	200
Vinyl chloride	650		44	200
Xylenes, Total	ND		28	400

Surrogate	%Rec	Qualifier	Acceptance Limits
-----------	------	-----------	-------------------

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW23G20131023

Lab Sample ID: 240-30670-1

Date Sampled: 10/23/2013 0907

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1469.D
Dilution:	200			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1215			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1215				

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene (Surr)	92		66 - 117
Dibromofluoromethane (Surr)	103		75 - 121
1,2-Dichloroethane-d4 (Surr)	95		63 - 129
Toluene-d8 (Surr)	99		74 - 115

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW23G20131023

Lab Sample ID: 240-30670-1

Date Sampled: 10/23/2013 0907

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-108601

Instrument ID: A3UX16

Prep Method: 5030C

Prep Batch: N/A

Lab File ID: UXM1469.D

Dilution: 200

Initial Weight/Volume: 10 mL

Analysis Date: 11/06/2013 1215

Final Weight/Volume: 10 mL

Prep Date: 11/06/2013 1215

Tentatively Identified Compounds**Number TIC's Found: 0**

Cas Number	Analyte	RT	Est. Result (ug/L)	Qualifier
	Tentatively Identified Compound		None	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW24G20131023

Lab Sample ID: 240-30670-2

Date Sampled: 10/23/2013 1029

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1470.D
Dilution:	100			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1237			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1237				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	ND	*	110	1000
Benzene	ND		13	100
Bromoform	ND		64	100
Bromomethane	ND		41	100
2-Butanone (MEK)	ND	*	57	1000
Carbon disulfide	ND		13	100
Carbon tetrachloride	ND		13	100
Chlorobenzene	ND		15	100
Chlorodibromomethane	ND	*	18	100
Chloroethane	ND		29	100
Chloroform	ND		16	100
Chloromethane	ND		30	100
cis-1,2-Dichloroethene	4600		17	100
cis-1,3-Dichloropropene	ND	*	14	100
1,2-Dibromo-3-Chloropropane	ND		67	200
1,2-Dichlorobenzene	ND		13	100
1,3-Dichlorobenzene	ND		14	100
1,4-Dichlorobenzene	ND		13	100
Dichlorobromomethane	ND	*	15	100
Dichlorodifluoromethane	ND		31	100
1,1-Dichloroethane	130		15	100
1,2-Dichloroethane	ND		22	100
1,1-Dichloroethene	45	J	19	100
1,2-Dichloropropane	ND		18	100
Ethylbenzene	ND		17	100
Ethylene Dibromide	ND	*	24	100
2-Hexanone	ND		41	1000
Isopropylbenzene	ND		13	100
Methylene Chloride	ND		33	100
4-Methyl-2-pentanone (MIBK)	ND	*	32	1000
Methyl tert-butyl ether	ND		17	100
Styrene	ND		11	100
1,1,2,2-Tetrachloroethane	ND		18	100
Tetrachloroethene	ND		29	100
Toluene	ND		13	100
trans-1,2-Dichloroethene	ND		19	100
trans-1,3-Dichloropropene	ND	*	19	100
1,2,4-Trichlorobenzene	ND		15	100
1,1,1-Trichloroethane	ND		22	100
1,1,2-Trichloroethane	ND		27	100
Trichloroethene	81	J	17	100
Trichlorofluoromethane	ND		21	100
Vinyl chloride	ND		22	100
Xylenes, Total	ND		14	200

Surrogate	%Rec	Qualifier	Acceptance Limits
-----------	------	-----------	-------------------

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW24G20131023

Lab Sample ID: 240-30670-2

Date Sampled: 10/23/2013 1029

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1470.D
Dilution:	100			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1237			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1237				

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene (Surr)	90		66 - 117
Dibromofluoromethane (Surr)	101		75 - 121
1,2-Dichloroethane-d4 (Surr)	94		63 - 129
Toluene-d8 (Surr)	96		74 - 115

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW24G20131023

Lab Sample ID: 240-30670-2

Date Sampled: 10/23/2013 1029

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-108601

Instrument ID: A3UX16

Prep Method: 5030C

Prep Batch: N/A

Lab File ID: UXM1470.D

Dilution: 100

Initial Weight/Volume: 10 mL

Analysis Date: 11/06/2013 1237

Final Weight/Volume: 10 mL

Prep Date: 11/06/2013 1237

Tentatively Identified Compounds**Number TIC's Found: 0**

Cas Number	Analyte	RT	Est. Result (ug/L)	Qualifier
	Tentatively Identified Compound		None	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW28G20131023

Lab Sample ID: 240-30670-3

Date Sampled: 10/23/2013 1715

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1471.D
Dilution:	1.0			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1259			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1259				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	1.1	J B *	1.1	10
Benzene	ND		0.13	1.0
Bromoform	ND		0.64	1.0
Bromomethane	ND		0.41	1.0
2-Butanone (MEK)	ND	*	0.57	10
Carbon disulfide	0.31	J	0.13	1.0
Carbon tetrachloride	ND		0.13	1.0
Chlorobenzene	ND		0.15	1.0
Chlorodibromomethane	ND	*	0.18	1.0
Chloroethane	ND		0.29	1.0
Chloroform	0.37	J	0.16	1.0
Chloromethane	ND		0.30	1.0
cis-1,2-Dichloroethene	20		0.17	1.0
cis-1,3-Dichloropropene	ND	*	0.14	1.0
1,2-Dibromo-3-Chloropropane	ND		0.67	2.0
1,2-Dichlorobenzene	ND		0.13	1.0
1,3-Dichlorobenzene	ND		0.14	1.0
1,4-Dichlorobenzene	2.6		0.13	1.0
Dichlorobromomethane	ND	*	0.15	1.0
Dichlorodifluoromethane	ND		0.31	1.0
1,1-Dichloroethane	9.8		0.15	1.0
1,2-Dichloroethane	ND		0.22	1.0
1,1-Dichloroethene	0.19	J	0.19	1.0
1,2-Dichloropropane	ND		0.18	1.0
Ethylbenzene	ND		0.17	1.0
Ethylene Dibromide	ND	*	0.24	1.0
2-Hexanone	ND		0.41	10
Isopropylbenzene	ND		0.13	1.0
Methylene Chloride	ND		0.33	1.0
4-Methyl-2-pentanone (MIBK)	ND	*	0.32	10
Methyl tert-butyl ether	ND		0.17	1.0
Styrene	ND		0.11	1.0
1,1,2,2-Tetrachloroethane	ND		0.18	1.0
Tetrachloroethene	0.76	J	0.29	1.0
Toluene	ND		0.13	1.0
trans-1,2-Dichloroethene	ND		0.19	1.0
trans-1,3-Dichloropropene	ND	*	0.19	1.0
1,2,4-Trichlorobenzene	ND		0.15	1.0
1,1,1-Trichloroethane	5.3		0.22	1.0
1,1,2-Trichloroethane	ND		0.27	1.0
Trichloroethene	41		0.17	1.0
Trichlorofluoromethane	ND		0.21	1.0
Vinyl chloride	0.44	J	0.22	1.0
Xylenes, Total	ND		0.14	2.0

Surrogate	%Rec	Qualifier	Acceptance Limits
-----------	------	-----------	-------------------

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW28G20131023

Lab Sample ID: 240-30670-3

Date Sampled: 10/23/2013 1715

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1471.D
Dilution:	1.0			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1259			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1259				

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene (Surr)	86		66 - 117
Dibromofluoromethane (Surr)	97		75 - 121
1,2-Dichloroethane-d4 (Surr)	91		63 - 129
Toluene-d8 (Surr)	92		74 - 115

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW28G20131023

Lab Sample ID: 240-30670-3

Date Sampled: 10/23/2013 1715

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-108601

Instrument ID: A3UX16

Prep Method: 5030C

Prep Batch: N/A

Lab File ID: UXM1471.D

Dilution: 1.0

Initial Weight/Volume: 10 mL

Analysis Date: 11/06/2013 1259

Final Weight/Volume: 10 mL

Prep Date: 11/06/2013 1259

Tentatively Identified Compounds**Number TIC's Found: 1**

Cas Number	Analyte	RT	Est. Result (ug/L)	Qualifier
590-50-1	2-Pentanone, 4,4-dimethyl-	7.45	9.4	T J N

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW34G20131024

Lab Sample ID: 240-30670-4

Date Sampled: 10/24/2013 0815

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-108601

Instrument ID: A3UX16

Prep Method: 5030C

Prep Batch: N/A

Lab File ID: UXM1472.D

Dilution: 1.0

Initial Weight/Volume: 10 mL

Analysis Date: 11/06/2013 1322

Final Weight/Volume: 10 mL

Prep Date: 11/06/2013 1322

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	3.3	J B *	1.1	10
Benzene	ND		0.13	1.0
Bromoform	ND		0.64	1.0
Bromomethane	ND		0.41	1.0
2-Butanone (MEK)	ND	*	0.57	10
Carbon disulfide	2.6		0.13	1.0
Carbon tetrachloride	ND		0.13	1.0
Chlorobenzene	ND		0.15	1.0
Chlorodibromomethane	ND	*	0.18	1.0
Chloroethane	1.9		0.29	1.0
Chloroform	ND		0.16	1.0
Chloromethane	ND		0.30	1.0
cis-1,2-Dichloroethene	2.9		0.17	1.0
cis-1,3-Dichloropropene	ND	*	0.14	1.0
1,2-Dibromo-3-Chloropropane	ND		0.67	2.0
1,2-Dichlorobenzene	0.35	J	0.13	1.0
1,3-Dichlorobenzene	ND		0.14	1.0
1,4-Dichlorobenzene	ND		0.13	1.0
Dichlorobromomethane	ND	*	0.15	1.0
Dichlorodifluoromethane	ND		0.31	1.0
1,1-Dichloroethane	17		0.15	1.0
1,2-Dichloroethane	ND		0.22	1.0
1,1-Dichloroethene	ND		0.19	1.0
1,2-Dichloropropane	ND		0.18	1.0
Ethylbenzene	ND		0.17	1.0
Ethylene Dibromide	ND	*	0.24	1.0
2-Hexanone	ND		0.41	10
Isopropylbenzene	ND		0.13	1.0
Methylene Chloride	ND		0.33	1.0
4-Methyl-2-pentanone (MIBK)	ND	*	0.32	10
Methyl tert-butyl ether	ND		0.17	1.0
Styrene	ND		0.11	1.0
1,1,2,2-Tetrachloroethane	ND		0.18	1.0
Tetrachloroethene	0.43	J	0.29	1.0
Toluene	ND		0.13	1.0
trans-1,2-Dichloroethene	0.71	J	0.19	1.0
trans-1,3-Dichloropropene	ND	*	0.19	1.0
1,2,4-Trichlorobenzene	ND		0.15	1.0
1,1,1-Trichloroethane	ND		0.22	1.0
1,1,2-Trichloroethane	ND		0.27	1.0
Trichloroethene	1.7		0.17	1.0
Trichlorofluoromethane	ND		0.21	1.0
Vinyl chloride	3.8		0.22	1.0
Xylenes, Total	ND		0.14	2.0

Surrogate	%Rec	Qualifier	Acceptance Limits
-----------	------	-----------	-------------------

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW34G20131024

Lab Sample ID: 240-30670-4

Date Sampled: 10/24/2013 0815

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1472.D
Dilution:	1.0			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1322			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1322				

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene (Surr)	91		66 - 117
Dibromofluoromethane (Surr)	101		75 - 121
1,2-Dichloroethane-d4 (Surr)	95		63 - 129
Toluene-d8 (Surr)	93		74 - 115

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW34G20131024

Lab Sample ID: 240-30670-4

Date Sampled: 10/24/2013 0815

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1472.D
Dilution:	1.0			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1322			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1322				

Tentatively Identified Compounds **Number TIC's Found: 10**

Cas Number	Analyte	RT	Est. Result (ug/L)	Qualifier
590-50-1	2-Pentanone, 4,4-dimethyl-	7.45	81	T J N
496-11-7	Indane	10.80	4.9	T J N
91-17-8	Naphthalene, decahydro-	10.91	6.8	T J N
1005-64-7	Benzene, 1-butenyl-, (E)-	11.31	5.2	T J N
767-58-8	Indan, 1-methyl-	11.38	19	T J N
4175-53-5	1H-Indene, 2,3-dihydro-1,3-dimethyl-	11.55	6.9	T J N
488-23-3	Benzene, 1,2,3,4-tetramethyl-	11.65	12	T J N
2039-89-6	Benzene, 2-ethenyl-1,4-dimethyl-	12.14	26	T J N
6682-71-9	1H-Indene, 2,3-dihydro-4,7-dimethyl-	12.52	11	T J N
4912-92-9	1H-Indene, 2,3-dihydro-1,1-dimethyl-	12.62	17	T J N

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW26G20131024

Lab Sample ID: 240-30670-5

Date Sampled: 10/24/2013 0953

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1473.D
Dilution:	1.0			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1344			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1344				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	3.5	J B *	1.1	10
Benzene	ND		0.13	1.0
Bromoform	ND		0.64	1.0
Bromomethane	ND		0.41	1.0
2-Butanone (MEK)	ND	*	0.57	10
Carbon disulfide	0.23	J	0.13	1.0
Carbon tetrachloride	ND		0.13	1.0
Chlorobenzene	ND		0.15	1.0
Chlorodibromomethane	ND	*	0.18	1.0
Chloroethane	ND		0.29	1.0
Chloroform	1.9		0.16	1.0
Chloromethane	ND		0.30	1.0
cis-1,2-Dichloroethene	8.1		0.17	1.0
cis-1,3-Dichloropropene	ND	*	0.14	1.0
1,2-Dibromo-3-Chloropropane	ND		0.67	2.0
1,2-Dichlorobenzene	ND		0.13	1.0
1,3-Dichlorobenzene	ND		0.14	1.0
1,4-Dichlorobenzene	2.3		0.13	1.0
Dichlorobromomethane	ND	*	0.15	1.0
Dichlorodifluoromethane	ND		0.31	1.0
1,1-Dichloroethane	4.2		0.15	1.0
1,2-Dichloroethane	ND		0.22	1.0
1,1-Dichloroethene	1.3		0.19	1.0
1,2-Dichloropropane	ND		0.18	1.0
Ethylbenzene	ND		0.17	1.0
Ethylene Dibromide	ND	*	0.24	1.0
2-Hexanone	ND		0.41	10
Isopropylbenzene	ND		0.13	1.0
Methylene Chloride	ND		0.33	1.0
4-Methyl-2-pentanone (MIBK)	ND	*	0.32	10
Methyl tert-butyl ether	ND		0.17	1.0
Styrene	ND		0.11	1.0
1,1,2,2-Tetrachloroethane	ND		0.18	1.0
Tetrachloroethene	ND		0.29	1.0
Toluene	ND		0.13	1.0
trans-1,2-Dichloroethene	0.27	J	0.19	1.0
trans-1,3-Dichloropropene	ND	*	0.19	1.0
1,2,4-Trichlorobenzene	1.1		0.15	1.0
1,1,1-Trichloroethane	ND		0.22	1.0
1,1,2-Trichloroethane	ND		0.27	1.0
Trichloroethene	22		0.17	1.0
Trichlorofluoromethane	ND		0.21	1.0
Vinyl chloride	3.7		0.22	1.0
Xylenes, Total	ND		0.14	2.0

Surrogate	%Rec	Qualifier	Acceptance Limits
-----------	------	-----------	-------------------

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW26G20131024

Lab Sample ID: 240-30670-5

Date Sampled: 10/24/2013 0953

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1473.D
Dilution:	1.0			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1344			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1344				

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene (Surr)	91		66 - 117
Dibromofluoromethane (Surr)	102		75 - 121
1,2-Dichloroethane-d4 (Surr)	97		63 - 129
Toluene-d8 (Surr)	97		74 - 115

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW26G20131024

Lab Sample ID: 240-30670-5

Date Sampled: 10/24/2013 0953

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-108601

Instrument ID: A3UX16

Prep Method: 5030C

Prep Batch: N/A

Lab File ID: UXM1473.D

Dilution: 1.0

Initial Weight/Volume: 10 mL

Analysis Date: 11/06/2013 1344

Final Weight/Volume: 10 mL

Prep Date: 11/06/2013 1344

Tentatively Identified Compounds**Number TIC's Found: 1**

Cas Number	Analyte	RT	Est. Result (ug/L)	Qualifier
590-50-1	2-Pentanone, 4,4-dimethyl-	7.44	3.3	T J N

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW37G20131024

Lab Sample ID: 240-30670-6

Date Sampled: 10/24/2013 1140

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-108601

Instrument ID: A3UX16

Prep Method: 5030C

Prep Batch: N/A

Lab File ID: UXM1474.D

Dilution: 833.33

Initial Weight/Volume: 10 mL

Analysis Date: 11/06/2013 1407

Final Weight/Volume: 10 mL

Prep Date: 11/06/2013 1407

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	ND	*	920	8300
Benzene	ND		110	830
Bromoform	ND		530	830
Bromomethane	ND		340	830
2-Butanone (MEK)	ND	*	470	8300
Carbon disulfide	ND		110	830
Carbon tetrachloride	ND		110	830
Chlorobenzene	ND		120	830
Chlorodibromomethane	ND	*	150	830
Chloroethane	ND		240	830
Chloroform	ND		130	830
Chloromethane	ND		250	830
cis-1,2-Dichloroethene	880		140	830
cis-1,3-Dichloropropene	ND	*	120	830
1,2-Dibromo-3-Chloropropane	ND		560	1700
1,2-Dichlorobenzene	ND		110	830
1,3-Dichlorobenzene	ND		120	830
1,4-Dichlorobenzene	ND		110	830
Dichlorobromomethane	ND	*	120	830
Dichlorodifluoromethane	ND		260	830
1,1-Dichloroethane	ND		120	830
1,2-Dichloroethane	ND		180	830
1,1-Dichloroethene	ND		160	830
1,2-Dichloropropane	ND		150	830
Ethylbenzene	ND		140	830
Ethylene Dibromide	ND	*	200	830
2-Hexanone	ND		340	8300
Isopropylbenzene	ND		110	830
Methylene Chloride	ND		270	830
4-Methyl-2-pentanone (MIBK)	ND	*	270	8300
Methyl tert-butyl ether	ND		140	830
Styrene	ND		92	830
1,1,2,2-Tetrachloroethane	ND		150	830
Tetrachloroethene	ND		240	830
Toluene	ND		110	830
trans-1,2-Dichloroethene	ND		160	830
trans-1,3-Dichloropropene	ND	*	160	830
1,2,4-Trichlorobenzene	ND		120	830
1,1,1-Trichloroethane	ND		180	830
1,1,2-Trichloroethane	ND		220	830
Trichloroethene	41000		140	830
Trichlorofluoromethane	ND		170	830
Vinyl chloride	ND		180	830
Xylenes, Total	ND		120	1700

Surrogate	%Rec	Qualifier	Acceptance Limits
-----------	------	-----------	-------------------

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW37G20131024

Lab Sample ID: 240-30670-6

Date Sampled: 10/24/2013 1140

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1474.D
Dilution:	833.33			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1407			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1407				

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene (Surr)	86		66 - 117
Dibromofluoromethane (Surr)	97		75 - 121
1,2-Dichloroethane-d4 (Surr)	93		63 - 129
Toluene-d8 (Surr)	92		74 - 115

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW37G20131024

Lab Sample ID: 240-30670-6

Date Sampled: 10/24/2013 1140

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-108601

Instrument ID: A3UX16

Prep Method: 5030C

Prep Batch: N/A

Lab File ID: UXM1474.D

Dilution: 833.33

Initial Weight/Volume: 10 mL

Analysis Date: 11/06/2013 1407

Final Weight/Volume: 10 mL

Prep Date: 11/06/2013 1407

Tentatively Identified Compounds**Number TIC's Found: 0**

Cas Number	Analyte	RT	Est. Result (ug/L)	Qualifier
	Tentatively Identified Compound		None	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW27G20131024

Lab Sample ID: 240-30670-7

Date Sampled: 10/24/2013 1215

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1475.D
Dilution:	1.67			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1429			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1429				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	ND	*	1.8	17
Benzene	ND		0.22	1.7
Bromoform	ND		1.1	1.7
Bromomethane	ND		0.68	1.7
2-Butanone (MEK)	ND	*	0.95	17
Carbon disulfide	1.8		0.22	1.7
Carbon tetrachloride	ND		0.22	1.7
Chlorobenzene	ND		0.25	1.7
Chlorodibromomethane	ND	*	0.30	1.7
Chloroethane	ND		0.48	1.7
Chloroform	2.3		0.27	1.7
Chloromethane	ND		0.50	1.7
cis-1,2-Dichloroethene	14		0.28	1.7
cis-1,3-Dichloropropene	ND	*	0.23	1.7
1,2-Dibromo-3-Chloropropane	ND		1.1	3.3
1,2-Dichlorobenzene	ND		0.22	1.7
1,3-Dichlorobenzene	ND		0.23	1.7
1,4-Dichlorobenzene	ND		0.22	1.7
Dichlorobromomethane	ND	*	0.25	1.7
Dichlorodifluoromethane	ND		0.52	1.7
1,1-Dichloroethane	23		0.25	1.7
1,2-Dichloroethane	ND		0.37	1.7
1,1-Dichloroethene	3.1		0.32	1.7
1,2-Dichloropropane	ND		0.30	1.7
Ethylbenzene	ND		0.28	1.7
Ethylene Dibromide	ND	*	0.40	1.7
2-Hexanone	ND		0.68	17
Isopropylbenzene	ND		0.22	1.7
Methylene Chloride	ND		0.55	1.7
4-Methyl-2-pentanone (MIBK)	ND	*	0.53	17
Methyl tert-butyl ether	ND		0.28	1.7
Styrene	ND		0.18	1.7
1,1,2,2-Tetrachloroethane	ND		0.30	1.7
Tetrachloroethene	ND		0.48	1.7
Toluene	ND		0.22	1.7
trans-1,2-Dichloroethene	0.45	J	0.32	1.7
trans-1,3-Dichloropropene	ND	*	0.32	1.7
1,2,4-Trichlorobenzene	ND		0.25	1.7
1,1,1-Trichloroethane	3.3		0.37	1.7
1,1,2-Trichloroethane	ND		0.45	1.7
Trichloroethene	59		0.28	1.7
Trichlorofluoromethane	ND		0.35	1.7
Vinyl chloride	2.8		0.37	1.7
Xylenes, Total	ND		0.23	3.3

Surrogate	%Rec	Qualifier	Acceptance Limits
-----------	------	-----------	-------------------

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW27G20131024

Lab Sample ID: 240-30670-7

Date Sampled: 10/24/2013 1215

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1475.D
Dilution:	1.67			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1429			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1429				

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene (Surr)	83		66 - 117
Dibromofluoromethane (Surr)	92		75 - 121
1,2-Dichloroethane-d4 (Surr)	87		63 - 129
Toluene-d8 (Surr)	90		74 - 115

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW27G20131024

Lab Sample ID: 240-30670-7

Date Sampled: 10/24/2013 1215

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-108601

Instrument ID: A3UX16

Prep Method: 5030C

Prep Batch: N/A

Lab File ID: UXM1475.D

Dilution: 1.67

Initial Weight/Volume: 10 mL

Analysis Date: 11/06/2013 1429

Final Weight/Volume: 10 mL

Prep Date: 11/06/2013 1429

Tentatively Identified Compounds**Number TIC's Found: 0**

Cas Number	Analyte	RT	Est. Result (ug/L)	Qualifier
	Tentatively Identified Compound		None	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW39G20131024

Lab Sample ID: 240-30670-8

Date Sampled: 10/24/2013 1430

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-108601

Instrument ID: A3UX16

Prep Method: 5030C

Prep Batch: N/A

Lab File ID: UXM1476.D

Dilution: 5.0

Initial Weight/Volume: 10 mL

Analysis Date: 11/06/2013 1451

Final Weight/Volume: 10 mL

Prep Date: 11/06/2013 1451

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	10	J B *	5.5	50
Benzene	ND		0.65	5.0
Bromoform	ND		3.2	5.0
Bromomethane	ND		2.1	5.0
2-Butanone (MEK)	ND	*	2.9	50
Carbon disulfide	ND		0.65	5.0
Carbon tetrachloride	ND		0.65	5.0
Chlorobenzene	ND		0.75	5.0
Chlorodibromomethane	ND	*	0.90	5.0
Chloroethane	ND		1.5	5.0
Chloroform	ND		0.80	5.0
Chloromethane	ND		1.5	5.0
cis-1,2-Dichloroethene	63		0.85	5.0
cis-1,3-Dichloropropene	ND	*	0.70	5.0
1,2-Dibromo-3-Chloropropane	ND		3.4	10
1,2-Dichlorobenzene	ND		0.65	5.0
1,3-Dichlorobenzene	ND		0.70	5.0
1,4-Dichlorobenzene	ND		0.65	5.0
Dichlorobromomethane	ND	*	0.75	5.0
Dichlorodifluoromethane	ND		1.6	5.0
1,1-Dichloroethane	ND		0.75	5.0
1,2-Dichloroethane	ND		1.1	5.0
1,1-Dichloroethene	ND		0.95	5.0
1,2-Dichloropropane	ND		0.90	5.0
Ethylbenzene	ND		0.85	5.0
Ethylene Dibromide	ND	*	1.2	5.0
2-Hexanone	ND		2.1	50
Isopropylbenzene	ND		0.65	5.0
Methylene Chloride	ND		1.7	5.0
4-Methyl-2-pentanone (MIBK)	ND	*	1.6	50
Methyl tert-butyl ether	ND		0.85	5.0
Styrene	ND		0.55	5.0
1,1,2,2-Tetrachloroethane	ND		0.90	5.0
Tetrachloroethene	ND		1.5	5.0
Toluene	ND		0.65	5.0
trans-1,2-Dichloroethene	2.6	J	0.95	5.0
trans-1,3-Dichloropropene	ND	*	0.95	5.0
1,2,4-Trichlorobenzene	ND		0.75	5.0
1,1,1-Trichloroethane	ND		1.1	5.0
1,1,2-Trichloroethane	ND		1.4	5.0
Trichloroethene	230		0.85	5.0
Trichlorofluoromethane	ND		1.1	5.0
Vinyl chloride	2.7	J	1.1	5.0
Xylenes, Total	ND		0.70	10

Surrogate	%Rec	Qualifier	Acceptance Limits
-----------	------	-----------	-------------------

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW39G20131024

Lab Sample ID: 240-30670-8

Date Sampled: 10/24/2013 1430

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1476.D
Dilution:	5.0			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1451			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1451				

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene (Surr)	91		66 - 117
Dibromofluoromethane (Surr)	102		75 - 121
1,2-Dichloroethane-d4 (Surr)	97		63 - 129
Toluene-d8 (Surr)	97		74 - 115

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW39G20131024

Lab Sample ID: 240-30670-8

Date Sampled: 10/24/2013 1430

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-108601

Instrument ID: A3UX16

Prep Method: 5030C

Prep Batch: N/A

Lab File ID: UXM1476.D

Dilution: 5.0

Initial Weight/Volume: 10 mL

Analysis Date: 11/06/2013 1451

Final Weight/Volume: 10 mL

Prep Date: 11/06/2013 1451

Tentatively Identified Compounds**Number TIC's Found: 0**

Cas Number	Analyte	RT	Est. Result (ug/L)	Qualifier
	Tentatively Identified Compound		None	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARSSIPZ04G20131024

Lab Sample ID: 240-30670-9

Date Sampled: 10/24/2013 1448

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-108601

Instrument ID: A3UX16

Prep Method: 5030C

Prep Batch: N/A

Lab File ID: UXM1477.D

Dilution: 8.0

Initial Weight/Volume: 10 mL

Analysis Date: 11/06/2013 1514

Final Weight/Volume: 10 mL

Prep Date: 11/06/2013 1514

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acetone	ND	*	8.8	80
Benzene	ND		1.0	8.0
Bromoform	ND		5.1	8.0
Bromomethane	ND		3.3	8.0
2-Butanone (MEK)	ND	*	4.6	80
Carbon disulfide	39		1.0	8.0
Carbon tetrachloride	ND		1.0	8.0
Chlorobenzene	ND		1.2	8.0
Chlorodibromomethane	ND	*	1.4	8.0
Chloroethane	ND		2.3	8.0
Chloroform	ND		1.3	8.0
Chloromethane	ND		2.4	8.0
cis-1,2-Dichloroethene	340		1.4	8.0
cis-1,3-Dichloropropene	ND	*	1.1	8.0
1,2-Dibromo-3-Chloropropane	ND		5.4	16
1,2-Dichlorobenzene	ND		1.0	8.0
1,3-Dichlorobenzene	ND		1.1	8.0
1,4-Dichlorobenzene	ND		1.0	8.0
Dichlorobromomethane	ND	*	1.2	8.0
Dichlorodifluoromethane	ND		2.5	8.0
1,1-Dichloroethane	230		1.2	8.0
1,2-Dichloroethane	ND		1.8	8.0
1,1-Dichloroethene	20		1.5	8.0
1,2-Dichloropropane	ND		1.4	8.0
Ethylbenzene	ND		1.4	8.0
Ethylene Dibromide	ND	*	1.9	8.0
2-Hexanone	ND		3.3	80
Isopropylbenzene	ND		1.0	8.0
Methylene Chloride	ND		2.6	8.0
4-Methyl-2-pentanone (MIBK)	ND	*	2.6	80
Methyl tert-butyl ether	ND		1.4	8.0
Styrene	ND		0.88	8.0
1,1,2,2-Tetrachloroethane	ND		1.4	8.0
Tetrachloroethene	ND		2.3	8.0
Toluene	5.5	J	1.0	8.0
trans-1,2-Dichloroethene	4.9	J	1.5	8.0
trans-1,3-Dichloropropene	ND	*	1.5	8.0
1,2,4-Trichlorobenzene	ND		1.2	8.0
1,1,1-Trichloroethane	70		1.8	8.0
1,1,2-Trichloroethane	ND		2.2	8.0
Trichloroethene	11		1.4	8.0
Trichlorofluoromethane	ND		1.7	8.0
Vinyl chloride	34		1.8	8.0
Xylenes, Total	ND		1.1	16

Surrogate	%Rec	Qualifier	Acceptance Limits
-----------	------	-----------	-------------------

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARSSIPZ04G20131024

Lab Sample ID: 240-30670-9

Date Sampled: 10/24/2013 1448

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	UXM1477.D
Dilution:	8.0			Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1514			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1514				

Surrogate	%Rec	Qualifier	Acceptance Limits
4-Bromofluorobenzene (Surr)	85		66 - 117
Dibromofluoromethane (Surr)	102		75 - 121
1,2-Dichloroethane-d4 (Surr)	96		63 - 129
Toluene-d8 (Surr)	91		74 - 115

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARSSIPZ04G20131024

Lab Sample ID: 240-30670-9

Date Sampled: 10/24/2013 1448

Client Matrix: Water

Date Received: 10/25/2013 0920

8260C Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analysis Batch: 240-108601

Instrument ID: A3UX16

Prep Method: 5030C

Prep Batch: N/A

Lab File ID: UXM1477.D

Dilution: 8.0

Initial Weight/Volume: 10 mL

Analysis Date: 11/06/2013 1514

Final Weight/Volume: 10 mL

Prep Date: 11/06/2013 1514

Tentatively Identified Compounds**Number TIC's Found: 0**

Cas Number	Analyte	RT	Est. Result (ug/L)	Qualifier
	Tentatively Identified Compound		None	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW23G20131023

Lab Sample ID: 240-30670-1

Date Sampled: 10/23/2013 0907

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-109080	Instrument ID:	A4AG2
Prep Method:	3520C	Prep Batch:	240-107496	Lab File ID:	1109030.D
Dilution:	1.0			Initial Weight/Volume:	1050 mL
Analysis Date:	11/09/2013 1917			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0816			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
2,4,6-Trichlorophenol	ND		0.23	4.8
2,4,5-Trichlorophenol	ND		0.29	4.8
2,4-Dichlorophenol	ND		0.18	1.9
2,4-Dimethylphenol	ND		0.24	1.9
2,4-Dinitrophenol	ND		0.30	4.8
2,4-Dinitrotoluene	ND		0.24	4.8
2-Chlorophenol	ND		0.28	0.95
2-Methylnaphthalene	2.4		0.086	0.19
2-Methylphenol	1.7		0.16	0.95
2-Nitroaniline	ND		0.20	1.9
2-Nitrophenol	ND		0.27	1.9
3 & 4 Methylphenol	ND		0.76	1.9
3,3'-Dichlorobenzidine	ND		0.35	4.8
3-Nitroaniline	ND		0.27	1.9
4,6-Dinitro-2-methylphenol	ND		2.3	4.8
4-Bromophenyl phenyl ether	ND		0.21	1.9
4-Chloro-3-methylphenol	ND		0.20	1.9
4-Chloroaniline	ND		0.20	1.9
4-Chlorophenyl phenyl ether	ND		0.29	1.9
4-Nitroaniline	ND		0.21	1.9
Acenaphthene	ND		0.042	0.19
Acenaphthylene	ND		0.046	0.19
Acetophenone	ND		0.32	0.95
Anthracene	ND		0.084	0.19
Benzo[a]anthracene	ND		0.028	0.19
Benzo[a]pyrene	ND		0.049	0.19
Benzo[b]fluoranthene	ND		0.038	0.19
Benzo[g,h,i]perylene	ND		0.044	0.19
Benzo[k]fluoranthene	ND		0.043	0.19
Bis(2-chloroethoxy)methane	ND		0.30	0.95
Bis(2-chloroethyl)ether	ND		0.095	0.95
Bis(2-ethylhexyl) phthalate	0.42	J B	0.21	1.9
Butyl benzyl phthalate	ND		0.25	1.9
Carbazole	ND		0.27	0.95
Chrysene	ND		0.048	0.19
Di-n-butyl phthalate	1.0	J	0.64	1.9
Di-n-octyl phthalate	ND		0.22	1.9
Dibenz(a,h)anthracene	ND		0.042	0.19
Dibenzofuran	ND		0.019	0.95
Diethyl phthalate	ND		0.57	1.9
Dimethyl phthalate	ND		0.28	1.9
Fluoranthene	ND		0.042	0.19
Fluorene	ND		0.039	0.19
Hexachlorobenzene	ND		0.081	0.19
Hexachlorobutadiene	ND		0.26	0.95
Hexachlorocyclopentadiene	ND		0.23	9.5

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW23G20131023

Lab Sample ID: 240-30670-1

Date Sampled: 10/23/2013 0907

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-109080	Instrument ID:	A4AG2
Prep Method:	3520C	Prep Batch:	240-107496	Lab File ID:	1109030.D
Dilution:	1.0			Initial Weight/Volume:	1050 mL
Analysis Date:	11/09/2013 1917			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0816			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Hexachloroethane	ND		0.18	0.95
Indeno[1,2,3-cd]pyrene	ND		0.041	0.19
Isophorone	ND		0.26	0.95
N-Nitrosodi-n-propylamine	ND		0.23	0.95
N-Nitrosodiphenylamine	ND		0.30	0.95
Naphthalene	15		0.060	0.19
Nitrobenzene	ND		0.038	0.95
Pentachlorophenol	ND		0.26	4.8
Phenanthrene	ND		0.059	0.19
Phenol	ND		0.57	0.95
Pyrene	ND		0.040	0.19
bis (2-chloroisopropyl) ether	ND		0.38	0.95
2,6-Dinitrotoluene	ND		0.76	4.8
4-Nitrophenol	ND		0.28	4.8

Surrogate	%Rec	Qualifier	Acceptance Limits
Terphenyl-d14 (Surr)	43		24 - 110
Phenol-d5 (Surr)	70		21 - 110
Nitrobenzene-d5 (Surr)	65		21 - 110
2-Fluorophenol (Surr)	66		10 - 110
2-Fluorobiphenyl (Surr)	57		20 - 110
2,4,6-Tribromophenol (Surr)	74		21 - 110

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW24G20131023

Lab Sample ID: 240-30670-2

Date Sampled: 10/23/2013 1029

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-109080	Instrument ID:	A4AG2
Prep Method:	3520C	Prep Batch:	240-107496	Lab File ID:	1109032.D
Dilution:	1.0			Initial Weight/Volume:	1040 mL
Analysis Date:	11/09/2013 2000			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0816			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
2,4,6-Trichlorophenol	ND		0.23	4.8
2,4,5-Trichlorophenol	ND		0.29	4.8
2,4-Dichlorophenol	ND		0.18	1.9
2,4-Dimethylphenol	ND		0.24	1.9
2,4-Dinitrophenol	ND		0.31	4.8
2,4-Dinitrotoluene	ND		0.24	4.8
2-Chlorophenol	ND		0.28	0.96
2-Methylnaphthalene	ND		0.087	0.19
2-Methylphenol	ND		0.16	0.96
2-Nitroaniline	ND		0.20	1.9
2-Nitrophenol	ND		0.27	1.9
3 & 4 Methylphenol	ND		0.77	1.9
3,3'-Dichlorobenzidine	ND		0.36	4.8
3-Nitroaniline	ND		0.27	1.9
4,6-Dinitro-2-methylphenol	ND		2.3	4.8
4-Bromophenyl phenyl ether	ND		0.21	1.9
4-Chloro-3-methylphenol	ND		0.20	1.9
4-Chloroaniline	ND		0.20	1.9
4-Chlorophenyl phenyl ether	ND		0.29	1.9
4-Nitroaniline	ND		0.21	1.9
Acenaphthene	ND		0.043	0.19
Acenaphthylene	ND		0.046	0.19
Acetophenone	ND		0.33	0.96
Anthracene	ND		0.085	0.19
Benzo[a]anthracene	ND		0.028	0.19
Benzo[a]pyrene	ND		0.049	0.19
Benzo[b]fluoranthene	ND		0.038	0.19
Benzo[g,h,i]perylene	ND		0.045	0.19
Benzo[k]fluoranthene	ND		0.043	0.19
Bis(2-chloroethoxy)methane	ND		0.31	0.96
Bis(2-chloroethyl)ether	ND		0.096	0.96
Bis(2-ethylhexyl) phthalate	0.38	J B	0.21	1.9
Butyl benzyl phthalate	ND		0.25	1.9
Carbazole	ND		0.27	0.96
Chrysene	ND		0.048	0.19
Di-n-butyl phthalate	0.74	J	0.64	1.9
Di-n-octyl phthalate	ND		0.22	1.9
Dibenz(a,h)anthracene	ND		0.043	0.19
Dibenzofuran	ND		0.019	0.96
Diethyl phthalate	ND		0.58	1.9
Dimethyl phthalate	ND		0.28	1.9
Fluoranthene	ND		0.043	0.19
Fluorene	ND		0.039	0.19
Hexachlorobenzene	ND		0.082	0.19
Hexachlorobutadiene	ND		0.26	0.96
Hexachlorocyclopentadiene	ND		0.23	9.6

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW24G20131023

Lab Sample ID: 240-30670-2

Date Sampled: 10/23/2013 1029

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-109080	Instrument ID:	A4AG2
Prep Method:	3520C	Prep Batch:	240-107496	Lab File ID:	1109032.D
Dilution:	1.0			Initial Weight/Volume:	1040 mL
Analysis Date:	11/09/2013 2000			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0816			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Hexachloroethane	ND		0.18	0.96
Indeno[1,2,3-cd]pyrene	ND		0.042	0.19
Isophorone	ND		0.26	0.96
N-Nitrosodi-n-propylamine	ND		0.23	0.96
N-Nitrosodiphenylamine	ND		0.30	0.96
Naphthalene	ND		0.060	0.19
Nitrobenzene	ND		0.038	0.96
Pentachlorophenol	ND		0.26	4.8
Phenanthrene	ND		0.060	0.19
Phenol	ND		0.58	0.96
Pyrene	ND		0.040	0.19
bis (2-chloroisopropyl) ether	ND		0.38	0.96
2,6-Dinitrotoluene	ND		0.77	4.8
4-Nitrophenol	ND		0.28	4.8

Surrogate	%Rec	Qualifier	Acceptance Limits
Terphenyl-d14 (Surr)	72		24 - 110
Phenol-d5 (Surr)	69		21 - 110
Nitrobenzene-d5 (Surr)	65		21 - 110
2-Fluorophenol (Surr)	66		10 - 110
2-Fluorobiphenyl (Surr)	63		20 - 110
2,4,6-Tribromophenol (Surr)	76		21 - 110

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW28G20131023

Lab Sample ID: 240-30670-3

Date Sampled: 10/23/2013 1715

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-109080	Instrument ID:	A4AG2
Prep Method:	3520C	Prep Batch:	240-107496	Lab File ID:	1109033.D
Dilution:	4.0			Initial Weight/Volume:	1050 mL
Analysis Date:	11/09/2013 2022			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0816			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
2,4,6-Trichlorophenol	ND		0.91	19
2,4,5-Trichlorophenol	ND		1.1	19
2,4-Dichlorophenol	ND		0.72	7.6
2,4-Dimethylphenol	ND		0.95	7.6
2,4-Dinitrophenol	ND		1.2	19
2,4-Dinitrotoluene	ND		0.95	19
2-Chlorophenol	ND		1.1	3.8
2-Methylnaphthalene	ND		0.34	0.76
2-Methylphenol	ND		0.65	3.8
2-Nitroaniline	ND		0.80	7.6
2-Nitrophenol	ND		1.1	7.6
3 & 4 Methylphenol	ND		3.0	7.6
3,3'-Dichlorobenzidine	ND		1.4	19
3-Nitroaniline	ND		1.1	7.6
4,6-Dinitro-2-methylphenol	ND		9.1	19
4-Bromophenyl phenyl ether	ND		0.84	7.6
4-Chloro-3-methylphenol	ND		0.80	7.6
4-Chloroaniline	ND		0.80	7.6
4-Chlorophenyl phenyl ether	ND		1.1	7.6
4-Nitroaniline	ND		0.84	7.6
Acenaphthene	ND		0.17	0.76
Acenaphthylene	ND		0.18	0.76
Acetophenone	ND		1.3	3.8
Anthracene	ND		0.33	0.76
Benzo[a]anthracene	ND		0.11	0.76
Benzo[a]pyrene	ND		0.20	0.76
Benzo[b]fluoranthene	ND		0.15	0.76
Benzo[g,h,i]perylene	ND		0.18	0.76
Benzo[k]fluoranthene	ND		0.17	0.76
Bis(2-chloroethoxy)methane	ND		1.2	3.8
Bis(2-chloroethyl)ether	ND		0.38	3.8
Bis(2-ethylhexyl) phthalate	ND		0.84	7.6
Butyl benzyl phthalate	ND		0.99	7.6
Carbazole	ND		1.1	3.8
Chrysene	ND		0.19	0.76
Di-n-butyl phthalate	ND		2.6	7.6
Di-n-octyl phthalate	ND		0.88	7.6
Dibenz(a,h)anthracene	ND		0.17	0.76
Dibenzofuran	ND		0.076	3.8
Diethyl phthalate	ND		2.3	7.6
Dimethyl phthalate	ND		1.1	7.6
Fluoranthene	ND		0.17	0.76
Fluorene	ND		0.15	0.76
Hexachlorobenzene	ND		0.32	0.76
Hexachlorobutadiene	ND		1.0	3.8
Hexachlorocyclopentadiene	ND		0.91	38

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW28G20131023

Lab Sample ID: 240-30670-3

Date Sampled: 10/23/2013 1715

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-109080	Instrument ID:	A4AG2
Prep Method:	3520C	Prep Batch:	240-107496	Lab File ID:	1109033.D
Dilution:	4.0			Initial Weight/Volume:	1050 mL
Analysis Date:	11/09/2013 2022			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0816			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Hexachloroethane	ND		0.72	3.8
Indeno[1,2,3-cd]pyrene	ND		0.16	0.76
Isophorone	ND		1.0	3.8
N-Nitrosodi-n-propylamine	ND		0.91	3.8
N-Nitrosodiphenylamine	ND		1.2	3.8
Naphthalene	ND		0.24	0.76
Nitrobenzene	ND		0.15	3.8
Pentachlorophenol	ND		1.0	19
Phenanthrene	ND		0.24	0.76
Phenol	ND		2.3	3.8
Pyrene	ND		0.16	0.76
bis (2-chloroisopropyl) ether	ND		1.5	3.8
2,6-Dinitrotoluene	ND		3.0	19
4-Nitrophenol	ND		1.1	19

Surrogate	%Rec	Qualifier	Acceptance Limits
Terphenyl-d14 (Surr)	62		24 - 110
Phenol-d5 (Surr)	73		21 - 110
Nitrobenzene-d5 (Surr)	69		21 - 110
2-Fluorophenol (Surr)	68		10 - 110
2-Fluorobiphenyl (Surr)	65		20 - 110
2,4,6-Tribromophenol (Surr)	77		21 - 110

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW34G20131024

Lab Sample ID: 240-30670-4

Date Sampled: 10/24/2013 0815

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-107883	Instrument ID:	A4HP7
Prep Method:	3520C	Prep Batch:	240-107492	Lab File ID:	31031026.D
Dilution:	5.0			Initial Weight/Volume:	1020 mL
Analysis Date:	10/31/2013 2109			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0808			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
2,4,6-Trichlorophenol	ND		1.2	25
2,4,5-Trichlorophenol	ND		1.5	25
2,4-Dichlorophenol	ND		0.93	9.8
2,4-Dimethylphenol	ND		1.2	9.8
2,4-Dinitrophenol	ND		1.6	25
2,4-Dinitrotoluene	ND		1.2	25
2-Chlorophenol	ND		1.4	4.9
2-Methylnaphthalene	ND		0.44	0.98
2-Methylphenol	ND		0.83	4.9
2-Nitroaniline	ND		1.0	9.8
2-Nitrophenol	ND		1.4	9.8
3 & 4 Methylphenol	ND		3.9	9.8
3,3'-Dichlorobenzidine	ND		1.8	25
3-Nitroaniline	ND		1.4	9.8
4,6-Dinitro-2-methylphenol	ND		12	25
4-Bromophenyl phenyl ether	ND		1.1	9.8
4-Chloro-3-methylphenol	13		1.0	9.8
4-Chloroaniline	ND		1.0	9.8
4-Chlorophenyl phenyl ether	ND		1.5	9.8
4-Nitroaniline	ND		1.1	9.8
Acenaphthene	ND		0.22	0.98
Acenaphthylene	ND		0.24	0.98
Acetophenone	ND		1.7	4.9
Anthracene	ND		0.43	0.98
Benzo[a]anthracene	ND		0.14	0.98
Benzo[a]pyrene	ND		0.25	0.98
Benzo[b]fluoranthene	ND		0.19	0.98
Benzo[g,h,i]perylene	ND		0.23	0.98
Benzo[k]fluoranthene	ND		0.22	0.98
Bis(2-chloroethoxy)methane	ND		1.6	4.9
Bis(2-chloroethyl)ether	ND		0.49	4.9
Bis(2-ethylhexyl) phthalate	ND		1.1	9.8
Butyl benzyl phthalate	ND		1.3	9.8
Carbazole	1.6	J	1.4	4.9
Chrysene	ND		0.25	0.98
Di-n-butyl phthalate	ND		3.3	9.8
Di-n-octyl phthalate	ND		1.1	9.8
Dibenz(a,h)anthracene	ND		0.22	0.98
Dibenzofuran	ND		0.098	4.9
Diethyl phthalate	ND		2.9	9.8
Dimethyl phthalate	ND		1.4	9.8
Fluoranthene	ND		0.22	0.98
Fluorene	0.71	J	0.20	0.98
Hexachlorobenzene	ND		0.42	0.98
Hexachlorobutadiene	ND		1.3	4.9
Hexachlorocyclopentadiene	ND		1.2	49

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW34G20131024

Lab Sample ID: 240-30670-4

Date Sampled: 10/24/2013 0815

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-107883	Instrument ID:	A4HP7
Prep Method:	3520C	Prep Batch:	240-107492	Lab File ID:	31031026.D
Dilution:	5.0			Initial Weight/Volume:	1020 mL
Analysis Date:	10/31/2013 2109			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0808			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Hexachloroethane	ND		0.93	4.9
Indeno[1,2,3-cd]pyrene	ND		0.21	0.98
Isophorone	ND		1.3	4.9
N-Nitrosodi-n-propylamine	ND		1.2	4.9
N-Nitrosodiphenylamine	ND		1.5	4.9
Naphthalene	ND		0.31	0.98
Nitrobenzene	ND		0.20	4.9
Pentachlorophenol	ND		1.3	25
Phenanthrene	0.40	J	0.30	0.98
Phenol	ND		2.9	4.9
Pyrene	ND		0.21	0.98
bis (2-chloroisopropyl) ether	ND		2.0	4.9
2,6-Dinitrotoluene	ND		3.9	25
4-Nitrophenol	ND		1.4	25

Surrogate	%Rec	Qualifier	Acceptance Limits
Terphenyl-d14 (Surr)	46		24 - 110
Phenol-d5 (Surr)	74		21 - 110
Nitrobenzene-d5 (Surr)	66		21 - 110
2-Fluorophenol (Surr)	68		10 - 110
2-Fluorobiphenyl (Surr)	72		20 - 110
2,4,6-Tribromophenol (Surr)	85		21 - 110

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW26G20131024

Lab Sample ID: 240-30670-5

Date Sampled: 10/24/2013 0953

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-107883	Instrument ID:	A4HP7
Prep Method:	3520C	Prep Batch:	240-107492	Lab File ID:	31031024.D
Dilution:	1.0			Initial Weight/Volume:	970 mL
Analysis Date:	10/31/2013 2018			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0808			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
2,4,6-Trichlorophenol	ND		0.25	5.2
2,4,5-Trichlorophenol	ND		0.31	5.2
2,4-Dichlorophenol	ND		0.20	2.1
2,4-Dimethylphenol	ND		0.26	2.1
2,4-Dinitrophenol	ND		0.33	5.2
2,4-Dinitrotoluene	ND		0.26	5.2
2-Chlorophenol	ND		0.30	1.0
2-Methylnaphthalene	ND		0.093	0.21
2-Methylphenol	ND		0.18	1.0
2-Nitroaniline	ND		0.22	2.1
2-Nitrophenol	ND		0.29	2.1
3 & 4 Methylphenol	ND		0.82	2.1
3,3'-Dichlorobenzidine	ND		0.38	5.2
3-Nitroaniline	ND		0.29	2.1
4,6-Dinitro-2-methylphenol	ND		2.5	5.2
4-Bromophenyl phenyl ether	ND		0.23	2.1
4-Chloro-3-methylphenol	ND		0.22	2.1
4-Chloroaniline	ND		0.22	2.1
4-Chlorophenyl phenyl ether	ND		0.31	2.1
4-Nitroaniline	ND		0.23	2.1
Acenaphthene	ND		0.046	0.21
Acenaphthylene	ND		0.050	0.21
Acetophenone	ND		0.35	1.0
Anthracene	ND		0.091	0.21
Benzo[a]anthracene	ND		0.030	0.21
Benzo[a]pyrene	ND		0.053	0.21
Benzo[b]fluoranthene	ND		0.041	0.21
Benzo[g,h,i]perylene	ND		0.048	0.21
Benzo[k]fluoranthene	ND		0.046	0.21
Bis(2-chloroethoxy)methane	ND		0.33	1.0
Bis(2-chloroethyl)ether	ND		0.10	1.0
Bis(2-ethylhexyl) phthalate	ND		0.23	2.1
Butyl benzyl phthalate	ND		0.27	2.1
Carbazole	0.46	J	0.29	1.0
Chrysene	ND		0.052	0.21
Di-n-butyl phthalate	0.82	J	0.69	2.1
Di-n-octyl phthalate	ND		0.24	2.1
Dibenz(a,h)anthracene	ND		0.046	0.21
Dibenzofuran	ND		0.021	1.0
Diethyl phthalate	ND		0.62	2.1
Dimethyl phthalate	ND		0.30	2.1
Fluoranthene	ND		0.046	0.21
Fluorene	ND		0.042	0.21
Hexachlorobenzene	ND		0.088	0.21
Hexachlorobutadiene	ND		0.28	1.0
Hexachlorocyclopentadiene	ND		0.25	10

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW26G20131024

Lab Sample ID: 240-30670-5

Date Sampled: 10/24/2013 0953

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-107883	Instrument ID:	A4HP7
Prep Method:	3520C	Prep Batch:	240-107492	Lab File ID:	31031024.D
Dilution:	1.0			Initial Weight/Volume:	970 mL
Analysis Date:	10/31/2013 2018			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0808			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Hexachloroethane	ND		0.20	1.0
Indeno[1,2,3-cd]pyrene	ND		0.045	0.21
Isophorone	ND		0.28	1.0
N-Nitrosodi-n-propylamine	ND		0.25	1.0
N-Nitrosodiphenylamine	ND		0.32	1.0
Naphthalene	ND		0.065	0.21
Nitrobenzene	ND		0.041	1.0
Pentachlorophenol	ND		0.28	5.2
Phenanthrene	ND		0.064	0.21
Phenol	ND		0.62	1.0
Pyrene	ND		0.043	0.21
bis (2-chloroisopropyl) ether	ND		0.41	1.0
2,6-Dinitrotoluene	ND		0.82	5.2
4-Nitrophenol	ND		0.30	5.2

Surrogate	%Rec	Qualifier	Acceptance Limits
Terphenyl-d14 (Surr)	86		24 - 110
Phenol-d5 (Surr)	71		21 - 110
Nitrobenzene-d5 (Surr)	69		21 - 110
2-Fluorophenol (Surr)	67		10 - 110
2-Fluorobiphenyl (Surr)	69		20 - 110
2,4,6-Tribromophenol (Surr)	90		21 - 110

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW37G20131024

Lab Sample ID: 240-30670-6

Date Sampled: 10/24/2013 1140

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-107883	Instrument ID:	A4HP7
Prep Method:	3520C	Prep Batch:	240-107492	Lab File ID:	31031023.D
Dilution:	1.0			Initial Weight/Volume:	1040 mL
Analysis Date:	10/31/2013 1952			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0808			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
2,4,6-Trichlorophenol	ND		0.23	4.8
2,4,5-Trichlorophenol	ND		0.29	4.8
2,4-Dichlorophenol	ND		0.18	1.9
2,4-Dimethylphenol	ND		0.24	1.9
2,4-Dinitrophenol	ND		0.31	4.8
2,4-Dinitrotoluene	ND		0.24	4.8
2-Chlorophenol	ND		0.28	0.96
2-Methylnaphthalene	ND		0.087	0.19
2-Methylphenol	ND		0.16	0.96
2-Nitroaniline	ND		0.20	1.9
2-Nitrophenol	ND		0.27	1.9
3 & 4 Methylphenol	ND		0.77	1.9
3,3'-Dichlorobenzidine	ND		0.36	4.8
3-Nitroaniline	ND		0.27	1.9
4,6-Dinitro-2-methylphenol	ND		2.3	4.8
4-Bromophenyl phenyl ether	ND		0.21	1.9
4-Chloro-3-methylphenol	ND		0.20	1.9
4-Chloroaniline	ND		0.20	1.9
4-Chlorophenyl phenyl ether	ND		0.29	1.9
4-Nitroaniline	ND		0.21	1.9
Acenaphthene	ND		0.043	0.19
Acenaphthylene	ND		0.046	0.19
Acetophenone	ND		0.33	0.96
Anthracene	ND		0.085	0.19
Benzo[a]anthracene	ND		0.028	0.19
Benzo[a]pyrene	ND		0.049	0.19
Benzo[b]fluoranthene	ND		0.038	0.19
Benzo[g,h,i]perylene	ND		0.045	0.19
Benzo[k]fluoranthene	ND		0.043	0.19
Bis(2-chloroethoxy)methane	ND		0.31	0.96
Bis(2-chloroethyl)ether	ND		0.096	0.96
Bis(2-ethylhexyl) phthalate	ND		0.21	1.9
Butyl benzyl phthalate	ND		0.25	1.9
Carbazole	ND		0.27	0.96
Chrysene	ND		0.048	0.19
Di-n-butyl phthalate	ND		0.64	1.9
Di-n-octyl phthalate	ND		0.22	1.9
Dibenz(a,h)anthracene	ND		0.043	0.19
Dibenzofuran	ND		0.019	0.96
Diethyl phthalate	ND		0.58	1.9
Dimethyl phthalate	ND		0.28	1.9
Fluoranthene	ND		0.043	0.19
Fluorene	ND		0.039	0.19
Hexachlorobenzene	ND		0.082	0.19
Hexachlorobutadiene	ND		0.26	0.96
Hexachlorocyclopentadiene	ND		0.23	9.6

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW37G20131024

Lab Sample ID: 240-30670-6

Date Sampled: 10/24/2013 1140

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-107883	Instrument ID:	A4HP7
Prep Method:	3520C	Prep Batch:	240-107492	Lab File ID:	31031023.D
Dilution:	1.0			Initial Weight/Volume:	1040 mL
Analysis Date:	10/31/2013 1952			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0808			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Hexachloroethane	ND		0.18	0.96
Indeno[1,2,3-cd]pyrene	ND		0.042	0.19
Isophorone	ND		0.26	0.96
N-Nitrosodi-n-propylamine	ND		0.23	0.96
N-Nitrosodiphenylamine	ND		0.30	0.96
Naphthalene	0.12	J	0.060	0.19
Nitrobenzene	ND		0.038	0.96
Pentachlorophenol	ND		0.26	4.8
Phenanthrene	ND		0.060	0.19
Phenol	ND		0.58	0.96
Pyrene	ND		0.040	0.19
bis (2-chloroisopropyl) ether	ND		0.38	0.96
2,6-Dinitrotoluene	ND		0.77	4.8
4-Nitrophenol	ND		0.28	4.8

Surrogate	%Rec	Qualifier	Acceptance Limits
Terphenyl-d14 (Surr)	90		24 - 110
Phenol-d5 (Surr)	75		21 - 110
Nitrobenzene-d5 (Surr)	72		21 - 110
2-Fluorophenol (Surr)	72		10 - 110
2-Fluorobiphenyl (Surr)	73		20 - 110
2,4,6-Tribromophenol (Surr)	76		21 - 110

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW27G20131024

Lab Sample ID: 240-30670-7

Date Sampled: 10/24/2013 1215

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-107883	Instrument ID:	A4HP7
Prep Method:	3520C	Prep Batch:	240-107492	Lab File ID:	31031025.D
Dilution:	1.0			Initial Weight/Volume:	1030 mL
Analysis Date:	10/31/2013 2044			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0808			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
2,4,6-Trichlorophenol	ND		0.23	4.9
2,4,5-Trichlorophenol	ND		0.29	4.9
2,4-Dichlorophenol	ND		0.18	1.9
2,4-Dimethylphenol	ND		0.24	1.9
2,4-Dinitrophenol	ND		0.31	4.9
2,4-Dinitrotoluene	ND		0.24	4.9
2-Chlorophenol	ND		0.28	0.97
2-Methylnaphthalene	ND		0.088	0.19
2-Methylphenol	ND		0.17	0.97
2-Nitroaniline	ND		0.20	1.9
2-Nitrophenol	ND		0.27	1.9
3 & 4 Methylphenol	ND		0.78	1.9
3,3'-Dichlorobenzidine	ND		0.36	4.9
3-Nitroaniline	ND		0.27	1.9
4,6-Dinitro-2-methylphenol	ND		2.3	4.9
4-Bromophenyl phenyl ether	ND		0.21	1.9
4-Chloro-3-methylphenol	ND		0.20	1.9
4-Chloroaniline	ND		0.20	1.9
4-Chlorophenyl phenyl ether	ND		0.29	1.9
4-Nitroaniline	ND		0.21	1.9
Acenaphthene	ND		0.043	0.19
Acenaphthylene	ND		0.047	0.19
Acetophenone	ND		0.33	0.97
Anthracene	0.57		0.085	0.19
Benzo[a]anthracene	ND		0.029	0.19
Benzo[a]pyrene	ND		0.050	0.19
Benzo[b]fluoranthene	ND		0.038	0.19
Benzo[g,h,i]perylene	ND		0.045	0.19
Benzo[k]fluoranthene	ND		0.043	0.19
Bis(2-chloroethoxy)methane	ND		0.31	0.97
Bis(2-chloroethyl)ether	ND		0.097	0.97
Bis(2-ethylhexyl) phthalate	ND		0.21	1.9
Butyl benzyl phthalate	ND		0.25	1.9
Carbazole	ND		0.27	0.97
Chrysene	ND		0.049	0.19
Di-n-butyl phthalate	0.98	J	0.65	1.9
Di-n-octyl phthalate	ND		0.22	1.9
Dibenz(a,h)anthracene	ND		0.043	0.19
Dibenzofuran	ND		0.019	0.97
Diethyl phthalate	ND		0.58	1.9
Dimethyl phthalate	ND		0.28	1.9
Fluoranthene	ND		0.043	0.19
Fluorene	ND		0.039	0.19
Hexachlorobenzene	ND		0.083	0.19
Hexachlorobutadiene	ND		0.26	0.97
Hexachlorocyclopentadiene	ND		0.23	9.7

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW27G20131024

Lab Sample ID: 240-30670-7

Date Sampled: 10/24/2013 1215

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-107883	Instrument ID:	A4HP7
Prep Method:	3520C	Prep Batch:	240-107492	Lab File ID:	31031025.D
Dilution:	1.0			Initial Weight/Volume:	1030 mL
Analysis Date:	10/31/2013 2044			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0808			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Hexachloroethane	ND		0.18	0.97
Indeno[1,2,3-cd]pyrene	ND		0.042	0.19
Isophorone	ND		0.26	0.97
N-Nitrosodi-n-propylamine	ND		0.23	0.97
N-Nitrosodiphenylamine	ND		0.30	0.97
Naphthalene	ND		0.061	0.19
Nitrobenzene	ND		0.039	0.97
Pentachlorophenol	ND		0.26	4.9
Phenanthrene	ND		0.060	0.19
Phenol	ND		0.58	0.97
Pyrene	ND		0.041	0.19
bis (2-chloroisopropyl) ether	ND		0.39	0.97
2,6-Dinitrotoluene	ND		0.78	4.9
4-Nitrophenol	ND		0.28	4.9

Surrogate	%Rec	Qualifier	Acceptance Limits
Terphenyl-d14 (Surr)	79		24 - 110
Phenol-d5 (Surr)	72		21 - 110
Nitrobenzene-d5 (Surr)	71		21 - 110
2-Fluorophenol (Surr)	66		10 - 110
2-Fluorobiphenyl (Surr)	70		20 - 110
2,4,6-Tribromophenol (Surr)	82		21 - 110

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW39G20131024

Lab Sample ID: 240-30670-8

Date Sampled: 10/24/2013 1430

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-108259	Instrument ID:	A4HP7
Prep Method:	3520C	Prep Batch:	240-107842	Lab File ID:	31104019.D
Dilution:	1.0			Initial Weight/Volume:	1030 mL
Analysis Date:	11/04/2013 1734			Final Weight/Volume:	2.0 mL
Prep Date:	10/31/2013 0822			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
2,4,6-Trichlorophenol	ND		0.23	4.9
2,4,5-Trichlorophenol	ND		0.29	4.9
2,4-Dichlorophenol	ND		0.18	1.9
2,4-Dimethylphenol	ND		0.24	1.9
2,4-Dinitrophenol	ND		0.31	4.9
2,4-Dinitrotoluene	ND		0.24	4.9
2-Chlorophenol	ND		0.28	0.97
2-Methylnaphthalene	ND		0.088	0.19
2-Methylphenol	ND		0.17	0.97
2-Nitroaniline	ND		0.20	1.9
2-Nitrophenol	ND		0.27	1.9
3 & 4 Methylphenol	ND		0.78	1.9
3,3'-Dichlorobenzidine	ND		0.36	4.9
3-Nitroaniline	ND		0.27	1.9
4,6-Dinitro-2-methylphenol	ND		2.3	4.9
4-Bromophenyl phenyl ether	ND		0.21	1.9
4-Chloro-3-methylphenol	ND		0.20	1.9
4-Chloroaniline	ND		0.20	1.9
4-Chlorophenyl phenyl ether	ND		0.29	1.9
4-Nitroaniline	ND		0.21	1.9
Acenaphthene	ND		0.043	0.19
Acenaphthylene	ND		0.047	0.19
Acetophenone	ND		0.33	0.97
Anthracene	ND		0.085	0.19
Benzo[a]anthracene	ND		0.029	0.19
Benzo[a]pyrene	ND		0.050	0.19
Benzo[b]fluoranthene	ND		0.038	0.19
Benzo[g,h,i]perylene	ND		0.045	0.19
Benzo[k]fluoranthene	ND		0.043	0.19
Bis(2-chloroethoxy)methane	ND		0.31	0.97
Bis(2-chloroethyl)ether	ND		0.097	0.97
Bis(2-ethylhexyl) phthalate	0.31	J B	0.21	1.9
Butyl benzyl phthalate	ND		0.25	1.9
Carbazole	ND		0.27	0.97
Chrysene	ND		0.049	0.19
Di-n-butyl phthalate	ND		0.65	1.9
Di-n-octyl phthalate	ND		0.22	1.9
Dibenz(a,h)anthracene	ND		0.043	0.19
Dibenzofuran	ND		0.019	0.97
Diethyl phthalate	ND		0.58	1.9
Dimethyl phthalate	ND		0.28	1.9
Fluoranthene	ND		0.043	0.19
Fluorene	ND		0.039	0.19
Hexachlorobenzene	ND		0.083	0.19
Hexachlorobutadiene	ND		0.26	0.97
Hexachlorocyclopentadiene	ND		0.23	9.7

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW39G20131024

Lab Sample ID: 240-30670-8

Date Sampled: 10/24/2013 1430

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-108259	Instrument ID:	A4HP7
Prep Method:	3520C	Prep Batch:	240-107842	Lab File ID:	31104019.D
Dilution:	1.0			Initial Weight/Volume:	1030 mL
Analysis Date:	11/04/2013 1734			Final Weight/Volume:	2.0 mL
Prep Date:	10/31/2013 0822			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Hexachloroethane	ND		0.18	0.97
Indeno[1,2,3-cd]pyrene	ND		0.042	0.19
Isophorone	ND		0.26	0.97
N-Nitrosodi-n-propylamine	ND		0.23	0.97
N-Nitrosodiphenylamine	ND		0.30	0.97
Naphthalene	ND		0.061	0.19
Nitrobenzene	ND		0.039	0.97
Pentachlorophenol	ND		0.26	4.9
Phenanthrene	ND		0.060	0.19
Phenol	ND		0.58	0.97
Pyrene	ND		0.041	0.19
bis (2-chloroisopropyl) ether	ND		0.39	0.97
2,6-Dinitrotoluene	ND		0.78	4.9
4-Nitrophenol	ND		0.28	4.9

Surrogate	%Rec	Qualifier	Acceptance Limits
Terphenyl-d14 (Surr)	71		24 - 110
Phenol-d5 (Surr)	64		21 - 110
Nitrobenzene-d5 (Surr)	63		21 - 110
2-Fluorophenol (Surr)	63		10 - 110
2-Fluorobiphenyl (Surr)	63		20 - 110
2,4,6-Tribromophenol (Surr)	74		21 - 110

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARSSIPZ04G20131024

Lab Sample ID: 240-30670-9

Date Sampled: 10/24/2013 1448

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-109080	Instrument ID:	A4AG2
Prep Method:	3520C	Prep Batch:	240-107496	Lab File ID:	1109034.D
Dilution:	10			Initial Weight/Volume:	1040 mL
Analysis Date:	11/09/2013 2044			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0816			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
2,4,6-Trichlorophenol	ND		2.3	48
2,4,5-Trichlorophenol	ND		2.9	48
2,4-Dichlorophenol	ND		1.8	19
2,4-Dimethylphenol	ND		2.4	19
2,4-Dinitrophenol	ND		3.1	48
2,4-Dinitrotoluene	ND		2.4	48
2-Chlorophenol	ND		2.8	9.6
2-Methylnaphthalene	ND		0.87	1.9
2-Methylphenol	ND		1.6	9.6
2-Nitroaniline	ND		2.0	19
2-Nitrophenol	ND		2.7	19
3 & 4 Methylphenol	ND		7.7	19
3,3'-Dichlorobenzidine	ND		3.6	48
3-Nitroaniline	ND		2.7	19
4,6-Dinitro-2-methylphenol	ND		23	48
4-Bromophenyl phenyl ether	ND		2.1	19
4-Chloro-3-methylphenol	9.0	J	2.0	19
4-Chloroaniline	ND		2.0	19
4-Chlorophenyl phenyl ether	ND		2.9	19
4-Nitroaniline	ND		2.1	19
Acenaphthene	ND		0.42	1.9
Acenaphthylene	ND		0.46	1.9
Acetophenone	ND		3.3	9.6
Anthracene	ND		0.85	1.9
Benzo[a]anthracene	ND		0.28	1.9
Benzo[a]pyrene	ND		0.49	1.9
Benzo[b]fluoranthene	ND		0.38	1.9
Benzo[g,h,i]perylene	ND		0.45	1.9
Benzo[k]fluoranthene	ND		0.43	1.9
Bis(2-chloroethoxy)methane	ND		3.1	9.6
Bis(2-chloroethyl)ether	ND		0.96	9.6
Bis(2-ethylhexyl) phthalate	ND		2.1	19
Butyl benzyl phthalate	ND		2.5	19
Carbazole	ND		2.7	9.6
Chrysene	ND		0.48	1.9
Di-n-butyl phthalate	ND		6.4	19
Di-n-octyl phthalate	ND		2.2	19
Dibenz(a,h)anthracene	ND		0.43	1.9
Dibenzofuran	ND		0.19	9.6
Diethyl phthalate	ND		5.8	19
Dimethyl phthalate	ND		2.8	19
Fluoranthene	ND		0.43	1.9
Fluorene	ND		0.39	1.9
Hexachlorobenzene	ND		0.82	1.9
Hexachlorobutadiene	ND		2.6	9.6
Hexachlorocyclopentadiene	ND		2.3	96

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARSSIPZ04G20131024

Lab Sample ID: 240-30670-9

Date Sampled: 10/24/2013 1448

Client Matrix: Water

Date Received: 10/25/2013 0920

8270D Semivolatile Organic Compounds (GC/MS)

Analysis Method:	8270D	Analysis Batch:	240-109080	Instrument ID:	A4AG2
Prep Method:	3520C	Prep Batch:	240-107496	Lab File ID:	1109034.D
Dilution:	10			Initial Weight/Volume:	1040 mL
Analysis Date:	11/09/2013 2044			Final Weight/Volume:	2 mL
Prep Date:	10/29/2013 0816			Injection Volume:	1 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Hexachloroethane	ND		1.8	9.6
Indeno[1,2,3-cd]pyrene	ND		0.42	1.9
Isophorone	ND		2.6	9.6
N-Nitrosodi-n-propylamine	ND		2.3	9.6
N-Nitrosodiphenylamine	ND		3.0	9.6
Naphthalene	1.0	J	0.60	1.9
Nitrobenzene	ND		0.38	9.6
Pentachlorophenol	ND		2.6	48
Phenanthrene	ND		0.60	1.9
Phenol	ND		5.8	9.6
Pyrene	ND		0.40	1.9
bis (2-chloroisopropyl) ether	ND		3.8	9.6
2,6-Dinitrotoluene	ND		7.7	48
4-Nitrophenol	ND		2.8	48

Surrogate	%Rec	Qualifier	Acceptance Limits
Terphenyl-d14 (Surr)	77		24 - 110
Phenol-d5 (Surr)	75		21 - 110
Nitrobenzene-d5 (Surr)	67		21 - 110
2-Fluorophenol (Surr)	73		10 - 110
2-Fluorobiphenyl (Surr)	69		20 - 110
2,4,6-Tribromophenol (Surr)	79		21 - 110

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW23G20131023

Lab Sample ID: 240-30670-1

Date Sampled: 10/23/2013 0907

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B	Analysis Batch: 240-108129	Instrument ID: A2HP3
Prep Method: 3510C	Prep Batch: 240-107322	Initial Weight/Volume: 1030 mL
Dilution: 1.0		Final Weight/Volume: 5 mL
Analysis Date: 11/04/2013 0627		Injection Volume: 1 uL
Prep Date: 10/28/2013 0819		Result Type: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
4,4'-DDD	ND		0.0093	0.049
4,4'-DDE	ND		0.0094	0.049
4,4'-DDT	ND	*	0.016	0.049
Aldrin	ND		0.0080	0.049
alpha-BHC	ND		0.0068	0.049
beta-BHC	ND		0.0082	0.049
alpha-Chlordane	ND		0.014	0.049
delta-BHC	0.021	J	0.0084	0.049
gamma-BHC (Lindane)	ND		0.0062	0.049
gamma-Chlordane	ND		0.012	0.049
Dieldrin	ND		0.0073	0.049
Endosulfan I	ND		0.013	0.049
Endosulfan II	ND		0.012	0.049
Endosulfan sulfate	ND		0.011	0.049
Endrin	ND	*	0.011	0.049
Endrin aldehyde	ND		0.011	0.049
Endrin ketone	ND		0.0076	0.049
Heptachlor	ND	*	0.0078	0.049
Heptachlor epoxide	ND		0.0069	0.049
Methoxychlor	ND	*	0.031	0.097
Toxaphene	ND		0.31	1.9
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl	60		30 - 120	
Tetrachloro-m-xylene	104		38 - 120	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW23G20131023

Lab Sample ID: 240-30670-1

Date Sampled: 10/23/2013 0907

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-108129

Instrument ID: A2HP3

Prep Method: 3510C

Prep Batch: 240-107322

Initial Weight/Volume: 1030 mL

Dilution: 1.0

Final Weight/Volume: 5 mL

Analysis Date: 11/04/2013 0627

Injection Volume: 1 uL

Prep Date: 10/28/2013 0819

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	58		30 - 120
Tetrachloro-m-xylene	100		38 - 120

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW24G20131023

Lab Sample ID: 240-30670-2

Date Sampled: 10/23/2013 1029

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B	Analysis Batch: 240-108129	Instrument ID: A2HP3
Prep Method: 3510C	Prep Batch: 240-107322	Initial Weight/Volume: 1030 mL
Dilution: 1.0		Final Weight/Volume: 5 mL
Analysis Date: 11/04/2013 0647		Injection Volume: 1 uL
Prep Date: 10/28/2013 0819		Result Type: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
4,4'-DDD	ND		0.0093	0.049
4,4'-DDE	ND		0.0094	0.049
4,4'-DDT	ND	*	0.016	0.049
Aldrin	ND		0.0080	0.049
alpha-BHC	ND		0.0068	0.049
beta-BHC	ND		0.0082	0.049
alpha-Chlordane	ND		0.014	0.049
delta-BHC	ND		0.0084	0.049
gamma-BHC (Lindane)	ND		0.0062	0.049
gamma-Chlordane	ND		0.012	0.049
Dieldrin	ND		0.0073	0.049
Endosulfan I	ND		0.013	0.049
Endosulfan II	ND		0.012	0.049
Endosulfan sulfate	ND		0.011	0.049
Endrin	ND	*	0.011	0.049
Endrin aldehyde	ND		0.011	0.049
Endrin ketone	ND		0.0076	0.049
Heptachlor	ND	*	0.0078	0.049
Heptachlor epoxide	ND		0.0069	0.049
Methoxychlor	ND	*	0.031	0.097
Toxaphene	ND		0.31	1.9
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl	73		30 - 120	
Tetrachloro-m-xylene	87		38 - 120	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW24G20131023

Lab Sample ID: 240-30670-2

Date Sampled: 10/23/2013 1029

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method:	8081B	Analysis Batch:	240-108129	Instrument ID:	A2HP3
Prep Method:	3510C	Prep Batch:	240-107322	Initial Weight/Volume:	1030 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	11/04/2013 0647			Injection Volume:	1 uL
Prep Date:	10/28/2013 0819			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	72		30 - 120
Tetrachloro-m-xylene	88		38 - 120

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW28G20131023

Lab Sample ID: 240-30670-3

Date Sampled: 10/23/2013 1715

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B	Analysis Batch: 240-108129	Instrument ID: A2HP3
Prep Method: 3510C	Prep Batch: 240-107322	Initial Weight/Volume: 1040 mL
Dilution: 1.0		Final Weight/Volume: 5 mL
Analysis Date: 11/04/2013 0707		Injection Volume: 1 uL
Prep Date: 10/28/2013 0819		Result Type: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
4,4'-DDD	ND		0.0092	0.048
4,4'-DDE	ND		0.0093	0.048
4,4'-DDT	ND	*	0.015	0.048
Aldrin	ND		0.0079	0.048
alpha-BHC	ND		0.0067	0.048
beta-BHC	ND		0.0081	0.048
alpha-Chlordane	ND		0.013	0.048
delta-BHC	0.031	J	0.0084	0.048
gamma-BHC (Lindane)	0.047	J	0.0062	0.048
gamma-Chlordane	ND		0.012	0.048
Dieldrin	ND		0.0072	0.048
Endosulfan I	ND		0.013	0.048
Endosulfan II	ND		0.012	0.048
Endosulfan sulfate	ND		0.011	0.048
Endrin	ND	*	0.011	0.048
Endrin aldehyde	ND		0.011	0.048
Endrin ketone	ND		0.0075	0.048
Heptachlor	ND	*	0.0077	0.048
Heptachlor epoxide	ND		0.0068	0.048
Methoxychlor	ND	*	0.031	0.096
Toxaphene	ND		0.31	1.9
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl	55		30 - 120	
Tetrachloro-m-xylene	82		38 - 120	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW28G20131023

Lab Sample ID: 240-30670-3

Date Sampled: 10/23/2013 1715

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-108129

Instrument ID: A2HP3

Prep Method: 3510C

Prep Batch: 240-107322

Initial Weight/Volume: 1040 mL

Dilution: 1.0

Final Weight/Volume: 5 mL

Analysis Date: 11/04/2013 0707

Injection Volume: 1 uL

Prep Date: 10/28/2013 0819

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	49		30 - 120
Tetrachloro-m-xylene	92		38 - 120

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW34G20131024

Lab Sample ID: 240-30670-4

Date Sampled: 10/24/2013 0815

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method:	8081B	Analysis Batch:	240-108129	Instrument ID:	A2HP3
Prep Method:	3510C	Prep Batch:	240-107322	Initial Weight/Volume:	1020 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	11/04/2013 0728			Injection Volume:	1 uL
Prep Date:	10/28/2013 0819			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
4,4'-DDD	ND		0.0094	0.049
4,4'-DDE	ND		0.0095	0.049
4,4'-DDT	ND	*	0.016	0.049
Aldrin	ND		0.0080	0.049
alpha-BHC	ND		0.0069	0.049
beta-BHC	ND		0.0082	0.049
alpha-Chlordane	ND		0.014	0.049
delta-BHC	0.022	J	0.0085	0.049
gamma-BHC (Lindane)	ND		0.0063	0.049
gamma-Chlordane	ND		0.012	0.049
Dieldrin	ND		0.0074	0.049
Endosulfan I	ND		0.013	0.049
Endosulfan II	ND		0.012	0.049
Endosulfan sulfate	ND		0.011	0.049
Endrin	ND	*	0.011	0.049
Endrin aldehyde	ND		0.011	0.049
Endrin ketone	ND		0.0076	0.049
Heptachlor	ND	*	0.0078	0.049
Heptachlor epoxide	ND		0.0070	0.049
Methoxychlor	ND	*	0.031	0.098
Toxaphene	ND		0.31	2.0
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl	27	X	30 - 120	
Tetrachloro-m-xylene	76		38 - 120	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW34G20131024

Lab Sample ID: 240-30670-4

Date Sampled: 10/24/2013 0815

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-108129

Instrument ID: A2HP3

Prep Method: 3510C

Prep Batch: 240-107322

Initial Weight/Volume: 1020 mL

Dilution: 1.0

Final Weight/Volume: 5 mL

Analysis Date: 11/04/2013 0728

Injection Volume: 1 uL

Prep Date: 10/28/2013 0819

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	22	X	30 - 120
Tetrachloro-m-xylene	77		38 - 120

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW26G20131024

Lab Sample ID: 240-30670-5

Date Sampled: 10/24/2013 0953

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method:	8081B	Analysis Batch:	240-109089	Instrument ID:	A2HP3
Prep Method:	3510C	Prep Batch:	240-107322	Initial Weight/Volume:	950 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	11/09/2013 2055			Injection Volume:	1 uL
Prep Date:	10/28/2013 0819			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
4,4'-DDD	ND		0.010	0.053
4,4'-DDE	0.37		0.010	0.053
4,4'-DDT	ND	*	0.017	0.053
Aldrin	ND		0.0086	0.053
alpha-BHC	ND		0.0074	0.053
beta-BHC	ND		0.0088	0.053
alpha-Chlordane	ND		0.015	0.053
delta-BHC	ND		0.0092	0.053
gamma-BHC (Lindane)	ND		0.0067	0.053
gamma-Chlordane	ND		0.013	0.053
Dieldrin	ND		0.0079	0.053
Endosulfan I	ND		0.014	0.053
Endosulfan II	ND		0.013	0.053
Endosulfan sulfate	ND		0.012	0.053
Endrin	0.036	J *	0.012	0.053
Endrin aldehyde	ND		0.012	0.053
Endrin ketone	ND		0.0082	0.053
Heptachlor	0.019	J *	0.0084	0.053
Heptachlor epoxide	ND		0.0075	0.053
Methoxychlor	ND	*	0.034	0.11
Toxaphene	ND		0.34	2.1
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl	74		30 - 120	
Tetrachloro-m-xylene	86		38 - 120	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW26G20131024

Lab Sample ID: 240-30670-5

Date Sampled: 10/24/2013 0953

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-109089

Instrument ID: A2HP3

Prep Method: 3510C

Prep Batch: 240-107322

Initial Weight/Volume: 950 mL

Dilution: 1.0

Final Weight/Volume: 5 mL

Analysis Date: 11/09/2013 2055

Injection Volume: 1 uL

Prep Date: 10/28/2013 0819

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	62		30 - 120
Tetrachloro-m-xylene	76		38 - 120

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW37G20131024

Lab Sample ID: 240-30670-6

Date Sampled: 10/24/2013 1140

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method:	8081B	Analysis Batch:	240-108129	Instrument ID:	A2HP3
Prep Method:	3510C	Prep Batch:	240-107322	Initial Weight/Volume:	1000 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	11/04/2013 0809			Injection Volume:	1 uL
Prep Date:	10/28/2013 0819			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
4,4'-DDD	ND		0.0096	0.050
4,4'-DDE	ND		0.0097	0.050
4,4'-DDT	ND	*	0.016	0.050
Aldrin	ND		0.0082	0.050
alpha-BHC	ND		0.0070	0.050
beta-BHC	ND		0.0084	0.050
alpha-Chlordane	ND		0.014	0.050
delta-BHC	ND		0.0087	0.050
gamma-BHC (Lindane)	ND		0.0064	0.050
gamma-Chlordane	ND		0.012	0.050
Dieldrin	ND		0.0075	0.050
Endosulfan I	ND		0.013	0.050
Endosulfan II	ND		0.012	0.050
Endosulfan sulfate	ND		0.011	0.050
Endrin	ND	*	0.011	0.050
Endrin aldehyde	ND		0.011	0.050
Endrin ketone	ND		0.0078	0.050
Heptachlor	ND	*	0.0080	0.050
Heptachlor epoxide	ND		0.0071	0.050
Methoxychlor	ND	*	0.032	0.10
Toxaphene	ND		0.32	2.0
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl	86		30 - 120	
Tetrachloro-m-xylene	97		38 - 120	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW37G20131024

Lab Sample ID: 240-30670-6

Date Sampled: 10/24/2013 1140

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-108129

Instrument ID: A2HP3

Prep Method: 3510C

Prep Batch: 240-107322

Initial Weight/Volume: 1000 mL

Dilution: 1.0

Final Weight/Volume: 5 mL

Analysis Date: 11/04/2013 0809

Injection Volume: 1 uL

Prep Date: 10/28/2013 0819

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	88		30 - 120
Tetrachloro-m-xylene	111		38 - 120

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW27G20131024

Lab Sample ID: 240-30670-7

Date Sampled: 10/24/2013 1215

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method:	8081B	Analysis Batch:	240-108129	Instrument ID:	A2HP3
Prep Method:	3510C	Prep Batch:	240-107322	Initial Weight/Volume:	1040 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	11/04/2013 0829			Injection Volume:	1 uL
Prep Date:	10/28/2013 0819			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
4,4'-DDD	ND		0.0092	0.048
4,4'-DDE	ND		0.0093	0.048
4,4'-DDT	ND	*	0.015	0.048
Aldrin	ND		0.0079	0.048
alpha-BHC	ND		0.0067	0.048
beta-BHC	ND		0.0081	0.048
alpha-Chlordane	ND		0.013	0.048
delta-BHC	0.026	J	0.0084	0.048
gamma-BHC (Lindane)	0.013	J	0.0062	0.048
gamma-Chlordane	ND		0.012	0.048
Dieldrin	ND		0.0072	0.048
Endosulfan I	ND		0.013	0.048
Endosulfan II	ND		0.012	0.048
Endosulfan sulfate	ND		0.011	0.048
Endrin	ND	*	0.011	0.048
Endrin aldehyde	ND		0.011	0.048
Endrin ketone	ND		0.0075	0.048
Heptachlor	ND	*	0.0077	0.048
Heptachlor epoxide	ND		0.0068	0.048
Methoxychlor	ND	*	0.031	0.096
Toxaphene	ND		0.31	1.9
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl	71		30 - 120	
Tetrachloro-m-xylene	81		38 - 120	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW27G20131024

Lab Sample ID: 240-30670-7

Date Sampled: 10/24/2013 1215

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-108129

Instrument ID: A2HP3

Prep Method: 3510C

Prep Batch: 240-107322

Initial Weight/Volume: 1040 mL

Dilution: 1.0

Final Weight/Volume: 5 mL

Analysis Date: 11/04/2013 0829

Injection Volume: 1 uL

Prep Date: 10/28/2013 0819

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	64		30 - 120
Tetrachloro-m-xylene	77		38 - 120

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW39G20131024

Lab Sample ID: 240-30670-8

Date Sampled: 10/24/2013 1430

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method:	8081B	Analysis Batch:	240-108129	Instrument ID:	A2HP3
Prep Method:	3510C	Prep Batch:	240-107322	Initial Weight/Volume:	1010 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	11/04/2013 0850			Injection Volume:	1 uL
Prep Date:	10/28/2013 0819			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
4,4'-DDD	ND		0.0095	0.050
4,4'-DDE	ND		0.0096	0.050
4,4'-DDT	ND	*	0.016	0.050
Aldrin	ND		0.0081	0.050
alpha-BHC	ND		0.0069	0.050
beta-BHC	ND		0.0083	0.050
alpha-Chlordane	ND		0.014	0.050
delta-BHC	0.021	J	0.0086	0.050
gamma-BHC (Lindane)	ND		0.0063	0.050
gamma-Chlordane	ND		0.012	0.050
Dieldrin	ND		0.0074	0.050
Endosulfan I	ND		0.013	0.050
Endosulfan II	ND		0.012	0.050
Endosulfan sulfate	ND		0.011	0.050
Endrin	ND	*	0.011	0.050
Endrin aldehyde	ND		0.011	0.050
Endrin ketone	ND		0.0077	0.050
Heptachlor	ND	*	0.0079	0.050
Heptachlor epoxide	ND		0.0070	0.050
Methoxychlor	ND	*	0.032	0.099
Toxaphene	ND		0.32	2.0
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl	89		30 - 120	
Tetrachloro-m-xylene	114		38 - 120	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW39G20131024

Lab Sample ID: 240-30670-8

Date Sampled: 10/24/2013 1430

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-108129

Instrument ID: A2HP3

Prep Method: 3510C

Prep Batch: 240-107322

Initial Weight/Volume: 1010 mL

Dilution: 1.0

Final Weight/Volume: 5 mL

Analysis Date: 11/04/2013 0850

Injection Volume: 1 uL

Prep Date: 10/28/2013 0819

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	81		30 - 120
Tetrachloro-m-xylene	91		38 - 120

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARSSIPZ04G20131024

Lab Sample ID: 240-30670-9

Date Sampled: 10/24/2013 1448

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method:	8081B	Analysis Batch:	240-108129	Instrument ID:	A2HP3
Prep Method:	3510C	Prep Batch:	240-107322	Initial Weight/Volume:	1050 mL
Dilution:	5.0			Final Weight/Volume:	5 mL
Analysis Date:	11/04/2013 1012			Injection Volume:	1 uL
Prep Date:	10/28/2013 0819			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
4,4'-DDD	ND		0.046	0.24
4,4'-DDE	ND		0.046	0.24
4,4'-DDT	ND	*	0.076	0.24
Aldrin	ND		0.039	0.24
alpha-BHC	ND		0.033	0.24
beta-BHC	ND		0.040	0.24
alpha-Chlordane	ND		0.067	0.24
delta-BHC	ND		0.041	0.24
gamma-BHC (Lindane)	ND		0.030	0.24
gamma-Chlordane	ND		0.057	0.24
Dieldrin	ND		0.036	0.24
Endosulfan I	ND		0.062	0.24
Endosulfan II	ND		0.057	0.24
Endosulfan sulfate	ND		0.052	0.24
Endrin	ND	*	0.052	0.24
Endrin aldehyde	ND		0.052	0.24
Endrin ketone	ND		0.037	0.24
Heptachlor	ND	*	0.038	0.24
Heptachlor epoxide	ND		0.034	0.24
Methoxychlor	ND	*	0.15	0.48
Toxaphene	ND		1.5	9.5
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl	52		30 - 120	
Tetrachloro-m-xylene	101		38 - 120	

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARSSIPZ04G20131024

Lab Sample ID: 240-30670-9

Date Sampled: 10/24/2013 1448

Client Matrix: Water

Date Received: 10/25/2013 0920

8081B Organochlorine Pesticides (GC)

Analysis Method: 8081B

Analysis Batch: 240-108129

Instrument ID: A2HP3

Prep Method: 3510C

Prep Batch: 240-107322

Initial Weight/Volume: 1050 mL

Dilution: 5.0

Final Weight/Volume: 5 mL

Analysis Date: 11/04/2013 1012

Injection Volume: 1 uL

Prep Date: 10/28/2013 0819

Result Type: SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl	39		30 - 120
Tetrachloro-m-xylene	93		38 - 120

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW23G20131023

Lab Sample ID: 240-30670-1

Date Sampled: 10/23/2013 0907

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1030 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 0926			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aroclor-1016	ND		0.17	0.49
Aroclor-1221	ND		0.13	0.49
Aroclor-1232	ND		0.16	0.49
Aroclor-1242	ND		0.21	0.49
Aroclor-1248	ND		0.097	0.49
Aroclor-1254	ND		0.16	0.49
Aroclor-1260	ND		0.17	0.49
Aroclor-1262	ND		0.15	0.49
Aroclor-1268	ND		0.23	0.49

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	79		35 - 137
DCB Decachlorobiphenyl	54		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW23G20131023

Lab Sample ID: 240-30670-1

Date Sampled: 10/23/2013 0907

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1030 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 0926			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	101		35 - 137
DCB Decachlorobiphenyl	68		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW24G20131023

Lab Sample ID: 240-30670-2

Date Sampled: 10/23/2013 1029

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1030 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 0940			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aroclor-1016	ND		0.17	0.49
Aroclor-1221	ND		0.13	0.49
Aroclor-1232	ND		0.16	0.49
Aroclor-1242	ND		0.21	0.49
Aroclor-1248	ND		0.097	0.49
Aroclor-1254	ND		0.16	0.49
Aroclor-1260	ND		0.17	0.49
Aroclor-1262	ND		0.15	0.49
Aroclor-1268	ND		0.23	0.49

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	95		35 - 137
DCB Decachlorobiphenyl	57		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW24G20131023

Lab Sample ID: 240-30670-2

Date Sampled: 10/23/2013 1029

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1030 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 0940			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	88		35 - 137
DCB Decachlorobiphenyl	78		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW28G20131023

Lab Sample ID: 240-30670-3

Date Sampled: 10/23/2013 1715

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1040 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 0954			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aroclor-1016	ND		0.16	0.48
Aroclor-1221	ND		0.13	0.48
Aroclor-1232	ND		0.15	0.48
Aroclor-1242	ND		0.21	0.48
Aroclor-1248	ND		0.096	0.48
Aroclor-1254	ND		0.15	0.48
Aroclor-1260	ND		0.16	0.48
Aroclor-1262	ND		0.14	0.48
Aroclor-1268	ND		0.23	0.48

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	91		35 - 137
DCB Decachlorobiphenyl	55		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW28G20131023

Lab Sample ID: 240-30670-3

Date Sampled: 10/23/2013 1715

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1040 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 0954			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	98		35 - 137
DCB Decachlorobiphenyl	67		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW34G20131024

Lab Sample ID: 240-30670-4

Date Sampled: 10/24/2013 0815

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1020 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 1008			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aroclor-1016	ND		0.17	0.49
Aroclor-1221	ND		0.13	0.49
Aroclor-1232	ND		0.16	0.49
Aroclor-1242	ND		0.22	0.49
Aroclor-1248	ND		0.098	0.49
Aroclor-1254	ND		0.16	0.49
Aroclor-1260	ND		0.17	0.49
Aroclor-1262	ND		0.15	0.49
Aroclor-1268	ND		0.24	0.49

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	84		35 - 137
DCB Decachlorobiphenyl	23		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW34G20131024

Lab Sample ID: 240-30670-4

Date Sampled: 10/24/2013 0815

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1020 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 1008			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	78		35 - 137
DCB Decachlorobiphenyl	27		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW26G20131024

Lab Sample ID: 240-30670-5

Date Sampled: 10/24/2013 0953

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	950 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 1022			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aroclor-1016	ND		0.18	0.53
Aroclor-1221	ND		0.14	0.53
Aroclor-1232	ND		0.17	0.53
Aroclor-1242	ND		0.23	0.53
Aroclor-1248	ND		0.11	0.53
Aroclor-1254	ND		0.17	0.53
Aroclor-1260	ND		0.18	0.53
Aroclor-1262	ND		0.16	0.53
Aroclor-1268	ND		0.25	0.53

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	100		35 - 137
DCB Decachlorobiphenyl	74		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW26G20131024

Lab Sample ID: 240-30670-5

Date Sampled: 10/24/2013 0953

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	950 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 1022			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	92		35 - 137
DCB Decachlorobiphenyl	92		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW37G20131024

Lab Sample ID: 240-30670-6

Date Sampled: 10/24/2013 1140

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1000 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 1037			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aroclor-1016	ND		0.17	0.50
Aroclor-1221	ND		0.13	0.50
Aroclor-1232	ND		0.16	0.50
Aroclor-1242	ND		0.22	0.50
Aroclor-1248	ND		0.10	0.50
Aroclor-1254	ND		0.16	0.50
Aroclor-1260	ND		0.17	0.50
Aroclor-1262	ND		0.15	0.50
Aroclor-1268	ND		0.24	0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	107		35 - 137
DCB Decachlorobiphenyl	77		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW37G20131024

Lab Sample ID: 240-30670-6

Date Sampled: 10/24/2013 1140

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1000 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 1037			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	107		35 - 137
DCB Decachlorobiphenyl	93		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW27G20131024

Lab Sample ID: 240-30670-7

Date Sampled: 10/24/2013 1215

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1040 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 1051			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aroclor-1016	ND		0.16	0.48
Aroclor-1221	ND		0.13	0.48
Aroclor-1232	ND		0.15	0.48
Aroclor-1242	ND		0.21	0.48
Aroclor-1248	ND		0.096	0.48
Aroclor-1254	ND		0.15	0.48
Aroclor-1260	ND		0.16	0.48
Aroclor-1262	ND		0.14	0.48
Aroclor-1268	ND		0.23	0.48

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	94		35 - 137
DCB Decachlorobiphenyl	63		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW27G20131024

Lab Sample ID: 240-30670-7

Date Sampled: 10/24/2013 1215

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1040 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 1051			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	84		35 - 137
DCB Decachlorobiphenyl	77		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW39G20131024

Lab Sample ID: 240-30670-8

Date Sampled: 10/24/2013 1430

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1010 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 1105			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aroclor-1016	ND		0.17	0.50
Aroclor-1221	ND		0.13	0.50
Aroclor-1232	ND		0.16	0.50
Aroclor-1242	ND		0.22	0.50
Aroclor-1248	ND		0.099	0.50
Aroclor-1254	ND		0.16	0.50
Aroclor-1260	ND		0.17	0.50
Aroclor-1262	ND		0.15	0.50
Aroclor-1268	ND		0.24	0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	97		35 - 137
DCB Decachlorobiphenyl	71		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW39G20131024

Lab Sample ID: 240-30670-8

Date Sampled: 10/24/2013 1430

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1010 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 1105			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	92		35 - 137
DCB Decachlorobiphenyl	90		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARSSIPZ04G20131024

Lab Sample ID: 240-30670-9

Date Sampled: 10/24/2013 1448

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1050 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 0824			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Aroclor-1016	ND		0.16	0.48
Aroclor-1221	ND		0.12	0.48
Aroclor-1232	ND		0.15	0.48
Aroclor-1242	ND		0.21	0.48
Aroclor-1248	ND		0.095	0.48
Aroclor-1254	ND		0.15	0.48
Aroclor-1260	0.22	J	0.16	0.48
Aroclor-1262	ND		0.14	0.48
Aroclor-1268	ND		0.23	0.48

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	63		35 - 137
DCB Decachlorobiphenyl	18		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARSSIPZ04G20131024

Lab Sample ID: 240-30670-9

Date Sampled: 10/24/2013 1448

Client Matrix: Water

Date Received: 10/25/2013 0920

8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analysis Method:	8082A	Analysis Batch:	240-107662	Instrument ID:	A2HP12
Prep Method:	3510C	Prep Batch:	240-107321	Initial Weight/Volume:	1050 mL
Dilution:	1.0			Final Weight/Volume:	5 mL
Analysis Date:	10/30/2013 0824			Injection Volume:	1 uL
Prep Date:	10/28/2013 0816			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
Tetrachloro-m-xylene	70		35 - 137
DCB Decachlorobiphenyl	28		10 - 140

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW23G20131023

Lab Sample ID: 240-30670-1

Date Sampled: 10/23/2013 0907

Client Matrix: Water

Date Received: 10/25/2013 0920

6010C Metals (ICP)-Total Recoverable

Analysis Method:	6010C	Analysis Batch:	240-108547	Instrument ID:	I9
Prep Method:	3005A	Prep Batch:	240-107845	Lab File ID:	I9110513A.asc
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/05/2013 0812			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 0828				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	16		3.2	15
Barium	200	B	0.67	200
Cadmium	ND		0.66	5.0
Chromium	ND		2.2	10
Lead	ND		1.9	10
Selenium	ND		4.1	20
Silver	ND		2.2	10

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	240-108226	Instrument ID:	H1
Prep Method:	7470A	Prep Batch:	240-107851	Lab File ID:	110113B-HG1.PRN
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/01/2013 1614			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 1525				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.12	0.20

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: TR1VMW24G20131023

Lab Sample ID: 240-30670-2

Date Sampled: 10/23/2013 1029

Client Matrix: Water

Date Received: 10/25/2013 0920

6010C Metals (ICP)-Total Recoverable

Analysis Method:	6010C	Analysis Batch:	240-108547	Instrument ID:	I9
Prep Method:	3005A	Prep Batch:	240-107845	Lab File ID:	I9110513A.asc
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/05/2013 0828			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 0828				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	ND		3.2	15
Barium	44	J B	0.67	200
Cadmium	ND		0.66	5.0
Chromium	ND		2.2	10
Lead	ND		1.9	10
Selenium	ND		4.1	20
Silver	ND		2.2	10

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	240-108226	Instrument ID:	H1
Prep Method:	7470A	Prep Batch:	240-107851	Lab File ID:	110113B-HG1.PRN
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/01/2013 1636			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 1525				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.12	0.20

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW28G20131023

Lab Sample ID: 240-30670-3

Date Sampled: 10/23/2013 1715

Client Matrix: Water

Date Received: 10/25/2013 0920

6010C Metals (ICP)-Total Recoverable

Analysis Method:	6010C	Analysis Batch:	240-108547	Instrument ID:	I9
Prep Method:	3005A	Prep Batch:	240-107845	Lab File ID:	I9110513A.asc
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/05/2013 0832			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 0828				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	ND		3.2	15
Barium	140	J B	0.67	200
Cadmium	ND		0.66	5.0
Chromium	ND		2.2	10
Lead	ND		1.9	10
Selenium	ND		4.1	20
Silver	ND		2.2	10

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	240-108226	Instrument ID:	H1
Prep Method:	7470A	Prep Batch:	240-107851	Lab File ID:	110113B-HG1.PRN
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/01/2013 1638			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 1525				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.12	0.20

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW34G20131024

Lab Sample ID: 240-30670-4

Date Sampled: 10/24/2013 0815

Client Matrix: Water

Date Received: 10/25/2013 0920

6010C Metals (ICP)-Total Recoverable

Analysis Method:	6010C	Analysis Batch:	240-108547	Instrument ID:	I9
Prep Method:	3005A	Prep Batch:	240-107845	Lab File ID:	I9110513A.asc
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/05/2013 0836			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 0828				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	10	J	3.2	15
Barium	520	B	0.67	200
Cadmium	ND		0.66	5.0
Chromium	8.9	J	2.2	10
Lead	2.2	J	1.9	10
Selenium	ND		4.1	20
Silver	ND		2.2	10

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	240-108226	Instrument ID:	H1
Prep Method:	7470A	Prep Batch:	240-107851	Lab File ID:	110113B-HG1.PRN
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/01/2013 1639			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 1525				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.12	0.20

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW26G20131024

Lab Sample ID: 240-30670-5

Date Sampled: 10/24/2013 0953

Client Matrix: Water

Date Received: 10/25/2013 0920

6010C Metals (ICP)-Total Recoverable

Analysis Method:	6010C	Analysis Batch:	240-108547	Instrument ID:	I9
Prep Method:	3005A	Prep Batch:	240-107845	Lab File ID:	I9110513A.asc
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/05/2013 0848			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 0828				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	ND		3.2	15
Barium	140	J B	0.67	200
Cadmium	ND		0.66	5.0
Chromium	3.2	J	2.2	10
Lead	ND		1.9	10
Selenium	ND		4.1	20
Silver	ND		2.2	10

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	240-108226	Instrument ID:	H1
Prep Method:	7470A	Prep Batch:	240-107851	Lab File ID:	110113B-HG1.PRN
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/01/2013 1640			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 1525				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.12	0.20

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW37G20131024

Lab Sample ID: 240-30670-6

Date Sampled: 10/24/2013 1140

Client Matrix: Water

Date Received: 10/25/2013 0920

6010C Metals (ICP)-Total Recoverable

Analysis Method:	6010C	Analysis Batch:	240-108547	Instrument ID:	I9
Prep Method:	3005A	Prep Batch:	240-107845	Lab File ID:	I9110513A.asc
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/05/2013 0853			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 0828				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	ND		3.2	15
Barium	56	J B	0.67	200
Cadmium	ND		0.66	5.0
Chromium	180		2.2	10
Lead	ND		1.9	10
Selenium	ND		4.1	20
Silver	ND		2.2	10

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	240-108226	Instrument ID:	H1
Prep Method:	7470A	Prep Batch:	240-107851	Lab File ID:	110113B-HG1.PRN
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/01/2013 1642			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 1525				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.12	0.20

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW27G20131024

Lab Sample ID: 240-30670-7

Date Sampled: 10/24/2013 1215

Client Matrix: Water

Date Received: 10/25/2013 0920

6010C Metals (ICP)-Total Recoverable

Analysis Method:	6010C	Analysis Batch:	240-108547	Instrument ID:	I9
Prep Method:	3005A	Prep Batch:	240-107845	Lab File ID:	I9110513A.asc
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/05/2013 0857			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 0828				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	ND		3.2	15
Barium	130	J B	0.67	200
Cadmium	ND		0.66	5.0
Chromium	ND		2.2	10
Lead	ND		1.9	10
Selenium	ND		4.1	20
Silver	ND		2.2	10

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	240-108226	Instrument ID:	H1
Prep Method:	7470A	Prep Batch:	240-107851	Lab File ID:	110113B-HG1.PRN
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/01/2013 1643			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 1525				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.12	0.20

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARMW39G20131024

Lab Sample ID: 240-30670-8

Date Sampled: 10/24/2013 1430

Client Matrix: Water

Date Received: 10/25/2013 0920

6010C Metals (ICP)-Total Recoverable

Analysis Method:	6010C	Analysis Batch:	240-108547	Instrument ID:	I9
Prep Method:	3005A	Prep Batch:	240-107845	Lab File ID:	I9110513A.asc
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/05/2013 0901			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 0828				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	ND		3.2	15
Barium	96	J B	0.67	200
Cadmium	ND		0.66	5.0
Chromium	ND		2.2	10
Lead	ND		1.9	10
Selenium	ND		4.1	20
Silver	ND		2.2	10

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	240-108226	Instrument ID:	H1
Prep Method:	7470A	Prep Batch:	240-107851	Lab File ID:	110113B-HG1.PRN
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/01/2013 1649			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 1525				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.12	0.20

Analytical Data

Client: EnSafe, Inc.

Job Number: 240-30670-1

Client Sample ID: CARSSIPZ04G20131024

Lab Sample ID: 240-30670-9

Date Sampled: 10/24/2013 1448

Client Matrix: Water

Date Received: 10/25/2013 0920

6010C Metals (ICP)-Total Recoverable

Analysis Method:	6010C	Analysis Batch:	240-108547	Instrument ID:	I9
Prep Method:	3005A	Prep Batch:	240-107845	Lab File ID:	I9110513A.asc
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/05/2013 0905			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 0828				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	3.2	J	3.2	15
Barium	510	B	0.67	200
Cadmium	ND		0.66	5.0
Chromium	ND		2.2	10
Lead	ND		1.9	10
Selenium	ND		4.1	20
Silver	ND		2.2	10

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	240-108226	Instrument ID:	H1
Prep Method:	7470A	Prep Batch:	240-107851	Lab File ID:	110113B-HG1.PRN
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/01/2013 1651			Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 1525				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.12	0.20

DATA REPORTING QUALIFIERS

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Section	Qualifier	Description
GC/MS VOA	B	Compound was found in the blank and sample.
	J	Indicates an Estimated Value for TICs
	*	LCS or LCSD exceeds the control limits
	N	Presumptive evidence of material.
	T	Result is a tentatively identified compound (TIC) and an estimated value.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
GC/MS Semi VOA	B	Compound was found in the blank and sample.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
GC Semi VOA	*	LCS or LCSD exceeds the control limits
	E	Result exceeded calibration range.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
	X	Surrogate is outside control limits
Metals	B	Compound was found in the blank and sample.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

QUALITY CONTROL RESULTS

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Analysis Batch:240-108601					
LCS 240-108601/4	Lab Control Sample	T	Water	8260C	
MB 240-108601/6	Method Blank	T	Water	8260C	
240-30670-1	TR1VMW23G20131023	T	Water	8260C	
240-30670-1MS	Matrix Spike	T	Water	8260C	
240-30670-1MSD	Matrix Spike Duplicate	T	Water	8260C	
240-30670-2	TR1VMW24G20131023	T	Water	8260C	
240-30670-3	CARMW28G20131023	T	Water	8260C	
240-30670-4	CARMW34G20131024	T	Water	8260C	
240-30670-5	CARMW26G20131024	T	Water	8260C	
240-30670-6	CARMW37G20131024	T	Water	8260C	
240-30670-7	CARMW27G20131024	T	Water	8260C	
240-30670-8	CARMW39G20131024	T	Water	8260C	
240-30670-9	CARSSIPZ04G20131024	T	Water	8260C	

Report Basis

T = Total

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS Semi VOA					
Prep Batch: 240-107492					
LCS 240-107492/22-A	Lab Control Sample	T	Water	3520C	
MB 240-107492/21-A	Method Blank	T	Water	3520C	
240-30670-4	CARMW34G20131024	T	Water	3520C	
240-30670-5	CARMW26G20131024	T	Water	3520C	
240-30670-6	CARMW37G20131024	T	Water	3520C	
240-30670-7	CARMW27G20131024	T	Water	3520C	
Prep Batch: 240-107496					
LCS 240-107496/24-A	Lab Control Sample	T	Water	3520C	
MB 240-107496/23-A	Method Blank	T	Water	3520C	
240-30670-1	TR1VMW23G20131023	T	Water	3520C	
240-30670-2	TR1VMW24G20131023	T	Water	3520C	
240-30670-3	CARMW28G20131023	T	Water	3520C	
240-30670-9	CARSSIPZ04G20131024	T	Water	3520C	
Prep Batch: 240-107842					
LCS 240-107842/24-A	Lab Control Sample	T	Water	3520C	
MB 240-107842/23-A	Method Blank	T	Water	3520C	
240-30670-8	CARMW39G20131024	T	Water	3520C	
Analysis Batch:240-107883					
MB 240-107492/21-A	Method Blank	T	Water	8270D	240-107492
240-30670-4	CARMW34G20131024	T	Water	8270D	240-107492
240-30670-5	CARMW26G20131024	T	Water	8270D	240-107492
240-30670-6	CARMW37G20131024	T	Water	8270D	240-107492
240-30670-7	CARMW27G20131024	T	Water	8270D	240-107492
Analysis Batch:240-108197					
LCS 240-107496/24-A	Lab Control Sample	T	Water	8270D	240-107496
MB 240-107496/23-A	Method Blank	T	Water	8270D	240-107496
Analysis Batch:240-108259					
LCS 240-107492/22-A	Lab Control Sample	T	Water	8270D	240-107492
LCS 240-107842/24-A	Lab Control Sample	T	Water	8270D	240-107842
MB 240-107842/23-A	Method Blank	T	Water	8270D	240-107842
240-30670-8	CARMW39G20131024	T	Water	8270D	240-107842
Analysis Batch:240-109080					
240-30670-1	TR1VMW23G20131023	T	Water	8270D	240-107496
240-30670-2	TR1VMW24G20131023	T	Water	8270D	240-107496
240-30670-3	CARMW28G20131023	T	Water	8270D	240-107496
240-30670-9	CARSSIPZ04G20131024	T	Water	8270D	240-107496

TestAmerica Canton

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
---------------	------------------	--------------	---------------	--------	------------

Report Basis

T = Total

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC Semi VOA					
Prep Batch: 240-107321					
LCS 240-107321/11-A	Lab Control Sample	T	Water	3510C	
MB 240-107321/10-A	Method Blank	T	Water	3510C	
240-30670-1	TR1VMW23G20131023	T	Water	3510C	
240-30670-2	TR1VMW24G20131023	T	Water	3510C	
240-30670-3	CARMW28G20131023	T	Water	3510C	
240-30670-4	CARMW34G20131024	T	Water	3510C	
240-30670-5	CARMW26G20131024	T	Water	3510C	
240-30670-6	CARMW37G20131024	T	Water	3510C	
240-30670-7	CARMW27G20131024	T	Water	3510C	
240-30670-8	CARMW39G20131024	T	Water	3510C	
240-30670-9	CARSSIPZ04G20131024	T	Water	3510C	
Prep Batch: 240-107322					
LCS 240-107322/11-A	Lab Control Sample	T	Water	3510C	
MB 240-107322/10-A	Method Blank	T	Water	3510C	
240-30670-1	TR1VMW23G20131023	T	Water	3510C	
240-30670-2	TR1VMW24G20131023	T	Water	3510C	
240-30670-3	CARMW28G20131023	T	Water	3510C	
240-30670-4	CARMW34G20131024	T	Water	3510C	
240-30670-5	CARMW26G20131024	T	Water	3510C	
240-30670-6	CARMW37G20131024	T	Water	3510C	
240-30670-7	CARMW27G20131024	T	Water	3510C	
240-30670-8	CARMW39G20131024	T	Water	3510C	
240-30670-9	CARSSIPZ04G20131024	T	Water	3510C	
Analysis Batch:240-107662					
LCS 240-107321/11-A	Lab Control Sample	T	Water	8082A	240-107321
MB 240-107321/10-A	Method Blank	T	Water	8082A	240-107321
240-30670-1	TR1VMW23G20131023	T	Water	8082A	240-107321
240-30670-2	TR1VMW24G20131023	T	Water	8082A	240-107321
240-30670-3	CARMW28G20131023	T	Water	8082A	240-107321
240-30670-4	CARMW34G20131024	T	Water	8082A	240-107321
240-30670-5	CARMW26G20131024	T	Water	8082A	240-107321
240-30670-6	CARMW37G20131024	T	Water	8082A	240-107321
240-30670-7	CARMW27G20131024	T	Water	8082A	240-107321
240-30670-8	CARMW39G20131024	T	Water	8082A	240-107321
240-30670-9	CARSSIPZ04G20131024	T	Water	8082A	240-107321

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC Semi VOA					
Analysis Batch:240-108129					
LCS 240-107322/11-A	Lab Control Sample	T	Water	8081B	240-107322
MB 240-107322/10-A	Method Blank	T	Water	8081B	240-107322
240-30670-1	TR1VMW23G20131023	T	Water	8081B	240-107322
240-30670-2	TR1VMW24G20131023	T	Water	8081B	240-107322
240-30670-3	CARMW28G20131023	T	Water	8081B	240-107322
240-30670-4	CARMW34G20131024	T	Water	8081B	240-107322
240-30670-6	CARMW37G20131024	T	Water	8081B	240-107322
240-30670-7	CARMW27G20131024	T	Water	8081B	240-107322
240-30670-8	CARMW39G20131024	T	Water	8081B	240-107322
240-30670-9	CARSSIPZ04G20131024	T	Water	8081B	240-107322
Analysis Batch:240-109089					
PB 240-109089/3	Preparation / Extraction Blank	T	Water	8081B	
240-30670-5	CARMW26G20131024	T	Water	8081B	240-107322

Report Basis

T = Total

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
Metals					
Prep Batch: 240-107845					
LCS 240-107845/2-A	Lab Control Sample	R	Water	3005A	
MB 240-107845/1-A	Method Blank	R	Water	3005A	
240-30670-1	TR1VMW23G20131023	R	Water	3005A	
240-30670-1DU	Duplicate	R	Water	3005A	
240-30670-1MS	Matrix Spike	R	Water	3005A	
240-30670-2	TR1VMW24G20131023	R	Water	3005A	
240-30670-3	CARMW28G20131023	R	Water	3005A	
240-30670-4	CARMW34G20131024	R	Water	3005A	
240-30670-5	CARMW26G20131024	R	Water	3005A	
240-30670-6	CARMW37G20131024	R	Water	3005A	
240-30670-7	CARMW27G20131024	R	Water	3005A	
240-30670-8	CARMW39G20131024	R	Water	3005A	
240-30670-9	CARSSIPZ04G20131024	R	Water	3005A	
Prep Batch: 240-107851					
LCS 240-107851/2-A	Lab Control Sample	T	Water	7470A	
MB 240-107851/1-A	Method Blank	T	Water	7470A	
240-30670-1	TR1VMW23G20131023	T	Water	7470A	
240-30670-1DU	Duplicate	T	Water	7470A	
240-30670-1MS	Matrix Spike	T	Water	7470A	
240-30670-2	TR1VMW24G20131023	T	Water	7470A	
240-30670-3	CARMW28G20131023	T	Water	7470A	
240-30670-4	CARMW34G20131024	T	Water	7470A	
240-30670-5	CARMW26G20131024	T	Water	7470A	
240-30670-6	CARMW37G20131024	T	Water	7470A	
240-30670-7	CARMW27G20131024	T	Water	7470A	
240-30670-8	CARMW39G20131024	T	Water	7470A	
240-30670-9	CARSSIPZ04G20131024	T	Water	7470A	
Analysis Batch:240-108226					
LCS 240-107851/2-A	Lab Control Sample	T	Water	7470A	240-107851
MB 240-107851/1-A	Method Blank	T	Water	7470A	240-107851
240-30670-1	TR1VMW23G20131023	T	Water	7470A	240-107851
240-30670-1DU	Duplicate	T	Water	7470A	240-107851
240-30670-1MS	Matrix Spike	T	Water	7470A	240-107851
240-30670-2	TR1VMW24G20131023	T	Water	7470A	240-107851
240-30670-3	CARMW28G20131023	T	Water	7470A	240-107851
240-30670-4	CARMW34G20131024	T	Water	7470A	240-107851
240-30670-5	CARMW26G20131024	T	Water	7470A	240-107851
240-30670-6	CARMW37G20131024	T	Water	7470A	240-107851
240-30670-7	CARMW27G20131024	T	Water	7470A	240-107851
240-30670-8	CARMW39G20131024	T	Water	7470A	240-107851
240-30670-9	CARSSIPZ04G20131024	T	Water	7470A	240-107851

TestAmerica Canton

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report	Client Matrix	Method	Prep Batch
		Basis			
Metals					
Analysis Batch:240-108547					
LCS 240-107845/2-A	Lab Control Sample	R	Water	6010C	240-107845
MB 240-107845/1-A	Method Blank	R	Water	6010C	240-107845
240-30670-1	TR1VMW23G20131023	R	Water	6010C	240-107845
240-30670-1DU	Duplicate	R	Water	6010C	240-107845
240-30670-1MS	Matrix Spike	R	Water	6010C	240-107845
240-30670-2	TR1VMW24G20131023	R	Water	6010C	240-107845
240-30670-3	CARMW28G20131023	R	Water	6010C	240-107845
240-30670-4	CARMW34G20131024	R	Water	6010C	240-107845
240-30670-5	CARMW26G20131024	R	Water	6010C	240-107845
240-30670-6	CARMW37G20131024	R	Water	6010C	240-107845
240-30670-7	CARMW27G20131024	R	Water	6010C	240-107845
240-30670-8	CARMW39G20131024	R	Water	6010C	240-107845
240-30670-9	CARSSIPZ04G20131024	R	Water	6010C	240-107845

Report Basis

R = Total Recoverable

T = Total

Client: EnSafe, Inc.

Job Number: 240-30670-1

Surrogate Recovery Report**8260C Volatile Organic Compounds by GC/MS****Client Matrix: Water**

Lab Sample ID	Client Sample ID	BFB %Rec	DBFM %Rec	DCA %Rec	TOL %Rec
MRL 240-108601/5		91	102	98	96

Surrogate	Acceptance Limits
BFB = 4-Bromofluorobenzene (Surr)	10-150
DBFM = Dibromofluoromethane (Surr)	10-150
DCA = 1,2-Dichloroethane-d4 (Surr)	10-150
TOL = Toluene-d8 (Surr)	10-150

Client: EnSafe, Inc.

Job Number: 240-30670-1

Surrogate Recovery Report**8260C Volatile Organic Compounds by GC/MS****Client Matrix: Water**

Lab Sample ID	Client Sample ID	BFB %Rec	DBFM %Rec	DCA %Rec	TOL %Rec
240-30670-1	TR1VMW23G201310 23	92	103	95	99
240-30670-2	TR1VMW24G201310 23	90	101	94	96
240-30670-3	CARMW28G2013102 3	86	97	91	92
240-30670-4	CARMW34G2013102 4	91	101	95	93
240-30670-5	CARMW26G2013102 4	91	102	97	97
240-30670-6	CARMW37G2013102 4	86	97	93	92
240-30670-7	CARMW27G2013102 4	83	92	87	90
240-30670-8	CARMW39G2013102 4	91	102	97	97
240-30670-9	CARSSIPZ04G20131 024	85	102	96	91
MB 240-108601/6		85	95	90	91
LCS 240-108601/4		96	102	100	98
240-30670-1 MS	TR1VMW23G201310 23 MS	93	95	89	94
240-30670-1 MSD	TR1VMW23G201310 23 MSD	90	96	93	92

Surrogate	Acceptance Limits
BFB = 4-Bromofluorobenzene (Surr)	66-117
DBFM = Dibromofluoromethane (Surr)	75-121
DCA = 1,2-Dichloroethane-d4 (Surr)	63-129
TOL = Toluene-d8 (Surr)	74-115

Client: EnSafe, Inc.

Job Number: 240-30670-1

Surrogate Recovery Report**8270D Semivolatile Organic Compounds (GC/MS)****Client Matrix: Water**

Lab Sample ID	Client Sample ID	TPH %Rec	PHL %Rec	NBZ %Rec	2FP %Rec	FBP %Rec	TBP %Rec
240-30670-1	TR1VMW23G201310 23	43	70	65	66	57	74
240-30670-2	TR1VMW24G201310 23	72	69	65	66	63	76
240-30670-3	CARMW28G2013102 3	62	73	69	68	65	77
240-30670-4	CARMW34G2013102 4	46	74	66	68	72	85
240-30670-5	CARMW26G2013102 4	86	71	69	67	69	90
240-30670-6	CARMW37G2013102 4	90	75	72	72	73	76
240-30670-7	CARMW27G2013102 4	79	72	71	66	70	82
240-30670-8	CARMW39G2013102 4	71	64	63	63	63	74
240-30670-9	CARSSIPZ04G20131 024	77	75	67	73	69	79
MB 240-107492/21-A		88	73	63	69	63	70
MB 240-107496/23-A		79	72	68	69	59	58
MB 240-107842/23-A		87	74	69	76	72	77
LCS 240-107492/22-A		92	76	74	74	76	92
LCS 240-107496/24-A		98	83	80	78	75	96
LCS 240-107842/24-A		94	83	84	84	80	93

Surrogate	Acceptance Limits
TPH = Terphenyl-d14 (Surr)	24-110
PHL = Phenol-d5 (Surr)	21-110
NBZ = Nitrobenzene-d5 (Surr)	21-110
2FP = 2-Fluorophenol (Surr)	10-110
FBP = 2-Fluorobiphenyl (Surr)	20-110
TBP = 2,4,6-Tribromophenol (Surr)	21-110

Client: EnSafe, Inc.

Job Number: 240-30670-1

Surrogate Recovery Report**8081B Organochlorine Pesticides (GC)****Client Matrix: Water**

Lab Sample ID	Client Sample ID	DCB1 %Rec	DCB2 %Rec	TCX1 %Rec	TCX2 %Rec
240-30670-1	TR1VMW23G201310 23	58	60	100	104
240-30670-2	TR1VMW24G201310 23	72	73	88	87
240-30670-3	CARMW28G2013102 3	49	55	92	82
240-30670-4	CARMW34G2013102 4	22X	27X	77	76
240-30670-5	CARMW26G2013102 4	62	74	76	86
240-30670-6	CARMW37G2013102 4	88	86	111	97
240-30670-7	CARMW27G2013102 4	64	71	77	81
240-30670-8	CARMW39G2013102 4	81	89	91	114
240-30670-9	CARSSIPZ04G20131 024	39	52	93	101
MB 240-107322/10-A		99	94	113	106
LCS 240-107322/11-A		106	98	117	101

Surrogate	Acceptance Limits
DCB = DCB Decachlorobiphenyl	30-120
TCX = Tetrachloro-m-xylene	38-120

Client: EnSafe, Inc.

Job Number: 240-30670-1

Surrogate Recovery Report**8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography****Client Matrix: Water**

Lab Sample ID	Client Sample ID	TCX1 %Rec	TCX2 %Rec	DCB1 %Rec	DCB2 %Rec
240-30670-1	TR1VMW23G201310 23	79	101	54	68
240-30670-2	TR1VMW24G201310 23	95	88	57	78
240-30670-3	CARMW28G2013102 3	91	98	55	67
240-30670-4	CARMW34G2013102 4	84	78	23	27
240-30670-5	CARMW26G2013102 4	100	92	74	92
240-30670-6	CARMW37G2013102 4	107	107	77	93
240-30670-7	CARMW27G2013102 4	94	84	63	77
240-30670-8	CARMW39G2013102 4	97	92	71	90
240-30670-9	CARSSIPZ04G20131 024	63	70	18	28
MB 240-107321/10-A		109	103	92	107
LCS 240-107321/11-A		97	93	72	85

Surrogate	Acceptance Limits
TCX = Tetrachloro-m-xylene	35-137
DCB = DCB Decachlorobiphenyl	10-140

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Method Blank - Batch: 240-108601

Method: 8260C Preparation: 5030C

Lab Sample ID: MB 240-108601/6
Client Matrix: Water
Dilution: 1.0
Analysis Date: 11/06/2013 1138
Prep Date: 11/06/2013 1138
Leach Date: N/A

Analysis Batch: 240-108601
Prep Batch: N/A
Leach Batch: N/A
Units: ug/L

Instrument ID: A3UX16
Lab File ID: UXM1468.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Result	Qual	MDL	RL
Acetone	1.53	J	1.1	10
Benzene	ND		0.13	1.0
Bromoform	ND		0.64	1.0
Bromomethane	ND		0.41	1.0
2-Butanone (MEK)	ND		0.57	10
Carbon disulfide	ND		0.13	1.0
Carbon tetrachloride	ND		0.13	1.0
Chlorobenzene	ND		0.15	1.0
Chlorodibromomethane	ND		0.18	1.0
Chloroethane	ND		0.29	1.0
Chloroform	ND		0.16	1.0
Chloromethane	ND		0.30	1.0
cis-1,2-Dichloroethene	ND		0.17	1.0
cis-1,3-Dichloropropene	ND		0.14	1.0
1,2-Dibromo-3-Chloropropane	ND		0.67	2.0
1,2-Dichlorobenzene	ND		0.13	1.0
1,3-Dichlorobenzene	ND		0.14	1.0
1,4-Dichlorobenzene	ND		0.13	1.0
Dichlorobromomethane	ND		0.15	1.0
Dichlorodifluoromethane	ND		0.31	1.0
1,1-Dichloroethane	ND		0.15	1.0
1,2-Dichloroethane	ND		0.22	1.0
1,1-Dichloroethene	ND		0.19	1.0
1,2-Dichloropropane	ND		0.18	1.0
Ethylbenzene	ND		0.17	1.0
Ethylene Dibromide	ND		0.24	1.0
2-Hexanone	ND		0.41	10
Isopropylbenzene	ND		0.13	1.0
Methylene Chloride	ND		0.33	1.0
4-Methyl-2-pentanone (MIBK)	ND		0.32	10
Methyl tert-butyl ether	ND		0.17	1.0
m-Xylene & p-Xylene	ND		0.24	2.0
o-Xylene	ND		0.14	1.0
Styrene	ND		0.11	1.0
1,1,2,2-Tetrachloroethane	ND		0.18	1.0
Tetrachloroethene	ND		0.29	1.0
Toluene	ND		0.13	1.0
trans-1,2-Dichloroethene	ND		0.19	1.0
trans-1,3-Dichloropropene	ND		0.19	1.0
1,2,4-Trichlorobenzene	ND		0.15	1.0
1,1,1-Trichloroethane	ND		0.22	1.0
1,1,2-Trichloroethane	ND		0.27	1.0
Trichloroethene	ND		0.17	1.0
Trichlorofluoromethane	ND		0.21	1.0
Vinyl chloride	ND		0.22	1.0

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Method Blank - Batch: 240-108601

Method: 8260C

Preparation: 5030C

Lab Sample ID:	MB 240-108601/6	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	UXM1468.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1138	Units:	ug/L	Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1138				
Leach Date:	N/A				

Analyte	Result	Qual	MDL	RL
Xylenes, Total	ND		0.14	2.0
Surrogate	% Rec	Acceptance Limits		
4-Bromofluorobenzene (Surr)	85	66 - 117		
Dibromofluoromethane (Surr)	95	75 - 121		
1,2-Dichloroethane-d4 (Surr)	90	63 - 129		
Toluene-d8 (Surr)	91	74 - 115		

Method Blank TICs- Batch: 240-108601

Cas Number	Analyte	RT	Est. Result (ug/L)	Qual
	Tentatively Identified Compound		None	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Control Sample - Batch: 240-108601

Method: 8260C

Preparation: 5030C

Lab Sample ID: LCS 240-108601/4
 Client Matrix: Water
 Dilution: 1.0
 Analysis Date: 11/06/2013 1052
 Prep Date: 11/06/2013 1052
 Leach Date: N/A

Analysis Batch: 240-108601
 Prep Batch: N/A
 Leach Batch: N/A
 Units: ug/L

Instrument ID: A3UX16
 Lab File ID: UXM1466.D
 Initial Weight/Volume: 10 mL
 Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Acetone	50.0	75.6	151	43 - 136	*
Benzene	25.0	27.1	108	83 - 112	
Bromoform	25.0	27.8	111	40 - 131	
Bromomethane	25.0	23.2	93	11 - 185	
2-Butanone (MEK)	50.0	69.0	138	60 - 126	*
Carbon disulfide	25.0	29.2	117	62 - 142	
Carbon tetrachloride	25.0	28.0	112	66 - 128	
Chlorobenzene	25.0	27.0	108	85 - 110	
Chlorodibromomethane	25.0	31.0	124	64 - 119	*
Chloroethane	25.0	23.4	93	25 - 153	
Chloroform	25.0	28.8	115	79 - 117	
Chloromethane	25.0	22.2	89	44 - 126	
cis-1,2-Dichloroethene	25.0	28.1	112	80 - 113	
cis-1,3-Dichloropropene	25.0	30.7	123	61 - 115	*
1,2-Dibromo-3-Chloropropane	25.0	30.5	122	42 - 136	
1,2-Dichlorobenzene	25.0	26.2	105	81 - 110	
1,3-Dichlorobenzene	25.0	26.0	104	80 - 110	
1,4-Dichlorobenzene	25.0	25.6	103	82 - 110	
Dichlorobromomethane	25.0	30.5	122	72 - 121	*
Dichlorodifluoromethane	25.0	21.9	88	19 - 129	
1,1-Dichloroethane	25.0	28.3	113	82 - 115	
1,2-Dichloroethane	25.0	29.7	119	71 - 127	
1,1-Dichloroethene	25.0	28.1	113	78 - 131	
1,2-Dichloropropane	25.0	27.6	110	81 - 115	
Ethylbenzene	25.0	27.4	110	83 - 112	
Ethylene Dibromide	25.0	30.1	120	79 - 113	*
2-Hexanone	50.0	63.5	127	55 - 133	
Isopropylbenzene	25.0	28.6	114	75 - 114	
Methylene Chloride	25.0	24.0	96	66 - 131	
4-Methyl-2-pentanone (MIBK)	50.0	66.3	133	63 - 128	*
Methyl tert-butyl ether	25.0	30.2	121	52 - 144	
m-Xylene & p-Xylene	25.0	27.6	110	83 - 113	
o-Xylene	25.0	27.6	111	83 - 113	
Styrene	25.0	28.2	113	79 - 114	
1,1,2,2-Tetrachloroethane	25.0	28.2	113	68 - 118	
Tetrachloroethene	25.0	27.8	111	79 - 114	
Toluene	25.0	24.6	98	84 - 111	
trans-1,2-Dichloroethene	25.0	28.6	114	83 - 117	
trans-1,3-Dichloropropene	25.0	32.7	131	58 - 117	*
1,2,4-Trichlorobenzene	25.0	26.8	107	48 - 135	
1,1,1-Trichloroethane	25.0	29.5	118	74 - 118	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Control Sample - Batch: 240-108601

Method: 8260C

Preparation: 5030C

Lab Sample ID: LCS 240-108601/4
Client Matrix: Water
Dilution: 1.0
Analysis Date: 11/06/2013 1052
Prep Date: 11/06/2013 1052
Leach Date: N/A

Analysis Batch: 240-108601
Prep Batch: N/A
Leach Batch: N/A
Units: ug/L

Instrument ID: A3UX16
Lab File ID: UXM1466.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
1,1,2-Trichloroethane	25.0	27.6	110	80 - 112	
Trichloroethene	25.0	28.6	115	76 - 117	
Trichlorofluoromethane	25.0	25.0	100	49 - 157	
Vinyl chloride	25.0	24.6	98	53 - 127	
Xylenes, Total	50.0	55.2	110	83 - 112	

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene (Surr)	96	66 - 117
Dibromofluoromethane (Surr)	102	75 - 121
1,2-Dichloroethane-d4 (Surr)	100	63 - 129
Toluene-d8 (Surr)	98	74 - 115

Method Reporting Limit Check - Batch: 240-108601

Method: 8260C

Preparation: 5030C

Lab Sample ID: MRL 240-108601/5
Client Matrix: Water
Dilution: 1.0
Analysis Date: 11/06/2013 1115
Prep Date: 11/06/2013 1115
Leach Date: N/A

Analysis Batch: 240-108601
Prep Batch: N/A
Leach Batch: N/A
Units: ng/uL

Instrument ID: A3UX16
Lab File ID: UXM1467.D
Initial Weight/Volume: 10 mL
Final Weight/Volume: 10 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Bromoform	0.00100	ND	131	10 - 150	
1,2-Dibromo-3-Chloropropane	0.00100	ND	120	10 - 150	
2-Hexanone	0.0100	ND	90	10 - 150	
1,1,2,2-Tetrachloroethane	0.00100	ND	83	10 - 150	

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene (Surr)	91	10 - 150
Dibromofluoromethane (Surr)	102	10 - 150
1,2-Dichloroethane-d4 (Surr)	98	10 - 150
Toluene-d8 (Surr)	96	10 - 150

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

**Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 240-108601**

**Method: 8260C
Preparation: 5030C**

MS Lab Sample ID:	240-30670-1	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	UXM1489.D
Dilution:	200	Leach Batch:	N/A	Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1941			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1941				
Leach Date:	N/A				

MSD Lab Sample ID:	240-30670-1	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	UXM1490.D
Dilution:	200	Leach Batch:	N/A	Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 2003			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 2003				
Leach Date:	N/A				

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
Acetone	80	100	33 - 145	23	30		
Benzene	100	99	72 - 121	1	30		
Bromoform	81	91	32 - 128	11	30		
Bromomethane	84	82	10 - 186	2	30		
2-Butanone (MEK)	82	103	54 - 129	23	30		
Carbon disulfide	101	94	57 - 147	7	30		
Carbon tetrachloride	97	90	59 - 129	8	30		
Chlorobenzene	95	94	80 - 110	2	30		
Chlorodibromomethane	97	106	56 - 118	8	30		
Chloroethane	85	81	21 - 165	5	30		
Chloroform	103	104	76 - 118	0	30		
Chloromethane	81	77	33 - 132	5	30		
cis-1,2-Dichloroethene	74	71	70 - 120	1	30		
cis-1,3-Dichloropropene	104	108	51 - 110	4	30		
1,2-Dibromo-3-Chloropropane	82	100	32 - 139	20	30		
1,2-Dichlorobenzene	89	89	75 - 111	0	30		
1,3-Dichlorobenzene	89	86	73 - 110	3	30		
1,4-Dichlorobenzene	88	86	75 - 110	2	30		
Dichlorobromomethane	104	106	67 - 120	1	30		
Dichlorodifluoromethane	74	67	17 - 128	10	30		
1,1-Dichloroethane	102	99	79 - 116	2	30		
1,2-Dichloroethane	102	109	68 - 129	6	30		
1,1-Dichloroethene	96	89	74 - 135	8	30		
1,2-Dichloropropane	101	101	78 - 115	0	30		
Ethylbenzene	97	91	75 - 116	6	30		
Ethylene Dibromide	93	103	74 - 113	10	30		
2-Hexanone	72	96	47 - 139	29	30		
Isopropylbenzene	98	90	68 - 116	9	30		
Methylene Chloride	86	89	63 - 128	3	30		
4-Methyl-2-pentanone (MIBK)	84	108	56 - 131	26	30		
Methyl tert-butyl ether	96	108	46 - 144	12	30		
m-Xylene & p-Xylene	96	92	75 - 117	4	30		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Matrix Spike/ Matrix Spike Duplicate Recovery Report - Batch: 240-108601

Method: 8260C
Preparation: 5030C

MS Lab Sample ID:	240-30670-1	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	UXM1489.D
Dilution:	200	Leach Batch:	N/A	Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 1941			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 1941				
Leach Date:	N/A				

MSD Lab Sample ID:	240-30670-1	Analysis Batch:	240-108601	Instrument ID:	A3UX16
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	UXM1490.D
Dilution:	200	Leach Batch:	N/A	Initial Weight/Volume:	10 mL
Analysis Date:	11/06/2013 2003			Final Weight/Volume:	10 mL
Prep Date:	11/06/2013 2003				
Leach Date:	N/A				

Analyte	% Rec.		Limit	RPD	RPD Limit	MS Qual	MSD Qual
	MS	MSD					
o-Xylene	98	95	76 - 116	4	30		
Styrene	98	96	71 - 117	1	30		
1,1,2,2-Tetrachloroethane	81	93	63 - 122	13	30		
Tetrachloroethene	95	87	70 - 117	9	30		
Toluene	89	85	78 - 114	4	30		
trans-1,2-Dichloroethene	101	97	80 - 119	4	30		
trans-1,3-Dichloropropene	102	110	46 - 116	7	30		
1,2,4-Trichlorobenzene	87	86	38 - 138	1	30		
1,1,1-Trichloroethane	104	97	68 - 121	6	30		
1,1,2-Trichloroethane	86	95	75 - 115	9	30		
Trichloroethene	99	96	66 - 120	3	30		
Trichlorofluoromethane	84	78	46 - 157	7	30		
Vinyl chloride	82	76	49 - 130	6	30		
Xylenes, Total	97	93	76 - 116	4	30		

Surrogate	MS % Rec	MSD % Rec	Acceptance Limits
4-Bromofluorobenzene (Surr)	93	90	66 - 117
Dibromofluoromethane (Surr)	95	96	75 - 121
1,2-Dichloroethane-d4 (Surr)	89	93	63 - 129
Toluene-d8 (Surr)	94	92	74 - 115

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Method Blank - Batch: 240-107492

Method: 8270D

Preparation: 3520C

Lab Sample ID: MB 240-107492/21-A
Client Matrix: Water
Dilution: 1.0
Analysis Date: 10/31/2013 1116
Prep Date: 10/29/2013 0808
Leach Date: N/A

Analysis Batch: 240-107883
Prep Batch: 240-107492
Leach Batch: N/A
Units: ug/L

Instrument ID: A4HP7
Lab File ID: 31031003.D
Initial Weight/Volume: 1000 mL
Final Weight/Volume: 2 mL
Injection Volume: 1 uL

Analyte	Result	Qual	MDL	RL
2,4,6-Trichlorophenol	ND		0.24	5.0
2,4,5-Trichlorophenol	ND		0.30	5.0
2,4-Dichlorophenol	ND		0.19	2.0
2,4-Dimethylphenol	ND		0.25	2.0
2,4-Dinitrophenol	ND		0.32	5.0
2,4-Dinitrotoluene	ND		0.25	5.0
2-Chlorophenol	ND		0.29	1.0
2-Methylnaphthalene	ND		0.090	0.20
2-Methylphenol	ND		0.17	1.0
2-Nitroaniline	ND		0.21	2.0
2-Nitrophenol	ND		0.28	2.0
3 & 4 Methylphenol	ND		0.80	2.0
3,3'-Dichlorobenzidine	ND		0.37	5.0
3-Nitroaniline	ND		0.28	2.0
4,6-Dinitro-2-methylphenol	ND		2.4	5.0
4-Bromophenyl phenyl ether	ND		0.22	2.0
4-Chloro-3-methylphenol	ND		0.21	2.0
4-Chloroaniline	ND		0.21	2.0
4-Chlorophenyl phenyl ether	ND		0.30	2.0
4-Nitroaniline	ND		0.22	2.0
Acenaphthene	ND		0.044	0.20
Acenaphthylene	ND		0.048	0.20
Acetophenone	ND		0.34	1.0
Anthracene	ND		0.088	0.20
Benzo[a]anthracene	ND		0.030	0.20
Benzo[a]pyrene	ND		0.051	0.20
Benzo[b]fluoranthene	ND		0.039	0.20
Benzo[g,h,i]perylene	ND		0.046	0.20
Benzo[k]fluoranthene	ND		0.045	0.20
Bis(2-chloroethoxy)methane	ND		0.32	1.0
Bis(2-chloroethyl)ether	ND		0.10	1.0
Bis(2-ethylhexyl) phthalate	ND		0.22	2.0
Butyl benzyl phthalate	ND		0.26	2.0
Carbazole	ND		0.28	1.0
Chrysene	ND		0.050	0.20
Di-n-butyl phthalate	ND		0.67	2.0
Di-n-octyl phthalate	ND		0.23	2.0
Dibenz(a,h)anthracene	ND		0.045	0.20
Dibenzofuran	ND		0.020	1.0
Diethyl phthalate	ND		0.60	2.0
Dimethyl phthalate	ND		0.29	2.0
Fluoranthene	ND		0.045	0.20
Fluorene	ND		0.041	0.20
Hexachlorobenzene	ND		0.085	0.20
Hexachlorobutadiene	ND		0.27	1.0

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Method Blank - Batch: 240-107492

Method: 8270D

Preparation: 3520C

Lab Sample ID: MB 240-107492/21-A
 Client Matrix: Water
 Dilution: 1.0
 Analysis Date: 10/31/2013 1116
 Prep Date: 10/29/2013 0808
 Leach Date: N/A

Analysis Batch: 240-107883
 Prep Batch: 240-107492
 Leach Batch: N/A
 Units: ug/L

Instrument ID: A4HP7
 Lab File ID: 31031003.D
 Initial Weight/Volume: 1000 mL
 Final Weight/Volume: 2 mL
 Injection Volume: 1 uL

Analyte	Result	Qual	MDL	RL
Hexachlorocyclopentadiene	ND		0.24	10
Hexachloroethane	ND		0.19	1.0
Indeno[1,2,3-cd]pyrene	ND		0.043	0.20
Isophorone	ND		0.27	1.0
N-Nitrosodi-n-propylamine	ND		0.24	1.0
N-Nitrosodiphenylamine	ND		0.31	1.0
Naphthalene	ND		0.063	0.20
Nitrobenzene	ND		0.040	1.0
Pentachlorophenol	ND		0.27	5.0
Phenanthrene	ND		0.062	0.20
Phenol	ND		0.60	1.0
Pyrene	ND		0.042	0.20
bis (2-chloroisopropyl) ether	ND		0.40	1.0
2,6-Dinitrotoluene	ND		0.80	5.0
4-Nitrophenol	ND		0.29	5.0

Surrogate	% Rec	Acceptance Limits
Terphenyl-d14 (Surr)	88	24 - 110
Phenol-d5 (Surr)	73	21 - 110
Nitrobenzene-d5 (Surr)	63	21 - 110
2-Fluorophenol (Surr)	69	10 - 110
2-Fluorobiphenyl (Surr)	63	20 - 110
2,4,6-Tribromophenol (Surr)	70	21 - 110

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Control Sample - Batch: 240-107492

Method: 8270D

Preparation: 3520C

Lab Sample ID: LCS 240-107492/22-A
Client Matrix: Water
Dilution: 1.0
Analysis Date: 11/04/2013 1144
Prep Date: 10/29/2013 0808
Leach Date: N/A

Analysis Batch: 240-108259
Prep Batch: 240-107492
Leach Batch: N/A
Units: ug/L

Instrument ID: A4HP7
Lab File ID: 31104005.D
Initial Weight/Volume: 1000 mL
Final Weight/Volume: 2 mL
Injection Volume: 1 uL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
2,4,6-Trichlorophenol	20.0	15.2	76	45 - 110	
2,4,5-Trichlorophenol	20.0	15.8	79	48 - 110	
2,4-Dichlorophenol	20.0	15.2	76	41 - 110	
2,4-Dimethylphenol	20.0	11.7	58	32 - 110	
2,4-Dinitrophenol	40.0	26.4	66	10 - 110	
2,4-Dinitrotoluene	20.0	16.2	81	53 - 110	
2-Chlorophenol	20.0	14.8	74	29 - 110	
2-Methylnaphthalene	20.0	13.6	68	45 - 110	
2-Methylphenol	20.0	14.5	72	42 - 110	
2-Nitroaniline	20.0	16.8	84	54 - 110	
2-Nitrophenol	20.0	15.3	76	40 - 110	
3 & 4 Methylphenol	20.0	14.9	75	44 - 110	
3,3'-Dichlorobenzidine	40.0	31.6	79	22 - 110	
3-Nitroaniline	20.0	15.1	75	53 - 110	
4,6-Dinitro-2-methylphenol	40.0	26.9	67	31 - 110	
4-Bromophenyl phenyl ether	20.0	15.8	79	45 - 110	
4-Chloro-3-methylphenol	20.0	15.3	77	52 - 110	
4-Chloroaniline	20.0	13.6	68	44 - 110	
4-Chlorophenyl phenyl ether	20.0	15.4	77	47 - 110	
4-Nitroaniline	20.0	16.1	80	54 - 110	
Acenaphthene	20.0	14.6	73	47 - 110	
Acenaphthylene	20.0	13.5	67	49 - 110	
Acetophenone	20.0	15.0	75	46 - 110	
Anthracene	20.0	14.7	74	52 - 110	
Benzo[a]anthracene	20.0	15.2	76	52 - 110	
Benzo[a]pyrene	20.0	14.7	74	44 - 110	
Benzo[b]fluoranthene	20.0	16.1	81	48 - 110	
Benzo[g,h,i]perylene	20.0	15.1	76	50 - 110	
Benzo[k]fluoranthene	20.0	15.2	76	49 - 110	
Bis(2-chloroethoxy)methane	20.0	14.9	75	43 - 110	
Bis(2-chloroethyl)ether	20.0	14.4	72	40 - 110	
Bis(2-ethylhexyl) phthalate	20.0	15.7	78	39 - 116	
Butyl benzyl phthalate	20.0	15.7	78	55 - 110	
Carbazole	20.0	14.8	74	55 - 110	
Chrysene	20.0	15.2	76	55 - 110	
Di-n-butyl phthalate	20.0	17.6	88	57 - 110	
Di-n-octyl phthalate	20.0	15.6	78	40 - 110	
Dibenz(a,h)anthracene	20.0	16.0	80	49 - 110	
Dibenzofuran	20.0	14.5	73	51 - 110	
Diethyl phthalate	20.0	16.3	81	58 - 110	
Dimethyl phthalate	20.0	16.4	82	57 - 110	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Control Sample - Batch: 240-107492

Method: 8270D

Preparation: 3520C

Lab Sample ID: LCS 240-107492/22-A
Client Matrix: Water
Dilution: 1.0
Analysis Date: 11/04/2013 1144
Prep Date: 10/29/2013 0808
Leach Date: N/A

Analysis Batch: 240-108259
Prep Batch: 240-107492
Leach Batch: N/A
Units: ug/L

Instrument ID: A4HP7
Lab File ID: 31104005.D
Initial Weight/Volume: 1000 mL
Final Weight/Volume: 2 mL
Injection Volume: 1 uL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Fluoranthene	20.0	16.1	80	54 - 110	
Fluorene	20.0	14.7	73	52 - 110	
Hexachlorobenzene	20.0	16.4	82	50 - 110	
Hexachlorobutadiene	20.0	11.6	58	33 - 110	
Hexachlorocyclopentadiene	20.0	0.761	4	4 - 110	J
Hexachloroethane	20.0	11.7	58	35 - 110	
Indeno[1,2,3-cd]pyrene	20.0	15.3	77	50 - 110	
Isophorone	20.0	14.2	71	49 - 110	
N-Nitrosodi-n-propylamine	20.0	15.2	76	47 - 110	
N-Nitrosodiphenylamine	40.0	32.0	80	50 - 110	
Naphthalene	20.0	13.3	66	44 - 110	
Nitrobenzene	20.0	15.7	78	42 - 110	
Pentachlorophenol	40.0	23.3	58	18 - 110	
Phenanthrene	20.0	14.8	74	53 - 110	
Phenol	20.0	15.0	75	33 - 110	
Pyrene	20.0	15.7	79	52 - 110	
bis (2-chloroisopropyl) ether	20.0	14.6	73	37 - 110	
2,6-Dinitrotoluene	20.0	16.1	80	54 - 110	
4-Nitrophenol	40.0	33.8	84	33 - 112	

Surrogate	% Rec	Acceptance Limits
Terphenyl-d14 (Surr)	92	24 - 110
Phenol-d5 (Surr)	76	21 - 110
Nitrobenzene-d5 (Surr)	74	21 - 110
2-Fluorophenol (Surr)	74	10 - 110
2-Fluorobiphenyl (Surr)	76	20 - 110
2,4,6-Tribromophenol (Surr)	92	21 - 110

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Method Blank - Batch: 240-107496

Method: 8270D

Preparation: 3520C

Lab Sample ID: MB 240-107496/23-A
 Client Matrix: Water
 Dilution: 1.0
 Analysis Date: 11/04/2013 1105
 Prep Date: 10/29/2013 0816
 Leach Date: N/A

Analysis Batch: 240-108197
 Prep Batch: 240-107496
 Leach Batch: N/A
 Units: ug/L

Instrument ID: A4AG2
 Lab File ID: 1104003.D
 Initial Weight/Volume: 1000 mL
 Final Weight/Volume: 2 mL
 Injection Volume: 1 uL

Analyte	Result	Qual	MDL	RL
2,4,6-Trichlorophenol	ND		0.24	5.0
2,4,5-Trichlorophenol	ND		0.30	5.0
2,4-Dichlorophenol	ND		0.19	2.0
2,4-Dimethylphenol	ND		0.25	2.0
2,4-Dinitrophenol	ND		0.32	5.0
2,4-Dinitrotoluene	ND		0.25	5.0
2-Chlorophenol	ND		0.29	1.0
2-Methylnaphthalene	ND		0.090	0.20
2-Methylphenol	ND		0.17	1.0
2-Nitroaniline	ND		0.21	2.0
2-Nitrophenol	ND		0.28	2.0
3 & 4 Methylphenol	ND		0.80	2.0
3,3'-Dichlorobenzidine	ND		0.37	5.0
3-Nitroaniline	ND		0.28	2.0
4,6-Dinitro-2-methylphenol	ND		2.4	5.0
4-Bromophenyl phenyl ether	ND		0.22	2.0
4-Chloro-3-methylphenol	ND		0.21	2.0
4-Chloroaniline	ND		0.21	2.0
4-Chlorophenyl phenyl ether	ND		0.30	2.0
4-Nitroaniline	ND		0.22	2.0
Acenaphthene	ND		0.044	0.20
Acenaphthylene	ND		0.048	0.20
Acetophenone	ND		0.34	1.0
Anthracene	ND		0.088	0.20
Benzo[a]anthracene	ND		0.030	0.20
Benzo[a]pyrene	ND		0.051	0.20
Benzo[b]fluoranthene	ND		0.039	0.20
Benzo[g,h,i]perylene	ND		0.046	0.20
Benzo[k]fluoranthene	ND		0.045	0.20
Bis(2-chloroethoxy)methane	ND		0.32	1.0
Bis(2-chloroethyl)ether	ND		0.10	1.0
Bis(2-ethylhexyl) phthalate	0.248	J	0.22	2.0
Butyl benzyl phthalate	ND		0.26	2.0
Carbazole	ND		0.28	1.0
Chrysene	ND		0.050	0.20
Di-n-butyl phthalate	ND		0.67	2.0
Di-n-octyl phthalate	ND		0.23	2.0
Dibenz(a,h)anthracene	ND		0.045	0.20
Dibenzofuran	ND		0.020	1.0
Diethyl phthalate	ND		0.60	2.0
Dimethyl phthalate	ND		0.29	2.0
Fluoranthene	ND		0.045	0.20
Fluorene	ND		0.041	0.20
Hexachlorobenzene	ND		0.085	0.20
Hexachlorobutadiene	ND		0.27	1.0

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Method Blank - Batch: 240-107496

Method: 8270D

Preparation: 3520C

Lab Sample ID: MB 240-107496/23-A
 Client Matrix: Water
 Dilution: 1.0
 Analysis Date: 11/04/2013 1105
 Prep Date: 10/29/2013 0816
 Leach Date: N/A

Analysis Batch: 240-108197
 Prep Batch: 240-107496
 Leach Batch: N/A
 Units: ug/L

Instrument ID: A4AG2
 Lab File ID: 1104003.D
 Initial Weight/Volume: 1000 mL
 Final Weight/Volume: 2 mL
 Injection Volume: 1 uL

Analyte	Result	Qual	MDL	RL
Hexachlorocyclopentadiene	ND		0.24	10
Hexachloroethane	ND		0.19	1.0
Indeno[1,2,3-cd]pyrene	ND		0.043	0.20
Isophorone	ND		0.27	1.0
N-Nitrosodi-n-propylamine	ND		0.24	1.0
N-Nitrosodiphenylamine	ND		0.31	1.0
Naphthalene	ND		0.063	0.20
Nitrobenzene	ND		0.040	1.0
Pentachlorophenol	ND		0.27	5.0
Phenanthrene	ND		0.062	0.20
Phenol	ND		0.60	1.0
Pyrene	ND		0.042	0.20
bis (2-chloroisopropyl) ether	ND		0.40	1.0
2,6-Dinitrotoluene	ND		0.80	5.0
4-Nitrophenol	ND		0.29	5.0

Surrogate	% Rec	Acceptance Limits
Terphenyl-d14 (Surr)	79	24 - 110
Phenol-d5 (Surr)	72	21 - 110
Nitrobenzene-d5 (Surr)	68	21 - 110
2-Fluorophenol (Surr)	69	10 - 110
2-Fluorobiphenyl (Surr)	59	20 - 110
2,4,6-Tribromophenol (Surr)	58	21 - 110

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Control Sample - Batch: 240-107496

Method: 8270D

Preparation: 3520C

Lab Sample ID: LCS 240-107496/24-A
Client Matrix: Water
Dilution: 1.0
Analysis Date: 11/04/2013 1127
Prep Date: 10/29/2013 0816
Leach Date: N/A

Analysis Batch: 240-108197
Prep Batch: 240-107496
Leach Batch: N/A
Units: ug/L

Instrument ID: A4AG2
Lab File ID: 1104004.D
Initial Weight/Volume: 1000 mL
Final Weight/Volume: 2 mL
Injection Volume: 1 uL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
2,4,6-Trichlorophenol	20.0	16.0	80	45 - 110	
2,4,5-Trichlorophenol	20.0	15.3	76	48 - 110	
2,4-Dichlorophenol	20.0	15.3	77	41 - 110	
2,4-Dimethylphenol	20.0	11.8	59	32 - 110	
2,4-Dinitrophenol	40.0	20.6	51	10 - 110	
2,4-Dinitrotoluene	20.0	18.8	94	53 - 110	
2-Chlorophenol	20.0	16.2	81	29 - 110	
2-Methylnaphthalene	20.0	13.9	69	45 - 110	
2-Methylphenol	20.0	14.8	74	42 - 110	
2-Nitroaniline	20.0	16.8	84	54 - 110	
2-Nitrophenol	20.0	16.5	82	40 - 110	
3 & 4 Methylphenol	20.0	15.6	78	44 - 110	
3,3'-Dichlorobenzidine	40.0	35.7	89	22 - 110	
3-Nitroaniline	20.0	17.1	86	53 - 110	
4,6-Dinitro-2-methylphenol	40.0	26.2	66	31 - 110	
4-Bromophenyl phenyl ether	20.0	15.7	78	45 - 110	
4-Chloro-3-methylphenol	20.0	17.0	85	52 - 110	
4-Chloroaniline	20.0	14.8	74	44 - 110	
4-Chlorophenyl phenyl ether	20.0	15.3	77	47 - 110	
4-Nitroaniline	20.0	17.9	89	54 - 110	
Acenaphthene	20.0	14.7	73	47 - 110	
Acenaphthylene	20.0	14.4	72	49 - 110	
Acetophenone	20.0	15.8	79	46 - 110	
Anthracene	20.0	15.9	79	52 - 110	
Benzo[a]anthracene	20.0	15.8	79	52 - 110	
Benzo[a]pyrene	20.0	16.7	83	44 - 110	
Benzo[b]fluoranthene	20.0	17.5	88	48 - 110	
Benzo[g,h,i]perylene	20.0	17.9	89	50 - 110	
Benzo[k]fluoranthene	20.0	16.5	83	49 - 110	
Bis(2-chloroethoxy)methane	20.0	15.7	79	43 - 110	
Bis(2-chloroethyl)ether	20.0	15.8	79	40 - 110	
Bis(2-ethylhexyl) phthalate	20.0	17.5	88	39 - 116	
Butyl benzyl phthalate	20.0	18.4	92	55 - 110	
Carbazole	20.0	16.9	85	55 - 110	
Chrysene	20.0	16.3	82	55 - 110	
Di-n-butyl phthalate	20.0	18.5	92	57 - 110	
Di-n-octyl phthalate	20.0	18.3	91	40 - 110	
Dibenz(a,h)anthracene	20.0	19.0	95	49 - 110	
Dibenzofuran	20.0	15.1	75	51 - 110	
Diethyl phthalate	20.0	17.3	86	58 - 110	
Dimethyl phthalate	20.0	16.8	84	57 - 110	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Control Sample - Batch: 240-107496

Method: 8270D

Preparation: 3520C

Lab Sample ID: LCS 240-107496/24-A
 Client Matrix: Water
 Dilution: 1.0
 Analysis Date: 11/04/2013 1127
 Prep Date: 10/29/2013 0816
 Leach Date: N/A

Analysis Batch: 240-108197
 Prep Batch: 240-107496
 Leach Batch: N/A
 Units: ug/L

Instrument ID: A4AG2
 Lab File ID: 1104004.D
 Initial Weight/Volume: 1000 mL
 Final Weight/Volume: 2 mL
 Injection Volume: 1 uL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Fluoranthene	20.0	16.6	83	54 - 110	
Fluorene	20.0	15.6	78	52 - 110	
Hexachlorobenzene	20.0	15.1	76	50 - 110	
Hexachlorobutadiene	20.0	10.5	53	33 - 110	
Hexachlorocyclopentadiene	20.0	1.98	10	4 - 110	J
Hexachloroethane	20.0	11.1	56	35 - 110	
Indeno[1,2,3-cd]pyrene	20.0	18.2	91	50 - 110	
Isophorone	20.0	14.2	71	49 - 110	
N-Nitrosodi-n-propylamine	20.0	15.7	78	47 - 110	
N-Nitrosodiphenylamine	40.0	32.0	80	50 - 110	
Naphthalene	20.0	13.5	68	44 - 110	
Nitrobenzene	20.0	15.0	75	42 - 110	
Pentachlorophenol	40.0	18.3	46	18 - 110	
Phenanthrene	20.0	15.9	79	53 - 110	
Phenol	20.0	16.0	80	33 - 110	
Pyrene	20.0	16.6	83	52 - 110	
bis (2-chloroisopropyl) ether	20.0	14.2	71	37 - 110	
2,6-Dinitrotoluene	20.0	17.6	88	54 - 110	
4-Nitrophenol	40.0	32.9	82	33 - 112	

Surrogate	% Rec	Acceptance Limits
Terphenyl-d14 (Surr)	98	24 - 110
Phenol-d5 (Surr)	83	21 - 110
Nitrobenzene-d5 (Surr)	80	21 - 110
2-Fluorophenol (Surr)	78	10 - 110
2-Fluorobiphenyl (Surr)	75	20 - 110
2,4,6-Tribromophenol (Surr)	96	21 - 110

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Method Blank - Batch: 240-107842

Method: 8270D

Preparation: 3520C

Lab Sample ID: MB 240-107842/23-A
 Client Matrix: Water
 Dilution: 1.0
 Analysis Date: 11/04/2013 1053
 Prep Date: 10/31/2013 0822
 Leach Date: N/A

Analysis Batch: 240-108259
 Prep Batch: 240-107842
 Leach Batch: N/A
 Units: ug/L

Instrument ID: A4HP7
 Lab File ID: 31104003.D
 Initial Weight/Volume: 1000 mL
 Final Weight/Volume: 2.0 mL
 Injection Volume: 1 uL

Analyte	Result	Qual	MDL	RL
2,4,6-Trichlorophenol	ND		0.24	5.0
2,4,5-Trichlorophenol	ND		0.30	5.0
2,4-Dichlorophenol	ND		0.19	2.0
2,4-Dimethylphenol	ND		0.25	2.0
2,4-Dinitrophenol	ND		0.32	5.0
2,4-Dinitrotoluene	ND		0.25	5.0
2-Chlorophenol	ND		0.29	1.0
2-Methylnaphthalene	ND		0.090	0.20
2-Methylphenol	ND		0.17	1.0
2-Nitroaniline	ND		0.21	2.0
2-Nitrophenol	ND		0.28	2.0
3 & 4 Methylphenol	ND		0.80	2.0
3,3'-Dichlorobenzidine	ND		0.37	5.0
3-Nitroaniline	ND		0.28	2.0
4,6-Dinitro-2-methylphenol	ND		2.4	5.0
4-Bromophenyl phenyl ether	ND		0.22	2.0
4-Chloro-3-methylphenol	ND		0.21	2.0
4-Chloroaniline	ND		0.21	2.0
4-Chlorophenyl phenyl ether	ND		0.30	2.0
4-Nitroaniline	ND		0.22	2.0
Acenaphthene	ND		0.044	0.20
Acenaphthylene	ND		0.048	0.20
Acetophenone	ND		0.34	1.0
Anthracene	ND		0.088	0.20
Benzo[a]anthracene	ND		0.030	0.20
Benzo[a]pyrene	ND		0.051	0.20
Benzo[b]fluoranthene	ND		0.039	0.20
Benzo[g,h,i]perylene	ND		0.046	0.20
Benzo[k]fluoranthene	ND		0.045	0.20
Bis(2-chloroethoxy)methane	ND		0.32	1.0
Bis(2-chloroethyl)ether	ND		0.10	1.0
Bis(2-ethylhexyl) phthalate	0.577	J	0.22	2.0
Butyl benzyl phthalate	ND		0.26	2.0
Carbazole	ND		0.28	1.0
Chrysene	ND		0.050	0.20
Di-n-butyl phthalate	ND		0.67	2.0
Di-n-octyl phthalate	ND		0.23	2.0
Dibenz(a,h)anthracene	ND		0.045	0.20
Dibenzofuran	ND		0.020	1.0
Diethyl phthalate	ND		0.60	2.0
Dimethyl phthalate	ND		0.29	2.0
Fluoranthene	ND		0.045	0.20
Fluorene	ND		0.041	0.20
Hexachlorobenzene	ND		0.085	0.20
Hexachlorobutadiene	ND		0.27	1.0

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Method Blank - Batch: 240-107842

Method: 8270D

Preparation: 3520C

Lab Sample ID: MB 240-107842/23-A
 Client Matrix: Water
 Dilution: 1.0
 Analysis Date: 11/04/2013 1053
 Prep Date: 10/31/2013 0822
 Leach Date: N/A

Analysis Batch: 240-108259
 Prep Batch: 240-107842
 Leach Batch: N/A
 Units: ug/L

Instrument ID: A4HP7
 Lab File ID: 31104003.D
 Initial Weight/Volume: 1000 mL
 Final Weight/Volume: 2.0 mL
 Injection Volume: 1 uL

Analyte	Result	Qual	MDL	RL
Hexachlorocyclopentadiene	ND		0.24	10
Hexachloroethane	ND		0.19	1.0
Indeno[1,2,3-cd]pyrene	ND		0.043	0.20
Isophorone	ND		0.27	1.0
N-Nitrosodi-n-propylamine	ND		0.24	1.0
N-Nitrosodiphenylamine	ND		0.31	1.0
Naphthalene	ND		0.063	0.20
Nitrobenzene	ND		0.040	1.0
Pentachlorophenol	ND		0.27	5.0
Phenanthrene	ND		0.062	0.20
Phenol	ND		0.60	1.0
Pyrene	ND		0.042	0.20
bis (2-chloroisopropyl) ether	ND		0.40	1.0
2,6-Dinitrotoluene	ND		0.80	5.0
4-Nitrophenol	ND		0.29	5.0

Surrogate	% Rec	Acceptance Limits
Terphenyl-d14 (Surr)	87	24 - 110
Phenol-d5 (Surr)	74	21 - 110
Nitrobenzene-d5 (Surr)	69	21 - 110
2-Fluorophenol (Surr)	76	10 - 110
2-Fluorobiphenyl (Surr)	72	20 - 110
2,4,6-Tribromophenol (Surr)	77	21 - 110

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Control Sample - Batch: 240-107842

Method: 8270D

Preparation: 3520C

Lab Sample ID: LCS 240-107842/24-A
 Client Matrix: Water
 Dilution: 1.0
 Analysis Date: 11/04/2013 1119
 Prep Date: 10/31/2013 0822
 Leach Date: N/A

Analysis Batch: 240-108259
 Prep Batch: 240-107842
 Leach Batch: N/A
 Units: ug/L

Instrument ID: A4HP7
 Lab File ID: 31104004.D
 Initial Weight/Volume: 1000 mL
 Final Weight/Volume: 2.0 mL
 Injection Volume: 1 uL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
2,4,6-Trichlorophenol	20.0	16.0	80	45 - 110	
2,4,5-Trichlorophenol	20.0	16.4	82	48 - 110	
2,4-Dichlorophenol	20.0	16.6	83	41 - 110	
2,4-Dimethylphenol	20.0	14.9	74	32 - 110	
2,4-Dinitrophenol	40.0	26.8	67	10 - 110	
2,4-Dinitrotoluene	20.0	17.0	85	53 - 110	
2-Chlorophenol	20.0	16.2	81	29 - 110	
2-Methylnaphthalene	20.0	14.4	72	45 - 110	
2-Methylphenol	20.0	15.9	80	42 - 110	
2-Nitroaniline	20.0	17.8	89	54 - 110	
2-Nitrophenol	20.0	17.5	88	40 - 110	
3 & 4 Methylphenol	20.0	16.0	80	44 - 110	
3,3'-Dichlorobenzidine	40.0	32.3	81	22 - 110	
3-Nitroaniline	20.0	16.2	81	53 - 110	
4,6-Dinitro-2-methylphenol	40.0	29.2	73	31 - 110	
4-Bromophenyl phenyl ether	20.0	17.2	86	45 - 110	
4-Chloro-3-methylphenol	20.0	16.7	83	52 - 110	
4-Chloroaniline	20.0	14.7	74	44 - 110	
4-Chlorophenyl phenyl ether	20.0	15.5	77	47 - 110	
4-Nitroaniline	20.0	16.8	84	54 - 110	
Acenaphthene	20.0	15.1	76	47 - 110	
Acenaphthylene	20.0	14.2	71	49 - 110	
Acetophenone	20.0	16.3	82	46 - 110	
Anthracene	20.0	15.8	79	52 - 110	
Benzo[a]anthracene	20.0	15.9	79	52 - 110	
Benzo[a]pyrene	20.0	15.9	79	44 - 110	
Benzo[b]fluoranthene	20.0	16.5	83	48 - 110	
Benzo[g,h,i]perylene	20.0	15.9	80	50 - 110	
Benzo[k]fluoranthene	20.0	16.9	85	49 - 110	
Bis(2-chloroethoxy)methane	20.0	16.5	83	43 - 110	
Bis(2-chloroethyl)ether	20.0	15.9	80	40 - 110	
Bis(2-ethylhexyl) phthalate	20.0	17.2	86	39 - 116	
Butyl benzyl phthalate	20.0	16.5	83	55 - 110	
Carbazole	20.0	16.8	84	55 - 110	
Chrysene	20.0	16.0	80	55 - 110	
Di-n-butyl phthalate	20.0	18.2	91	57 - 110	
Di-n-octyl phthalate	20.0	16.6	83	40 - 110	
Dibenz(a,h)anthracene	20.0	16.9	85	49 - 110	
Dibenzofuran	20.0	14.9	75	51 - 110	
Diethyl phthalate	20.0	16.8	84	58 - 110	
Dimethyl phthalate	20.0	17.1	86	57 - 110	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Control Sample - Batch: 240-107842

Method: 8270D

Preparation: 3520C

Lab Sample ID: LCS 240-107842/24-A
Client Matrix: Water
Dilution: 1.0
Analysis Date: 11/04/2013 1119
Prep Date: 10/31/2013 0822
Leach Date: N/A

Analysis Batch: 240-108259
Prep Batch: 240-107842
Leach Batch: N/A
Units: ug/L

Instrument ID: A4HP7
Lab File ID: 31104004.D
Initial Weight/Volume: 1000 mL
Final Weight/Volume: 2.0 mL
Injection Volume: 1 uL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Fluoranthene	20.0	17.2	86	54 - 110	
Fluorene	20.0	14.9	74	52 - 110	
Hexachlorobenzene	20.0	17.1	85	50 - 110	
Hexachlorobutadiene	20.0	10.2	51	33 - 110	
Hexachlorocyclopentadiene	20.0	1.97	10	4 - 110	J
Hexachloroethane	20.0	10.5	52	35 - 110	
Indeno[1,2,3-cd]pyrene	20.0	16.7	83	50 - 110	
Isophorone	20.0	15.4	77	49 - 110	
N-Nitrosodi-n-propylamine	20.0	15.7	79	47 - 110	
N-Nitrosodiphenylamine	40.0	34.4	86	50 - 110	
Naphthalene	20.0	14.2	71	44 - 110	
Nitrobenzene	20.0	17.5	87	42 - 110	
Pentachlorophenol	40.0	24.4	61	18 - 110	
Phenanthrene	20.0	15.6	78	53 - 110	
Phenol	20.0	16.4	82	33 - 110	
Pyrene	20.0	16.1	81	52 - 110	
bis (2-chloroisopropyl) ether	20.0	15.6	78	37 - 110	
2,6-Dinitrotoluene	20.0	17.2	86	54 - 110	
4-Nitrophenol	40.0	34.7	87	33 - 112	
Surrogate	% Rec		Acceptance Limits		
Terphenyl-d14 (Surr)	94		24 - 110		
Phenol-d5 (Surr)	83		21 - 110		
Nitrobenzene-d5 (Surr)	84		21 - 110		
2-Fluorophenol (Surr)	84		10 - 110		
2-Fluorobiphenyl (Surr)	80		20 - 110		
2,4,6-Tribromophenol (Surr)	93		21 - 110		

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Method Blank - Batch: 240-107322

Method: 8081B

Preparation: 3510C

Lab Sample ID: MB 240-107322/10-A
 Client Matrix: Water
 Dilution: 1.0
 Analysis Date: 11/04/2013 0911
 Prep Date: 10/28/2013 0819
 Leach Date: N/A

Analysis Batch: 240-108129
 Prep Batch: 240-107322
 Leach Batch: N/A
 Units: ug/L

Instrument ID: A2HP3
 Lab File ID: P3110339.D
 Initial Weight/Volume: 1000 mL
 Final Weight/Volume: 5 mL
 Injection Volume: 1 uL
 Column ID: PRIMARY

Analyte	Result	Qual	MDL	RL
4,4'-DDD	ND		0.0096	0.050
4,4'-DDE	ND		0.0097	0.050
4,4'-DDT	ND		0.016	0.050
Aldrin	ND		0.0082	0.050
alpha-BHC	ND		0.0070	0.050
beta-BHC	ND		0.0084	0.050
alpha-Chlordane	ND		0.014	0.050
delta-BHC	ND		0.0087	0.050
gamma-BHC (Lindane)	ND		0.0064	0.050
gamma-Chlordane	ND		0.012	0.050
Dieldrin	ND		0.0075	0.050
Endosulfan I	ND		0.013	0.050
Endosulfan II	ND		0.012	0.050
Endosulfan sulfate	ND		0.011	0.050
Endrin	ND		0.011	0.050
Endrin aldehyde	ND		0.011	0.050
Endrin ketone	ND		0.0078	0.050
Heptachlor	ND		0.0080	0.050
Heptachlor epoxide	ND		0.0071	0.050
Methoxychlor	ND		0.032	0.10
Toxaphene	ND		0.32	2.0

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	94	30 - 120
Tetrachloro-m-xylene	106	38 - 120

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	99	30 - 120
Tetrachloro-m-xylene	113	38 - 120

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Lab Control Sample - Batch: 240-107322

Method: 8081B

Preparation: 3510C

Lab Sample ID: LCS 240-107322/11-A
 Client Matrix: Water
 Dilution: 1.0
 Analysis Date: 11/04/2013 0607
 Prep Date: 10/28/2013 0819
 Leach Date: N/A

Analysis Batch: 240-108129
 Prep Batch: 240-107322
 Leach Batch: N/A
 Units: ug/L

Instrument ID: A2HP3
 Lab File ID: P3110330.D
 Initial Weight/Volume: 1000 mL
 Final Weight/Volume: 5 mL
 Injection Volume: 1 uL
 Column ID: PRIMARY

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
4,4'-DDD	0.500	0.669	134	64 - 160	
4,4'-DDE	0.500	0.640	128	50 - 158	
4,4'-DDT	0.500	0.968	194	40 - 160	E *
Aldrin	0.500	0.585	117	47 - 152	
alpha-BHC	0.500	0.625	125	40 - 160	
beta-BHC	0.500	0.600	120	62 - 144	
alpha-Chlordane	0.500	0.603	121	53 - 142	
delta-BHC	0.500	0.585	117	40 - 160	
gamma-BHC (Lindane)	0.500	0.668	134	40 - 160	
gamma-Chlordane	0.500	0.620	124	56 - 158	
Dieldrin	0.500	0.625	125	59 - 158	
Endosulfan I	0.500	0.492	98	43 - 150	
Endosulfan II	0.500	0.669	134	48 - 144	
Endosulfan sulfate	0.500	0.737	147	61 - 154	
Endrin	0.500	0.762	152	57 - 149	*
Endrin aldehyde	0.500	0.634	127	40 - 155	
Endrin ketone	0.500	0.696	139	56 - 157	
Heptachlor	0.500	0.781	156	51 - 140	*
Heptachlor epoxide	0.500	0.619	124	60 - 156	
Methoxychlor	0.500	0.777	155	51 - 152	*

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	98	30 - 120
Tetrachloro-m-xylene	101	38 - 120

Surrogate	% Rec	Acceptance Limits
DCB Decachlorobiphenyl	106	30 - 120
Tetrachloro-m-xylene	117	38 - 120

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Preparation / Extraction Blank - Batch: 240-109089

Method: 8081B

Preparation: N/A

Lab Sample ID:	PB 240-109089/3	Analysis Batch:	240-109089	Instrument ID:	A2HP3
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	P3110903.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	11/09/2013 1025	Units:	ug/L	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	PRIMARY

Analyte	Result	Qual	MDL	RL
4,4'-DDD	ND		1.9	10
4,4'-DDE	ND		1.9	10
4,4'-DDT	ND		3.2	10
Aldrin	ND		1.6	10
alpha-BHC	ND		1.4	10
beta-BHC	ND		1.7	10
alpha-Chlordane	ND		2.8	10
delta-BHC	ND		1.7	10
gamma-BHC (Lindane)	ND		1.3	10
gamma-Chlordane	ND		2.4	10
Dieldrin	ND		1.5	10
Endosulfan I	ND		2.6	10
Endosulfan II	ND		2.4	10
Endosulfan sulfate	ND		2.2	10
Endrin	ND		2.2	10
Endrin aldehyde	ND		2.2	10
Endrin ketone	ND		1.6	10
Heptachlor	ND		1.6	10
Heptachlor epoxide	ND		1.4	10
Methoxychlor	ND		6.4	20
Toxaphene	ND		64	400
Surrogate	% Rec		Acceptance Limits	
DCB Decachlorobiphenyl				
Tetrachloro-m-xylene				

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Preparation / Extraction Blank - Batch: 240-109089

Method: 8081B

Preparation: N/A

Lab Sample ID:	PB 240-109089/3	Analysis Batch:	240-109089	Instrument ID:	A2HP3
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	P3110903.D
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	1 mL
Analysis Date:	11/09/2013 1025	Units:	ug/L	Final Weight/Volume:	
Prep Date:	N/A			Injection Volume:	1 uL
Leach Date:	N/A			Column ID:	SECONDARY

Analyte	Result	Qual	MDL	RL
4,4'-DDD	ND		1.9	10
4,4'-DDE	ND		1.9	10
4,4'-DDT	ND		3.2	10
Aldrin	ND		1.6	10
alpha-BHC	ND		1.4	10
beta-BHC	ND		1.7	10
alpha-Chlordane	ND		2.8	10
delta-BHC	ND		1.7	10
gamma-BHC (Lindane)	ND		1.3	10
gamma-Chlordane	ND		2.4	10
Dieldrin	ND		1.5	10
Endosulfan I	ND		2.6	10
Endosulfan II	ND		2.4	10
Endosulfan sulfate	ND		2.2	10
Endrin	ND		2.2	10
Endrin aldehyde	ND		2.2	10
Endrin ketone	ND		1.6	10
Heptachlor	ND		1.6	10
Heptachlor epoxide	ND		1.4	10
Methoxychlor	ND		6.4	20
Toxaphene	ND		64	400
Surrogate	% Rec		Acceptance Limits	
DCB Decachlorobiphenyl				
Tetrachloro-m-xylene				

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Method Blank - Batch: 240-107321

Method: 8082A Preparation: 3510C

Lab Sample ID: MB 240-107321/10-A
Client Matrix: Water
Dilution: 1.0
Analysis Date: 10/30/2013 1119
Prep Date: 10/28/2013 0816
Leach Date: N/A

Analysis Batch: 240-107662
Prep Batch: 240-107321
Leach Batch: N/A
Units: ug/L

Instrument ID: A2HP12
Lab File ID: P1200015.D
Initial Weight/Volume: 1000 mL
Final Weight/Volume: 5 mL
Injection Volume: 1 uL
Column ID: PRIMARY

Analyte	Result	Qual	MDL	RL
Aroclor-1016	ND		0.17	0.50
Aroclor-1221	ND		0.13	0.50
Aroclor-1232	ND		0.16	0.50
Aroclor-1242	ND		0.22	0.50
Aroclor-1248	ND		0.10	0.50
Aroclor-1254	ND		0.16	0.50
Aroclor-1260	ND		0.17	0.50
Aroclor-1262	ND		0.15	0.50
Aroclor-1268	ND		0.24	0.50

Surrogate	% Rec	Acceptance Limits
Tetrachloro-m-xylene	109	35 - 137
DCB Decachlorobiphenyl	92	10 - 140

Surrogate	% Rec	Acceptance Limits
Tetrachloro-m-xylene	103	35 - 137
DCB Decachlorobiphenyl	107	10 - 140

Lab Control Sample - Batch: 240-107321

Method: 8082A Preparation: 3510C

Lab Sample ID: LCS 240-107321/11-A
Client Matrix: Water
Dilution: 1.0
Analysis Date: 10/30/2013 1133
Prep Date: 10/28/2013 0816
Leach Date: N/A

Analysis Batch: 240-107662
Prep Batch: 240-107321
Leach Batch: N/A
Units: ug/L

Instrument ID: A2HP12
Lab File ID: P1200016.D
Initial Weight/Volume: 1000 mL
Final Weight/Volume: 5 mL
Injection Volume: 1 uL
Column ID: PRIMARY

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Aroclor-1016	5.00	4.90	98	56 - 130	
Aroclor-1260	5.00	5.32	106	43 - 126	

Surrogate	% Rec	Acceptance Limits
Tetrachloro-m-xylene	97	35 - 137
DCB Decachlorobiphenyl	72	10 - 140

Surrogate	% Rec	Acceptance Limits
Tetrachloro-m-xylene	93	35 - 137
DCB Decachlorobiphenyl	85	10 - 140

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Method Blank - Batch: 240-107845

Lab Sample ID: MB 240-107845/1-A
Client Matrix: Water
Dilution: 1.0
Analysis Date: 11/05/2013 0804
Prep Date: 10/31/2013 0828
Leach Date: N/A

Analysis Batch: 240-108547
Prep Batch: 240-107845
Leach Batch: N/A
Units: ug/L

Method: 6010C Preparation: 3005A Total Recoverable

Instrument ID: I9
Lab File ID: I9110513A.asc
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Result	Qual	MDL	RL
Arsenic	ND		3.2	15
Barium	1.01	J	0.67	200
Cadmium	ND		0.66	5.0
Chromium	ND		2.2	10
Lead	ND		1.9	10
Selenium	ND		4.1	20
Silver	ND		2.2	10

Lab Control Sample - Batch: 240-107845

Lab Sample ID: LCS 240-107845/2-A
Client Matrix: Water
Dilution: 1.0
Analysis Date: 11/05/2013 0808
Prep Date: 10/31/2013 0828
Leach Date: N/A

Analysis Batch: 240-108547
Prep Batch: 240-107845
Leach Batch: N/A
Units: ug/L

Method: 6010C Preparation: 3005A Total Recoverable

Instrument ID: I9
Lab File ID: I9110513A.asc
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Arsenic	2000	1990	100	80 - 120	
Barium	2000	1890	94	80 - 120	
Cadmium	50.0	49.3	99	80 - 120	
Chromium	200	193	97	80 - 120	
Lead	500	475	95	80 - 120	
Selenium	2000	2020	101	80 - 120	
Silver	50.0	49.2	98	80 - 120	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Matrix Spike - Batch: 240-107845

Method: 6010C
Preparation: 3005A
Total Recoverable

Lab Sample ID:	240-30670-1	Analysis Batch:	240-108547	Instrument ID:	I9
Client Matrix:	Water	Prep Batch:	240-107845	Lab File ID:	I9110513A.asc
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	50 mL
Analysis Date:	11/05/2013 0824	Units:	ug/L	Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 0828				
Leach Date:	N/A				

Analyte	Sample Result/Qual	Spike Amount	Result	% Rec.	Limit	Qual
Arsenic	16	2000	2150	107	75 - 125	
Barium	200	2000	2160	98	75 - 125	
Cadmium	ND	50.0	51.8	104	75 - 125	
Chromium	ND	200	199	99	75 - 125	
Lead	ND	500	482	96	75 - 125	
Selenium	ND	2000	2130	107	75 - 125	
Silver	ND	50.0	52.6	105	75 - 125	

Duplicate - Batch: 240-107845

Method: 6010C
Preparation: 3005A
Total Recoverable

Lab Sample ID:	240-30670-1	Analysis Batch:	240-108547	Instrument ID:	I9
Client Matrix:	Water	Prep Batch:	240-107845	Lab File ID:	I9110513A.asc
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	50 mL
Analysis Date:	11/05/2013 0820	Units:	ug/L	Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 0828				
Leach Date:	N/A				

Analyte	Sample Result/Qual	Result	RPD	Limit	Qual
Arsenic	16	14.6	8	20	J
Barium	200	186	5	20	J
Cadmium	ND	ND	NC	20	
Chromium	ND	ND	NC	20	
Lead	ND	ND	NC	20	
Selenium	ND	ND	NC	20	
Silver	ND	ND	NC	20	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Method Blank - Batch: 240-107851

Method: 7470A Preparation: 7470A

Lab Sample ID:	MB 240-107851/1-A	Analysis Batch:	240-108226	Instrument ID:	H1
Client Matrix:	Water	Prep Batch:	240-107851	Lab File ID:	110113B-HG1.PRN
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	50 mL
Analysis Date:	11/01/2013 1611	Units:	ug/L	Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 1525				
Leach Date:	N/A				

Analyte	Result	Qual	MDL	RL
Mercury	ND		0.12	0.20

Lab Control Sample - Batch: 240-107851

Method: 7470A Preparation: 7470A

Lab Sample ID:	LCS 240-107851/2-A	Analysis Batch:	240-108226	Instrument ID:	H1
Client Matrix:	Water	Prep Batch:	240-107851	Lab File ID:	110113B-HG1.PRN
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	50 mL
Analysis Date:	11/01/2013 1612	Units:	ug/L	Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 1525				
Leach Date:	N/A				

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Mercury	5.00	4.52	90	81 - 123	

Matrix Spike - Batch: 240-107851

Method: 7470A Preparation: 7470A

Lab Sample ID:	240-30670-1	Analysis Batch:	240-108226	Instrument ID:	H1
Client Matrix:	Water	Prep Batch:	240-107851	Lab File ID:	110113B-HG1.PRN
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	50 mL
Analysis Date:	11/01/2013 1617	Units:	ug/L	Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 1525				
Leach Date:	N/A				

Analyte	Sample Result/Qual	Spike Amount	Result	% Rec.	Limit	Qual
Mercury	ND	1.00	1.00	100	69 - 134	

Quality Control Results

Client: EnSafe, Inc.

Job Number: 240-30670-1

Duplicate - Batch: 240-107851

Method: 7470A Preparation: 7470A

Lab Sample ID:	240-30670-1	Analysis Batch:	240-108226	Instrument ID:	H1
Client Matrix:	Water	Prep Batch:	240-107851	Lab File ID:	110113B-HG1.PRN
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	50 mL
Analysis Date:	11/01/2013 1615	Units:	ug/L	Final Weight/Volume:	50 mL
Prep Date:	10/31/2013 1525				
Leach Date:	N/A				

Analyte	Sample Result/Qual	Result	RPD	Limit	Qual
Mercury	ND	ND	NC	20	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

CHAIN OF CUSTODY AND RECEIVING DOCUMENTS



240-30670 Chain of Custody

CHAIN OF CUSTODY AND ANALYTICAL REQUEST RECORD							
Project Name: UTC CARRIER		COC No.	BCB1023131		Page 1 of 1		
Site Location: Syracuse, NY		PO No.	Project No. 0888814332 Phase				
Send Results To: Shane Goodnight		Sample Analysis Requested (Enter number of containers for each test)					
Sampler/Site Phone#	Lab Name:	Turnaround Time(specify):					
Lab ID	Sample ID (sys_samp_code)	Location ID (sys_loc_code)	Time (mm/dd/yy)	Time (Military) (hh:mm)	Matrix Code (1)	Sample Type (2)	Field Filtered (Y/N)
TR1VMW23G20131023	nw-23	10/23/13	0907	WG	N	N	N
TR1VMW24G20131023	nw-24	10/23/13	1029	WG	N	N	N
CARMW28G20131023	nw-23	10/23/13	1715	WG	N	N	N
CARMW34G20131024	nw-34	10/24/13	0815	WG	N	N	N
CARMW26G20131024	nw-26	10/24/13	0953	WG	N	N	N
CARMW27G20131024	nw-37	10/24/13	1140	WG	N	N	N
CARMW27G20131024	nw-27	10/24/13	1215	WG	N	N	N
CARMW39G20131024	nw-39	10/24/13	1430	WG	N	N	N
CARSSIPE04G20131024	SSIP-E04	10/24/13	1448	WG	N	N	N
Lab Comments:							
Field Comments:							
Relinquished by (signature) [Signature]		Date	Time	Received by (signature) TASYA Date Time			
1 [Signature]		10-24-13	17:50	1 PCYSTS BCB METALS VOCs 3 2 2 2 2 2 2 1			
2 RE		10-24-13	1900	2 10/24/13, 17:30 Fed Ex Airbill No: 920 Date Shipped:			

(1) **Matrix Code:** **AA**=Air, **AQ**=Air QC Matrix, **GS**=Soil Gas, **SC**=Cement/Concrete, **SE**=Sediment, **SF**=Filter Sandpack, **SL**=Sludge, **SN**=Miscellaneous Solid/Building Materials, **SQ**=Soil/Solid QC Matrix, **ST**=Solid Waste, **SW**=Swab/Wipe, **TA**=Animal Tissue, **TP**=Plant Tissue, **WG**=Ground Water, **WL**=Leachate, **WO**=Ocean Water, **WP**=Drinking Water, **WQ**=Water QC Matrix, **WS**=Surface Water, **SU**=Storm Water, **WW**=Waste Water

(2) **Sample Type:** **AB**=Ambient Blank, **EB**=Equipment Blank, **FB**=Field Blank, **FD**=Field Duplicate Sample, **FR**=Field Replicate, **MB**=Material Blank, **N**=Normal Environmental Sample, **RB**=Material Rinse Blank, **TB**=Trip Blank

(3) **Preservative added:** **HA**=Hydrochloric Acid, **NI**=Nitric Acid, **SH**=Sodium Hydroxide, **SA**=Sulfuric Acid, **AA**=Ascorbic Acid, **HX**=Hexane, **ME**=Methanol, **SB**=sodium bisulfate, **ST**=Sodium Thiosulfate. If **NO** preservative added leave blank

TestAmerica Canton Sample Receipt Form/Narrative

Login #: 30670

Canton Facility

Client Ensaft Site Name _____

Cooler unpacked by:

Cooler Received on 10-25-13 Opened on 10-25-13FedEx: 1st Grd Exp UPS FAS Stetson Client Drop Off TestAmerica Courier Other _____TestAmerica Cooler # Multi Foam Box Client Cooler Box Other _____Packing material used: Bubble Wrap Foam Plastic Bag None Other _____COOLANT: Wet Ice Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt

IR GUN# A (CF +2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

IR GUN# 4 (CF +1 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

IR GUN# 5 (CF +2 °C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

IR GUN# 8 (CF -0 °C) Observed Cooler Temp. _____ °C

☒ See Multiple
Cooler Form
Corrected2. Were custody seals on the outside of the cooler(s)? If Yes Quantity 6 Yes No

-Were custody seals on the outside of the cooler(s) signed & dated? Yes No NA

-Were custody seals on the bottle(s)? Yes No

3. Shippers' packing slip attached to the cooler(s)? Yes No

4. Did custody papers accompany the sample(s)? Yes No

5. Were the custody papers relinquished & signed in the appropriate place? Yes No

6. Did all bottles arrive in good condition (Unbroken)? Yes No

7. Could all bottle labels be reconciled with the COC? Yes No

8. Were correct bottle(s) used for the test(s) indicated? Yes No

9. Sufficient quantity received to perform indicated analyses? Yes No

10. Were sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC385663

11. Were VOAs on the COC? Yes No

12. Were air bubbles >6 mm in any VOA vials? Yes No NA

13. Was a trip blank present in the cooler(s)? Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

14. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES

Samples processed by:

15. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

16. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

C:\Users\livengoodc\AppData\Local\Microsoft\Windows\Temporary Internet Files\OLKID16\WI-NC-099-031813 Cooler Receipt
Form_page 2 - Multiple Coolers.doc
Revision 3, 3/18/13 rls

Temperature readings: _____

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> <u>pH</u>	<u>Preservative</u> <u>Added (mls)</u>	<u>Lot #</u>
TR1VMW23G20131023	240-30670-D-1	Plastic 500ml - with Nitric Acid	<2	_____	_____
TR1VMW24G20131023	240-30670-D-2	Plastic 500ml - with Nitric Acid	<2	_____	_____
CARMW28G20131023	240-30670-D-3	Plastic 500ml - with Nitric Acid	<2	_____	_____
CARMW34G20131024	240-30670-D-4	Plastic 500ml - with Nitric Acid	<2	_____	_____
CARMW26G20131024	240-30670-D-5	Plastic 500ml - with Nitric Acid	<2	_____	_____
CARMW37G20131024	240-30670-D-6	Plastic 500ml - with Nitric Acid	<2	_____	_____
CARMW27G20131024	240-30670-D-7	Plastic 500ml - with Nitric Acid	<2	_____	_____
CARMW39G20131024	240-30670-D-8	Plastic 500ml - with Nitric Acid	<2	_____	_____
CARSSIPZ04G20131024	240-30670-D-9	Plastic 500ml - with Nitric Acid	<2	_____	_____