

**PERIODIC REVIEW REPORT**

# **Containment Structure Site #734048**

**Conklin Limited  
Syracuse, New York**

February 2015

6443 | 60578

# **Containment Structure Site #734048**

**Syracuse, New York**

Prepared for: Conklin Limited

## TABLE OF CONTENTS

<b>List of Tables .....</b>	<b>ii</b>
<b>List of Figures.....</b>	<b>ii</b>
<b>List of Appendices .....</b>	<b>ii</b>
1. Introduction .....	1
2. Site Overview.....	2
2.1 Site History .....	2
2.2 Remedial History.....	2
2.3 Containment Structure .....	3
2.3.1 Leachate Collection System .....	3
2.3.2 Leak Detection System.....	3
2.3.3 Groundwater Monitoring System.....	4
3. Evaluate Remedy Performance, Effectiveness, and Protectiveness.....	5
3.1 Observations .....	5
3.2 Recommendations.....	5
4. IC/EC Plan Compliance Report .....	6
5. Monitoring Plan Compliance Report .....	7
6. Operation & Maintenance (O&M) Plan Compliance Report .....	8
6.1 Leachate Collection System .....	8
6.1.1 LCS Monitoring and Sampling.....	8
6.1.2 LCS Water Measurements .....	9
6.1.3 LCS Air Quality.....	9
6.1.4 LCS Sampling and Laboratory Analysis .....	9
6.1.5 Leachate Removal Quantities.....	9
6.2 Leak Detection System.....	10
6.2.1 LDS Monitoring and Sampling.....	10
6.2.2 LDS Water Measurements.....	11
6.2.3 LDS Air Quality .....	11
6.2.4 LDS Sampling and Laboratory Analysis.....	11
6.2.5 Water Removal Quantities .....	11
6.3 Groundwater Monitoring System .....	13
6.3.1 Groundwater Monitoring.....	13
6.3.2 Groundwater Sampling and Laboratory Analysis.....	13
6.4 Site Observations .....	13
6.4.1 Site Conditions.....	13
6.5 Surface Water Drainage .....	13
6.6 O&M Conclusions and Recommendations.....	14
7. Overall PRP Conclusions and Recommendations .....	16
8. References.....	17

## LIST OF TABLES

---

- 6-1 Quantity of leachate collected from leachate collection sumps
- 6-2 Leak detection sump water removal (gals)

## LIST OF FIGURES

---

- 1 Site Location
- 2 General Site Plan
- 3 Monitoring Well Water Elevations

## LIST OF APPENDICES

---

- A Institutional and Engineering Controls Certification Form
- B Uniform Hazardous Waste Manifests
- C Leachate Collection Sump, Leak Detection Sump, and Groundwater Monitoring Well Data
  - C-1 LCS and LDS As-built Data
  - C-2 Monitoring Data (LCSs and LDSs)
  - C-3 Depth of Water in LCSs
  - C-4 MW As-built Data
  - C-5 MW Monitoring Data
- D Laboratory Analytical Results
  - D-1 LCS-1 and LDS-1 Water Quality Data
  - D-2 LCS-2 and LDS-2 Water Quality Data
  - D-3 LCS-3 and LDS-3 Water Quality Data
  - D-4 LCS-4 and LDS-4 Water Quality Data
  - D-5 LCS-5 and LDS-5 Water Quality Data
  - D-6 MW-1 through MW-5 Water Quality Data
- E Health and Safety at Hazardous Waste Operations Course Certification
- F Form 1 – Leachate Collection Sump Field Logs
- G 2014 Laboratory Analytical Reports
  - G-1 LCS Analytical Reports
  - G-2 LDS Analytical Reports
  - G-3 MW Analytical Reports
- H Form 2 – Leak Detection Sump Field Logs
- I Form 3 – Groundwater Monitoring Well Field Logs
- J Form 4 – Site Observation Form
- K Form 5 – 2014 Storm Drainage Facilities Report

## 1. INTRODUCTION

---

This 2014 Periodic Review Report (PRR) summarizes monitoring activities associated with the New York State Department of Environmental Conservation (NYSDEC) approved Containment Structure Site #734048 (Site) conducted by Conklin Limited during 2014 and includes data collected since 1994. The report was prepared as requested by the NYSDEC in correspondence dated November 23, 2009 (NYSDEC 2009), as modified in discussions with the NYSDEC, and in substantive conformance with the NYSDEC approved Operation and Maintenance (O&M) Manual (O'Brien & Gere 1994). The PRRs summarizing the monitoring activities from 2009 through 2013 were submitted to the NYSDEC previously. An Institutional and Engineering Controls (IC/EC) Certification Form associated with this PRR is provided in Appendix A.

Based on review of the annual reports and monitoring information, the Containment Structure appears to be functioning appropriately and in accordance with elements provided in the Response Action Plan (RAP) (O'Brien & Gere 1998).

Analytical results of samples collected from the leachate collection sumps (LCSs) and leachate detection sumps (LDSs) do not necessitate corrective action per the RAP. Analysis of groundwater samples from the monitoring wells (MWs) indicates that the local groundwater quality is not impacted by the Containment Structure. The pavement surface above the Containment Structure is intact and appears structurally sound. No changes to the Site Management Plan (SMP) are recommended.

## 2. SITE OVERVIEW

The Containment Structure Site #734048, constructed in 1990, is located in the western portion of the Carousel Center, now branded as DestiNY USA, in the City of Syracuse, Onondaga County, New York, below a bituminous concrete parking area. A Site Location map is included as Figure 1. Carousel Center is generally bounded by Hiawatha Boulevard to the south, Onondaga Lake to the north, Interstate Route 81 to the east, and the New York State Barge Canal to the west.

### 2.1 SITE HISTORY

The local area that contains the Site was originally a salt marsh. Saline groundwater reportedly discharged to the marsh and formed salt springs. This natural feature was exploited for salt production as early as the mid-1600's. Salt production became Syracuse's largest industry in the early 1800's, although salt production had declined dramatically by the end of the 19<sup>th</sup> century. Maps dated 1892 and 1908 show that the area including the Site was being used for salt production until it was discontinued circa 1910.

Around the turn of the 20<sup>th</sup> century, disposal of inert fill such as construction debris was initiated at the Site. According to historical maps, the Allied Corporation disposed of Solvay Process Company materials on the Site from 1907 to 1910. Solvay Process materials are a mixture of calcium carbonate, calcium chloride, and calcium oxide. The Site was gradually reclaimed by fill operations to the grade that existed prior to salt production operations.

### 2.2 REMEDIAL HISTORY

Conklin Limited acquired property located at West Hiawatha Boulevard, Syracuse, New York that was owned by Clark Concrete Co., Inc. (*i.e.*, the "Clark Site"). Environmental sampling and analysis of soils and groundwater, connected with the development of Carousel Center, identified elevated concentrations of VOCs at the Clark Site. Conklin Limited voluntarily undertook to investigate and remediate the Clark Site, and an Approved Interim Remedial Plan (IRP) was completed in March of 1990. The IRP included dewatering, excavation and removal of VOC contaminated soils from the Clark Site, and placement of the material in a Containment Structure to be located beneath the parking lot for the shopping center.

The Containment Structure received nearly 60,000 cubic yards of VOC-impacted soils excavated from the Clark Site and portions of the Hess-1 and Buckeye properties.

An Operations and Maintenance (O&M) Manual was prepared for the Clark Site in accordance with Agreement and Determination No. A7-0163-88-12 and Agreement and Determination No. A7-0224-90-02 between Conklin Limited and the NYSDEC for remediation of the Inactive Hazardous Waste Site No. 734048 (Clark Site). These agreements required Conklin Limited to perform a Remedial Investigation/Feasibility Study (RI/FS) and an Interim Remedial Measure (IRM), respectively, at the Clark Site. The IRM was performed during the spring and summer of 1990, and on December 3, 1990, an IRM report and Supplemental Remedial Investigation Study Report were submitted to the NYSDEC. The Supplemental Remedial Investigation was accepted and approved by the NYSDEC on January 14, 1991. The IRM Report was accepted and approved by the NYSDEC on March 14, 1991. The Feasibility Study was submitted to the NYSDEC in April 1991. The Feasibility Study was performed in a manner consistent with the National Contingency Plan and concluded that the preferred remediation alternative was Alternative No. 2 – Groundwater Management/Leachate Site Monitoring with completed Interim Remedial Measures. The NYSDEC adopted the Final Record of Decision (ROD) approving Alternative No. 2 on or about March 24, 1994. The O&M Manual, as approved by the NYSDEC, was implemented as part of Alternative No. 2.

The O&M Manual is a post-closure document that provides guidelines and procedures for operation and maintenance of Containment Structure #734048. Work tasks for the 30-year closure period described in the O&M Manual were commenced in 1994. The Containment Structure continues to be operated in accordance to the approved O&M Manual.

## 2.3 CONTAINMENT STRUCTURE

The Containment Structure was constructed of an earthen berm ranging from approximately 16.5 to 21.0 feet in height. The bottom and sides of the interior of the berm were double-lined with 60 mil high density polyethylene (HDPE) liners.

The primary liner was overlain with a combination of sand, crushed stone and geotextile filter fabric layers to facilitate leachate collection and management of the leachate generated from the soils impacted by VOCs. The secondary cover consisted of an HDPE liner underlain with stone dust and covered by stone dust, sand, gravel, and a bituminous concrete surface. An intermediate layer of geonet was installed as the drainage layer for the leak detection system between the liners.

Additional information regarding Site remedial work, Containment Structure construction, and project implementation is provided in the Interim Remedial Measure Report Site #734048 (Volumes 1 through 5) dated November 1990 that was approved by the NYSDEC on March 14, 1991.

Perforated pipes within the Containment Structure direct leachate by gravity towards five LCSs. Leak detection sumps (LDSs) are located adjacent to each of the LCSs. Originally there were four groundwater MWs installed around the perimeter of the Containment Structure to evaluate groundwater level and quality outside the limits of the Containment Structure. An additional MW (MW-5) was installed during the 1997 reporting period at the request of the NYSDEC to better evaluate system performance. A Site Plan that includes the locations of the Containment Structure, LCSs, LDSs, and groundwater MWs is included as Figure 2.

As shown on Figure 2, the Containment Structure was constructed in two sections separated by an interior berm. Three of the five LCSs (LCS 1, 2 and 3) collect leachate from the western cell and the other two LCSs (LCS 4 and 5) collect leachate from the eastern cell.

### 2.3.1 Leachate Collection System

The five LCSs located within the interior of the Containment Structure are equipped with sumps that include the following features:

- concrete manholes that extend vertically from approximately 4-feet below the Containment Structure bottom to finished grade
- standard manhole steps
- solid 24-inch diameter cast iron covers.

The grading of the Containment Structure bottom and the 6-inch diameter perforated drain piping installed at the interior perimeter of the Containment Structure direct leachate to the LCSs. Leachate entering the LCSs is removed automatically by a submersible pump located within each sump. The pumps discharge leachate to a holding tank via two networks of 2-inch HDPE piping. The holding tank is emptied by Site personnel when observed full. The contents are disposed of at a licensed hazardous waste disposal facility. Uniform Hazardous Waste Manifests are included in Appendix B.

### 2.3.2 Leak Detection System

An LDS consisting of a perforated concrete vault is located adjacent to each LCS to receive leachate that penetrates the primary liner or water that enters from external sources. Drainage net between the primary and secondary 60 mil HDPE liners provides the medium through which water is conveyed to LDSs.

A 2-inch diameter pipe that extends from the pavement surface down to each sump allows access for gauging and water removal. Upon detection during monitoring, water is pumped and metered to the adjacent LCS and then automatically pumped to the holding tank for storage and disposal.

### 2.3.3 Groundwater Monitoring System

As illustrated on Figure 2, five groundwater MWs are located outside of the Containment Structure: four MWs on the Onondaga Lake side of the structure (MW-1, MW-2, MW-3, and MW-5) and one MW (MW-4) on the Carousel Center side.

The MWs are constructed of 2-inch diameter PVC piping. Rim elevations of MWs 1 through 4 were surveyed in 1994 at the time of installation. The rim elevation of MW-5 was surveyed and rim elevations of MWs 1 through 4 updated in 1997. Rim elevations of MWs 1 through 5 were again surveyed in 2004 and in 2011.



### 3. EVALUATE REMEDY PERFORMANCE, EFFECTIVENESS, AND PROTECTIVENESS

The O&M Manual establishes appropriate procedures for data and sample collection, compilation of results (Tables 6-1 and 6-2 in Section 6, Tables C-1 through C-5 in Appendix C, and Tables D-1 through D-6 of Appendix D), and analysis of results. Sampling results are compared to corrective action criteria provided in the RAP.

#### 3.1 OBSERVATIONS

1. VOCs detected in water collected from the Containment Structure LCSs and LDSs have been consistent with background levels attributable to the VOC-impacted soils that were placed in the Containment Structure. Samples from the Containment Structure LCSs and LDSs generally contain different constituents, at variable concentrations, than samples from groundwater MWs. Therefore, there does not appear to be a hydrologic connection between systems. Based on the data, the system appears to be functioning as designed.
2. Leachate continues to enter, and be removed from, the leachate collection system. Automatic pumping of the LCSs will continue to dewater the Containment Structure.
3. Water continues to drain to the LDSs where it is removed during the monitoring events. The continued presence of water in this layer may be due to water between the liners during Containment Structure construction, seepage, and/or minor breaks in the primary liner. Water levels in LDS-5 (8.89 ft) have increased for the fourth consecutive year since 2010. However, despite the observed water level increase in LDS-5, collected water volumes continue to indicate a decreasing trend, reflected in the absence of water in LDS-1 (third consecutive annual occurrence) and LDS-3 (fourth consecutive annual occurrence). Also, water levels in LDS-2 (2.98 ft) were the lowest ever recorded in 2014. The secondary liner appears to be performing its design function of containing water and directing it to the LDSs although LDS-1 and LDS-3 were dry.
4. No pavement disturbances have been reported over the Containment Structure indicating that the HDPE cap and bituminous concrete surface cap promotes runoff and minimizes infiltration of rainfall to the Containment Structure.
5. Air quality, measured in terms of Lower Explosive Limit (LEL), hydrogen sulfide (H<sub>2</sub>S), and oxygen content (O<sub>2</sub>), has been within acceptable levels within the LCS and LDS access points.
6. The measured water levels and sample analytical results from the LCSs, LDSs, and MWs do not prompt corrective action per the RAP.

#### 3.2 RECOMMENDATIONS

Monitoring operations at the Site should continue as described in the O&M Manual

#### 4. IC/EC PLAN COMPLIANCE REPORT

---

Not applicable. The substantive components of the same are incorporated in other sections of this report.

## 5. MONITORING PLAN COMPLIANCE REPORT

---

Not applicable. The substantive components of the same are incorporated in other sections of this report.

## 6. OPERATION & MAINTENANCE (O&M) PLAN COMPLIANCE REPORT

This section summarizes monitoring activities associated with the Containment Structure Site #734048 conducted from 1994 through 2014. Annual Reports have been submitted to the NYSDEC since 1994. Five Year Review Reports were submitted in May 1999, April 2004, and March 2009. The first annual PRR summarizing the monitoring activities from 2009 was submitted to the NYSDEC in March 2010; PRRs summarizing monitoring activities from 2010 through 2013 were also submitted to the NYSDEC. Information provided within the Annual Reports, Five Year Review Reports, and PRRs includes the following:

- water surface elevations within the LCSs
- quantity of leachate removed from the LCSs
- quality of water from the LCSs based on laboratory analysis
- water surface elevations within the LDSs
- quantity of water collected from the LDSs
- quality of water from the LDSs based on laboratory analysis
- groundwater elevations
- quality of water within the groundwater MWs based on laboratory analysis
- general Site observations including visual assessment of the final bituminous concrete cover
- surface water drainage system inspection
- hazardous waste manifests
- air quality records.

Information contained in these reports was provided by the Owner's on-Site monitor. The Site monitor has completed the 40-hour Occupational Safety and Health Administration (OSHA) Course in Hazardous Waste Site Operation Safety training and annual 8-hour refresher courses. Documentation of his Health and Safety at Hazardous Waste Operations Course is included in Appendix E.

Summaries of the data from the 21-year monitoring period are provided in Tables 6-1 and 6-2, Tables C-1 through C-5 in Appendix C, and Tables D-1 through D-6 in Appendix D. Results of the monitoring are compared to criteria in the RAP that were established as action levels indicative of potential failure(s) of the Containment Structure systems. Specifically, the RAP established the following:

- water levels that represent indicators of potential system malfunction
- protocols to identify and abate potential malfunctions
- procedures to be taken to minimize environmental impacts and human health risks.

### 6.1 LEACHATE COLLECTION SYSTEM

#### 6.1.1 LCS Monitoring and Sampling

Since 1994, the five LCSs have been monitored on an annual basis. Monitoring activities include:

- measurements from finished grade to water surface using a water level indicator
- monitoring of air quality with a Dräger MultiPac, Industrial Science M40, or MultiRae Plus air monitoring device
- collection and laboratory analysis of leachate samples
- recording of quantities of leachate removed in aggregate from the temporary holding tank
- notation of field observations.

The Leachate Collection Sump Field Logs from 1994 through 2013 have been submitted in past years in accordance with the O&M Manual. The Leachate Collection Sump Field Logs (Form 1) for the 2014 monitoring year are included as Appendix F.

### 6.1.2 LCS Water Measurements

The rim and invert elevations of the LCSs are provided in Table C-1 of Appendix C. For the years 1999 through 2010, rim and invert elevations reflect information obtained by surveys performed by C.T. Male on July 21, 1997 and April 1, 2004. Rim and invert elevations for 2011 through 2014 reflect the August 29, 2011 C.T. Male survey information. Rim and invert elevations are used to calculate water elevation and depth of water (water level) within the LCSs that are provided in Tables C-2 and C-3 in Appendix C, respectively, for each year since 1994. Leachate has been observed within the LCSs throughout the monitoring period. As noted, leachate is automatically removed from the individual LCSs by pumps equipped with float switches. Since initial startup of the pumps, leachate depths within the sumps have been maintained at minimum depths.

As shown in Table C-3, the measured water levels from the LCSs for 2014 do not prompt corrective action per the RAP. Leachate levels have generally been less than corrective action levels in each LCS since 1994, indicating that the leachate collection system continues to function appropriately.

### 6.1.3 LCS Air Quality

Air quality measurements have been conducted on an instantaneous basis during monitoring events for LEL, H<sub>2</sub>S and O<sub>2</sub> for health and safety and reporting purposes. Measurements near the access cover to the sump have consistently been as follows:

- LEL readings of 0%
- H<sub>2</sub>S readings of 0%
- O<sub>2</sub> levels at or near 20.5%

### 6.1.4 LCS Sampling and Laboratory Analysis

Samples were collected pursuant to the O&M Manual from each of the five LCSs since 1994. Samples have been delivered to Certified Environmental Services, Inc. for analysis of VOC content using United States Environmental Protection Agency (USEPA) Method 601/602 (updated to 624/625).

1. Compounds detected above the laboratory detection limits within the individual LCS samples since 1994 are summarized in Appendix D as Tables D-1 through D-5. In 2014, 1, 1-dichloroethane was the only constituent detected in each of the LCSs at concentrations that are consistent with past monitoring events. 2-Butanone, which had not been reported above laboratory detection limits in any LCSs or LDSs prior to 2014, was detected in LCS-1 (6.0 ug/L), LCS-2 (10.0 ug/L), and LCS-5 (6.0 ug/L). These detections are likely due to the use of a new analytical method with a detection limit of <5.0 ug/L used by the lab to analyze 2-Butanone (MEK). According to Certified Environmental Services Inc., method EPA 8260C is now the only certified way to analyze for the compound 2-Butanone. Despite being above the laboratory detection limits in 2014, the detected concentrations of 2-Butanone could be considered consistent with historic concentrations when detection limits were higher (< 25 ug/L in 2008, <5.0 ug/L in 2009 & 2010, and < 13.0 ug/L in 2011) and 2-Butanone was not detected.

Laboratory reports from 1994 through 2013 have been submitted in past years in accordance with the O&M Manual. Laboratory reports for the 2014 sampling event are included in Appendix G.

### 6.1.5 Leachate Removal Quantities

Automatic submersible pumps installed within the five LCSs transfer leachate through two piping networks to a holding tank located on-Site. Table 6-1 indicates the volume of leachate collected annually since 1994, as well as the estimated volume prior to automatic pump operation.

Table 6-1. Quantity of leachate collected from leachate collection sumps

Dates	Leachate Collected (Gallons)	Annual Recovery (year) (gallons)
10/90 to 1/94	171,000 <sup>1</sup>	
Period 2/94 to 6/94 <sup>2</sup>	20,000	
Period 7/94 to 9/94	23,903	
Period 10/94 to 12/94	10,000	53,900 (1994)
Period 1/95	1,601	
Period 2/95 - 12/95	10,050	11,651 (1995)
Period 1/96 - 12/96	14,508	14,508 (1996)
Period 1/97 - 12/97	5,055	5,055 (1997)
Period 1/98 - 12/98	11,957	11,957 (1998)
Period 1/99 - 12/99	20,250	20,250 (1999)
Period 1/00 - 12/00	15,270	15,270 (2000)
Period 1/01 - 12/01	12,910	12,910 (2001)
Period 1/02 - 12/02	12,495	12,495 (2002)
Period 1/03 - 12/03	17,020	17,020 (2003)
Period 1/04 - 12/04	16,850	16,850 (2004)
Period 1/05 - 12/05	14,700	14,700 (2005)
Period 1/06 - 12/06	15,350	15,350 (2006)
Period 1/07 - 12/07	16,458	16,458 (2007)
Period 1/08 - 12/08	10,394	10,394 (2008)
Period 1/09 - 12/09	10,406	10,406 (2009)
Period 1/10 - 12/10	11,440	11,440 (2010)
Period 1/11 - 12/11	18,846	18,846 (2011)
Period 1/12 - 12/12	13,183	13,183 (2012)
Period 1/13 - 12/13	18,542	18,542 (2013)
Period 1/14 - 12/14	12,110	12,110 (2014)

<sup>(1)</sup> Estimated based on review of available records

<sup>(2)</sup> Automatic pumping initiated

Source: O'Brien & Gere

The leachate collection pumps are not individually metered. Therefore, leachate collected during the annual reporting periods was metered when removed from the temporary storage tank. As shown in Table 6-1, the annual recovery quantities since 1995 were less than the response action volume of 20,800-gallons specified in the RAP.

Leachate was transported by Capitol Environmental Services, Inc. to Vickery Environmental, Inc. in Vickery, Ohio. Hazardous Waste Manifests for the leachate transportation from the 2014 monitoring period are included as Appendix B. Hazardous Waste Manifests from 1994 through 2013 have been submitted in past years in accordance with the O&M Manual.

## 6.2 LEAK DETECTION SYSTEM

### 6.2.1 LDS Monitoring and Sampling

The five LDSs have been monitored on an annual basis since 1994. Specific activities include:

- measurements from finished grade to water surface using a water level indicator
- monitoring of air quality with a Drager MultiPac, Industrial Science M40, or MultiRae Plus air monitoring device
- collection and laboratory analysis of LDS water samples

- recording of quantities of water pumped to adjacent LCSs
- notation of field observations.

Leak Detection Sump Field Logs from 1994 through 2013 have been submitted in past years in accordance with the O&M Manual. The Leak Detection Sump Field Logs (Form 2) for the 2014 monitoring year are included as Appendix H.

### 6.2.2 LDS Water Measurements

The rim and invert elevations of the LDSs are provided in Table C-1 of Appendix C. For the years 1999 through 2010, rim and invert elevations reflect information obtained by surveys performed by C.T. Male on July 21, 1997 and April 1, 2004. Rim and invert elevations for 2011 through 2014 reflect the August 29, 2011 C.T. Male survey information.

Depths to water within the individual LDSs were measured each year since 1994 and are indicated in Table C-2 of Appendix C. Calculated water elevations also appear in Table C-2.

Table C-2 indicates that, based on information provided by the Site monitor, water levels in 2014 were below corrective action levels identified in the RAP in each sump. This indicates that the leak detection system continues to function appropriately.

### 6.2.3 LDS Air Quality

Air quality measurements were conducted on an instantaneous basis during monitoring events for LEL, H<sub>2</sub>S and O<sub>2</sub> for health and safety and reporting purposes. From 1994 through 2014, measurements near the access cover to the sump have consistently been as follows:

- LEL readings of 0%
- H<sub>2</sub>S readings of 0%
- O<sub>2</sub> levels at or near 20.03%

### 6.2.4 LDS Sampling and Laboratory Analysis

Samples were collected pursuant of the O&M Manual from each of the LDSs where water was present<sup>1</sup> since 1994. Samples were delivered to Certified Environmental Services, Inc. for analysis of VOC content using USEPA Method 601/602 (updated to 624/625).

Compounds detected above the laboratory detection limits within the individual LDS samples since 1994 are summarized in Appendix D. In 2014, 1,1 dichloroethane was detected above detection limits at concentrations consistent with historical data in LDS-2 (9.1 ug/L) and LDS-4 (19 ug/L). The only other compound detected above detection limits was vinyl chloride in LDS-4 (15 ug/L), which is also consistent with historical data. Laboratory reports from the 1994 through 2013 sampling events have been submitted in past years in accordance with the O&M Manual. Laboratory reports for the 2014 sampling event are included in Appendix G.

### 6.2.5 Water Removal Quantities

Water was removed by pumping water from each of the LDSs to the respective LCSs during inspections. Metered flow quantities from the LDSs from 1994 through 2014 are indicated in Table 6-2.

**Table 6-2. Leak detection sump water removal (gals).**

Date (Month/Year)	LDS-1	LDS-2	LDS-3	LDS-4	LDS-5	TOTAL
4/94	610	1240	720	1575	1670	6815
5/94	1290	930	265	1075	295	3855
6/94	600	575	85	800	160	2220
7/94	600	750	200	500	645	2695

<sup>1</sup> Samples were not collected in 2014 from LDS-1 and LDS-3 since water was not present at quantities capable of sampling.

Date (Month/Year)	LDS-1	LDS-2	LDS-3	LDS-4	LDS-5	TOTAL
8/94	75	400	200	400	227	1320
9/94	390	800	230	500	180	2100
10/94	125	500	200	350	125	1300
11/94	100	600	250	400	150	1500
12/94	100	800	250	575	125	1850
1/95	125	600	200	550	160	1635
2/95	250	NM	250	525	190	1215
3/95	200	400	1150	900	125	1775
4/95	400	600	175	925	700	2800
5/95	100	500	100	450	200	1350
6/95	200	500	100	500	300	1600
7/95	125	600	100	200	250	1275
8/95	220	800	50	75	230	1375
9/95	190	300	40	400	300	1230
10/95	450	950	50	400	500	2350
11/95	200	1000	50	800	600	2650
12/95	250	800	50	600	500	2200
3/96	650	975	75	1200	1200	4100
5/96	800	1000	175	1200	1000	4175
9/96	400	700	150	1100	550	2900
11/96	800	1000	600	1050	800	4250
3/97	800	850	800	1000	900	4350
6/97	500	1000	200	1300	1000	4000
8/97	450	800	150	1100	950	3450
12/97	650	800	500	1000	900	3850
3/98	900	800	50	1400	1525	4675
6/98	500	950	100	1400	600	3550
9/98	600	900	100	1075	550	3225
12/98	500	950	125	1000	700	3275
6/99	550	700	100	1000	1500	3850
3/00	650	800	75	1000	700	3225
6/00	480	650	75	800	1200	3205
8/00	600	800	150	800	1000	3350
4/01	600	900	90	950	650	3190
8/01	700	650	75	875	800	3100
5/02	575	600	80	800	700	2755
10/02	500	1000	150	1200	1000	3850
10/03	600	800	180	0	0	1580
11/03	0	0	0	1000	800	1800
10/04	700	500	200	750	800	2950
10/05	900	580	220	800	1400	3900
10/06	700	400	150	600	800	2650
9/07	400	500	200	450	600	2150
8/08	500	350	100	400	500	1850
9/09	450	400	250	400	475	1975
9/10	100	150	150	200	350	950
10/11	150	100	0	250	150	650
9/12	0	300	0	400	500	1200
9/13	0	700	0	150	800	1650
9/14	0	500	0	400	600	1500

Water from the LDSs was pumped into the adjacent LCSs and then to the on-Site holding tank. Water within the holding tank was transported to Vickery Environmental, Inc. in Vickery, Ohio by Page Transportation Company. Uniform Hazardous Waste Manifest forms for 2014 are included in Appendix B. Hazardous Waste Manifests from 1994 through 2013 have been submitted in past years in accordance with the O&M Manual.



## 6.3 GROUNDWATER MONITORING SYSTEM

### 6.3.1 Groundwater Monitoring

For the years 1999 through 2010, rim and invert elevations reflect information obtained by surveys performed by C.T. Male on July 21, 1997 and April 1, 2004. Rim and invert elevations for 2011 through 2014 reflect the August 29, 2011 C.T. Male survey information and are included in Table C-4 of Appendix C. Depth to water in the five groundwater MWs were gauged during monitoring events using a water level indicator. Results for 2014 are included on Form 3 - Groundwater Monitoring Field Logs, included in Appendix I. Depth to water measurements and water level calculations since 1994 are summarized in Table C-5 of Appendix C.

Based on data from past monitoring events, groundwater flow direction generally occurs in a westerly direction towards Onondaga Lake and the Barge Canal. The groundwater elevations measured within the monitoring wells are consistent with past data (Figure 3).

### 6.3.2 Groundwater Sampling and Laboratory Analysis

Groundwater samples were collected pursuant to the O&M Manual from MW-1 through MW-4 since 1994 and since 1997 from MW-5. Samples were delivered to Certified Environmental Services, Inc. for analysis of VOC content using USEPA Method 601/602 (updated to 624/625).

Compounds detected above laboratory detection limits within the individual MWs since 1994 are summarized in Table D-6 of Appendix D. In 2014, no constituents were detected in any of the five MWs, except for MW-1. In MW-1, there was a single detection of trichloroethene at concentrations (10 µg/L) consistent with historical data. No constituents have been detected in MW-3 since 1996, no constituents have been detected in MW-2 or MW-4 since 2006, and no constituents have been detected in MW-5 since 2002 except for a single reading of m & p xylene in 2005 (1.5 µg/L) and a single reading of trichloroethane in 2008 (10 µg/L). Laboratory reports from the 1994 through 2013 sampling events have been submitted in past years in accordance with the O&M Manual. Laboratory reports for 2014 are included in Appendix G.

## 6.4 SITE OBSERVATIONS

### 6.4.1 Site Conditions

Visual observations of the bituminous concrete pavement and landscaped areas over and adjacent to the Containment Structure have been performed since 1994.

The Site Observation Form (Form 4) for the 2014 monitoring and inspection event is included in Appendix J. Inspection results to date indicate:

- the pavement in the vicinity of the Containment Structure remains in good condition
- landscaped areas have been intact with no sink holes
- no maintenance has been reported over the Containment Structure area.

## 6.5 SURFACE WATER DRAINAGE

Surface cover over the Containment Structure is bituminous concrete pavement. Rainfall and snow melt runoff are directed overland via positive grading to a separate stormwater drainage system consisting of catch basins and underground storm drains. The locations of these catch basins and storm drains are illustrated in the O&M Manual.

Dry weather inspection of the storm drainage facilities has been performed since 1994. The purpose of the inspections is to document the presence or absence of flow and the need for system cleaning. Copies of the Storm Drainage Facilities Reports from the 1994 through 2013 have been submitted in past years in accordance with the O&M Manual. A copy of the Storm Drainage Facilities Report for 2014 is included in Appendix K.

In 2014, pipelines were noted to be clear of sediment and no system problems were noted. Minor accumulations of water and sediment deposits were recorded in the catch basin sumps during the inspection; however, no impacts to the Containment Structure or operation of the storm drainage facility were identified.

## 6.6 O&M CONCLUSIONS AND RECOMMENDATIONS

The following results and observations are based on 2014 data.

1. Total manifested volume of leachate from LCSs and LDSs = 13,610 gal
2. Total LDS volume = 1,500 gal (measured)
3. Total LCS volume = 12,110 gal (calculated)
4. The pH recorded in MW-1 trended high for the second consecutive year in 2014 with a pH of 12.37. This value is consistent with the high pH of 12.4 recorded in 2013. This well had experienced a downward trend in pH prior to 2013. The pH was 6.65 in 2012, 8.46 in 2011, 8.63 in 2010, 8.97 in 2009, 9.14 in 2008, 9.21 in 2007, 9.43 in 2006, and 9.72 in 2005. This trend may be the result of point source contributions in the area of MW-1 resulting from construction or maintenance related activities. Any changes in maintenance or construction activities in the area of MW-1 during 2015 will be noted for possible impact.
5. A total of only three constituents were detected in the LCSs, LDSs, and MWs: 1,1-dichloroethane, vinyl chloride and trichloroethene. 2-Butanone, which had not been reported above laboratory detection limits in any LCSs or LDSs prior to 2014, was also detected in LCS-1, LCS-2, and LCS-5. The exceedance of 2-Butanone in these LCSs is likely due to the use of a new analytical method (< 5.0 ug/L EPA 8260C) used by the lab to analyze 2-Butanone (MEK) and is consistent with historic detection limits for which 2-Butanone was not reported.
6. 1,1-Dichloroethane was the only compound detected in the LCSs. 1, 1-Dichloroethane was detected in LDS-2 and LDS-4 only, in addition to vinyl chloride in LDS-4.
7. No compounds were detected above detection limits in MW-2, MW-3, MW-4, and MW-5.
8. Trichloroethene was the only compound detected in MW-1 at a concentration of 10.0 ug/L.
9. Fourth consecutive year with no detections in LDS-1 and third consecutive year with no detects in LDS-3.
10. The concentrations in the other LCS, LDS, and MW samples were consistent with historical data.
11. No constituents have been detected in MW-3 since 1996.
12. No constituents have been detected in MW-2 or MW-4 since 2006.
13. No constituents have been detected in MW-5 since 2008.

The following conclusions are based on Site activities from 1994 through 2014.

1. Samples from the Containment Structure LCSs and LDSs contain different constituents, at variable concentrations, than samples from groundwater MWs. Therefore, there does not appear to be a hydrologic connection between systems.
2. The measured water levels from the LCSs, LDSs, and MWs do not prompt corrective action per the RAP. The system was reported to be functioning properly.
3. Leachate continues to enter, and be removed from, the leachate collection system. Automatic pumping of the LCSs will continue to dewater the Containment Structure.
4. Water continues to drain to the LDSs where it is removed during the monitoring events. Collected volumes appear to indicate a general decreasing trend since 2002, reflected in the absence of water in LDS-1 (third consecutive annual occurrence) and LDS-3 (fourth consecutive annual occurrence). The continued presence of water in this layer may be due to water between the liners during Containment Structure construction, seepage, and/or minor breaks in the primary liner. The secondary liner, therefore, appears to be performing its design function of containing water and directing it to the LDSs although LDS-1 and LDS-3 were dry.

5. No pavement disturbances have been reported over the Containment Structure indicating that the HDPE cap and bituminous concrete surface cap promotes runoff and minimizes infiltration of rainfall to the Containment Structure.
6. Air quality, measured in terms of LEL, O<sub>2</sub>, and H<sub>2</sub>S, has been within acceptable levels within the LCSs and LDS access points.

The following recommendations are based on Site activities from 1994 through 2014.

1. Inspections of the LCSs, LDSs, MWs and general Site condition should be continued as stipulated in the O&M Manual.
2. Any changes in maintenance or construction activities in the area of MW-1 should be reported in order to evaluate potential point contributions to groundwater which may be contributing to the high pH.
3. Level measurements and laboratory analysis of water from the collection, detection and monitoring well systems should be continued as stipulated in the O&M Manual. It is recommended that the measurements and samples be collected on the same date to allow for direct comparison.
4. Fluid removed from the LCSs and LDSs should continue and be properly managed and manifested as stipulated in the O&M Manual.
5. An elevation survey was conducted August 29, 2011 by C.T. Male. A new survey will need to be performed in 2016 to conform to the O&M Manual requirement for a survey to be performed every five years.
6. Data should be submitted to the NYSDEC on an annual basis per the O&M Manual and the 2009 NYSDEC correspondence.

## 7. OVERALL PRP CONCLUSIONS AND RECOMMENDATIONS

---

Conklin Limited has completed Year 21 of the 30-year closure period for Containment Structure #734048. The O&M Manual requires inspections, gauging, sampling and analysis, and recordkeeping of LCSs, LDSs, groundwater MWs, and surface drainage facilities. General Site inspections are also performed. To date, the Containment Structure has been operated in accordance with the approved O&M Manual. Compliance requirements have been met for each component outlined and analytical results have not prompted corrective action per the RAP to date.

## 8. REFERENCES

---

New York State Department of Environmental Conservation. 2009. *45-day Reminder Notice: Site Management Periodic Review*. November 23.

O'Brien & Gere. 1998. *Response Action Plan Containment Structure Site 734048*. Prepared for Conklin Limited, Syracuse, New York. October.

O'Brien & Gere. 1994. *Operation and Maintenance Manual Containment Structure Site 734048*. February.

***FIGURES***





ADAPTED FROM: SYRACUSE WEST USGS QUADRANGLE



CONKLIN LIMITED  
SITE #734048  
CONTAINMENT STRUCTURE  
2014 PERIODIC REVIEW REPORT  
**SITE LOCATION**








FIGURE 2





**Figure 3**



*Appendix A*  
*Institutional and*  
*Engineering Controls*  
*Certification Form*



Enclosure 1  
**NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION**  
**Site Management Periodic Review Report Notice**  
**Institutional and Engineering Controls Certification Form**



Site Details		Box 1	
Site No.	734048		
Site Name	Clark Property		
Site Address:	350 West Hiawatha Boulevard	Zip Code:	13208
City/Town:	Syracuse		
County:	Onondaga		
Allowable Use(s) (if applicable, does not address local zoning):	no restrictions known		
Site Acreage:	1.8		
Owner:	Pyramid Company of Onondaga 350 W. Hiawatha Blvd, Rear, Syracuse, NY 13204		
Reporting Period:	January 07, 2014 to January 07, 2015		

Verification of Site Details		Box 2	
		YES	NO
1.	Is the information in Box 1 correct?	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	If NO, are changes handwritten above or included on a separate sheet?	<input type="checkbox"/>	
2.	Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	If YES, is documentation or evidence that documentation has been previously submitted included with this certification?	<input type="checkbox"/>	
3.	Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	If YES, is documentation (or evidence that documentation has been previously submitted) included with this certification?	<input type="checkbox"/>	
4.	If use of the site is restricted, is the current use of the site consistent with those restrictions?	N/A <input type="checkbox"/>	<input type="checkbox"/>
	If NO, is an explanation included with this certification?	<input type="checkbox"/>	
5.	For non-significant-threat Brownfield Cleanup Program Sites subject to ECL 27-1415.7(c), has any new information revealed that assumptions made in the Qualitative Exposure Assessment regarding offsite contamination are no longer valid?	N/A <input type="checkbox"/>	<input type="checkbox"/>
	If YES, is the new information or evidence that new information has been previously submitted included with this Certification?	<input type="checkbox"/>	
6.	For non-significant-threat Brownfield Cleanup Program Sites subject to ECL 27-1415.7(c), are the assumptions in the Qualitative Exposure Assessment still valid (must be certified every five years)?	N/A <input type="checkbox"/>	<input type="checkbox"/>

**SITE NO. 734048**

**Box 3**

**Description of Institutional Controls**

Parcel

Institutional Control

S\_B\_L Image: 114.-02-05.2

O&M Manual

**Box 4**

**Description of Engineering Controls**

Parcel

Engineering Control

S\_B\_L Image: 114.-02-05.2

Cover System  
Groundwater Containment  
Leachate Collection  
Subsurface Barriers

Attach documentation if IC/ECs cannot be certified or why IC/ECs are no longer applicable.  
(See instructions)

---

**Control Description for Site No. 734048**

**Parcel:** 114.-02-05.2

As per ROD, ongoing OM&M required for site which includes operation and maintenance of leach collection system, and monitoring observation wells, proper collection and disposal of leachate to a permitted facility. Annual OM&M report outlining results of maintaining system and documentation of leachate disposal manifests.

**Periodic Review Report (PRR) Certification Statements**

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted

YES NO

☒ ☐

2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:

(a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

☒ ☐

3. If this site has an Operation and Maintenance (O&M) Plan (or equivalent as required in the Decision Document);

I certify by checking "YES" below that the O&M Plan Requirements (or equivalent as required in the Decision Document) are being met.

☒ ☐

4. If this site has a Monitoring Plan (or equivalent as required in the remedy selection document);

I certify by checking "YES" below that the requirements of the Monitoring Plan (or equivalent as required in the Decision Document) is being met.

YES NO

☒ ☐

IC CERTIFICATIONS  
SITE NO. 734048

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 2 and/or 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I ROBERT J. SCHOENCK at 9090 DESTINY USA DR.  
print name SYRACUSE, NY 13204  
print business address

am certifying as GENERAL MANAGER (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

Robert J. Schoenck  
Signature of Owner or Remedial Party Rendering Certification

FEBRUARY 23, 2015  
Date

IC/EC CERTIFICATIONS

Box 7

QUALIFIED ENVIRONMENTAL PROFESSIONAL (QEP) SIGNATURE

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I GARY D. CANNERELLI at O'Brien & Gere Engineers Inc 333 W. Washington St  
print name Syracuse NY 13221  
print business address

am certifying as a Qualified Environmental Professional for the above

(Owner or Remedial Party) for the Site named in the Site Details Section of this form.



Gary D. Cannerelli  
Signature of Qualified Environmental Professional, for  
the Owner or Remedial Party, Rendering Certification

Stamp (if Required)

FEBRUARY 23, 2015  
Date

*Appendix B*  
*Uniform Hazardous Waste*  
*Manifests*

# Capitol Environmental Services, Inc.

# INVOICE

P.O. Box 37143  
Baltimore, MD 21297-3143

<b>SOLD TO:</b>
Carousel Center 9090 Carousel Center Drive Syracuse, NY 13290 Attn: Jeannie Dadd

<b>SHIPPED TO:</b>
Vickery Environmental, Inc.

INVOICE NUMBER	25079
INVOICE DATE	11/05/2014
TERMS	<b>NET 30 DAYS</b>
YOUR ORDER NUMBER	<b>17435</b>
SALES REP	M.Schubert
SHIPPED VIA	Page
PREPAID or COLLECT	Collect

SPS-CAR00400-2014:140

QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
4604.32	Gallons Disposal of F039 Water (VB5696) <b>Manifest#009593209JJK</b>	\$0.32	\$1,473.38
1	Load Transportation	\$1,850.00	\$1,850.00
1	Each Fuel surcharge (43%) Date of Shipment: 10/28/14	\$795.50	\$795.50
<div>400 Capitol Nov 5, 2014 Dadd 523000-0310  Generator: Conklin Limited 372 W. Hiawatha Blvd. Syracuse, NY 13202</div>			
"Demurrage and surcharges, if applicable, will be billed separately"		SUBTOTAL	\$4,118.88
		TAX (8%)	\$329.51
		FREIGHT	\$0.00
			\$4,448.39
WILM-MSCH-2786-23898-25079 Questions concerning this invoice? Call: Amy Moser (302)380-3737 <a href="mailto:amoser@capitolenv.com">amoser@capitolenv.com</a>			PAY THIS AMOUNT

**MAKE ALL CHECKS PAYABLE TO:**  
Capitol Environmental Services, Inc.

**THANK YOU FOR YOUR BUSINESS!**



648138

Please print or type. (Form designed for use on all 12-pitch typewriter.)

Form Approved. OMB No. 2050-0039

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <b>NYD 833 070 666</b>	2. Page 1 of <b>1</b>	3. Emergency Response Phone <b>302-652-8999</b>	4. Manifest Tracking Number <b>009593209 JJK</b>		
5. Generator's Name and Mailing Address <b>Sonlin Limited</b> <b>2080 Central Center, Syracuse, NY 13220</b> <b>(315) 433-6000</b>			Generator's Site Address (if different than mailing address) <b>372 Hawkins Blvd., Syracuse, NY 13202</b>				
Generator's Phone:			U.S. EPA ID Number <b>NY098696947</b>				
6. Transporter 1 Company Name <b>PAGE ETC</b>			U.S. EPA ID Number				
7. Transporter 2 Company Name			U.S. EPA ID Number				
8. Designated Facility Name and Site Address <b>Waste Management-Victory Environmental</b> <b>2955 State Route 412, Victory, OH 43464</b> <b>(419) 547-7781</b>			U.S. EPA ID Number <b>OH020273618</b>				
Facility's Phone:							
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit WL/Vol.	13. Waste Codes
			No.	Type			
	X	<b>1. NA3032, Hazardous Waste, Liquid, N.O.S., 8, III (Xylene, Naphthalene)</b>		TT	4700	G	F029
		<b>2.</b>					
		<b>3.</b>					
	<b>4.</b>						
14. Special Handling Instructions and Additional Information <b>1: App 2 VES 33 ERG 171</b> <div style="text-align: right;"><b>SFD 1037014</b></div>							
ERI: <b>John W. Misch</b>							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offor's Printed/Typed Name <b>Roy Flanagan</b> Signature <b>Roy Flanagan</b> Month <b>10</b> Day <b>28</b> Year <b>14</b>							
INT'L	16. International Shipments: <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: Date leaving U.S.:						
	Transporter signature (for exports only):						
TRANSPORTER	17. Transporter Acknowledgment of Receipt of Materials						
	Transporter 1 Printed/Typed Name <b>Robert Pagliuzzo</b> Signature <b>Robert Pagliuzzo</b> Month <b>10</b> Day <b>28</b> Year <b>14</b>						
	Transporter 2 Printed/Typed Name Signature Month Day Year						
DESIGNATED FACILITY	18. Discrepancy						
	18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection						
	Manifest Reference Number: U.S. EPA ID Number						
	18b. Alternate Facility (or Generator) Facility's Phone: 18c. Signature of Alternate Facility (or Generator) Month Day Year						
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1. <b>4134</b>		2.		3.		4.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name <b>TERESA KOTH</b> Signature <b>TERESA KOTH</b> Month <b>10</b> Day <b>29</b> Year <b>14</b>							

# Capitol Environmental Services, Inc.

# INVOICE

P.O. Box 37143  
Baltimore, MD 21297-3143

RECEIVED

JUN 20 2014

<b>SOLD TO:</b>
Carousel Center 9090 Carousel Center Drive Syracuse, NY 13290 Attn: Jeannie Dadd

Per \_\_\_\_\_  
INVOICE NUMBER 24456  
INVOICE DATE 06/20/2014  
TERMS **NET 30 DAYS**  
YOUR ORDER NUMBER **17435**  
SALES REP M.Schubert  
SHIPPED VIA Page  
PREPAID or COLLECT Collect

<b>SHIPPED TO:</b>
Vickery Environmental, Inc.

*SFS - Caro 0400-2014:042*

QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
4700.32	Gallons Disposal of F039 Water (VB5696) <b>Manifest#00959310JJK</b>	\$0.32	\$1,504.10
1	Load Transportation	\$1,850.00	\$1,850.00
1	Each Fuel surcharge (48%)	\$888.00	\$888.00
	<b>Date of Shipment: 5/30/14</b>		
	<b>Generator: Conklin Limited</b> <b>372 W. Hiawatha Blvd.</b> <b>Syracuse, NY 13202</b>		
"Demurrage and surcharges, if applicable, will be billed separately"		SUBTOTAL	\$4,242.10
		TAX (8%)	\$339.37
		FREIGHT	\$0.00
			\$4,581.47
WILM-MSCH-2786-23343-24456		PAY THIS AMOUNT	
Questions concerning this invoice?		MAKE ALL CHECKS PAYABLE TO:	
Call: Amy Moser (302)380-3737		Capitol Environmental Services, Inc.	
<a href="mailto:amoser@capitolenv.com">amoser@capitolenv.com</a>			

**THANK YOU FOR YOUR BUSINESS!**

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <b>NYD 886 870 668</b>	2. Page 1 of <b>1</b>	3. Emergency Response Phone <b>202 380-2797</b>	4. Manifest Tracking Number <b>009593210 JJK</b>		
5. Generator's Name and Mailing Address <b>Conidin Limited</b> <b>9090 Carrousel Center, Syracuse, NY 13280</b> <b>(315) 468-8000</b>				Generator's Site Address (if different than mailing address) <b>372 Hinwatha Blvd., Syracuse, NY 13202</b>			
6. Transporter 1 Company Name <b>Page Trans.</b>				U.S. EPA ID Number <b>NYD006769047</b>			
7. Transporter 2 Company Name				U.S. EPA ID Number			
8. Designated Facility Name and Site Address <b>Waste Management-Victory Environmental</b> <b>3956 State Route 412, Victory, OH 43484</b> <b>(419) 947-7781</b>				U.S. EPA ID Number <b>OH020273818</b>			
Facility's Phone:							
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit WL/Vol.	13. Waste Codes
			No.	Type			
	<b>X</b>	<b>NA3082, Hazardous Waste, Liquid, N.O.S., 9, III (Xylene, Naphthalene)</b>		<b>TT</b>	<b>4300</b>	<b>G</b>	<b>P038</b>
14. Special Handling Instructions and Additional Information <b>Appr YES386 ERG171</b> <b>SRA 1027764</b>							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offoror's Printed/Typed Name <b>Roy Flanagan</b>				Signature <b>Roy Flanagan</b>		Month Day Year <b>15 30 14</b>	
TRANSPORTER	16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.				Port of entry/exit: Date leaving U.S.:		
	Transporter signature (for exports only):						
DESIGNATED FACILITY	17. Transporter Acknowledgment of Receipt of Materials						
	Transporter 1 Printed/Typed Name <b>Ron Loveland</b>				Signature <b>R. Loveland</b>		Month Day Year <b>15 30 14</b>
Transporter 2 Printed/Typed Name				Signature		Month Day Year	
18. Discrepancy							
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
18b. Alternate Facility (or Generator)				Manifest Reference Number: U.S. EPA ID Number			
Facility's Phone:							
18c. Signature of Alternate Facility (or Generator)				Month Day Year			
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1.		2.		3.		4.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in item 18a							
Printed/Typed Name <b>T. ...</b>				Signature <b>T. ...</b>		Month Day Year <b>15 10 14</b>	

# Capitol Environmental Services, Inc.

## INVOICE

P.O. Box 37143  
Baltimore, MD 21297-3143

RECEIVED  
08/05/2014

**SOLD TO:**

Carousel Center  
9090 Carousel Center Drive  
Syracuse, NY 13290  
Attn: Jeannie Dadd

Per \_\_\_\_\_

INVOICE NUMBER 24661

INVOICE DATE 08/04/2014

TERMS NET 30 DAYS

YOUR ORDER NUMBER 17435

SALES REP M. Schubert

SHIPPED VIA Page

PREPAID or COLLECT Collect

**SHIPPED TO:**

Vickery Environmental, Inc.

SALs - CARD 0400 2014: 079

QUANTITY	DESCRIPTION	UNIT PRICE	AMOUNT
4306.12	Gallons Disposal of F039 Water (VB5696) Manifest#009593207JJK	\$0.32	\$1,377.96
1	Load Transportation	\$1,850.00	\$1,850.00
1	Each Fuel surcharge (46%) Date of Shipment: 7/29/14	\$851.00	\$851.00
<p>Capitol 0101 523000-0310 capitol 01 / 20</p> <p>Generator: Conklin Limited 372 W. Hiawatha Blvd. Syracuse, NY 13202</p>			
"Demurrage and surcharges, if applicable, will be billed separately"		SUBTOTAL	\$4,078.96
		TAX (8%)	\$326.32
		FREIGHT	\$0.00
			\$4,405.28

WILM-MSCH-2786-23520-24661

Questions concerning this invoice?

Call: Amy Moser (302)380-3737

[amoser@capitolenv.com](mailto:amoser@capitolenv.com)

MAKE ALL CHECKS PAYABLE TO:  
Capitol Environmental Services, Inc.

PAY THIS  
AMOUNT

THANK YOU FOR YOUR BUSINESS!

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

630257

Form Approved. OMB No. 2050-0039

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator ID Number <b>NYD 888 870 668</b>		2. Page 1 of <b>1</b>	3. Emergency Response Phone <b>315-465-8000</b>	4. Manifest Tracking Number <b>009593207 JJK</b>	
5. Generator's Name and Mailing Address <b>Comistin Limited</b> <b>3090 Carousel Center, Syracuse, NY 13280</b> <b>(315) 465-8000</b>				Generator's Site Address (if different than mailing address) <b>372 Hawatha Blvd, Syracuse, NY 13202</b>			
6. Generator's Phone:				U.S. EPA ID Number <b>NYD 986969947</b>			
7. Transporter 1 Company Name <b>PAGE ETC, INC.</b>				U.S. EPA ID Number			
8. Designated Facility Name and Site Address <b>Waste Management-Victory Environmental</b> <b>3585 State Route 412, Victory, OH 43484</b> <b>(419) 647-7781</b>				U.S. EPA ID Number <b>OH-D 020 273 818</b>			
Facility's Phone:							
<b>GENERATOR</b>	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))		10. Containers		11. Total Quantity	12. Unit WL/Vol.
	X	1. <b>HA3082, Hazardous Waste, Liquid, N.O.S., 9, III</b> <b>(Xylene, Naphthalene)</b>		No.	Type	<b>4500</b>	<b>G</b>
13. Waste Codes							
14. Special Handling Instructions and Additional Information <b>1. Appx V85686 EPC 171</b>  <b>Site 1030816</b>							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true. <b>Job# WLM-MECH-</b>							
Generator's/Offeror's Printed/Typed Name <b>Roy P. H. H. H.</b> Signature <b>Roy P. H. H. H.</b> Month <b>7</b> Day <b>14</b> Year <b>14</b>							
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: Date leaving U.S.							
17. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name <b>Tom DAY</b> Signature <b>Thomas Day</b> Month <b>7</b> Day <b>14</b> Year <b>14</b>							
Transporter 2 Printed/Typed Name Signature Month Day Year							
18. Discrepancy							
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
18b. Alternate Facility (or Generator) Manifest Reference Number: U.S. EPA ID Number							
Facility's Phone:							
18c. Signature of Alternate Facility (or Generator)							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1. 2. 3. 4.							
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in item 18a Printed/Typed Name Signature Month Day Year							

## *Appendix C*

### *Leachate Collection Sump, Leak Detection Sump, and Groundwater Monitoring Well Data*

- C-1 LCS and LDS As-built Data*
- C-2 LCS and LDS Monitoring Data*
- C-3 Depth of Water in LCSs*
- C-4 MW As-built Data*
- C-5 MW Monitoring Data*

**Table C-1**  
**Conklin Limited**  
**Site #734048**  
**As-Built Data**

WELL	RIM ELEV	INV ELEV	1997 RIM ELEV	1997 INV ELEV <sup>1</sup>	2004 RIM ELEV <sup>2</sup>	2003 INV ELEV <sup>1</sup>	2011 RIM ELEV <sup>3</sup>	2011 INV ELEV <sup>1</sup>	WELL	RIM ELEV	INV ELEV	1997 RIM ELEV	1997 INV ELEV <sup>1</sup>	2004 RIM ELEV <sup>2</sup>	2003 INV ELEV <sup>1</sup>	2011 RIM ELEV <sup>3</sup>	2011 INV ELEV <sup>1</sup>
LCS-1	19.02	4.61	18.28	3.87	17.66	3.25	17.25	2.84	LDS-1	19.04	3.65	18.23	2.84	17.73	2.34	17.25	1.86
LCS-2	21.92	3.27	20.76	2.11	20.31	1.66	19.92	1.27	LDS-2	22.30	2.44	21.00	1.14	20.50	0.64	20.09	0.23
LCS-3	19.52	5.12	18.97	4.57	18.36	3.96	17.79	3.39	LDS-3	19.46	3.66	18.78	2.98	18.14	2.34	17.63	1.83
LCS-4	21.25	3.85	20.65	3.25	20.00	2.60	19.40	2.00	LDS-4	21.17	2.82	20.54	2.19	19.86	1.51	19.37	1.02
LCS-5	21.32	4.59	20.63	3.90	20.11	3.38	19.64	2.91	LDS-5	21.45	3.85	20.73	3.13	20.15	2.55	19.55	1.95

Note:

1. Invert elevation calculated by subtracting difference in rim elevations from the former invert elevation.
2. Rim elevations surveyed by C.T. Male Associates April 1, 2004.
3. Rim elevations surveyed by C.T. Male Associates August 29, 2011.
4. Data collected from 1997 through December 2002 reflect the 1997 survey information.
5. Data collected from 2003 through 2010 reflect the 2004 survey information.
6. Data collected from 2011 through 2014 reflect the 2011 survey information.

Table C-2  
Conklin Limited  
Site #734048  
Monitoring Data

	LCS-1		LDS-1		LCS-2		LDS-2		LCS-3		LDS-3		LCS-4		LDS-4		LCS-5		LDS-5	
DATE <sup>1</sup>	DEPTH TO WATER <sup>2</sup>	WATER ELEV <sup>3</sup>	DEPTH TO WATER	WATER ELEV	DEPTH TO WATER	WATER ELEV	DEPTH TO WATER	WATER ELEV	DEPTH TO WATER	WATER ELEV	DEPTH TO WATER	WATER ELEV	DEPTH TO WATER	WATER ELEV	DEPTH TO WATER	WATER ELEV	DEPTH TO WATER	WATER ELEV	DEPTH TO WATER	WATER ELEV
02/25/94	12.91	6.11	13.89	5.15	NM	NM	NM	NM	12.45	7.07	13.51	5.95	15.35	5.90	15.88	5.29	14.61	6.71	7.67	13.78
03/31/94	12.71	6.31	13.15	5.89	18.65	3.27	NM	NM	12.44	7.08	14.55	4.91	15.35	5.90	14.29	6.88	14.59	6.73	7.64	13.81
04/27/94	12.19	6.83	12.66	6.38	14.81	7.11	15.97	6.33	12.48	7.04	13.46	6.00	15.23	6.02	14.14	7.03	14.60	6.72	13.30	8.15
05/24/94	12.09	6.93	13.41	5.63	14.51	7.41	16.61	5.69	12.41	7.11	14.66	4.80	14.96	6.29	15.52	5.65	14.25	7.07	16.83	4.62
06/21/94	13.19	5.83	13.77	5.27	15.76	6.16	16.46	5.84	13.24	6.28	14.67	4.79	15.40	5.85	15.87	5.30	14.60	6.72	17.17	4.28
07/20/94	13.69	5.33	14.01	5.03	17.04	4.88	16.78	5.52	13.42	6.10	14.77	4.69	16.08	5.17	16.26	4.91	15.49	5.83	15.94	5.51
08/11/94	14.29	4.73	15.05	3.99	17.30	4.62	17.35	4.95	13.78	5.74	14.80	4.66	16.17	5.08	16.51	4.66	16.04	5.28	16.82	4.63
09/07/94	13.91	5.11	13.98	5.06	16.32	5.60	16.69	5.61	13.79	5.73	14.69	4.77	16.40	4.85	16.48	4.69	16.11	5.21	17.02	4.43
10/13/94	13.82	5.20	14.59	4.45	17.32	4.60	16.92	5.38	13.74	5.78	14.60	4.86	16.44	4.81	16.48	4.69	16.16	5.16	17.16	4.29
11/14/94	13.72	5.30	14.56	4.48	17.65	4.27	16.79	5.51	13.73	5.79	14.31	5.15	16.41	4.84	16.04	5.13	16.02	5.30	16.83	4.62
12/14/94	13.83	5.19	14.58	4.46	17.98	3.94	16.63	5.67	13.78	5.74	14.74	4.72	16.56	4.69	15.95	5.22	16.21	5.11	16.87	4.58
01/19/95	14.19	4.83	14.04	5.00	18.01	3.91	17.10	5.20	13.81	5.71	14.66	4.80	16.46	4.79	16.03	5.14	16.21	5.11	16.71	4.74
02/18/95	14.23	4.79	14.12	4.92	18.07	3.85	NM	NM	13.79	5.73	14.28	5.18	16.40	4.85	16.24	4.93	16.17	5.15	16.79	4.66
03/13/95	14.21	4.81	14.03	5.01	18.11	3.81	16.53	5.77	14.75	4.77	14.87	4.59	16.61	4.64	14.98	6.19	16.19	5.13	16.65	4.80
04/25/95	13.96	5.06	14.05	4.99	17.98	3.94	16.96	5.34	13.91	5.61	14.81	4.65	16.98	4.27	14.87	6.30	16.36	4.96	15.39	6.06
05/08/95	14.01	5.01	15.07	3.97	17.89	4.03	17.88	4.42	14.29	5.23	16.10	3.36	16.72	4.53	17.12	4.05	16.56	4.76	16.47	4.98
06/05/95	14.10	4.92	14.42	4.62	17.98	3.94	17.38	4.92	13.79	5.73	15.13	4.33	16.77	4.48	16.04	5.13	16.47	4.85	16.56	4.89
07/21/95	14.03	4.99	14.83	4.21	18.03	3.89	17.15	5.15	13.31	6.21	15.32	4.14	16.48	4.77	16.04	5.13	16.49	4.83	16.51	4.94
08/30/95	14.00	5.02	14.25	4.79	18.05	3.87	17.35	4.95	13.79	5.73	15.44	4.02	16.51	4.74	16.02	5.15	16.35	4.97	16.64	4.81
09/26/95	14.04	4.98	14.09	4.95	18.09	3.83	16.86	5.44	13.65	5.87	15.79	3.67	16.53	4.72	16.91	4.26	16.18	5.14	16.76	4.69
10/23/95	13.91	5.11	14.02	5.02	18.32	3.60	16.43	5.87	14.13	5.39	15.62	3.84	16.45	4.80	16.29	4.88	16.22	5.10	16.14	5.31
11/27/95	13.87	5.15	14.40	4.64	17.71	4.21	15.84	6.46	13.46	6.06	15.50	3.96	16.24	5.01	14.33	6.84	16.11	5.21	14.01	7.44
12/28/95	14.01	5.01	14.12	4.92	18.08	3.84	16.70	5.60	13.92	5.60	15.73	3.73	16.48	4.77	15.50	5.67	16.26	5.06	15.97	5.48
03/13/96	13.81	5.21	13.72	5.32	16.47	5.45	16.42	5.88	12.86	6.66	15.45	4.01	16.02	5.23	14.07	7.10	15.91	5.41	13.01	8.44
05/15/96	13.92	5.10	13.44	5.60	17.38	4.54	16.37	5.93	13.68	5.84	14.76	4.70	16.40	4.85	14.07	7.10	16.23	5.09	14.81	6.64
08/27/96	13.88	5.14	13.98	5.06	17.62	4.30	16.98	5.32	13.21	6.31	14.83	4.63	16.18	5.07	14.38	6.79	16.09	5.23	15.93	5.52
11/13/96	13.90	5.12	13.56	5.48	17.42	4.50	15.92	6.38	13.38	6.14	13.58	5.88	16.20	5.05	14.25	6.92	16.10	5.22	15.53	5.92
3/10/1997 <sup>4</sup>	13.94	4.34	13.42	4.81	17.40	3.36	16.51	4.49	13.39	5.58	12.91	5.87	16.22	4.43	13.94	6.60	16.12	4.51	15.11	5.62
06/03/97	13.88	4.40	13.82	4.41	17.36	3.40	16.86	4.14	13.42	5.55	13.59	5.19	16.31	4.34	14.01	6.53	16.02	4.61	14.74	5.99
08/10/97	13.88	4.40	13.71	4.52	17.41	3.35	16.68	4.32	13.40	5.57	13.62	5.16	16.28	4.37	13.97	6.57	16.21	4.42	14.68	6.05
10/14/97	13.91	4.37	13.46	4.77	17.44	3.32	16.58	4.42	13.31	5.66	13.45	5.33	16.28	4.37	13.44	7.10	16.07	4.56	14.81	5.92
03/19/98	13.68	4.60	13.15	5.08	16.32	4.44	16.10	4.90	12.92	6.05	13.59	5.19	15.78	4.87	13.88	6.66	17.40	3.23	10.35	10.38
06/22/98	13.75	4.53	13.82	4.41	17.41	3.35	16.83	4.17	12.81	6.16	13.56	5.22	15.63	5.02	13.98	6.56	16.17	4.46	15.83	4.90
09/03/98	13.61	4.67	13.62	4.61	17.21	3.55	16.88	4.12	12.79	6.18	13.41	5.37	15.68	4.97	14.48	6.06	16.51	4.12	16.11	4.62
11/16/98	13.66	4.62	14.00	4.23	17.30	3.46	16.79	4.21	12.78	6.19	13.57	5.21	15.65	5.00	15.16	5.38	16.33	4.30	15.68	5.05
06/10/99	13.97	4.31	13.68	4.55	17.95	2.81	17.21	3.79	13.72	5.25	14.93	3.85	16.25	4.40	16.52	4.02	16.07	4.56	14.81	5.92
03/20/00	NM	NM	13.14	5.09	NM	NM	16.70	4.30	NM	NM	13.45	5.33	NM	NM	13.87	6.67	NM	NM	14.25	6.48
06/23/00	NM	NM	13.28	4.95	NM	NM	16.47	4.53	NM	NM	13.62	5.16	NM	NM	13.97	6.57	NM	NM	14.01	6.72
08/29/00	13.71	4.57	13.60	4.63	16.51	4.25	14.87	6.13	13.86	5.11	14.01	4.77	16.12	4.53	13.93	6.61	15.70	4.93	12.16	8.57
04/02/01	NM	NM	12.87	5.36	NM	NM	15.80	5.20	NM	NM	13.01	5.77	NM	NM	13.51	7.03	NM	NM	14.70	6.03
06/26/01	13.83	4.45	NM	NM	17.01	3.75	NM	NM	16.31	2.66	NM	NM	16.82	3.83	NM	NM	15.83	4.80	NM	NM
08/29/01	NM	NM	11.84	6.39	NM	NM	17.42	3.58	NM	NM	13.21	5.57	NM	NM	13.94	6.60	NM	NM	12.18	8.55
05/07/02	NM	NM	11.53	6.70	NM	NM	17.21	3.79	NM	NM	13.25	5.53	NM	NM	13.87	6.67	NM	NM	12.01	8.72
06/24/02	13.90	4.38	NM	NM	17.40	3.36	NM	NM	13.51	5.46	NM	NM	16.36	4.29	NM	NM	16.17	4.46	NM	NM
10/14/02	NM	NM	11.75	6.48	NM	NM	15.71	5.29	NM	NM	13.61	5.17	NM	NM	14.01	6.53	NM	NM	10.88	9.85
07/16/03	13.96	3.70	NM	NM	17.43	2.88	NM	NM	13.53	4.83	NM	NM	16.32	3.68	NM	NM	16.21	3.90	NM	NM
10/20/03	NM	NM	12.01	5.72	NM	NM	15.58	4.92	NM	NM	13.70	4.44	NM	NM	NM	NM	NM	NM	NM	NM
11/05/03	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	14.63	5.23	NM	NM	11.21	8.94
6/15/2004	NM	NM	12.48	5.25	NM	NM	15.15	5.35	NM	NM	12.98	5.16	NM	NM	13.12	6.74	NM	NM	10.03	10.12
9/1/2004	14.25	3.41	NM	NM	17.03	3.28	NM	NM	13.61	4.75	NM	NM	16.12	3.88	NM	NM	16.30	3.81	NM	NM
10/27/2004	NM	NM	11.93	5.80	NM	NM	15.10	5.40	NM	NM	13.02	5.12	NM	NM	12.93	6.93	NM	NM	11.22	8.93
7/11/2005	14.31	3.35	12.02	5.71	17.18	3.13	15.52	4.98	13.80	4.56	13.33	4.81	16.48	3.52	12.81	7.05	16.11	4.00	10.91	9.24
8/24/2006	14.03	3.63	12.38	5.35	17.29	3.02	15.82	4.68	13.73	4.63	13.46	4.68	16.53	3.47	12.37	7.49	15.94	4.17	10.58	9.57
8/14/2007	14.13	3.53	NM	NM	17.22	3.09	NM	NM	13.68	4.68	NM	NM	16.61	3.39	NM	NM	15.87	4.24	NM	NM
9/26/2007	NM	NM	12.53	5.20	NM	NM	16.01	4.49	NM	NM	13.60	4.54	NM	NM	12.56	7.30	NM	NM	10.74	9.41
8/4/2008	14.12	3.54	NM	NM	17.36	2.95	NM	NM	13.68	4.68	NM	NM	16.44	3.56	NM	NM	15.88	4.23	NM	NM
8/25/2008	NM	NM	12.62	5.11	NM	NM	15.96	4.54	NM	NM	13.28	4.86	NM	NM	12.52	7.34	NM	NM	10.27	9.88
7/10/2009	14.28	3.38	NM	NM	17.87	2.44	NM	NM	13.81	4.55	NM	NM	16.80	3.20	NM	NM	15.78	4.33	NM	NM
9/10-11/09	NM	NM	12.34	5.39	NM	NM	15.77	4.73	NM	NM	13.47	4.67	NM	NM	12.38	7.48	NM	NM	10.48	9.67
9/9/2010	13.82	3.84	NM	NM	16.82	3.49	NM	NM	13.53	4.83	NM	NM	16.61	3.39	NM	NM	15.73	4.38	NM	NM
9/13/2010	NM	NM	13.51	4.22	NM	NM	16.26	4.24	NM	NM	13.17	4.97	NM	NM	14.85	5.01	NM	NM	13.85	6.30
7/13/2011	13.54	3.71	NM	NM	17.99	1.93	NM	NM	13.49											



**Table C-3**  
**Conklin Limited**  
**Site #734048**  
**Depth of Water in LCS (feet)**

DATE <sup>1</sup>	LCS-1 WATER LEVEL	LCS-2 WATER LEVEL	LCS-3 WATER LEVEL	LCS-4 WATER LEVEL	LCS-5 WATER LEVEL
2/25/1994	1.50	NM	1.95	2.05	2.12
3/31/1994	1.70	0.00	1.96	2.05	2.14
4/27/1994	2.22	3.84	1.92	2.17	2.13
5/24/1994	2.32	4.14	1.99	2.44	2.48
6/21/1994	1.22	2.89	1.16	2.00	2.13
7/20/1994	0.72	1.61	0.98	1.32	1.24
8/11/1994	0.12	1.35	0.62	1.23	0.69
9/7/1994	0.50	2.33	0.61	1.00	0.62
10/13/1994	0.59	1.33	0.66	0.96	0.57
11/14/1994	0.69	1.00	0.67	0.99	0.71
12/14/1994	0.58	0.67	0.62	0.84	0.52
01/19/95	0.22	0.64	0.59	0.94	0.52
2/18/1995	0.18	0.58	0.61	1.00	0.56
3/13/1995	0.20	0.54	-0.35	0.79	0.54
4/25/1995	0.45	0.67	0.49	0.42	0.37
5/8/1995	0.40	0.76	0.11	0.68	0.17
6/5/1995	0.31	0.67	0.61	0.63	0.26
7/21/1995	0.38	0.62	1.09	0.92	0.24
8/30/1995	0.41	0.60	0.61	0.89	0.38
9/26/1995	0.37	0.56	0.75	0.87	0.55
10/23/1995	0.50	0.33	0.27	0.95	0.51
11/27/1995	0.54	0.94	0.94	1.16	0.62
12/28/1995	0.40	0.57	0.48	0.92	0.47
3/13/1996	0.60	2.18	1.54	1.38	0.82
5/15/1996	0.49	1.27	0.72	1.00	0.50
8/27/1996	0.53	1.03	1.19	1.22	0.64
11/13/1996	0.51	1.23	1.02	1.20	0.63
3/10/1997	0.47	1.25	1.01	1.18	0.61
6/3/1997	0.53	1.29	0.98	1.09	0.71
8/10/1997	0.53	1.24	1.00	1.12	0.52
10/14/1997	0.50	1.21	1.09	1.12	0.66
3/19/1998	0.73	2.33	1.48	1.62	-0.67
6/22/1998	0.66	1.24	1.59	1.77	0.56
9/3/1998	0.80	1.44	1.61	1.72	0.22
11/16/1998	0.75	1.35	1.62	1.75	0.40
6/10/1999	0.44	0.70	0.68	1.15	0.66
3/20/2000	NM	NM	NM	NM	NM
6/23/2000	NM	NM	NM	NM	NM
8/29/2000	0.70	2.14	0.54	1.28	1.03
4/2/2001	NM	NM	NM	NM	NM
6/26/2001	0.58	1.64	-1.91	0.58	0.90
8/29/2001	NM	NM	NM	NM	NM
5/7/2002	NM	NM	NM	NM	NM
6/24/2002	0.51	1.25	0.89	1.04	0.56
10/14/2002	NM	NM	NM	NM	NM
7/16/2003	0.45	1.22	0.87	1.08	0.52
10/20/2003	NM	NM	NM	NM	NM
11/5/2003	NM	NM	NM	NM	NM
6/15/2004	NM	NM	NM	NM	NM
9/1/2004	0.16	1.62	0.79	1.28	0.43
10/27/2004	NM	NM	NM	NM	NM
7/11/2005	0.10	1.47	0.60	0.92	0.62
8/24/2006	0.38	1.36	0.67	0.87	0.79
8/14/2007	0.28	1.43	0.72	0.79	0.86
8/4/2008	0.29	1.29	0.72	0.96	0.85
7/10/2009	0.13	0.78	0.59	0.60	0.95
9/9/2010	0.59	1.83	0.87	0.79	1.00
7/13/2011	0.87	0.66	0.91	0.80	0.51
6/18/2012	0.83	0.75	0.87	0.83	0.55
6/17/2013	0.44	0.74	0.65	0.87	0.89
6/5/2014	0.40	0.81	0.70	0.92	0.93

Notes:

NM = not measured on that date.

1. Date of leachate collection sump monitoring.
2. Data collected from 1997 through December 2002 reflect the 1997 survey information.
3. Data collected from 2003 through 2010 inclusive reflect the 2004 survey information.
4. Data collected from 2011 through 2014 inclusive reflect the 2011 survey information.
5. Based on the 1998 RAP, the corrective action level for the LCSs is 1.5 ft.

**Table C-4**  
**Conklin Limited**  
**Site #734048**  
**Ground Water Monitoring Well**  
**As-built Data**

WELL		RIM ELEV	INV ELEV	1997 RIM ELEV	2004 RIM ELEV <sup>3</sup>	2011 RIM ELEV <sup>4</sup>
MW-1		15.67	-5.96	15.48	15.05	14.63
MW-2		15.46	-6.50	15.01	14.56	14.10
MW-3		16.03	-5.79	15.62	15.14	14.67
MW-4		15.82	-8.00	15.55	15.20	14.81
MW-5				17.63	18.12	17.67

Notes:

1. Elevations refer to Syracuse City Datum.
2. MW-5 installed May 23, 1997.
3. Rim elevations surveyed by C.T. Male April 1, 2004.
4. Rim elevations surveyed by C.T. Male August 29, 2011.

**Table C-5**  
**Conklin Limited**  
**Site #734048**  
**Ground Water Monitoring Well**  
**Monitoring Data**

DATE <sup>1</sup>	DATE	MW-1 DEPTH TO WATER <sup>2</sup>	WATER ELEV <sup>3</sup>	MW-2 DEPTH TO WATER	WATER ELEV	MW-3 DEPTH TO WATER	WATER ELEV	MW-4 DEPTH TO WATER	WATER ELEV	MW-5 DEPTH TO WATER	WATER ELEV
2/25/1994	2/25/1994	NM	NM	NM	NM	NM	NM	NM	NM		
3/31/1994	3/31/1994	9.87	5.80	9.41	6.05	10.30	5.73	10.42	5.40		
4/28/1994	4/28/1994	11.13	4.54	10.55	4.91	11.04	4.99	11.56	4.26		
5/30/1994	5/30/1994	11.76	3.91	10.71	4.75	10.93	5.10	11.67	4.15		
6/7/1994	6/7/1994	11.57	4.10	11.15	4.31	11.58	4.45	11.73	4.09		
7/12/1994	7/12/1994	11.36	4.31	11.00	4.46	11.57	4.46	11.33	4.49		
8/31/1994	8/31/1994	10.97	4.70	10.60	4.86	11.58	4.45	10.41	5.41		
9/1/1994	9/1/1994	10.97	4.70	10.60	4.86	11.58	4.45	10.41	5.41		
10/11/1994	10/11/1994	11.31	4.36	11.01	4.45	11.91	4.12	10.56	5.26		
11/7/1994	11/7/1994	11.17	4.50	10.54	4.92	11.58	4.45	10.70	5.12		
12/7/1994	12/7/1994	11.18	4.49	9.88	5.58	11.37	4.66	10.46	5.36		
1/13/1995	1/13/1995	10.96	4.71	10.52	4.94	11.41	4.62	10.64	5.18		
2/3/1995	2/3/1995	11.23	4.44	11.02	4.44	11.63	4.40	10.44	5.38		
3/13/1995	3/13/1995	10.93	4.74	10.15	5.31	10.93	5.10	10.28	5.54		
4/19/1995	4/19/1995	11.26	4.41	10.89	4.57	11.41	4.62	10.33	5.49		
5/8/1995	5/8/1995	11.46	4.21	11.21	4.25	11.66	4.37	10.32	5.50		
6/1/1995	6/1/1995	11.47	4.20	11	4.46	11.86	4.17	10.48	5.34		
7/5/1995	7/5/1995	11.72	3.95	11.43	4.03	12.15	3.88	10.56	5.26		
8/10/1995	8/10/1995	11.81	3.86	11.54	3.92	12.3	3.73	10.42	5.40		
9/25/1995	9/25/1995	11.78	3.89	11.52	3.94	12.22	3.81	10.46	5.36		
10/20/1995	10/20/1995	11.45	4.22	10.97	4.49	11.53	4.50	10.36	5.46		
11/17/1995	11/17/1995	11.39	4.28	10.88	4.58	11.48	4.55	10.39	5.43		
12/2/1995	12/2/1995	11.31	4.36	10.85	4.61	11.41	4.62	10.42	5.40		
3/20/1996	3/20/1996	10.62	5.05	9.78	5.68	10.51	5.52	10.17	5.65		
5/8/1996	5/8/1996	10.39	5.28	10.13	5.33	10.59	5.44	9.94	5.88		
8/21/1996	8/21/1996	11.46	4.21	10.9	4.56	11.56	4.47	10.49	5.33		
11/5/1996	11/5/1996	11.29	4.38	10.96	4.50	11.45	4.58	10.33	5.49		
3/10/1997 <sup>4</sup>	3/10/1997	10.41	5.07	10.24	4.77	10.64	4.98	10.15	5.40		
6/17/1997	6/17/1997	10.92	4.56	10.21	4.80	11.15	4.47	10.21	5.34	13.98	3.65
8/12/1997	8/12/1997	10.53	4.95	10.27	4.74	10.81	4.81	10.28	5.27	14.01	3.62
10/15/1997	10/15/1997	10.88	4.60	10.18	4.83	11.05	4.57	10.27	5.28	14.15	3.48
3/16/1998	3/16/1998	10.46	5.02	10.17	4.84	NM	NM	10.1	5.45	13.62	4.01
6/15/1998	6/15/1998	11.03	4.45	10.36	4.65	11.23	4.39	10.18	5.37	13.98	3.65
9/3/1998	9/3/1998	10.61	4.87	10.26	4.75	11.17	4.45	10.26	5.29	13.83	3.80
11/16/1998	11/16/1998	10.86	4.62	10.28	4.73	11.18	4.44	10.21	5.34	13.83	3.80
6/22/1999	6/22/1999	11.48	4.00	10.93	4.08	11.67	3.95	9.71	5.84	14.52	3.11
8/9/2000	8/9/2000	10.48	5.00	10.33	4.68	10.73	4.89	9.85	5.70	14.23	3.40
7/19/2001	7/19/2001	11.14	4.34	10.49	4.52	8.92	6.70	9.97	5.58	13.8	3.83
7/17/2002	7/17/2002	11.00	4.48	10.53	4.48	11.2	4.42	9.78	5.77	13.91	3.72
8/5/2003	8/5/2003	10.82	4.23	10.27	4.29	10.55	4.59	9.69	5.51	13.83	4.29
8/23/2004	8/23/2004	10.57	4.48	10.02	4.54	10.43	4.71	9.72	5.48	13.36	4.76
8/17/2005	8/17/2005	11.14	3.91	10.8	3.76	11.23	3.91	8.93	6.27	14.31	3.81
9/11/2006	9/11/2006	10.93	4.12	10.35	4.21	10.13	5.01	9.25	5.95	13.53	4.59
10/31/2007	10/31/2007	10.86	4.19	10.38	4.18	9.94	5.20	9.31	5.89	13.48	4.64
10/11/2008	10/11/2008	11.48	3.57	10.88	3.68	11.46	3.68	11.34	3.86	13.88	4.24
10/19/2009	10/19/2009	11.18	3.87	10.72	3.84	10.13	5.01	10.78	4.42	13.68	4.44
9/10/2010	9/10/2010	10.83	4.22	10.30	4.26	10.50	4.64	10.88	4.32	12.11	6.01
8/23/2011	8/23/2011	10.51	4.12	9.84	4.26	10.32	4.35	9.93	4.88	13.21	4.46
7/24/2012	7/24/2012	11.30	3.33	7.92	6.18	7.97	6.70	9.70	5.11	13.80	3.87
8/21/2013	8/21/2013	10.80	3.83	10.30	3.80	10.70	3.97	10.40	4.41	13.60	4.07
7/24/2014	7/24/2014	10.80	3.83	10.20	3.90	10.60	4.07	10.20	4.61	13.50	4.17

Notes:

NM = not measured on that date.

1. Date of monitoring well monitoring.
2. Depth to water in feet.
3. Elevations refer to Syracuse City Datum.
4. Elevation data collected from 1997 through December 2002 reflect the 1997 survey information.
5. Elevation data collected from 2003 through 2010 inclusive reflect the 2004 survey information.
6. Elevation data collected from 2011 through 2014 inclusive reflect the 2011 survey information.

## *Appendix D*

### *Laboratory Analytical Results*

- D-1 LCS-1 and LDS-1 Water Quality Data*
- D-2 LCS-2 and LDS-2 Water Quality Data*
- D-3 LCS-3 and LDS-3 Water Quality Data*
- D-4 LCS-4 and LDS-4 Water Quality Data*
- D-5 LCS-5 and LDS-5 Water Quality Data*
- D-6 Monitoring Well (1-5) Water Quality Data*

Table D-1  
Conklin Limited Site #734048  
Laboratory Analytical Results  
Leachate Collection Sump (LCS)  
and Leak Detection Sump (LDS)  
LCS-1 and LDS-1 Water Quality Data

Compound	Sample Location and Date																																																										
	LCS-1 3/31/1994	LDS-1 3/10/1994	LCS-1 6/14/1994	LDS-1 5/27/1994	LCS-1 9/7/1994	LDS-1 8/1/1994	LCS-1 10/13/1994	LDS-1 10/12/1994	LCS-1 1/14/1995	LDS-1 1/17/1995	LCS-1 5/31/1995	LDS-1 6/5/1995	LCS-1 10/23/1995	LDS-1 10/31/1995	LCS-1 5/15/1996	LDS-1 5/29/1996	LCS-1 6/3/1997	LDS-1 6/30/1997	LCS-1 6/23/1998	LDS-1 6/25/1998	LCS-1 6/10/1999	LDS-1 9/28/1999	LCS-1 8/16/2000	LDS-1 8/29/2000	LCS-1 6/26/2001	LDS-1 8/30/2001	LCS-1 6/24/2002	LDS-1 10/15/2002	LCS-1 7/16/2003	LDS-1 10/20/2003	LCS-1 9/1/2004	LDS-1 10/27/2004	LCS-1 7/1/2005	LDS-1 10/31/2005	LCS-1 8/24/2006	LDS-1 10/23/2006	LCS-1 8/14/2007	LDS-1 9/26/2007	LCS-1 8/4/2008	LDS-1 8/25/2008	LCS-1 7/10/2009	LDS-1 9/10/2009	LCS-1 9/9/2010	LDS-1 9/13/2010	LCS-1 7/13/2011	LDS-1 10/6/2011	LCS-1 6/18/2012	LDS-1 9/30/2012 <sup>5</sup>	LCS-1 6/17/2013	LDS-1 9/16/2013 <sup>5</sup>	LCS-1 6/5/2014	LDS-1 9/24/2014 <sup>5</sup>							
Dichlorodifluoromethane	63	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--								
Chloroethane	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	26	--	11	--	--	--	--	--	58	--	--	238	--	--	6.6	--	--	--	--	--	--	--	--	--	--	--	--	--	--					
Chloromethane	--	--	--	--	--	593	1100	715	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--						
2-Butanone <sup>6</sup>	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--						
Vinyl chloride	88	387	918	--	--	--	--	--	--	252	--	450	--	--	--	210	--	37	--	32	--	12	18	--	16	--	20	260	--	190	44	24	21	--	--	--	168	--	15	1.4	--	--	--	--	--	--	--	--	--	--	--	--	--	--					
Trans-1,2-dichloroethene	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.6	--	--	--	--	--	--	--	--	--	--	1.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
1,1-Dichloroethene	--	303	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Methylene chloride	--	--	41	--	--	--	--	--	--	--	--	--	180	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
1,1-Dichloroethane	108	--	377	810	480	390	615	197	--	88	54	90	90	54	160	60	114	58	24	135	160	68	141	32	88	21	88	220	33	270	190	190	109	96	14	5.2	135	11	51	17	55	56	6.9	8.4	11	--	30	--	61	--	48	--	--	--					
Chloroform	44	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
1,1,1-Trichloroethane	65	310	130	730	325	250	129	286	--	103	30	70	64	70	21	76	25	29	--	35	12	--	31	--	12	--	--	--	--	11	17	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
Trichloroethene	--	--	36	--	--	--	--	--	--	--	--	--	--	--	14	--	6.1	--	--	--	--	--	22	--	--	--	--	--	--	--	--	--	--	--	1.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Toluene	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total Xylenes	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

### Notes:

1. Results reported in micrograms per liter (ug/L)(ppb)
2. USEPA Method 624/625 performed by Certified Environmental Services, Inc.
3. -- = Constituent not detected above laboratory detection limits
4. Analytical results for compounds not reported above were below laboratory detection limits
5. No sample collected or analyzed since LDS was dry at time of sampling.
6. 2-Butanone (MEK) analyzed by Meethod EPA 8260C

Table D-2  
Conklin Limited Site #734048  
Laboratory Analytical Results  
Leachate Collection Sump (LCS)  
and Leak Detection Sump (LDS)  
LCS-2 and LDS-2 Water Quality Data

[illegible]

Notes:

\* = Not Sampled

1. Results reported in micrograms per liter (ug/L)(ppb)

2. USEPA Method 624/625 performed by Certified Environmental Services, Inc.

3. -- = Constituent not detected above laboratory detection limits

4. Analytical results for compounds not reported above were below laboratory detection limits

5. 2-Butanone (MEK) analyzed by Method EPA 8260C

Table D-3  
Conklin Limited Site #734048  
Laboratory Analytical Results  
Leachate Collection Sump (LCS)  
and Leak Detection Sump (LDS)  
LCS-3 and LDS-3 Water Quality Data

[illegible]

Notes:

1. Results reported in micrograms per liter (ug/L)(ppb)
2. USEPA Method 624/625 performed by Certified Environmental Services, Inc.
3. -- = Constituent not detected above laboratory detection limits
4. Analytical results for compounds not reported above were below laboratory detection limits
5. No sample collected or analyzed since LDS was dry at time of sampling.



Table D-4  
Conklin Limited Site #734048  
Laboratory Analytical Results  
Leachate Collection Sump (LCS)  
and Leak Detection Sump (LDS)  
LCS-4 and LDS-4 Water Quality Data

[illegible]

Notes:

1. Results reported in micrograms per liter (ug/L)(ppb)
2. USEPA Method 624/625 performed by Certified Environmental Services, Inc.
3. -- = Constituent not detected above laboratory detection limits
4. Analytical results for compounds not reported above were below laboratory detection limits

Table D-5  
Conklin Limited Site #734048  
Laboratory Analytical Results  
Leachate Collection Sump (LCS)  
and Leak Detection Sump (LDS)  
LCS-5 and LDS-5 Water Quality Data

[illegible]

Notes:

1. Results reported in micrograms per liter (ug/L)(ppb)
2. USEPA Method 624/625 performed by Certified Environmental Services, Inc.
3. -- = Constituent not detected above laboratory detection limits
4. Analytical results for compounds not reported above were below laboratory detection limits
5. 2-Butanone (MEK) analyzed by Method EPA 8260C


Table D-6  
Conklin Limited Site #734048  
Laboratory Analytical Results  
Leachate Collection Sump (LCS)  
and Leak Detection Sump (LDS)  
MW-1 through MW-5 Water Quality Data

[illegible]

## Notes

1. Results reported in micrograms per liter (ug/L)(ppb)
2. USEPA Method 624/625 performed by Certified Environmental Services, Inc.
3. -- = Constituent not detected above laboratory detection limits
4. Analytical results for compounds not reported above were below laboratory detection limits

*Appendix E*  
*Health and Safety at*  
*Hazardous Waste*  
*Operations Course*  
*Certification*



**ENVIRONMENTAL COMPLIANCE  
MANAGEMENT CORPORATION**

P.O. BOX 86 CHITTENANGO, NEW YORK 13037 PHONE: (315) 687 9435

**ROY FLANAGAN**

*has attended and successfully completed a course for:*  
**OSHA 8 HR HAZARDOUS WASTE**

**OPERATIONS AND EMERGENCY RESPONSE  
REFRESHER**

Length of Course: 8 HOURS

Course Location: CHITTENANGO, NEW YORK

Student I.D. #: 100614-3

Date of Course Completion: October 6, 2014


Social Security #: 0216

Expiration Date: October 6, 2015

Exam Grade: N/A

Exam Date: N/A



  
Executive Director

*Appendix F*  
*Form 1 – Leachate Collection*  
*Sump Field Logs*

"LEACHATE COLLECTION SUMP FIELD LOG"

FORM 1

OPERATION and MAINTENANCE MANUAL  
CONTAINMENT STRUCTURE  
CONKLIN LIMITED  
SYRACUSE NEW YORK

DATE 6-5-14 INSPECTOR(S) R. Flanagan

TIME 0900 WEATHER P/Cloudy 70's

LCS NO	RIM ELEVATION	DEPTH TO WATER (feet)	WATER ELEVATION	AIR (1) QUALITY (include units)	METER READING	SAMPLE TAKEN (yes) (no)	COMMENTS
				2.1 H <sub>2</sub> S	0.2		
<u>LCS 1</u>	<u>17.25</u>	<u>14.01</u>	<u>3.24</u>	<u>0</u>	<u>0</u>	<u>20.5</u>	<u>Yes</u>
<u>LCS 2</u>	<u>19.92</u>	<u>17.84</u>	<u>2.08</u>	<u>0</u>	<u>0</u>	<u>20.5</u>	<u>Yes</u>
<u>LCS 3</u>	<u>17.79</u>	<u>13.70</u>	<u>4.09</u>	<u>0</u>	<u>0</u>	<u>20.5</u>	<u>Yes</u>
<u>LCS 4</u>	<u>19.40</u>	<u>16.48</u>	<u>2.92</u>	<u>0</u>	<u>0</u>	<u>20.5</u>	<u>Yes</u>
<u>LCS 5</u>	<u>19.64</u>	<u>15.80</u>	<u>3.84</u>	<u>0</u>	<u>0</u>	<u>20.5</u>	<u>Yes</u>

COMMENTS:

---

---

---

---

---

---

---

---

(1) INSTRUMENT USED: \_\_\_\_\_

GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate L.C.S. Well No. 1  
Sampled By R. Flanagan Date 6-5-14 Time 0900  
Weather Cloudy 70s Sampled with Bailer \_\_\_\_\_ Pump ☒

A. WATER TABLE:

Well depth:  
(below top of casing) 14.41 ft. Well elevation:  
(top of casing) 12.25 ft  
Depth to water table:  
(below top of casing) 14.01 ft. Water table elevation: 3.24 ft  
Length of water column (LWC) .44 ft.  
Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  $\times 3$   
4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

B. PHYSICAL APPEARANCE AT START:

Color Clear Odor Slight Turbidity low  
Was an oil film or layer apparent? No

C. PREPARATION OF WELL FOR SAMPLING:

Amount of water removed before sampling 50 gallons.  
Did well go dry? No

D. PHYSICAL APPEARANCE DURING SAMPLING:

Color Clear Odor Slight Turbidity low  
Was an oil film or layer apparent? No

E. CONDUCTIVITY 3.53 ms/cm

F. pH 6.55

G. TEMPERATURE 16.9°C

H. WELL SAMPLING NOTES:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate L.C.S.

Sampled By R. Flanagan

Well No. 2

Weather Cloudy 70's

Date 6-5-14

Time 0900

Sampled with Bailer

Pump ☒

A. WATER TABLE:

Well depth:

(below top of casing) 18.65 ft.

Well elevation:

(top of casing) 19.92 ft.

Depth to water table:

(below top of casing) 17.84 ft.

Water table elevation: 2.08 ft.

Length of water column (LWC) \_\_\_\_\_ ft.

Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  $\times 3$   
4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

B. PHYSICAL APPEARANCE AT START:

Color LT. Orange Odor Slight

Turbidity mod

Was an oil film or layer apparent? No

C. PREPARATION OF WELL FOR SAMPLING:

Amount of water removed before sampling 100 gallons.

Did well go dry? No

D. PHYSICAL APPEARANCE DURING SAMPLING:

Color LT. orange Odor Slight

Turbidity low

Was an oil film or layer apparent? No

E. CONDUCTIVITY 4.71 ms/cm

F. pH 6.57

G. TEMPERATURE 16.6°C

H. WELL SAMPLING NOTES:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate L.C.S. Well No. 3  
Sampled By R. Flanagan Date 6-5-14 Time 0900  
Weather Cloudy 70s Sampled with Bailer \_\_\_\_\_ Pump ☒

A. WATER TABLE:

Well depth:  
(below top of casing) 14.40 ft.

Well elevation:  
(top of casing) 17.79 ft.

Depth to water table:  
(below top of casing) 13.70 ft.

Water table elevation: 4.09 ft.

Length of water column (LWC) \_\_\_\_\_ ft.

Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  $\times 3$   
4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

B. PHYSICAL APPEARANCE AT START:

Color Clear Odor None Turbidity Low  
Was an oil film or layer apparent? No

C. PREPARATION OF WELL FOR SAMPLING:

Amount of water removed before sampling \_\_\_\_\_ gallons.  
Did well go dry? No

D. PHYSICAL APPEARANCE DURING SAMPLING:

Color Clear Odor None Turbidity Low  
Was an oil film or layer apparent? No

E. CONDUCTIVITY 6.31 ms/cm

F. pH 6.92

G. TEMPERATURE 16.8°C

H. WELL SAMPLING NOTES:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

# GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate Well No. 4  
 Sampled By R. Flanagan Date 6-5-14 Time 0900  
 Weather Cloudy 70's Sampled with Bailer        Pump ☒

**A. WATER TABLE:**

Well depth:  
 (below top of casing) 17.40 ft. Well elevation:  
 (top of casing) 19.40 ft.  
 Depth to water table:  
 (below top of casing) 16.48 ft. Water table elevation: 2.92 ft.  
 Length of water column (LWC) .92 ft.  
 Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  $\times 3$   
 4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
 6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

**B. PHYSICAL APPEARANCE AT START:**

Color LT. GRAY Odor SLIGHT Turbidity Mod  
 Was an oil film or layer apparent? No

**C. PREPARATION OF WELL FOR SAMPLING:**

Amount of water removed before sampling \_\_\_\_\_ gallons.  
 Did well go dry? No

**D. PHYSICAL APPEARANCE DURING SAMPLING:**

Color LT. GRAY Odor None Turbidity Mod  
 Was an oil film or layer apparent? No

**E. CONDUCTIVITY** 6.48 ms/cm

**F. pH** 6.21

**G. TEMPERATURE** 16.9°C

**H. WELL SAMPLING NOTES:**

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

## GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate Well No. 5  
Sampled By R. Flanagan Date 6-5-14 Time 0900  
Weather Cloudy 70's Sampled with Bailer \_\_\_\_\_ Pump ☒

## A. WATER TABLE:

Well depth:  
(below top of casing) 16.23 ft. Well elevation:  
(top of casing) 19.64 ft.  
Depth to water table:  
(below top of casing) 15.80 ft. Water table elevation: 3.84 ft.  
Length of water column (LWC) .93 ft.  
Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  $\times 3$   
4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

## B. PHYSICAL APPEARANCE AT START:

Color LT. Gray Odor None Turbidity Low  
Was an oil film or layer apparent? No

## C. PREPARATION OF WELL FOR SAMPLING:

Amount of water removed before sampling \_\_\_\_\_ gallons.  
Did well go dry? No

## D. PHYSICAL APPEARANCE DURING SAMPLING:

Color LT. Gray Odor None Turbidity Low  
Was an oil film or layer apparent? No

E. CONDUCTIVITY 4.28 ms/cm

F. pH 6.74

G. TEMPERATURE 16.4°C

## H. WELL SAMPLING NOTES:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## *Appendix G*

### *2012 Laboratory Analytical Results*

- G-1 LCS Analytical Reports*
- G-2 LDS Analytical Reports*
- G-3 MW Analytical Reports*



Fax: 315-478-2107

Page \_\_\_\_\_ of \_\_\_\_\_

Standard Turn Around Time  
is end of day, 10 work days  
after lab receipt.  
Samples received after  
2 pm are considered next  
day business.

Signature: R. F. Hanson

CLIENT ID/SAMPLE LOCATION

[illegible]☒

TOTAL NUMBER OF CONTAINERS

Temperature 5.4 °C

**See Terms & Conditions on Back**



Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

REPORT OF ANALYSES

Pyramid Company of Onondaga  
9090 Carousel Center  
Syracuse, NY 13290-  
Attn: Mr. Robert Schoeneck

PROJECT NAME: Leachate  
DATE: 06/23/2014

SAMPLE NUMBER- 671238 SAMPLE ID- Well #1  
DATE SAMPLED- 06/05/14  
DATE RECEIVED- 06/06/14 SAMPLER- R.Flanagan(Pyramid)  
TIME RECEIVED- 1150 DELIVERED BY- Paul Marzocchi

SAMPLE MATRIX- WW  
TIME SAMPLED- 0900  
RECEIVED BY- KC  
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		06/06/14		KC	5.4 Degrees C
EPA 624 Volatiles	EPA 624	06/13/14		RRB	
Dichlorodifluoromethane	EPA 624	06/13/14		RRB	< 5.0 ug/L
Chloromethane	EPA 624	06/13/14		RRB	< 5.0 ug/L
Vinyl Chloride	EPA 624	06/13/14		RRB	< 5.0 ug/L
Bromomethane	EPA 624	06/13/14		RRB	LQ- < 5.0 ug/L
Chloroethane	EPA 624	06/13/14		RRB	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	06/13/14		RRB	< 5.0 ug/L
1,1-Dichloroethene	EPA 624	06/13/14		RRB	< 5.0 ug/L
Methylene Chloride	EPA 624	06/13/14		RRB	< 5.0 ug/L
trans-1,2-Dichloroethene	EPA 624	06/13/14		RRB	< 5.0 ug/L
1,1-Dichloroethane	EPA 624	06/13/14		RRB	48 ug/L
2-Butanone (MEK)	EPA 624	06/13/14		RRB	**6.0 ug/L
Chloroform	EPA 624	06/13/14		RRB	< 5.0 ug/L
1,1,1-Trichloroethane	EPA 624	06/13/14		RRB	< 5.0 ug/L
Carbon Tetrachloride	EPA 624	06/13/14		RRB	< 5.0 ug/L
1,2-Dichloroethane	EPA 624	06/13/14		RRB	< 5.0 ug/L
Benzene	EPA 624	06/13/14		RRB	< 5.0 ug/L
Trichloroethene	EPA 624	06/13/14		RRB	< 5.0 ug/L
1,2-Dichloropropane	EPA 624	06/13/14		RRB	< 5.0 ug/L
Bromodichloromethane	EPA 624	06/13/14		RRB	< 5.0 ug/L



Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 671238

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	06/13/14		RRB	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	06/13/14		RRB	NR	ug/L
cis-1,3-Dichloropropene	EPA 624	06/13/14		RRB	< 5.0	ug/L
Toluene	EPA 624	06/13/14		RRB	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	06/13/14		RRB	< 5.0	ug/L
Tetrachloroethene	EPA 624	06/13/14		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 624	06/13/14		RRB	< 5.0	ug/L
Chlorobenzene	EPA 624	06/13/14		RRB	< 5.0	ug/L
Ethylbenzene	EPA 624	06/13/14		RRB	< 5.0	ug/L
m & p-Xylene	EPA 624	06/13/14		RRB	< 5.0	ug/L
o-Xylene	EPA 624	06/13/14		RRB	< 5.0	ug/L
Bromoform	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	06/13/14		RRB	< 5.0	ug/L

(Q) - Continuing calibration recovery was outside acceptance limits. (+ is over - is under)

(L) - Laboratory Control Sample outside acceptance limits. (+ is over - is under)

\*\* MEK analyzed by Method EPA 8260C. Disregard Method above.

NR - Not Reported.

**Surrogate Recovery:**

1,2-Dichloroethane-d4 (76-129) - 129 % REC

Toluene-d8 (88-106) - 93 % REC

4-Bromofluorobenzene (95-113) - 109 % REC

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk  
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk  
Technical Director





Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

REPORT OF ANALYSES

Pyramid Company of Onondaga  
9090 Carousel Center  
Syracuse, NY 13290-  
Attn: Mr. Robert Schoeneck

PROJECT NAME: Leachate  
DATE: 06/23/2014

SAMPLE NUMBER- 671239 SAMPLE ID- Well #2  
DATE SAMPLED- 06/05/14  
DATE RECEIVED- 06/06/14 SAMPLER- R. Flanagan (Pyramid)  
TIME RECEIVED- 1150 DELIVERED BY- Paul Marzocchi

SAMPLE MATRIX- WW  
TIME SAMPLED- 0900  
RECEIVED BY- KC  
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		06/06/14		KC	5.4	Degrees C
EPA 624 Volatiles	EPA 624	06/13/14		RRB		
Dichlorodifluoromethane	EPA 624	06/13/14		RRB	< 5.0	ug/L
Chloromethane	EPA 624	06/13/14		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 624	06/13/14		RRB	< 5.0	ug/L
Bromomethane	EPA 624	06/13/14		RRB	LQ- < 5.0	ug/L
Chloroethane	EPA 624	06/13/14		RRB	< 5.0	ug/L
Trichlorofluoromethane	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,1-Dichloroethene	EPA 624	06/13/14		RRB	< 5.0	ug/L
Methylene Chloride	EPA 624	06/13/14		RRB	< 5.0	ug/L
trans-1,2-Dichloroethene	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,1-Dichloroethane	EPA 624	06/13/14		RRB	49	ug/L
2-Butanone (MEK)	EPA 624	06/13/14		RRB	**10	ug/L
Chloroform	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,1,1-Trichloroethane	EPA 624	06/13/14		RRB	< 5.0	ug/L
Carbon Tetrachloride	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,2-Dichloroethane	EPA 624	06/13/14		RRB	< 5.0	ug/L
Benzene	EPA 624	06/13/14		RRB	< 5.0	ug/L
Trichloroethene	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,2-Dichloropropane	EPA 624	06/13/14		RRB	< 5.0	ug/L
Bromodichloromethane	EPA 624	06/13/14		RRB	< 5.0	ug/L



Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 671239

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	06/13/14		RRB	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	06/13/14		RRB	< 5.0	ug/L
cis-1,3-Dichloropropene	EPA 624	06/13/14		RRB	< 5.0	ug/L
Toluene	EPA 624	06/13/14		RRB	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	06/13/14		RRB	< 5.0	ug/L
Tetrachloroethene	EPA 624	06/13/14		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 624	06/13/14		RRB	< 5.0	ug/L
Chlorobenzene	EPA 624	06/13/14		RRB	< 5.0	ug/L
Ethylbenzene	EPA 624	06/13/14		RRB	< 5.0	ug/L
m & p-Xylene	EPA 624	06/13/14		RRB	< 5.0	ug/L
o-Xylene	EPA 624	06/13/14		RRB	< 5.0	ug/L
Bromoform	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	06/13/14		RRB	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	06/13/14		RRB	< 5.0	ug/L

(Q) – Continuing calibration recovery was outside acceptance limits. (+ is over – is under)

(L) - Laboratory Control Sample outside acceptance limits.(+ is over – is under)

\*\* MEK analyzed by Method EPA 8260C. Disregard Method above.

NR – Not Reported.

**Surrogate Recovery:**

1,2-Dichloroethane-d4 (76-129) - 125 % REC

Toluene-d8 (88-106) - 93 % REC

4-Bromofluorobenzene (95-113) - 106 % REC

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk  
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk  
Technical Director



Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

REPORT OF ANALYSES

Pyramid Company of Onondaga  
9090 Carousel Center  
Syracuse, NY 13290-  
Attn: Mr. Robert Schoeneck

PROJECT NAME: Leachate  
DATE: 06/23/2014

SAMPLE NUMBER- 671240 SAMPLE ID- Well #3  
DATE SAMPLED- 06/05/14  
DATE RECEIVED- 06/06/14 SAMPLER- R. Flanagan (Pyramid)  
TIME RECEIVED- 1150 DELIVERED BY- Paul Marzocchi

SAMPLE MATRIX- WW  
TIME SAMPLED- 0900  
RECEIVED BY- KC  
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		06/06/14		KC	5.4 Degrees C
EPA 624 Volatiles	EPA 624	06/16/14		RRB	
Dichlorodifluoromethane	EPA 624	06/16/14		RRB	< 5.0 ug/L
Chloromethane	EPA 624	06/16/14		RRB	< 5.0 ug/L
Vinyl Chloride	EPA 624	06/16/14		RRB	< 5.0 ug/L
Bromomethane	EPA 624	06/16/14		RRB	LQS- < 5.0 ug/L
Chloroethane	EPA 624	06/16/14		RRB	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	06/16/14		RRB	< 5.0 ug/L
1,1-Dichloroethene	EPA 624	06/16/14		RRB	< 5.0 ug/L
Methylene Chloride	EPA 624	06/16/14		RRB	< 5.0 ug/L
trans-1,2-Dichloroethene	EPA 624	06/16/14		RRB	< 5.0 ug/L
1,1-Dichloroethane	EPA 624	06/16/14		RRB	16 ug/L
2-Butanone (MEK)	EPA 624	06/16/14		RRB	** < 5.0 ug/L
Chloroform	EPA 624	06/16/14		RRB	< 5.0 ug/L
1,1,1-Trichloroethane	EPA 624	06/16/14		RRB	< 5.0 ug/L
Carbon Tetrachloride	EPA 624	06/16/14		RRB	< 5.0 ug/L
1,2-Dichloroethane	EPA 624	06/16/14		RRB	< 5.0 ug/L
Benzene	EPA 624	06/16/14		RRB	< 5.0 ug/L
Trichloroethene	EPA 624	06/16/14		RRB	< 5.0 ug/L
1,2-Dichloropropane	EPA 624	06/16/14		RRB	< 5.0 ug/L
Bromodichloromethane	EPA 624	06/16/14		RRB	< 5.0 ug/L



Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 671240

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	06/16/14		RRB	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	06/16/14		RRB	NR	ug/L
cis-1,3-Dichloropropene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Toluene	EPA 624	06/16/14		RRB	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Tetrachloroethene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Chlorobenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Ethylbenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
m & p-Xylene	EPA 624	06/16/14		RRB	< 5.0	ug/L
o-Xylene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Bromoform	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L

(Q) - Continuing calibration recovery was outside acceptance limits. (+ is over - is under)

(L) - Laboratory Control Sample outside acceptance limits. (+ is over - is under)

(S) - Spike recovery outside acceptance limits. (+ is over - is under)

\*\* MEK analyzed by Method EPA 8260C. Disregard Method above.

NR - Not Reported.

**Surrogate Recovery:**

1,2-Dichloroethane-d4 (76-129) - 94 % REC

Toluene-d8 (88-106) - 95 % REC

4-Bromofluorobenzene (95-113) - 104 % REC

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk  
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk  
Technical Director



Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

REPORT OF ANALYSES

Pyramid Company of Onondaga  
9090 Carousel Center  
Syracuse, NY 13290-  
Attn: Mr. Robert Schoeneck

PROJECT NAME: Leachate  
DATE: 06/23/2014

SAMPLE NUMBER- 671241 SAMPLE ID- Well #4  
DATE SAMPLED- 06/05/14  
DATE RECEIVED- 06/06/14 SAMPLER- R.Flanagan(Pyramid)  
TIME RECEIVED- 1150 DELIVERED BY- Paul Marzocchi

SAMPLE MATRIX- WW  
TIME SAMPLED- 0900  
RECEIVED BY- KC  
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		06/06/14		KC	5.4	Degrees C
EPA 624 Volatiles	EPA 624	06/16/14		RRB		
Dichlorodifluoromethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Chloromethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 624	06/16/14		RRB	< 5.0	ug/L
Bromomethane	EPA 624	06/16/14		RRB	LQ- < 5.0	ug/L
Chloroethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Trichlorofluoromethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,1-Dichloroethene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Methylene Chloride	EPA 624	06/16/14		RRB	< 5.0	ug/L
trans-1,2-Dichloroethene	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,1-Dichloroethane	EPA 624	06/16/14		RRB	20	ug/L
2-Butanone (MEK)	EPA 624	06/16/14		RRB	**< 5.0	ug/L
Chloroform	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,1,1-Trichloroethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Carbon Tetrachloride	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,2-Dichloroethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Benzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Trichloroethene	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,2-Dichloropropane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Bromodichloromethane	EPA 624	06/16/14		RRB	< 5.0	ug/L



Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 671241

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	06/16/14		RRB	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	06/16/14		RRB	NR	ug/L
cis-1,3-Dichloropropene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Toluene	EPA 624	06/16/14		RRB	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Tetrachloroethene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Chlorobenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Ethylbenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
m & p-Xylene	EPA 624	06/16/14		RRB	< 5.0	ug/L
o-Xylene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Bromoform	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L

(Q) - Continuing calibration recovery was outside acceptance limits. (+ is over - is under)

(L) - Laboratory Control Sample outside acceptance limits. (+ is over - is under)

\*\* MEK analyzed by Method EPA 8260C. Disregard Method above.

NR - Not Reported.

**Surrogate Recovery:**

1,2-Dichloroethane-d4 (76-129) - 99 % REC

Toluene-d8 (88-106) - 93 % REC

4-Bromofluorobenzene (95-113) - 102 % REC

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk  
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk  
Technical Director





Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

REPORT OF ANALYSES

Pyramid Company of Onondaga  
9090 Carousel Center  
Syracuse, NY 13290-  
Attn: Mr. Robert Schoeneck

PROJECT NAME: Leachate  
DATE: 06/23/2014

SAMPLE NUMBER- 671242 SAMPLE ID- Well #5  
DATE SAMPLED- 06/05/14  
DATE RECEIVED- 06/06/14 SAMPLER- R.Flanagan(Pyramid)  
TIME RECEIVED- 1150 DELIVERED BY- Paul Marzocchi

SAMPLE MATRIX- WW  
TIME SAMPLED- 0900  
RECEIVED BY- KC  
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		06/06/14		KC	5.4	Degrees C
EPA 624 Volatiles	EPA 624	06/16/14		RRB		
Dichlorodifluoromethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Chloromethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 624	06/16/14		RRB	< 5.0	ug/L
Bromomethane	EPA 624	06/16/14		RRB	LQ- < 5.0	ug/L
Chloroethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Trichlorofluoromethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,1-Dichloroethene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Methylene Chloride	EPA 624	06/16/14		RRB	< 5.0	ug/L
trans-1,2-Dichloroethene	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,1-Dichloroethane	EPA 624	06/16/14		RRB	33	ug/L
2-Butanone (MEK)	EPA 624	06/16/14		RRB	**6.0	ug/L
Chloroform	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,1,1-Trichloroethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Carbon Tetrachloride	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,2-Dichloroethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Benzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Trichloroethene	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,2-Dichloropropane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Bromodichloromethane	EPA 624	06/16/14		RRB	< 5.0	ug/L



Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 671242

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	06/16/14		RRB	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	06/16/14		RRB	NR	ug/L
cis-1,3-Dichloropropene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Toluene	EPA 624	06/16/14		RRB	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Tetrachloroethene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
Chlorobenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Ethylbenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
m & p-Xylene	EPA 624	06/16/14		RRB	< 5.0	ug/L
o-Xylene	EPA 624	06/16/14		RRB	< 5.0	ug/L
Bromoform	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	06/16/14		RRB	< 5.0	ug/L

(Q) - Continuing calibration recovery was outside acceptance limits. (+ is over - is under)

(L) - Laboratory Control Sample outside acceptance limits. (+ is over - is under)

\*\* MEK analyzed by Method EPA 8260C. Disregard Method above.

NR - Not Reported.

**Surrogate Recovery:**

1,2-Dichloroethane-d4 (76-129) - 115 % REC

Toluene-d8 (88-106) - 96 % REC

4-Bromofluorobenzene (95-113) - 104 % REC

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk  
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk  
Technical Director







Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

REPORT OF ANALYSES

Pyramid Company of Onondaga  
9090 Carousel Center  
Syracuse, NY 13290-  
Attn: Mr. Robert Schoeneck

PROJECT NAME: Leachate Leak Detect  
DATE: 10/10/2014

SAMPLE NUMBER- 678896 SAMPLE ID- L.D. Well #2  
DATE SAMPLED- 09/24/14  
DATE RECEIVED- 09/24/14 SAMPLER- R.Flanagan(Pyramid)  
TIME RECEIVED- 1100 DELIVERED BY- Paul Marzocchi

SAMPLE MATRIX- WW  
TIME SAMPLED- 0600  
RECEIVED BY- KC  
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		09/24/14		KC	3.6	Degrees C
EPA 624 Volatiles	EPA 624	09/29/14		RRB		
Dichlorodifluoromethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Chloromethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 624	09/29/14		RRB	< 5.0	ug/L
Bromomethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Chloroethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Trichlorofluoromethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,1-Dichloroethene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Methylene Chloride	EPA 624	09/29/14		RRB	< 5.0	ug/L
trans-1,2-Dichloroethene	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,1-Dichloroethane	EPA 624	09/29/14		RRB	9.1	ug/L
2-Butanone (MEK)	EPA 624	09/29/14		RRB	**< 5.0	ug/L
Chloroform	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,1,1-Trichloroethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Carbon Tetrachloride	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,2-Dichloroethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Benzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Trichloroethene	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,2-Dichloropropane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Bromodichloromethane	EPA 624	09/29/14		RRB	< 5.0	ug/L



Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 678896

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	09/29/14		RRB	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	09/29/14		RRB	NR	ug/L
cis-1,3-Dichloropropene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Toluene	EPA 624	09/29/14		RRB	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Tetrachloroethene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Chlorobenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Ethylbenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
m & p-Xylene	EPA 624	09/29/14		RRB	< 5.0	ug/L
o-Xylene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Bromoform	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L

\*\*MEK analyzed by Method EPA 8260C. Disregard method number listed above.  
NR - Not Reported.

**Surrogate Recovery:**

1,2-Dichloroethane-d4 (76-129) - 116 % REC  
Toluene-d8 (88-106) - 96 % REC  
4-Bromofluorobenzene (95-113) - 113 % REC

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk  
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk  
Technical Director



Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

REPORT OF ANALYSES

Pyramid Company of Onondaga  
9090 Carousel Center  
Syracuse, NY 13290-  
Attn: Mr. Robert Schoeneck

PROJECT NAME: Leachate Leak Detect  
DATE: 10/10/2014

SAMPLE NUMBER- 678897 SAMPLE ID- L.D. Well #4  
DATE SAMPLED- 09/24/14  
DATE RECEIVED- 09/24/14 SAMPLER- R.Flanagan(Pyramid)  
TIME RECEIVED- 1100 DELIVERED BY- Paul Marzocchi

SAMPLE MATRIX- WW  
TIME SAMPLED- 0600  
RECEIVED BY- KC  
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		09/24/14		KC	3.6	Degrees C
EPA 624 Volatiles	EPA 624	09/29/14		RRB		
Dichlorodifluoromethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Chloromethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Vinyl Chloride	EPA 624	09/29/14		RRB	15	ug/L
Bromomethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Chloroethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Trichlorofluoromethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,1-Dichloroethene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Methylene Chloride	EPA 624	09/29/14		RRB	< 5.0	ug/L
trans-1,2-Dichloroethene	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,1-Dichloroethane	EPA 624	09/29/14		RRB	19	ug/L
2-Butanone (MEK)	EPA 624	09/29/14		RRB	** < 5.0	ug/L
Chloroform	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,1,1-Trichloroethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Carbon Tetrachloride	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,2-Dichloroethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Benzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Trichloroethene	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,2-Dichloropropane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Bromodichloromethane	EPA 624	09/29/14		RRB	< 5.0	ug/L





Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 678897

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	09/29/14		RRB	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	09/29/14		RRB	NR	ug/L
cis-1,3-Dichloropropene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Toluene	EPA 624	09/29/14		RRB	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Tetrachloroethene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Chlorobenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Ethylbenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
m & p-Xylene	EPA 624	09/29/14		RRB	< 5.0	ug/L
o-Xylene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Bromoform	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L

\*\*MEK analyzed by Method EPA 8260C. Disregard method number listed above.  
NR - Not Reported.

**Surrogate Recovery:**

1,2-Dichloroethane-d4 (76-129) - 115 % REC  
Toluene-d8 (88-106) - 97 % REC  
4-Bromofluorobenzene (95-113) - 120 % REC S

(S) - Recovery outside acceptance limits.

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Donczyk  
(Terms and Conditions on Reverse Side)

Rachel R. Donczyk  
Technical Director



Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

# REPORT OF ANALYSES

Pyramid Company of Onondaga  
9090 Carousel Center  
Syracuse, NY 13290-  
Attn: Mr. Robert Schoeneck

PROJECT NAME: Leachate Leak Detect  
DATE: 10/10/2014

SAMPLE NUMBER- 678898 SAMPLE ID- L.D. Well #5  
DATE SAMPLED- 09/24/14  
DATE RECEIVED- 09/24/14 SAMPLER- R.Flanagan(Pyramid)  
TIME RECEIVED- 1100 DELIVERED BY- Paul Marzocchi

SAMPLE MATRIX- WW  
TIME SAMPLED- 0600  
RECEIVED BY- KC  
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		09/24/14		KC	3.6 Degrees C
EPA 624 Volatiles	EPA 624	09/29/14		RRB	
Dichlorodifluoromethane	EPA 624	09/29/14		RRB	< 5.0 ug/L
Chloromethane	EPA 624	09/29/14		RRB	< 5.0 ug/L
Vinyl Chloride	EPA 624	09/29/14		RRB	< 5.0 ug/L
Bromomethane	EPA 624	09/29/14		RRB	< 5.0 ug/L
Chloroethane	EPA 624	09/29/14		RRB	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	09/29/14		RRB	< 5.0 ug/L
1,1-Dichloroethene	EPA 624	09/29/14		RRB	< 5.0 ug/L
Methylene Chloride	EPA 624	09/29/14		RRB	< 5.0 ug/L
trans-1,2-Dichloroethene	EPA 624	09/29/14		RRB	< 5.0 ug/L
1,1-Dichloroethane	EPA 624	09/29/14		RRB	< 5.0 ug/L
2-Butanone (MEK)	EPA 624	09/29/14		RRB	** < 5.0 ug/L
Chloroform	EPA 624	09/29/14		RRB	< 5.0 ug/L
1,1,1-Trichloroethane	EPA 624	09/29/14		RRB	< 5.0 ug/L
Carbon Tetrachloride	EPA 624	09/29/14		RRB	< 5.0 ug/L
1,2-Dichloroethane	EPA 624	09/29/14		RRB	< 5.0 ug/L
Benzene	EPA 624	09/29/14		RRB	< 5.0 ug/L
Trichloroethene	EPA 624	09/29/14		RRB	< 5.0 ug/L
1,2-Dichloropropane	EPA 624	09/29/14		RRB	< 5.0 ug/L
Bromodichloromethane	EPA 624	09/29/14		RRB	< 5.0 ug/L



Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 678898

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	09/29/14		RRB	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	09/29/14		RRB	NR	ug/L
cis-1,3-Dichloropropene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Toluene	EPA 624	09/29/14		RRB	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Tetrachloroethene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
Chlorobenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Ethylbenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
m & p-Xylene	EPA 624	09/29/14		RRB	< 5.0	ug/L
o-Xylene	EPA 624	09/29/14		RRB	< 5.0	ug/L
Bromoform	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	09/29/14		RRB	< 5.0	ug/L

\*\*MEK analyzed by Method EPA 8260C. Disregard method number listed above.  
NR – Not Reported.

**Surrogate Recovery:**

1,2-Dichloroethane-d4 (76-129) - 115 % REC  
Toluene-d8 (88-106) - 96 % REC  
4-Bromofluorobenzene (95-113) - 118 % REC S

(S) – Recovery outside acceptance limits.

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Donczyk  
(Terms and Conditions on Reverse Side)

Rachel R. Donczyk  
Technical Director







Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

REPORT OF ANALYSES

Pyramid Company of Onondaga  
9090 Carousel Center  
Syracuse, NY 13290-  
Attn: Mr. Robert Schoeneck

PROJECT NAME: Leachate Monitoring  
DATE: 08/15/2014

SAMPLE NUMBER- 674396 SAMPLE ID- Well #1  
DATE SAMPLED- 07/24/14  
DATE RECEIVED- 07/25/14 SAMPLER- R.Flanagan(Pyramid)  
TIME RECEIVED- 1215 DELIVERED BY- Paul Marzocchi

SAMPLE MATRIX- WW  
TIME SAMPLED- 0800  
RECEIVED BY- KC  
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		07/24/14		KC	9.4	Degrees C
EPA 624 Volatiles	EPA 624	08/01/14		RRB		
Dichlorodifluoromethane	EPA 624	08/01/14		RRB	LQ-< 5.0	ug/L
Chloromethane	EPA 624	08/01/14		RRB	LQ-< 5.0	ug/L
Vinyl Chloride	EPA 624	08/01/14		RRB	< 5.0	ug/L
Bromomethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Chloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Trichlorofluoromethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1-Dichloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Methylene Chloride	EPA 624	08/01/14		RRB	< 5.0	ug/L
trans-1,2-Dichloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1-Dichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
2-Butanone (MEK)	EPA 624	08/01/14		RRB	**< 5.0	ug/L
Chloroform	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,1-Trichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Carbon Tetrachloride	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,2-Dichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Benzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Trichloroethene	EPA 624	08/01/14		RRB	10	ug/L
1,2-Dichloropropane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Bromodichloromethane	EPA 624	08/01/14		RRB	< 5.0	ug/L

Sample received above acceptable temperature requirement of 0-6 degrees C.



Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 674396

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	08/01/14		RRB	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	08/01/14		RRB	NR	ug/L
cis-1,3-Dichloropropene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Toluene	EPA 624	08/01/14		RRB	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Tetrachloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Chlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Ethylbenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
m & p-Xylene	EPA 624	08/01/14		RRB	< 5.0	ug/L
o-Xylene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Bromoform	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L

(Q) - Continuing calibration recovery was outside acceptance limits. (+ is over - is under)

(L) - Laboratory Control Sample outside acceptance limits. (+ is over - is under)

\*\*MEK analyzed by Method EPA 8260C. Disregard method number listed above.

JNR - Not Reported.

**Surrogate Recovery:**

1,2-Dichloroethane-d4 (76-129) - 121 % REC

Toluene-d8 (88-106) - 97 % REC

4-Bromofluorobenzene (95-113) - 106 % REC

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk  
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk  
Technical Director

Sample received above acceptable temperature requirement of 0-6 degrees C.

Page 2 of 10

The analytical results on this sample are representative of the sample received by the Laboratory.



Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

REPORT OF ANALYSES

Pyramid Company of Onondaga  
9090 Carousel Center  
Syracuse, NY 13290-  
Attn: Mr. Robert Schoeneck

PROJECT NAME: Leachate Monitoring  
DATE: 08/15/2014

SAMPLE NUMBER- 674397 SAMPLE ID- Well #2  
DATE SAMPLED- 07/24/14  
DATE RECEIVED- 07/25/14 SAMPLER- R.Flanagan(Pyramid)  
TIME RECEIVED- 1215 DELIVERED BY- Paul Marzocchi

SAMPLE MATRIX- WW  
TIME SAMPLED- 0800  
RECEIVED BY- KC  
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Sample Receipt Temperature		07/24/14		KC	9.4 Degrees C
EPA 624 Volatiles	EPA 624	08/01/14		RRB	
Dichlorodifluoromethane	EPA 624	08/01/14		RRB LQ-<	5.0 ug/L
Chloromethane	EPA 624	08/01/14		RRB LQ-<	5.0 ug/L
Vinyl Chloride	EPA 624	08/01/14		RRB	< 5.0 ug/L
Bromomethane	EPA 624	08/01/14		RRB	< 5.0 ug/L
Chloroethane	EPA 624	08/01/14		RRB	< 5.0 ug/L
Trichlorofluoromethane	EPA 624	08/01/14		RRB	< 5.0 ug/L
1,1-Dichloroethene	EPA 624	08/01/14		RRB	< 5.0 ug/L
Methylene Chloride	EPA 624	08/01/14		RRB	< 5.0 ug/L
trans-1,2-Dichloroethene	EPA 624	08/01/14		RRB	< 5.0 ug/L
1,1-Dichloroethane	EPA 624	08/01/14		RRB	< 5.0 ug/L
2-Butanone (MEK)	EPA 624	08/01/14		RRB **<	5.0 ug/L
Chloroform	EPA 624	08/01/14		RRB	< 5.0 ug/L
1,1,1-Trichloroethane	EPA 624	08/01/14		RRB	< 5.0 ug/L
Carbon Tetrachloride	EPA 624	08/01/14		RRB	< 5.0 ug/L
1,2-Dichloroethane	EPA 624	08/01/14		RRB	< 5.0 ug/L
Benzene	EPA 624	08/01/14		RRB	< 5.0 ug/L
Trichloroethene	EPA 624	08/01/14		RRB	< 5.0 ug/L
1,2-Dichloropropane	EPA 624	08/01/14		RRB	< 5.0 ug/L
Bromodichloromethane	EPA 624	08/01/14		RRB	< 5.0 ug/L

Sample received above acceptable temperature requirement of 0-6 degrees C.



Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 674397

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	08/01/14		RRB	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	08/01/14		RRB	NR	ug/L
cis-1,3-Dichloropropene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Toluene	EPA 624	08/01/14		RRB	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Tetrachloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Chlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Ethylbenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
m & p-Xylene	EPA 624	08/01/14		RRB	< 5.0	ug/L
o-Xylene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Bromoform	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L

(Q) - Continuing calibration recovery was outside acceptance limits. (+ is over - is under)

(L) - Laboratory Control Sample outside acceptance limits. (+ is over - is under)

\*\*MEK analyzed by Method EPA 8260C. Disregard method number listed above.

NR - Not Reported.

**Surrogate Recovery:**

1,2-Dichloroethane-d4 (76-129) - 124 % REC

Toluene-d8 (88-106) - 97 % REC

4-Bromofluorobenzene (95-113) - 104 % REC

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk  
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk  
Technical Director

Sample received above acceptable temperature requirement of 0-6 degrees C.



Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

REPORT OF ANALYSES

Pyramid Company of Onondaga  
9090 Carousel Center  
Syracuse, NY 13290-  
Attn: Mr. Robert Schoeneck

PROJECT NAME: Leachate Monitoring  
DATE: 08/15/2014

SAMPLE NUMBER- 674398 SAMPLE ID- Well #3  
DATE SAMPLED- 07/24/14  
DATE RECEIVED- 07/25/14 SAMPLER- R.Flanagan(Pyramid)  
TIME RECEIVED- 1215 DELIVERED BY- Paul Marzocchi

SAMPLE MATRIX- WW  
TIME SAMPLED- 0800  
RECEIVED BY- KC  
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		07/24/14		KC	9.4	Degrees C
EPA 624 Volatiles	EPA 624	08/01/14		RRB		
Dichlorodifluoromethane	EPA 624	08/01/14		RRB	LQ-< 5.0	ug/L
Chloromethane	EPA 624	08/01/14		RRB	LQ-< 5.0	ug/L
Vinyl Chloride	EPA 624	08/01/14		RRB	< 5.0	ug/L
Bromomethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Chloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Trichlorofluoromethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1-Dichloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Methylene Chloride	EPA 624	08/01/14		RRB	< 5.0	ug/L
trans-1,2-Dichloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1-Dichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
2-Butanone (MEK)	EPA 624	08/01/14		RRB	**< 5.0	ug/L
Chloroform	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,1-Trichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Carbon Tetrachloride	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,2-Dichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Benzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Trichloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,2-Dichloropropane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Bromodichloromethane	EPA 624	08/01/14		RRB	< 5.0	ug/L

Sample received above acceptable temperature requirement of 0-6 degrees C.



Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 674398

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	08/01/14		RRB	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	08/01/14		RRB	NR	ug/L
cis-1,3-Dichloropropene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Toluene	EPA 624	08/01/14		RRB	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Tetrachloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Chlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Ethylbenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
m & p-Xylene	EPA 624	08/01/14		RRB	< 5.0	ug/L
o-Xylene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Bromoform	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L

(Q) - Continuing calibration recovery was outside acceptance limits. (+ is over - is under)

(L) - Laboratory Control Sample outside acceptance limits. (+ is over - is under)

\*\*MEK analyzed by Method EPA 8260C. Disregard method number listed above.

NR - Not Reported.

**Surrogate Recovery:**

1,2-Dichloroethane-d4 (76-129) - 123 % REC

Toluene-d8 (88-106) - 96 % REC

4-Bromofluorobenzene (95-113) - 107 % REC

NYSDOH LAB ID NO. 11246

APPROVED BY:

Rachel R. Bonczyk  
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk  
Technical Director

Sample received above acceptable temperature requirement of 0-6 degrees C.

Page 6 of 10

The analytical results on this sample are representative of the sample received by the Laboratory.





Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

REPORT OF ANALYSES

Pyramid Company of Onondaga  
9090 Carousel Center  
Syracuse, NY 13290-  
Attn: Mr. Robert Schoeneck

PROJECT NAME: Leachate Monitoring  
DATE: 08/15/2014

SAMPLE NUMBER- 674399 SAMPLE ID- Well #4  
DATE SAMPLED- 07/24/14  
DATE RECEIVED- 07/25/14 SAMPLER- R.Flanagan(Pyramid)  
TIME RECEIVED- 1215 DELIVERED BY- Paul Marzocchi

SAMPLE MATRIX- WW  
TIME SAMPLED- 0800  
RECEIVED BY- KC  
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		07/24/14		KC	9.4	Degrees C
EPA 624 Volatiles	EPA 624	08/01/14		RRB		
Dichlorodifluoromethane	EPA 624	08/01/14		RRB	LQ-< 5.0	ug/L
Chloromethane	EPA 624	08/01/14		RRB	LQ-< 5.0	ug/L
Vinyl Chloride	EPA 624	08/01/14		RRB	< 5.0	ug/L
Bromomethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Chloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Trichlorofluoromethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1-Dichloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Methylene Chloride	EPA 624	08/01/14		RRB	< 5.0	ug/L
trans-1,2-Dichloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1-Dichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
2-Butanone (MEK)	EPA 624	08/01/14		RRB	**< 5.0	ug/L
Chloroform	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,1-Trichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Carbon Tetrachloride	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,2-Dichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Benzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Trichloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,2-Dichloropropane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Bromodichloromethane	EPA 624	08/01/14		RRB	< 5.0	ug/L

Sample received above acceptable temperature requirement of 0-6 degrees C.



Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 674399

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	08/01/14		RRB	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	08/01/14		RRB	NR	ug/L
cis-1,3-Dichloropropene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Toluene	EPA 624	08/01/14		RRB	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Tetrachloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Chlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Ethylbenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
m & p-Xylene	EPA 624	08/01/14		RRB	< 5.0	ug/L
o-Xylene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Bromoform	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L

(Q) - Continuing calibration recovery was outside acceptance limits. (+ is over - is under)

(L) - Laboratory Control Sample outside acceptance limits. (+ is over - is under)

\*\*MEK analyzed by Method EPA 8260C. Disregard method number listed above.

NR - Not Reported.

**Surrogate Recovery:**

1,2-Dichloroethane-d4 (76-129) - 121 % REC

Toluene-d8 (88-106) - 96 % REC

4-Bromofluorobenzene (95-113) - 101 % REC

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk  
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk  
Technical Director

Sample received above acceptable temperature requirement of 0-6 degrees C.





Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

REPORT OF ANALYSES

Pyramid Company of Onondaga  
9090 Carousel Center  
Syracuse, NY 13290-  
Attn: Mr. Robert Schoeneck

PROJECT NAME: Leachate Monitoring  
DATE: 08/15/2014

SAMPLE NUMBER- 674400 SAMPLE ID- Well #5  
DATE SAMPLED- 07/24/14  
DATE RECEIVED- 07/25/14 SAMPLER- R.Flanagan(Pyramid)  
TIME RECEIVED- 1215 DELIVERED BY- Paul Marzocchi

SAMPLE MATRIX- WW  
TIME SAMPLED- 0800  
RECEIVED BY- KC  
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Sample Receipt Temperature		07/24/14		KC	9.4	Degrees C
EPA 624 Volatiles	EPA 624	08/01/14		RRB		
Dichlorodifluoromethane	EPA 624	08/01/14		RRB	LQ-< 5.0	ug/L
Chloromethane	EPA 624	08/01/14		RRB	LQ-< 5.0	ug/L
Vinyl Chloride	EPA 624	08/01/14		RRB	< 5.0	ug/L
Bromomethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Chloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Trichlorofluoromethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1-Dichloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Methylene Chloride	EPA 624	08/01/14		RRB	< 5.0	ug/L
trans-1,2-Dichloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1-Dichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
2-Butanone (MEK)	EPA 624	08/01/14		RRB	**< 5.0	ug/L
Chloroform	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,1-Trichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Carbon Tetrachloride	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,2-Dichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Benzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Trichloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,2-Dichloropropane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Bromodichloromethane	EPA 624	08/01/14		RRB	< 5.0	ug/L

Sample received above acceptable temperature requirement of 0-6 degrees C.



Certified  
Environmental  
Services, Inc.

7280 Caswell Street  
North Syracuse, NY 13212  
Phone 315-478-2374  
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 674400

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
2-Chloroethylvinyl Ether	EPA 624	08/01/14		RRB	< 5.0	ug/L
4-Methyl-2-Pentanone (MIBK)	EPA 624	08/01/14		RRB	NR	ug/L
cis-1,3-Dichloropropene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Toluene	EPA 624	08/01/14		RRB	< 5.0	ug/L
trans-1,3-Dichloropropene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,2-Trichloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Tetrachloroethene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Dibromochloromethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
Chlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Ethylbenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
m & p-Xylene	EPA 624	08/01/14		RRB	< 5.0	ug/L
o-Xylene	EPA 624	08/01/14		RRB	< 5.0	ug/L
Bromoform	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,1,2,2-Tetrachloroethane	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,3-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,4-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L
1,2-Dichlorobenzene	EPA 624	08/01/14		RRB	< 5.0	ug/L

(Q) - Continuing calibration recovery was outside acceptance limits. (+ is over - is under)

(L) - Laboratory Control Sample outside acceptance limits. (+ is over - is under)

\*\*MEK analyzed by Method EPA 8260C. Disregard method number listed above.

NR - Not Reported.

**Surrogate Recovery:**

1,2-Dichloroethane-d4 (76-129) - 117 % REC

Toluene-d8 (88-106) - 99 % REC

4-Bromofluorobenzene (95-113) - 114 % REC

NYSDOH LAB ID NO. 11246

APPROVED BY: Rachel R. Bonczyk  
(Terms and Conditions on Reverse Side)

Rachel R. Bonczyk  
Technical Director

Sample received above acceptable temperature requirement of 0-6 degrees C.

Page 10 of 10

The analytical results on this sample are representative of the sample received by the Laboratory.

*Appendix H*  
*Form 2 – Leak Detection*  
*Sump Field Logs*

# LEAK DETECT SUMP FIELD LOG

OPERATION and MAINTENANCE MANUAL  
CONTAINMENT STRUCTURE  
CONKLIN LIMITED  
SYRACUSE, NEW YORK

B. Kennedy

DATE: 9-24-14

INSPECTOR: R. Flanagan

TIME: 0600

WEATHER: Sunny 60's

LDS NO.	RIM ELEVATION	DEPTH TO WATER (FEET)	LEAK DETECT ELEVATION (INCLUDE	AIR QUALITY UNITS)	METER READING	SAMPLE TAKEN Yes-No	COMMENTS
LDS 1	17.25					No	Dry
LDS 2	20.09	17.11	2.98	L=1 H2S O2 0 0 20.03	20.03	Yes	500 gals
LDS 3	17.63					No	Dry
LDS 4	19.37	13.52	5.85	L=1 H2S O2 0 0 20.03	20.03	Yes	400 gals
LDS 5	19.55	10.66	8.89	L=1 H2S O2 0 0 20.03	20.03	Yes	600 gals

COMMENTS:

INSTRUMENT USE: RAir Hanna meter

GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate L.D. Well No. 1  
Sampled By R. Flanagan-B. Kennedy Date 9-24-14 Time 0600  
Weather Sunny 60's Sampled with Bailer \_\_\_\_\_ Pump ☒

A. WATER TABLE:

Well depth:  
(below top of casing) 15.35 ft. Well elevation:  
(top of casing) 17.25 ft  
Depth to water table:  
(below top of casing) \_\_\_\_\_ ft. Water table elevation: \_\_\_\_\_ ft  
Length of water column (LWC) \_\_\_\_\_ ft.  
Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons X 3  
4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

B. PHYSICAL APPEARANCE AT START:

Color \_\_\_\_\_ Odor \_\_\_\_\_ Turbidity \_\_\_\_\_  
Was an oil film or layer apparent? \_\_\_\_\_

C. PREPARATION OF WELL FOR SAMPLING:

Amount of water removed before sampling \_\_\_\_\_ gallons.  
Did well go dry? \_\_\_\_\_

D. PHYSICAL APPEARANCE DURING SAMPLING:

Color \_\_\_\_\_ Odor \_\_\_\_\_ Turbidity \_\_\_\_\_  
Was an oil film or layer apparent? \_\_\_\_\_

E. CONDUCTIVITY \_\_\_\_\_

F. pH \_\_\_\_\_

G. TEMPERATURE \_\_\_\_\_

H. WELL SAMPLING NOTES:

No Sample  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

# GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate L.I.D. Well No. 2  
 Sampled By R. Flanagan B. Kennedy Date 9-24-14 Time 0600  
 Weather Sunny 60's Sampled with Bailer        Pump ✓

**A. WATER TABLE:**

Well depth:  
 (below top of casing) 19.86 ft. Well elevation:  
 (top of casing) 20.09 ft  
 Depth to water table:  
 (below top of casing) 17.11 ft. Water table elevation: 2.98 ft  
 Length of water column (LWC)                      ft.  
 Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$                       gallons X 3  
 4" diameter wells =  $0.653 \times (\text{LWC}) =$                       gallons  
 6" diameter wells =  $1.469 \times (\text{LWC}) =$                       gallons

**B. PHYSICAL APPEARANCE AT START:**

Color Gray Odor Slight Turbidity Med  
 Was an oil film or layer apparent? No

**C. PREPARATION OF WELL FOR SAMPLING:**

Amount of water removed before sampling 100 gallons.  
 Did well go dry? No

**D. PHYSICAL APPEARANCE DURING SAMPLING:**

Color Clear Odor Slight Turbidity low  
 Was an oil film or layer apparent? No

**E. CONDUCTIVITY** 10.39 MS

**F. pH** 5.44

**G. TEMPERATURE** 15.00

**H. WELL SAMPLING NOTES:**

Hanna 991301

GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate Well No. 3  
Sampled By R. Flanagan B. Kennedy Date 9-24-14 Time 0600  
Weather Sunny 60's Sampled with Bailer \_\_\_\_\_ Pump ☒

A. WATER TABLE:

Well depth:  
(below top of casing) 15.80 ft.

Well elevation:  
(top of casing) 12.63 ft

Depth to water table:  
(below top of casing) \_\_\_\_\_ ft.

Water table elevation: \_\_\_\_\_ ft

Length of water column (LWC) \_\_\_\_\_ ft.

Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons X 3  
4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

B. PHYSICAL APPEARANCE AT START:

Color \_\_\_\_\_ Odor \_\_\_\_\_ Turbidity \_\_\_\_\_

Was an oil film or layer apparent? \_\_\_\_\_

C. PREPARATION OF WELL FOR SAMPLING:

Amount of water removed before sampling \_\_\_\_\_ gallons.

Did well go dry? \_\_\_\_\_

D. PHYSICAL APPEARANCE DURING SAMPLING:

Color \_\_\_\_\_ Odor \_\_\_\_\_ Turbidity \_\_\_\_\_

Was an oil film or layer apparent? \_\_\_\_\_

E. CONDUCTIVITY \_\_\_\_\_

F. pH \_\_\_\_\_

G. TEMPERATURE \_\_\_\_\_

H. WELL SAMPLING NOTES:

No Sample

Sample Location Leachate Well No. 4  
Sampled By R. Flanagan-B Kennedy Date 9-24-14 Time 0600  
Weather Sunny 60's Sampled with Bailer \_\_\_\_\_ Pump ☒

## A. WATER TABLE:

Well depth:  
(below top of casing) 18.35 ft.

Well elevation:  
(top of casing) 19.37 ft.

Depth to water table:  
(below top of casing) 13.52 ft.

Water table elevation: 5.85 ft.

Length of water column (LWC) \_\_\_\_\_ ft.

Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  $\times 3$   
4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

## B. PHYSICAL APPEARANCE AT START:

Color Clear Odor None Turbidity low  
Was an oil film or layer apparent? No

## C. PREPARATION OF WELL FOR SAMPLING:

Amount of water removed before sampling 300 gallons.

Did well go dry? No

## D. PHYSICAL APPEARANCE DURING SAMPLING:

Color Clear Odor None Turbidity low  
Was an oil film or layer apparent? No

E. CONDUCTIVITY 3.10

F. pH 7.55

G. TEMPERATURE 15.1°C

## H. WELL SAMPLING NOTES:

991301 FLANNA



GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate Well No. 5  
Sampled By R. Flanagan-B. Kennedy Date 9-24-14 Time 0600  
Weather Sunny 60's Sampled with Bailer \_\_\_\_\_ Pump ✓

A. WATER TABLE:

Well depth:  
(below top of casing) 17.60 ft. Well elevation:  
(top of casing) 19.55 ft  
Depth to water table:  
(below top of casing) 10.66 ft. Water table elevation: 8.89 ft  
Length of water column (LWC) \_\_\_\_\_ ft.  
Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons X 3  
4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

B. PHYSICAL APPEARANCE AT START:

Color DARK GRAY Odor None Turbidity High  
Was an oil film or layer apparent? No

C. PREPARATION OF WELL FOR SAMPLING:

Amount of water removed before sampling 300 gallons.  
Did well go dry? No

D. PHYSICAL APPEARANCE DURING SAMPLING:

Color Clear Odor Slight Turbidity Low  
Was an oil film or layer apparent? No

E. CONDUCTIVITY 16.83

F. pH 7.65

G. TEMPERATURE 14.8°C

H. WELL SAMPLING NOTES:

991301 HANNA

*Appendix I*  
*Form 3 – Groundwater*  
*Monitoring Well Field Logs*

## GROUND WATER MONITORING WELL FIELD LOG

FORM 3

OPERATION and MAINTENANCE MANUAL  
CONTAINMENT STRUCTURE  
CONKLIN LIMITED  
SYRACUSE NEW YORK

DATE 7-24-14INSPECTOR(S) B. Kennedy  
R. FlanaganTIME 0800WEATHER P/Cloudy 60's

WELL NO	RIM ELEVATION	DEPTH TO WATER (feet)	WATER ELEVATION	DEPTH TO BOTTOM (feet)	SAMPLE TAKEN (yes) (no)	COMMENTS
<u>MW-1</u>	<u>14.63</u>	<u>10.80</u>	<u>3.83</u>	<u>21.63</u>	<u>Yes</u>	
<u>MW-2</u>	<u>14.10</u>	<u>10.20</u>	<u>3.9</u>	<u>21.96</u>	<u>Yes</u>	
<u>MW-3</u>	<u>14.67</u>	<u>10.60</u>	<u>4.07</u>	<u>21.82</u>	<u>Yes</u>	
<u>MW-4</u>	<u>14.81</u>	<u>10.20</u>	<u>4.61</u>	<u>23.82</u>	<u>Yes</u>	
<u>MW-5</u>	<u>17.67</u>	<u>13.50</u>	<u>4.17</u>	<u>20.00</u>	<u>Yes</u>	

COMMENTS:

# GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate Monitoring Well No. 1  
 Sampled By R. Flanagan-B. Kennedy Date 2-24-14 Time 0800  
 Weather P/sunny 60's Sampled with Bailer ☒ Pump ☐

**A. WATER TABLE:**

Well depth:  
 (below top of casing) 21.63 ft. Well elevation:  
 (top of casing) 14.63 ft  
 Depth to water table:  
 (below top of casing) 10.80 ft. Water table elevation: 3.83 ft  
 Length of water column (LWC) \_\_\_\_\_ ft.  
 Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons X 3  
 4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
 6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

**B. PHYSICAL APPEARANCE AT START:**

Color Clear Odor None Turbidity Low  
 Was an oil film or layer apparent? No

**C. PREPARATION OF WELL FOR SAMPLING:**

Amount of water removed before sampling \_\_\_\_\_ 4 gallons.  
 Did well go dry? No

**D. PHYSICAL APPEARANCE DURING SAMPLING:**

Color Clear Odor None Turbidity Low  
 Was an oil film or layer apparent? No

**E. CONDUCTIVITY** 4.82 msc/cm

**F. pH** 12.37

**G. TEMPERATURE** 59.2°F

**H. WELL SAMPLING NOTES:**

---

---

---

---

---

---

---

---

---

---

GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate Monitoring Well No. 2  
 Sampled By R. Flanagan B. Kennedy Date 2-24-14 Time 0800  
 Weather P/Cloudy 60's Sampled with Bailer ☒ Pump ☐

A. WATER TABLE:

Well depth:  
 (below top of casing) 21.96 ft. Well elevation:  
 (top of casing) 14.10 ft  
 Depth to water table:  
 (below top of casing) 10.20 ft. Water table elevation: 3.90 ft  
 Length of water column (LWC) \_\_\_\_\_ ft.  
 Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons X 3  
 4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
 6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

B. PHYSICAL APPEARANCE AT START:

Color Clear Odor Slight Turbidity Low  
 Was an oil film or layer apparent? No

C. PREPARATION OF WELL FOR SAMPLING:

Amount of water removed before sampling \_\_\_\_\_ gallons.  
 Did well go dry? No

D. PHYSICAL APPEARANCE DURING SAMPLING:

Color Clear Odor Slight Turbidity Low  
 Was an oil film or layer apparent? No

E. CONDUCTIVITY 3.91 ms/cm

F. pH 8.56

G. TEMPERATURE 63.9°F

H. WELL SAMPLING NOTES:

---

---

---

---

---

---

---

---

---

---

GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate Monitoring Well No. 3  
 Sampled By R. Flanagan-B. Kennedy Date 2-24-14 Time 0800  
 Weather P/Cloudy 60's Sampled with Bailer ☒ Pump ☐

A. WATER TABLE:

Well depth:  
 (below top of casing) 21.82 ft. Well elevation:  
 (top of casing) 14.67 ft  
 Depth to water table:  
 (below top of casing) 10.60 ft. Water table elevation: 4.07 ft  
 Length of water column (LWC) \_\_\_\_\_ ft.  
 Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons X 3  
 4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
 6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

B. PHYSICAL APPEARANCE AT START:

Color Gray Odor Slight Turbidity Mod  
 Was an oil film or layer apparent? No

C. PREPARATION OF WELL FOR SAMPLING:

Amount of water removed before sampling \_\_\_\_\_ 3 gallons.  
 Did well go dry? No

D. PHYSICAL APPEARANCE DURING SAMPLING:

Color Gray Odor Slight Turbidity Mod  
 Was an oil film or layer apparent? No

E. CONDUCTIVITY 9.32 ms/cm

F. pH 7.92

G. TEMPERATURE 63.5°F

H. WELL SAMPLING NOTES:

---

---

---

---

---

---

---

---

---

---

## GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate Monitoring Well No. 4  
Sampled By R. Flanagan B. Kennedy Date 2-24-14 Time 0800  
Weather P/Cloudy 60's Sampled with Bailer ☒ Pump

## A. WATER TABLE:

Well depth:

(below top of casing) 23.82 ft.

Well elevation:

(top of casing) 14.81 ft

Depth to water table:

(below top of casing) 10.70 ft.Water table elevation: 4.61 ft

Length of water column (LWC) \_\_\_\_\_ ft.

Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons X 3  
4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

## B. PHYSICAL APPEARANCE AT START:

Color Black Odor Slight Turbidity High  
Was an oil film or layer apparent? No

## C. PREPARATION OF WELL FOR SAMPLING:

Amount of water removed before sampling \_\_\_\_\_ gallons.  
Did well go dry? No

## D. PHYSICAL APPEARANCE DURING SAMPLING:

Color Clear Odor Slight Turbidity Med  
Was an oil film or layer apparent? No

E. CONDUCTIVITY 2.81 msF. pH 7.18G. TEMPERATURE 61.7° F

## H. WELL SAMPLING NOTES:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

GROUND WATER SAMPLING FIELD LOG

Sample Location Leachate Monitoring Well No. 5  
Sampled By R. Flanagan-B. Kennedy Date 2-24-14 Time 0800  
Weather Pf/Cloudy 60's Sampled with Bailer ☒ Pump ☐

A. WATER TABLE:

Well depth:  
(below top of casing) 20.00 ft. Well elevation:  
(top of casing) 12.62 ft  
Depth to water table:  
(below top of casing) 13.50 ft. Water table elevation: 4.12 ft  
Length of water column (LWC) \_\_\_\_\_ ft.  
Volume of water in well:

2" diameter wells =  $0.163 \times (\text{LWC}) =$  \_\_\_\_\_ gallons X 3  
4" diameter wells =  $0.653 \times (\text{LWC}) =$  \_\_\_\_\_ gallons  
6" diameter wells =  $1.469 \times (\text{LWC}) =$  \_\_\_\_\_ gallons

B. PHYSICAL APPEARANCE AT START:

Color Clear Odor None Turbidity low  
Was an oil film or layer apparent? No

C. PREPARATION OF WELL FOR SAMPLING:

Amount of water removed before sampling \_\_\_\_\_ 3 gallons.  
Did well go dry? No

D. PHYSICAL APPEARANCE DURING SAMPLING:

Color clear Odor None Turbidity low  
Was an oil film or layer apparent? No

E. CONDUCTIVITY 6.13 mscf

F. pH 7.27

G. TEMPERATURE 62.4°F

H. WELL SAMPLING NOTES:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



*Appendix J*  
*Form 4 – Site Observation*  
*Form*

**SITE OBSERVATION FORM**

**FORM 4**

**OPERATION and MAINTENANCE MANUAL  
CONTAINMENT STRUCTURE  
CONKLIN LIMITED  
SYRACUSE NEW YORK**

DATE: 8-25-14  
TIME: 0930

INSPECTOR(S): R. Flaunger  
WEATHER: Sunny 70's

**1.) VISUAL INSPECTION OF PAVEMENT**

Intact

**2.) VISUAL INSPECTION OF LANDSCAPE AREAS**

No Sink holes

**3.) MAINTENANCE PERFORMED OVER CONTAINMENT AREA**

None

**4.) COMMENTS**

*Appendix K*  
*Form 5 - Storm Drainage*  
*Facilities Report*

## STORM DRAINAGE FACILITIES REPORT

FORM 5

OPERATION and MAINTENANCE MANUAL  
CONTAINMENT STRUCTURE  
CONKLIN LIMITED  
SYRACUSE NEW YORK

DATE 9-4-14 INSPECTOR(S) R. Flanagan  
TIME 0700 WEATHER 1/sunny 80's

CATCH BASIN NO.	FLOW CONDITION (Inches)	DEPTH OF SEDIMENT (Inches)	ODORS NOTED (describe)	COMMENTS
63	1/2"	2 1/2"	None	
64	1"	2"	None	
65	—	2"	None	
66	2"	2"	None	
67a	1/2"	1 1/2"	None	
67	1"	2 1/2"	None	
69	1"	1 1/2"	None	
70	—	—	—	
71	3/4"	2 1/2"	None	Eliminated
72	1"	1 1/4"	None	
73	1"	1"	None	
74	1 1/2"	2"	None	
75	—	2 1/4"	None	

*More than Engineering Solutions*

*All materials printed on recycled paper.* 

