RocTerra

May 15, 2019

Stephanie Fitzgerald Environmental Engineer Div. of Remediation NYSDEC Region 7 615 Erie Blvd. West, Syracuse, NY 13204-2400

Re: Annual Landfill Inspection Report (Year 15) Syracuse China Landfill Town of Salina, Onondaga County, New York NYSDEC Site Number 7-34-053

Dear Ms. Fitzgerald:

Rocterra, LLC (Rocterra), on behalf of TPC-York Inc. (TPC-York), has prepared this letter report to summarize the required monitoring and maintenance activities completed at the Syracuse China Landfill site located in the Town of Salina, Onondaga County, New York (Site No. 7-34-053). In accordance with New York State Department of Environmental Conservation (NYSDEC) requirements, activities for the fifteenth year of Operation, Monitoring and Maintenance (OM&M) were performed at the site. In accordance with the OM&M Plan prepared by Remedial Engineering, PC dated September 25, 2003 and the schedule approved by NYSDEC, the following activities were performed:

- Inspection of key site features including the landfill surface, vegetation, fence, access road and drainage features such as rip rap swales and energy dissipaters;
- Maintenance activities; and
- Herbicide application.

Supporting figures and documentation are included at the end of this report.

LANDFILL MONITORING

Rocterra conducted an inspection of the landfill and surrounding site areas on October 19, 2018 and October 26, 2018. Rocterra personnel inspected site vegetation, the landfill cap surface and the northern wetlands for any signs of erosion or significant

TPCY-001 Copyright 2017 Rocterra Page 1 of 4

May 15, 2019

settlement. Rocterra also inspected the swales, drop chute, energy dissipation structures, monitoring wells MW-2, MW-5, MW-6, MW-8 and MW-10, permanent landfill gas vents GV-1 through GV-7, fencing, access road and Syracuse China signs for erosion, blockage or other damage. The results of Rocterra's inspection activities are summarized in the Site Monitoring, Inspection and Maintenance Forms, provided as Appendix A. Photographs showing the condition of key site features are provided as Appendix B. A site plan showing key site features is provided as Figure 2.

Rocterra's inspection indicated that the site was generally in good condition with no significant erosion or differential settlement at or around the landfill. The landfill surface was observed to be entirely stabilized with vegetation. The landfill drainage swales, drop chute and energy dissipation structures were observed to be in good condition, however, portions of the swales have become congested with vegetation. The permanent gas vents were also observed to be in good condition. The former trolley berm was observed to be generally clear of vegetation; rutting was observed due to wet conditions. The site fence was observed to be in good condition with the exception of approximately 250 feet of fencing along the northern border/Factory Avenue and approximately 40 feet near the Culvert along the southern border/train tracks (discussed further below in the Comments section). Vegetation overgrowth was observed to assure the signs on the fence within the Factory Avenue right-of-way were unobstructed.

MAINTENANCE ACTIVITIES PERFORMED

Mowing and Weed-Whacking

Annual mowing and weed-whacking activities were completed by Lakeview Lawn and Landscape, Inc. on October 26, 2018. Mowing was conducted on the landfill surface, within the eastern portion of the site (outside of wetland areas) and along the access road. Mowing and weed-whacking were conducted within the landfill surface swales to remove woody growth. Photographs documenting the landscaping activities are included within Appendix B.

Herbicide Application

Portions of the swales have become congested with vegetation. Treatment with a widely used aquatic herbicide Rodeo was completed on October 19, 2018. Additional treatments will occur and are discussed further below.

PROPOSED YEAR 16 (2019) OM&M AND MAINTENANCE ACTIVITIES

Herbicide Application

Portions of the swales have become congested with vegetation. Treatment with a widely used aquatic herbicide Rodeo is proposed for Summer and Fall 2019.

Page 2 of 4

May15, 2019

Mowing and Weed-Whacking

In accordance with the OM&M Plan, the landfill will require annual mowing and weedwhacking in fall 2019 to prevent woody vegetation growth on the landfill cap and within the drainage swales.

Annual Landfill Inspection

In accordance with the OM&M Plan, an inspection of the landfill is proposed for Year 16 of OM&M. The annual inspection is scheduled for October 2019.

SAMPLING EVENTS

Groundwater Monitoring

TPC-York was granted approval via email correspondence dated November 20, 2015 to amend the groundwater sampling period to every five years. The next sampling event is scheduled to be performed in December 2019.

COMMENTS

Rip Rap Rocks

40 or more rocks from the upper landfill swale were thrown onto the western slope of the landfill. All of rocks were placed back into the upper swale during the 2018 inspection event.

Fencing

Approximately 100 feet of fencing along the northern border/Factory Ave has begun to deteriorate due to oxidation of the support posts. Fencing contractors have been contacted and warranty-repair is being coordinated with the contractor. An additional, approximately 150 feet of fencing along the northern border/Factory Ave have been damaged. Damage appears to have been caused by a vehicle accident. Broken pieces of autobody parts/plastic/debris were scattered throughout this area of damaged fencing. Repair of this area will occur concurrently with the warranty repair work. Figure 2 identifies the approximate locations of these two areas.

Animal Dens/Burrows

No animal dens/burrows were observed during the 2018 inspection.

Culvert

A culvert that runs beneath the CSX railroad tracks and exits along the southern border of the site has lost integrity due to erosion. There is approximately 40 feet of fencing in the vicinity of the culvert that is in danger of being destabilized as a result of the culvert deterioration (pictures have been included within Appendix B). Ownership of the culvert is being determined so that the appropriate party can be contacted to undertake the necessary repairs. As an alternative approach, an evaluation is being made of the feasibility of relocating the fence away from the culvert. However, relocation would either need to avoid the adjacent CSX railroad right-of-way or permission from CSX would need to

TPCY-001 Copyright 2017 Rocterra Page 3 of 4

May15, 2019

be obtained. An update will be provided at the conclusion of the evaluation of these various alternatives.

Periodic Review Report

The last Periodic Review Report (PRR) was completed in December 2016. The Department approved a request to amend the PRR schedule to a five-year frequency in an email dated March 21, 2014. The site is not currently active and site maintenance/activities are limited to the items reported above. The institutional controls identified in the most recent 2016 PRR/Declaration of Covenants and Restrictions (groundwater use restrictions, soil management and site management) remain in place. The next PRR submission is scheduled to be submitted in December 2021.

Please call the undersigned with any questions regarding this report.

Attachments:

Figure 1:Site Location MapFigure 2:Site Feature Location PlanFigure 3:Groundwater Monitoring Well MapAppendix A:Site Monitoring, Inspection and
Maintenance FormsAppendix B:Photographs


Alexander Liv


Alexander Wirth Principal, Senior Geologist


<u>May 15, 2019</u> Date

Page 4 of 4

FIGURES









APPENDIX A

Table 1 MONITORING WELL GAUGING, GROUNDWATER ANALYTICAL AND MONITORING DATA Annual Landfill Inspection Report Syracuse China Landfill Town of Salina, Onondaga County, New York NYSDEC Site Number 7-34-053

Sample ID	Date	Sample Time	Depth to Water (Feet)	Depth to Bottom (Feet)	Top of Casing Elevation (Feet, Mean Sea Level)	Corrected Groundwater Elevation (Feet, Mean Sea Level)	Lead (mg/l)	Conductivity (mS/cm)	Dissolved Oxygen (PPM)	рН	Temperature (Celcius)	Turbidity (NTU's)
MW-1	11/7/12	NYSD 14:30	EC Standar	ds 25.3	400.8	379.02	0.025	0.95	6.55	7.16	11.4	13.2
	9/11/13	15:30	19.84	25.3	400.8	380.96	<0.010	1.01	6.99	7.10	15.3	11.0
	12/31/14	14:30	20.77	25.3	400.8	380.03	<0.010	0.98	6.54	7.11	12.2	9.8
MW-2	11/7/12	14:00	5.32	13.3	391.2	385.88	<0.010	1.04	2.01	7.30	12.3	2.89
	9/11/13	15:00	5.23	13.3	391.2	385.97	<0.010	1.00	2.57	7.20	14.6	3.33
	12/31/14	14:00	5.28	13.3	391.2	385.92	<0.010	1.11	2.32	7.25	13.8	3.01
MW-5	11/7/12	15:30	5.13	13.4	387.4	382.27	<0.010	1.11	5.65	7.33	10.1	7.21
	9/11/13	16:00	4.64	13.4	387.4	382.76	<0.010	1.21	6.11	7.21	12.3	5.03
	12/31/14	15:00	4.84	13.4	387.4	382.56	<0.010	1.17	6.77	7.22	11.8	4.99
MW-6	11/7/12	13:00	4.73	17.0	411.3	406.57	<0.010	0.69	4.62	7.42	12.0	13.1
	9/11/13	14:00	4.15	17.0	411.3	407.15	<0.010	0.88	4.89	7.32	13.3	10.01
	12/31/14	13:00	4.44	17.0	411.3	406.86	<0.010	0.77	4.92	7.44	12.8	9.98
MW-8	11/7/12	17:00	7.15	23.0	388.7*	381.55	<0.010	3.07	2.24	6.88	9.0	9.67
	9/11/13	17:30	4.43	23.0	388.7	384.27	<0.010	2.99	2.84	6.99	11.1	9.77
	12/31/14	16:30	6.63	23.0	388.7	382.07	<0.010	3.02	2.64	6.89	10.4	8.88
MW-10	11/7/12	16:30	3.30	17.0	379.1	375.80	<0.010	2.84	2.49	6.84	11.1	14.2
	9/11/13	17:00	3.28	17.0	379.1	375.82	<0.010	3.01	2.89	7.01	13.3	12.1
	12/31/14	16:00	3.33	17.0	379.1	375.77	<0.010	2.98	2.66	6.89	12.2	10.11

Notes: <1.0. Not detected at or above the laboratory reporting limit shown.</p>
NYSDEC Standards and Guidance Values - New York State Department of Environmental Conservation Technical and Operational Guidance Series (TOGS) 1.1, Ambient Water Cuality Standards and Quidance Values, June 1989 and Addentum April 2000
* Revised elevation datum. Original TOC elevation= 387.9'

Table 2 INSPECTION AND MAINTENANCE FORM

Annual Landfill Inspection Report Syracuse China Landfill Town of Salina, Onondaga County, New York NYSDEC Site Number 7-34-053

ltem	Action	Notes	Corrective Action Suggested			
MW-1	Groundwater sampling, inspect for damage	Damaged/destroyed	Abandoned November 2, 2016			
MW-2	Groundwater sampling, inspect for damage	NA	None			
MW-5	Groundwater sampling, inspect for damage	NA	None			
MW-6	Groundwater sampling, inspect for damage	NA	None			
MW-8	Groundwater sampling, inspect for damage	NA	None			
MW-10	Groundwater sampling, inspect for damage	NA	None			
GV-1	Inspect for damage	NA	Annual inspection scheduled for October 2019			
GV-2	Inspect for damage	NA	Annual inspection scheduled for October 2019			
GV-3	Inspect for damage	NA	Annual inspection scheduled for October 2019			
GV-4	Inspect for damage	NA	Annual inspection scheduled for October 2019			
GV-5	Inspect for damage	NA	Annual inspection scheduled for October 2019			
GV-6	Inspect for damage	NA	Annual inspection scheduled for October 2019			
GV-7	Inspect for damage	NA	Annual inspection scheduled for October 2019			
Landfill Cap	Inspect vegetation, inspect for errosion, inspect for significant/differential settling, mowing	NA	Landscaping/mowing scheduled for October 2019			
Northern Wetland	Inspect vegetation	NA	Annual inspection scheduled for October 2019			
Swales	Inspect for damage/blockage, weed wacking	Swales have significant vegetation	Herbicide application Spring/Summer/Fall 2019			
Drop Chute	Inspect for damage/blockage, weed wacking	NA	Landscaping/weedwacking scheduled for October 2019			
Former Trolley Berm (via Factory Ave)	Inspect for erosion, rutting, mowing	Low spot in southeast corner restricts access to the landfill by vehicle at times due to flooding/wet soils	Monitor for any significant erosion			
Fence	Inspect integrity, inspect for significant vegetation	Vegetation observed along some areas of the fence	Annual inspection scheduled for October 2019, repairs to fence areas along the northern/southern borders scheduled for 2019			
Signs	Inspect for vegetation/visual impairment	Replace signs as necessary during 2019 fence repairs.	Annual inspection scheduled for October 2019			

Notes: NA- Not Applicable APPENDIX B

Site Photos















Culvert Area

