

Results from the Supplemental PRB Design Investigation

Former Miller Container Plant, Volney, NY

Prepared for:
Miller Brewing Company
Milwaukee, WI

Prepared by:
URS Corporation
Milwaukee, WI

December 20, 2002

0

JJCIPAI VI

\\

b. 1

LiziitIMU

- » MONITORING WELLS
- ^ RECOVERY WELLS
- TEMPORARY WELLS

PRELIMINARY PRB LAYOUT

1

NORTHERN
OPERABLE UNIT

*Wib

, iRSSg\\

TW-1S^

TW-1D

n\\ur'UStU

PRB#1 \\

TW-2S -

TW-2I o c

TVV-2D

IW-3S @e

TW-3I

• TW-4D

TW-4I

«TW*1GS

TW-10D

(ABAND.)

TAYLOR
PROPERTY

PILOT PRB

TW-5S

TW-5I

op

TW-5D

TW-6B'

PROPOSED

, PRB-2

-%

oTW-13D

'AM2I

PROPOSED

PRB-3

?TV&7S\\

TW-7E)

• TV&5I

CRYRTEEL MANUFACTII RING
(FORMER REYNOLDS CAN PLANT)

<A

* ' ,

-40'X80' GROUNDWATER
TREATMENT SYSTEM
BUILDING

EMPTY
13L/1100

WAREHOUSE

V

FORMER
MILLER B KEWEK CO. BLDG.

V
V

SOUTHERN
OPERABLE UNIT

MIAI-S28\\

^

-\\\$>

^

^

100
J
SCALE IN FEET

PREPARED FOR

MILLCIK BrtVViino UUMKAiNT
FORMER CONTAINER PLANT
VOLNEY, NEW YORK

AS SHOWN

DESIGNED BY 10/28/02
DRAWN BY JRW 10/28/02
CHECKED BY JSK 10/28/02
APPROVED BY JI 12/20/02

CONFIDENTIAL-ALL RIGHTS RESERVED-PROPERTY OF

DRAWING FILE

TEMPORARY WELL LOCATON MAP
SUPPLEMENTAL DESIGN INVESTIGATION 2002

CAD FILE PATH: MILLERSUPPLD\\DEL\\TEMPORARYWELL LOCATIONS

CONTRACT NO.

DRAWING NO.

MILWAUKEE, WISCONSIN 53205

FIG1

FIGURE 1

MW-30S	9/19/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	1.0
1,1,2-DCE	< 1.0
PCE	2.2
TCA	1.8
TCE	< 1.0
VC	< 2.0

TW-1S	9/17/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	< 1.0
1,1,2-DCE	< 1.0
PCE	< 1.0
TCA	< 1.0
TCE	< 1.0
VC	< 2.0

TW-2S	9/17/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	< 1.0
1,1,2-DCE	< 1.0
PCE	< 1.0
TCA	< 1.0
TCE	< 1.0
VC	< 2.0

TW-2D	9/17/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	< 1.0
1,1,2-DCE	< 1.0
PCE	< 1.0
TCA	< 1.0
TCE	< 1.0
VC	< 2.0

TW-3S	9/17/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	< 1.0
1,1,2-DCE	< 1.0
PCE	1.2
TCA	2.3
TCE	< 1.0
VC	< 2.0

TW-3I	9/17/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	1.5
1,1,2-DCE	< 1.0
PCE	5.4
TCA	< 1.0
TCE	< 1.0
VC	< 2.0

TW-3I	9/19/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	< 1.0
1,1,2-DCE	< 1.0
PCE	1.2
TCA	< 1.0
TCE	< 1.0
VC	< 2.0

TW-4I	9/17/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	< 1.0
1,1,2-DCE	< 1.0
PCE	< 1.0
TCA	< 1.0
TCE	< 1.0
VC	< 2.0

TW-4D	9/17/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	< 1.0
1,1,2-DCE	< 1.0
PCE	< 1.0
TCA	< 1.0
TCE	< 1.0
VC	< 2.0

MW-25D	9/19/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	< 1.0
1,1,2-DCE	< 1.0
PCE	< 1.0
TCA	< 1.0
TCE	< 1.0
VC	< 2.0

TW-6B	9/19/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	< 1.0
1,1,2-DCE	< 1.0
PCE	< 1.0
TCA	< 1.0
TCE	< 1.0
VC	< 2.0

MW-53D	9/19/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	< 1.0
1,1,2-DCE	< 1.0
PCE	< 1.0
TCA	< 1.0
TCE	< 1.0
VC	< 2.0

TW-7D	9/18/2002 (ug/L)
1,1-DCA	31.0
1,2-DCA	< 5.0
1,1-DCE	41.0
1,1,2-DCE	< 5.0
PCE	< 5.0
TCA	85.0
TCE	< 5.0
VC	< 10.0

TW7S	9/19/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	< 1.0
1,1,2-DCE	< 1.0
PCE	< 1.0
TCA	< 1.0
TCE	< 1.0
VC	< 2.0

TW-8I	9/18/2002 (ug/L)
1,1-DCA	< 1.0
1,2-DCA	< 1.0
1,1-DCE	< 1.0
1,1,2-DCE	< 1.0
PCE	< 1.0
TCA	< 1.0
TCE	< 1.0
VC	< 2.0

TW-12I	9/18/2002 (ug/L)
1,1-DCA	11.0
1,2-DCA	< 5.0
1,1-DCE	73.0
1,1,2-DCE	< 5.0
PCE	495.0
TCA	106.0
TCE	< 5.0
VC	< 10.0

MW-12D	9/19/2002 (ug/L)
1,1-DCA	4.9
1,2-DCA	< 1.0
1,1-DCE	3.3
1,1,2-DCE	1.2
PCE	4.2
TCA	13.0
TCE	4.0
VC	< 2.0

TW-13D	9/18/2002 (ug/L)
1,1-DCA	8.4
1,2-DCA	< 2.0
1,1-DCE	28.0
1,1,2-DCE	< 2.0
PCE	21.0
TCA	27.0
TCE	8.8
VC	< 4.0

TW-13S	9/18/2002 (ug/L)
1,1-DCA	< 1.0
1,1-DCE	< 1.0
1,1,2-DCE	< 1.0
PCE	< 1.0
TCA	< 1.0
TCE	< 1.0
VC	< 2.0

SCD1BLEUNIT

TAYLOR PROPERTY

OPERABLE UNIT

CRYSTEEL MANUFACTURING (FORMER REYNOLDS CAN PLANT)

EMPTY GLASS WAREHOUSE

40'X80' GROUNDWATER TREATMENT SYSTEM BWKQING

MILLER BREWER CO. BLDG.

MONITORING WELLS

RECOVERY WELLS

TEMPORARY WELLS

PRELIMINARY PRB LAYOUT

Z3ZZ] NON-DETECT

SCALE IN FEET

PREPARED FOR

VIILLIK BktvVINU uGIVirAINV
FORMER CONTAINER PLANT
VOLNEY, NEW YORK

AS SHOWN	
DESIGNED BY	JSK
DRAWN BY	JRW
CHECKED BY	JSK
APPROVED BY	J1
DATE	10/28/02
DATE	10/28/02
DATE	10/28/02
DATE	12/20/02

CONFIDENTIAL-ALL RIGHTS RESERVED-PROPERTY OF

URS

GROUNDWATER ANALYTICAL RESULTS
SUPPLEMENTAL DESIGN INVESTIGATION 2002


CONTRACT NO.

MILWAUKEE, WISCONSIN 53205


UAF-JEJ-JJ



FIG2



FIGURE 2



CAD FILE PATH: MILLER /PRB DESIGN /DELIVERABLES /03 GROUNDWATER PCE
CONTRACT NO. _____ I DRAWING NO. _____







GROUNDWATER FLOW

PROJECTED
TEMPORARY WELL

TEMPORARY WELL

97
1,1,1-TCA LEVEL
FILL MATERIAL - CLAY,
SILT, SAND, GRAVEL
FINE SAND
AND SILT
FINE TO COARSE
SAND AND GRAVEL
SILTY CLAY
LODGMNT TILL - DENSE,
CLAYEY SAND, SILT AND
GRAVEL

HORIZONTAL SCALE IN FEET
1/4" = 10' (1/4" = 10')

FORMER MILLER CONTAINER PLANT
VOLNEY, NEW YORK

AS NOTED




FIGURE 7
CROSS SECTION A-A'
GROUNDWATER TCA CONCENTRATIONS
SUPPLEMENTAL INVESTIGATION 2002
CD 080000 FILE MILLER/SUPPLEMENTARY CROSS SECT AA TCA
809493.01
FIG7





FIGURE 8
CROSS SECTION B-B'
GROUNDWATER PCE CONCENTRATIONS
SUPPLEMENTAL INVESTIGATION 2002

809493.01 FIG8



100 200
HORIZONTAL SCALE IN FEET
VERTICAL EXAGGERATIONS

PROVSJ) FOR
MILLER BREWING COMPANY
FORMER MILLER CONTAINER PLANT
VOLNEY, NEW YORK

AS NOTED
JSK

URS

FIGURE 9
CROSS SECTION B-B'
GROUNDWATER TCA CONCENTRATIONS
SUPPLEMENTAL INVESTIGATION 2002
CM onmn rag HBIER/SUPP/DEUw/09 CROSS SECTION TCA
809493.01 FIG9




FIGURE 10
CROSS SECTION C-C'
GROUNDWATER PCE CONCENTRATIONS
SUPPLEMENTAL INVESTIGATION 2002


HORIZONTAL SCALE IN FEET
VERTICAL EXAGGERATIONS

PKP/SD FOR
MILLER BREWING COMPANY
FORMER MILLER CONTAINER PLANT
VOLNEY, NEW YORK


AS NOTED


UR S
• M U O • VBCOMM B3XU


809493.01 FIG10



- LEGEND**
- FILL MATERIAL - CLAY, SILT, SAND, GRAVEL
 - FINE SAND AND SILT
 - FINE TO COARSE SAND AND GRAVEL
 - SILTY CLAY
 - LODGMET TILL - DENSE, CLAYEY SAND, SILT AND GRAVEL
 - TCA LEVEL
 - GROUNDWATER FLOW
 - PROJECTED TEMPORARY WELL








LEGEND

— DTE SHALLOW

— GROUNDWATER FLOW

FIGURE 14

PREPARED FOR		SCALE		CONSTRUCTION-ALL SHOWN EXCEPT AS NOTED		DRAWING TITLE	
MILLER BREWING COMPANY		AS NOTED		URS		SHALLOW WATER TABLE MAP	
FORMER CONTAINER PLANT		JSK		10/28/02		SEPTEMBER, 2002	
VOLNEY, NEW YORK		JRW		10/28/02		SUPPLEMENTAL INVESTIGATION 2002	
		JL		12/20/02		809493.01	
						FIG14	



LEGEND

DTE DEEP

GROUNDWATER FLOW

FIGURE 15

PREPARED FOR

MILLER BREWING COMPANY
FORMER CONTAINER PLANT
VOLNEY, NEW YORK

AS NOTED

DATE	DATE
10/28/02	10/28/02
JSK	JRW
10/28/02	12/20/92
JI	

CONSULTING - ALL RIGHTS RESERVED - PROPERTY OF

URS

UNIVERSITY MICROFILMS

DESIGNED BY

DEEP POTENTIOMETRIC SURFACE MAP
SEPTEMBER 19, 2002
SUPPLEMENTAL INVESTIGATION 2002

CALCULATED BY

809493.01

FIG15

APPENDICES

Appendix A: Lithologic Boring Logs

Appendix B: NYSDEC Letter Approving Temporary Pump and Treat Shutdown

Appendix C: Former Miller Container Plant Water Level Data During Non-pumping
Conditions (September 19, 2002)

Appendix D: Temporary Well Measuring point Elevation Survey

Appendix E: Groundwater Analytical Data

Appendix A: Lithologic Boring Logs

P««e. / • of.

t'acility/ProjectName

m

License/Pennit/Monitoring Number

Boxing Number

%ormg Drilled By (Fhmri^w^and name olow^23)

Date Drilling Started

Date Drilling Completed

Drilling Method

TTlfr TIT TT T(U DW TY •PPT-

J Common Well Name Final Static Water Level Surface Elevation iorehole L^andLer
TW-2P : _ ^ _ Feet MSL _____ FeetMSL h£> inch«

Bonn* Location
State Plane_____

;N,,

:_____ES/C/N Lai.

Local Grid Location (If applicable) '

O N . D E

IMof.

1/4 of Section.

.,T.

.N. R_____E/W Long.

Feel • S_____FeetO w"

County

DNR County Code CIvttTo*mJ^orViU« ,

0\$&&\$

Sample

4'

Soil Properties

Soil/Rock Description
And Geologic Origin For
Each Major Unit

Si 41
3, I

U

P

'jr

E»5

.1 &1
C o

\$ ve-^y T/RS- it*«B v//«ee«;'/««/

All

£V
7

A/o
boor-

-to'

AS en Doves'

ML

v/^f

HS'

Ttr& Jon fl

M**

ML

-a

*«

tvttftv* fff ro^i -brow*. cUye-y £'nfr.£«*d*

SC

-/i

CL,

« '

h-tf V*ry Ft'nfc. >**(/, fee* fUsit'c &y

ML

•ft'

-22

\$?

•w plastic r fy

CL

Number
and type

Length Att & 2.
Recovery (Cm)

Blow Count

Depth in Feet

•fill TH III | IIII | IIII | IITI | IIII | IIII | IIIIIIII | IIII | ^ III U/I III | IIII | IIII | IIII | IIII | I | TT

Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log
gray-brown silty clay, moderate plasticity	CL	
light brown to beige silt	ML	
red-brown clay, fine to coarse sand, 15-20% gravel, 1/4" to 1/2" well rounded cobbles	GP	
red-brown, clayey, fine to coarse sand and gravel, 40-50% 1/4" to 2" dia well rounded cobbles	GC	
skipped interval due to		
difficult drilling, then large cobbles.		
red-brown medium to coarse sand and gravel, 40-50% 1/4" to 3/8" cobbles.	GP	
skipped interval due to difficult		
drilling through large cobbles.		
as above - rock stuck in sampler	GP	
Blind drill to lodgement till @ 62'		
Screen set @ 52-62'		

Well
Dugram
PED/FID (%)

Compressive
Strength "

fr Moisture Content

Liquid
Limit

Plasticity
Index

P200

RQD /
Comments

oo

8

00

00

1111111 III II 111 III iniiniii

25

8
(0
(C

$$*HL$$

Appendix B: NYSDEC Letter Approving Temporary Pump and Treat Shutdown

New York State Department of Environmental Conservation

Division of Environmental Remediation

^Bureau of Western Remedial Action, 11th Floor

625 Broadway, Albany, New York 12233-7017

Phone: (518) 402-9662 • FAX: (518) 402-9679

Website: www.dec.state.ny.us



SmmissS

August 13, 2002

Mr. James Imbrie
URS Corporation
10200 Innovation Drive, Suite 500
Milwaukee, WI53226

Dear Mr. Imbrie:

Re: Former Miller Container Site, Oswego County, Site No. 7-38-029

Your August 8, 2002 request for a 7-day shut down of the on-site groundwater extraction and treatment system has been reviewed and is approved. The intended purpose of the shutdown is to gather "non-pumping" groundwater level data to be used during the design of the PRB system. It is understood that as soon as the non-pumping groundwater levels have been collected (seven days after shutdown) the groundwater extraction system will be re-started.

If you have any questions feel free to contact me at the address listed above, or call me at 518-402-9671.

Sincerely,

James A. Moras
Project Manager
Bureau of Western Remedial Action
Division of Environmental Remediation

cc: Mr. Quinton Hancock
Environmental Planning Manager
Miller Brewing Company
3939 W.Highland Blvd.
Milwaukee, WI 53208-2866

Mr. John Florek
Fulton Water Works
960 S. First Street
Fulton, NY 13069

**Appendix C: Former Miller Container Plant Water Level Data During
Non-pumping Conditions (September 19, 2002)**

Well	Meas. Pt. Elev.	Well Depth	Screened Int. (ftbgs)	DTW 091902	Water Elv 091902
MW1S	379.13	23.4	18-23	No Reading	
MW1D	378.53	56	51-56	24.92	353.61
MW2S	377.1	23.9	18.5-24	23.6	353.5
MW2D	377.46	56.5	50.5-56.5	23.93	353.53
MW3S	376.27	23.2	18-23	23.63	352.64
MW3D	376.52	57.5	52.5-57.5	23.72	352.8
MW4S	374.04	21.5	16-21	20.92	353.12
MW4D	373.74	56.5	50.5-56.5	20.48	353.26
MW6S	377.23	21.3	16-21	No Reading	
MW6I	377.66	40.4	30-40	24.36	353.3
MW6D	377.95	59	54-59	24.67	353.28
MW7S	372.8	15.4	10-15	No Reading	
MW7D	372.76	66	61-66	20.24	352.52
MW8S	368.68	15.49	7.5-12.5	16.22	352.46
MW8I	368.12	50	40-50	16.28	351.84
MW8D	368.3	66.4	61-66	17.06	351.24
MW9S	366.79	9.4	4-9	No Reading	
MW9D	367.18	83	77.5-82.5	14.98	352.2
MW10S	364.41	16	U-16	16.4	348.01
MWIOD	363.89	69.4	64.5-69.5	16.55	347.34
MW11S	372.69	24.4	19-24	19.68	353.01
MW11D	371.8	83.8	78.5-83.5	19.05	352.75
MW12S	376.22	21	16-21	No Reading	
MW12D	376.05	80.5	76-81	22.62	353.43
MW13D	365.27	44	34-44		
MW14S	380.07	30.5	25-30	31.84	348.23
MW14D	380.19	56	40-55.5	30.56	349.63
MW15D	369.99	42	37-42	20.05	349.94
MW16D	366.29	78	72.5-77.5	13.54	352.75
MW17D	372.74	34.5	29.5-34.5	22.78	349.96
MW18S	375.66	30	15-30	25.88	349.78
MW19S	371.25	19	4-19	No Reading	
MW19D	371.52	51	47-51	20.22	351.3
MW20D	371.35	81	71-81	18.96	352.39
MW21S	379.26	30	25-30	29.9	349.36
MW21D	379.95	37.5	33-38	30.52	349.43
MW22S	368.31	21	16-21	No Reading	
MW22D	368.2	53	48-53	17.48	350.72
MW23S	366.49	27	22-27	20.86	345.63
MW23D	366.88	73	68-73	21.21	345.67
MW24S	363.54	17	12-17	No Reading	
MW24D	363.67	42	37-42	14.57	349.1
MW25S	365.98	24	19-24	16.95	349.03
MW25D	368.14	56.5	52-57	18.81	349.33
MW26S	366.78	17	12-17	No Reading	
MW26D	366.52	79	74.5-79	14.03	352.49

(Water Levels Continued)

Well	Meas. Pt. Elev.	Well Depth	Screened Int. (ftbgs)	DTW 091902	Water Elv 091902
MW27S	365.86	16	11.5-16	13.9	351.96
MW27D	365.76	59	49-59	13.95	351.81
MW28S	356.94	13	8-13	12.3	344.64
MW28I	357.44	39.7	30-40	12.51	344.93
MW28D	357.04	66	61.5-66	No Reading	
MW29S	355.27	13	8-13	No Reading	
MW29I	355.37	44.8	30-45	10.41	344.96
MW29D	355.25	64	59.5-64	10.98	344.27
MW30S	354.11	18	8-13	9.08	345.03
MW30I	354.11	39.9	30^0	8.18	345.93
MW30D	354.07	64.1	59.5-64	9.42	344.65
MW31S	355.62	13	8-13	No Reading	
MW31I	355.67	40	30-40	9.81	345.86
MW31D	356.22	61	56-61	11.17	345.05
MW32D	381.31	61	56-61		
MW33S	383.23	37	32-37	33.97	349.26
MW34D	385.08	60	55-60	Wasp Nest	
MW37S	376.96	25	15-25	23.22	353.74
MW37I	377.3	40	30^0	23.38	353.92
MW37D	377.2	55.5	51-55.5	23.2	354
MW38S	373.61	20	10-20	17.5	356.11
MW38D	373.14	35	30-35	15.75	357.39
MW39S	372.26	18	8-18	17.99	354.27
MW39I	372.34	35	25-35	18.51	353.83
MW39D	372.45	55	45-55	18.24	354.21
MW41S	371.24	13	8-13	No Reading	
MW42S	354.06	20.4	6-21	No Reading	
MW43S	353.58	20.15	6-20	11.21	342.37
MW43D	353.5	56.1	51-56	11.13	342.37
MW44S	353.06	20.4	5.5-20.5	10.24	342.82
MW45S	354.5	20.1	5.5-20	Different Lock	
MW45D	354.04	29.6	24.5-29.5	No Reading	
MW46S	354.12	20.5	5.5-20.5	8.52	345.6
MW46D	354.24	70.6	64-68.5	8.93	345.31
MW49S	378.93	35	25-35	No Reading	
MW49I	379.16	52	42-52	31.37	347.79
MW49D	379.04	72.2	62-72	31.04	348
MW50S	362.82	18	8.5-18.5	14.58	348.24
MW50I	362.57	45	35-45	14.4	348.17
MW50D	362.67	72	62-72	14.5	348.17
MW5U	367.84	52	42-52	15.24	352.6
MW51D	367.37	88.0	78-88	15.56	351.81
MW52S	368.74	18.0	13-18	19.29	349.45
MW52I	368.36	27.0	22-27	18.94	349.42

(Water Levels Continued)

Well	Meas. Pt. Elev.	Well Depth	Screened Int. (ftbgs)	DTW 091902	Water Elv 091902
MW52D	368.09	39.0	34-39	18.65	349.44
MW53S	370.16	70	10-20	No Reading	
MW53I	369.62	38	28-38	16.56	353.06
MW53D	369.47	54	44-54	16.49	352.98
MW54S	372.37	16	11-16	No Reading	
MW54I	372.45	44.7	39.7-44.7	19.21	353.24
MW54D	372.56	73	67.5-72.5	19	353.56
MW55D	374.57	46	36-46	25.12	349.45
MW56D	367.73	67.5	57.5-67.5	16.04	351.69
MW57S	365.01	25	10-25	Unable to locate	
MW57D	365.23	76	66-76	Unable to locate	
MW60S	367.79	23	13-23	16.2	351.59
MW60I	367.67	45	35-45	16.12	351.55
MW60D	367.79	63	53-63	16.2	351.59
MW61D	368.6			18.64	351.59
TW1S	360.12	20	10-20	14.49	345.63
TW1D	359.73	38	28-38	14.01	345.72
TW2S	360.17	21.5	11.5-21.5	13.38	346.79
TW2I	359.915	39	29-39	13.14	346.775
TW2D	360.055	62	52-62	13.29	346.765
TW3S	359.91	20.5	10.5-20.5	12.89	347.02
TW3I	360.11	39	29-39	13.26	346.85
TW4I	352.16	40	30-40	5.18	346.98
TW4D	352.39	63	53-63	5.24	347.15
TW9S	359.98	18.5	8.5-18.5	14.06	345.92
TW9D	360.15	40	30-40	14.56	345.59
TW10S	352.2	20	10-20	4.93	347.27
TW5S	371.64	25	15-25	19	352.64
TW5I	371.705	55	45-55	19	352.705
TW5D	371.515	85	75-85	19	352.515
TW6D	371.125	85.5	75-85	19.2	351.925
TW11I	371.11	55	45-55	18.2	352.91
TW13S	373.64	25	15-25	20.47	353.17
TW13D	373.66	75	65-75	20.65	353.01
TW7S	374.3	25	15-25	20	354.3
TW7D	373.96	75	65-75	20.1	353.86
TW8I	373.66	34.5	24.5-34.5	20.4	353.26
TW12I	373.93	55	45-55		
Muni. M-2A		70	60-70	16	337.5

Appendix D: Temporary Well Measuring point Elevation Survey

Temporary Well Survey

<u>Station</u>	<u>BS</u>	<u>HI</u>	<u>FS</u>	<u>Top</u>	<u>Csq</u>	<u>Comments</u>
MW11D	3..87	375.67			371.8	
TW11I			4.56		371.11	
GE02			4.06		371.61	
GE01			3.1		372.57	
TW13D			2.01		373.66	
TW13S			2.03		373.64	
TW5S			4.03		371.64	
TP1			2.785		372.885	Turning point
TP1	4..57	377..455				Turning point
TW5I			5.75		371.705	
TW5D			5.94		371.515	
TW6D			6.33		371.125	
TP1			4.57		372.885	Turning point
TP1	2..68	375.565				Turning point
MW11D			3.76		371.805	

Survey good -- closed within 0.005 ft

MW12D	3.77	379.82			376.05	
TW13S			6.17		373.65	
MW12D			3.77		376.05	

Survey good -- closed within 0.00 ft

MW12D	3.96	380.01			376.05	
TW12I			6.08		373.93	
TW7S			5.71		374.3	
TW7D			6.05		373.96	
TW8I			6.35		373.66	
TW7D	5.875	379.835			373.96	
MW12D			3.79		376.045	

Survey good -- closed within 0.005 ft

MW28D	4.59	361.63		357.04
TW9S			1.65	359.98
TW9D			1.48	360.15
TW1D			1.9	359.73
TW1S			1.51	360.12
TW1S	1.51	361.63		360.12
TW2S			1.46	360.17
TW2I			1.715	359.915
TW2D			1.575	360.055
TW2S	1.57	361.74		360.17
TW3S			1.83	359.91
TW3D			1.63	360.11
TW4D			9.35	352.39
TW4I			9.58	352.16
TW10S			9.54	352.2
TW2I			1.835	359.905
TW2I	2	361.905		359.905
MW28D			4.87	357.035

Survey good -- closed within 0.005 ft

Appendix E: Groundwater Analytical Data



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Irabrie

PROJECT NAME: 809493/Fulton
DATE: 09/26/2002

SAMPLE NUMBER- 298866 SAMPLE ID- TW-9S
DATE SAMPLED- 09/17/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1300
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/23/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/23/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/23/02		BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/23/02		BLD	< 2.0 ug/L^
BROMOMETHANE	EPA 601	09/23/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/23/02		BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 601	09/23/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/23/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298866

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
BROMOFORM	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,2-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0	ug/L

v-t^:iteif^,'^,-i

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/26/2002

SAMPLE NUMBER- 298867 SAMPLE ID- TW-9D
DATE SAMPLED- 09/17/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1330
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/23/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/23/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/23/02		BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/23/02		BLD	< 2.0 ug/L :
BROMOMETHANE	EPA 601	09/23/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/23/02		BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 601	09/23/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/23/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298867

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
BROMOFORM	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,3-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,4-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,2-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Pulton
DATE: 09/26/2002

SAMPLE NUMBER- 298868 SAMPLE ID- TW-1S
DATE SAMPLED- 09/17/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1400
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 601 SCAN	EPA 601	09/23/02		BLD		
DICHLORODIFLUOROMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
CHLOROMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
VINYL CHLORIDE	EPA 601	-09/23/02		BLD	< 2.0	ug/L
BROMOMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
CHLOROETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CHLOROFORM	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/23/02		BLD	< 10	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR 1SAMPLE NUMBER 298868 .

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1, 1, 2-TRICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 601	09/23/02		BLD-	< 1.0 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
BROMOFORM	EPA 601	09/23/02		BLD	< 1.0 ug/L
1, 1, 2, 2-TETRACHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1, 3-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1, 4-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1, 2-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

,PROJECT NAME: 809493/Pulton
DATE: 09/26/2002

SAMPLE NUMBER- 298869 SAMPLE ID- TW-1D
DATE SAMPLED- 09/17/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1430
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 601 SCAN	EPA 601	09/23/02		BLD		
DICHLORODIFLUOROMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
CHLOROMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
VINYL CHLORIDE	EPA 601	09/23/02		BLD	< 2.0	ug/L
BROMOMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
CHLOROETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CHLOROFORM	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/23/02		BLD	< 10	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
- Fax 315-478-2107

Page 2 of 2 .

CONTINUATION OF DATA FOR SAMPLE NUMBER 298869

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY/..	-RESULT-UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/23/02	BLD	:-<	1.0 ug/L
TETRACHLOROETHENE	EPA 601	09/23/02	BLD	<	1.0 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/23/02	BLD	" <	1.0 ug/L
CHLOROBENZENE	EPA 601	09/23/02	BLD	<	1.0 ug/L
BROMOFORM	EPA 601	09/23/02	BLD	<	1.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/23/02	BLD	<	1.0 ug/L
1,3-DICHLOROBENZENE	EPA 601	09/23/02	BLD	<	1.0 ug/L
1,4-DICHLOROBENZENE	EPA 601	09/23/02	BLD	<	1.0 ug/L
1,2-DICHLOROBENZENE	EPA 601	09/23/02	BLD	<	1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/26/2002

SAMPLE NUMBER- 298870 SAMPLE ID- TW-2I
DATE SAMPLED- 09/17/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1500
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 601 SCAN	EPA 601	09/23/02		BLD		
DICHLORODIFLUOROMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
CKLOROMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
VINYL CHLORIDE	EPA 601	09/23/02		BLD	< 2.0	ug/L
BROMOMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
CHLOROETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CHLOROFORM	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/23/02		BLD	< 10	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298870

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
BROMOFORM	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,3-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,4-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0 ug/L
1,2-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

A handwritten signature in black ink, appearing to be 'J. J. J.', is written over the 'APPROVED BY:' text.

(Terms and conditions on Reverse "Side")



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/26/2002

SAMPLE NUMBER- 298871 SAMPLE ID- Tw-2S
DATE SAMPLED- 09/17/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1530
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 601 SCAN	EPA 601	09/23/02		.BLD		
DICHLORODIFLUOROMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
CHLOROMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
VINYL CHLORIDE	EPA 601	09/23/02		BLD	< 2.0	ug/L
BROMOMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
CHLOROETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CHLOROFORM	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/23/02		BLD	< 10	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
• Syracuse, NY 13210
• Phone 315-478-2374
• Fax 315-478-2107

Page 2 of 2

CONTINUATION OP DATA FOR SAMPLE NUMBER 298871

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
BROMOFORM	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,2-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)



*Certified
Environmental
Services, Inc.*

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/26/2002

SAMPLE NUMBER- 298872 SAMPLE ID- TW-2D
DATE SAMPLED- 09/17/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1600
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 601 SCAN	EPA 601	09/23/02		BLD		
DICHLORODIFLUOROMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
CHLOROMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
VINYL CHLORIDE	EPA 601	09/23/02		BLD	< 2.0	ug/L
BROMOMETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
CHLOROETHANE	EPA 601	09/23/02		BLD	< 2.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 601	: 09/23/02		BLD	< 1.0	ug/L
CHLOROFORM	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRICHLOROETHENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/23/02		BLD	< 10	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298872

ANALYSIS	METHOD	ANALYSIS : DATE .. TIME	BY :	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/23/02	BLD	< .1.0	ug/L
TETRACHLOROETHENE	EPA 601	09/23/02	BLD	< 1.0	ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/23/02	BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 601	09/23/02	BLD	< 1.0	ug/L
BROMOFORM	EPA 601	09/23/02	BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/23/02	BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 601	09/23/02	BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 601	09/23/02	BLD	< 1.0	ug/L
1,2-DICHLOROBENZENE	EPA 601	09/23/02	BLD	< 1.0	ug/L

-A-rM-v-'::' j:AS&.*b&M:~^3?.

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Pulton
DATE: 09/26/2002

SAMPLE NUMBER- 298873 SAMPLE ID- TW-3I
DATE SAMPLED- 09/17/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1630
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME: BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/23/02	BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/23/02	BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/23/02	BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/23/02	BLD	< 2.0 ug/L
BROMOMETHANE	EPA 601	09/23/02	BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/23/02	BLD	< 2*0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/23/02	BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/23/02	BLD	1.5 ug/L
METHYLENE CHLORIDE	EPA 601	09/23/02	BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/23/02	BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/23/02	BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/23/02	BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/23/02	BLD	5.4 ug/L
CARBON TETRACHLORIDE	EPA 601	09/23/02	BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/23/02	BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/23/02	BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/23/02	BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/23/02	BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/23/02	BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/23/02	BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/23/02	BLD	< 10 ug/L

v. - - - ***,



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298873

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 601	09/23/02		BLD	3.8	ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
BROMOFORM	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0	ug/L
1,2-DICHLOROBENZENE	EPA 601	09/23/02		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Irabrie

PROJECT NAME: 809493/Fulton
DATE: 09/26/2002

SAMPLE NUMBER- 298874 SAMPLE ID- TW-3S
DATE SAMPLED- 09/17/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1700
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/24/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
VINYL CHLORIDE ' ;~f.'	EPA 601	09/24/02		BLD	< 2.0 ug/L
BROMOMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02		BLD	2.3 ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298874

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY ^	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 601	09/24/02		BLD	1.2	ug/L
DIBROMOCRXOROMBTHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
BROMOFORM	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,2-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terras and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME! 809493/Fulton
DATE: 09/26/2002

SAMPLE NUMBER- 298875 SAMPLE ID- TW-4D
DATE SAMPLED- 09/17/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1730
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/24/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
VINYL CBXORIDE	EPA 601	09/24/02		BLD	< 2.0 ug/L
BROMOMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298875

ANALYSIS	METHOD-	ANALYSIS DATE	TIME	B*	RESULT UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMOFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,3-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,4-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246


APPROVED BY: (Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
fee 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/26/2002

SAMPLE NUMBER- 298876 SAMPLE ID- TW-4I
DATE SAMPLED- 09/17/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1800
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/24/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/24/02		BLD	< 2.0 ug/L
BROMOMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Pax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298876

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	-RESULT UNITS
1, 1, 2-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMOFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1, 1, 2, 2-TETRACHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1, 3-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1, 4-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1, 2-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/26/2002

SAMPLE NUMBER- 298877 SAMPLE ID- Trip Blank
DATE SAMPLED- 09/17/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA

RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/24/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/24/02		BLD	< .2.0 ug/L
BROMOMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298877

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
BROMOFORM	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,2-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



*Certified
Environmental
Services, Inc.*

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/26/2002

SAMPLE NUMBER- 298878 SAMPLE ID- TW-3D
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER-. Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chrie Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1400
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/24/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
VINYL CHLORIDE	- EPA 601	, 09/24/02		BLD	< 2.0 ug/L ..
BROMOMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02		BLD	2.5 ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315478-2374
Fax 315478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298878

ANALYSIS	METHOD	ANALYSIS DATE .	TIME	BY	RESULT	UNITS
1, 1, 2-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 601	09/24/02		BLD	1.2	ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
BROMOFORM	•EPA 601	09/24/02		BLD	< 1.0	ug/L
1, 1, 2, 2-TETRACHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1, 3-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1, 4-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1, 2-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)



Certified Environmental Services, Inc.
1401 Erie Blvd. East
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

CHAIN OF C ^ O D Y RECORD

BATCH-NO:

Turn-Around Time:

- 1 Week . * > > * > * * \
- 72 Hours ***
- 48 Hours
- 24 Hours

Page / of.

PARAMETERS FOR ANALYSIS

CLIENT NAME: 6/jq< Cw&

ADDRESS: JO 2 &s> tt***~i*>A^ KX ,
/hi/l*. . usll <J11TU.

PHONE: *iw t*S(- **>&>

FAX: <Tt~ ~ <///&'

CONTACT NAME: ^Jja**i?i' TLSyi-fw^

PROJECT NUMBER/NAME:

PURCHASE ORDER NO:

Sampler's Name: vA-e &ei~*

. Signature: # ^ jg±



TYPE MATR
(0
& S 0)

Collected

GES: ^plejS%wrs

Date

Time

O

O

CLIENT ID/SAMPLE LOCATION

298866
298867
298868
298869
298870
298871
298872
298873
298874
298875

/;#> ,

% %

*: ?&

2* < * >

i: ?&

J: < * T >

T.fo

y.'cr«

HVA>

\$; < ^ >

r; * >

if f

M

^ ^

mv~ 9T

TkJ~qj>

T^ - /f

T^> * i o

r-to - 2. 2T

ru -is

T^ - z-O

7*1^ - 5*X

T<" ' ?*

To-> - YO

A

K

A

X

X

^

V

ISO % TOTAL NUMBER OF CONTAINERS

SAMPLES RELINQUISHED BY:

NAME: \$*% &->W&r

SIGNATURE: jZ*.jE+j*

DATE: ?// - ?

TIME: / * E * >

SAMPLES RECEIVED BY:

NAME: (LU^nv3*/>^P

SIGNATURE: G^a^4=

DATE: 9-//?

TIME: 1400

Samples Received in Good Condition: - <<

fes • No

Temperature f0^Ls °C C^Cy^lj^i

NAME: ftK/SMi KO^

SIGNATURE: ^EA— ~J

DATE: 11/11


TIME: 1500

NAME: Christine Mignone

SIGNATURE: Christine Mignone

DATE: 9/19/08

TIME: 1500



Fax:315-478-2107

BATCH NO:

Turn-AroundTime:

- Standard
- ; J3CI Week
- D72 Hours
- O 48 Hours
- 24 Hours

PROJECT NUMBER/NAME:
i09 yoj*

FAX:

CONTACT NAME:

PURCHASE ORDER NO:

Sampler's Name: **J&£** **£&-*£>**

. Signature: -^^5^1j—

[illegible]

SPECIAL REMARKS:

CLIENT ID/SAMPLE LOCATION

X < ^ **.!>
3W* ffUck
~T~U6 3b

rx
LE
CONTAIN
rx
LU
m
3

g

**2
K
X**

2

TOTALNUMBER OF CONTAINERS >fc?

SAMPLES RELINQUISHED BYL
NAME: ^PTTS^FJT' DATE: ^/ / ^
SIGNATURE: *P • # 'j& TIME: ; Y ^ ^

NAME: *pj^rf'^* M> *etu* DATE: ?//7
S . G N A T 6 ^ ^ ^ y ^ ^ TIME: / ^

SAMPLES RECEIVED BY:
NAME: C N'tXotJ DATE: 4/1 ^
SIGNATURE: [Signature] TIME: 1400

NAME: John Stone M. Gupta DATE: 9/19/02
SIGNATURE: [Signature] TIME: 1:53

Sarpptes Received in Good Condition:
res O No

Temperature/f / ' Q °C (L^xLjL^



*Certified
Environmental
Services, Inc.*

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Pulton
DATE: 09/27/2002

SAMPLE NUMBER- 298879 SAMPLE ID- MW-53D
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1000
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 601 SCAN	EPA 601	09/24/02		BLD		
DICHLORODIPLUOROMETHANE	EPA 601	09/24/02		BLD	< 2.0	ug/L
CHLOROMETHANE	EPA 601	09/24/02		BLD	< 2.0	ug/L
VINYL CHLORIDE	EPA 601	09/24/02		BLD	< 2.0	ug/L
BROMOMETHANE	EPA 601	09/24/02		BLD	< 2.0	ug/L
CHLOROETHANE	SPA 601	09/24/02		BLD	< 2.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
CHLOROFORM	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
TRICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02		BLD	< 10	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298879

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
BROMOFORM	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,2-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/27/2002

SAMPLE NUMBER- 298880 SAMPLE ID- TW-6D
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1115
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/24/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L .
CHLOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/24/02		BLD	< 2.0 ug/L v,
BROMOMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02		BLD	4.3 ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02		BLD	4.9 ug/L
CHLOROFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02		BLD	16 ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.


1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298880

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 601	09/24/02		BLD	1.6	ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
BROMOFORM	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,2-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED Br: 
{Terms and Conditions on Reverse Side}



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/27/2002

SAMPLE NUMBER- 298881 SAMPLE ID- TW-5I
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1000
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/24/02		BLD	
DICHLORODIFLOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/24/02		BLD	< 2.0 ug/L
BROMOMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02		BLD	1.4 ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02		BLD	4.8 ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298881

ANALYSIS	METHOD	ANALYSIS DATE ' TIME	.BY	RESULT -UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/24/02	BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 601	09/24/02	BLD	2.3 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/24/02	BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 601	09/24/02	BLD	< 1.0 ug/L
BROMOFORM	EPA 601	09/24/02	BLD	< 1.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/24/02	BLD	< 1.0 ug/L
1,3-DICHLOROBENZENE	EPA 601	09/24/02	BLD	< 1.0 ug/L
1,4-DICHLOROBENZENE	EPA 601	09/24/02	BLD	< 1.0 ug/L
1,2-DICHLOROBENZENE	EPA 601	09/24/02	BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Pulton
DATE: 09/27/2002

SAMPLE NUMBER- 298882 SAMPLE ID- MW-11S
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chrifl Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 0900
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/24/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/24/02		BLD	< 2.0 ug/L
BROMOMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
TRICHLOROPLUOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298882

ANALYSIS	METHOD	ANALYSIS DATE.	TIME	BY	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/24/02		BLD -	< 1.0	ug/L
TETRACHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
BROMOFORM	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,2-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



*Certified
Environmental
Services, Inc.*

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/27/2002

SAMPLE NUMBER- 298883 SAMPLE ID- MW-12D
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 0830
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME; BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/24/02	BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/24/02	BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/24/02	BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/24/02	BLD	< 2.0 ug/L
BROMOMETHANE	EPA 601	09/24/02	BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/24/02	BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/24/02	BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02	BLD	3.3 ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02	BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02	BLD	1.2 ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02	BLD	4.9 ug/L
CHLOROFORM	EPA 601	09/24/02	BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02	BLD	13 ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02	BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02	BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/24/02	BLD	4.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02	BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02	BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02	BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02	BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02	BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298883

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	.. RESULT UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TETRACHLOROETRENE	EPA 601	09/24/02		BLD	4.2 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMOFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,2,2-TETRACHLOROETBANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,3-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,4-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:


(Terms and Conditions of TT~Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/27/2002

SAMPLE NUMBER- 298884 SAMPLE ID- MW-11D
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 0930
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/24/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/24/02		-BLD	< 2.0 ug/L
BROMOMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02		BLD	1.0 ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.


1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Rix 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298884

ANALYSIS	METHOD	ANALYSIS DATE -r -TIME	BY	RESULT UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/24/02	BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 601	09/24/02	BLD	8.1 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/24/02	BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 601	09/24/02	BLD	< 1.0 ug/L
BROMOFORM	EPA 601	09/24/02	BLD	< 1.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/24/02	BLD	< 1.0 ug/L
1,3-DICHLOROBENZENE	EPA 601	09/24/02	BLD	< 1.0 ug/L
1,4-DICHLOROBENZENE	EPA 601	09/24/02	BLD	< 1.0 ug/L
1,2-DICHLOROBENZENE	EPA 601	09/24/02	BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)



*Certified
Environmental
Services, Inc.*

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/27/2002

SAMPLE NUMBER- 298885 SAMPLE ID- TW-5S
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 0925
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 601 SCAN	EPA 601	09/24/02		BLD		
DICHLORODIFLUOROMETHANE	EPA 601	09/24/02		BLD	0	ug/L
CHLOROMETHANE	EPA 601	09/24/02		BLD	0	ug/L
VINYL CHLORIDE	EPA 601	09/24/02		BLD	0	ug/L -i;
BROMOMETHANE	EPA 601	09/24/02		BLD	0	ug/L -v-
CHLOROETHANE	EPA 601	09/24/02		BLD	0	ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/24/02		BLD	0	ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02		BLD	0	ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02		BLD	0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02		BLD	0	ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02		BLD	0	ug/L
CHLOROFORM	EPA 601	09/24/02		BLD	0	ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02		BLD	0	ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02		BLD	0	ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02		BLD	0	ug/L
TRICHLOROETHENE	EPA 601	09/24/02		BLD	0	ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02		BLD	0	ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02		BLD	0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	0	ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02		BLD	10	ug/L



*Certified
Environmental
Services, Inc.*

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298885

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMOFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,3-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,4-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/27/2002

SAMPLE NUMBER- 298886 SAMPLE ID- TW-5D
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1045
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/24/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/24/02		BLD	< 2.0 ug/L
BROMOMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02		BLD	16 ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02		BLD	2.2 ug/L
CHLOROFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02		BLD	15 ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298886

ANALYSIS	METHOD	•ANALYSIS DATE	TIME	BY	- RESULT UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 601	09/24/02		BLD	13 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMOFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,3-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,4-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse side)



*Certified
Environmental
Services, Inc.*

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Pulton
DATE: 09/27/2002

SAMPLE NUMBER- 298887 SAMPLE ID- TW-11I
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 0840
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIKE	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/24/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/24/02		BLD	< 2.0 ug/L
BROMOMETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/24/02		BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/24/02		BLD	1.0 ug/L
METHYLENE CHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/24/02		BLD	3.5 ug/L
CARBON TETRACHLORIDE	EPA 601	09/24/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/24/02		BLD	1.4 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/24/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/24/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298887

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 601	09/24/02		-BLD	14	ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
BROMOFORM	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L
1,2-DICHLOROBENZENE	EPA 601	09/24/02		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, HI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/27/2002

SAMPLE NUMBER- 298888 SAMPLE ID- MW-30S
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1100
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME! BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/25/02	BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/25/02	BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/25/02	BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/25/02	BLD	< 2.0ug/L-:-&sU
BROMOMETHANE	EPA 601	09/25/02	BLD	< 2.0 ug/L--'^-
CHLOROETHANE	EPA 601	09/25/02	BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/25/02	BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/25/02	BLD	1.0 ug/L
METHYLENE CHLORIDE	EPA 601	09/25/02	BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/25/02	BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/25/02	BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/25/02	BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/25/02	BLD	1.8 ug/L
CARBON TETRACHLORIDE	EPA 601	09/25/02	BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/25/02	BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/25/02	BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/25/02	BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/25/02	BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/25/02	BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/25/02	BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/25/02	BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298888

ANALYSIS	METHOD	ANALYSIS DATE,	TIME "BY	RESULT UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/25/02	BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 601	09/25/02	BLD	2.2 ug/L
DIBROMOCRLOROMETHANE	EPA 601	09/25/02	BLD	< 1.0 ug/L
CHLOROBENZENE	EPA 601	09/25/02	BLD	< 1.0 ug/L
BROMOFORM	EPA 601	09/25/02	BLD	< 1.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/25/02	BLD	< 1.0 ug/L
1,3-DICHLOROBENZENE	EPA 601	09/25/02	BLD	< 1.0 ug/L
1,4-DICHLOROBENZENE	EPA 601	09/25/02	BLD	< 1.0 ug/L
1,2-DICHLOROBENZENE	EPA 601	09/25/02	BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/27/2002

SAMPLE NUMBER- 298889 SAMPLE ID- TW-13S
DATE SAMPLED- 09/18/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 0930
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 601 SCAN	EPA 601	09/25/02		BLD		
DICHLORODIFLUOROMETHANE	EPA 601	09/25/02		BLD	< 2.0	ug/L
CHLOROMETHANE	EPA 601	09/25/02		BLD	< 2.0	ug/L
VINYL CHLORIDE	EPA 601	09/25/02		BLD	< 2.0	ug/L
BROMOMETHANE	EPA 601	09/25/02		BLD	< 2.0	ug/L
CHLOROETHANE	EPA 601	09/25/02		BLD	< 2.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 601	09/25/02		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 601	09/25/02		BLD	< 1.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
CHLOROFORM	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
TRICHLOROETHENE	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/25/02		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/25/02		BLD	< 1.0	ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/25/02		BLD	< 10	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107


Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298889

ANALYSIS	METHOD	- ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 601	09/25/02		BLD	< 1.0	ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 601	09/25/02		BLD	< 1.0	ug/L
BROMOFORM	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,2-DICHLOROBENZENE	EPA 601	09/25/02		BLD	< 1.0	ug/L

-. .>*

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
- Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn Mr. James Imbrie

PROJECT NAME: 809493/Pulton
DATE: 09/27/2002

SAMPLE NUMBER- 298890 SAMPLE ID- TW-13D
DATE SAMPLED- 09/18/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1100
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 601 SCAN	EPA 601	09/25/02		BLD		
DICHLORODIFLUOROMETHANE	EPA 601	09/25/02		BLD		ug/L
CHLOROMETHANE	EPA 601	09/25/02		BLD		ug/L
VINYL CHLORIDE	EPA 601	09/25/02		BLD		;ug/L
BROMOMETHANE	EPA 601	09/25/02		BLD		ug/L
CHLOROETHANE	EPA 601	09/25/02		BLD		ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/25/02		BLD		ug/L
1,1-DICHLOROETHENE	EPA 601	09/25/02		BLD	28	ug/L
METHYLENE CHLORIDE	EPA 601	09/25/02		BLD	2.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/25/02		BLD	2.0	ug/L
1,1-DICHLOROETHANE	EPA 601	09/25/02		BLD	8.4	ug/L
CHLOROFORM	EPA 601	09/25/02		BLD	2.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/25/02		BLD	27	ug/L
CARBON TETRACHLORIDE	EPA 601	09/25/02		BLD	2.0	ug/L
1,2-DICHLOROETHANE	EPA 601	09/25/02		BLD	2.0	ug/L
TRICHLOROETHENE	EPA 601	09/25/02		BLD	8.8	ug/L
1,2-DICHLOROPROPANE	EPA 601	09/25/02		BLD	2.0	ug/L
BROMODICHLOROMETHANE	EPA 601	09/25/02		BLD	2.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/25/02		BLD	2.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/25/02		BLD	2.0	ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/25/02		BLD	: 20	ug/L



*Certified
Environmental
Services, Inc.*

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Roc 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298890

ANALYSIS	METHOD	ANALYSIS ..* DATE ₁ - TIME	BY	RESULT UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/25/02	BLD	<.2.0 ug/L
TETRACHLOROETHENE	EPA 601	09/25/02	BLD	21 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/25/02	BLD	< 2.0 ug/L
CHLOROBENZENE	EPA 601	09/25/02	BLD	< 2.0 ug/L
BROMOFORM	EPA 601	09/25/02	BLD	< 2.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/25/02	BLD	< 2.0 ug/L
1,3-DICHLOROBENZENE	EPA 601	09/25/02	BLD	< 2.0 ug/L
1,4-DICHLOROBENZENE	EPA 601	09/25/02	BLD	< 2.0 ug/L
1,2-DICHLOROBENZENE	EPA 601	09/25/02	BLD	< 2.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/27/2002

SAMPLE NUMBER- 298891 SAMPLE ID- TW-12I
DATE SAMPLED- 09/18/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1325
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 601 SCAN	EPA 601	09/26/02		BLD		
DICHLORODIFLUOROMETHANE	EPA 601	09/26/02		BLD	< 10	ug/L
CHLOROMETHANE	EPA 601	09/26/02		BLD	< 10	ug/L
VINYL CHLORIDE	EPA 601	09/26/02		BLD	< 10	ug/L
BROMOMETHANE	EPA 601	09/26/02		BLD	< 10	ug/L
CHLOROETHANE	EPA 601	09/26/02		BLD	< 10	ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,1-DICHLOROETHENE	EPA 601	09/26/02		BLD	73	ug/L
METHYLENE CHLORIDE	EPA 601	09/26/02		BLD	< 5.0	ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,1-DICHLOROETHANE	EPA 601	09/26/02		BLD	11	ug/L
CHLOROFORM	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/26/02		BLD	106	ug/L
CARBON TETRACHLORIDE	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,2-DICHLOROETHANE	EPA 601	09/26/02		BLD	< 5.0	ug/L
TRICHLOROETHENE	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,2-DICHLOROPROPANE	EPA 601	09/26/02		BLD	< 5.0	ug/L
BROMODICHLOROMETHANE	EPA 601	09/26/02		BLD	< 5.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/26/02		BLD	< 5.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/26/02		BLD	< 5.0	ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/26/02		BLD	< 50	ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298891

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/26/02		BLD	< 5.0 ug/L
TETRACHLOROETHENE	EPA 601	09/26/02		BLD	* 435 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/26/02		BLD	< 5.0 ug/L
CHLOROBENZENE	EPA 601	09/26/02		BLD	< 5.0 ug/L
BROMOFORM	EPA 601	09/26/02		BLD	< 5.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/26/02		BLD	< 5.0 ug/L
1,3-DICHLOROBENZENE	EPA 601	09/26/02		BLD	< 5.0 ug/L
1,4-DICHLOROBENZENE	EPA 601	09/26/02		BLD	< 5.0 ug/L
1,2-DICHLOROBENZENE	EPA 601	09/26/02		BLD	< 5.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on ~~Reverse~~ slcte)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/27/2002

SAMPLE NUMBER- 298892 SAMPLE ID- TW-7S
DATE SAMPLED- 09/18/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1525
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/26/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/26/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/26/02		BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/26/02		-BLD	< 2.0 ug/L
BROMOMETHANE	EPA 601	09/26/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/26/02		BLD	< 2.0 ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/26/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/26/02		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 601	09/26/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/26/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/26/02		BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/26/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/26/02		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 601	09/26/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/26/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/26/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/26/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/26/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/26/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/26/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/26/02		BLD	< 10 ug/L



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298892

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/26/02		BLD	< 1.0	ug/L
TETRACHLOROETHENE	EPA 601	09/26/02		BLD	< 1.0	ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/26/02		BLD	< 1.0	ug/L
CHLOROBENZENE	EPA 601	09/26/02		BLD	< 1.0	ug/L
BROMOFORM	EPA 601	09/26/02		BLD	< 1.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/26/02		BLD	< 1.0	ug/L
1,3-DICHLOROBENZENE	EPA 601	09/26/02		BLD	< 1.0	ug/L
1,4-DICHLOROBENZENE	EPA 601	09/26/02		BLD	< 1.0	ug/L
1,2-DICHLOROBENZENE	EPA 601	09/26/02		BLD	< 1.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/27/2002

SAMPLE NUMBER- 298893 SAMPLE ID- TW-7D
DATE SAMPLED- 09/18/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1550
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 601 SCAN	EPA 601	09/26/02		BLD		
DICHLORODIFLUOROMETHANE	EPA 601	09/26/02		BLD	< 10	ug/L
CHLOROMETHANE	EPA 601	09/26/02		BLD	< 10	ug/L
VINYL CHLORIDE	EPA 601	09/26/02		BLD	< 10	ug/L
BROMOMETHANE	EPA 601	09/26/02		BLD	< 10	ug/L
CHLOROETHANE	EPA 601	09/26/02		BLD	< 10	ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,1-DICHLOROETHENE	EPA 601	09/26/02		BLD	41	ug/L
METHYLENE CHLORIDE	EPA 601	09/26/02		BLD	< 5.0	ug/L
TRANS-1, 2-DICHLOROETHENE	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,1-DICHLOROETHANE	EPA 601	09/26/02		BLD	31	ug/L
CHLOROFORM	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/26/02		BLD	85	ug/L
CARBON TETRACHLORIDE	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,2-DICHLOROETHANE	EPA 601	09/26/02		BLD	< 5.0	ug/L
TRICHLOROETHENE	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,2-DICHLOROPROPANE	EPA 601	09/26/02		BLD	< 5.0	ug/L
BROMODICHLOROMETHANE	EPA 601	09/26/02		BLD	< 5.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/26/02		BLD	< 5.0	ug/L
TRANS-1, 3-DICHLOROPROPENE	EPA 601	09/26/02		BLD	< 5.0	ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/26/02		BLD	< 50	ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298893

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/26/02		BLD	< 5.0	ug/L
TETRACHLOROETHENE	EPA 601	09/26/02		BLD	< 5.0	ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/26/02		BLD	< 5.0	ug/L
CHLOROBENZENE	EPA 601	09/26/02		BLD	< 5.0	ug/L
BROMOFORM	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,3-DICHLOROBENZENE	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,4-DICHLOROBENZENE	EPA 601	09/26/02		BLD	< 5.0	ug/L
1,2-DICHLOROBENZENE	EPA 601	09/26/02		BLD	< 5.0	ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/27/2002

SAMPLE NUMBER- 298894 SAMPLE ID- TW-8I
DATE SAMPLED- 09/18/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1830
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
EPA 601 SCAN	EPA 601	09/25/02		BLD		
DICHLORODIFLUOROMETHANE	EPA 601	09/25/02		BLD	< 2.0	ug/L
CHLOROMETHANE	EPA 601	09/25/02		BLD	< 2.0	ug/L
VINYL CHLORIDE	EPA 601	09/25/02		BLD	< 2.0	ug/L
BROMOMETHANE	EPA 601	09/25/02		BLD	< 2.0	ug/L
CHLOROETHANE	EPA 601	09/25/02		BLD	< 2.0	ug/L
TRICHLOROFLUOROMETHANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHENE	EPA 601	09/25/02		BLD	< 1.0	ug/L
METHYLENE CHLORIDE	EPA 601	09/25/02		BLD	< 1.0	ug/L
TRANS-1, 2-DICHLOROETHBNE	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,1-DICHLOROETHANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
CHLOROFORM	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
CARBON TETRACHLORIDE	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,2-DICHLOROETHANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
TRICHLOROETHENE	EPA 601	09/25/02		BLD	< 1.0	ug/L
1,2-DICHLOROPROPANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
BROMODICHLOROMETHANE	EPA 601	09/25/02		BLD	< 1.0	ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/25/02		BLD	< 1.0	ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/25/02		BLD	< 1.0	ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/25/02		BLD	< 10	ug/L



*Certified
Environmental
Services, Inc.*

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298894

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/25/02		BLD	< 1.0 ug/L
TETRACHLOROETHENE	EPA 601	09/25/02		BLD	< 1.0 ug/L
DIBROMOCHLOROMETHANE	EPA 601	09/25/02		BLD	< 1.0 ug/L
CBXOROBENZENE	EPA 601	09/25/02		BLD	< 1.0 ug/L
BROMOFORM	EPA 601	09/25/02		BID	< 1.0 ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/25/02		BLD	< 1.0 ug/L
1,3-DICHLOROBENZENE	EPA 601	09/25/02		BLD	< 1.0 ug/L
1,4-DICHLOROBENZENE	EPA 601	09/25/02		BLD	< 1.0 ug/L
1,2-DICHLOROBENZENE	EPA 601	09/25/02		BLD	< 1.0 ug/L

NYSDOH LAB ID NO. 11246

APPROVED BY:

(Terms and Conditions on Reverse Side)



*Certified
Environmental
Services, Inc.*

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

PROJECT NAME: 809493/Fulton
DATE: 09/27/2002

SAMPLE NUMBER- 298895 SAMPLE ID- MW-25D
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1310
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 2

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
EPA 601 SCAN	EPA 601	09/25/02		BLD	
DICHLORODIFLUOROMETHANE	EPA 601	09/25/02		BLD	< 2.0 ug/L
CHLOROMETHANE	EPA 601	09/25/02		BLD	< 2.0 ug/L
VINYL CHLORIDE	EPA 601	09/25/02		BLD	< 2.0 ug/L
BROMOMETHANE	EPA 601	09/25/02		BLD	< 2.0 ug/L
CHLOROETHANE	EPA 601	09/25/02		BLD	< 2.0 ug/L
TRICHLOROFLOROMETHANE	EPA 601	09/25/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHENE	EPA 601	09/25/02		BLD	< 1.0 ug/L
METHYLENE CHLORIDE	EPA 601	09/25/02		BLD	< 1.0 ug/L
TRANS-1,2-DICHLOROETHENE	EPA 601	09/25/02		BLD	< 1.0 ug/L
1,1-DICHLOROETHANE	EPA 601	09/25/02		BLD	< 1.0 ug/L
CHLOROFORM	EPA 601	09/25/02		BLD	< 1.0 ug/L
1,1,1-TRICHLOROETHANE	EPA 601	09/25/02		BLD	< 1.0 ug/L
CARBON TETRACHLORIDE	EPA 601	09/25/02		BLD	< 1.0 ug/L
1,2-DICHLOROETHANE	EPA 601	09/25/02		BLD	< 1.0 ug/L
TRICHLOROETHENE	EPA 601	09/25/02		BLD	< 1.0 ug/L
1,2-DICHLOROPROPANE	EPA 601	09/25/02		BLD	< 1.0 ug/L
BROMODICHLOROMETHANE	EPA 601	09/25/02		BLD	< 1.0 ug/L
CIS-1,3-DICHLOROPROPENE	EPA 601	09/25/02		BLD	< 1.0 ug/L
TRANS-1,3-DICHLOROPROPENE	EPA 601	09/25/02		BLD	< 1.0 ug/L
2-CHLOROETHYL VINYL ETHER	EPA 601	09/25/02		BLD	< 10 ug/L



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

Page 2 of 2

CONTINUATION OF DATA FOR SAMPLE NUMBER 298895

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
1,1,2-TRICHLOROETHANE	EPA 601	09/25/02		BLD		ug/L
TETRACHLOROETHENE	EPA 601	09/25/02		BLD		ug/L
DIBROMOCRLOROMETEANE	EPA 601	09/25/02		BLD		ug/L
CHLOROBENZENE	EPA 601	09/25/02		BLD		ug/L
BROMOFORM	EPA 601	09/25/02		BLD		ug/L
1,1,2,2-TETRACHLOROETHANE	EPA 601	09/25/02		BLD		ug/L
1,3-DICHLOROBENZENE	EPA 601	09/25/02		BLD		ug/L
1,4-DICHLOROSENZENE	EPA 601	09/25/02		BLD		ug/L
1,2-DICHLOROBENZENE	EPA 601	09/25/02		BLD		ug/L

NYSDOH LAB ID NO. 11246

APPROVED BYs

(Terms and Conditions on Reverse Side)

CHAIN OF CTM ODY RECORD



Certified Environmental Services, Inc.
• 1401 Erie Blvd. East •
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

BATCH NO:

Turn-Around Time:

H' Standard

11 Week

CJ 72 Hours

O 48 Hours

• 24 Hours

Page 1 of 1.

PARAMETERS FOR ANALYSIS: •

CLIENT NAME: <)/L< ^ ;><< S

ADDRESS: UXL&O. J KJAjdVAI ,*yj 0t) #6'9 4 I > yx-uiTOA)

f* 'LU SA m< £ r . isi C-?^ JLt f

PHONE: M / *4 - y ? / - </ / °0

FAX: 'u/ v • ?-?/ - */so/

CONTACT NAME: SA#f< f/h t?Jf

PROJECT NUMBER/NAME: •.

PURCHASE ORDER NO:

Sampler's Name: ^ Q f &<?AJE>

Signature: 6^*r&<-



TYPE MATRIX

Collected

Q.

to 8

3

0 0)

CLIENT ID/SAMPLE LOCATION

CES Sample Numbers	Date	Time	TYPE	MATRIX
298879	9-19	12:00	X	
298880		11:15	X X	
298881		10:00	X. X.	
298882		9:00	X X	
298883		9:30	X £	
298884		9:30	X L	
298885		9:25	X y	
298886		10:45	X y	
298887		9:40	X	
298888		11:00	X Z	

SPECIAL REMARKS:

^i^/ -r^r?

T<* - <T7)

TUy -ST

n^ - .us*

A* fa/ - /.LP

no**- 1/ D

ru/ - f S

Tlv - S'J>

TIA/ - M ~r

Muz ' ^ . f

03
CC
UJ
Z
I
8
u
O
r
LU
m

±

<5
<*Z
H

2;

2J 2L

J& K. x MWit-Mm*)

2. %

2 * :

y:

X

i X

s: yr X x £mmSIS

3 X

Wp ^ ^ x 298889X WWrl

TOTAL NUMBER OF CONTAINERS

SAMPLES RELINQUISHED BY:

SAMPLES RECEIVED BY:

NAME: mten YZZJ^r
SIGNATURE: ^ £40^

DATE: -9//5-
TIME: /V-5**

NAME: C^r Zi fl>
SIGNATURE: ^

DATE: 7/1^ n
TIME: -IfOP

Samples Received in Good Condition:

DTesDNo/; -
Temperature IV • Q °C C ^ o L c ^ "

NAME: CUt-I'b iJiXorJ,
SIGNATURE: ^6—^0

DATE: *?//?
TIME: /<^



Certified
Environmental
Services; Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500.
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

DATE: 10/03/2002

PROJECT NAME: 809493/Fulton


SAMPLE NUMBER-? ...298896 SAMPLE ID- TW-6D
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIKE. RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1115
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	BY	ANALYSIS DATE	TIME	BY	RESULT UNITS
FILTERING				09/20/02		KB	Complete
IRON, DISSOLVED (FE)	EPA 236.1	09/20/02	KB	10/03/02		KB	0.223 ntg/L -
MANGANESE, DISSOLVED (KN)	EPA 243.1	09/20/02	KB	10/01/02		KB	0.415 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

DATE: 10/03/2002

PROJECT NAME: 809493/Fulton


SAMPLE NUMBER- 298897 SAMPLE ID- TW-5D
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1045
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
FILTERING			09/20/02		KB	Complete	
IRON, DISSOLVED (FE)	EPA 236.1-	09/20/02	KB	10/03/02	J f -	1.93	mg/L
MANGANESE, DISSOLVED (MN)	EPA 243.1	09/20/02	KB	10/01/02	KB	1.93	mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226- ;
Attn: Mr. James Imbrie

DATE: 09/03/2002

PROJECT NAME: 809493/Fulton "


SAMPLE NUMBER- 298898 SAMPLE/ID- MW-30S
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1100
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT	UNITS
FILTERING			09/20/02		KB	Complete	
IRON, DISSOLVED: < FE) V - \ ' ' ' .	;EPAV236.1	09/20/02	KB	09/03/02	KB	0.6074	ng/L '\$
MANGANESE, DISSOLVED < MN >	EPA 243.1	09/20/02	KB	10/01/02	KB	0.816	ng/Lr

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse Side)

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

DATE: 10/03/2002

PROJECT NAME: 809493/Fulton

SAMPLE NUMBER- 298899 SAMPLE ID- MW-25D
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX WA
TIME SAMPLED- 1310
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	SAMPLE PREP DATE	ANALYSIS BY DATE	TIME	BY	RESULT UNITS
FILTERING				09/20/02	KB	Complete
IRON, :DISSOLVED (FE)	EPA 236.1	- '09/20/02	KB	-10/03/02	KB	 0.179 mg/L
MANGANESE, DISSOLVED <MN)	EPA 243.1	09/20/02	KB	10/01/02	KB	0.049 mg/L

NYSDOH LAB ID NO. 11246

APPROVED BY: 
(Terms and Conditions on Reverse side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF - ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

DATE: 10/03/2002

*

PROJECT NAME: 809493/Fulton

SAMPLE NUMBER- 298900 SAMPLE ID- TW-6D
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- H. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1115
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Miscellaneous Analysis	•;>^'^jf-:^^.:^--	09/20/02		SUB		

-i,v.«-fo*-.•*'''.0 - - *

*See Attached Report.

NYSDOH LAB ID NO. 11246

APPROVED BY: (Terms and conditions on Reverse side)



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

-DATE: 10/63/2002

DATE x

PROJECT NAME: 809493/Fulton

SAMPLE NUMBER- 298901 SAMPLE ID- TW-5D
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1045
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Miscellaneous Analysis		09/20/02	^	•;SUB		*

*See Attached Report.

NYSDOH LAB ID NO. 11246

APPROVED BY: (Terms and conditions on Reverse side)



**Certified
Environmental
Services, Inc.**

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

DATE: 10/03/2002
J.I. *

PROJECT NAME: 809493/Fulton

SAMPLE NUMBER- 298902 SAMPLE ID- MW-30S
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1100
RECEIVED BY" cam
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METBOD	ANALYSIS DATE	TIME	BY	RESULT UNITS
Miscellaneous Analysis		-09/20/02			

•See Attached Report.

NYSDOH LAB ID NO. 11246 APPROVED BY: (Terms and conditions on Reverse side)

•SUB *•<:: - m?msmmm&:,



Certified
Environmental
Services, Inc.

1401 Erie Blvd. East
Syracuse, NY 13210
Phone 315-478-2374
Fax 315-478-2107

REPORT OF ANALYSES

Radian International LLC
10200 Innovation Drive
Suite 500
Milwaukee, WI 53226-
Attn: Mr. James Imbrie

DATE 10/03/2002
V.;

PROJECT NAME: 809493/Fulton

SAMPLE NUMBER- 298903 SAMPLE ID- MW-25D
DATE SAMPLED- 09/19/02
DATE RECEIVED- 09/19/02 SAMPLER- Joe Bend
TIME RECEIVED- 1500 DELIVERED BY- W. Chris Nixon

SAMPLE MATRIX- WA
TIME SAMPLED- 1310
RECEIVED BY- cam
TYPE SAMPLE- Grab

Page 1 of 1

ANALYSIS	METHOD	ANALYSIS DATE	TIME	BY	RESULT	UNITS
Miscellaneous Analysis		09/20/02		SUB		'.
*See Attached Report.						

NYSDOH LAB ID NO. 11246

APPROVED BY: _____
(Terms and conditions on Reverse Side)

Microbac

® Microbac Laboratories, Inc.

Page 1 of 1

ERIE DIVISION

1962 WAGER ROAD

ERIE, PA 16509

(814)825-8533 FAX (814)825-9254

CHRISTOPHER SOLAN, LAB DIRECTOR

<http://www.microbac.com> E-Mail* hb@rnicrobac.com

STATE CERT ID.

25-067,10121

C-PA-05

CHEMISTRY • MICROBIOLOGY • FOOD SAFETY • CONSUMER PRODUCTS
WATER • AIR • WASTES • FOOD • PHARMACEUTICALS • NUTRACEOTICALS

CERTIFICATE OF ANALYSIS

CERTIFIED ENVIRONMENTAL SVCS.
1401 ERIE BLVD. EAST
SYRACUSE, NY 13210

Date Reported 10/7/2002
Date Received 9/20/2002
Order Number 0210-01287
Invoice No. 83226
Cust# 003514
Sample Date 9/19/2002
Sample Time 0:00

Permit No.
Cust P.O.

Subject 4 WATER SAMPLES RCVD 9-20-02
SMP Test

Method	Result	Bate	Time	Tech
HETEROTROPHIC PLATE COUNT	SM18 9215B	48,000/ML	9/20/2002	16:40 JMC
IRON BACTERIA	SMEWW 17,9240B	<1/ML	9/20/2002	16:40 JMC

^m6wmsM^ssms^^

HETEROTROPHIC PLATE COUNT	SM18 9215B	30,000/ML	9/20/2002	16:40 JMC
IRON BACTERIA	SMEWW 17,9240B	<1/ML	9/20/2002	16:40 JMC

HETEROTROPHIC PLATE COUNT	SM18 9215B	11,000/ML	9/20/2002	16:40 JMC
IRON BACTERIA	SMEWW 17, 9240B	<1/ML	9/20/2002	16:40 JMC

HETEROTROPHIC PLATE COUNT	SM18 921SB	1,200/ML	9/20/2002	16:40 JMC
IRON BACTERIA	SMEWW 17, 9240B	<1/ML	9/20/2002	16:40 JMC





Certified Environmental Services, Inc.
1401 Erie Blvd. East •
Syracuse, NY 13210

Phone: 315-478-2374

Fax: 315-478-2107

CHAIN OF CUSTODY RECORD

BATCH NO:

ZgJEfe

Turn-Around Time:

13 Standard

TJ1 Week

072 Hours

D 48 Hours

D 24 Hours

Page ____ of.

PARAMETERS FOR ANALYSIS

CLIENT NAME: { ; • £ < ^ ; , , < ? / ?

ADDRESS: (C; A 6r> J A/A/dt/Ai IO'AJ . 00

PHONE: < ; • y . uvr - : " ^ x. *

FAX: " * " v •

CONTACT NAME: ' ^ _ " ' <

PROJECT NUMBER/NAME:

PURCHASE ORDER NO:

Sampler's Name:

• C- < & l < r - j &

Signature: . / < ' ? & < • * £ & • > - * * - C ^

c/>
tr
UJ

8

U

0

£5

•m

5

Z

I

^

X

i

X

iC

X"

X

3.

5

3

S£

&

X

A

298898

4

Uz>

LAB USE ONLY

TYPE MATRIX

Collected

a.

£

8

a

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

in

DO

a)

3

a)

o

a)

d)

d)

d)

d)

d)

d)

d)

d)

d)

d)

d)

d)

d)

d)

d)

d)

d)

d)

d)

d)

CLIENT ID/SAMPLE LOCATION

^IA/ - f ? r>

1 ^ . ^ Z)

T ± S - 4 T

/ • w - 115"

Mi* / -) ± E>

Alt** ' / D

TL. < - - f S

T l u - S' P

TV - J l X

. ^ u / * 3 ^ r

. ^ u / * 3 ^ r

. ^ u / * 3 ^ r

. ^ u / * 3 ^ r

. ^ u / * 3 ^ r

. ^ u / * 3 ^ r

. ^ u / * 3 ^ r

. ^ u / * 3 ^ r

. ^ u / * 3 ^ r

. ^ u / * 3 ^ r

. ^ u / * 3 ^ r

. ^ u / * 3 ^ r

. ^ u / * 3 ^ r

. ^ u / * 3 ^ r

SAMPLES RELINQUISHED BY:

NAME: ^ . r . i % * . - > * - t < - i "

SIGNATURE: ; r ^ ; g T ^ * * -

NAME: £ ' (i ^ t ' O t ^ ' X - ^ / u /

SIGNATURE: ^ ; ^ ^ V ... ; <

DATE: 7 / ; ' 5 '

TIME: / ^ w *

DATE: - ? / / ?

TIME: / . ^ ^

SAMPLES RECEIVED BY:

NAME: C : / > ^ ^ v » ^ 7

SIGNATURE

NAME: ^ ^ T - i S b w i i ^ * ^ u < / l S E t i

SIGNATURE

DATE: ° 7 / ^ ^ \

TIME: . , •

DATE: ° 7 / ^ ^ \

TIME: . , •

Samples Received in Good Condition:

GTYes a No / ,

Temperature f (/ ' • 1 / « c (« ? 0 La / " "

Temperature f (/ ' • 1 / « c (« ? 0 La / " "

Temperature f (/ ' • 1 / « c (« ? 0 La / " "

CHAIN OF CUSTODY RECORD
Services, Inc. BATCH NO: **53/kW**

END

OF