

Miller Container Facility
Fulton, NY

Annual Water Level Data Set 2002

Well	18-Dec-02	20-Nov-02	17-Oct-02	23-Sep-02	12-Sep-02	16-Aug-02	25-Jul-02	20-Jun-02	22-May-02	16-Apr-02	27-Mar-02	26-Feb-02	16-Jan-02
MW-1S	22.68	25.08 Dry	25.08 Dry	25.06 Dry	25.06 Dry	24.23	22.48	20.90	20.71	21.24	21.68	23.50	25.06 Dry
MW-1D	21.68	24.34	25.80	25.03	25.10	24.01	22.00	20.34	20.15	20.15	21.00	22.80	24.69
MW-2S	20.10	23.45	24.29	23.56	23.52	22.41	20.00	18.67	18.42	18.96	19.45	21.17	23.07
MW-2D	20.28	23.27	24.73	24.02	24.03	22.89	20.71	19.04	18.80	19.23	19.73	21.50	23.44
MW-3S	19.31	22.65	23.81	23.07	23.11	21.99	19.47	18.07	17.82	18.32	18.83	20.59	22.53
MW-3D	19.48	22.39	24.05	23.31	23.37	22.37	20.09	18.33	18.13	18.49	19.00	20.80	22.79
MW-4S	16.76	19.82	21.41	20.78	20.75	19.60	17.35	15.58	15.33	15.73	16.32	18.06	20.08
MW-4D	16.42	18.76	21.10	20.46	20.48	19.35	17.52	15.31	15.09	15.44	15.98	17.76	19.78
MW-5	8.19	9.82	12.44	13.00	13.03	12.91	11.74	8.71	8.42	7.62	7.54	7.98	9.42
MW-6S	20.88	23.00	23.20 Dry	23.20 Dry	23.20 Dry	22.80	20.62	19.33	19.18	19.65	20.10	21.88	23.20 Dry
MW-6I	21.09	23.36	25.20	24.37	24.49	23.42	21.68	19.79	19.57	19.97	20.44	22.27	24.15
MW-6D	21.24	23.89	25.56	24.66	24.93	23.72	21.77	20.10	19.87	20.19	20.66	22.52	24.47
MW-7S	11.84	15.84	17.38 Dry	17.38 Dry	Dry 17.37	19.48	15.49	12.09	10.91	10.08	10.63	12.83	15.45
MW-7D	16.04	18.85	20.98	20.13	20.41	19.33	17.17	15.31	15.10	15.28	15.81	17.52	19.85
MW-8S	2.68	7.88	17.00	16.30	15.80	14.72	9.47	5.18	4.50	2.52	3.04	2.83	5.85
MW-8I	11.78	15.31	16.75	16.14	16.11	15.06	12.92	10.85	10.81	11.18	11.70	13.71	15.69
MW-8D	14.48	16.64	18.83	16.71	18.06	17.13	15.75	13.25	13.35	13.89	14.32	16.25	17.84
MW-9S	4.83	5.49	7.17	11.53 Dry	Dry 11.50	11.53 Dry	7.43	5.36	4.83	3.60	4.51	8.60	11.50 Dry
MW-9D	9.95	13.54	15.75	15.00	14.84	13.74	10.71	9.15	9.11	9.40	10.18	12.00	14.15
MW-10S	14.38	16.00	16.75	15.58	15.90	15.20	13.86	12.65	13.49	15.19	16.75	17.30	18.92 Dry
MW-10I	15.03	16.72	17.55	16.55	16.65	15.84	14.66	13.45	14.20	16.06	17.60	18.08	18.65
MW-10D	14.42	16.10	17.08	15.69	15.85	15.19	14.16	13.00	13.77	16.30	17.81	18.25	18.61
MW-11S	15.66	17.26	20.59	19.96	19.94	18.84	16.81	14.70	14.48	14.82	15.40	17.24	19.33
MW-11D	14.62	17.61	19.79	19.18	19.26	18.12	15.75	13.84	13.68	13.94	14.46	16.40	18.53
MW-12S	20.58	22.00	22.70 Dry	Dry	22.61 *	21.58	20.28	18.72	18.30	18.81	19.20	21.10	22.71
MW-12D	19.35	22.30	23.73	22.71	23.13	22.07	20.00	18.40	18.10	18.33	18.80	20.63	22.64
MW-13D	13.30	14.77	15.94	15.35	15.11	14.24	12.96	11.60	12.24	13.37	14.79	15.42	16.40
MW-14S	28.70	30.28	30.92	30.25	30.14	29.25	28.05	26.85	27.72	28.60	30.16	31.20	31.58
MW-14D	28.82	30.47	31.12	30.41	30.30	29.43	28.22	27.00	27.85	28.78	30.31	31.03	31.71
MW-15D	17.63	19.25	20.52	19.98	19.71	18.83	17.51	16.02	16.61	17.65	19.11	19.81	20.88
MW-16D	8.77	13.20	14.11	13.60	13.59	12.42	7.98	7.98	7.82	8.09	8.63	10.55	12.73
MW-17D	20.52	22.30	23.18	22.54	22.37	21.33	20.14	18.89	19.41	20.44	20.71	22.42	23.46
MW-18S	23.91	25.26	26.34	25.73	25.93	24.63	23.38	22.17	22.89	23.96	25.31	25.89	26.81
MW-19S	7.39	12.45	18.00	<16.30	16.05	15.51	10.56	8.88	8.27	7.12	7.89	8.81	13.48
MW-19D	16.60	17.60	20.65	19.96	19.96	18.98	17.90	15.52	15.61	16.08	16.55	18.38	20.09
MW-20D	14.13	16.70	19.38	18.78	18.84	17.72	16.00	13.40	13.25	13.51	14.04	16.10	18.14
MW-21S	27.97	29.79	30.35	29.60	29.50	28.58	28.11	26.27	27.18	28.24	29.73	30.40	31.01
MW-21D	28.69	30.40	31.05	30.30	30.20	29.25	27.38	26.98	27.90	28.96	30.42	30.90	31.71
MW-22S	7.14	11.50	19.98	19.32	19.37	18.13	15.56	13.42	7.17	6.59	6.85	8.94	15.09
MW-22D	14.47	16.40	17.98	17.26	17.33	16.44	14.90	8.59	13.61	14.08	15.28	16.16	17.70
MW-23S	19.38	20.80	21.31	20.84	21.09	19.99	18.90	17.73	18.50	20.70	22.27	22.74	23.01
MW-23D	19.83	21.20	21.73	21.30	21.68	20.44	19.32	18.15	18.90	21.06	22.62	23.12	23.44
MW-24S	12.12	13.57	14.71	13.72	13.88	13.11	11.78	10.44	11.14	12.45	12.74	14.13	16.00
MW-24D	12.39	13.84	14.96	13.97	14.14	13.37	12.06	10.72	11.43	12.80	13.36	14.81	16.46
MW-25S	14.97	16.65	17.37	16.37	16.51	15.70	14.46	13.23	14.04	15.40	16.78	17.88	18.15
MW-25D	17.03	18.75	19.49	18.50	18.65	17.81	16.59	15.32	16.11	17.52	18.95	19.40	20.26

Miller Container Facility
Fulton, NY

Annual Water Level Data Set 2002

Well	18-Dec-02	20-Nov-02	17-Oct-02	23-Sep-02	12-Sep-02	16-Aug-02	25-Jul-02	20-Jun-02	22-May-02	16-Apr-02	27-Mar-02	26-Feb-02	16-Jan-02
MW-26S	8.02	10.62	14.63	Below Baile	14.10	12.94	9.82	7.64	7.43	7.60	8.14	10.19	12.67
MW-26D	8.73	11.70	14.37	13.95	13.90	12.70	10.60	8.08	7.97	8.20	8.73	10.71	12.93
MW-27S	4.85	12.00	14.21	13.86	14.45	13.30	11.25	7.71	6.18	5.43	5.37	6.58	11.15
MW-27D	9.65	12.60	14.38	13.94	14.54	13.53	12.20	9.97	9.31	9.38	9.96	11.36	13.54
MW-28S	10.00	11.37	13.28	11.82	11.81	10.21	9.70	8.56	9.40	14.00	15.16 Dry	15.16 Dry	15.16 Dry
MW-28I	10.82	12.25	13.93	12.50	12.43	11.03	10.25	9.18	10.05	14.99	16.21	16.69	16.43
MW-28D	10.40	12.10	13.79	12.30	12.22	10.73	10.00	8.92	9.80	14.70	16.18	16.65	16.37
MW-29S	8.42	10.15	11.50	11.30	10.35	9.58	8.10	6.97	7.85	12.44	13.90	14.40	14.15
MW-29I	8.54	10.25	11.75	10.40	10.44	9.67	8.20	7.09	7.90	12.54	13.98	14.50	14.27
MW-29D	9.05	10.80	12.57	10.97	11.20	10.26	8.60	7.52	8.41	13.98	15.40	15.90	15.40
MW-30S	7.26	8.90	10.36	9.07	9.14	8.38	6.90	5.79	6.60	11.05	12.58	12.90	12.86
MW-30I	7.30	9.00	10.50	9.15	9.22	8.45	6.95	5.85	6.70	11.25	12.71	13.20	13.00
MW-30D	7.67	9.25	10.78	9.40	9.68	8.70	7.20	6.05	6.90	11.82	13.25	13.75	13.48
MW-31S	6.91	7.26	8.98	9.65	9.51	8.82	7.85	6.31	6.40	8.59	8.44	10.00	12.08
MW-31I	7.95	9.65	10.72	9.82	9.97	9.01	7.68	6.42	7.35	10.71	12.18	12.70	12.81
MW-31D	9.28	11.00	12.40	11.18	11.65	10.43	8.95	7.79	8.70	12.84	14.54	15.10	14.91
MW-32D	30.00	31.90	32.56	31.85	31.71	30.84	29.68	28.51	29.39	30.49	32.05	32.40	33.33
MW-33S	32.12	33.92	34.58	33.75	33.61	32.72	31.56	30.54	31.51	32.45	34.07	34.80	35.35
MW-34D	33.72	35.60	36.32	35.50	35.39	34.49	33.17	32.19	33.07	34.04	35.65	36.50	36.94
MW-35D	31.25	32.94	33.75	33.00	32.88	32.15	30.94	29.98	30.75	32.73	34.14	34.60	35.09
MW-36S	19.50	21.62	23.09	22.02	22.39	21.38	19.88	18.20	17.79	18.10	18.53	20.20	22.18
MW-36D	19.28	21.40	22.98	21.90	22.33	21.29	19.80	18.11	17.76	17.93	18.30	20.03	21.99
MW-37S	20.62	23.19	24.54	23.05	23.83	22.79	20.99	19.44	18.85	19.04	19.51	21.28	23.43
MW-37I	20.82	23.36	24.89	23.40	24.30	23.32	21.50	19.94	19.45	19.51	20.00	21.73	23.79
MW-37D	20.38	23.10	24.31	23.09	23.68	22.74	21.30	19.41	19.06	19.07	19.58	21.27	23.25
MW-38S	13.11	15.94	18.18	17.57	17.43	16.78	14.55	11.96	11.57	11.42	12.32	13.31	15.55
MW-38D	11.91	14.70	16.43	15.85	15.68	14.54	12.78	10.38	9.70	9.65	10.55	12.96	14.23
MW-39S	14.91	18.50	19.15	17.92	18.65	17.63	15.18	14.16	13.67	13.68	14.17	15.83	18.03
MW-39I	15.15	18.11	19.41	18.16	18.94	17.94	15.44	14.50	14.03	13.95	14.47	16.15	18.36
MW-39D	15.23	18.40	19.55	18.28	19.09	18.06	16.00	14.62	14.15	14.08	14.57	16.24	18.00
MW-40S	11.63	14.88 Dry	14.88 Dry	14.88 Dry	14.88 Dry	14.88 Dry	11.77	12.62	11.95	11.31	11.87	11.98	13.42
MW-41S	8.67	11.06	14.85 Dry	14.85 Dry	14.85 Dry	14.85 Dry	12.39	10.52	9.90	7.82	9.07	10.62	13.61
MW-42S	7.63	10.38	12.00	11.45	11.54	10.45	9.77	7.69	7.72	9.09	9.58	10.30	11.70
MW-43S	8.61	11.00	12.51	12.00	12.00	10.74	10.15	8.14	8.00	9.74	11.12	11.80	12.58
MW-43D	7.38	9.94	12.50	12.16	12.40	10.73	10.15	8.30	8.59	9.87	11.20	11.80	12.54
MW-44S	7.19	9.94	11.63	10.92	11.09	9.79	9.15	7.13	7.54	9.20	10.54	11.15	11.81
MW-45S	9.05	11.18	12.34	11.89	11.89	10.65	9.84	9.23	9.14	9.76	10.83	11.40	12.50
MW-45D	7.72	10.33	12.55	11.73	12.21	10.35	10.37	9.31	9.02	9.58	11.35	11.90	12.01
MW-46S	6.00	8.08	9.27	8.60	8.88	7.82	6.58	5.24	6.00	9.10	10.50	11.02	11.18
MW-46D	7.20	8.75	9.77	8.92	9.20	8.18	7.03	5.81	6.50	9.49	11.00	11.50	11.51
MW-47S	22.80	25.00	27.21	25.70	27.70	26.50	25.50	23.00	22.30	22.41	23.40	24.80	26.43
MW-48S	22.30	25.00	27.41	26.10	27.60	26.70	25.10	22.40	22.00	22.20	23.00	25.30	26.64
MW-49S	30.06	31.50	31.60	31.20	31.11	30.42	29.10	28.04	28.80	30.72	32.14	32.62	33.13
MW-49I	30.00	31.40	32.30	31.30	31.21	30.53	29.30	28.10	29.30	30.75	32.14	32.68	33.20
MW-49D	29.64	31.10	31.60	31.00	30.88	30.19	29.00	27.75	29.20	30.29	31.70	32.20	32.75
MW-50S	4.88	11.21	14.62	14.60	14.47	13.62	11.44	7.40	6.10	9.00	5.30	8.80	12.72

Miller Container Facility
Fulton, NY

Annual Water Level Data Set 2002

Well	18-Dec-02	20-Nov-02	17-Oct-02	23-Sep-02	12-Sep-02	16-Aug-02	25-Jul-02	20-Jun-02	22-May-02	16-Apr-02	27-Mar-02	26-Feb-02	16-Jan-02
MW-50I	12.67	14.30	15.02	14.45	14.77	13.33	12.07	10.99	11.90	13.50	15.00	15.53	16.08
MW-50D	12.81	14.51	14.96	14.53	14.91	13.49	12.20	11.14	12.00	13.65	15.15	15.70	16.22
MW-51I	10.62	14.70	16.03	15.55	15.44	14.37	11.70	9.80	9.71	9.99	10.52	12.54	14.69
MW-51D	10.27	12.10	15.68	15.20	15.12	14.04	11.90	9.45	9.35	9.66	10.18	12.19	14.36
MW-52S	17.52	19.26	19.72	19.17	18.94	18.02	16.90	15.92	16.82	17.79	19.06	20.00 Dry	20.00 Dry
MW-52I	17.02	19.44	19.33	18.78	18.57	17.64	16.50	15.46	16.30	17.29	18.61	18.91	19.88
MW-52D	16.70	18.29	19.04	18.49	18.28	17.36	16.22	15.18	16.00	16.97	18.27	18.62	19.58
MW-53S	14.24	16.07	19.11 PB	18.29	18.19	17.15	14.91	13.58	12.95	12.96	13.42	15.43	17.56
MW-53I	13.57	16.33	18.39	16.54	17.90	16.84	15.00	13.18	12.70	12.61	13.14	15.00	17.15
MW-53D	13.85	16.60	18.59	16.82	17.77	16.75	15.18	13.15	12.69	12.58	13.09	14.89	17.01
MW-54S	15.48	17.31	17.88 Dry	17.88 Dry	Dry 17.88	17.88 Dry	15.89	14.63	14.03	14.94	14.53	16.40	17.88 Dry
MW-54I	16.08	19.70	21.14	19.01	20.78	19.84	17.57	16.06	15.51	15.11	15.74	17.44	19.73
MW-54D	15.60	19.35	20.42	18.80	20.03	19.11	17.00	15.37	14.85	14.51	15.12	16.78	19.05
MW-55D	22.96	24.55	25.30	24.69	24.47	23.17	22.39	21.27	21.99	23.02	24.28	24.86	25.78
MW-56D	11.91	14.91	16.73	15.81	16.11	15.08	13.14	10.99	10.92	11.36	11.89	13.85	15.76
MW-60S	12.41	14.91	16.56	16.30	16.11	15.23	13.30	11.50	11.50	12.53	13.05	15.10	16.88
MW-60I	12.33	15.62	16.44	16.28	15.97	15.07	13.25	11.38	11.40	12.44	13.14	14.97	16.75
MW-60D	12.52	15.53	16.58	16.25	16.09	15.17	13.33	11.53	11.60	12.56	13.49	15.09	16.85
MW-61D	14.83	17.31	19.27	18.48	18.62	17.55	15.53	13.95	13.86	14.15	15.35	16.54	18.44
MW-62S	10.06	12.23	15.61	15.42	15.30	13.96	11.92	9.30	9.09	9.27	10.30	11.51	13.84
MW-63S	15.99	18.28	20.29	Below Baile	19.49	18.36	16.70	14.63	14.47	14.74	15.76	16.69	19.07
MW-64	4.16	7.63	12.90	13.09	12.33	11.40	9.93	5.10	4.28				
PZ-1	11.77	15.00	16.15 Dry	16.15 Dry	15.79	14.70	13.11	10.48	9.59				
PZ-2	5.19	9.41	13.87	13.39	13.04	11.92	10.64	7.03	5.80				
RW-1	38.2	41.4	42.6	15.75	41.7	38.83	43.2	36.98	38.52	39.2	42.24	38.81	42.77
RW-2	15.32	17.70	19.8	19.92	19.8	18.93	16.2	14.71	14.58	13.9	14.79	16.9	19.02
RW-3	48.3	48.3	48.4	21.18	48.4	47.35	48.3	48.5	47.60	45.8	47.70	48.5	38.67
RW-4	39.8	43.2	39.9	18.00	43.1	16.8	39.3	43.4	43.1	39.7	42.3	43.5	40.1
RW-5	51.3	51.4	48.4	24.64	51.7	56.11	51.7	56.05	56.02	51.7	56.11	51.7	56.11
RW-8	33.1	35.0	37.1	16.39	36.5	34.69	33.3	30.84	30.25	32.4	32.00	33.62	36.10
RW-9	47.1	47.4	45.8	21.10	45.7	46.2	46.2	49.35	49.21	46.6	49.70	49.87	50.15
RW-10	29.1	29.6	29.6	31.11	29.2	34.20	29.4	34.10	34.05	29.6	34.02	29.5	34.32
RW-11	46.5	46.8	46.9	31.22	46.9	40.12	46.5	39.72	39.81	46.6	39.95	46.7	40.26
RW-12	41.3	41.4	41.7	29.44	41.7	45.52	38.8	46.15	44.05	39.5	43.89	38.7	44.75
RW-13	49.6	49.7	49.6	15.25	49.7	46.83	49.6	46.68	46.46	49.6	46.86	46.98	46.97