

July 10, 2001

COPY

Mr. David Crosby
Senior Engineer
New York State Department of Environmental Conservation
50 Wolf Road
Albany, NY 12233-7010

Subject: Former Miller Container Site (No. 7-38-029)
SVE System Removal Work Plan

Dear Mr. Crosby:

Telephone

518.458.1313

Facsimile

518.458.2472

I am writing in follow up to our meeting of May 31 attended by representatives of the New York State Department of Environmental Conservation (the Department), Miller Brewing Company (Miller) and Earth Tech. Several issues were discussed the course of the meeting including, removal of the Soil Vapor Extraction (SVE) system at the former Miller Brewing Company site in Fulton, NY (the site). As you may remember, Miller Brewing Company's (our client's) latest Annual Monitoring Report for the site included a number of recommendations. Among these, was a recommendation to shut down and remove the SVE system. This recommendation was made by Earth Tech due to the fact that the SVE system was no longer providing any significant remedial benefit. This conclusion was supported by the lack of constituents of concern in the soil vapor recovered by the SVE system. The department concurred with this recommendation in correspondence to Miller dated February 9, 2001.

Details regarding the removal of the SVE system were communicated to the Department in correspondence dated May 29, 2001. Miller prepared this correspondence in anticipation of the previously mentioned meeting.

During that meeting however a new concern was raised by the Department regarding the shutdown of the SVE system. Specifically, questions were raised as to whether the concentrations at each of the soil vapor extraction wells had dropped to the non-detect level consistent with the reductions seen in the overall system. The concern was that the system was continuing to recover contaminants at individual extraction wells but that the contaminants were diluted to the non-detect level in the composite stream. This effect, if occurring, could mask the benefits of continued operation of the system.

E A R T H  T E C H

A tyco INTERNATIONAL LTD. COMPANY


Mr. David Crosby, NYSDEC
SVE System Removal Work Plan
July 10, 2001
Page 2

In order to address the department's concern we have included a table with this correspondence showing the concentration of the contaminants of concern at the individual extraction wells. As you will note, this data supports the fact that the SVE system is no longer providing any remedial benefit.

Based on our discussions during the meeting, it is our understanding that the department supported removal of the system provided the data for the individual extraction wells was provided and that the data supported the fact that the SVE system was not providing any benefit. As this information has now been provided, the SVE system will be decommissioned through removal of all equipment and aboveground piping. The extraction wells will be over drilled and grouted in accordance with NYSDEC procedures where accessible. Salvageable equipment will be cleaned and stored onsite pending final disposition. We anticipate that this activity will be completed within the next 45 days.

Please feel free to call either myself at (518) 435-7260 or Kathy Kinton with Miller at (414) 931-3570 if you have any objections or concerns

Very truly yours,



Charles K. Bartlett, P.E.
Environmental Services Department Manager
Earth Tech, Inc.

attachment: Table 1 – Historical SVE Tedlar Bag Analyses

cc: Kathy Kinton, Miller Brewing Co., Milwaukee, WI
Henriette Hamell, NYSDOH, Syracuse, NY
John Florek, City of Fulton, Fulton, NY
Roger Parsons, City of Fulton, Fulton, NY
Michael Kelly, Earth Tech, Glens Falls, NY
Brett Mongillo, Earth Tech, Albany, NY
Gary Mullen, Earth Tech, Fulton, NY
G. David Foster, NYSDEC, Albany, NY
John Strang, NYSDEC, Albany, NY
John Mays, NYSDEC, Syracuse, NY
Rich White, Earth Tech, Cazenovia, NY
Daniel Barthold, Miller, Milwaukee, WI

E A R T H



T E C H

TABLE 1
HISTORICAL SVE TEDLAR BAG ANALYSES
MILLER BREWING COMPANY
FULTON, NEW YORK

DATE	Report Number	Sample ID	Benzene	Chloroform	1,1-DCA	1,2-DCA	1,1-DCE	c-1,2-DCE	Ethylbenzene	Methylene Chloride	PCE	Toluene	1,1,1-TCA	TCE	VC	m,p,o-Xylene
11-Nov-96	31	SVE COMB INF	<0.03	<0.03	<0.03	<0.03	<0.03	0.064	<0.03	<0.06	<0.03	<0.03	0.051	<0.03	<0.03	<0.03
	32	VPC EFF	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
12-Nov-96	33	SVE 2	<0.03	<0.03	0.055	<0.03	0.033	0.660	<0.03	<0.06	<0.03	<0.03	0.700	<0.03	<0.03	<0.03
		SVE 5	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	0.140	<0.03	<0.03	0.240	<0.03	<0.06	<0.03	<0.03	0.130	<0.03	<0.03	<0.03
13-Nov-96	34	RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	0.130	<0.03	0.031	0.340	<0.03	<0.06	<0.03	<0.03	0.180	<0.03	<0.03	<0.03
14-Nov-96	35	RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	0.062	<0.03	<0.03	0.270	<0.03	<0.06	<0.03	<0.03	0.200	<0.03	<0.03	<0.03
15-Nov-96	36	RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	0.070	0.040	0.330	<0.03	<0.06	<0.03	<0.03	0.370	<0.03	<0.03	<0.03
16-Nov-96	37	RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	0.054	<0.03	0.034	0.310	<0.03	<0.06	<0.03	<0.03	0.360	<0.03	<0.03	<0.03
18-Nov-96	38	RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	0.034	0.190	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
19-Nov-96	39	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	0.038	0.110	<0.03	<0.06	<0.03	<0.03	0.240	<0.03	<0.03	<0.03
26-Nov-96	42	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	0.033	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	0.039	<0.03	0.100	0.240	<0.03	<0.06	<0.03	<0.03	0.520	<0.03	<0.03	<0.03
		SVE COMB INF	<0.03	<0.03	<0.03	<0.03	<0.03	0.047	<0.03	<0.06	<0.03	<0.03	0.066	<0.03	<0.03	<0.03
3-Dec-96	43	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	0.041	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE COMB INF	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03

Note: All sample results presented in parts per million by volume (PPMV).

TABLE 1
HISTORICAL SVE TEDLAR BAG ANALYSES
MILLER BREWING COMPANY
FULTON, NEW YORK

DATE	Report Number	Sample ID	Benzene	Chloroform	1,1-DCA	1,2-DCA	1,1-DCE	c-1,2-DCE	Ethylbenzene	Methylene Chloride	PCE	Toluene	1,1,1-TCA	TCE	VC	m,p,o-Xylene
10-Dec-96	44	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	0.034	<0.03	<0.06	<0.03	<0.03	0.051	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	0.078	<0.03	<0.03	<0.03
		SVE COMB INF	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
17-Dec-96	45	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	0.041	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	0.039	<0.03	<0.06	<0.03	<0.03	0.100	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE COMB INF	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
24-Dec-96	48	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	0.066	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE COMB INF	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
31-Dec-96	49	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE COMB INF	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	0.052	<0.03	<0.03	<0.03
6-Feb-97	54	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	0.063	<0.03	<0.03	<0.03
		SVE COMB INF	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
5-Mar-97	76	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	0.045	<0.03	<0.03	<0.03
		SVE COMB INF	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		VPC EFF	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
2-Apr-97	91	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	0.050	<0.03	<0.03	<0.03
		SVE COMB INF	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03

Note: All sample results presented in parts per million by volume (PPMV).

TABLE 1
HISTORICAL SVE TEDLAR BAG ANALYSES
MILLER BREWING COMPANY
FULTON, NEW YORK

DATE	Report Number	Sample ID	Benzene	Chloroform	1,1-DCA	1,2-DCA	1,1-DCE	c-1,2-DCE	Ethylbenzene	Methylene Chloride	PCE	Toluene	1,1,1-TCA	TCE	VC	m,p,o-Xylene
9-Apr-97	93	SVE 2	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 3	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
27-May-97	106	SVE 2	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	0.100	<0.03	<0.03	<0.03
		VPC EFF	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
24-Oct-97	9700638	SVE 2	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 3	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	0.130	<0.03	<0.06	<0.03	<0.03	0.160	<0.03	<0.03	<0.03
6-Nov-97	9700905	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	0.092	<0.03	<0.06	<0.03	<0.03	0.160	<0.03	<0.03	<0.03
25-Nov-97	9701255	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	0.032	<0.03	<0.06	<0.03	<0.03	0.091	<0.03	<0.03	<0.03
17-Dec-97	9701701	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
11-Feb-98	9800746	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	0.110	<0.03	<0.03	<0.03
24-Apr-98	9802298	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	0.120	<0.03	<0.03	<0.03
10-Jun-98	9803084	SVE 1	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		SVE 4	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 6	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03
		RW 7	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.03	<0.06	<0.03	<0.03	0.190	<0.03	<0.03	<0.03

Note: All sample results presented in parts per million by volume (PPMV).

TABLE 1
HISTORICAL SVE TEDLAR BAG ANALYSES
MILLER BREWING COMPANY
FULTON, NEW YORK

DATE	Report Number	Sample ID	Benzene	Chloroform	1,1-DCA	1,2-DCA	1,1-DCE	c-1,2-DCE	Ethylbenzene	Methylene Chloride	PCE	Toluene	1,1,1-TCA	TOE	VC	m,p,o-Xylene
20-Nov-98	9901012	SVE 1	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
		SVE 4	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
		RW 6	<0.02	<0.02	<0.02	<0.02	<0.02	0.021	<0.02	<0.02	0.025	<0.02	0.088	<0.02	<0.02	<0.02
		RW 7	<0.02	<0.02	<0.02	<0.02	<0.02	0.077	<0.02	<0.02	0.028	<0.02	0.240	<0.02	<0.02	<0.02
15-Feb-99	9901012	SVE 1	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
		SVE 4	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
		RW 6	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
		RW 7	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
15-Mar-99	9901674	SVE 1	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
		SVE 4	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
		RW 6	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
		RW 7	<0.02	<0.02	<0.02	<0.02	<0.02	0.047	<0.02	<0.02	<0.02	<0.02	<0.02	0.170	<0.02	<0.02
15-Apr-99	9902510	SVE 1	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
		SVE 4	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
		RW 6	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.039	<0.02	<0.02	<0.02
		RW 7	<0.02	<0.02	<0.02	<0.02	<0.02	0.039	<0.02	<0.02	<0.02	<0.02	0.180	<0.02	<0.02	<0.02

Note: All sample results presented in parts per million by volume (PPMV).